APN	LMD 2014-01 Zone LI	MD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
478040033	Zone 01	,	1 \$23.00	\$23.00
478040034	Zone 01	•	1 23.00	23.00
478040035	Zone 01	•	1 23.00	23.00
304421032	Zone 01	•	1 23.00	23.00
304421029	Zone 01	•	1 23.00	23.00
487160001	Zone 01		1 23.00	23.00
256193001	Zone 01		1 23.00	23.00
256193002	Zone 01	•	1 23.00	23.00
256193003	Zone 01	•	1 23.00	23.00
256211002	Zone 01	•	1 23.00	23.00
256212001	Zone 01	•	1 23.00	23.00
256212002	Zone 01		1 23.00	23.00
256212003	Zone 01		1 23.00	23.00
256212004	Zone 01		1 23.00	23.00
256212005	Zone 01		1 23.00	23.00
256212006	Zone 01		1 23.00	23.00
256213001	Zone 01		1 23.00	23.00
256213002	Zone 01		1 23.00	23.00
256213003	Zone 01		1 23.00	23.00
256213004	Zone 01		1 23.00	23.00
256213005	Zone 01		1 23.00	23.00
256213006	Zone 01		1 23.00	23.00
256213007	Zone 01		1 23.00	23.00
256213008	Zone 01		1 23.00	23.00
256213009	Zone 01		1 23.00	23.00
256213010	Zone 01		1 23.00	23.00
256213011	Zone 01		1 23.00	23.00
256213012	Zone 01		1 23.00	23.00
256213013	Zone 01		1 23.00	23.00
256213014	Zone 01		1 23.00	23.00
256213015	Zone 01		1 23.00	23.00
256213016	Zone 01		1 23.00	23.00
256213017	Zone 01		1 23.00	23.00
256214001	Zone 01		1 23.00	23.00
256214002	Zone 01		1 23.00	23.00
256214003	Zone 01		1 23.00	23.00
256215001	Zone 01		1 23.00	23.00
256215002	Zone 01		1 23.00	23.00
256215003	Zone 01		1 23.00	23.00
256215004	Zone 01		1 23.00	23.00
256215005	Zone 01		1 23.00	23.00
256215006	Zone 01		1 23.00	23.00
256215007	Zone 01		1 23.00	23.00
256215008	Zone 01		1 23.00	23.00
256215009	Zone 01		1 23.00	23.00
256215010	Zone 01		1 23.00	23.00
256215011	Zone 01		1 23.00	23.00
256215011	Zone 01		1 23.00	23.00
2002 100 12	20110 01		20.00	20.00

APN	LMD 2014-01 Zone LMD Assigned El	BU's FY 17-	18 Max Assessment	FY 17-18 Assessment
256215013	Zone 01	1	23.00	23.00
256215014	Zone 01	1	23.00	23.00
256215015	Zone 01	1	23.00	23.00
256215016	Zone 01	1	23.00	23.00
256215017	Zone 01	1	23.00	23.00
256215018	Zone 01	1	23.00	23.00
256215019	Zone 01	1	23.00	23.00
256215020	Zone 01	1	23.00	23.00
256215021	Zone 01	1	23.00	23.00
256215022	Zone 01	1	23.00	23.00
256215023	Zone 01	1	23.00	23.00
256215024	Zone 01	1	23.00	23.00
256215025	Zone 01	1	23.00	23.00
256215026	Zone 01	1	23.00	23.00
256215027	Zone 01	1	23.00	23.00
256215028	Zone 01	1	23.00	23.00
256215029	Zone 01	1	23.00	23.00
256215030	Zone 01	1	23.00	23.00
256215031	Zone 01	1	23.00	23.00
256216001	Zone 01	1	23.00	23.00
256216002	Zone 01	1	23.00	23.00
256216003	Zone 01	1	23.00	23.00
256216004	Zone 01	1	23.00	23.00
256216005	Zone 01	1	23.00	23.00
256216006	Zone 01	1	23.00	23.00
256216007	Zone 01	1	23.00	23.00
256216008	Zone 01	1	23.00	23.00
256216009	Zone 01	1	23.00	23.00
256216010	Zone 01	1	23.00	23.00
256216011	Zone 01	1	23.00	23.00
256216012	Zone 01	1	23.00	23.00
256216013	Zone 01	1	23.00	23.00
256216014	Zone 01	1	23.00	23.00
256216015	Zone 01	1	23.00	23.00
256216016	Zone 01	1	23.00	23.00
256216017	Zone 01	1	23.00	23.00
256216018	Zone 01	1	23.00	23.00
256216019	Zone 01	1	23.00	23.00
256216020	Zone 01	1	23.00	23.00
256216021	Zone 01	1	23.00	23.00
256216022	Zone 01	1	23.00	23.00
256221001	Zone 01	1	23.00	23.00
256221002	Zone 01	1	23.00	23.00
256221003	Zone 01	1	23.00	23.00
256221004	Zone 01	1	23.00	23.00
256221005	Zone 01	1	23.00	23.00
256221006	Zone 01	1	23.00	23.00
256221007	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-1	8 Max Assessment	FY 17-18 Assessment
256221008	Zone 01	1	23.00	23.00
256221009	Zone 01	1	23.00	23.00
256221010	Zone 01	1	23.00	23.00
256221011	Zone 01	1	23.00	23.00
256221012	Zone 01	1	23.00	23.00
256221013	Zone 01	1	23.00	23.00
256221014	Zone 01	1	23.00	23.00
256221015	Zone 01	1	23.00	23.00
256221016	Zone 01	1	23.00	23.00
256221017	Zone 01	1	23.00	23.00
256221018	Zone 01	1	23.00	23.00
256221019	Zone 01	1	23.00	23.00
256221020	Zone 01	1	23.00	23.00
256221021	Zone 01	1	23.00	23.00
256221022	Zone 01	1	23.00	23.00
256221023	Zone 01	1	23.00	23.00
256221024	Zone 01	1	23.00	23.00
256221025	Zone 01	1	23.00	23.00
256221026	Zone 01	1	23.00	23.00
256221027	Zone 01	1	23.00	23.00
256221028	Zone 01	1	23.00	23.00
256221029	Zone 01	1	23.00	23.00
256221030	Zone 01	1	23.00	23.00
256221031	Zone 01	1	23.00	23.00
256221032	Zone 01	1	23.00	23.00
256221033	Zone 01	1	23.00	23.00
256221034	Zone 01	1	23.00	23.00
256221035	Zone 01	1	23.00	23.00
256222002	Zone 01	1	23.00	23.00
256222003	Zone 01	1	23.00	23.00
256222004	Zone 01	1	23.00	23.00
256222005	Zone 01	1	23.00	23.00
256222006	Zone 01	1	23.00	23.00
256222014	Zone 01	1	23.00	23.00
256222015	Zone 01	1	23.00	23.00
256231001	Zone 01	1	23.00	23.00
256231002	Zone 01	1	23.00	23.00
256231003	Zone 01	1	23.00	23.00
256231004	Zone 01	1	23.00	23.00
256231005	Zone 01	1	23.00	23.00
256231006	Zone 01	1	23.00	23.00
256231007	Zone 01	1	23.00	23.00
256231008	Zone 01	1	23.00	23.00
256231009	Zone 01	1	23.00	23.00
256231010	Zone 01	1	23.00	23.00
256231011	Zone 01	1	23.00	23.00
256231012	Zone 01	1	23.00	23.00
256231013	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
256231014	Zone 01		1 23.00	23.00
256231015	Zone 01		1 23.00	23.00
256231016	Zone 01		1 23.00	23.00
256231017	Zone 01		1 23.00	23.00
256231018	Zone 01		1 23.00	23.00
256231019	Zone 01		1 23.00	23.00
256231020	Zone 01		1 23.00	23.00
256231021	Zone 01		1 23.00	23.00
256231022	Zone 01		1 23.00	23.00
256231023	Zone 01		1 23.00	23.00
256231024	Zone 01		1 23.00	23.00
256232001	Zone 01		1 23.00	23.00
256232002	Zone 01		1 23.00	23.00
256232003	Zone 01		1 23.00	23.00
256232004	Zone 01		1 23.00	23.00
256232005	Zone 01		1 23.00	23.00
256241001	Zone 01		1 23.00	23.00
256241002	Zone 01		1 23.00	23.00
256241003	Zone 01		1 23.00	23.00
256241004	Zone 01		1 23.00	23.00
256242005	Zone 01		1 23.00	23.00
256242006	Zone 01		1 23.00	23.00
256242007	Zone 01		1 23.00	23.00
256242008	Zone 01		1 23.00	23.00
256242009	Zone 01		1 23.00	23.00
256242010	Zone 01		1 23.00	23.00
256181001	Zone 01		1 23.00	23.00
256181002	Zone 01		1 23.00	23.00
256181003	Zone 01		1 23.00	23.00
256181004	Zone 01		1 23.00	23.00
256181005	Zone 01		1 23.00	23.00
256181006	Zone 01		1 23.00	23.00
256181007	Zone 01		1 23.00	23.00
256181008	Zone 01		1 23.00	23.00
256181009	Zone 01		1 23.00	23.00
256181012	Zone 01		1 23.00	23.00
256181013	Zone 01		1 23.00	23.00
256181014	Zone 01		1 23.00	23.00
256181015	Zone 01		1 23.00	23.00
256181016	Zone 01		1 23.00	23.00
256181017	Zone 01		1 23.00	23.00
256181018	Zone 01		1 23.00	23.00
256181019	Zone 01		1 23.00	23.00
256182001	Zone 01		1 23.00	23.00
256182002	Zone 01		1 23.00	23.00
256182003	Zone 01		1 23.00	23.00
256182004	Zone 01		1 23.00	23.00
256182005	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned El	BU's FY 17-1	8 Max Assessment	FY 17-18 Assessment
256182006	Zone 01	1	23.00	23.00
256182007	Zone 01	1	23.00	23.00
256182008	Zone 01	1	23.00	23.00
256182009	Zone 01	1	23.00	23.00
256182010	Zone 01	1	23.00	23.00
256182011	Zone 01	1	23.00	23.00
256182012	Zone 01	1	23.00	23.00
256182013	Zone 01	1	23.00	23.00
256182014	Zone 01	1	23.00	23.00
256182015	Zone 01	1	23.00	23.00
256182016	Zone 01	1	23.00	23.00
256182017	Zone 01	1	23.00	23.00
256182018	Zone 01	1	23.00	23.00
256182019	Zone 01	1	23.00	23.00
256182020	Zone 01	1	23.00	23.00
256182021	Zone 01	1	23.00	23.00
256182022	Zone 01	1	23.00	23.00
256182023	Zone 01	1	23.00	23.00
256182024	Zone 01	1	23.00	23.00
256182025	Zone 01	1	23.00	23.00
256182026	Zone 01	1	23.00	23.00
256182027	Zone 01	1	23.00	23.00
256182028	Zone 01	1	23.00	23.00
256182029	Zone 01	1	23.00	23.00
256182030	Zone 01	1	23.00	23.00
256182031	Zone 01	1	23.00	23.00
256182032	Zone 01	1	23.00	23.00
256182033	Zone 01	1	23.00	23.00
256182034	Zone 01	1	23.00	23.00
256182035	Zone 01	1	23.00	23.00
256182036	Zone 01	1	23.00	23.00
256182037	Zone 01	1	23.00	23.00
256182038	Zone 01	1	23.00	23.00
256182039	Zone 01	1	23.00	23.00
256182040	Zone 01	1	23.00	23.00
256182041	Zone 01	1	23.00	23.00
256182042	Zone 01	1	23.00	23.00
256182043	Zone 01	1	23.00	23.00
256182044	Zone 01	1	23.00	23.00
256182045	Zone 01	1	23.00	23.00
256182046	Zone 01	1	23.00	23.00
256182049	Zone 01	1	23.00	23.00
256182050	Zone 01	1	23.00	23.00
256182051	Zone 01	1	23.00	23.00
256182052	Zone 01	1	23.00	23.00
256182053	Zone 01	1	23.00	23.00
256182054	Zone 01	1	23.00	23.00
256191002	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone L	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
256191003	Zone 01		1 23.00	23.00
256191004	Zone 01		1 23.00	23.00
256191005	Zone 01		1 23.00	23.00
256191006	Zone 01		1 23.00	23.00
256191007	Zone 01		1 23.00	23.00
256191008	Zone 01		1 23.00	23.00
256191009	Zone 01		1 23.00	23.00
256191010	Zone 01		1 23.00	23.00
256191011	Zone 01		1 23.00	23.00
256191012	Zone 01		1 23.00	23.00
256191013	Zone 01		1 23.00	23.00
256191014	Zone 01		1 23.00	23.00
256191015	Zone 01		1 23.00	23.00
256191016	Zone 01		1 23.00	23.00
256191017	Zone 01		1 23.00	23.00
256191018	Zone 01		1 23.00	23.00
256191019	Zone 01		1 23.00	23.00
256191020	Zone 01		1 23.00	23.00
256191021	Zone 01		1 23.00	23.00
256191022	Zone 01		1 23.00	23.00
256191023	Zone 01		1 23.00	23.00
256191024	Zone 01		1 23.00	23.00
256191025	Zone 01		1 23.00	23.00
256191026	Zone 01		1 23.00	23.00
256191027	Zone 01		1 23.00	23.00
256191028	Zone 01		1 23.00	23.00
256191029	Zone 01		1 23.00	23.00
256191030	Zone 01		1 23.00	23.00
256191031	Zone 01		1 23.00	23.00
256191032	Zone 01		1 23.00	23.00
256191033	Zone 01		1 23.00	23.00
256191034	Zone 01		1 23.00	23.00
256191035	Zone 01		1 23.00	23.00
256191036	Zone 01		1 23.00	23.00
256191037	Zone 01		1 23.00	23.00
256191038	Zone 01		1 23.00	23.00
256191039	Zone 01		1 23.00	23.00
256191040	Zone 01		1 23.00	23.00
256191041	Zone 01		1 23.00	23.00
256191042	Zone 01		1 23.00	23.00
256191043	Zone 01		1 23.00	23.00
256191044	Zone 01		1 23.00	23.00
256191045	Zone 01		1 23.00	23.00
256191046	Zone 01		1 23.00	23.00
256191047	Zone 01		1 23.00	23.00
256191048	Zone 01		1 23.00	23.00
256191049	Zone 01		1 23.00	23.00
256191050	Zone 01		1 23.00	23.00
230131030	20116 01		23.00	23.00

APN	LMD 2014-01 Zone L	MD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
256191051	Zone 01		1 23.00	23.00
256191052	Zone 01		1 23.00	23.00
256191053	Zone 01		1 23.00	23.00
256191054	Zone 01		1 23.00	23.00
256191057	Zone 01		1 23.00	23.00
256191058	Zone 01		1 23.00	23.00
256191059	Zone 01		1 23.00	23.00
256191060	Zone 01		1 23.00	23.00
256191062	Zone 01		1 23.00	23.00
256191063	Zone 01		1 23.00	23.00
256191064	Zone 01		1 23.00	23.00
256191065	Zone 01		1 23.00	23.00
256191066	Zone 01		1 23.00	23.00
256191067	Zone 01		1 23.00	23.00
256191068	Zone 01		1 23.00	23.00
256191069	Zone 01		1 23.00	23.00
256191070	Zone 01		1 23.00	23.00
256191071	Zone 01		1 23.00	23.00
256191072	Zone 01		1 23.00	23.00
256191073	Zone 01		1 23.00	23.00
256191074	Zone 01		1 23.00	23.00
256191075	Zone 01		1 23.00	23.00
256191076	Zone 01		1 23.00	23.00
256191077	Zone 01		1 23.00	23.00
256192001	Zone 01		1 23.00	23.00
256192002	Zone 01		1 23.00	23.00
256192003	Zone 01		1 23.00	23.00
256192004	Zone 01		1 23.00	23.00
256192005	Zone 01		1 23.00	23.00
256192006	Zone 01		1 23.00	23.00
256192007	Zone 01		1 23.00	23.00
256192008	Zone 01		1 23.00	23.00
256192009	Zone 01		1 23.00	23.00
256192010	Zone 01		1 23.00	23.00
256192011	Zone 01		1 23.00	23.00
256192012	Zone 01		1 23.00	23.00
256192013	Zone 01		1 23.00	23.00
256192014	Zone 01		1 23.00	23.00
256192015	Zone 01		1 23.00	23.00
256192016	Zone 01		1 23.00	23.00
256192017	Zone 01		1 23.00	23.00
256192018	Zone 01		1 23.00	23.00
256192019	Zone 01		1 23.00	23.00
256192020	Zone 01		1 23.00	23.00
256192021	Zone 01		1 23.00	23.00
256192022	Zone 01		1 23.00	23.00
256192023	Zone 01		1 23.00	23.00
256192024	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone L	.MD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
256192025	Zone 01		1 23.00	23.00
256242011	Zone 01		1 23.00	23.00
256242012	Zone 01		1 23.00	23.00
256242013	Zone 01		1 23.00	23.00
256242014	Zone 01		1 23.00	23.00
256242015	Zone 01		1 23.00	23.00
256242016	Zone 01		1 23.00	23.00
256242017	Zone 01		1 23.00	23.00
256242018	Zone 01		1 23.00	23.00
256242019	Zone 01		1 23.00	23.00
256242020	Zone 01		1 23.00	23.00
256242021	Zone 01		1 23.00	23.00
256242022	Zone 01		1 23.00	23.00
256242023	Zone 01		1 23.00	23.00
256242024	Zone 01		1 23.00	23.00
256242025	Zone 01		1 23.00	23.00
256242026	Zone 01		1 23.00	23.00
256242027	Zone 01		1 23.00	23.00
256242028	Zone 01		1 23.00	23.00
256242029	Zone 01		1 23.00	23.00
256242030	Zone 01		1 23.00	23.00
256242031	Zone 01		1 23.00	23.00
256242032	Zone 01		1 23.00	23.00
256242033	Zone 01		1 23.00	23.00
256242034	Zone 01		1 23.00	23.00
256242035	Zone 01		1 23.00	23.00
256242036	Zone 01		1 23.00	23.00
256242037	Zone 01		1 23.00	23.00
256242038	Zone 01		1 23.00	23.00
256242039	Zone 01		1 23.00	23.00
256242040	Zone 01		1 23.00	23.00
256242041	Zone 01		1 23.00	23.00
256242042	Zone 01		1 23.00	23.00
256242043	Zone 01		1 23.00	23.00
256242044	Zone 01		1 23.00	23.00
256242045	Zone 01		1 23.00	23.00
256242046	Zone 01		1 23.00	23.00
256242047	Zone 01		1 23.00	23.00
256242048	Zone 01		1 23.00	23.00
256242049	Zone 01		1 23.00	23.00
256242050	Zone 01		1 23.00	23.00
256242051	Zone 01		1 23.00	23.00
256243001	Zone 01		1 23.00	23.00
256243002	Zone 01		1 23.00	23.00
256243003	Zone 01		1 23.00	23.00
256243004	Zone 01		1 23.00	23.00
256243005	Zone 01		1 23.00	23.00
256243006	Zone 01		1 23.00	23.00
			20.00	20.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
256243007	Zone 01		1 23.00	23.00
256243008	Zone 01		1 23.00	23.00
256243009	Zone 01		1 23.00	23.00
256243010	Zone 01		1 23.00	23.00
256243011	Zone 01		1 23.00	23.00
256243012	Zone 01		1 23.00	23.00
256244001	Zone 01		1 23.00	23.00
256244002	Zone 01		1 23.00	23.00
256244004	Zone 01		1 23.00	23.00
256244009	Zone 01		1 23.00	23.00
256251001	Zone 01		1 23.00	23.00
256251002	Zone 01		1 23.00	23.00
256251003	Zone 01		1 23.00	23.00
256251004	Zone 01		1 23.00	23.00
256251005	Zone 01		1 23.00	23.00
256252001	Zone 01		1 23.00	23.00
256252002	Zone 01		1 23.00	23.00
256252003	Zone 01		1 23.00	23.00
256252004	Zone 01		1 23.00	23.00
256252005	Zone 01		1 23.00	23.00
256252006	Zone 01		1 23.00	23.00
256252007	Zone 01		1 23.00	23.00
256252008	Zone 01		1 23.00	23.00
256252009	Zone 01		1 23.00	23.00
256252010	Zone 01		1 23.00	23.00
256252011	Zone 01		1 23.00	23.00
256252012	Zone 01		1 23.00	23.00
256252013	Zone 01		1 23.00	23.00
256252014	Zone 01		1 23.00	23.00
256253001	Zone 01		1 23.00	23.00
256253002	Zone 01		1 23.00	23.00
256253003	Zone 01		1 23.00	23.00
256253004	Zone 01		1 23.00	23.00
256253005	Zone 01		1 23.00	23.00
256253006	Zone 01		1 23.00	23.00
256253007	Zone 01		1 23.00	23.00
256253008	Zone 01		1 23.00	23.00
256253009	Zone 01		1 23.00	23.00
256253010	Zone 01		1 23.00	23.00
256253011	Zone 01		1 23.00	23.00
256253012	Zone 01		1 23.00	23.00
256253013	Zone 01		1 23.00	23.00
256253014	Zone 01		1 23.00	23.00
256253015	Zone 01		1 23.00	23.00
256253016	Zone 01		1 23.00	23.00
256253017	Zone 01		1 23.00	23.00
256253018	Zone 01		1 23.00	23.00
256253019	Zone 01		1 23.00	23.00
230233019	20116 01		23.00	23.00

APN	LMD 2014-01 Zone I	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
256253020	Zone 01		1 23.00	23.00
256253021	Zone 01		1 23.00	23.00
256253022	Zone 01		1 23.00	23.00
256253023	Zone 01		1 23.00	23.00
256253024	Zone 01		1 23.00	23.00
256253025	Zone 01		1 23.00	23.00
256253026	Zone 01		1 23.00	23.00
256253027	Zone 01		1 23.00	23.00
256253028	Zone 01		1 23.00	23.00
256253029	Zone 01		1 23.00	23.00
256253030	Zone 01		1 23.00	23.00
256253031	Zone 01		1 23.00	23.00
256253032	Zone 01		1 23.00	23.00
256253033	Zone 01		1 23.00	23.00
256253034	Zone 01		1 23.00	23.00
256253035	Zone 01		1 23.00	23.00
256253036	Zone 01		1 23.00	23.00
256253037	Zone 01		1 23.00	23.00
256254001	Zone 01		1 23.00	23.00
256254002	Zone 01		1 23.00	23.00
256254003	Zone 01		1 23.00	23.00
256254004	Zone 01		1 23.00	23.00
256254005	Zone 01		1 23.00	23.00
256254006	Zone 01		1 23.00	23.00
256254007	Zone 01		1 23.00	23.00
256254008	Zone 01		1 23.00	23.00
256254009	Zone 01		1 23.00	23.00
256254010	Zone 01		1 23.00	23.00
256254011	Zone 01		1 23.00	23.00
256254012	Zone 01		1 23.00	23.00
256254013	Zone 01		1 23.00	23.00
256254014	Zone 01		1 23.00	23.00
256254015	Zone 01		1 23.00	23.00
256254016	Zone 01		1 23.00	23.00
256261001	Zone 01		1 23.00	23.00
256261002	Zone 01		1 23.00	23.00
256261003	Zone 01		1 23.00	23.00
256261004	Zone 01		1 23.00	23.00
256261005	Zone 01		1 23.00	23.00
256261006	Zone 01		1 23.00	23.00
256261007	Zone 01		1 23.00	23.00
256261010	Zone 01		1 23.00	23.00
256261011	Zone 01		1 23.00	23.00
256262002	Zone 01		1 23.00	23.00
256262002	Zone 01		1 23.00	23.00
256262004	Zone 01		1 23.00	23.00
256262005	Zone 01			
			1 23.00	23.00
256262008	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone L	MD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
256262009	Zone 01		1 23.00	23.00
256263001	Zone 01		1 23.00	23.00
256263002	Zone 01		1 23.00	23.00
256263004	Zone 01		1 23.00	23.00
256263005	Zone 01		1 23.00	23.00
256263006	Zone 01		1 23.00	23.00
256264001	Zone 01		1 23.00	23.00
256264002	Zone 01		1 23.00	23.00
256264003	Zone 01		1 23.00	23.00
256264004	Zone 01		1 23.00	23.00
256264005	Zone 01		1 23.00	23.00
256264006	Zone 01		1 23.00	23.00
256264007	Zone 01		1 23.00	23.00
256264008	Zone 01		1 23.00	23.00
256264011	Zone 01		1 23.00	23.00
256265005	Zone 01		1 23.00	23.00
256265006	Zone 01		1 23.00	23.00
256265007	Zone 01		1 23.00	23.00
256265008	Zone 01		1 23.00	23.00
256265009	Zone 01		1 23.00	23.00
256271015	Zone 01		1 23.00	23.00
256271016	Zone 01		1 23.00	23.00
256271017	Zone 01		1 23.00	23.00
256271018	Zone 01		1 23.00	23.00
256271019	Zone 01		1 23.00	23.00
256271020	Zone 01		1 23.00	23.00
256271021	Zone 01		1 23.00	23.00
256271022	Zone 01		1 23.00	23.00
256271023	Zone 01		1 23.00	23.00
256271024	Zone 01		1 23.00	23.00
256271025	Zone 01		1 23.00	23.00
256271026	Zone 01		1 23.00	23.00
256271027	Zone 01		1 23.00	23.00
256272001	Zone 01		1 23.00	23.00
256272002	Zone 01		1 23.00	23.00
256272003	Zone 01		1 23.00	23.00
256272008	Zone 01		1 23.00	23.00
256272009	Zone 01		1 23.00	23.00
256272010	Zone 01		1 23.00	23.00
256272011	Zone 01		1 23.00	23.00
256272012	Zone 01		1 23.00	23.00
256272012	Zone 01		1 23.00	23.00
256272014	Zone 01		1 23.00	23.00
256272014	Zone 01		1 23.00	23.00
256272013	Zone 01		1 23.00	23.00
256272024	Zone 01		1 23.00	23.00
256272025	Zone 01		1 23.00	23.00
256272026	Zone 01		1 23.00	23.00
230212020	20116 01		23.00	23.00

APN	LMD 2014-01 Zone L	MD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
256272027	Zone 01		1 23.00	23.00
256272028	Zone 01		1 23.00	23.00
256272029	Zone 01		1 23.00	23.00
256272030	Zone 01		1 23.00	23.00
256272031	Zone 01		1 23.00	23.00
256272032	Zone 01		1 23.00	23.00
256272033	Zone 01		1 23.00	23.00
256273001	Zone 01		1 23.00	23.00
256273002	Zone 01		1 23.00	23.00
256273003	Zone 01		1 23.00	23.00
256273004	Zone 01		1 23.00	23.00
256273005	Zone 01		1 23.00	23.00
256273006	Zone 01		1 23.00	23.00
256274006	Zone 01		1 23.00	23.00
256274007	Zone 01		1 23.00	23.00
256274008	Zone 01		1 23.00	23.00
256274009	Zone 01		1 23.00	23.00
256274010	Zone 01		1 23.00	23.00
256280006	Zone 01		1 23.00	23.00
256280011	Zone 01		1 23.00	23.00
256280012	Zone 01		1 23.00	23.00
256280013	Zone 01		1 23.00	23.00
256280017	Zone 01		1 23.00	23.00
256280018	Zone 01		1 23.00	23.00
256291001	Zone 01		1 23.00	23.00
256291002	Zone 01		1 23.00	23.00
256291003	Zone 01		1 23.00	23.00
256291004	Zone 01		1 23.00	23.00
256291005	Zone 01		1 23.00	23.00
256291006	Zone 01		1 23.00	23.00
256291007	Zone 01		1 23.00	23.00
256291008	Zone 01		1 23.00	23.00
256291009	Zone 01		1 23.00	23.00
256291010	Zone 01		1 23.00	23.00
256291011	Zone 01		1 23.00	23.00
256291012	Zone 01		1 23.00	23.00
256291013	Zone 01		1 23.00	23.00
256291014	Zone 01		1 23.00	23.00
256291015	Zone 01		1 23.00	23.00
256291016	Zone 01		1 23.00	23.00
256291017	Zone 01		1 23.00	23.00
256291017	Zone 01		1 23.00	23.00
256291019	Zone 01		1 23.00	23.00
256291019	Zone 01		1 23.00	23.00
256291020	Zone 01		1 23.00	23.00
256291021	Zone 01		1 23.00	23.00
256291023	Zone 01		1 23.00	23.00
256291024	Zone 01		1 23.00	23.00
230291024	Zurie u i		∠3.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
256291025	Zone 01		1 23.00	23.00
256291026	Zone 01		1 23.00	23.00
256291027	Zone 01		1 23.00	23.00
256291028	Zone 01		1 23.00	23.00
256292001	Zone 01		1 23.00	23.00
256292002	Zone 01		1 23.00	23.00
256292003	Zone 01		1 23.00	23.00
256292004	Zone 01		1 23.00	23.00
256292005	Zone 01		1 23.00	23.00
256292006	Zone 01		1 23.00	23.00
256292007	Zone 01		1 23.00	23.00
256292008	Zone 01		1 23.00	23.00
256292009	Zone 01		1 23.00	23.00
256292010	Zone 01		1 23.00	23.00
256292011	Zone 01		1 23.00	23.00
256292012	Zone 01		1 23.00	23.00
256292013	Zone 01		1 23.00	23.00
256292014	Zone 01		1 23.00	23.00
256292015	Zone 01		1 23.00	23.00
256292016	Zone 01		1 23.00	23.00
256292030	Zone 01		1 23.00	23.00
256292018	Zone 01		1 23.00	23.00
256292019	Zone 01		1 23.00	23.00
256292020	Zone 01		1 23.00	23.00
256292021	Zone 01		1 23.00	23.00
256292022	Zone 01		1 23.00	23.00
256292023	Zone 01		1 23.00	23.00
256292024	Zone 01		1 23.00	23.00
256292025	Zone 01		1 23.00	23.00
256292026	Zone 01		1 23.00	23.00
256292027	Zone 01		1 23.00	23.00
256301001	Zone 01		1 23.00	23.00
256301001	Zone 01		1 23.00	23.00
256301002	Zone 01		1 23.00	23.00
256301004	Zone 01		1 23.00	23.00
256301005	Zone 01		1 23.00	23.00
256301006	Zone 01		1 23.00	23.00
256301007	Zone 01		1 23.00	23.00
256301007	Zone 01		1 23.00	23.00
256301009	Zone 01		1 23.00	23.00
256301010	Zone 01		1 23.00	23.00
256301011	Zone 01		1 23.00	23.00
256301011			1 23.00	23.00
256302001	Zone 01 Zone 01		1 23.00	23.00
256302001	Zone 01		1 23.00	23.00
256302002	Zone 01		1 23.00	23.00
256302003	Zone 01			
			1 23.00	23.00
256303001	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
256303002	Zone 01		1 23.00	23.00
256303003	Zone 01		1 23.00	23.00
256303004	Zone 01		1 23.00	23.00
256303005	Zone 01		1 23.00	23.00
256303006	Zone 01		1 23.00	23.00
256303007	Zone 01		1 23.00	23.00
256303008	Zone 01		1 23.00	23.00
256303009	Zone 01		1 23.00	23.00
256303010	Zone 01		1 23.00	23.00
256303011	Zone 01		1 23.00	23.00
256303012	Zone 01		1 23.00	23.00
256303013	Zone 01		1 23.00	23.00
256303014	Zone 01		1 23.00	23.00
256303015	Zone 01		1 23.00	23.00
256303016	Zone 01		1 23.00	23.00
256303017	Zone 01		1 23.00	23.00
256303018	Zone 01		1 23.00	23.00
256303019	Zone 01		1 23.00	23.00
256303020	Zone 01		1 23.00	23.00
256303021	Zone 01		1 23.00	23.00
256303022	Zone 01		1 23.00	23.00
256303023	Zone 01		1 23.00	23.00
256303024	Zone 01		1 23.00	23.00
256304001	Zone 01		1 23.00	23.00
256304002	Zone 01		1 23.00	23.00
256304003	Zone 01		1 23.00	23.00
256304004	Zone 01		1 23.00	23.00
256304005	Zone 01		1 23.00	23.00
256304006	Zone 01		1 23.00	23.00
256305001	Zone 01		1 23.00	23.00
256306001	Zone 01		1 23.00	23.00
256306002	Zone 01		1 23.00	23.00
256306003	Zone 01		1 23.00	23.00
256306004	Zone 01		1 23.00	23.00
256306006	Zone 01		1 23.00	23.00
256306007	Zone 01		1 23.00	23.00
256306008	Zone 01		1 23.00	23.00
256306009	Zone 01		1 23.00	23.00
256306010	Zone 01		1 23.00	23.00
256306011	Zone 01		1 23.00	23.00
256306012	Zone 01		1 23.00	23.00
256306013	Zone 01		1 23.00	23.00
256306014	Zone 01		1 23.00	23.00
256306015	Zone 01		1 23.00	23.00
256306016	Zone 01		1 23.00	23.00
256306017	Zone 01		1 23.00	23.00
256306018	Zone 01		1 23.00	23.00
256306019	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigne	d EBU's FY 17-18 N	Max Assessment	FY 17-18 Assessment
256306020	Zone 01	1	23.00	23.00
256306021	Zone 01	1	23.00	23.00
256306022	Zone 01	1	23.00	23.00
256306023	Zone 01	1	23.00	23.00
256306024	Zone 01	1	23.00	23.00
256306025	Zone 01	1	23.00	23.00
256311002	Zone 01	1	23.00	23.00
256311003	Zone 01	1	23.00	23.00
256311004	Zone 01	1	23.00	23.00
256311005	Zone 01	1	23.00	23.00
256311006	Zone 01	1	23.00	23.00
256311007	Zone 01	1	23.00	23.00
256311008	Zone 01	1	23.00	23.00
256311010	Zone 01	1	23.00	23.00
256312001	Zone 01	1	23.00	23.00
256312002	Zone 01	1	23.00	23.00
256312003	Zone 01	1	23.00	23.00
256312004	Zone 01	1	23.00	23.00
256312005	Zone 01	1	23.00	23.00
256312006	Zone 01	1	23.00	23.00
256312007	Zone 01	1	23.00	23.00
256312008	Zone 01	1	23.00	23.00
256312009	Zone 01	1	23.00	23.00
256312010	Zone 01	1	23.00	23.00
256312011	Zone 01	1	23.00	23.00
256312012	Zone 01	1	23.00	23.00
256312013	Zone 01	1	23.00	23.00
256312014	Zone 01	1	23.00	23.00
256312015	Zone 01	1	23.00	23.00
256312016	Zone 01	1	23.00	23.00
256312017	Zone 01	1	23.00	23.00
256312018	Zone 01	1	23.00	23.00
256312019	Zone 01	1	23.00	23.00
256312020	Zone 01	1	23.00	23.00
256312021	Zone 01	1	23.00	23.00
256312022	Zone 01	1	23.00	23.00
256312023	Zone 01	1	23.00	23.00
256312024	Zone 01	1	23.00	23.00
256312025	Zone 01	1	23.00	23.00
256312026	Zone 01	1	23.00	23.00
256312027	Zone 01	1	23.00	23.00
256312028	Zone 01	1	23.00	23.00
256312029	Zone 01	1	23.00	23.00
256312030	Zone 01	1	23.00	23.00
256313001	Zone 01	1	23.00	23.00
256313002	Zone 01	1	23.00	23.00
256313003	Zone 01	1	23.00	23.00
256313004	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assig	ned EBU's FY 17-18	8 Max Assessment	FY 17-18 Assessment
256313005	Zone 01	1	23.00	23.00
256313006	Zone 01	1	23.00	23.00
256313007	Zone 01	1	23.00	23.00
256313008	Zone 01	1	23.00	23.00
256313009	Zone 01	1	23.00	23.00
256313010	Zone 01	1	23.00	23.00
256313011	Zone 01	1	23.00	23.00
256313012	Zone 01	1	23.00	23.00
256313013	Zone 01	1	23.00	23.00
256313014	Zone 01	1	23.00	23.00
256313015	Zone 01	1	23.00	23.00
256313016	Zone 01	1	23.00	23.00
256320001	Zone 01	1	23.00	23.00
256320002	Zone 01	1	23.00	23.00
256320003	Zone 01	1	23.00	23.00
256320004	Zone 01	1	23.00	23.00
256320005	Zone 01	1	23.00	23.00
256320006	Zone 01	1	23.00	23.00
256320007	Zone 01	1	23.00	23.00
256320008	Zone 01	1	23.00	23.00
256320009	Zone 01	1	23.00	23.00
256320010	Zone 01	1	23.00	23.00
256320011	Zone 01	1	23.00	23.00
256320012	Zone 01	1	23.00	23.00
256320013	Zone 01	1	23.00	23.00
256320014	Zone 01	1	23.00	23.00
256320015	Zone 01	1	23.00	23.00
256320016	Zone 01	1	23.00	23.00
256320017	Zone 01	1	23.00	23.00
256320018	Zone 01	1	23.00	23.00
256320019	Zone 01	1	23.00	23.00
256320020	Zone 01	1	23.00	23.00
256320021	Zone 01	1	23.00	23.00
256320022	Zone 01	1	23.00	23.00
256320023	Zone 01	1	23.00	23.00
256320024	Zone 01	1	23.00	23.00
256320025	Zone 01	1	23.00	23.00
256320026	Zone 01	1	23.00	23.00
256320027	Zone 01	1	23.00	23.00
256320028	Zone 01	1	23.00	23.00
256320029	Zone 01	1	23.00	23.00
256320030	Zone 01	1	23.00	23.00
256320031	Zone 01	1	23.00	23.00
256320032	Zone 01	1	23.00	23.00
256320033	Zone 01	1	23.00	23.00
256320034	Zone 01	1	23.00	23.00
256320035	Zone 01	1	23.00	23.00
256320036	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
256320037	Zone 01		1 23.00	23.00
256320038	Zone 01		1 23.00	23.00
256320039	Zone 01		1 23.00	23.00
256320040	Zone 01		1 23.00	23.00
256331001	Zone 01		1 23.00	23.00
256331002	Zone 01		1 23.00	23.00
256331003	Zone 01		1 23.00	23.00
256331004	Zone 01		1 23.00	23.00
256331005	Zone 01		1 23.00	23.00
256331006	Zone 01		1 23.00	23.00
256331007	Zone 01		1 23.00	23.00
256331008	Zone 01		1 23.00	23.00
256331009	Zone 01		1 23.00	23.00
256331010	Zone 01		1 23.00	23.00
256331011	Zone 01		1 23.00	23.00
256331012	Zone 01		1 23.00	23.00
256331013	Zone 01		1 23.00	23.00
256331014	Zone 01		1 23.00	23.00
256331015	Zone 01		1 23.00	23.00
256331016	Zone 01		1 23.00	23.00
256331017	Zone 01		1 23.00	23.00
256331018	Zone 01		1 23.00	23.00
256331019	Zone 01		1 23.00	23.00
256331020	Zone 01		1 23.00	23.00
256331021	Zone 01		1 23.00	23.00
256331022	Zone 01		1 23.00	23.00
256331023	Zone 01		1 23.00	23.00
256331024	Zone 01		1 23.00	23.00
256331025	Zone 01		1 23.00	23.00
256331026	Zone 01		1 23.00	23.00
256331027	Zone 01		1 23.00	23.00
256331028	Zone 01		1 23.00	23.00
256331029	Zone 01		1 23.00	23.00
256332001	Zone 01		1 23.00	23.00
256332002	Zone 01		1 23.00	23.00
256332003	Zone 01		1 23.00	23.00
256332004	Zone 01		1 23.00	23.00
256332005	Zone 01		1 23.00	23.00
256332006	Zone 01		1 23.00	23.00
256332007	Zone 01		1 23.00	23.00
256332007	Zone 01		1 23.00	23.00
256333001	Zone 01		1 23.00	23.00
256333001	Zone 01		1 23.00	23.00
256333002	Zone 01		1 23.00	23.00
256333004	Zone 01		1 23.00	23.00
256333004	Zone 01		1 23.00	23.00
256333005	Zone 01		1 23.00	23.00
256333006	Zone 01 Zone 01		1 23.00	23.00
230333001	20116 01		23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned E	BU's FY 17-	18 Max Assessment	FY 17-18 Assessment
256333008	Zone 01	1	23.00	23.00
256333009	Zone 01	1	23.00	23.00
256333010	Zone 01	1	23.00	23.00
256333011	Zone 01	1	23.00	23.00
256333012	Zone 01	1	23.00	23.00
256333013	Zone 01	1	23.00	23.00
256333014	Zone 01	1	23.00	23.00
256333015	Zone 01	1	23.00	23.00
256333016	Zone 01	1	23.00	23.00
256333017	Zone 01	1	23.00	23.00
256333018	Zone 01	1	23.00	23.00
256333019	Zone 01	1	23.00	23.00
256333020	Zone 01	1	23.00	23.00
256333021	Zone 01	1	23.00	23.00
256333022	Zone 01	1	23.00	23.00
256333023	Zone 01	1	23.00	23.00
256333024	Zone 01	1	23.00	23.00
256333025	Zone 01	1	23.00	23.00
256333026	Zone 01	1	23.00	23.00
256333027	Zone 01	1	23.00	23.00
256333028	Zone 01	1	23.00	23.00
256333029	Zone 01	1	23.00	23.00
256333030	Zone 01	1	23.00	23.00
256333031	Zone 01	1	23.00	23.00
256333032	Zone 01	1	23.00	23.00
256333033	Zone 01	1	23.00	23.00
256333034	Zone 01	1	23.00	23.00
256333035	Zone 01	1	23.00	23.00
256333036	Zone 01	1	23.00	23.00
256333037	Zone 01	1	23.00	23.00
256333038	Zone 01	1	23.00	23.00
256333039	Zone 01	1	23.00	23.00
256333040	Zone 01	1	23.00	23.00
256333041	Zone 01	1	23.00	23.00
256333042	Zone 01	1	23.00	23.00
256333043	Zone 01	1	23.00	23.00
256333044	Zone 01	1	23.00	23.00
256333045	Zone 01	1	23.00	23.00
256341001	Zone 01	1	23.00	23.00
256341002	Zone 01	1	23.00	23.00
256341003	Zone 01	1	23.00	23.00
256341004	Zone 01	1	23.00	23.00
256341005	Zone 01	1	23.00	23.00
256341006	Zone 01	1	23.00	23.00
256341007	Zone 01	1	23.00	23.00
256341008	Zone 01	1	23.00	23.00
256341009	Zone 01	1	23.00	23.00
256341010	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-1	8 Max Assessment	FY 17-18 Assessment
256341011	Zone 01	1	23.00	23.00
256341012	Zone 01	1	23.00	23.00
256341013	Zone 01	1	23.00	23.00
256341014	Zone 01	1	23.00	23.00
256341015	Zone 01	1	23.00	23.00
256341016	Zone 01	1	23.00	23.00
256341017	Zone 01	1	23.00	23.00
256342001	Zone 01	1	23.00	23.00
256342002	Zone 01	1	23.00	23.00
256342003	Zone 01	1	23.00	23.00
256342004	Zone 01	1	23.00	23.00
256342005	Zone 01	1	23.00	23.00
256342006	Zone 01	1	23.00	23.00
256342007	Zone 01	1	23.00	23.00
256342008	Zone 01	1	23.00	23.00
256342009	Zone 01	1	23.00	23.00
256342010	Zone 01	1	23.00	23.00
256342011	Zone 01	1	23.00	23.00
256342012	Zone 01	1	23.00	23.00
256342013	Zone 01	1	23.00	23.00
256342014	Zone 01	1	23.00	23.00
256342015	Zone 01	1	23.00	23.00
256342016	Zone 01	1	23.00	23.00
256342017	Zone 01	1	23.00	23.00
256342018	Zone 01	1	23.00	23.00
256342023	Zone 01	1	23.00	23.00
256342024	Zone 01	1	23.00	23.00
256342025	Zone 01	1	23.00	23.00
256342026	Zone 01	1	23.00	23.00
256343001	Zone 01	1	23.00	23.00
256343002	Zone 01	1	23.00	23.00
256343003	Zone 01	1	23.00	23.00
256343004	Zone 01	1	23.00	23.00
256343005	Zone 01	1	23.00	23.00
256343006	Zone 01	1	23.00	23.00
256343007	Zone 01	1	23.00	23.00
256343008	Zone 01	1	23.00	23.00
256343009	Zone 01	1	23.00	23.00
256343010	Zone 01	1	23.00	23.00
256343011	Zone 01	1	23.00	23.00
256343012	Zone 01	1	23.00	23.00
256343013	Zone 01	1	23.00	23.00
256343014	Zone 01	1	23.00	23.00
256343015	Zone 01	1	23.00	23.00
256343016	Zone 01	1	23.00	23.00
256343017	Zone 01	1	23.00	23.00
259361001	Zone 01	1	23.00	23.00
259361002	Zone 01	1	23.00	23.00
			==700	

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
259361003	Zone 01		1 23.00	23.00
259361004	Zone 01		1 23.00	23.00
259361005	Zone 01		1 23.00	23.00
259361006	Zone 01		1 23.00	23.00
259361007	Zone 01		1 23.00	23.00
259361008	Zone 01		1 23.00	23.00
259361009	Zone 01		1 23.00	23.00
259361010	Zone 01		1 23.00	23.00
259361011	Zone 01		1 23.00	23.00
259361012	Zone 01		1 23.00	23.00
259361013	Zone 01		1 23.00	23.00
259361014	Zone 01		1 23.00	23.00
259361015	Zone 01		1 23.00	23.00
259361016	Zone 01		1 23.00	23.00
259361017	Zone 01		1 23.00	23.00
259361018	Zone 01		1 23.00	23.00
259361019	Zone 01		1 23.00	23.00
259361020	Zone 01		1 23.00	23.00
259361021	Zone 01		1 23.00	23.00
259361022	Zone 01		1 23.00	23.00
259361023	Zone 01		1 23.00	23.00
259361024	Zone 01		1 23.00	23.00
259361025	Zone 01		1 23.00	23.00
259361026	Zone 01		1 23.00	23.00
259361027	Zone 01		1 23.00	23.00
259361028	Zone 01		1 23.00	23.00
259361029	Zone 01		1 23.00	23.00
259362001	Zone 01		1 23.00	23.00
259362002	Zone 01		1 23.00	23.00
259362002	Zone 01		1 23.00	23.00
259362004	Zone 01		1 23.00	23.00
259362005	Zone 01		1 23.00	23.00
259362006	Zone 01		1 23.00	23.00
259362007	Zone 01		1 23.00	23.00
259362008	Zone 01		1 23.00	23.00
259362009	Zone 01		1 23.00	23.00
259362010	Zone 01		1 23.00	23.00
259362011	Zone 01		1 23.00	23.00
259362012	Zone 01		1 23.00	23.00
259362013	Zone 01		1 23.00	23.00
259362014	Zone 01		1 23.00	23.00
259362015	Zone 01		1 23.00	23.00
259362016	Zone 01		1 23.00	23.00
259362017	Zone 01		1 23.00	23.00
259362017	Zone 01		1 23.00	23.00
259362019	Zone 01		1 23.00	23.00
259362019	Zone 01		1 23.00	
				23.00
259362021	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-18	8 Max Assessment	FY 17-18 Assessment
259362022	Zone 01	1	23.00	23.00
259362023	Zone 01	1	23.00	23.00
259362024	Zone 01	1	23.00	23.00
259362025	Zone 01	1	23.00	23.00
259362026	Zone 01	1	23.00	23.00
259363001	Zone 01	1	23.00	23.00
259363002	Zone 01	1	23.00	23.00
259363003	Zone 01	1	23.00	23.00
259363004	Zone 01	1	23.00	23.00
259363005	Zone 01	1	23.00	23.00
259363006	Zone 01	1	23.00	23.00
259363007	Zone 01	1	23.00	23.00
259363008	Zone 01	1	23.00	23.00
259363009	Zone 01	1	23.00	23.00
259363010	Zone 01	1	23.00	23.00
259363011	Zone 01	1	23.00	23.00
259363012	Zone 01	1	23.00	23.00
259363013	Zone 01	1	23.00	23.00
259363014	Zone 01	1	23.00	23.00
259363015	Zone 01	1	23.00	23.00
259363016	Zone 01	1	23.00	23.00
259363017	Zone 01	1	23.00	23.00
259363018	Zone 01	1	23.00	23.00
259363019	Zone 01	1	23.00	23.00
259363020	Zone 01	1	23.00	23.00
259363021	Zone 01	1	23.00	23.00
259363022	Zone 01	1	23.00	23.00
259363023	Zone 01	1	23.00	23.00
259371001	Zone 01	1	23.00	23.00
259371002	Zone 01	1	23.00	23.00
259371003	Zone 01	1	23.00	23.00
259371004	Zone 01	1	23.00	23.00
259371005	Zone 01	1	23.00	23.00
259371006	Zone 01	1	23.00	23.00
259371007	Zone 01	1	23.00	23.00
259371008	Zone 01	1	23.00	23.00
259371009	Zone 01	1	23.00	23.00
259371010	Zone 01	1	23.00	23.00
259371011	Zone 01	1	23.00	23.00
259371012	Zone 01	1	23.00	23.00
259371013	Zone 01	1	23.00	23.00
259371014	Zone 01	1	23.00	23.00
259371015	Zone 01	1	23.00	23.00
259371016	Zone 01	1	23.00	23.00
259371017	Zone 01	1	23.00	23.00
259371018	Zone 01	1	23.00	23.00
259371019	Zone 01	1	23.00	23.00
259371020	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assign	ed EBU's FY 17-18 Ma	x Assessment	FY 17-18 Assessment
259371021	Zone 01	1	23.00	23.00
259371022	Zone 01	1	23.00	23.00
259371023	Zone 01	1	23.00	23.00
259371024	Zone 01	1	23.00	23.00
259371025	Zone 01	1	23.00	23.00
259371026	Zone 01	1	23.00	23.00
259371027	Zone 01	1	23.00	23.00
259371028	Zone 01	1	23.00	23.00
259371029	Zone 01	1	23.00	23.00
259371030	Zone 01	1	23.00	23.00
259371031	Zone 01	1	23.00	23.00
259371032	Zone 01	1	23.00	23.00
259371033	Zone 01	1	23.00	23.00
259371034	Zone 01	1	23.00	23.00
259372001	Zone 01	1	23.00	23.00
259372002	Zone 01	1	23.00	23.00
259372003	Zone 01	1	23.00	23.00
259372004	Zone 01	1	23.00	23.00
259372005	Zone 01	1	23.00	23.00
259372006	Zone 01	1	23.00	23.00
259372007	Zone 01	1	23.00	23.00
259372008	Zone 01	1	23.00	23.00
259372009	Zone 01	1	23.00	23.00
259372010	Zone 01	1	23.00	23.00
259372011	Zone 01	1	23.00	23.00
259372012	Zone 01	1	23.00	23.00
259372013	Zone 01	1	23.00	23.00
259372014	Zone 01	1	23.00	23.00
259372015	Zone 01	1	23.00	23.00
259381001	Zone 01	1	23.00	23.00
259381002	Zone 01	1	23.00	23.00
259381003	Zone 01	1	23.00	23.00
259381004	Zone 01	1	23.00	23.00
259381005	Zone 01	1	23.00	23.00
259381006	Zone 01	1	23.00	23.00
259381007	Zone 01	1	23.00	23.00
259381008	Zone 01	1	23.00	23.00
259381009	Zone 01	1	23.00	23.00
259381010	Zone 01	1	23.00	23.00
259381011	Zone 01	1	23.00	23.00
259381012	Zone 01	1	23.00	23.00
259381013	Zone 01	1	23.00	23.00
259381014	Zone 01	1	23.00	23.00
259381015	Zone 01	1	23.00	23.00
259381016	Zone 01	1	23.00	23.00
259381017	Zone 01	1	23.00	23.00
259381018	Zone 01	1	23.00	23.00
259381019	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assign	ed EBU's FY 17-18 M	ax Assessment	FY 17-18 Assessment
259381020	Zone 01	1	23.00	23.00
259381021	Zone 01	1	23.00	23.00
259381022	Zone 01	1	23.00	23.00
259381023	Zone 01	1	23.00	23.00
259381024	Zone 01	1	23.00	23.00
259381025	Zone 01	1	23.00	23.00
259381026	Zone 01	1	23.00	23.00
259382001	Zone 01	1	23.00	23.00
259382002	Zone 01	1	23.00	23.00
259382003	Zone 01	1	23.00	23.00
259382004	Zone 01	1	23.00	23.00
259382005	Zone 01	1	23.00	23.00
259382006	Zone 01	1	23.00	23.00
259382007	Zone 01	1	23.00	23.00
259382008	Zone 01	1	23.00	23.00
259382009	Zone 01	1	23.00	23.00
259382010	Zone 01	1	23.00	23.00
259382011	Zone 01	1	23.00	23.00
259382012	Zone 01	1	23.00	23.00
259382013	Zone 01	1	23.00	23.00
259382014	Zone 01	1	23.00	23.00
259382015	Zone 01	1	23.00	23.00
259382016	Zone 01	1	23.00	23.00
259382017	Zone 01	1	23.00	23.00
259382018	Zone 01	1	23.00	23.00
259383001	Zone 01	1	23.00	23.00
259383002	Zone 01	1	23.00	23.00
259383003	Zone 01	1	23.00	23.00
259383004	Zone 01	1	23.00	23.00
259383005	Zone 01	1	23.00	23.00
259383006	Zone 01	1	23.00	23.00
259383007	Zone 01	1	23.00	23.00
259383008	Zone 01	1	23.00	23.00
259383009	Zone 01	1	23.00	23.00
259383010	Zone 01	1	23.00	23.00
259383011	Zone 01	1	23.00	23.00
259383012	Zone 01	1	23.00	23.00
259384001	Zone 01	1	23.00	23.00
259384002	Zone 01	1	23.00	23.00
259384003	Zone 01	1	23.00	23.00
259384004	Zone 01	1	23.00	23.00
259384005	Zone 01	1	23.00	23.00
259384006	Zone 01	1	23.00	23.00
259384007	Zone 01	1	23.00	23.00
259391001	Zone 01	1	23.00	23.00
259391002	Zone 01	1	23.00	23.00
259391003	Zone 01	1	23.00	23.00
259391004	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assi	gned EBU's FY	17-18 Max Assessment	FY 17-18 Assessment
259391005	Zone 01	1	23.00	23.00
259391006	Zone 01	1	23.00	23.00
259391007	Zone 01	1	23.00	23.00
259391008	Zone 01	1	23.00	23.00
259391009	Zone 01	1	23.00	23.00
259391010	Zone 01	1	23.00	23.00
259391011	Zone 01	1	23.00	23.00
259391012	Zone 01	1	23.00	23.00
259391013	Zone 01	1	23.00	23.00
259392001	Zone 01	1	23.00	23.00
259392002	Zone 01	1	23.00	23.00
259392003	Zone 01	1	23.00	23.00
259392004	Zone 01	1	23.00	23.00
259392005	Zone 01	1	23.00	23.00
259392006	Zone 01	1	23.00	23.00
259392007	Zone 01	1	23.00	23.00
259392008	Zone 01	1	23.00	23.00
259392009	Zone 01	1	23.00	23.00
259393001	Zone 01	1	23.00	23.00
259393002	Zone 01	1	23.00	23.00
259393003	Zone 01	1	23.00	23.00
259393004	Zone 01	1	23.00	23.00
259393005	Zone 01	1	23.00	23.00
259393006	Zone 01	1	23.00	23.00
259393007	Zone 01	1	23.00	23.00
259393008	Zone 01	1	23.00	23.00
259393009	Zone 01	1	23.00	23.00
259393010	Zone 01	1	23.00	23.00
259393011	Zone 01	1	23.00	23.00
259393012	Zone 01	1	23.00	23.00
259393013	Zone 01	1	23.00	23.00
259393014	Zone 01	1	23.00	23.00
259393015	Zone 01	1	23.00	23.00
259393016	Zone 01	1	23.00	23.00
259393017	Zone 01	1	23.00	23.00
259393018	Zone 01	1	23.00	23.00
259394001	Zone 01	1	23.00	23.00
259394002	Zone 01	1	23.00	23.00
259394003	Zone 01	1	23.00	23.00
259394004	Zone 01	1	23.00	23.00
259394005	Zone 01	1	23.00	23.00
259394006	Zone 01	1	23.00	23.00
259394007	Zone 01	1	23.00	23.00
259394008	Zone 01	1	23.00	23.00
259394009	Zone 01	1	23.00	23.00
259394010	Zone 01	1	23.00	23.00
259401001	Zone 01	1	23.00	23.00
259401002	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned EB	U's FY 17-18 Max	x Assessment	FY 17-18 Assessment
259401003	Zone 01	1	23.00	23.00
259401004	Zone 01	1	23.00	23.00
259401005	Zone 01	1	23.00	23.00
259401006	Zone 01	1	23.00	23.00
259401007	Zone 01	1	23.00	23.00
259401008	Zone 01	1	23.00	23.00
259402001	Zone 01	1	23.00	23.00
259402002	Zone 01	1	23.00	23.00
259402003	Zone 01	1	23.00	23.00
259402004	Zone 01	1	23.00	23.00
259402005	Zone 01	1	23.00	23.00
259402006	Zone 01	1	23.00	23.00
259402007	Zone 01	1	23.00	23.00
259411001	Zone 01	1	23.00	23.00
259411002	Zone 01	1	23.00	23.00
259411003	Zone 01	1	23.00	23.00
259411004	Zone 01	1	23.00	23.00
259411005	Zone 01	1	23.00	23.00
259411006	Zone 01	1	23.00	23.00
259411007	Zone 01	1	23.00	23.00
259411008	Zone 01	1	23.00	23.00
259411009	Zone 01	1	23.00	23.00
259411010	Zone 01	1	23.00	23.00
259411011	Zone 01	1	23.00	23.00
259411012	Zone 01	1	23.00	23.00
259411013	Zone 01	1	23.00	23.00
259411014	Zone 01	1	23.00	23.00
259411015	Zone 01	1	23.00	23.00
259411016	Zone 01	1	23.00	23.00
259411017	Zone 01	1	23.00	23.00
259411018	Zone 01	1	23.00	23.00
259411019	Zone 01	1	23.00	23.00
259411020	Zone 01	1	23.00	23.00
259411021	Zone 01	1	23.00	23.00
259411022	Zone 01	1	23.00	23.00
259411023	Zone 01	1	23.00	23.00
259411024	Zone 01	1	23.00	23.00
259411025	Zone 01	1	23.00	23.00
259411026	Zone 01	1	23.00	23.00
259411027	Zone 01	1	23.00	23.00
259411028	Zone 01	1	23.00	23.00
259411029	Zone 01	1	23.00	23.00
259411030	Zone 01	1	23.00	23.00
259411031	Zone 01	1	23.00	23.00
259411032	Zone 01	1	23.00	23.00
259411037	Zone 01	1	23.00	23.00
259412001	Zone 01	1	23.00	23.00
259413001	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone L	MD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
259413002	Zone 01		1 23.00	23.00
259413003	Zone 01		1 23.00	23.00
259414001	Zone 01		1 23.00	23.00
259414002	Zone 01		1 23.00	23.00
259414003	Zone 01		1 23.00	23.00
259414004	Zone 01		1 23.00	23.00
259414005	Zone 01		1 23.00	23.00
259414006	Zone 01		1 23.00	23.00
259414007	Zone 01		1 23.00	23.00
259414008	Zone 01		1 23.00	23.00
259414009	Zone 01		1 23.00	23.00
259414010	Zone 01		1 23.00	23.00
259414011	Zone 01		1 23.00	23.00
259414012	Zone 01		1 23.00	23.00
259414013	Zone 01		1 23.00	23.00
259414014	Zone 01		1 23.00	23.00
259414015	Zone 01		1 23.00	23.00
259414016	Zone 01		1 23.00	23.00
259414017	Zone 01		1 23.00	23.00
259414018	Zone 01		1 23.00	23.00
259414019	Zone 01		1 23.00	23.00
259414020	Zone 01		1 23.00	23.00
259414021	Zone 01		1 23.00	23.00
259414022	Zone 01		1 23.00	23.00
259414023	Zone 01		1 23.00	23.00
259414024	Zone 01		1 23.00	23.00
259414025	Zone 01		1 23.00	23.00
259414026	Zone 01		1 23.00	23.00
259414027	Zone 01		1 23.00	23.00
259414028	Zone 01		1 23.00	23.00
259414029	Zone 01		1 23.00	23.00
259414030	Zone 01		1 23.00	23.00
259414031	Zone 01		1 23.00	23.00
259414032	Zone 01		1 23.00	23.00
259421001	Zone 01		1 23.00	23.00
259421002	Zone 01		1 23.00	23.00
259421003	Zone 01		1 23.00	23.00
259421004	Zone 01		1 23.00	23.00
259421005	Zone 01		1 23.00	23.00
259422001	Zone 01		1 23.00	23.00
259422001	Zone 01		1 23.00	23.00
259422002	Zone 01		1 23.00	23.00
259422003	Zone 01		1 23.00	23.00
259422004	Zone 01		1 23.00	23.00
259422005	Zone 01		1 23.00	23.00
259422007	Zone 01		1 23.00	23.00
259422007	Zone 01		1 23.00	
				23.00
259422009	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assign	ed EBU's FY 17-18 Ma	x Assessment	FY 17-18 Assessment
259422010	Zone 01	1	23.00	23.00
259422011	Zone 01	1	23.00	23.00
259422012	Zone 01	1	23.00	23.00
259422013	Zone 01	1	23.00	23.00
259422014	Zone 01	1	23.00	23.00
259422015	Zone 01	1	23.00	23.00
259422016	Zone 01	1	23.00	23.00
259422017	Zone 01	1	23.00	23.00
259423001	Zone 01	1	23.00	23.00
259423002	Zone 01	1	23.00	23.00
259423003	Zone 01	1	23.00	23.00
259423004	Zone 01	1	23.00	23.00
259423005	Zone 01	1	23.00	23.00
259423006	Zone 01	1	23.00	23.00
259424001	Zone 01	1	23.00	23.00
259424002	Zone 01	1	23.00	23.00
259430001	Zone 01	1	23.00	23.00
259430002	Zone 01	1	23.00	23.00
259430003	Zone 01	1	23.00	23.00
259430004	Zone 01	1	23.00	23.00
259430005	Zone 01	1	23.00	23.00
259430006	Zone 01	1	23.00	23.00
259430007	Zone 01	1	23.00	23.00
259430008	Zone 01	1	23.00	23.00
259430009	Zone 01	1	23.00	23.00
259430010	Zone 01	1	23.00	23.00
259430021	Zone 01	1	23.00	23.00
259430022	Zone 01	1	23.00	23.00
259430023	Zone 01	1	23.00	23.00
259430024	Zone 01	1	23.00	23.00
259441001	Zone 01	1	23.00	23.00
259441002	Zone 01	1	23.00	23.00
259441003	Zone 01	1	23.00	23.00
259441004	Zone 01	1	23.00	23.00
259442001	Zone 01	1	23.00	23.00
259442002	Zone 01	1	23.00	23.00
259442003	Zone 01	1	23.00	23.00
259442004	Zone 01	1	23.00	23.00
259442005	Zone 01	1	23.00	23.00
259442006	Zone 01	1	23.00	23.00
259442007	Zone 01	1	23.00	23.00
259442008	Zone 01	1	23.00	23.00
259442009	Zone 01	1	23.00	23.00
259442010	Zone 01	1	23.00	23.00
259442011	Zone 01	1	23.00	23.00
259442012	Zone 01	1	23.00	23.00
259442013	Zone 01	1	23.00	23.00
259442014	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assig	ned EBU's FY 17-	18 Max Assessment	FY 17-18 Assessment
259442015	Zone 01	1	23.00	23.00
259442016	Zone 01	1	23.00	23.00
259442017	Zone 01	1	23.00	23.00
259443001	Zone 01	1	23.00	23.00
259443002	Zone 01	1	23.00	23.00
259443003	Zone 01	1	23.00	23.00
259443004	Zone 01	1	23.00	23.00
259443005	Zone 01	1	23.00	23.00
259443006	Zone 01	1	23.00	23.00
259443007	Zone 01	1	23.00	23.00
259443008	Zone 01	1	23.00	23.00
259443009	Zone 01	1	23.00	23.00
259443010	Zone 01	1	23.00	23.00
259443011	Zone 01	1	23.00	23.00
259443012	Zone 01	1	23.00	23.00
259443013	Zone 01	1	23.00	23.00
259443014	Zone 01	1	23.00	23.00
259443015	Zone 01	1	23.00	23.00
259443016	Zone 01	1	23.00	23.00
259443017	Zone 01	1	23.00	23.00
259443018	Zone 01	1	23.00	23.00
259443019	Zone 01	1	23.00	23.00
259443020	Zone 01	1	23.00	23.00
259443021	Zone 01	1	23.00	23.00
259443022	Zone 01	1	23.00	23.00
259443023	Zone 01	1	23.00	23.00
259443024	Zone 01	1	23.00	23.00
259443025	Zone 01	1	23.00	23.00
259443026	Zone 01	1	23.00	23.00
259443027	Zone 01	1	23.00	23.00
259443028	Zone 01	1	23.00	23.00
259443029	Zone 01	1	23.00	23.00
259444001	Zone 01	1	23.00	23.00
259444002	Zone 01	1	23.00	23.00
259444003	Zone 01	1	23.00	23.00
259444004	Zone 01	1	23.00	23.00
259444005	Zone 01	1	23.00	23.00
259444006	Zone 01	1	23.00	23.00
259444007	Zone 01	1	23.00	23.00
259444008	Zone 01	1	23.00	23.00
260061001	Zone 01	1	23.00	23.00
260061002	Zone 01	1	23.00	23.00
260061003	Zone 01	1	23.00	23.00
260061004	Zone 01	1	23.00	23.00
260061005	Zone 01	1	23.00	23.00
260061006	Zone 01	1	23.00	23.00
260061007	Zone 01	1	23.00	23.00
260061008	Zone 01	1	23.00	23.00

APN	I MD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
260061009	Zone 01	LIND Assigned EDG 5	1 23.00	23.00
260061010	Zone 01		1 23.00	23.00
260061011	Zone 01		1 23.00	23.00
260061012	Zone 01		1 23.00	23.00
260061013	Zone 01		1 23.00	23.00
260061013	Zone 01		1 23.00	23.00
260061015	Zone 01		1 23.00	23.00
260061016	Zone 01		1 23.00	23.00
260061017	Zone 01		1 23.00	23.00
260061017	Zone 01		1 23.00	23.00
260061019	Zone 01		1 23.00	23.00
260061019	Zone 01		1 23.00	23.00
260061020	Zone 01		1 23.00	23.00
260061021	Zone 01		1 23.00	23.00
260061023	Zone 01		1 23.00	23.00
260061023	Zone 01		1 23.00	23.00
260061025	Zone 01		1 23.00	23.00
260061025	Zone 01		1 23.00	23.00
260061027	Zone 01		1 23.00	23.00
260061027	Zone 01		1 23.00	23.00
260061028	Zone 01		1 23.00	23.00
260061029	Zone 01		1 23.00	23.00
260061030	Zone 01		1 23.00	23.00
260061031	Zone 01		1 23.00	23.00
260061032	Zone 01		1 23.00	23.00
260061033	Zone 01		1 23.00	23.00
260061034	Zone 01		1 23.00	23.00
260061035	Zone 01		1 23.00	23.00
260061036	Zone 01		1 23.00	23.00
260061037	Zone 01		1 23.00	23.00
260061038	Zone 01		1 23.00	23.00
260061039	Zone 01		1 23.00	23.00
260061040	Zone 01		1 23.00	23.00
260061041	Zone 01		1 23.00	23.00
260061042			1 23.00	23.00
260061043	Zone 01 Zone 01		1 23.00	23.00
260061044	Zone 01		1 23.00	23.00
260061045				
	Zone 01		1 23.00	23.00
260061047	Zone 01		1 23.00	23.00
260061048	Zone 01		1 23.00	23.00
260061049	Zone 01		1 23.00	23.00
260062001	Zone 01		1 23.00	23.00
260062002	Zone 01		1 23.00	23.00
260062003	Zone 01		1 23.00	23.00
260062004	Zone 01		1 23.00	23.00
260062005	Zone 01		1 23.00	23.00
260062006	Zone 01		1 23.00	23.00
260062007	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
260062008	Zone 01		1 23.00	23.00
260062009	Zone 01		1 23.00	23.00
260062010	Zone 01		1 23.00	23.00
260062011	Zone 01		1 23.00	23.00
260062012	Zone 01		1 23.00	23.00
260062013	Zone 01		1 23.00	23.00
260062014	Zone 01		1 23.00	23.00
260062015	Zone 01		1 23.00	23.00
260062016	Zone 01		1 23.00	23.00
260062017	Zone 01		1 23.00	23.00
260062018	Zone 01		1 23.00	23.00
260062019	Zone 01		1 23.00	23.00
260062020	Zone 01		1 23.00	23.00
260062021	Zone 01		1 23.00	23.00
260062022	Zone 01		1 23.00	23.00
260062023	Zone 01		1 23.00	23.00
260062024	Zone 01		1 23.00	23.00
260063001	Zone 01		1 23.00	23.00
260063002	Zone 01		1 23.00	23.00
260063003	Zone 01		1 23.00	23.00
260063004	Zone 01		1 23.00	23.00
260063005	Zone 01		1 23.00	23.00
260063006	Zone 01		1 23.00	23.00
260063007	Zone 01		1 23.00	23.00
260063008	Zone 01		1 23.00	23.00
260063009	Zone 01		1 23.00	23.00
260063010	Zone 01		1 23.00	23.00
260063011	Zone 01		1 23.00	23.00
260063012	Zone 01		1 23.00	23.00
260063013	Zone 01		1 23.00	23.00
260063014	Zone 01		1 23.00	23.00
260063015	Zone 01		1 23.00	23.00
260063016	Zone 01		1 23.00	23.00
260063017	Zone 01		1 23.00	23.00
260063018	Zone 01		1 23.00	23.00
260063019	Zone 01		1 23.00	23.00
260063020	Zone 01		1 23.00	23.00
260063021	Zone 01		1 23.00	23.00
260063022	Zone 01		1 23.00	23.00
260063023	Zone 01		1 23.00	23.00
260063024	Zone 01		1 23.00	23.00
260063025	Zone 01		1 23.00	23.00
260063026	Zone 01		1 23.00	23.00
260063027	Zone 01		1 23.00	23.00
260063028	Zone 01		1 23.00	23.00
260063029	Zone 01		1 23.00	23.00
260063030	Zone 01		1 23.00	23.00
260063031	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
260063032	Zone 01		1 23.00	23.00
260063033	Zone 01		1 23.00	23.00
260063034	Zone 01		1 23.00	23.00
260063035	Zone 01		1 23.00	23.00
260063036	Zone 01		1 23.00	23.00
260063037	Zone 01		1 23.00	23.00
260063038	Zone 01		1 23.00	23.00
260063039	Zone 01		1 23.00	23.00
260063040	Zone 01		1 23.00	23.00
260063041	Zone 01		1 23.00	23.00
260063042	Zone 01		1 23.00	23.00
260063043	Zone 01		1 23.00	23.00
260063044	Zone 01		1 23.00	23.00
260063045	Zone 01		1 23.00	23.00
260063046	Zone 01		1 23.00	23.00
260063047	Zone 01		1 23.00	23.00
260063048	Zone 01		1 23.00	23.00
260063049	Zone 01		1 23.00	23.00
260063050	Zone 01		1 23.00	23.00
260064001	Zone 01		1 23.00	23.00
260064002	Zone 01		1 23.00	23.00
260064003	Zone 01		1 23.00	23.00
260064004	Zone 01		1 23.00	23.00
260064005	Zone 01		1 23.00	23.00
260064006	Zone 01		1 23.00	23.00
260064007	Zone 01		1 23.00	23.00
260064008	Zone 01		1 23.00	23.00
260064009	Zone 01		1 23.00	23.00
260064010	Zone 01		1 23.00	23.00
260064011	Zone 01		1 23.00	23.00
260064012	Zone 01		1 23.00	23.00
260064013	Zone 01		1 23.00	23.00
260064014	Zone 01		1 23.00	23.00
260071001	Zone 01		1 23.00	23.00
260071002	Zone 01		1 23.00	23.00
260071003	Zone 01		1 23.00	23.00
260071004	Zone 01		1 23.00	23.00
260072001	Zone 01		1 23.00	23.00
260072002	Zone 01		1 23.00	23.00
260072003	Zone 01		1 23.00	23.00
260072004	Zone 01		1 23.00	23.00
260073001	Zone 01		1 23.00	23.00
260073001	Zone 01		1 23.00	23.00
260073002	Zone 01		1 23.00	23.00
260073003	Zone 01		1 23.00	23.00
260073004	Zone 01		1 23.00	23.00
260073005	Zone 01		1 23.00	23.00
260073007	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned E	BU's FY 17-	18 Max Assessment	FY 17-18 Assessment
260073008	Zone 01	1	23.00	23.00
260073009	Zone 01	1	23.00	23.00
260073010	Zone 01	1	23.00	23.00
260073011	Zone 01	1	23.00	23.00
260073012	Zone 01	1	23.00	23.00
260073013	Zone 01	1	23.00	23.00
260073014	Zone 01	1	23.00	23.00
260073015	Zone 01	1	23.00	23.00
260073016	Zone 01	1	23.00	23.00
260073017	Zone 01	1	23.00	23.00
260073018	Zone 01	1	23.00	23.00
260073019	Zone 01	1	23.00	23.00
260073020	Zone 01	1	23.00	23.00
260073021	Zone 01	1	23.00	23.00
260073022	Zone 01	1	23.00	23.00
260073023	Zone 01	1	23.00	23.00
260073024	Zone 01	1	23.00	23.00
260073025	Zone 01	1	23.00	23.00
260073026	Zone 01	1	23.00	23.00
260073027	Zone 01	1	23.00	23.00
260073028	Zone 01	1	23.00	23.00
260074001	Zone 01	1	23.00	23.00
260074002	Zone 01	1	23.00	23.00
260074003	Zone 01	1	23.00	23.00
260074004	Zone 01	1	23.00	23.00
260074005	Zone 01	1	23.00	23.00
260074006	Zone 01	1	23.00	23.00
260074007	Zone 01	1	23.00	23.00
260074008	Zone 01	1	23.00	23.00
260081001	Zone 01	1	23.00	23.00
260081002	Zone 01	1	23.00	23.00
260081003	Zone 01	1	23.00	23.00
260081004	Zone 01	1	23.00	23.00
260081005	Zone 01	1	23.00	23.00
260081006	Zone 01	1	23.00	23.00
260081007	Zone 01	1	23.00	23.00
260081008	Zone 01	1	23.00	23.00
260081009	Zone 01	1	23.00	23.00
260081010	Zone 01	1	23.00	23.00
260081011	Zone 01	1	23.00	23.00
260081012	Zone 01	1	23.00	23.00
260081013	Zone 01	1	23.00	23.00
260081014	Zone 01	1	23.00	23.00
260081015	Zone 01	1	23.00	23.00
260081016	Zone 01	1	23.00	23.00
260081017	Zone 01	1	23.00	23.00
260081018	Zone 01	1	23.00	23.00
260081019	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD	Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
260081020	Zone 01		1 23.00	23.00
260081021	Zone 01		1 23.00	23.00
260081022	Zone 01		1 23.00	23.00
260081023	Zone 01		1 23.00	23.00
260081024	Zone 01		1 23.00	23.00
260081025	Zone 01		1 23.00	23.00
260081026	Zone 01		1 23.00	23.00
260081027	Zone 01		1 23.00	23.00
260081028	Zone 01		1 23.00	23.00
260081029	Zone 01		1 23.00	23.00
260081030	Zone 01		1 23.00	23.00
260082001	Zone 01		1 23.00	23.00
260082002	Zone 01		1 23.00	23.00
260082003	Zone 01		1 23.00	23.00
260082004	Zone 01		1 23.00	23.00
260082005	Zone 01		1 23.00	23.00
260082006	Zone 01		1 23.00	23.00
260082007	Zone 01		1 23.00	23.00
260082008	Zone 01		1 23.00	23.00
260082009	Zone 01		1 23.00	23.00
260082010	Zone 01		1 23.00	23.00
260082011	Zone 01		1 23.00	23.00
260082012	Zone 01		1 23.00	23.00
260082013	Zone 01		1 23.00	23.00
260082014	Zone 01		1 23.00	23.00
260082015	Zone 01		1 23.00	23.00
260082016	Zone 01		1 23.00	23.00
260082017	Zone 01		1 23.00	23.00
260082018	Zone 01		1 23.00	23.00
260082019	Zone 01		1 23.00	23.00
260082020	Zone 01		1 23.00	23.00
260082021	Zone 01		1 23.00	23.00
260082022	Zone 01		1 23.00	23.00
260082023	Zone 01		1 23.00	23.00
260082024	Zone 01		1 23.00	23.00
260082025	Zone 01		1 23.00	23.00
260082026	Zone 01		1 23.00	23.00
260082027	Zone 01		1 23.00	23.00
260082028	Zone 01		1 23.00	23.00
260082029	Zone 01		1 23.00	23.00
260082030	Zone 01		1 23.00	23.00
260082031	Zone 01		1 23.00	23.00
260082032	Zone 01		1 23.00	23.00
260082033	Zone 01		1 23.00	23.00
260082034	Zone 01		1 23.00	23.00
260082035	Zone 01		1 23.00	23.00
260082036	Zone 01		1 23.00	23.00
260082037	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
260082038	Zone 01		1 23.00	23.00
260082039	Zone 01		1 23.00	23.00
260082040	Zone 01		1 23.00	23.00
260082041	Zone 01		1 23.00	23.00
260082042	Zone 01		1 23.00	23.00
260082043	Zone 01		1 23.00	23.00
260082044	Zone 01		1 23.00	23.00
260083001	Zone 01		1 23.00	23.00
260083002	Zone 01		1 23.00	23.00
260083003	Zone 01		1 23.00	23.00
260083004	Zone 01		1 23.00	23.00
260083005	Zone 01		1 23.00	23.00
260083006	Zone 01		1 23.00	23.00
260083007	Zone 01		1 23.00	23.00
260083008	Zone 01		1 23.00	23.00
260083009	Zone 01		1 23.00	23.00
260083010	Zone 01		1 23.00	23.00
260091001	Zone 01		1 23.00	23.00
260091002	Zone 01		1 23.00	23.00
260091003	Zone 01		1 23.00	23.00
260091004	Zone 01		1 23.00	23.00
260091005	Zone 01		1 23.00	23.00
260091006	Zone 01		1 23.00	23.00
260091007	Zone 01		1 23.00	23.00
260091008	Zone 01		1 23.00	23.00
260091009	Zone 01		1 23.00	23.00
260091010	Zone 01		1 23.00	23.00
260091011	Zone 01		1 23.00	23.00
260091012	Zone 01		1 23.00	23.00
260091013	Zone 01		1 23.00	23.00
260091014	Zone 01		1 23.00	23.00
260091015	Zone 01		1 23.00	23.00
260091016	Zone 01		1 23.00	23.00
260091017	Zone 01		1 23.00	23.00
260091018	Zone 01		1 23.00	23.00
260091019	Zone 01		1 23.00	23.00
260091020	Zone 01		1 23.00	23.00
260091021	Zone 01		1 23.00	23.00
260091022	Zone 01		1 23.00	23.00
260091023	Zone 01		1 23.00	23.00
260091024	Zone 01		1 23.00	23.00
260091025	Zone 01		1 23.00	23.00
260091026	Zone 01		1 23.00	23.00
260091027	Zone 01		1 23.00	23.00
260091027	Zone 01		1 23.00	23.00
260091029	Zone 01		1 23.00	23.00
260091029	Zone 01		1 23.00	23.00
260092002	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD A	Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
260092003	Zone 01		1 23.00	23.00
260092004	Zone 01		1 23.00	23.00
260092005	Zone 01		1 23.00	23.00
260092006	Zone 01		1 23.00	23.00
260092007	Zone 01		1 23.00	23.00
260092008	Zone 01		1 23.00	23.00
260092009	Zone 01		1 23.00	23.00
260092010	Zone 01		1 23.00	23.00
260092011	Zone 01		1 23.00	23.00
260092012	Zone 01		1 23.00	23.00
260092013	Zone 01		1 23.00	23.00
260092014	Zone 01		1 23.00	23.00
260092015	Zone 01		1 23.00	23.00
260092016	Zone 01		1 23.00	23.00
260092018	Zone 01		1 23.00	23.00
487411001	Zone 01		1 23.00	23.00
487411002	Zone 01		1 23.00	23.00
481171047	Zone 01		1 23.00	23.00
481171048	Zone 01		1 23.00	23.00
481171049	Zone 01		1 23.00	23.00
260092019	Zone 01		1 23.00	23.00
260092020	Zone 01		1 23.00	23.00
260092021	Zone 01		1 23.00	23.00
260092022	Zone 01		1 23.00	23.00
260092023	Zone 01		1 23.00	23.00
260092024	Zone 01		1 23.00	23.00
260092025	Zone 01		1 23.00	23.00
260092026	Zone 01		1 23.00	23.00
260092027	Zone 01		1 23.00	23.00
260092028	Zone 01		1 23.00	23.00
260092029	Zone 01		1 23.00	23.00
260092030	Zone 01		1 23.00	23.00
260092031	Zone 01		1 23.00	23.00
260092032	Zone 01		1 23.00	23.00
260092033	Zone 01		1 23.00	23.00
260092034	Zone 01		1 23.00	23.00
260092035	Zone 01		1 23.00	23.00
260092036	Zone 01		1 23.00	23.00
260092037	Zone 01		1 23.00	23.00
260092038	Zone 01		1 23.00	23.00
260101001				
	Zone 01		1 23.00	23.00
260101002	Zone 01		1 23.00	23.00
260101003	Zone 01		1 23.00	23.00
260101004	Zone 01		1 23.00	23.00
260101005	Zone 01		1 23.00	23.00
260101006	Zone 01		1 23.00	23.00
260101007	Zone 01		1 23.00	23.00
260101008	Zone 01		1 23.00	23.00

APN	I MD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
260101009	Zone 01	LIND Assigned ED0 3	1 23.00	23.00
260101010	Zone 01		1 23.00	23.00
260101011	Zone 01		1 23.00	23.00
260101011	Zone 01		1 23.00	23.00
260101013	Zone 01		1 23.00	23.00
260101013	Zone 01		1 23.00	23.00
260101014	Zone 01		1 23.00	23.00
260101016	Zone 01		1 23.00	23.00
260101017	Zone 01		1 23.00	23.00
260101017	Zone 01		1 23.00	23.00
260101019	Zone 01		1 23.00	23.00
260101019	Zone 01		1 23.00	23.00
260101020	Zone 01		1 23.00	23.00
260101021	Zone 01		1 23.00	23.00
260101023	Zone 01		1 23.00	23.00
260101023	Zone 01		1 23.00	23.00
260101025	Zone 01		1 23.00	23.00
260101026	Zone 01		1 23.00	23.00
260101027	Zone 01		1 23.00	23.00
260101027	Zone 01		1 23.00	23.00
260102001	Zone 01		1 23.00	23.00
260102001	Zone 01		1 23.00	23.00
260102002	Zone 01		1 23.00	23.00
260102003	Zone 01		1 23.00	23.00
260103001	Zone 01		1 23.00	23.00
260103001	Zone 01		1 23.00	23.00
260103002	Zone 01		1 23.00	23.00
260103003	Zone 01		1 23.00	23.00
260103004	Zone 01		1 23.00	23.00
260103005	Zone 01		1 23.00	23.00
260103000	Zone 01		1 23.00	23.00
260103007	Zone 01		1 23.00	23.00
260103009	Zone 01		1 23.00	23.00
260103009	Zone 01		1 23.00	23.00
260103010			1 23.00	23.00
260103011	Zone 01 Zone 01		1 23.00	23.00
260103012	Zone 01		1 23.00	23.00
260103013				
	Zone 01		1 23.00	23.00
260103015	Zone 01		1 23.00	23.00
260103016	Zone 01		1 23.00	23.00
260103017	Zone 01		1 23.00	23.00
260103018	Zone 01		1 23.00	23.00
260103019	Zone 01		1 23.00	23.00
260103020	Zone 01		1 23.00	23.00
260111001	Zone 01		1 23.00	23.00
260111002	Zone 01		1 23.00	23.00
260111003	Zone 01		1 23.00	23.00
260111004	Zone 01		1 23.00	23.00

APN	I MD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
260111005	Zone 01	Emb Assigned Ebb 3	1 23.00	23.00
260111006	Zone 01		1 23.00	23.00
260111007	Zone 01		1 23.00	23.00
260111008	Zone 01		1 23.00	23.00
260111009	Zone 01		1 23.00	23.00
260111010	Zone 01		1 23.00	23.00
260111011	Zone 01		1 23.00	23.00
260111011	Zone 01		1 23.00	23.00
260111013	Zone 01		1 23.00	23.00
260111013	Zone 01		1 23.00	23.00
260111015	Zone 01		1 23.00	23.00
260111015	Zone 01		1 23.00	23.00
260111017	Zone 01		1 23.00	23.00
260111017	Zone 01		1 23.00	23.00
260111019				
	Zone 01		1 23.00	23.00
260111020	Zone 01		1 23.00	23.00
260111021	Zone 01		1 23.00	23.00
260111022	Zone 01		1 23.00	23.00
260111023	Zone 01		1 23.00	23.00
260111024	Zone 01		1 23.00	23.00
260111025	Zone 01		1 23.00	23.00
260111026	Zone 01		1 23.00	23.00
260111027	Zone 01		1 23.00	23.00
260111028	Zone 01	·	1 23.00	23.00
260111029	Zone 01		1 23.00	23.00
260111030	Zone 01	•	1 23.00	23.00
260111032	Zone 01		1 23.00	23.00
260111033	Zone 01		1 23.00	23.00
260111034	Zone 01	•	1 23.00	23.00
260111035	Zone 01		1 23.00	23.00
260111036	Zone 01		1 23.00	23.00
260111037	Zone 01		1 23.00	23.00
260111038	Zone 01		1 23.00	23.00
260112001	Zone 01		1 23.00	23.00
260112002	Zone 01		1 23.00	23.00
260112003	Zone 01	•	1 23.00	23.00
260112004	Zone 01	•	1 23.00	23.00
260112005	Zone 01		1 23.00	23.00
260112006	Zone 01		1 23.00	23.00
260112007	Zone 01		1 23.00	23.00
260112008	Zone 01		1 23.00	23.00
260112009	Zone 01		1 23.00	23.00
260112010	Zone 01		1 23.00	23.00
260113001	Zone 01		1 23.00	23.00
260113002	Zone 01		1 23.00	23.00
260113003	Zone 01		1 23.00	23.00
260113004	Zone 01		1 23.00	23.00
260113005	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LM	MD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
260113006	Zone 01		1 23.00	23.00
260113007	Zone 01		1 23.00	23.00
260113008	Zone 01		1 23.00	23.00
260113009	Zone 01		1 23.00	23.00
260113010	Zone 01		1 23.00	23.00
260113011	Zone 01		1 23.00	23.00
260113012	Zone 01		1 23.00	23.00
260113013	Zone 01		1 23.00	23.00
260113014	Zone 01		1 23.00	23.00
260113015	Zone 01		1 23.00	23.00
260113016	Zone 01		1 23.00	23.00
260113017	Zone 01		1 23.00	23.00
260113018	Zone 01		1 23.00	23.00
260113019	Zone 01		1 23.00	23.00
260113020	Zone 01		1 23.00	23.00
260114001	Zone 01		1 23.00	23.00
260114002	Zone 01		1 23.00	23.00
260114003	Zone 01		1 23.00	23.00
260114004	Zone 01		1 23.00	23.00
260114005	Zone 01		1 23.00	23.00
260114006	Zone 01		1 23.00	23.00
260114007	Zone 01		1 23.00	23.00
260114008	Zone 01		1 23.00	23.00
260114009	Zone 01		1 23.00	23.00
260114010	Zone 01		1 23.00	23.00
260114011	Zone 01		1 23.00	23.00
260114012	Zone 01		1 23.00	23.00
260114013	Zone 01		1 23.00	23.00
260114014	Zone 01		1 23.00	23.00
260114015	Zone 01		1 23.00	23.00
260114016	Zone 01		1 23.00	23.00
260114017	Zone 01		1 23.00	23.00
260121001	Zone 01		1 23.00	23.00
260121002	Zone 01		1 23.00	23.00
260121003	Zone 01		1 23.00	23.00
260121004	Zone 01		1 23.00	23.00
260121005	Zone 01		1 23.00	23.00
260121006	Zone 01		1 23.00	23.00
260121007	Zone 01		1 23.00	23.00
260121008	Zone 01		1 23.00	23.00
260121009	Zone 01		1 23.00	23.00
260121010	Zone 01		1 23.00	23.00
260121011	Zone 01		1 23.00	23.00
260121012	Zone 01		1 23.00	23.00
260121013	Zone 01		1 23.00	23.00
260121014	Zone 01		1 23.00	23.00
260121015	Zone 01		1 23.00	23.00
260121016	Zone 01	,	1 23.00	23.00
_30121010			20.00	20.00

APN	I MD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
260121017	Zone 01	Emb Assigned Ebb 3	1 23.00	23.00
260121018	Zone 01		1 23.00	23.00
260121019	Zone 01		1 23.00	23.00
260121020	Zone 01		1 23.00	23.00
260121021	Zone 01		1 23.00	23.00
260121021	Zone 01		1 23.00	23.00
260121023	Zone 01		1 23.00	23.00
260121024	Zone 01		1 23.00	23.00
260122001	Zone 01		1 23.00	23.00
260122001	Zone 01		1 23.00	23.00
260122002	Zone 01		1 23.00	23.00
260122003	Zone 01		1 23.00	23.00
260123001	Zone 01		1 23.00	23.00
260123001	Zone 01		1 23.00	23.00
260123002	Zone 01			23.00
			1 23.00 1 23.00	
260123004	Zone 01			23.00
260123005	Zone 01		1 23.00	23.00
260123006	Zone 01		1 23.00	23.00
260123007	Zone 01		1 23.00	23.00
260123008	Zone 01		1 23.00	23.00
260123009	Zone 01		1 23.00	23.00
260123010	Zone 01		1 23.00	23.00
260123011	Zone 01		1 23.00	23.00
260123012	Zone 01		1 23.00	23.00
260123013	Zone 01	•	1 23.00	23.00
260123014	Zone 01	•	1 23.00	23.00
260124001	Zone 01		1 23.00	23.00
260124002	Zone 01		1 23.00	23.00
260124003	Zone 01		1 23.00	23.00
260124004	Zone 01		1 23.00	23.00
260124005	Zone 01		1 23.00	23.00
260124006	Zone 01		1 23.00	23.00
260124007	Zone 01		1 23.00	23.00
260124008	Zone 01		1 23.00	23.00
260124009	Zone 01		1 23.00	23.00
260124010	Zone 01		1 23.00	23.00
260124011	Zone 01		1 23.00	23.00
260124012	Zone 01	•	1 23.00	23.00
260124013	Zone 01		1 23.00	23.00
260124014	Zone 01		1 23.00	23.00
260124015	Zone 01		1 23.00	23.00
260124016	Zone 01		1 23.00	23.00
260124017	Zone 01		1 23.00	23.00
260124018	Zone 01		1 23.00	23.00
260124019	Zone 01		1 23.00	23.00
260124020	Zone 01		1 23.00	23.00
260124021	Zone 01		1 23.00	23.00
260125001	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-18	Max Assessment	FY 17-18 Assessment
260125002	Zone 01	1	23.00	23.00
260125003	Zone 01	1	23.00	23.00
260125004	Zone 01	1	23.00	23.00
260125005	Zone 01	1	23.00	23.00
260125006	Zone 01	1	23.00	23.00
260125007	Zone 01	1	23.00	23.00
260125008	Zone 01	1	23.00	23.00
260125009	Zone 01	1	23.00	23.00
260125010	Zone 01	1	23.00	23.00
260125011	Zone 01	1	23.00	23.00
260125012	Zone 01	1	23.00	23.00
260126001	Zone 01	1	23.00	23.00
260126002	Zone 01	1	23.00	23.00
260126003	Zone 01	1	23.00	23.00
260126004	Zone 01	1	23.00	23.00
260126005	Zone 01	1	23.00	23.00
260126006	Zone 01	1	23.00	23.00
260126007	Zone 01	1	23.00	23.00
260126008	Zone 01	1	23.00	23.00
260126009	Zone 01	1	23.00	23.00
260126010	Zone 01	1	23.00	23.00
260126011	Zone 01	1	23.00	23.00
260126012	Zone 01	1	23.00	23.00
260126013	Zone 01	1	23.00	23.00
260126014	Zone 01	1	23.00	23.00
260126015	Zone 01	1	23.00	23.00
260126016	Zone 01	1	23.00	23.00
260126017	Zone 01	1	23.00	23.00
260126018	Zone 01	1	23.00	23.00
260126019	Zone 01	1	23.00	23.00
260126020	Zone 01	1	23.00	23.00
260126021	Zone 01	1	23.00	23.00
260126022	Zone 01	1	23.00	23.00
260126023	Zone 01	1	23.00	23.00
260126024	Zone 01	1	23.00	23.00
260126025	Zone 01	1	23.00	23.00
260126026	Zone 01	1	23.00	23.00
260131001	Zone 01	1	23.00	23.00
260131002	Zone 01	1	23.00	23.00
260131003	Zone 01	1	23.00	23.00
260131004	Zone 01	1	23.00	23.00
260131005	Zone 01	1	23.00	23.00
260131006	Zone 01	1	23.00	23.00
260131007	Zone 01	1	23.00	23.00
260132001	Zone 01	1	23.00	23.00
260132002	Zone 01	1	23.00	23.00
260132003	Zone 01	1	23.00	23.00
260132004	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
260132005	Zone 01		1 23.00	23.00
260132006	Zone 01		1 23.00	23.00
260132007	Zone 01		1 23.00	23.00
260132008	Zone 01		1 23.00	23.00
260132009	Zone 01		1 23.00	23.00
260132010	Zone 01		1 23.00	23.00
260132011	Zone 01		1 23.00	23.00
260132012	Zone 01		1 23.00	23.00
260133001	Zone 01		1 23.00	23.00
260133002	Zone 01		1 23.00	23.00
260133003	Zone 01		1 23.00	23.00
260133004	Zone 01		1 23.00	23.00
260134001	Zone 01		1 23.00	23.00
260134002	Zone 01		1 23.00	23.00
260134003	Zone 01		1 23.00	23.00
260134004	Zone 01		1 23.00	23.00
260134005	Zone 01		1 23.00	23.00
260134006	Zone 01		1 23.00	23.00
260134007	Zone 01		1 23.00	23.00
260134008	Zone 01		1 23.00	23.00
260134009	Zone 01		1 23.00	23.00
260134010	Zone 01		1 23.00	23.00
260134011	Zone 01		1 23.00	23.00
260134012	Zone 01		1 23.00	23.00
260135001	Zone 01		1 23.00	23.00
260135002	Zone 01		1 23.00	23.00
260135003	Zone 01		1 23.00	23.00
260135004	Zone 01		1 23.00	23.00
260135005	Zone 01		1 23.00	23.00
260135006	Zone 01		1 23.00	23.00
260135007	Zone 01		1 23.00	23.00
260135008	Zone 01		1 23.00	23.00
260135009	Zone 01		1 23.00	23.00
260135010	Zone 01		1 23.00	23.00
260135011	Zone 01		1 23.00	23.00
260135012	Zone 01		1 23.00	23.00
260135013	Zone 01		1 23.00	23.00
260135014	Zone 01		1 23.00	23.00
260135015	Zone 01		1 23.00	23.00
260135016	Zone 01		1 23.00	23.00
260136001	Zone 01		1 23.00	23.00
260136002	Zone 01		1 23.00	23.00
260136003	Zone 01		1 23.00	23.00
260136004	Zone 01		1 23.00	23.00
260136005	Zone 01		1 23.00	23.00
260136006	Zone 01		1 23.00	23.00
260136007	Zone 01		1 23.00	23.00
260136008	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone L	MD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
260136009	Zone 01		1 23.00	23.00
260136010	Zone 01		1 23.00	23.00
260136011	Zone 01		1 23.00	23.00
260136012	Zone 01		1 23.00	23.00
260136013	Zone 01		1 23.00	23.00
260136014	Zone 01		1 23.00	23.00
260136015	Zone 01		1 23.00	23.00
260136016	Zone 01		1 23.00	23.00
260136017	Zone 01		1 23.00	23.00
260136018	Zone 01		1 23.00	23.00
260136019	Zone 01		1 23.00	23.00
260136020	Zone 01		1 23.00	23.00
260136021	Zone 01		1 23.00	23.00
260141001	Zone 01		1 23.00	23.00
260141002	Zone 01		1 23.00	23.00
260141003	Zone 01		1 23.00	23.00
260141004	Zone 01		1 23.00	23.00
260141005	Zone 01		1 23.00	23.00
260141006	Zone 01		1 23.00	23.00
260141007	Zone 01		1 23.00	23.00
260141008	Zone 01		1 23.00	23.00
260141009	Zone 01		1 23.00	23.00
260141010	Zone 01		1 23.00	23.00
260141011	Zone 01		1 23.00	23.00
260141012	Zone 01		1 23.00	23.00
260141013	Zone 01		1 23.00	23.00
260141014	Zone 01		1 23.00	23.00
260141015	Zone 01		1 23.00	23.00
260141016	Zone 01		1 23.00	23.00
260141017	Zone 01		1 23.00	23.00
260141018	Zone 01		1 23.00	23.00
260141019	Zone 01		1 23.00	23.00
260141020	Zone 01		1 23.00	23.00
260141021	Zone 01		1 23.00	23.00
260141022	Zone 01		1 23.00	23.00
260141023	Zone 01		1 23.00	23.00
260141024	Zone 01		1 23.00	23.00
260141025	Zone 01		1 23.00	23.00
260141026	Zone 01		1 23.00	23.00
260141027	Zone 01		1 23.00	23.00
260141028	Zone 01		1 23.00	23.00
260141020	Zone 01		1 23.00	23.00
260142002	Zone 01		1 23.00	23.00
260142002	Zone 01		1 23.00	23.00
260142004	Zone 01		1 23.00	23.00
260142004	Zone 01		1 23.00	23.00
260142006	Zone 01		1 23.00	23.00
260142007	Zone 01		1 23.00	23.00
200142007	Zurie u i		∠3.00	23.00

APN	LMD 2014-01 Zone L	.MD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
260142008	Zone 01		1 23.00	23.00
260142009	Zone 01		1 23.00	23.00
260142010	Zone 01		1 23.00	23.00
260142011	Zone 01		1 23.00	23.00
260142012	Zone 01		1 23.00	23.00
260142013	Zone 01		1 23.00	23.00
260142014	Zone 01	,	1 23.00	23.00
260142015	Zone 01		1 23.00	23.00
260142016	Zone 01		1 23.00	23.00
260142017	Zone 01		1 23.00	23.00
260142018	Zone 01		1 23.00	23.00
260142019	Zone 01		1 23.00	23.00
260142020	Zone 01	,	1 23.00	23.00
260142021	Zone 01		1 23.00	23.00
260142022	Zone 01		1 23.00	23.00
260142023	Zone 01		1 23.00	23.00
260142024	Zone 01		1 23.00	23.00
260142025	Zone 01		1 23.00	23.00
260143001	Zone 01		1 23.00	23.00
260143002	Zone 01		1 23.00	23.00
260143003	Zone 01		1 23.00	23.00
260143004	Zone 01		1 23.00	23.00
260144001	Zone 01		1 23.00	23.00
260144002	Zone 01		1 23.00	23.00
260144003	Zone 01		1 23.00	23.00
260144004	Zone 01		1 23.00	23.00
260144005	Zone 01		1 23.00	23.00
260144006	Zone 01		1 23.00	23.00
260144007	Zone 01		1 23.00	23.00
260144008	Zone 01		1 23.00	23.00
260144009	Zone 01		1 23.00	23.00
260144010	Zone 01		1 23.00	23.00
260151001	Zone 01		1 23.00	23.00
260151002	Zone 01		1 23.00	23.00
260151003	Zone 01		1 23.00	23.00
260151004	Zone 01		1 23.00	23.00
260151005	Zone 01		1 23.00	23.00
260151006	Zone 01		1 23.00	23.00
260151007	Zone 01		1 23.00	23.00
260151008	Zone 01		1 23.00	23.00
260151009	Zone 01		1 23.00	23.00
260151010	Zone 01		1 23.00	23.00
260151011	Zone 01		1 23.00	23.00
260151012	Zone 01		1 23.00	23.00
260151013	Zone 01		1 23.00	23.00
260151014	Zone 01		1 23.00	23.00
260151015	Zone 01		1 23.00	23.00
260151016	Zone 01		1 23.00	23.00
_30101010			20.00	20.00

APN	LMD 2014-01 Zone L	MD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
260151017	Zone 01		1 23.00	23.00
260151018	Zone 01		1 23.00	23.00
260151019	Zone 01		1 23.00	23.00
260151020	Zone 01		1 23.00	23.00
260151021	Zone 01		1 23.00	23.00
260151022	Zone 01		1 23.00	23.00
260151023	Zone 01		1 23.00	23.00
260151024	Zone 01		1 23.00	23.00
260151025	Zone 01		1 23.00	23.00
260151026	Zone 01		1 23.00	23.00
260151027	Zone 01		1 23.00	23.00
260151028	Zone 01		1 23.00	23.00
260151029	Zone 01		1 23.00	23.00
260151030	Zone 01		1 23.00	23.00
260151031	Zone 01		1 23.00	23.00
260151032	Zone 01		1 23.00	23.00
260151033	Zone 01		1 23.00	23.00
260151034	Zone 01		1 23.00	23.00
260151035	Zone 01		1 23.00	23.00
260151036	Zone 01		1 23.00	23.00
260151037	Zone 01		1 23.00	23.00
260151038	Zone 01		1 23.00	23.00
260151039	Zone 01		1 23.00	23.00
260151040	Zone 01		1 23.00	23.00
260151041	Zone 01		1 23.00	23.00
260152001	Zone 01		1 23.00	23.00
260152002	Zone 01		1 23.00	23.00
260152003	Zone 01		1 23.00	23.00
260152004	Zone 01		1 23.00	23.00
260152005	Zone 01		1 23.00	23.00
260152006	Zone 01		1 23.00	23.00
260153001	Zone 01		1 23.00	23.00
260153002	Zone 01		1 23.00	23.00
260153003	Zone 01		1 23.00	23.00
260153004	Zone 01		1 23.00	23.00
260153005	Zone 01		1 23.00	23.00
260153006	Zone 01		1 23.00	23.00
260153007	Zone 01		1 23.00	23.00
260153008	Zone 01		1 23.00	23.00
260153009	Zone 01		1 23.00	23.00
260153010	Zone 01		1 23.00	23.00
260153011	Zone 01		1 23.00	23.00
260153011	Zone 01		1 23.00	23.00
260153012	Zone 01		1 23.00	23.00
260153014	Zone 01		1 23.00	23.00
260154001	Zone 01		1 23.00	23.00
260154002	Zone 01		1 23.00	23.00
260154003	Zone 01		1 23.00	23.00
200104000	20116-01		23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-18	Max Assessment	FY 17-18 Assessment
260154004	Zone 01	1	23.00	23.00
260154005	Zone 01	1	23.00	23.00
260154006	Zone 01	1	23.00	23.00
260154007	Zone 01	1	23.00	23.00
260154008	Zone 01	1	23.00	23.00
260154009	Zone 01	1	23.00	23.00
260154010	Zone 01	1	23.00	23.00
260154011	Zone 01	1	23.00	23.00
260154012	Zone 01	1	23.00	23.00
260154013	Zone 01	1	23.00	23.00
260154014	Zone 01	1	23.00	23.00
260154015	Zone 01	1	23.00	23.00
260154016	Zone 01	1	23.00	23.00
260154017	Zone 01	1	23.00	23.00
260154018	Zone 01	1	23.00	23.00
260154019	Zone 01	1	23.00	23.00
260154020	Zone 01	1	23.00	23.00
260154021	Zone 01	1	23.00	23.00
260154022	Zone 01	1	23.00	23.00
260154023	Zone 01	1	23.00	23.00
260154024	Zone 01	1	23.00	23.00
260154025	Zone 01	1	23.00	23.00
260154026	Zone 01	1	23.00	23.00
260154027	Zone 01	1	23.00	23.00
260154028	Zone 01	1	23.00	23.00
260154029	Zone 01	1	23.00	23.00
260161001	Zone 01	1	23.00	23.00
260161002	Zone 01	1	23.00	23.00
260161003	Zone 01	1	23.00	23.00
260161004	Zone 01	1	23.00	23.00
260161005	Zone 01	1	23.00	23.00
260161006	Zone 01	1	23.00	23.00
260161007	Zone 01	1	23.00	23.00
260161008	Zone 01	1	23.00	23.00
260161009	Zone 01	1	23.00	23.00
260161010	Zone 01	1	23.00	23.00
260161011	Zone 01	1	23.00	23.00
260161012	Zone 01	1	23.00	23.00
260161013	Zone 01	1	23.00	23.00
260161014	Zone 01	1	23.00	23.00
260161015	Zone 01	1	23.00	23.00
260161016	Zone 01	1	23.00	23.00
260161017	Zone 01	1	23.00	23.00
260161018	Zone 01	1	23.00	23.00
260161019	Zone 01	1	23.00	23.00
260161020	Zone 01	1	23.00	23.00
260161021	Zone 01	1	23.00	23.00
260162001	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-18	Max Assessment	FY 17-18 Assessment
260162002	Zone 01	1	23.00	23.00
260162003	Zone 01	1	23.00	23.00
260162004	Zone 01	1	23.00	23.00
260162005	Zone 01	1	23.00	23.00
260162006	Zone 01	1	23.00	23.00
260162007	Zone 01	1	23.00	23.00
260162008	Zone 01	1	23.00	23.00
260162009	Zone 01	1	23.00	23.00
260163001	Zone 01	1	23.00	23.00
260163002	Zone 01	1	23.00	23.00
260163003	Zone 01	1	23.00	23.00
260163004	Zone 01	1	23.00	23.00
260163005	Zone 01	1	23.00	23.00
260163006	Zone 01	1	23.00	23.00
260163007	Zone 01	1	23.00	23.00
260163008	Zone 01	1	23.00	23.00
260163009	Zone 01	1	23.00	23.00
260163010	Zone 01	1	23.00	23.00
260163011	Zone 01	1	23.00	23.00
260163012	Zone 01	1	23.00	23.00
260163013	Zone 01	1	23.00	23.00
260163014	Zone 01	1	23.00	23.00
260163015	Zone 01	1	23.00	23.00
260163016	Zone 01	1	23.00	23.00
260163017	Zone 01	1	23.00	23.00
260163018	Zone 01	1	23.00	23.00
260163019	Zone 01	1	23.00	23.00
260163020	Zone 01	1	23.00	23.00
260163021	Zone 01	1	23.00	23.00
260163022	Zone 01	1	23.00	23.00
260163023	Zone 01	1	23.00	23.00
260163024	Zone 01	1	23.00	23.00
260163025	Zone 01	1	23.00	23.00
260163026	Zone 01	1	23.00	23.00
260163027	Zone 01	1	23.00	23.00
260163028	Zone 01	1	23.00	23.00
260163029	Zone 01	1	23.00	23.00
260171001	Zone 01	1	23.00	23.00
260171002	Zone 01	1	23.00	23.00
260171003	Zone 01	1	23.00	23.00
260171004	Zone 01	1	23.00	23.00
260171005	Zone 01	1	23.00	23.00
260171006	Zone 01	1	23.00	23.00
260171007	Zone 01	1	23.00	23.00
260171008	Zone 01	1	23.00	23.00
260171009	Zone 01	1	23.00	23.00
260171010	Zone 01	1	23.00	23.00
260171011	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
260171012	Zone 01		1 23.00	23.00
260171013	Zone 01		1 23.00	23.00
260171014	Zone 01		1 23.00	23.00
260171015	Zone 01		1 23.00	23.00
260171016	Zone 01		1 23.00	23.00
260171017	Zone 01		1 23.00	23.00
260171018	Zone 01		1 23.00	23.00
260171019	Zone 01		1 23.00	23.00
260171020	Zone 01		1 23.00	23.00
260172001	Zone 01		1 23.00	23.00
260172002	Zone 01		1 23.00	23.00
260172003	Zone 01		1 23.00	23.00
260172004	Zone 01		1 23.00	23.00
260172005	Zone 01		1 23.00	23.00
260172006	Zone 01		1 23.00	23.00
260172007	Zone 01		1 23.00	23.00
260172008	Zone 01		1 23.00	23.00
260172009	Zone 01		1 23.00	23.00
260172010	Zone 01		1 23.00	23.00
260172011	Zone 01		1 23.00	23.00
260172012	Zone 01		1 23.00	23.00
260172013	Zone 01		1 23.00	23.00
260172014	Zone 01		1 23.00	23.00
260172015	Zone 01		1 23.00	23.00
260173001	Zone 01		1 23.00	23.00
260173002	Zone 01		1 23.00	23.00
260173003	Zone 01		1 23.00	23.00
260173004	Zone 01		1 23.00	23.00
260173005	Zone 01		1 23.00	23.00
260173006	Zone 01		1 23.00	23.00
260173007	Zone 01		1 23.00	23.00
260173008	Zone 01		1 23.00	23.00
260173009	Zone 01		1 23.00	23.00
260173010	Zone 01		1 23.00	23.00
260173011	Zone 01		1 23.00	23.00
260173012	Zone 01		1 23.00	23.00
260173013	Zone 01		1 23.00	23.00
260173014	Zone 01		1 23.00	23.00
260173015	Zone 01		1 23.00	23.00
260173016	Zone 01		1 23.00	23.00
260173017	Zone 01		1 23.00	23.00
260173018	Zone 01		1 23.00	23.00
260173019	Zone 01		1 23.00	23.00
260173020	Zone 01		1 23.00	23.00
260173021	Zone 01		1 23.00	23.00
260173022	Zone 01		1 23.00	23.00
260173023	Zone 01		1 23.00	23.00
260173024	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
260173025	Zone 01		1 23.00	23.00
260173026	Zone 01		1 23.00	23.00
260173027	Zone 01		1 23.00	23.00
260173028	Zone 01		1 23.00	23.00
260173029	Zone 01		1 23.00	23.00
260174001	Zone 01		1 23.00	23.00
260174002	Zone 01		1 23.00	23.00
260174003	Zone 01		1 23.00	23.00
260174004	Zone 01		1 23.00	23.00
260174005	Zone 01		1 23.00	23.00
260174006	Zone 01		1 23.00	23.00
260174007	Zone 01		1 23.00	23.00
260181001	Zone 01		1 23.00	23.00
260181002	Zone 01		1 23.00	23.00
260181003	Zone 01		1 23.00	23.00
260181004	Zone 01		1 23.00	23.00
260181005	Zone 01		1 23.00	23.00
260181006	Zone 01		1 23.00	23.00
260181007	Zone 01		1 23.00	23.00
260181008	Zone 01		1 23.00	23.00
260181009	Zone 01		1 23.00	23.00
260181010	Zone 01		1 23.00	23.00
260181011	Zone 01		1 23.00	23.00
260181012	Zone 01		1 23.00	23.00
260181013	Zone 01		1 23.00	23.00
260181014	Zone 01		1 23.00	23.00
260181015	Zone 01		1 23.00	23.00
260181016	Zone 01		1 23.00	23.00
260181017	Zone 01		1 23.00	23.00
260181018	Zone 01		1 23.00	23.00
260181019	Zone 01		1 23.00	23.00
260181020	Zone 01		1 23.00	23.00
260181021	Zone 01		1 23.00	23.00
260181022	Zone 01		1 23.00	23.00
260181023	Zone 01		1 23.00	23.00
260181024	Zone 01		1 23.00	23.00
260181025	Zone 01		1 23.00	23.00
260181026	Zone 01		1 23.00	23.00
260181027	Zone 01		1 23.00	23.00
260181028	Zone 01		1 23.00	23.00
260181029	Zone 01		1 23.00	23.00
260181030	Zone 01		1 23.00	23.00
260182001	Zone 01		1 23.00	23.00
260182001	Zone 01		1 23.00	23.00
260182002	Zone 01		1 23.00	23.00
260182004	Zone 01		1 23.00	23.00
260182005	Zone 01		1 23.00	23.00
260182006	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone L	MD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
260182007	Zone 01		1 23.00	23.00
260182008	Zone 01		1 23.00	23.00
260182009	Zone 01		1 23.00	23.00
260182010	Zone 01		1 23.00	23.00
260182011	Zone 01		1 23.00	23.00
260182012	Zone 01		1 23.00	23.00
260182013	Zone 01		1 23.00	23.00
260182014	Zone 01		1 23.00	23.00
260182015	Zone 01		1 23.00	23.00
260182016	Zone 01		1 23.00	23.00
260182017	Zone 01		1 23.00	23.00
260182018	Zone 01		1 23.00	23.00
260182019	Zone 01		1 23.00	23.00
260182020	Zone 01		1 23.00	23.00
260182021	Zone 01		1 23.00	23.00
260182022	Zone 01		1 23.00	23.00
260182023	Zone 01		1 23.00	23.00
260182024	Zone 01		1 23.00	23.00
260182025	Zone 01		1 23.00	23.00
260182026	Zone 01		1 23.00	23.00
260182027	Zone 01		1 23.00	23.00
260182028	Zone 01		1 23.00	23.00
260182029	Zone 01		1 23.00	23.00
260182030	Zone 01		1 23.00	23.00
260191001	Zone 01		1 23.00	23.00
260191002	Zone 01		1 23.00	23.00
260191003	Zone 01		1 23.00	23.00
260191004	Zone 01		1 23.00	23.00
260191005	Zone 01		1 23.00	23.00
260191006	Zone 01		1 23.00	23.00
260191007	Zone 01		1 23.00	23.00
260191008	Zone 01		1 23.00	23.00
260191009	Zone 01		1 23.00	23.00
260191010	Zone 01		1 23.00	23.00
260191011	Zone 01		1 23.00	23.00
260191012	Zone 01		1 23.00	23.00
260191013	Zone 01		1 23.00	23.00
260191014	Zone 01		1 23.00	23.00
260191015	Zone 01		1 23.00	23.00
260191016	Zone 01		1 23.00	23.00
260191017	Zone 01		1 23.00	23.00
260191018	Zone 01		1 23.00	23.00
260191019	Zone 01		1 23.00	23.00
260191019	Zone 01		1 23.00	23.00
260191021	Zone 01		1 23.00	23.00
260191021	Zone 01		1 23.00	23.00
260191023	Zone 01		1 23.00	23.00
260191025	Zone 01		1 23.00	23.00
200191025	20116 01		23.00	23.00

APN	LMD 2014-01 Zone L	_MD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
260191026	Zone 01		1 23.00	23.00
260191027	Zone 01		1 23.00	23.00
260191028	Zone 01		1 23.00	23.00
260191029	Zone 01		1 23.00	23.00
260191030	Zone 01		1 23.00	23.00
260191031	Zone 01		1 23.00	23.00
260191032	Zone 01		1 23.00	23.00
260191033	Zone 01		1 23.00	23.00
260191034	Zone 01		1 23.00	23.00
260191035	Zone 01		1 23.00	23.00
260191036	Zone 01		1 23.00	23.00
260191037	Zone 01		1 23.00	23.00
260191038	Zone 01		1 23.00	23.00
260191039	Zone 01		1 23.00	23.00
260191040	Zone 01		1 23.00	23.00
260191041	Zone 01		1 23.00	23.00
260191042	Zone 01		1 23.00	23.00
260191043	Zone 01		1 23.00	23.00
260191046	Zone 01		1 23.00	23.00
260192002	Zone 01		1 23.00	23.00
260192003	Zone 01		1 23.00	23.00
260192004	Zone 01		1 23.00	23.00
260192005	Zone 01		1 23.00	23.00
260192006	Zone 01		1 23.00	23.00
260192007	Zone 01		1 23.00	23.00
260192008	Zone 01		1 23.00	23.00
260192009	Zone 01		1 23.00	23.00
260192010	Zone 01		1 23.00	23.00
260192011	Zone 01		1 23.00	23.00
260192012	Zone 01		1 23.00	23.00
260193001	Zone 01		1 23.00	23.00
260193002	Zone 01		1 23.00	23.00
260193003	Zone 01		1 23.00	23.00
260193004	Zone 01		1 23.00	23.00
260193005	Zone 01		1 23.00	23.00
260193006	Zone 01		1 23.00	23.00
260193007	Zone 01		1 23.00	23.00
260193008	Zone 01		1 23.00	23.00
260193009	Zone 01		1 23.00	23.00
260193010	Zone 01		1 23.00	23.00
260193011	Zone 01		1 23.00	23.00
260193011	Zone 01		1 23.00	23.00
260193013	Zone 01		1 23.00	23.00
260193014	Zone 01		1 23.00	23.00
260193015	Zone 01		1 23.00	23.00
260201001	Zone 01		1 23.00	23.00
260201001	Zone 01		1 23.00	23.00
260201002	Zone 01		1 23.00	23.00
200201003	ZUITE UT		∠3.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
260201004	Zone 01		1 23.00	23.00
260201005	Zone 01		1 23.00	23.00
260201006	Zone 01		1 23.00	23.00
260201007	Zone 01		1 23.00	23.00
260201008	Zone 01		1 23.00	23.00
260201009	Zone 01		1 23.00	23.00
260202001	Zone 01		1 23.00	23.00
260202002	Zone 01		1 23.00	23.00
260202003	Zone 01		1 23.00	23.00
260202004	Zone 01		1 23.00	23.00
260202005	Zone 01		1 23.00	23.00
260202006	Zone 01		1 23.00	23.00
260202007	Zone 01		1 23.00	23.00
260202008	Zone 01		1 23.00	23.00
260203001	Zone 01		1 23.00	23.00
260203002	Zone 01		1 23.00	23.00
260203003	Zone 01		1 23.00	23.00
260203004	Zone 01		1 23.00	23.00
260204001	Zone 01		1 23.00	23.00
260204002	Zone 01		1 23.00	23.00
260204003	Zone 01		1 23.00	23.00
260204004	Zone 01		1 23.00	23.00
260204005	Zone 01		1 23.00	23.00
260204006	Zone 01		1 23.00	23.00
260204007	Zone 01		1 23.00	23.00
260204007	Zone 01		1 23.00	23.00
260204009	Zone 01		1 23.00	23.00
260204009	Zone 01		1 23.00	23.00
260204011	Zone 01		1 23.00	23.00
260204011	Zone 01		1 23.00	23.00
260204013	Zone 01		1 23.00	23.00
260204014	Zone 01		1 23.00	23.00
260204014	Zone 01		1 23.00	23.00
260204016	Zone 01		1 23.00	23.00
260204017			1 23.00	23.00
260204017	Zone 01 Zone 01		1 23.00	23.00
260204019			1 23.00	23.00
	Zone 01			
260204020	Zone 01		1 23.00	23.00
260204021	Zone 01		1 23.00	23.00
260205001	Zone 01		1 23.00	23.00
260205002	Zone 01		1 23.00	23.00
260205003	Zone 01		1 23.00	23.00
260205004	Zone 01		1 23.00	23.00
260205005	Zone 01		1 23.00	23.00
260205006	Zone 01		1 23.00	23.00
260205007	Zone 01		1 23.00	23.00
260205008	Zone 01		1 23.00	23.00
260205009	Zone 01		1 23.00	23.00

APN	I MD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
260205010	Zone 01	Emb Assigned Ebb 3	1 23.00	23.00
260205011	Zone 01		1 23.00	23.00
260205011	Zone 01		1 23.00	23.00
260205012	Zone 01		1 23.00	23.00
260205015	Zone 01		1 23.00	23.00
260205016	Zone 01		1 23.00	23.00
260205017	Zone 01		1 23.00	23.00
260205017	Zone 01		1 23.00	23.00
260205019	Zone 01		1 23.00	23.00
260205020	Zone 01		1 23.00	23.00
260205020	Zone 01		1 23.00	23.00
260205021	Zone 01		1 23.00	23.00
260205022	Zone 01		1 23.00	23.00
260211001	Zone 01		1 23.00	23.00
260211001				23.00
	Zone 01		1 23.00 1 23.00	
260211003	Zone 01			23.00
260211004	Zone 01		1 23.00	23.00
260211005	Zone 01		1 23.00	23.00
260211006	Zone 01		1 23.00	23.00
260211007	Zone 01		1 23.00	23.00
260211008	Zone 01		1 23.00	23.00
260211009	Zone 01		1 23.00	23.00
260211010	Zone 01		1 23.00	23.00
260211011	Zone 01		1 23.00	23.00
260211012	Zone 01	•	1 23.00	23.00
260211013	Zone 01	•	1 23.00	23.00
260211014	Zone 01		1 23.00	23.00
260211015	Zone 01		1 23.00	23.00
260211016	Zone 01		1 23.00	23.00
260211017	Zone 01	•	1 23.00	23.00
260211018	Zone 01		1 23.00	23.00
260211019	Zone 01		1 23.00	23.00
260211020	Zone 01		1 23.00	23.00
260211021	Zone 01		1 23.00	23.00
260211022	Zone 01		1 23.00	23.00
260211023	Zone 01		1 23.00	23.00
260211024	Zone 01		1 23.00	23.00
260211025	Zone 01	•	1 23.00	23.00
260211026	Zone 01		1 23.00	23.00
260211027	Zone 01		1 23.00	23.00
260211028	Zone 01		1 23.00	23.00
260211029	Zone 01		1 23.00	23.00
260211030	Zone 01		1 23.00	23.00
260211031	Zone 01		1 23.00	23.00
260211032	Zone 01		1 23.00	23.00
260211033	Zone 01		1 23.00	23.00
260211034	Zone 01		1 23.00	23.00
260211035	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigne	d EBU's FY 17-18 N	lax Assessment	FY 17-18 Assessment
260211036	Zone 01	1	23.00	23.00
260211037	Zone 01	1	23.00	23.00
260211038	Zone 01	1	23.00	23.00
260211039	Zone 01	1	23.00	23.00
260211040	Zone 01	1	23.00	23.00
260211041	Zone 01	1	23.00	23.00
260211042	Zone 01	1	23.00	23.00
260211043	Zone 01	1	23.00	23.00
260211044	Zone 01	1	23.00	23.00
260211045	Zone 01	1	23.00	23.00
260211046	Zone 01	1	23.00	23.00
260212001	Zone 01	1	23.00	23.00
260212002	Zone 01	1	23.00	23.00
260212003	Zone 01	1	23.00	23.00
260212004	Zone 01	1	23.00	23.00
260212005	Zone 01	1	23.00	23.00
260212006	Zone 01	1	23.00	23.00
260212007	Zone 01	1	23.00	23.00
260212008	Zone 01	1	23.00	23.00
260212009	Zone 01	1	23.00	23.00
260212010	Zone 01	1	23.00	23.00
260212011	Zone 01	1	23.00	23.00
260212012	Zone 01	1	23.00	23.00
260212013	Zone 01	1	23.00	23.00
260212014	Zone 01	1	23.00	23.00
260212015	Zone 01	1	23.00	23.00
260212016	Zone 01	1	23.00	23.00
260212017	Zone 01	1	23.00	23.00
260212018	Zone 01	1	23.00	23.00
260212019	Zone 01	1	23.00	23.00
260212020	Zone 01	1	23.00	23.00
260212021	Zone 01	1	23.00	23.00
260212022	Zone 01	1	23.00	23.00
260212023	Zone 01	1	23.00	23.00
260212024	Zone 01	1	23.00	23.00
260212025	Zone 01	1	23.00	23.00
260212026	Zone 01	1	23.00	23.00
260212027	Zone 01	1	23.00	23.00
260212028	Zone 01	1	23.00	23.00
260212029	Zone 01	1	23.00	23.00
260212030	Zone 01	1	23.00	23.00
260212031	Zone 01	1	23.00	23.00
260212032	Zone 01	1	23.00	23.00
260212033	Zone 01	1	23.00	23.00
260212034	Zone 01	1	23.00	23.00
260212035	Zone 01	1	23.00	23.00
260212036	Zone 01	1	23.00	23.00
260212037	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
260212038	Zone 01		1 23.00	23.00
260212039	Zone 01		1 23.00	23.00
260212040	Zone 01		1 23.00	23.00
260212041	Zone 01		1 23.00	23.00
260212042	Zone 01		1 23.00	23.00
260212043	Zone 01		1 23.00	23.00
260221001	Zone 01		1 23.00	23.00
260221002	Zone 01		1 23.00	23.00
260221003	Zone 01		1 23.00	23.00
260221004	Zone 01		1 23.00	23.00
260221005	Zone 01		1 23.00	23.00
260221006	Zone 01		1 23.00	23.00
260221007	Zone 01		1 23.00	23.00
260221008	Zone 01		1 23.00	23.00
260221009	Zone 01		1 23.00	23.00
260221010	Zone 01		1 23.00	23.00
260221011	Zone 01		1 23.00	23.00
260221012	Zone 01		1 23.00	23.00
260221013	Zone 01		1 23.00	23.00
260221014	Zone 01		1 23.00	23.00
260221015	Zone 01		1 23.00	23.00
260221016	Zone 01		1 23.00	23.00
260221017	Zone 01		1 23.00	23.00
260221017	Zone 01		1 23.00	23.00
260221019	Zone 01		1 23.00	23.00
260221020	Zone 01		1 23.00	23.00
260221021	Zone 01		1 23.00	23.00
260221021	Zone 01		1 23.00	
			1 23.00	23.00
260221023	Zone 01 Zone 01			23.00
260221024			1 23.00	23.00
260221025	Zone 01		1 23.00	23.00
260221026	Zone 01		1 23.00	23.00
260221027	Zone 01		1 23.00	23.00
260221028	Zone 01		1 23.00	23.00
260221029	Zone 01		1 23.00	23.00
260221030	Zone 01		1 23.00	23.00
260221031	Zone 01		1 23.00	23.00
260221032	Zone 01	•	1 23.00	23.00
260221033	Zone 01		1 23.00	23.00
260221034	Zone 01	•	1 23.00	23.00
260221035	Zone 01		1 23.00	23.00
260221036	Zone 01		1 23.00	23.00
260221037	Zone 01		1 23.00	23.00
260221038	Zone 01		1 23.00	23.00
260221039	Zone 01		1 23.00	23.00
260221040	Zone 01		1 23.00	23.00
260221041	Zone 01		1 23.00	23.00
260221042	Zone 01		1 23.00	23.00

APN	I MD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
260221043	Zone 01	LIND Assigned ED0 3	1 23.00	23.00
260221044	Zone 01		1 23.00	23.00
260221045	Zone 01		1 23.00	23.00
260221046	Zone 01		1 23.00	23.00
260221047	Zone 01		1 23.00	23.00
260221047	Zone 01		1 23.00	23.00
260221049	Zone 01		1 23.00	23.00
260221050	Zone 01		1 23.00	23.00
260221051	Zone 01		1 23.00	23.00
260221051	Zone 01		1 23.00	23.00
260221053	Zone 01		1 23.00	23.00
260221054	Zone 01		1 23.00	23.00
260221055	Zone 01		1 23.00	23.00
260221056	Zone 01		1 23.00	23.00
260221057	Zone 01		1 23.00	23.00
260221058	Zone 01		1 23.00	23.00
260221059	Zone 01		1 23.00	23.00
260221060	Zone 01		1 23.00	23.00
260221061	Zone 01		1 23.00	23.00
260221062	Zone 01		1 23.00	23.00
260222001	Zone 01		1 23.00	23.00
260222001	Zone 01		1 23.00	23.00
260222002	Zone 01		1 23.00	23.00
260222004	Zone 01		1 23.00	23.00
260222004	Zone 01		1 23.00	23.00
260222006	Zone 01		1 23.00	23.00
260222007	Zone 01		1 23.00	23.00
260222007	Zone 01		1 23.00	23.00
260222009	Zone 01		1 23.00	23.00
260222010	Zone 01		1 23.00	23.00
260222011	Zone 01		1 23.00	23.00
260222012			1 23.00	23.00
260222013	Zone 01 Zone 01		1 23.00	23.00
260222014			1 23.00	23.00
260222015	Zone 01		1 23.00	23.00
	Zone 01			
260222016	Zone 01		1 23.00	23.00
260222017	Zone 01		1 23.00	23.00
260222018	Zone 01		1 23.00	23.00
260222019	Zone 01		1 23.00	23.00
260222020	Zone 01		1 23.00	23.00
260222021	Zone 01		1 23.00	23.00
260222022	Zone 01		1 23.00	23.00
260231001	Zone 01		1 23.00	23.00
260231002	Zone 01		1 23.00	23.00
260231003	Zone 01		1 23.00	23.00
260231004	Zone 01		1 23.00	23.00
260231005	Zone 01		1 23.00	23.00
260231006	Zone 01		1 23.00	23.00

APN	I MD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
260231007	Zone 01	LIND Assigned ED0 3	1 23.00	23.00
260231007	Zone 01		1 23.00	23.00
260231009	Zone 01		1 23.00	23.00
260231010	Zone 01		1 23.00	23.00
260231011	Zone 01		1 23.00	23.00
260231011	Zone 01		1 23.00	23.00
260231012	Zone 01		1 23.00	23.00
260231013	Zone 01		1 23.00	23.00
260231015	Zone 01		1 23.00	23.00
260231016	Zone 01		1 23.00	23.00
260231017	Zone 01		1 23.00	23.00
260231017	Zone 01		1 23.00	23.00
260231019	Zone 01		1 23.00	23.00
260231019	Zone 01		1 23.00	23.00
260231020	Zone 01		1 23.00	23.00
260231021	Zone 01		1 23.00	23.00
260231023	Zone 01		1 23.00	23.00
260231024	Zone 01		1 23.00	23.00
260231025	Zone 01		1 23.00	23.00
260231026	Zone 01		1 23.00	23.00
260231029	Zone 01		1 23.00	23.00
260231030	Zone 01		1 23.00	23.00
260231031	Zone 01		1 23.00	23.00
260231031	Zone 01		1 23.00	23.00
260231033	Zone 01		1 23.00	23.00
260231034	Zone 01		1 23.00	23.00
260231035	Zone 01		1 23.00	23.00
260231036	Zone 01		1 23.00	23.00
260231037	Zone 01		1 23.00	23.00
260231038	Zone 01		1 23.00	23.00
260231039	Zone 01		1 23.00	23.00
260231041	Zone 01		1 23.00	23.00
260231042	Zone 01		1 23.00	23.00
260232001	Zone 01		1 23.00	23.00
260232001			1 23.00	23.00
260241001	Zone 01 Zone 01		1 23.00	23.00
260241001	Zone 01		1 23.00	23.00
260241002				
	Zone 01		1 23.00	23.00
260241004	Zone 01		1 23.00	23.00
260241005	Zone 01		1 23.00	23.00
260241006	Zone 01		1 23.00	23.00
260241007	Zone 01		1 23.00	23.00
260241008	Zone 01		1 23.00	23.00
260241009	Zone 01		1 23.00	23.00
260241010	Zone 01		1 23.00	23.00
260241011	Zone 01		1 23.00	23.00
260241012	Zone 01		1 23.00	23.00
260241013	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned E	BU's FY 17-18	8 Max Assessment	FY 17-18 Assessment
260241014	Zone 01	1	23.00	23.00
260241015	Zone 01	1	23.00	23.00
260241016	Zone 01	1	23.00	23.00
260241017	Zone 01	1	23.00	23.00
260241018	Zone 01	1	23.00	23.00
260241019	Zone 01	1	23.00	23.00
260241020	Zone 01	1	23.00	23.00
260241021	Zone 01	1	23.00	23.00
260241022	Zone 01	1	23.00	23.00
260241023	Zone 01	1	23.00	23.00
260241024	Zone 01	1	23.00	23.00
260241025	Zone 01	1	23.00	23.00
260241026	Zone 01	1	23.00	23.00
260241027	Zone 01	1	23.00	23.00
260241028	Zone 01	1	23.00	23.00
260241029	Zone 01	1	23.00	23.00
260241030	Zone 01	1	23.00	23.00
260241031	Zone 01	1	23.00	23.00
260241032	Zone 01	1	23.00	23.00
260241033	Zone 01	1	23.00	23.00
260241034	Zone 01	1	23.00	23.00
260241035	Zone 01	1	23.00	23.00
260241036	Zone 01	1	23.00	23.00
260241037	Zone 01	1	23.00	23.00
260241038	Zone 01	1	23.00	23.00
260241039	Zone 01	1	23.00	23.00
260241040	Zone 01	1	23.00	23.00
260241044	Zone 01	1	23.00	23.00
260241045	Zone 01	1	23.00	23.00
260242005	Zone 01	1	23.00	23.00
260242006	Zone 01	1	23.00	23.00
260242007	Zone 01	1	23.00	23.00
260242008	Zone 01	1	23.00	23.00
260242009	Zone 01	1	23.00	23.00
260242010	Zone 01	1	23.00	23.00
260242011	Zone 01	1	23.00	23.00
260242012	Zone 01	1	23.00	23.00
260242013	Zone 01	1	23.00	23.00
260251001	Zone 01	1	23.00	23.00
260251002	Zone 01	1	23.00	23.00
260251003	Zone 01	1	23.00	23.00
260251004	Zone 01	1	23.00	23.00
260251005	Zone 01	1	23.00	23.00
260251006	Zone 01	1	23.00	23.00
260251007	Zone 01	1	23.00	23.00
260251008	Zone 01	1	23.00	23.00
260251009	Zone 01	1	23.00	23.00
260251010	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
260251011	Zone 01		1 23.00	23.00
260251012	Zone 01		1 23.00	23.00
260251013	Zone 01		1 23.00	23.00
260251014	Zone 01		1 23.00	23.00
260251015	Zone 01		1 23.00	23.00
260251016	Zone 01		1 23.00	23.00
260251017	Zone 01		1 23.00	23.00
260251018	Zone 01		1 23.00	23.00
260251019	Zone 01		1 23.00	23.00
260251020	Zone 01		1 23.00	23.00
260251021	Zone 01		1 23.00	23.00
260251022	Zone 01		1 23.00	23.00
260251023	Zone 01		1 23.00	23.00
260251024	Zone 01		1 23.00	23.00
260251025	Zone 01		1 23.00	23.00
260251026	Zone 01		1 23.00	23.00
260251027	Zone 01		1 23.00	23.00
260251028	Zone 01		1 23.00	23.00
260251029	Zone 01		1 23.00	23.00
260251030	Zone 01		1 23.00	23.00
260251031	Zone 01		1 23.00	23.00
260251032	Zone 01		1 23.00	23.00
260251032	Zone 01		1 23.00	23.00
260252001	Zone 01		1 23.00	23.00
260252001	Zone 01		1 23.00	23.00
260252002	Zone 01		1 23.00	23.00
260252004	Zone 01		1 23.00	23.00
260252005	Zone 01		1 23.00	23.00
260252006	Zone 01		1 23.00	23.00
260252007	Zone 01		1 23.00	23.00
260252007	Zone 01		1 23.00	23.00
260252009	Zone 01		1 23.00	23.00
260252003	Zone 01		1 23.00	23.00
260253001	Zone 01		1 23.00	23.00
260253001	Zone 01		1 23.00	23.00
260253002	Zone 01		1 23.00	23.00
260253004	Zone 01		1 23.00	23.00
260253005	Zone 01		1 23.00	23.00
260253005	Zone 01		1 23.00	23.00
260253007	Zone 01		1 23.00	23.00
260253007	Zone 01		1 23.00	23.00
260253009 260253010	Zone 01		1 23.00 1 23.00	23.00 23.00
260253010	Zone 01		1 23.00	
260253011	Zone 01			23.00
	Zone 01		1 23.00	23.00
260253013	Zone 01		1 23.00	23.00
260253014	Zone 01		1 23.00	23.00
260253015	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-18 N	lax Assessment	FY 17-18 Assessment
260253016	Zone 01	1	23.00	23.00
260253017	Zone 01	1	23.00	23.00
260253018	Zone 01	1	23.00	23.00
260253019	Zone 01	1	23.00	23.00
260253020	Zone 01	1	23.00	23.00
260253021	Zone 01	1	23.00	23.00
260253022	Zone 01	1	23.00	23.00
260261001	Zone 01	1	23.00	23.00
260261002	Zone 01	1	23.00	23.00
260261003	Zone 01	1	23.00	23.00
260261004	Zone 01	1	23.00	23.00
260261005	Zone 01	1	23.00	23.00
260261006	Zone 01	1	23.00	23.00
260261007	Zone 01	1	23.00	23.00
260261008	Zone 01	1	23.00	23.00
260261009	Zone 01	1	23.00	23.00
260261010	Zone 01	1	23.00	23.00
260261011	Zone 01	1	23.00	23.00
260261012	Zone 01	1	23.00	23.00
260261013	Zone 01	1	23.00	23.00
260261014	Zone 01	1	23.00	23.00
260261015	Zone 01	1	23.00	23.00
260261016	Zone 01	1	23.00	23.00
260261017	Zone 01	1	23.00	23.00
260261018	Zone 01	1	23.00	23.00
260261019	Zone 01	1	23.00	23.00
260262001	Zone 01	1	23.00	23.00
260262002	Zone 01	1	23.00	23.00
260262003	Zone 01	1	23.00	23.00
260262004	Zone 01	1	23.00	23.00
260262005	Zone 01	1	23.00	23.00
260262006	Zone 01	1	23.00	23.00
260262007	Zone 01	1	23.00	23.00
260262008	Zone 01	1	23.00	23.00
260262009	Zone 01	1	23.00	23.00
260262010	Zone 01	1	23.00	23.00
260262011	Zone 01	1	23.00	23.00
260262012	Zone 01	1	23.00	23.00
260262013	Zone 01	1	23.00	23.00
260262014	Zone 01	1	23.00	23.00
260262015	Zone 01	1	23.00	23.00
260262016	Zone 01	1	23.00	23.00
260262017	Zone 01	1	23.00	23.00
260262018	Zone 01	1	23.00	23.00
260262019	Zone 01	1	23.00	23.00
260262020	Zone 01	1	23.00	23.00
260262021	Zone 01	1	23.00	23.00
260271001	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-1	8 Max Assessment	FY 17-18 Assessment
260271002	Zone 01	1	23.00	23.00
260271003	Zone 01	1	23.00	23.00
260271004	Zone 01	1	23.00	23.00
260271005	Zone 01	1	23.00	23.00
260271006	Zone 01	1	23.00	23.00
260271007	Zone 01	1	23.00	23.00
260271008	Zone 01	1	23.00	23.00
260271009	Zone 01	1	23.00	23.00
260271010	Zone 01	1	23.00	23.00
260271011	Zone 01	1	23.00	23.00
260271012	Zone 01	1	23.00	23.00
260271013	Zone 01	1	23.00	23.00
260271014	Zone 01	1	23.00	23.00
260271015	Zone 01	1	23.00	23.00
260271016	Zone 01	1	23.00	23.00
260272001	Zone 01	1	23.00	23.00
260272002	Zone 01	1	23.00	23.00
260272003	Zone 01	1	23.00	23.00
260272004	Zone 01	1	23.00	23.00
260272005	Zone 01	1	23.00	23.00
260272006	Zone 01	1	23.00	23.00
260272007	Zone 01	1	23.00	23.00
260273001	Zone 01	1	23.00	23.00
260273002	Zone 01	1	23.00	23.00
260273003	Zone 01	1	23.00	23.00
260273004	Zone 01	1	23.00	23.00
260273005	Zone 01	1	23.00	23.00
260273006	Zone 01	1	23.00	23.00
260273007	Zone 01	1	23.00	23.00
260273008	Zone 01	1	23.00	23.00
260273009	Zone 01	1	23.00	23.00
260273010	Zone 01	1	23.00	23.00
260273011	Zone 01	1	23.00	23.00
260273012	Zone 01	1	23.00	23.00
260273013	Zone 01	1	23.00	23.00
260273014	Zone 01	1	23.00	23.00
260273015	Zone 01	1	23.00	23.00
260273016	Zone 01	1	23.00	23.00
260281001	Zone 01	1	23.00	23.00
260281002	Zone 01	1	23.00	23.00
260281003	Zone 01	1	23.00	23.00
260281004	Zone 01	1	23.00	23.00
260281005	Zone 01	1	23.00	23.00
260281006	Zone 01	1	23.00	23.00
260281007	Zone 01	1	23.00	23.00
260281008	Zone 01	1	23.00	23.00
260282001	Zone 01	1	23.00	23.00
260282002	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
260282003	Zone 01		1 23.00	23.00
260282004	Zone 01		1 23.00	23.00
260282005	Zone 01		1 23.00	23.00
260282006	Zone 01		1 23.00	23.00
260282007	Zone 01		1 23.00	23.00
260282008	Zone 01		1 23.00	23.00
260282009	Zone 01		1 23.00	23.00
260282010	Zone 01		1 23.00	23.00
260282011	Zone 01		1 23.00	23.00
260282012	Zone 01		1 23.00	23.00
260282013	Zone 01		1 23.00	23.00
260282014	Zone 01		1 23.00	23.00
260282015	Zone 01		1 23.00	23.00
260282016	Zone 01		1 23.00	23.00
260282017	Zone 01		1 23.00	23.00
260282018	Zone 01		1 23.00	23.00
260283001	Zone 01		1 23.00	23.00
260283002	Zone 01		1 23.00	23.00
260283003	Zone 01		1 23.00	23.00
260283004	Zone 01		1 23.00	23.00
260283005	Zone 01		1 23.00	23.00
260283006	Zone 01		1 23.00	23.00
260283007	Zone 01		1 23.00	23.00
260283008	Zone 01		1 23.00	23.00
260283009	Zone 01		1 23.00	23.00
260283010	Zone 01		1 23.00	23.00
260283011	Zone 01		1 23.00	23.00
260283012	Zone 01		1 23.00	23.00
260283013	Zone 01		1 23.00	23.00
260283014	Zone 01		1 23.00	23.00
260283015	Zone 01		1 23.00	23.00
260283016	Zone 01		1 23.00	23.00
260283017	Zone 01		1 23.00	23.00
260283018	Zone 01		1 23.00	23.00
260283019	Zone 01 Zone 01		1 23.00	23.00
260283020			1 23.00	23.00
260283021	Zone 01		1 23.00	23.00
260283022	Zone 01		1 23.00	23.00
260283023	Zone 01		1 23.00	23.00
260291001	Zone 01		1 23.00	23.00
260291002	Zone 01		1 23.00	23.00
260291003	Zone 01		1 23.00	23.00
260291004	Zone 01		1 23.00	23.00
260291005	Zone 01		1 23.00	23.00
260291006	Zone 01		1 23.00	23.00
260291007	Zone 01		1 23.00	23.00
260291008	Zone 01		1 23.00	23.00
260291009	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-18 N	lax Assessment	FY 17-18 Assessment
260291010	Zone 01	1	23.00	23.00
260291011	Zone 01	1	23.00	23.00
260291012	Zone 01	1	23.00	23.00
260291013	Zone 01	1	23.00	23.00
260291014	Zone 01	1	23.00	23.00
260291015	Zone 01	1	23.00	23.00
260291016	Zone 01	1	23.00	23.00
260291017	Zone 01	1	23.00	23.00
260291018	Zone 01	1	23.00	23.00
260291019	Zone 01	1	23.00	23.00
260291020	Zone 01	1	23.00	23.00
260291021	Zone 01	1	23.00	23.00
260291022	Zone 01	1	23.00	23.00
260292001	Zone 01	1	23.00	23.00
260292002	Zone 01	1	23.00	23.00
260292003	Zone 01	1	23.00	23.00
260292004	Zone 01	1	23.00	23.00
260292005	Zone 01	1	23.00	23.00
260292006	Zone 01	1	23.00	23.00
260292007	Zone 01	1	23.00	23.00
260292008	Zone 01	1	23.00	23.00
260292009	Zone 01	1	23.00	23.00
260292010	Zone 01	1	23.00	23.00
260292011	Zone 01	1	23.00	23.00
260292012	Zone 01	1	23.00	23.00
260292013	Zone 01	1	23.00	23.00
260292014	Zone 01	1	23.00	23.00
260292015	Zone 01	1	23.00	23.00
260292016	Zone 01	1	23.00	23.00
260292017	Zone 01	1	23.00	23.00
260292018	Zone 01	1	23.00	23.00
260292019	Zone 01	1	23.00	23.00
260292020	Zone 01	1	23.00	23.00
260292021	Zone 01	1	23.00	23.00
260301001	Zone 01	1	23.00	23.00
260301002	Zone 01	1	23.00	23.00
260301003	Zone 01	1	23.00	23.00
260301004	Zone 01	1	23.00	23.00
260301005	Zone 01	1	23.00	23.00
260301006	Zone 01	1	23.00	23.00
260301007	Zone 01	1	23.00	23.00
260301008	Zone 01	1	23.00	23.00
260301009	Zone 01	1	23.00	23.00
260301010	Zone 01	1	23.00	23.00
260301011	Zone 01	1	23.00	23.00
260302001	Zone 01	1	23.00	23.00
260302002	Zone 01	1	23.00	23.00
260302003	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assign	ned EBU's FY 17-18 N	lax Assessment	FY 17-18 Assessment
260302004	Zone 01	1	23.00	23.00
260302005	Zone 01	1	23.00	23.00
260302006	Zone 01	1	23.00	23.00
260302007	Zone 01	1	23.00	23.00
260302008	Zone 01	1	23.00	23.00
260302009	Zone 01	1	23.00	23.00
260302010	Zone 01	1	23.00	23.00
260302011	Zone 01	1	23.00	23.00
260302012	Zone 01	1	23.00	23.00
260302013	Zone 01	1	23.00	23.00
260302014	Zone 01	1	23.00	23.00
260302015	Zone 01	1	23.00	23.00
260302016	Zone 01	1	23.00	23.00
260302017	Zone 01	1	23.00	23.00
260302018	Zone 01	1	23.00	23.00
260302019	Zone 01	1	23.00	23.00
260302020	Zone 01	1	23.00	23.00
260302021	Zone 01	1	23.00	23.00
260302022	Zone 01	1	23.00	23.00
260302023	Zone 01	1	23.00	23.00
481140030	Zone 01	1	23.00	23.00
481150001	Zone 01	1	23.00	23.00
481150002	Zone 01	1	23.00	23.00
481020019	Zone 01	1	23.00	23.00
260302024	Zone 01	1	23.00	23.00
260302025	Zone 01	1	23.00	23.00
260302026	Zone 01	1	23.00	23.00
260302027	Zone 01	1	23.00	23.00
260302028	Zone 01	1	23.00	23.00
260303001	Zone 01	1	23.00	23.00
260303002	Zone 01	1	23.00	23.00
260303003	Zone 01	1	23.00	23.00
260303004	Zone 01	1	23.00	23.00
260303005	Zone 01	1	23.00	23.00
260303006	Zone 01	1	23.00	23.00
260303007	Zone 01	1	23.00	23.00
260303008	Zone 01	1	23.00	23.00
260303009	Zone 01	1	23.00	23.00
260303010	Zone 01	1	23.00	23.00
260303011	Zone 01	1	23.00	23.00
260303012	Zone 01	1	23.00	23.00
260303013	Zone 01	1	23.00	23.00
260303014	Zone 01	1	23.00	23.00
260303015	Zone 01	1	23.00	23.00
260303016	Zone 01	1	23.00	23.00
260303017	Zone 01	1	23.00	23.00
260303018	Zone 01	1	23.00	23.00
260303019	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
260303020	Zone 01		1 23.00	23.00
260303021	Zone 01		1 23.00	23.00
260303022	Zone 01		1 23.00	23.00
260311001	Zone 01		1 23.00	23.00
260311002	Zone 01		1 23.00	23.00
260311003	Zone 01		1 23.00	23.00
260311004	Zone 01		1 23.00	23.00
260311005	Zone 01		1 23.00	23.00
260311006	Zone 01		1 23.00	23.00
260311007	Zone 01		1 23.00	23.00
260311008	Zone 01		1 23.00	23.00
260311009	Zone 01		1 23.00	23.00
260311010	Zone 01		1 23.00	23.00
260311011	Zone 01		1 23.00	23.00
260311012	Zone 01		1 23.00	23.00
260311013	Zone 01		1 23.00	23.00
260311014	Zone 01		1 23.00	23.00
260311015	Zone 01		1 23.00	23.00
260311016	Zone 01		1 23.00	23.00
260311017	Zone 01		1 23.00	23.00
260311018	Zone 01		1 23.00	23.00
260311019	Zone 01		1 23.00	23.00
260312001	Zone 01		1 23.00	23.00
260312002	Zone 01		1 23.00	23.00
260312003	Zone 01		1 23.00	23.00
260312004	Zone 01		1 23.00	23.00
260312005	Zone 01		1 23.00	23.00
260312006	Zone 01		1 23.00	23.00
260312007	Zone 01		1 23.00	23.00
260312008	Zone 01		1 23.00	23.00
260312009	Zone 01		1 23.00	23.00
260312010	Zone 01		1 23.00	23.00
260312011	Zone 01		1 23.00	23.00
260312012	Zone 01		1 23.00	23.00
260312013	Zone 01		1 23.00	23.00
260312014	Zone 01		1 23.00	23.00
260312015	Zone 01		1 23.00	23.00
260312016	Zone 01		1 23.00	23.00
260312017	Zone 01		1 23.00	23.00
260312018	Zone 01		1 23.00	23.00
260312019	Zone 01		1 23.00	23.00
260312020	Zone 01		1 23.00	23.00
260312021	Zone 01		1 23.00	23.00
260312022	Zone 01		1 23.00	23.00
260312023	Zone 01		1 23.00	23.00
260312024	Zone 01		1 23.00	23.00
260312025	Zone 01		1 23.00	23.00
260312026	Zone 01		1 23.00	23.00
2300 12020	_3110 01		20.00	20.00

APN	LMD 2014-01 Zone L	MD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
260312027	Zone 01		1 23.00	23.00
260312028	Zone 01		1 23.00	23.00
260312029	Zone 01		1 23.00	23.00
260312030	Zone 01		1 23.00	23.00
260312031	Zone 01		1 23.00	23.00
260312032	Zone 01		1 23.00	23.00
260321001	Zone 01		1 23.00	23.00
260321002	Zone 01		1 23.00	23.00
260321003	Zone 01		1 23.00	23.00
260321004	Zone 01		1 23.00	23.00
260321005	Zone 01		1 23.00	23.00
260321006	Zone 01		1 23.00	23.00
260321007	Zone 01		1 23.00	23.00
260321008	Zone 01		1 23.00	23.00
260321009	Zone 01		1 23.00	23.00
260321010	Zone 01		1 23.00	23.00
260321011	Zone 01		1 23.00	23.00
260321012	Zone 01		1 23.00	23.00
260321013	Zone 01		1 23.00	23.00
260321014	Zone 01		1 23.00	23.00
260321015	Zone 01		1 23.00	23.00
260321016	Zone 01		1 23.00	23.00
260321017	Zone 01		1 23.00	23.00
260321018	Zone 01		1 23.00	23.00
260321019	Zone 01		1 23.00	23.00
260321020	Zone 01		1 23.00	23.00
260321021	Zone 01		1 23.00	23.00
260321022	Zone 01		1 23.00	23.00
260321023	Zone 01		1 23.00	23.00
260321024	Zone 01		1 23.00	23.00
260321025	Zone 01		1 23.00	23.00
260321026	Zone 01		1 23.00	23.00
260321027	Zone 01		1 23.00	23.00
260321028	Zone 01		1 23.00	23.00
260321029	Zone 01		1 23.00	23.00
260321030	Zone 01		1 23.00	23.00
260321031	Zone 01		1 23.00	23.00
260321032	Zone 01		1 23.00	23.00
260321033	Zone 01		1 23.00	23.00
260322001	Zone 01		1 23.00	23.00
260322002	Zone 01		1 23.00	23.00
260322003	Zone 01		1 23.00	23.00
260322004	Zone 01		1 23.00	23.00
260322005	Zone 01		1 23.00	23.00
260322006	Zone 01		1 23.00	23.00
260322007	Zone 01		1 23.00	23.00
260322008	Zone 01		1 23.00	23.00
260322009	Zone 01		1 23.00	23.00
			20.00	20.00

APN	LMD 2014-01 Zone LMD Assi	gned EBU's I	FY 17-18 Max Assessment	FY 17-18 Assessment
260322010	Zone 01	1	23.00	23.00
260322011	Zone 01	1	23.00	23.00
260322012	Zone 01	1	23.00	23.00
260322013	Zone 01	1	23.00	23.00
260322014	Zone 01	1	23.00	23.00
260322015	Zone 01	1	23.00	23.00
260322016	Zone 01	1	23.00	23.00
260322017	Zone 01	1	23.00	23.00
260322018	Zone 01	1	23.00	23.00
260322019	Zone 01	1	23.00	23.00
260322020	Zone 01	1	23.00	23.00
260322021	Zone 01	1	23.00	23.00
260322022	Zone 01	1	23.00	23.00
260322023	Zone 01	1	23.00	23.00
260322024	Zone 01	1	23.00	23.00
260322025	Zone 01	1	23.00	23.00
260331001	Zone 01	1	23.00	23.00
260331002	Zone 01	1	23.00	23.00
260331003	Zone 01	1	23.00	23.00
260331004	Zone 01	1	23.00	23.00
260331005	Zone 01	1	23.00	23.00
260331006	Zone 01	1	23.00	23.00
260331007	Zone 01	1	23.00	23.00
260331008	Zone 01	1	23.00	23.00
260331009	Zone 01	1	23.00	23.00
260331010	Zone 01	1	23.00	23.00
260331011	Zone 01	1	23.00	23.00
260331012	Zone 01	1	23.00	23.00
260331013	Zone 01	1	23.00	23.00
260331014	Zone 01	1	23.00	23.00
260331015	Zone 01	1	23.00	23.00
260331016	Zone 01	1	23.00	23.00
260331019	Zone 01	1	23.00	23.00
260331020	Zone 01	1	23.00	23.00
260331021	Zone 01	1	23.00	23.00
260331022	Zone 01	1	23.00	23.00
260331023	Zone 01	1	23.00	23.00
260331024	Zone 01	1	23.00	23.00
260331025	Zone 01	1	23.00	23.00
260331026	Zone 01	1	23.00	23.00
260331027	Zone 01	1	23.00	23.00
260331028	Zone 01	1	23.00	23.00
260331029	Zone 01	1	23.00	23.00
260331030	Zone 01	1	23.00	23.00
260331031	Zone 01	1	23.00	23.00
260331032	Zone 01	1	23.00	23.00
260331033	Zone 01	1	23.00	23.00
260331034	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMI	O Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
481020021	Zone 01		1 23.00	23.00
481020022	Zone 01		1 23.00	23.00
481020023	Zone 01		1 23.00	23.00
481020028	Zone 01		1 23.00	23.00
481140027	Zone 01		1 23.00	23.00
481140028	Zone 01		1 23.00	23.00
481120015	Zone 01		1 23.00	23.00
481120016	Zone 01		1 23.00	23.00
481120017	Zone 01		1 23.00	23.00
481120018	Zone 01		1 23.00	23.00
481120019	Zone 01		1 23.00	23.00
481120020	Zone 01		1 23.00	23.00
481120021	Zone 01		1 23.00	23.00
481120022	Zone 01		1 23.00	23.00
481120023	Zone 01		1 23.00	23.00
481120024	Zone 01		1 23.00	23.00
481120025	Zone 01		1 23.00	23.00
481120026	Zone 01		1 23.00	23.00
481120027	Zone 01		1 23.00	23.00
481120031	Zone 01		1 23.00	23.00
479461016	Zone 01		1 23.00	23.00
479482034	Zone 01		1 23.00	23.00
260331035	Zone 01		1 23.00	23.00
260331038	Zone 01		1 23.00	23.00
260331039	Zone 01		1 23.00	23.00
260331041	Zone 01		1 23.00	23.00
260331041	Zone 01		1 23.00	23.00
260331042	Zone 01		1 23.00	23.00
260331044	Zone 01		1 23.00	23.00
260332001	Zone 01		1 23.00	23.00
260332001	Zone 01		1 23.00	23.00
260332002	Zone 01		1 23.00	23.00
260332004	Zone 01		1 23.00	23.00
260332005	Zone 01		1 23.00	23.00
260332006	Zone 01		1 23.00	23.00
260332007	Zone 01		1 23.00	23.00
260332007	Zone 01		1 23.00	23.00
260332009	Zone 01		1 23.00	23.00
			1 23.00	
260332010 260332011	Zone 01			23.00
	Zone 01		1 23.00	23.00
260332012	Zone 01		1 23.00	23.00
260332013	Zone 01		1 23.00	23.00
260340001	Zone 01		1 23.00	23.00
260340002	Zone 01		1 23.00	23.00
260340003	Zone 01		1 23.00	23.00
260340004	Zone 01		1 23.00	23.00
260340005	Zone 01		1 23.00	23.00
260340006	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	I EBU's FY 17-18 N	lax Assessment	FY 17-18 Assessment
260340007	Zone 01	1	23.00	23.00
260340008	Zone 01	1	23.00	23.00
260340009	Zone 01	1	23.00	23.00
260340010	Zone 01	1	23.00	23.00
260340011	Zone 01	1	23.00	23.00
260340012	Zone 01	1	23.00	23.00
260340013	Zone 01	1	23.00	23.00
260340014	Zone 01	1	23.00	23.00
260340015	Zone 01	1	23.00	23.00
260340016	Zone 01	1	23.00	23.00
260340017	Zone 01	1	23.00	23.00
260340018	Zone 01	1	23.00	23.00
260340019	Zone 01	1	23.00	23.00
260340020	Zone 01	1	23.00	23.00
260340021	Zone 01	1	23.00	23.00
260340022	Zone 01	1	23.00	23.00
260340023	Zone 01	1	23.00	23.00
260340024	Zone 01	1	23.00	23.00
260340025	Zone 01	1	23.00	23.00
260340026	Zone 01	1	23.00	23.00
260340027	Zone 01	1	23.00	23.00
260340028	Zone 01	1	23.00	23.00
260340029	Zone 01	1	23.00	23.00
260340030	Zone 01	1	23.00	23.00
260340031	Zone 01	1	23.00	23.00
260340032	Zone 01	1	23.00	23.00
260340033	Zone 01	1	23.00	23.00
260340034	Zone 01	1	23.00	23.00
260340035	Zone 01	1	23.00	23.00
260340036	Zone 01	1	23.00	23.00
260340037	Zone 01	1	23.00	23.00
260340038	Zone 01	1	23.00	23.00
260340039	Zone 01	1	23.00	23.00
260340040	Zone 01	1	23.00	23.00
260351001	Zone 01	1	23.00	23.00
260351002	Zone 01	1	23.00	23.00
260351003	Zone 01	1	23.00	23.00
260351004	Zone 01	1	23.00	23.00
260351005	Zone 01	1	23.00	23.00
260351006	Zone 01	1	23.00	23.00
260351007	Zone 01	1	23.00	23.00
260351008	Zone 01	1	23.00	23.00
260351009	Zone 01	1	23.00	23.00
260351010	Zone 01	1	23.00	23.00
260351011	Zone 01	1	23.00	23.00
260351012	Zone 01	1	23.00	23.00
260351013	Zone 01	1	23.00	23.00
260351014	Zone 01	1	23.00	23.00

APN L	-MD 2014-01 Zone LMD Assigned	I EBU's FY 1	7-18 Max Assessment	FY 17-18 Assessment
	Zone 01	1	23.00	23.00
	Zone 01	1	23.00	23.00
	Zone 01	1	23.00	23.00
	Zone 01	1	23.00	23.00
	Zone 01	1	23.00	23.00
	Zone 01	1	23.00	23.00
	Zone 01	1	23.00	23.00
	Zone 01	1	23.00	23.00
	Zone 01	1	23.00	23.00
	Zone 01	1	23.00	23.00
	Zone 01	1	23.00	23.00
	Zone 01	1	23.00	23.00
	Zone 01	1	23.00	23.00
	Zone 01	1	23.00	23.00
260352004 Z	Zone 01	1	23.00	23.00
	Zone 01	1	23.00	23.00
	Zone 01	1	23.00	23.00
	Zone 01	1	23.00	23.00
	Zone 01	1	23.00	23.00
	Zone 01	1	23.00	23.00
	Zone 01	1	23.00	23.00
	Zone 01	1	23.00	23.00
	Zone 01	1	23.00	23.00
	Zone 01	1	23.00	23.00
	Zone 01	1	23.00	23.00
	Zone 01	1	23.00	23.00
	Zone 01	1	23.00	23.00
	Zone 01	1	23.00	23.00
	Zone 01	1	23.00	23.00
	Zone 01	1	23.00	23.00
	Zone 01	1	23.00	23.00
260353011 Z	Zone 01	1	23.00	23.00
	Zone 01	1	23.00	23.00
260353013 Z	Zone 01	1	23.00	23.00
	Zone 01	1	23.00	23.00
	Zone 01	1	23.00	23.00
	Zone 01	1	23.00	23.00
	Zone 01	1	23.00	23.00
	Zone 01	1	23.00	23.00
	Zone 01	1	23.00	23.00
	Zone 01	1	23.00	23.00
	Zone 01	1	23.00	23.00
	Zone 01	1	23.00	23.00
	Zone 01	1	23.00	23.00
	Zone 01	1	23.00	23.00
	Zone 01	1	23.00	23.00
	Zone 01	1	23.00	23.00
	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD As	ssigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
260361015	Zone 01	•	1 23.00	23.00
260361016	Zone 01	•	1 23.00	23.00
260361017	Zone 01	•	1 23.00	23.00
260361018	Zone 01		1 23.00	23.00
260361019	Zone 01		1 23.00	23.00
260361020	Zone 01		1 23.00	23.00
260361021	Zone 01		1 23.00	23.00
260361022	Zone 01		1 23.00	23.00
260361023	Zone 01		1 23.00	23.00
260361024	Zone 01		1 23.00	23.00
260361025	Zone 01		1 23.00	23.00
260361026	Zone 01		1 23.00	23.00
260361027	Zone 01		1 23.00	23.00
260361028	Zone 01	•	1 23.00	23.00
260361029	Zone 01		1 23.00	23.00
260361030	Zone 01		1 23.00	23.00
260361031	Zone 01		1 23.00	23.00
260361032	Zone 01		1 23.00	23.00
260362001	Zone 01		1 23.00	23.00
260362002	Zone 01		1 23.00	23.00
260362003	Zone 01		1 23.00	23.00
260362004	Zone 01		1 23.00	23.00
260362005	Zone 01		1 23.00	23.00
260362006	Zone 01		1 23.00	23.00
260362007	Zone 01		1 23.00	23.00
260362008	Zone 01		1 23.00	23.00
260362009	Zone 01		1 23.00	23.00
260362010	Zone 01		1 23.00	23.00
260362011	Zone 01		1 23.00	23.00
260362012	Zone 01		1 23.00	23.00
260362013	Zone 01		1 23.00	23.00
260362014	Zone 01		1 23.00	23.00
260371001	Zone 01		1 23.00	23.00
260371002	Zone 01		1 23.00	23.00
260371003	Zone 01		1 23.00	23.00
260371004	Zone 01		1 23.00	23.00
260371005	Zone 01		1 23.00	23.00
260371006	Zone 01		1 23.00	23.00
260371007	Zone 01		1 23.00	23.00
260372001	Zone 01		1 23.00	23.00
260372002	Zone 01		1 23.00	23.00
260372003	Zone 01		1 23.00	23.00
260372004	Zone 01		1 23.00	23.00
260372005	Zone 01		1 23.00	23.00
260372006	Zone 01		1 23.00	23.00
260372007	Zone 01		1 23.00	23.00
260372008	Zone 01		1 23.00	23.00
260372009	Zone 01		1 23.00	23.00

APN	I MD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
260372010	Zone 01	LIND Assigned EDG 3	1 23.00	23.00
260372011	Zone 01		1 23.00	23.00
260372012	Zone 01		1 23.00	23.00
260372012	Zone 01		1 23.00	23.00
260372014	Zone 01		1 23.00	23.00
260372015	Zone 01		1 23.00	23.00
260372016	Zone 01		1 23.00	23.00
260372017	Zone 01		1 23.00	23.00
260372018	Zone 01		1 23.00	23.00
260372019	Zone 01		1 23.00	23.00
260372019	Zone 01		1 23.00	23.00
260372021	Zone 01		1 23.00	23.00
260372022	Zone 01		1 23.00	23.00
260372023	Zone 01		1 23.00	23.00
260372024	Zone 01		1 23.00	23.00
260372025	Zone 01		1 23.00	23.00
260372026	Zone 01		1 23.00	23.00
260372027	Zone 01		1 23.00	23.00
260372028	Zone 01		1 23.00	23.00
260372029	Zone 01		1 23.00	23.00
260372029	Zone 01		1 23.00	23.00
260372031	Zone 01		1 23.00	23.00
260372032	Zone 01		1 23.00	23.00
260372034	Zone 01		1 23.00	23.00
260372035	Zone 01		1 23.00	23.00
260372036	Zone 01		1 23.00	23.00
260372037	Zone 01		1 23.00	23.00
260372038	Zone 01		1 23.00	23.00
260372039	Zone 01		1 23.00	23.00
260372039	Zone 01		1 23.00	23.00
260372041	Zone 01		1 23.00	23.00
260372044			1 23.00	23.00
260381001	Zone 01 Zone 01		1 23.00	23.00
260381001	Zone 01		1 23.00	23.00
260381002			1 23.00	23.00
260381004	Zone 01 Zone 01		1 23.00	23.00
260381005	Zone 01		1 23.00	23.00
260381006				
	Zone 01		1 23.00	23.00
260381007	Zone 01		1 23.00	23.00
260381008	Zone 01		1 23.00	23.00
260381009	Zone 01		1 23.00	23.00
260381010	Zone 01		1 23.00	23.00
260381011	Zone 01		1 23.00	23.00
260381012	Zone 01		1 23.00	23.00
260382001	Zone 01		1 23.00	23.00
260382002	Zone 01		1 23.00	23.00
260382003	Zone 01		1 23.00	23.00
260382004	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone L	.MD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
260382005	Zone 01		1 23.00	23.00
260382006	Zone 01		1 23.00	23.00
260382007	Zone 01		1 23.00	23.00
260382008	Zone 01		1 23.00	23.00
260382009	Zone 01		1 23.00	23.00
260382010	Zone 01		1 23.00	23.00
260382011	Zone 01		1 23.00	23.00
260382012	Zone 01		1 23.00	23.00
260383001	Zone 01		1 23.00	23.00
260383002	Zone 01		1 23.00	23.00
260383003	Zone 01		1 23.00	23.00
260383004	Zone 01		1 23.00	23.00
260383005	Zone 01		1 23.00	23.00
260383006	Zone 01		1 23.00	23.00
260384001	Zone 01		1 23.00	23.00
260384002	Zone 01		1 23.00	23.00
260391001	Zone 01		1 23.00	23.00
260391002	Zone 01		1 23.00	23.00
260391003	Zone 01		1 23.00	23.00
260391004	Zone 01		1 23.00	23.00
260391005	Zone 01		1 23.00	23.00
260391006	Zone 01		1 23.00	23.00
260391007	Zone 01		1 23.00	23.00
260391008	Zone 01		1 23.00	23.00
260391009	Zone 01		1 23.00	23.00
260391010	Zone 01		1 23.00	23.00
260391011	Zone 01		1 23.00	23.00
260391012	Zone 01		1 23.00	23.00
260391013	Zone 01		1 23.00	23.00
260391014	Zone 01		1 23.00	23.00
260391015	Zone 01		1 23.00	23.00
260391016	Zone 01		1 23.00	23.00
260391017	Zone 01		1 23.00	23.00
260391018	Zone 01		1 23.00	23.00
260391019	Zone 01		1 23.00	23.00
260391020	Zone 01		1 23.00	23.00
260391021	Zone 01		1 23.00	23.00
260391022	Zone 01		1 23.00	23.00
260391023	Zone 01		1 23.00	23.00
260391024	Zone 01		1 23.00	23.00
260392001	Zone 01		1 23.00	23.00
260392001	Zone 01		1 23.00	23.00
260392002	Zone 01		1 23.00	23.00
260392004	Zone 01		1 23.00	23.00
260392004	Zone 01		1 23.00	23.00
260392006	Zone 01		1 23.00	23.00
260392007	Zone 01		1 23.00	23.00
260392007	Zone 01		1 23.00	23.00
200392000	ZUITE UT		∠3.00	23.00

APN	I MD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
260392009	Zone 01	LIND Assigned EDG 3	1 23.00	23.00
260392010	Zone 01		1 23.00	23.00
260392011	Zone 01		1 23.00	23.00
260392012	Zone 01		1 23.00	23.00
260392013	Zone 01		1 23.00	23.00
260392014	Zone 01		1 23.00	23.00
260392015	Zone 01		1 23.00	23.00
260392016	Zone 01		1 23.00	23.00
260392017	Zone 01		1 23.00	23.00
260401001	Zone 01		1 23.00	23.00
260401002	Zone 01		1 23.00	23.00
260401003	Zone 01		1 23.00	23.00
260401004	Zone 01		1 23.00	23.00
260401005	Zone 01		1 23.00	23.00
260401006	Zone 01		1 23.00	23.00
260401007	Zone 01		1 23.00	23.00
260401008	Zone 01		1 23.00	23.00
260401009	Zone 01		1 23.00	23.00
260401010	Zone 01		1 23.00	23.00
260401011	Zone 01		1 23.00	23.00
260401012	Zone 01		1 23.00	23.00
260401013	Zone 01		1 23.00	23.00
260401014	Zone 01		1 23.00	23.00
260401015	Zone 01		1 23.00	23.00
260402001	Zone 01		1 23.00	23.00
260402002	Zone 01		1 23.00	23.00
260402003	Zone 01		1 23.00	23.00
260402004	Zone 01		1 23.00	23.00
260402005	Zone 01		1 23.00	23.00
260402006	Zone 01		1 23.00	23.00
260402007	Zone 01		1 23.00	23.00
260402008	Zone 01		1 23.00	23.00
260402009	Zone 01		1 23.00	23.00
260402010	Zone 01		1 23.00	23.00
260411001	Zone 01		1 23.00	23.00
260411002	Zone 01		1 23.00	23.00
260411003	Zone 01		1 23.00	23.00
260411004	Zone 01		1 23.00	23.00
260411005	Zone 01		1 23.00	23.00
260411006	Zone 01		1 23.00	23.00
260411007	Zone 01		1 23.00	23.00
260411008	Zone 01		1 23.00	23.00
260411009	Zone 01		1 23.00	23.00
260411010	Zone 01		1 23.00	23.00
260411012	Zone 01		1 23.00	23.00
260411013	Zone 01		1 23.00	23.00
260411014	Zone 01		1 23.00	23.00
260411015	Zone 01		1 23.00	23.00
,			20.00	20100

APN	I MD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
260412001	Zone 01	LIND Assigned ED0 3	1 23.00	23.00
260412002	Zone 01		1 23.00	23.00
260412003	Zone 01		1 23.00	23.00
260412004	Zone 01		1 23.00	23.00
260412005	Zone 01		1 23.00	23.00
260412006	Zone 01		1 23.00	23.00
260412007	Zone 01		1 23.00	23.00
260412008	Zone 01		1 23.00	23.00
260412009	Zone 01		1 23.00	23.00
260412010	Zone 01		1 23.00	23.00
260412011	Zone 01		1 23.00	23.00
260412013	Zone 01		1 23.00	23.00
260412014	Zone 01		1 23.00	23.00
260412015	Zone 01		1 23.00	23.00
260412016	Zone 01		1 23.00	23.00
260412017	Zone 01		1 23.00	23.00
260412018	Zone 01		1 23.00	23.00
260412019	Zone 01		1 23.00	23.00
260412019	Zone 01		1 23.00	23.00
260413001	Zone 01		1 23.00	23.00
260413001	Zone 01		1 23.00	23.00
260413002	Zone 01		1 23.00	23.00
260413004	Zone 01		1 23.00	23.00
260413005	Zone 01		1 23.00	23.00
260413006	Zone 01		1 23.00	23.00
260413007	Zone 01		1 23.00	23.00
260413007	Zone 01		1 23.00	23.00
260413009	Zone 01		1 23.00	23.00
260413010	Zone 01		1 23.00	23.00
260413011	Zone 01		1 23.00	23.00
260413011	Zone 01		1 23.00	23.00
260413013			1 23.00	23.00
260413014	Zone 01 Zone 01		1 23.00	23.00
			1 23.00	23.00
260413019 260413020	Zone 01		1 23.00	23.00
260421001	Zone 01 Zone 01		1 23.00	23.00
260421001	Zone 01		1 23.00	23.00
260421002	Zone 01			
			1 23.00	23.00
260421004 260422001	Zone 01		1 23.00	23.00
	Zone 01		1 23.00	23.00
260422002	Zone 01		1 23.00	23.00
260422003	Zone 01		1 23.00	23.00
260422005	Zone 01		1 23.00	23.00
260422006	Zone 01		1 23.00	23.00
260422007	Zone 01		1 23.00	23.00
260422008	Zone 01		1 23.00	23.00
260422009	Zone 01		1 23.00	23.00
260422010	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone I	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
260422011	Zone 01		1 23.00	23.00
260422012	Zone 01		1 23.00	23.00
260422013	Zone 01		1 23.00	23.00
260422014	Zone 01		1 23.00	23.00
260422015	Zone 01		1 23.00	23.00
260422020	Zone 01		1 23.00	23.00
260422021	Zone 01		1 23.00	23.00
260422022	Zone 01		1 23.00	23.00
260422023	Zone 01		1 23.00	23.00
260425001	Zone 01		1 23.00	23.00
260425002	Zone 01		1 23.00	23.00
260425003	Zone 01		1 23.00	23.00
260431002	Zone 01		1 23.00	23.00
260431003	Zone 01		1 23.00	23.00
260431004	Zone 01		1 23.00	23.00
260431005	Zone 01		1 23.00	23.00
260431006	Zone 01		1 23.00	23.00
260431007	Zone 01		1 23.00	23.00
260431008	Zone 01		1 23.00	23.00
260431009	Zone 01		1 23.00	23.00
260431010	Zone 01		1 23.00	23.00
260431011	Zone 01		1 23.00	23.00
260431012	Zone 01		1 23.00	23.00
260431013	Zone 01		1 23.00	23.00
260431014	Zone 01		1 23.00	23.00
260431015	Zone 01		1 23.00	23.00
260431016	Zone 01		1 23.00	23.00
260431017	Zone 01		1 23.00	23.00
260432002	Zone 01		1 23.00	23.00
260432003	Zone 01		1 23.00	23.00
260432004	Zone 01		1 23.00	23.00
260432005	Zone 01		1 23.00	23.00
260432006	Zone 01		1 23.00	23.00
260432007	Zone 01		1 23.00	23.00
260432008	Zone 01		1 23.00	23.00
260432009	Zone 01		1 23.00	23.00
260432010	Zone 01		1 23.00	23.00
264051001	Zone 01		1 23.00	23.00
264051001	Zone 01		1 23.00	23.00
264051002	Zone 01		1 23.00	23.00
264051003	Zone 01		1 23.00	23.00
264051005	Zone 01		1 23.00	23.00
264051005	Zone 01		1 23.00	23.00
264051006	Zone 01		1 23.00	23.00
264051007	Zone 01		1 23.00	23.00
264052001	Zone 01		1 23.00	23.00
264052001	Zone 01			
			1 23.00	23.00
264052003	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned E	BU's FY 17-	18 Max Assessment	FY 17-18 Assessment
264052004	Zone 01	1	23.00	23.00
264052005	Zone 01	1	23.00	23.00
264052006	Zone 01	1	23.00	23.00
264052007	Zone 01	1	23.00	23.00
264052008	Zone 01	1	23.00	23.00
264052009	Zone 01	1	23.00	23.00
264052010	Zone 01	1	23.00	23.00
264052011	Zone 01	1	23.00	23.00
264052012	Zone 01	1	23.00	23.00
264052013	Zone 01	1	23.00	23.00
264052014	Zone 01	1	23.00	23.00
264053001	Zone 01	1	23.00	23.00
264053002	Zone 01	1	23.00	23.00
264053003	Zone 01	1	23.00	23.00
264053004	Zone 01	1	23.00	23.00
264053005	Zone 01	1	23.00	23.00
264053006	Zone 01	1	23.00	23.00
264053007	Zone 01	1	23.00	23.00
264053008	Zone 01	1	23.00	23.00
264053009	Zone 01	1	23.00	23.00
264053010	Zone 01	1	23.00	23.00
264053011	Zone 01	1	23.00	23.00
264053012	Zone 01	1	23.00	23.00
264071001	Zone 01	1	23.00	23.00
264071002	Zone 01	1	23.00	23.00
264071003	Zone 01	1	23.00	23.00
264071004	Zone 01	1	23.00	23.00
264071005	Zone 01	1	23.00	23.00
264071006	Zone 01	1	23.00	23.00
264071007	Zone 01	1	23.00	23.00
264071008	Zone 01	1	23.00	23.00
264071009	Zone 01	1	23.00	23.00
264071010	Zone 01	1	23.00	23.00
264071011	Zone 01	1	23.00	23.00
264071012	Zone 01	1	23.00	23.00
264071013	Zone 01	1	23.00	23.00
264071014	Zone 01	1	23.00	23.00
264071015	Zone 01	1	23.00	23.00
264071018	Zone 01	1	23.00	23.00
264071019	Zone 01	1	23.00	23.00
264071020	Zone 01	1	23.00	23.00
264071021	Zone 01	1	23.00	23.00
264071022	Zone 01	1	23.00	23.00
264071023	Zone 01	1	23.00	23.00
264071024	Zone 01	1	23.00	23.00
264071025	Zone 01	1	23.00	23.00
264071026	Zone 01	1	23.00	23.00
264071027	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
264071028	Zone 01		1 23.00	23.00
264071029	Zone 01		1 23.00	23.00
264071030	Zone 01		1 23.00	23.00
264071031	Zone 01		1 23.00	23.00
264071033	Zone 01		1 23.00	23.00
264071034	Zone 01		1 23.00	23.00
264071035	Zone 01		1 23.00	23.00
264071036	Zone 01		1 23.00	23.00
264071037	Zone 01		1 23.00	23.00
264071038	Zone 01		1 23.00	23.00
264071039	Zone 01		1 23.00	23.00
264071040	Zone 01		1 23.00	23.00
264071041	Zone 01		1 23.00	23.00
264071042	Zone 01		1 23.00	23.00
264071043	Zone 01		1 23.00	23.00
264071044	Zone 01		1 23.00	23.00
264071045	Zone 01		1 23.00	23.00
264071046	Zone 01		1 23.00	23.00
264071049	Zone 01		1 23.00	23.00
264071050	Zone 01		1 23.00	23.00
264071051	Zone 01		1 23.00	23.00
264071052	Zone 01		1 23.00	23.00
264071053	Zone 01		1 23.00	23.00
264071054	Zone 01		1 23.00	23.00
264071055	Zone 01		1 23.00	23.00
264071056	Zone 01		1 23.00	23.00
264071057	Zone 01		1 23.00	23.00
264071058	Zone 01		1 23.00	23.00
264071059	Zone 01		1 23.00	23.00
264072001	Zone 01		1 23.00	23.00
264072002	Zone 01		1 23.00	23.00
264072003	Zone 01		1 23.00	23.00
264072004	Zone 01		1 23.00	23.00
264072005	Zone 01		1 23.00	23.00
264072006	Zone 01		1 23.00	23.00
264072007	Zone 01		1 23.00	23.00
264072008	Zone 01		1 23.00	23.00
264072009	Zone 01		1 23.00	23.00
264072010	Zone 01		1 23.00	23.00
264072011	Zone 01		1 23.00	23.00
264072012	Zone 01		1 23.00	23.00
264072013	Zone 01		1 23.00	23.00
264072014	Zone 01		1 23.00	23.00
264072015	Zone 01		1 23.00	23.00
264072016	Zone 01		1 23.00	23.00
264072017	Zone 01		1 23.00	23.00
264072018	Zone 01		1 23.00	23.00
264072019	Zone 01		1 23.00	23.00
23 101 2010	_3110 01		20.00	20.00

APN	LMD 2014-01 Zone L	MD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
264072020	Zone 01		1 23.00	23.00
264072021	Zone 01		1 23.00	23.00
264072022	Zone 01		1 23.00	23.00
264072023	Zone 01		1 23.00	23.00
264072024	Zone 01		1 23.00	23.00
264072025	Zone 01		1 23.00	23.00
264072026	Zone 01	,	1 23.00	23.00
264072027	Zone 01		1 23.00	23.00
264072028	Zone 01		1 23.00	23.00
264072029	Zone 01		1 23.00	23.00
264072030	Zone 01		1 23.00	23.00
264072031	Zone 01		1 23.00	23.00
264072032	Zone 01		1 23.00	23.00
264072033	Zone 01		1 23.00	23.00
264072034	Zone 01		1 23.00	23.00
264072035	Zone 01		1 23.00	23.00
264072036	Zone 01		1 23.00	23.00
264072037	Zone 01		1 23.00	23.00
264072038	Zone 01		1 23.00	23.00
264072039	Zone 01		1 23.00	23.00
264072040	Zone 01		1 23.00	23.00
264072041	Zone 01		1 23.00	23.00
264072042	Zone 01		1 23.00	23.00
264072043	Zone 01		1 23.00	23.00
264072044	Zone 01		1 23.00	23.00
264081001	Zone 01		1 23.00	23.00
264081002	Zone 01		1 23.00	23.00
264081003	Zone 01		1 23.00	23.00
264081004	Zone 01		1 23.00	23.00
264081005	Zone 01		1 23.00	23.00
264081006	Zone 01		1 23.00	23.00
264081007	Zone 01		1 23.00	23.00
264081008	Zone 01		1 23.00	23.00
264081009	Zone 01		1 23.00	23.00
264081010	Zone 01		1 23.00	23.00
264082001	Zone 01		1 23.00	23.00
264082002	Zone 01		1 23.00	23.00
264082003	Zone 01		1 23.00	23.00
264082004	Zone 01		1 23.00	23.00
264082005	Zone 01		1 23.00	23.00
264082006	Zone 01		1 23.00	23.00
264082007	Zone 01		1 23.00	23.00
264082008	Zone 01		1 23.00	23.00
264082009	Zone 01		1 23.00	23.00
264082010	Zone 01		1 23.00	23.00
264082011	Zone 01		1 23.00	23.00
264082012	Zone 01		1 23.00	23.00
264082013	Zone 01		1 23.00	23.00
_5 1002010			20.00	20.00

APN	I MD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
264082014	Zone 01	LIND Assigned ED0 3	1 23.00	23.00
264082015	Zone 01		1 23.00	23.00
264082016	Zone 01		1 23.00	23.00
264082017	Zone 01		1 23.00	23.00
264082018	Zone 01		1 23.00	23.00
264082019	Zone 01		1 23.00	23.00
264082020	Zone 01		1 23.00	23.00
264082021	Zone 01		1 23.00	23.00
264082022	Zone 01		1 23.00	23.00
264082023	Zone 01		1 23.00	23.00
264082024	Zone 01		1 23.00	23.00
264082025	Zone 01		1 23.00	23.00
264082026	Zone 01		1 23.00	23.00
264082027	Zone 01		1 23.00	23.00
264082028	Zone 01		1 23.00	23.00
264082029	Zone 01		1 23.00	23.00
264082030	Zone 01		1 23.00	23.00
264082031	Zone 01		1 23.00	23.00
264082032	Zone 01		1 23.00	23.00
264082033	Zone 01		1 23.00	23.00
264082034	Zone 01		1 23.00	23.00
264082035	Zone 01		1 23.00	23.00
264082036	Zone 01		1 23.00	23.00
264082037	Zone 01		1 23.00	23.00
264082038	Zone 01		1 23.00	23.00
264082039	Zone 01		1 23.00	23.00
264082040	Zone 01		1 23.00	23.00
264082041	Zone 01		1 23.00	23.00
264082042	Zone 01		1 23.00	23.00
264082043	Zone 01		1 23.00	23.00
264082044	Zone 01		1 23.00	23.00
264082045	Zone 01		1 23.00	23.00
264082046	Zone 01		1 23.00	23.00
	Zone 01		1 23.00	23.00
264082047 264082048			1 23.00	23.00
	Zone 01 Zone 01		1 23.00	23.00
264082049 264082050			1 23.00	23.00
	Zone 01			23.00
264082051	Zone 01		1 23.00	
264082052 264082053	Zone 01		1 23.00	23.00
	Zone 01		1 23.00	23.00
264082054	Zone 01		1 23.00	23.00
264082055	Zone 01		1 23.00	23.00
264082056	Zone 01		1 23.00	23.00
264082057	Zone 01		1 23.00	23.00
264083001	Zone 01		1 23.00	23.00
264083002	Zone 01		1 23.00	23.00
264083003	Zone 01		1 23.00	23.00
264083004	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
264083005	Zone 01		1 23.00	23.00
264083006	Zone 01		1 23.00	23.00
264083007	Zone 01		1 23.00	23.00
264083008	Zone 01		1 23.00	23.00
264083009	Zone 01		1 23.00	23.00
264083010	Zone 01		1 23.00	23.00
264083011	Zone 01		1 23.00	23.00
264083012	Zone 01		1 23.00	23.00
264083013	Zone 01		1 23.00	23.00
264083014	Zone 01		1 23.00	23.00
264083015	Zone 01		1 23.00	23.00
264083016	Zone 01		1 23.00	23.00
264083017	Zone 01		1 23.00	23.00
264083018	Zone 01		1 23.00	23.00
264083019	Zone 01		1 23.00	23.00
264083020	Zone 01		1 23.00	23.00
264083021	Zone 01		1 23.00	23.00
264083022	Zone 01		1 23.00	23.00
264083023	Zone 01		1 23.00	23.00
264083024	Zone 01		1 23.00	23.00
264083025	Zone 01		1 23.00	23.00
264091001	Zone 01		1 23.00	23.00
264091002	Zone 01		1 23.00	23.00
264091003	Zone 01		1 23.00	23.00
264091004	Zone 01		1 23.00	23.00
264091005	Zone 01		1 23.00	23.00
264091006	Zone 01		1 23.00	23.00
264091007	Zone 01		1 23.00	23.00
264091008	Zone 01		1 23.00	23.00
264091009	Zone 01		1 23.00	23.00
264091010	Zone 01		1 23.00	23.00
264091011	Zone 01		1 23.00	23.00
264091012	Zone 01		1 23.00	23.00
264091013	Zone 01		1 23.00	23.00
264091014	Zone 01		1 23.00	23.00
264091015	Zone 01		1 23.00	23.00
264091016	Zone 01		1 23.00	23.00
264091017	Zone 01		1 23.00	23.00
264091018	Zone 01		1 23.00	23.00
264091019	Zone 01		1 23.00	23.00
264091020	Zone 01		1 23.00	23.00
264091021	Zone 01		1 23.00	23.00
264091022	Zone 01		1 23.00	23.00
264091023	Zone 01		1 23.00	23.00
264091024	Zone 01		1 23.00	23.00
264091025	Zone 01		1 23.00	23.00
264091026	Zone 01		1 23.00	23.00
264091027	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
264091028	Zone 01		1 23.00	23.00
264091029	Zone 01		1 23.00	23.00
264091030	Zone 01		1 23.00	23.00
264091031	Zone 01		1 23.00	23.00
264091032	Zone 01		1 23.00	23.00
264091033	Zone 01		1 23.00	23.00
264091034	Zone 01		1 23.00	23.00
264091035	Zone 01		1 23.00	23.00
264091036	Zone 01		1 23.00	23.00
264091037	Zone 01		1 23.00	23.00
264091038	Zone 01		1 23.00	23.00
264091039	Zone 01		1 23.00	23.00
264091040	Zone 01		1 23.00	23.00
264091041	Zone 01		1 23.00	23.00
264091042	Zone 01		1 23.00	23.00
264091043	Zone 01		1 23.00	23.00
264091044	Zone 01		1 23.00	23.00
264091045	Zone 01		1 23.00	23.00
264092001	Zone 01		1 23.00	23.00
264092002	Zone 01		1 23.00	23.00
264092003	Zone 01		1 23.00	23.00
264092004	Zone 01		1 23.00	23.00
264092005	Zone 01		1 23.00	23.00
264092006	Zone 01		1 23.00	23.00
264092007	Zone 01		1 23.00	23.00
264092008	Zone 01		1 23.00	23.00
264092009	Zone 01		1 23.00	23.00
264092010	Zone 01		1 23.00	23.00
264092011	Zone 01		1 23.00	23.00
264092011	Zone 01		1 23.00	23.00
264092013	Zone 01		1 23.00	23.00
264092014				23.00
	Zone 01		1 23.00	
264092015	Zone 01		1 23.00	23.00
264092016	Zone 01		1 23.00	23.00
264092017	Zone 01		1 23.00	23.00
264092018	Zone 01		1 23.00	23.00
264092019	Zone 01		1 23.00	23.00
264092020	Zone 01		1 23.00	23.00
264092021	Zone 01		1 23.00	23.00
264092022	Zone 01		1 23.00	23.00
264092023	Zone 01		1 23.00	23.00
264092024	Zone 01		1 23.00	23.00
264092025	Zone 01		1 23.00	23.00
264092026	Zone 01		1 23.00	23.00
264092027	Zone 01		1 23.00	23.00
264092028	Zone 01		1 23.00	23.00
264092029	Zone 01		1 23.00	23.00
264092030	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
264092031	Zone 01		1 23.00	23.00
264093001	Zone 01		1 23.00	23.00
264093002	Zone 01		1 23.00	23.00
264093003	Zone 01		1 23.00	23.00
264093004	Zone 01		1 23.00	23.00
264093005	Zone 01		1 23.00	23.00
264093006	Zone 01		1 23.00	23.00
264093007	Zone 01		1 23.00	23.00
264093008	Zone 01		1 23.00	23.00
264093009	Zone 01		1 23.00	23.00
264093010	Zone 01		1 23.00	23.00
264093011	Zone 01		1 23.00	23.00
264093012	Zone 01		1 23.00	23.00
264093013	Zone 01		1 23.00	23.00
264093014	Zone 01		1 23.00	23.00
264093015	Zone 01		1 23.00	23.00
264093016	Zone 01		1 23.00	23.00
264093017	Zone 01		1 23.00	23.00
264093018	Zone 01		1 23.00	23.00
264093019	Zone 01		1 23.00	23.00
264093020	Zone 01		1 23.00	23.00
264093021	Zone 01		1 23.00	23.00
264093021	Zone 01		1 23.00	23.00
264093023	Zone 01		1 23.00	23.00
264093024	Zone 01		1 23.00	23.00
264094001	Zone 01		1 23.00	23.00
264094001	Zone 01		1 23.00	23.00
264094003	Zone 01		1 23.00	23.00
264094004	Zone 01		1 23.00	23.00
264094005	Zone 01		1 23.00	23.00
264094006	Zone 01		1 23.00	23.00
264094007	Zone 01		1 23.00	23.00
264094008	Zone 01		1 23.00	23.00
264094009	Zone 01		1 23.00	23.00
264094010			1 23.00	23.00
264094011	Zone 01		1 23.00	23.00
264094012	Zone 01			23.00
	Zone 01		1 23.00	
264094013	Zone 01		1 23.00	23.00
264094014	Zone 01		1 23.00	23.00
264094015	Zone 01		1 23.00	23.00
264094016	Zone 01		1 23.00	23.00
264094017	Zone 01		1 23.00	23.00
264094018	Zone 01		1 23.00	23.00
264094019	Zone 01		1 23.00	23.00
264094020	Zone 01		1 23.00	23.00
264094021	Zone 01		1 23.00	23.00
264094022	Zone 01		1 23.00	23.00
264094023	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
264094024	Zone 01		1 23.00	23.00
264121001	Zone 01		1 23.00	23.00
264121002	Zone 01		1 23.00	23.00
264121003	Zone 01		1 23.00	23.00
264121004	Zone 01		1 23.00	23.00
264121005	Zone 01		1 23.00	23.00
264121006	Zone 01		1 23.00	23.00
264121007	Zone 01		1 23.00	23.00
264121008	Zone 01		1 23.00	23.00
264121009	Zone 01		1 23.00	23.00
264121010	Zone 01		1 23.00	23.00
264121011	Zone 01		1 23.00	23.00
264121012	Zone 01		1 23.00	23.00
264121013	Zone 01		1 23.00	23.00
264121014	Zone 01		1 23.00	23.00
264121015	Zone 01		1 23.00	23.00
264121016	Zone 01		1 23.00	23.00
264121017	Zone 01		1 23.00	23.00
264121018	Zone 01		1 23.00	23.00
264121019	Zone 01		1 23.00	23.00
264121020	Zone 01		1 23.00	23.00
264121021	Zone 01		1 23.00	23.00
264121022	Zone 01		1 23.00	23.00
264121023	Zone 01		1 23.00	23.00
264121024	Zone 01		1 23.00	23.00
264121025	Zone 01		1 23.00	23.00
264121026	Zone 01		1 23.00	23.00
264121027	Zone 01		1 23.00	23.00
264121028	Zone 01		1 23.00	23.00
264121029	Zone 01		1 23.00	23.00
264121030	Zone 01		1 23.00	23.00
264121031	Zone 01		1 23.00	23.00
264121032	Zone 01		1 23.00	23.00
264121033	Zone 01		1 23.00	23.00
264121034	Zone 01		1 23.00	23.00
264121035	Zone 01		1 23.00	23.00
264121036	Zone 01		1 23.00	23.00
264121037	Zone 01		1 23.00	23.00
264121038	Zone 01		1 23.00	23.00
264121039	Zone 01		1 23.00	23.00
264121040	Zone 01		1 23.00	23.00
264121041	Zone 01		1 23.00	23.00
264121042	Zone 01		1 23.00	23.00
264121043	Zone 01		1 23.00	23.00
264121043	Zone 01		1 23.00	23.00
264121045	Zone 01		1 23.00	23.00
264121046	Zone 01			
			1 23.00	23.00
264121047	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone L	MD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
264121048	Zone 01		1 23.00	23.00
264121049	Zone 01		1 23.00	23.00
264121050	Zone 01		1 23.00	23.00
264121051	Zone 01		1 23.00	23.00
264121052	Zone 01		1 23.00	23.00
264122001	Zone 01		1 23.00	23.00
264122002	Zone 01		1 23.00	23.00
264122003	Zone 01		1 23.00	23.00
264122004	Zone 01		1 23.00	23.00
264122005	Zone 01		1 23.00	23.00
264122006	Zone 01		1 23.00	23.00
264122007	Zone 01		1 23.00	23.00
264122008	Zone 01		1 23.00	23.00
264122009	Zone 01		1 23.00	23.00
264122010	Zone 01		1 23.00	23.00
264122011	Zone 01		1 23.00	23.00
264122012	Zone 01		1 23.00	23.00
264122013	Zone 01		1 23.00	23.00
264122014	Zone 01		1 23.00	23.00
264122015	Zone 01		1 23.00	23.00
264131001	Zone 01		1 23.00	23.00
264131002	Zone 01		1 23.00	23.00
264131003	Zone 01		1 23.00	23.00
264131004	Zone 01		1 23.00	23.00
264131005	Zone 01		1 23.00	23.00
264131006	Zone 01		1 23.00	23.00
264131007	Zone 01		1 23.00	23.00
264131008	Zone 01		1 23.00	23.00
264131009	Zone 01		1 23.00	23.00
264131010	Zone 01		1 23.00	23.00
264131011	Zone 01		1 23.00	23.00
264131012	Zone 01		1 23.00	23.00
264131013	Zone 01		1 23.00	23.00
264131014	Zone 01		1 23.00	23.00
264131015	Zone 01		1 23.00	23.00
264131016	Zone 01		1 23.00	23.00
264131017	Zone 01		1 23.00	23.00
264131018	Zone 01		1 23.00	23.00
264131019	Zone 01		1 23.00	23.00
264131020	Zone 01		1 23.00	23.00
264131021	Zone 01		1 23.00	23.00
264131022	Zone 01		1 23.00	23.00
264131023	Zone 01		1 23.00	23.00
264131024	Zone 01		1 23.00	23.00
264131025	Zone 01		1 23.00	23.00
264131026	Zone 01		1 23.00	23.00
264131027	Zone 01		1 23.00	23.00
264131028	Zone 01		1 23.00	23.00
,				_5.00

APN	LMD 2014-01 Zone LMD Assi	gned EBU's F	Y 17-18 Max Assessment	FY 17-18 Assessment
264131029	Zone 01	1	23.00	23.00
264131030	Zone 01	1	23.00	23.00
264131031	Zone 01	1	23.00	23.00
264131032	Zone 01	1	23.00	23.00
264131033	Zone 01	1	23.00	23.00
264131034	Zone 01	1	23.00	23.00
264131035	Zone 01	1	23.00	23.00
264131036	Zone 01	1	23.00	23.00
264131037	Zone 01	1	23.00	23.00
264131038	Zone 01	1	23.00	23.00
264131039	Zone 01	1	23.00	23.00
264131040	Zone 01	1	23.00	23.00
264131041	Zone 01	1	23.00	23.00
264131042	Zone 01	1	23.00	23.00
264131043	Zone 01	1	23.00	23.00
264131044	Zone 01	1	23.00	23.00
264131045	Zone 01	1	23.00	23.00
264131046	Zone 01	1	23.00	23.00
264131047	Zone 01	1	23.00	23.00
264131048	Zone 01	1	23.00	23.00
264131049	Zone 01	1	23.00	23.00
264131050	Zone 01	1	23.00	23.00
264131051	Zone 01	1	23.00	23.00
264131052	Zone 01	1	23.00	23.00
264131053	Zone 01	1	23.00	23.00
264131054	Zone 01	1	23.00	23.00
264131055	Zone 01	1	23.00	23.00
264131056	Zone 01	1	23.00	23.00
264131057	Zone 01	1	23.00	23.00
264131058	Zone 01	1	23.00	23.00
264131059	Zone 01	1	23.00	23.00
264131060	Zone 01	1	23.00	23.00
264131061	Zone 01	1	23.00	23.00
264132001	Zone 01	1	23.00	23.00
264132002	Zone 01	1	23.00	23.00
264132003	Zone 01	1	23.00	23.00
264132004	Zone 01	1	23.00	23.00
264132005	Zone 01	1	23.00	23.00
264132006	Zone 01	1	23.00	23.00
264132007	Zone 01	1	23.00	23.00
264132008	Zone 01	1	23.00	23.00
264132009	Zone 01	1	23.00	23.00
264132010	Zone 01	1	23.00	23.00
264132011	Zone 01	1	23.00	23.00
264132012	Zone 01	1	23.00	23.00
264132013	Zone 01	1	23.00	23.00
264132014	Zone 01	1	23.00	23.00
264132015	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
264132016	Zone 01		1 23.00	23.00
264132017	Zone 01		1 23.00	23.00
264132018	Zone 01		1 23.00	23.00
264132019	Zone 01		1 23.00	23.00
264132020	Zone 01		1 23.00	23.00
264132021	Zone 01		1 23.00	23.00
264132022	Zone 01		1 23.00	23.00
264132023	Zone 01		1 23.00	23.00
264132024	Zone 01		1 23.00	23.00
264132025	Zone 01		1 23.00	23.00
264132026	Zone 01		1 23.00	23.00
264132027	Zone 01		1 23.00	23.00
264132028	Zone 01		1 23.00	23.00
264132029	Zone 01		1 23.00	23.00
264132030	Zone 01		1 23.00	23.00
264132031	Zone 01		1 23.00	23.00
264132032	Zone 01		1 23.00	23.00
264132033	Zone 01		1 23.00	23.00
264132034	Zone 01		1 23.00	23.00
264132035	Zone 01		1 23.00	23.00
264132036	Zone 01		1 23.00	23.00
264132037	Zone 01		1 23.00	23.00
264133001	Zone 01		1 23.00	23.00
264133002	Zone 01		1 23.00	23.00
264133003	Zone 01		1 23.00	23.00
264133004	Zone 01		1 23.00	23.00
264133005	Zone 01		1 23.00	23.00
264133006	Zone 01		1 23.00	23.00
264133007	Zone 01		1 23.00	23.00
264133008	Zone 01		1 23.00	23.00
264133009	Zone 01		1 23.00	23.00
264133010	Zone 01		1 23.00	23.00
264133011	Zone 01		1 23.00	23.00
264133012	Zone 01		1 23.00	23.00
264133013	Zone 01		1 23.00	23.00
264133014	Zone 01		1 23.00	23.00
264133015	Zone 01		1 23.00	23.00
264133016	Zone 01		1 23.00	23.00
264133017	Zone 01		1 23.00	23.00
264133018	Zone 01		1 23.00	23.00
264133019	Zone 01		1 23.00	23.00
264133020	Zone 01		1 23.00	23.00
264133021	Zone 01		1 23.00	23.00
264133022	Zone 01		1 23.00	23.00
264133023	Zone 01		1 23.00	23.00
264133024	Zone 01		1 23.00	23.00
264133025	Zone 01		1 23.00	23.00
264133026	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
264133027	Zone 01		1 23.00	23.00
264133028	Zone 01		1 23.00	23.00
264133029	Zone 01		1 23.00	23.00
264133030	Zone 01		1 23.00	23.00
264133031	Zone 01		1 23.00	23.00
264133032	Zone 01		1 23.00	23.00
264133033	Zone 01		1 23.00	23.00
264133034	Zone 01		1 23.00	23.00
264133035	Zone 01		1 23.00	23.00
264133036	Zone 01		1 23.00	23.00
264133037	Zone 01		1 23.00	23.00
264133038	Zone 01		1 23.00	23.00
264133039	Zone 01		1 23.00	23.00
264141001	Zone 01		1 23.00	23.00
264141002	Zone 01		1 23.00	23.00
264141003	Zone 01		1 23.00	23.00
264141004	Zone 01		1 23.00	23.00
264141005	Zone 01		1 23.00	23.00
264141006	Zone 01		1 23.00	23.00
264141007	Zone 01		1 23.00	23.00
264141008	Zone 01		1 23.00	23.00
264141009	Zone 01		1 23.00	23.00
264141010	Zone 01		1 23.00	23.00
264141011	Zone 01		1 23.00	23.00
264141012	Zone 01		1 23.00	23.00
264141013	Zone 01		1 23.00	23.00
264141014	Zone 01		1 23.00	23.00
264141015	Zone 01		1 23.00	23.00
264141016	Zone 01		1 23.00	23.00
264141017	Zone 01		1 23.00	23.00
264141018	Zone 01		1 23.00	23.00
264142001	Zone 01		1 23.00	23.00
264142002	Zone 01		1 23.00	23.00
264142003	Zone 01		1 23.00	23.00
264142004	Zone 01		1 23.00	23.00
264142005	Zone 01		1 23.00	23.00
264142006	Zone 01		1 23.00	23.00
264142007	Zone 01		1 23.00	23.00
264142008	Zone 01		1 23.00	23.00
264142009	Zone 01		1 23.00	23.00
264142010	Zone 01		1 23.00	23.00
264142011	Zone 01		1 23.00	23.00
264142012	Zone 01		1 23.00	23.00
264142013	Zone 01		1 23.00	23.00
264142014	Zone 01		1 23.00	23.00
264142015	Zone 01		1 23.00	23.00
264142016	Zone 01		1 23.00	23.00
264142017	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone L	.MD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
264142018	Zone 01		1 23.00	23.00
264142019	Zone 01		1 23.00	23.00
264142020	Zone 01		1 23.00	23.00
264142021	Zone 01		1 23.00	23.00
264142022	Zone 01		1 23.00	23.00
264142023	Zone 01		1 23.00	23.00
264142024	Zone 01		1 23.00	23.00
264142025	Zone 01		1 23.00	23.00
264142026	Zone 01		1 23.00	23.00
264142027	Zone 01		1 23.00	23.00
264143001	Zone 01		1 23.00	23.00
264143002	Zone 01		1 23.00	23.00
264143003	Zone 01		1 23.00	23.00
264143004	Zone 01		1 23.00	23.00
264143005	Zone 01		1 23.00	23.00
264143006	Zone 01		1 23.00	23.00
264143007	Zone 01		1 23.00	23.00
264143008	Zone 01		1 23.00	23.00
264143009	Zone 01		1 23.00	23.00
264143010	Zone 01		1 23.00	23.00
264143011	Zone 01		1 23.00	23.00
264143012	Zone 01		1 23.00	23.00
264143013	Zone 01		1 23.00	23.00
264143014	Zone 01		1 23.00	23.00
264143015	Zone 01		1 23.00	23.00
264143016	Zone 01		1 23.00	23.00
264143017	Zone 01		1 23.00	23.00
264143018	Zone 01		1 23.00	23.00
264143019	Zone 01		1 23.00	23.00
264143020	Zone 01		1 23.00	23.00
264143021	Zone 01		1 23.00	23.00
264143022	Zone 01		1 23.00	23.00
264143023	Zone 01		1 23.00	23.00
264143024	Zone 01		1 23.00	23.00
264143025	Zone 01		1 23.00	23.00
264143026	Zone 01		1 23.00	23.00
264143027	Zone 01		1 23.00	23.00
264143028	Zone 01		1 23.00	23.00
264143029	Zone 01		1 23.00	23.00
264143030	Zone 01		1 23.00	23.00
264143031	Zone 01		1 23.00	23.00
264143032	Zone 01		1 23.00	23.00
264143033	Zone 01		1 23.00	23.00
264143034	Zone 01		1 23.00	23.00
264143035	Zone 01		1 23.00	23.00
264143036	Zone 01		1 23.00	23.00
264143037	Zone 01		1 23.00	23.00
264143038	Zone 01		1 23.00	23.00
,				_5.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
264143039	Zone 01		1 23.00	23.00
264143040	Zone 01		1 23.00	23.00
264143041	Zone 01		1 23.00	23.00
264143042	Zone 01		1 23.00	23.00
264144001	Zone 01		1 23.00	23.00
264144002	Zone 01		1 23.00	23.00
264144003	Zone 01		1 23.00	23.00
264144004	Zone 01		1 23.00	23.00
264144005	Zone 01		1 23.00	23.00
264144006	Zone 01		1 23.00	23.00
264144007	Zone 01		1 23.00	23.00
264144008	Zone 01		1 23.00	23.00
264144009	Zone 01		1 23.00	23.00
264144010	Zone 01		1 23.00	23.00
264144011	Zone 01		1 23.00	23.00
264144012	Zone 01		1 23.00	23.00
264144013	Zone 01		1 23.00	23.00
264144014	Zone 01		1 23.00	23.00
264144015	Zone 01		1 23.00	23.00
264144016	Zone 01		1 23.00	23.00
264144017	Zone 01		1 23.00	23.00
264144018	Zone 01		1 23.00	23.00
264144019	Zone 01		1 23.00	23.00
264144020	Zone 01		1 23.00	23.00
264144021	Zone 01		1 23.00	23.00
264144022	Zone 01		1 23.00	23.00
264144023	Zone 01		1 23.00	23.00
264144024	Zone 01		1 23.00	23.00
264144025	Zone 01		1 23.00	23.00
264144026	Zone 01		1 23.00	23.00
264144027	Zone 01		1 23.00	23.00
264144028	Zone 01		1 23.00	23.00
264144029	Zone 01		1 23.00	23.00
264144030	Zone 01		1 23.00	23.00
264144031	Zone 01		1 23.00	23.00
264144032	Zone 01		1 23.00	23.00
264144033	Zone 01		1 23.00	23.00
264144034	Zone 01		1 23.00	23.00
264144035	Zone 01		1 23.00	23.00
264144036	Zone 01		1 23.00	23.00
264144037	Zone 01		1 23.00	23.00
264144038	Zone 01		1 23.00	23.00
264144039	Zone 01		1 23.00	23.00
264144040	Zone 01		1 23.00	23.00
264144041	Zone 01		1 23.00	23.00
264144042	Zone 01		1 23.00	23.00
264144043				
	Zone 01		1 23.00	23.00
264144044	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
264144045	Zone 01		1 23.00	23.00
264151001	Zone 01		1 23.00	23.00
264151002	Zone 01		1 23.00	23.00
264151003	Zone 01		1 23.00	23.00
264151004	Zone 01		1 23.00	23.00
264151005	Zone 01		1 23.00	23.00
264151006	Zone 01		1 23.00	23.00
264151007	Zone 01		1 23.00	23.00
264151008	Zone 01		1 23.00	23.00
264151009	Zone 01		1 23.00	23.00
264151010	Zone 01		1 23.00	23.00
264151011	Zone 01		1 23.00	23.00
264151012	Zone 01		1 23.00	23.00
264151013	Zone 01		1 23.00	23.00
264151014	Zone 01		1 23.00	23.00
264151015	Zone 01		1 23.00	23.00
264151016	Zone 01		1 23.00	23.00
264151017	Zone 01		1 23.00	23.00
264151018	Zone 01		1 23.00	23.00
264151019	Zone 01		1 23.00	23.00
264151020	Zone 01		1 23.00	23.00
264151021	Zone 01		1 23.00	23.00
264151022	Zone 01		1 23.00	23.00
264151023	Zone 01		1 23.00	23.00
264151024	Zone 01		1 23.00	23.00
264151025	Zone 01		1 23.00	23.00
264152001	Zone 01		1 23.00	23.00
264152002	Zone 01		1 23.00	23.00
264152003	Zone 01		1 23.00	23.00
264152004	Zone 01		1 23.00	23.00
264152005	Zone 01		1 23.00	23.00
264152006	Zone 01		1 23.00	23.00
264152007	Zone 01		1 23.00	23.00
264152008	Zone 01		1 23.00	23.00
264152009	Zone 01		1 23.00	23.00
264152010	Zone 01		1 23.00	23.00
264152011	Zone 01		1 23.00	23.00
264152012	Zone 01		1 23.00	23.00
264152013	Zone 01		1 23.00	23.00
264152014	Zone 01		1 23.00	23.00
264152015	Zone 01		1 23.00	23.00
264152016	Zone 01		1 23.00	23.00
264152017	Zone 01		1 23.00	23.00
264152017	Zone 01		1 23.00	23.00
264152019	Zone 01		1 23.00	23.00
264152020	Zone 01		1 23.00	23.00
264152021	Zone 01			
			1 23.00	23.00
264152022	Zone 01		1 23.00	23.00

APN	I MD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
264152023	Zone 01	LIND Assigned ED0 3	1 23.00	23.00
264152024	Zone 01		1 23.00	23.00
264153001	Zone 01		1 23.00	23.00
264153002	Zone 01		1 23.00	23.00
264153003	Zone 01		1 23.00	23.00
264153004	Zone 01		1 23.00	23.00
264153005	Zone 01		1 23.00	23.00
264153006	Zone 01		1 23.00	23.00
264153007	Zone 01		1 23.00	23.00
264153008	Zone 01		1 23.00	23.00
264153009	Zone 01		1 23.00	23.00
264153010	Zone 01		1 23.00	23.00
264153011	Zone 01		1 23.00	23.00
264153012	Zone 01		1 23.00	23.00
264153013	Zone 01		1 23.00	23.00
264153014	Zone 01		1 23.00	23.00
264153015	Zone 01		1 23.00	23.00
264153016	Zone 01		1 23.00	23.00
264153017	Zone 01		1 23.00	23.00
264153017	Zone 01		1 23.00	23.00
264153019				
	Zone 01		1 23.00	23.00
264153020	Zone 01		1 23.00	23.00
264153021	Zone 01		1 23.00	23.00
264153022	Zone 01		1 23.00	23.00
264153023	Zone 01		1 23.00	23.00
264153024	Zone 01		1 23.00	23.00
264153025	Zone 01		1 23.00	23.00
264153026	Zone 01		1 23.00	23.00
264153027	Zone 01		1 23.00	23.00
264153028	Zone 01		1 23.00	23.00
264153029	Zone 01		1 23.00	23.00
264153030	Zone 01		1 23.00	23.00
264153031	Zone 01		1 23.00	23.00
264153032	Zone 01		1 23.00	23.00
264153033	Zone 01		1 23.00	23.00
264153034	Zone 01		1 23.00	23.00
264153035	Zone 01		1 23.00	23.00
264153036	Zone 01		1 23.00	23.00
264153037	Zone 01		1 23.00	23.00
264153038	Zone 01		1 23.00	23.00
264153039	Zone 01		1 23.00	23.00
264153040	Zone 01		1 23.00	23.00
264153041	Zone 01		1 23.00	23.00
264153042	Zone 01		1 23.00	23.00
264153043	Zone 01		1 23.00	23.00
264153044	Zone 01		1 23.00	23.00
264153045	Zone 01		1 23.00	23.00
264153046	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone L	MD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
264153047	Zone 01		1 23.00	23.00
264153048	Zone 01		1 23.00	23.00
264153049	Zone 01		1 23.00	23.00
264153050	Zone 01		1 23.00	23.00
264153051	Zone 01		1 23.00	23.00
264153052	Zone 01		1 23.00	23.00
264153053	Zone 01	,	1 23.00	23.00
264153054	Zone 01		1 23.00	23.00
264153055	Zone 01		1 23.00	23.00
264153056	Zone 01		1 23.00	23.00
264153057	Zone 01		1 23.00	23.00
264153058	Zone 01		1 23.00	23.00
264153059	Zone 01		1 23.00	23.00
264153060	Zone 01		1 23.00	23.00
264153061	Zone 01		1 23.00	23.00
264153062	Zone 01		1 23.00	23.00
264153063	Zone 01		1 23.00	23.00
264153064	Zone 01		1 23.00	23.00
264153065	Zone 01		1 23.00	23.00
264153066	Zone 01		1 23.00	23.00
264153067	Zone 01		1 23.00	23.00
264153068	Zone 01		1 23.00	23.00
264153069	Zone 01		1 23.00	23.00
264153070	Zone 01		1 23.00	23.00
264153071	Zone 01		1 23.00	23.00
264153072	Zone 01		1 23.00	23.00
264154001	Zone 01		1 23.00	23.00
264154002	Zone 01		1 23.00	23.00
264154003	Zone 01		1 23.00	23.00
264154004	Zone 01		1 23.00	23.00
264154005	Zone 01		1 23.00	23.00
264154006	Zone 01		1 23.00	23.00
264154007	Zone 01		1 23.00	23.00
264154008	Zone 01		1 23.00	23.00
264154009	Zone 01		1 23.00	23.00
264154010	Zone 01		1 23.00	23.00
264154011	Zone 01		1 23.00	23.00
264154012	Zone 01	,	1 23.00	23.00
264154013	Zone 01		1 23.00	23.00
264154014	Zone 01		1 23.00	23.00
264154015	Zone 01		1 23.00	23.00
264154016	Zone 01		1 23.00	23.00
264161001	Zone 01		1 23.00	23.00
264161002	Zone 01		1 23.00	23.00
264161003	Zone 01		1 23.00	23.00
264161004	Zone 01		1 23.00	23.00
264161005	Zone 01		1 23.00	23.00
264161006	Zone 01		1 23.00	23.00
_51101000			20.00	20.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
264161007	Zone 01		1 23.00	23.00
264161008	Zone 01		1 23.00	23.00
264161009	Zone 01		1 23.00	23.00
264161010	Zone 01		1 23.00	23.00
264161011	Zone 01		1 23.00	23.00
264161012	Zone 01		1 23.00	23.00
264161013	Zone 01		1 23.00	23.00
264161014	Zone 01		1 23.00	23.00
264161015	Zone 01		1 23.00	23.00
264161016	Zone 01		1 23.00	23.00
264161017	Zone 01		1 23.00	23.00
264161018	Zone 01		1 23.00	23.00
264161019	Zone 01		1 23.00	23.00
264161020	Zone 01		1 23.00	23.00
264162001	Zone 01		1 23.00	23.00
264162002	Zone 01		1 23.00	23.00
264162003	Zone 01		1 23.00	23.00
264162004	Zone 01		1 23.00	23.00
264162005	Zone 01		1 23.00	23.00
264162006	Zone 01		1 23.00	23.00
264162007	Zone 01		1 23.00	23.00
264162008	Zone 01		1 23.00	23.00
264162009	Zone 01		1 23.00	23.00
264162010	Zone 01		1 23.00	23.00
264162011	Zone 01		1 23.00	23.00
264162012	Zone 01		1 23.00	23.00
264162013	Zone 01		1 23.00	23.00
264162014	Zone 01		1 23.00	23.00
264162015	Zone 01		1 23.00	23.00
264162016	Zone 01		1 23.00	23.00
264162017	Zone 01		1 23.00	23.00
264162018	Zone 01		1 23.00	23.00
264162019	Zone 01		1 23.00	23.00
264162020	Zone 01		1 23.00	23.00
264162021	Zone 01		1 23.00	23.00
264162022	Zone 01		1 23.00	23.00
	Zone 01		1 23.00	23.00
264162023				
264162024	Zone 01		1 23.00	23.00
264162025	Zone 01		1 23.00	23.00
264162026	Zone 01		1 23.00	23.00
264162027	Zone 01		1 23.00	23.00
264162028	Zone 01		1 23.00	23.00
264162029	Zone 01		1 23.00	23.00
264162030	Zone 01		1 23.00	23.00
264162031	Zone 01		1 23.00	23.00
264162032	Zone 01		1 23.00	23.00
264162033	Zone 01		1 23.00	23.00
264162034	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
264162035	Zone 01		1 23.00	23.00
264163001	Zone 01		1 23.00	23.00
264163002	Zone 01		1 23.00	23.00
264163003	Zone 01		1 23.00	23.00
264163004	Zone 01		1 23.00	23.00
264163005	Zone 01		1 23.00	23.00
264163006	Zone 01		1 23.00	23.00
264163007	Zone 01		1 23.00	23.00
264163008	Zone 01		1 23.00	23.00
264163009	Zone 01		1 23.00	23.00
264163010	Zone 01		1 23.00	23.00
264164001	Zone 01		1 23.00	23.00
264164002	Zone 01		1 23.00	23.00
264164003	Zone 01		1 23.00	23.00
264164004	Zone 01		1 23.00	23.00
264164005	Zone 01		1 23.00	23.00
264164006	Zone 01		1 23.00	23.00
264164007	Zone 01		1 23.00	23.00
264164008	Zone 01		1 23.00	23.00
264164009	Zone 01		1 23.00	23.00
264164010	Zone 01		1 23.00	23.00
264164011	Zone 01		1 23.00	23.00
264164012	Zone 01		1 23.00	23.00
264164013	Zone 01		1 23.00	23.00
264164014	Zone 01		1 23.00	23.00
264164015	Zone 01		1 23.00	23.00
264164016	Zone 01		1 23.00	23.00
264164017	Zone 01		1 23.00	23.00
264164018	Zone 01		1 23.00	23.00
264164019	Zone 01		1 23.00	23.00
264164020	Zone 01		1 23.00	23.00
264164021	Zone 01		1 23.00	23.00
264164022	Zone 01		1 23.00	23.00
264164023	Zone 01		1 23.00	23.00
264164024	Zone 01		1 23.00	23.00
264164025	Zone 01		1 23.00	23.00
264164026	Zone 01		1 23.00	23.00
264164027	Zone 01		1 23.00	23.00
264164028	Zone 01		1 23.00	23.00
264164029	Zone 01		1 23.00	23.00
264164030			1 23.00	23.00
	Zone 01			
264164031 264164032	Zone 01		1 23.00	23.00
	Zone 01		1 23.00	23.00
264164033	Zone 01		1 23.00	23.00
264164034	Zone 01		1 23.00	23.00
264164035	Zone 01		1 23.00	23.00
264164036	Zone 01		1 23.00	23.00
264164037	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone L	MD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
264164038	Zone 01		1 23.00	23.00
264164039	Zone 01		1 23.00	23.00
264164040	Zone 01		1 23.00	23.00
264164041	Zone 01		1 23.00	23.00
264164042	Zone 01		1 23.00	23.00
264164043	Zone 01		1 23.00	23.00
264164044	Zone 01		1 23.00	23.00
264164045	Zone 01		1 23.00	23.00
264164046	Zone 01		1 23.00	23.00
264164047	Zone 01		1 23.00	23.00
264164048	Zone 01		1 23.00	23.00
264164049	Zone 01		1 23.00	23.00
264164050	Zone 01		1 23.00	23.00
264164051	Zone 01		1 23.00	23.00
264164052	Zone 01		1 23.00	23.00
264164053	Zone 01		1 23.00	23.00
264164054	Zone 01		1 23.00	23.00
264164055	Zone 01		1 23.00	23.00
264164056	Zone 01		1 23.00	23.00
264164057	Zone 01		1 23.00	23.00
264164058	Zone 01		1 23.00	23.00
264164059	Zone 01		1 23.00	23.00
264164060	Zone 01		1 23.00	23.00
264164061	Zone 01		1 23.00	23.00
264164062	Zone 01		1 23.00	23.00
264164063	Zone 01		1 23.00	23.00
264164064	Zone 01		1 23.00	23.00
264164065	Zone 01		1 23.00	23.00
264164066	Zone 01		1 23.00	23.00
264164067	Zone 01		1 23.00	23.00
264171001	Zone 01		1 23.00	23.00
264171002	Zone 01		1 23.00	23.00
264171003	Zone 01		1 23.00	23.00
264171004	Zone 01		1 23.00	23.00
264171005	Zone 01		1 23.00	23.00
264171006	Zone 01		1 23.00	23.00
264171007	Zone 01		1 23.00	23.00
264171008	Zone 01		1 23.00	23.00
264171009	Zone 01		1 23.00	23.00
264171010	Zone 01		1 23.00	23.00
264171011	Zone 01		1 23.00	23.00
264171012	Zone 01		1 23.00	23.00
264171013	Zone 01		1 23.00	23.00
264171013	Zone 01		1 23.00	23.00
264171015	Zone 01		1 23.00	23.00
264172001	Zone 01		1 23.00	23.00
264172001	Zone 01		1 23.00	23.00
264172002	Zone 01		1 23.00	23.00
204172003	20116 01		∠3.00	23.00

APN	LMD 2014-01 Zone L	_MD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
264172004	Zone 01		1 23.00	23.00
264172005	Zone 01		1 23.00	23.00
264172006	Zone 01		1 23.00	23.00
264172007	Zone 01		1 23.00	23.00
264172008	Zone 01		1 23.00	23.00
264172009	Zone 01		1 23.00	23.00
264172010	Zone 01		1 23.00	23.00
264172011	Zone 01		1 23.00	23.00
264172012	Zone 01		1 23.00	23.00
264172013	Zone 01		1 23.00	23.00
264172014	Zone 01		1 23.00	23.00
264172015	Zone 01		1 23.00	23.00
264172016	Zone 01		1 23.00	23.00
264172017	Zone 01		1 23.00	23.00
264172018	Zone 01		1 23.00	23.00
264172019	Zone 01		1 23.00	23.00
264172020	Zone 01		1 23.00	23.00
264172021	Zone 01		1 23.00	23.00
264172022	Zone 01		1 23.00	23.00
264172023	Zone 01		1 23.00	23.00
264172024	Zone 01		1 23.00	23.00
264173001	Zone 01		1 23.00	23.00
264173002	Zone 01		1 23.00	23.00
264174001	Zone 01		1 23.00	23.00
264174002	Zone 01		1 23.00	23.00
264174003	Zone 01		1 23.00	23.00
264174004	Zone 01		1 23.00	23.00
264174005	Zone 01		1 23.00	23.00
264174006	Zone 01		1 23.00	23.00
264174007	Zone 01		1 23.00	23.00
264174008	Zone 01		1 23.00	23.00
264174009	Zone 01		1 23.00	23.00
264174010	Zone 01		1 23.00	23.00
264174011	Zone 01		1 23.00	23.00
264174012	Zone 01		1 23.00	23.00
264174013	Zone 01		1 23.00	23.00
264174014	Zone 01		1 23.00	23.00
264181001	Zone 01		1 23.00	23.00
264181002	Zone 01		1 23.00	23.00
264181003	Zone 01		1 23.00	23.00
264181004	Zone 01		1 23.00	23.00
264181005	Zone 01		1 23.00	23.00
264181006	Zone 01		1 23.00	23.00
264181007	Zone 01		1 23.00	23.00
264181008	Zone 01		1 23.00	23.00
264181009	Zone 01		1 23.00	23.00
264181010	Zone 01		1 23.00	23.00
264181011	Zone 01		1 23.00	23.00
204101011	2016 01		23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
264181012	Zone 01		1 23.00	23.00
264181013	Zone 01		1 23.00	23.00
264181014	Zone 01		1 23.00	23.00
264181015	Zone 01		1 23.00	23.00
264181016	Zone 01		1 23.00	23.00
264181017	Zone 01		1 23.00	23.00
264181018	Zone 01		1 23.00	23.00
264182001	Zone 01		1 23.00	23.00
264182002	Zone 01		1 23.00	23.00
264182003	Zone 01		1 23.00	23.00
264182004	Zone 01		1 23.00	23.00
264182005	Zone 01		1 23.00	23.00
264182006	Zone 01		1 23.00	23.00
264182007	Zone 01		1 23.00	23.00
264182008	Zone 01		1 23.00	23.00
264182009	Zone 01		1 23.00	23.00
264182010	Zone 01		1 23.00	23.00
264182011	Zone 01		1 23.00	23.00
264182012	Zone 01		1 23.00	23.00
264182013	Zone 01		1 23.00	23.00
264191001	Zone 01		1 23.00	23.00
264191002	Zone 01		1 23.00	23.00
264191003	Zone 01		1 23.00	23.00
264191004	Zone 01		1 23.00	23.00
264191005	Zone 01		1 23.00	23.00
264191006	Zone 01		1 23.00	23.00
264191007	Zone 01		1 23.00	23.00
264191008	Zone 01		1 23.00	23.00
264191009	Zone 01		1 23.00	23.00
264191010	Zone 01		1 23.00	23.00
264191011	Zone 01		1 23.00	23.00
264191011	Zone 01			
			1 23.00	23.00
264191013	Zone 01		1 23.00 1 23.00	23.00
264191014	Zone 01			23.00
264191015	Zone 01		1 23.00	23.00
264191016	Zone 01		1 23.00	23.00
264191017	Zone 01		1 23.00	23.00
264191018	Zone 01		1 23.00	23.00
264191019	Zone 01		1 23.00	23.00
264191020	Zone 01		1 23.00	23.00
264191021	Zone 01		1 23.00	23.00
264192001	Zone 01	•	1 23.00	23.00
264192002	Zone 01		1 23.00	23.00
264192003	Zone 01		1 23.00	23.00
264192004	Zone 01		1 23.00	23.00
264192005	Zone 01		1 23.00	23.00
264192006	Zone 01		1 23.00	23.00
264192007	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone I	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
264192008	Zone 01		1 23.00	23.00
264192009	Zone 01		1 23.00	23.00
264192010	Zone 01		1 23.00	23.00
264192011	Zone 01		1 23.00	23.00
264192012	Zone 01		1 23.00	23.00
264192013	Zone 01		1 23.00	23.00
264192014	Zone 01		1 23.00	23.00
264192015	Zone 01		1 23.00	23.00
264192016	Zone 01		1 23.00	23.00
264192017	Zone 01		1 23.00	23.00
264192018	Zone 01		1 23.00	23.00
264192019	Zone 01		1 23.00	23.00
264192020	Zone 01		1 23.00	23.00
264192021	Zone 01		1 23.00	23.00
264192022	Zone 01		1 23.00	23.00
264192023	Zone 01		1 23.00	23.00
264192024	Zone 01		1 23.00	23.00
264192025	Zone 01		1 23.00	23.00
264192026	Zone 01		1 23.00	23.00
264192027	Zone 01		1 23.00	23.00
264192028	Zone 01		1 23.00	23.00
264192029	Zone 01		1 23.00	23.00
264192030	Zone 01		1 23.00	23.00
264192031	Zone 01		1 23.00	23.00
264192032	Zone 01		1 23.00	23.00
264192033	Zone 01		1 23.00	23.00
264192034	Zone 01		1 23.00	23.00
264192035	Zone 01		1 23.00	23.00
264192036	Zone 01		1 23.00	23.00
264193001	Zone 01		1 23.00	23.00
264193001	Zone 01		1 23.00	23.00
264193002	Zone 01		1 23.00	23.00
264193004	Zone 01			23.00
			1 23.00	
264193005	Zone 01		1 23.00	23.00
264193006	Zone 01		1 23.00	23.00
264193007	Zone 01		1 23.00	23.00
264193008	Zone 01		1 23.00	23.00
264193009	Zone 01		1 23.00	23.00
264193010	Zone 01		1 23.00	23.00
264193011	Zone 01		1 23.00	23.00
264193012	Zone 01	•	1 23.00	23.00
264193013	Zone 01	•	1 23.00	23.00
264193014	Zone 01		1 23.00	23.00
264193015	Zone 01		1 23.00	23.00
264193016	Zone 01		1 23.00	23.00
264193017	Zone 01		1 23.00	23.00
264193018	Zone 01		1 23.00	23.00
264193019	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
264193020	Zone 01		1 23.00	23.00
264193021	Zone 01		1 23.00	23.00
264193022	Zone 01		1 23.00	23.00
264193023	Zone 01		1 23.00	23.00
264193024	Zone 01		1 23.00	23.00
264193025	Zone 01		1 23.00	23.00
264193026	Zone 01		1 23.00	23.00
264193027	Zone 01		1 23.00	23.00
264193028	Zone 01		1 23.00	23.00
264193029	Zone 01		1 23.00	23.00
264193030	Zone 01		1 23.00	23.00
264193031	Zone 01		1 23.00	23.00
264194001	Zone 01		1 23.00	23.00
264194002	Zone 01		1 23.00	23.00
264194003	Zone 01		1 23.00	23.00
264194004	Zone 01		1 23.00	23.00
264194005	Zone 01		1 23.00	23.00
264194006	Zone 01		1 23.00	23.00
264194007	Zone 01		1 23.00	23.00
264194008	Zone 01		1 23.00	23.00
264194009	Zone 01		1 23.00	23.00
264194010	Zone 01		1 23.00	23.00
264194011	Zone 01		1 23.00	23.00
264194012	Zone 01		1 23.00	23.00
264194013	Zone 01		1 23.00	23.00
264194014	Zone 01		1 23.00	23.00
264194015	Zone 01		1 23.00	23.00
264194016	Zone 01		1 23.00	23.00
264194017	Zone 01		1 23.00	23.00
264194018	Zone 01		1 23.00	23.00
264194019	Zone 01		1 23.00	23.00
264194020	Zone 01		1 23.00	23.00
264194021	Zone 01		1 23.00	23.00
264194022	Zone 01		1 23.00	23.00
264194023	Zone 01		1 23.00	23.00
264194024	Zone 01		1 23.00	23.00
264194025	Zone 01		1 23.00	23.00
264194026	Zone 01		1 23.00	23.00
264201001	Zone 01		1 23.00	23.00
264201001	Zone 01		1 23.00	23.00
264202001	Zone 01		1 23.00	23.00
264202001	Zone 01		1 23.00	23.00
264202002	Zone 01		1 23.00	23.00
264202003	Zone 01		1 23.00	23.00
264202005	Zone 01		1 23.00	23.00
264202006	Zone 01		1 23.00	23.00
264202006	Zone 01			
			1 23.00	23.00
264202008	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
264203001	Zone 01		1 23.00	23.00
264203002	Zone 01		1 23.00	23.00
264203003	Zone 01		1 23.00	23.00
264203004	Zone 01		1 23.00	23.00
264203005	Zone 01		1 23.00	23.00
264203006	Zone 01		1 23.00	23.00
264203007	Zone 01		1 23.00	23.00
264203008	Zone 01		1 23.00	23.00
264203009	Zone 01		1 23.00	23.00
264203010	Zone 01		1 23.00	23.00
264204001	Zone 01		1 23.00	23.00
264204002	Zone 01		1 23.00	23.00
264204003	Zone 01		1 23.00	23.00
264204004	Zone 01		1 23.00	23.00
264204005	Zone 01		1 23.00	23.00
264204006	Zone 01		1 23.00	23.00
264204007	Zone 01		1 23.00	23.00
264204008	Zone 01		1 23.00	23.00
264204009	Zone 01		1 23.00	23.00
264204010	Zone 01		1 23.00	23.00
264204011	Zone 01		1 23.00	23.00
264204012	Zone 01		1 23.00	23.00
264204013	Zone 01		1 23.00	23.00
264204014	Zone 01		1 23.00	23.00
264204015	Zone 01		1 23.00	23.00
264205001	Zone 01		1 23.00	23.00
264211001	Zone 01		1 23.00	23.00
264211002	Zone 01		1 23.00	23.00
264211003	Zone 01		1 23.00	23.00
264211004	Zone 01		1 23.00	23.00
264211005	Zone 01		1 23.00	23.00
264211006	Zone 01		1 23.00	23.00
264212001	Zone 01		1 23.00	23.00
264212002	Zone 01		1 23.00	23.00
264212003	Zone 01		1 23.00	23.00
264212004	Zone 01		1 23.00	23.00
264213001	Zone 01		1 23.00	23.00
264213002	Zone 01		1 23.00	23.00
264213003	Zone 01		1 23.00	23.00
264213004	Zone 01		1 23.00	23.00
264213005	Zone 01		1 23.00	23.00
264213006	Zone 01		1 23.00	23.00
264213007	Zone 01		1 23.00	23.00
264213007	Zone 01		1 23.00	23.00
264213009	Zone 01		1 23.00	23.00
264213010	Zone 01		1 23.00	23.00
264213011	Zone 01			
			1 23.00	23.00
264213012	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone L	.MD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
264213013	Zone 01		1 23.00	23.00
264213014	Zone 01		1 23.00	23.00
264214001	Zone 01		1 23.00	23.00
264214002	Zone 01		1 23.00	23.00
264214003	Zone 01		1 23.00	23.00
264214004	Zone 01		1 23.00	23.00
264214005	Zone 01		1 23.00	23.00
264221001	Zone 01		1 23.00	23.00
264221002	Zone 01		1 23.00	23.00
264221003	Zone 01		1 23.00	23.00
264221004	Zone 01		1 23.00	23.00
264221005	Zone 01		1 23.00	23.00
264221006	Zone 01		1 23.00	23.00
264221007	Zone 01		1 23.00	23.00
264221008	Zone 01		1 23.00	23.00
264221009	Zone 01		1 23.00	23.00
264221010	Zone 01		1 23.00	23.00
264221011	Zone 01		1 23.00	23.00
264221012	Zone 01		1 23.00	23.00
264221013	Zone 01		1 23.00	23.00
264221014	Zone 01		1 23.00	23.00
264221015	Zone 01		1 23.00	23.00
264221016	Zone 01		1 23.00	23.00
264221017	Zone 01		1 23.00	23.00
264221018	Zone 01		1 23.00	23.00
264221019	Zone 01		1 23.00	23.00
264221020	Zone 01		1 23.00	23.00
264221021	Zone 01		1 23.00	23.00
264221022	Zone 01		1 23.00	23.00
264221023	Zone 01		1 23.00	23.00
264221024	Zone 01		1 23.00	23.00
264221025	Zone 01		1 23.00	23.00
264221026	Zone 01		1 23.00	23.00
264221027	Zone 01		1 23.00	23.00
264221028	Zone 01		1 23.00	23.00
264221029	Zone 01		1 23.00	23.00
264221030	Zone 01		1 23.00	23.00
264221031	Zone 01		1 23.00	23.00
264221032	Zone 01		1 23.00	23.00
264221032	Zone 01		1 23.00	23.00
264221034	Zone 01		1 23.00	23.00
264221034	Zone 01		1 23.00	23.00
264221038	Zone 01		1 23.00	23.00
264221039	Zone 01		1 23.00	23.00
264221039	Zone 01		1 23.00	23.00
264221041	Zone 01		1 23.00	23.00
264221041	Zone 01			
			1 23.00	23.00
264221043	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone L	_MD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
264221044	Zone 01		1 23.00	23.00
264221045	Zone 01		1 23.00	23.00
264221046	Zone 01		1 23.00	23.00
264221047	Zone 01		1 23.00	23.00
264221048	Zone 01		1 23.00	23.00
264221049	Zone 01		1 23.00	23.00
264221050	Zone 01		1 23.00	23.00
264221051	Zone 01		1 23.00	23.00
264221052	Zone 01		1 23.00	23.00
264221053	Zone 01		1 23.00	23.00
264221054	Zone 01		1 23.00	23.00
264221055	Zone 01		1 23.00	23.00
264221056	Zone 01		1 23.00	23.00
264221057	Zone 01		1 23.00	23.00
264221058	Zone 01		1 23.00	23.00
264221059	Zone 01		1 23.00	23.00
264221060	Zone 01		1 23.00	23.00
264221061	Zone 01		1 23.00	23.00
264221062	Zone 01		1 23.00	23.00
264221063	Zone 01		1 23.00	23.00
264221064	Zone 01		1 23.00	23.00
264221065	Zone 01		1 23.00	23.00
264221066	Zone 01		1 23.00	23.00
264221067	Zone 01		1 23.00	23.00
264221068	Zone 01		1 23.00	23.00
264221069	Zone 01		1 23.00	23.00
264221070	Zone 01		1 23.00	23.00
264221071	Zone 01		1 23.00	23.00
264221072	Zone 01		1 23.00	23.00
264222001	Zone 01		1 23.00	23.00
264222002	Zone 01		1 23.00	23.00
264222003	Zone 01		1 23.00	23.00
264222004	Zone 01		1 23.00	23.00
264222005	Zone 01		1 23.00	23.00
264222006	Zone 01		1 23.00	23.00
264222007	Zone 01		1 23.00	23.00
264222008	Zone 01		1 23.00	23.00
264222009	Zone 01		1 23.00	23.00
264222010	Zone 01		1 23.00	23.00
264222011	Zone 01		1 23.00	23.00
264222012	Zone 01		1 23.00	23.00
264222013	Zone 01		1 23.00	23.00
264222014	Zone 01		1 23.00	23.00
264222015	Zone 01		1 23.00	23.00
264222016	Zone 01		1 23.00	23.00
264222017	Zone 01		1 23.00	23.00
264222017	Zone 01		1 23.00	23.00
264222019	Zone 01		1 23.00	23.00
204222019	ZUITE UT		∠3.00	23.00

APN	LMD 2014-01 Zone LMD Assign	ed EBU's FY 17-18 Ma	x Assessment	FY 17-18 Assessment
264222020	Zone 01	1	23.00	23.00
264222021	Zone 01	1	23.00	23.00
264222022	Zone 01	1	23.00	23.00
264222023	Zone 01	1	23.00	23.00
264222024	Zone 01	1	23.00	23.00
264222025	Zone 01	1	23.00	23.00
264222026	Zone 01	1	23.00	23.00
264222027	Zone 01	1	23.00	23.00
264222028	Zone 01	1	23.00	23.00
264222029	Zone 01	1	23.00	23.00
264222030	Zone 01	1	23.00	23.00
264222031	Zone 01	1	23.00	23.00
264222032	Zone 01	1	23.00	23.00
264222033	Zone 01	1	23.00	23.00
264222034	Zone 01	1	23.00	23.00
264222035	Zone 01	1	23.00	23.00
264222036	Zone 01	1	23.00	23.00
264222037	Zone 01	1	23.00	23.00
264222038	Zone 01	1	23.00	23.00
264222039	Zone 01	1	23.00	23.00
264222040	Zone 01	1	23.00	23.00
264222041	Zone 01	1	23.00	23.00
264231001	Zone 01	1	23.00	23.00
264231002	Zone 01	1	23.00	23.00
264231003	Zone 01	1	23.00	23.00
264231004	Zone 01	1	23.00	23.00
264231005	Zone 01	1	23.00	23.00
264231006	Zone 01	1	23.00	23.00
264231007	Zone 01	1	23.00	23.00
264231008	Zone 01	1	23.00	23.00
264231009	Zone 01	1	23.00	23.00
264231010	Zone 01	1	23.00	23.00
264231011	Zone 01	1	23.00	23.00
264231012	Zone 01	1	23.00	23.00
264231013	Zone 01	1	23.00	23.00
264231014	Zone 01	1	23.00	23.00
264231015	Zone 01	1	23.00	23.00
264232001	Zone 01	1	23.00	23.00
264232002	Zone 01	1	23.00	23.00
264232003	Zone 01	1	23.00	23.00
264232004	Zone 01	1	23.00	23.00
264232005	Zone 01	1	23.00	23.00
264232006	Zone 01	1	23.00	23.00
264232007	Zone 01	1	23.00	23.00
264232008	Zone 01	1	23.00	23.00
264232009	Zone 01	1	23.00	23.00
264232010	Zone 01	1	23.00	23.00
264233001	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone L	MD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
264233002	Zone 01		1 23.00	23.00
264233003	Zone 01		1 23.00	23.00
264233004	Zone 01		1 23.00	23.00
264233005	Zone 01		1 23.00	23.00
264233006	Zone 01		1 23.00	23.00
264233007	Zone 01		1 23.00	23.00
264233008	Zone 01		1 23.00	23.00
264233009	Zone 01		1 23.00	23.00
264233010	Zone 01		1 23.00	23.00
264233011	Zone 01		1 23.00	23.00
264233012	Zone 01		1 23.00	23.00
264233013	Zone 01		1 23.00	23.00
264234001	Zone 01		1 23.00	23.00
264234002	Zone 01		1 23.00	23.00
264234003	Zone 01		1 23.00	23.00
264234004	Zone 01		1 23.00	23.00
264234005	Zone 01		1 23.00	23.00
264234006	Zone 01		1 23.00	23.00
264234007	Zone 01		1 23.00	23.00
264234008	Zone 01		1 23.00	23.00
264234009	Zone 01		1 23.00	23.00
264234010	Zone 01		1 23.00	23.00
264234011	Zone 01		1 23.00	23.00
264234012	Zone 01		1 23.00	23.00
264234013	Zone 01		1 23.00	23.00
264234014	Zone 01		1 23.00	23.00
264234015	Zone 01		1 23.00	23.00
264234016	Zone 01		1 23.00	23.00
264234017	Zone 01		1 23.00	23.00
264234018	Zone 01		1 23.00	23.00
264234019	Zone 01		1 23.00	23.00
264234020	Zone 01		1 23.00	23.00
264234021	Zone 01		1 23.00	23.00
264234022	Zone 01		1 23.00	23.00
264234023	Zone 01		1 23.00	23.00
264234024	Zone 01		1 23.00	23.00
264234025	Zone 01		1 23.00	23.00
264234026	Zone 01		1 23.00	23.00
264234027	Zone 01		1 23.00	23.00
264234028	Zone 01		1 23.00	23.00
264234029	Zone 01		1 23.00	23.00
264234030	Zone 01		1 23.00	23.00
264234031	Zone 01		1 23.00	23.00
264234032	Zone 01		1 23.00	23.00
264234032	Zone 01		1 23.00	23.00
264234034	Zone 01		1 23.00	23.00
264234035	Zone 01		1 23.00	
				23.00
264234036	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
264234037	Zone 01		1 23.00	23.00
264234038	Zone 01		1 23.00	23.00
264234039	Zone 01		1 23.00	23.00
264234040	Zone 01		1 23.00	23.00
264234041	Zone 01		1 23.00	23.00
264235001	Zone 01		1 23.00	23.00
264235002	Zone 01		1 23.00	23.00
264235003	Zone 01		1 23.00	23.00
264235004	Zone 01		1 23.00	23.00
264235005	Zone 01		1 23.00	23.00
264235006	Zone 01		1 23.00	23.00
264235007	Zone 01		1 23.00	23.00
264236002	Zone 01		1 23.00	23.00
264236003	Zone 01		1 23.00	23.00
264236004	Zone 01		1 23.00	23.00
264236005	Zone 01		1 23.00	23.00
264236006	Zone 01		1 23.00	23.00
264236007	Zone 01		1 23.00	23.00
264236008	Zone 01		1 23.00	23.00
264236009	Zone 01		1 23.00	23.00
264241001	Zone 01		1 23.00	23.00
264241002	Zone 01		1 23.00	23.00
264241003	Zone 01		1 23.00	23.00
264241004	Zone 01		1 23.00	23.00
264241005	Zone 01		1 23.00	23.00
264241006	Zone 01		1 23.00	23.00
264241007	Zone 01		1 23.00	23.00
264241008	Zone 01		1 23.00	23.00
264241009	Zone 01		1 23.00	23.00
264241010	Zone 01		1 23.00	23.00
264241011	Zone 01		1 23.00	23.00
264241012	Zone 01		1 23.00	23.00
264241013	Zone 01		1 23.00	23.00
264241014	Zone 01		1 23.00	23.00
264241015	Zone 01		1 23.00	23.00
264241016	Zone 01		1 23.00	23.00
264241017	Zone 01		1 23.00	23.00
264242001	Zone 01		1 23.00	23.00
264242002	Zone 01		1 23.00	23.00
264242003	Zone 01		1 23.00	23.00
264242004	Zone 01		1 23.00	23.00
264242005	Zone 01		1 23.00	23.00
264242006	Zone 01		1 23.00	23.00
264243001	Zone 01		1 23.00	23.00
264243001	Zone 01 Zone 01		1 23.00	23.00
264243002	Zone 01		1 23.00	23.00
264243003	Zone 01		1 23.00	
				23.00
264243005	Zone 01		1 23.00	23.00

APN	I MD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
264243006	Zone 01	Emb Assigned Ebb 3	1 23.00	23.00
264243007	Zone 01		1 23.00	23.00
264243008	Zone 01		1 23.00	23.00
264243009	Zone 01		1 23.00	23.00
264243010	Zone 01		1 23.00	23.00
264243011	Zone 01		1 23.00	23.00
264243012	Zone 01		1 23.00	23.00
264243013	Zone 01		1 23.00	23.00
264243014	Zone 01		1 23.00	23.00
264243015	Zone 01		1 23.00	23.00
264251001	Zone 01		1 23.00	23.00
264251001	Zone 01		1 23.00	23.00
264251002	Zone 01		1 23.00	23.00
264251003	Zone 01		1 23.00	23.00
264251005	Zone 01		1 23.00	23.00
264251006	Zone 01		1 23.00	23.00
264251007	Zone 01		1 23.00	23.00
264251007	Zone 01		1 23.00	23.00
264251009	Zone 01		1 23.00	23.00
			1 23.00	23.00
264251010	Zone 01			
264251011	Zone 01		1 23.00	23.00
264251012	Zone 01		1 23.00	23.00
264251013	Zone 01		1 23.00	23.00
264251014	Zone 01		1 23.00	23.00
264251015	Zone 01		1 23.00	23.00
264251016	Zone 01		1 23.00	23.00
264252001	Zone 01		1 23.00	23.00
264252002	Zone 01		1 23.00	23.00
264252003	Zone 01		1 23.00	23.00
264252004	Zone 01		1 23.00	23.00
264252005	Zone 01		1 23.00	23.00
264252006	Zone 01		1 23.00	23.00
264252007	Zone 01		1 23.00	23.00
264252008	Zone 01		1 23.00	23.00
264252009	Zone 01		1 23.00	23.00
264252010	Zone 01		1 23.00	23.00
264252011	Zone 01		1 23.00	23.00
264252012	Zone 01		1 23.00	23.00
264252013	Zone 01		1 23.00	23.00
264252014	Zone 01		1 23.00	23.00
264252015	Zone 01		1 23.00	23.00
264252016	Zone 01		1 23.00	23.00
264252017	Zone 01		1 23.00	23.00
264252018	Zone 01		1 23.00	23.00
264252019	Zone 01		1 23.00	23.00
264252020	Zone 01		1 23.00	23.00
264252021	Zone 01		1 23.00	23.00
264252022	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone L	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
264252023	Zone 01		1 23.00	23.00
264253001	Zone 01		1 23.00	23.00
264253002	Zone 01		1 23.00	23.00
264253003	Zone 01		1 23.00	23.00
264253004	Zone 01		1 23.00	23.00
264253005	Zone 01		1 23.00	23.00
264253006	Zone 01		1 23.00	23.00
264253007	Zone 01		1 23.00	23.00
264253008	Zone 01		1 23.00	23.00
264254001	Zone 01		1 23.00	23.00
264254002	Zone 01		1 23.00	23.00
264254003	Zone 01		1 23.00	23.00
264254004	Zone 01		1 23.00	23.00
264254005	Zone 01		1 23.00	23.00
264254006	Zone 01		1 23.00	23.00
264254007	Zone 01		1 23.00	23.00
264254008	Zone 01		1 23.00	23.00
264254009	Zone 01		1 23.00	23.00
264254010	Zone 01		1 23.00	23.00
264254011	Zone 01		1 23.00	23.00
264254012	Zone 01		1 23.00	23.00
264254013	Zone 01		1 23.00	23.00
264254014	Zone 01		1 23.00	23.00
264254015	Zone 01		1 23.00	23.00
264254016	Zone 01		1 23.00	23.00
264254017	Zone 01		1 23.00	23.00
264254018	Zone 01		1 23.00	23.00
264254019	Zone 01		1 23.00	23.00
264254020	Zone 01		1 23.00	23.00
264254021	Zone 01		1 23.00	23.00
264254022	Zone 01		1 23.00	23.00
264254023	Zone 01		1 23.00	23.00
264254024	Zone 01		1 23.00	23.00
264254025	Zone 01		1 23.00	23.00
264254026	Zone 01		1 23.00	23.00
264254027	Zone 01		1 23.00	23.00
264254028	Zone 01		1 23.00	23.00
264254029	Zone 01		1 23.00	23.00
264254030	Zone 01		1 23.00	23.00
264254031	Zone 01		1 23.00	23.00
264254032	Zone 01		1 23.00	23.00
264254033	Zone 01		1 23.00	23.00
264254034	Zone 01		1 23.00	23.00
264254035	Zone 01		1 23.00	23.00
264254036	Zone 01		1 23.00	23.00
264254037	Zone 01		1 23.00	23.00
264254038	Zone 01		1 23.00	
				23.00
264254039	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
264254040	Zone 01		1 23.00	23.00
264261001	Zone 01		1 23.00	23.00
264261002	Zone 01		1 23.00	23.00
264261003	Zone 01		1 23.00	23.00
264261004	Zone 01		1 23.00	23.00
264261005	Zone 01		1 23.00	23.00
264261006	Zone 01		1 23.00	23.00
264261007	Zone 01		1 23.00	23.00
264261008	Zone 01		1 23.00	23.00
264261009	Zone 01		1 23.00	23.00
264261010	Zone 01		1 23.00	23.00
264261011	Zone 01		1 23.00	23.00
264261012	Zone 01		1 23.00	23.00
264261013	Zone 01		1 23.00	23.00
264261014	Zone 01		1 23.00	23.00
264261015	Zone 01		1 23.00	23.00
264261016	Zone 01		1 23.00	23.00
264261017	Zone 01		1 23.00	23.00
264261018	Zone 01		1 23.00	23.00
264261019	Zone 01		1 23.00	23.00
264261020	Zone 01		1 23.00	23.00
264261021	Zone 01		1 23.00	23.00
264261022	Zone 01		1 23.00	23.00
264261023	Zone 01		1 23.00	23.00
264261024	Zone 01		1 23.00	23.00
264261025	Zone 01		1 23.00	23.00
264261026	Zone 01		1 23.00	23.00
264261027	Zone 01		1 23.00	23.00
264261028	Zone 01		1 23.00	23.00
264261029	Zone 01		1 23.00	23.00
264261030	Zone 01		1 23.00	23.00
264261031	Zone 01		1 23.00	23.00
264261032	Zone 01		1 23.00	23.00
264261033	Zone 01		1 23.00	23.00
264261034	Zone 01		1 23.00	23.00
264261035	Zone 01		1 23.00	23.00
264261036	Zone 01		1 23.00	23.00
264261037	Zone 01		1 23.00	23.00
264261038	Zone 01		1 23.00	23.00
264261039	Zone 01		1 23.00	23.00
264261040	Zone 01		1 23.00	23.00
264261041	Zone 01		1 23.00	23.00
264261042	Zone 01		1 23.00	23.00
264261043	Zone 01		1 23.00	23.00
264262001	Zone 01		1 23.00	23.00
264262001	Zone 01		1 23.00	23.00
264263001	Zone 01		1 23.00	
				23.00
264263002	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
264263003	Zone 01		1 23.00	23.00
264263004	Zone 01		1 23.00	23.00
264263005	Zone 01		1 23.00	23.00
264263006	Zone 01		1 23.00	23.00
264263007	Zone 01		1 23.00	23.00
264263008	Zone 01		1 23.00	23.00
264264001	Zone 01		1 23.00	23.00
264264002	Zone 01		1 23.00	23.00
264264003	Zone 01		1 23.00	23.00
264264004	Zone 01		1 23.00	23.00
264264005	Zone 01		1 23.00	23.00
264264006	Zone 01		1 23.00	23.00
264264007	Zone 01		1 23.00	23.00
264265001	Zone 01		1 23.00	23.00
264271001	Zone 01		1 23.00	23.00
264271002	Zone 01		1 23.00	23.00
264271003	Zone 01		1 23.00	23.00
264271004	Zone 01		1 23.00	23.00
264271005	Zone 01		1 23.00	23.00
264271006	Zone 01		1 23.00	23.00
264271007	Zone 01		1 23.00	23.00
264271007	Zone 01		1 23.00	23.00
264271009	Zone 01		1 23.00	23.00
264271010	Zone 01		1 23.00	23.00
264271011	Zone 01		1 23.00	23.00
264271011	Zone 01		1 23.00	23.00
264271013	Zone 01		1 23.00	23.00
264271013	Zone 01		1 23.00	23.00
264271015	Zone 01		1 23.00	23.00
264271016	Zone 01		1 23.00	23.00
264271017	Zone 01		1 23.00	23.00
264271018	Zone 01		1 23.00	23.00
264272001	Zone 01		1 23.00	23.00
264273001	Zone 01		1 23.00	23.00
264273001	Zone 01		1 23.00	23.00
264273002	Zone 01		1 23.00	23.00
264273003	Zone 01		1 23.00	23.00
264273005	Zone 01		1 23.00	23.00
264273006			1 23.00	23.00
	Zone 01			
264273007	Zone 01		1 23.00	23.00
264273008	Zone 01		1 23.00	23.00
264273009	Zone 01		1 23.00	23.00
264273010	Zone 01		1 23.00	23.00
264273011	Zone 01		1 23.00	23.00
264273012	Zone 01		1 23.00	23.00
264273013	Zone 01		1 23.00	23.00
264273014	Zone 01		1 23.00	23.00
264273015	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
264274001	Zone 01		1 23.00	23.00
264274002	Zone 01		1 23.00	23.00
264274003	Zone 01		1 23.00	23.00
264274004	Zone 01		1 23.00	23.00
264274005	Zone 01		1 23.00	23.00
264274006	Zone 01		1 23.00	23.00
264274007	Zone 01		1 23.00	23.00
264275001	Zone 01		1 23.00	23.00
264275002	Zone 01		1 23.00	23.00
264275003	Zone 01		1 23.00	23.00
264275004	Zone 01		1 23.00	23.00
264275005	Zone 01		1 23.00	23.00
264275006	Zone 01		1 23.00	23.00
264281001	Zone 01		1 23.00	23.00
264281002	Zone 01		1 23.00	23.00
264281003	Zone 01		1 23.00	23.00
264281004	Zone 01		1 23.00	23.00
264281005	Zone 01		1 23.00	23.00
264281006	Zone 01		1 23.00	23.00
264281007	Zone 01		1 23.00	23.00
264281008	Zone 01		1 23.00	23.00
264281009	Zone 01		1 23.00	23.00
264281010	Zone 01		1 23.00	23.00
264281011	Zone 01		1 23.00	23.00
264281012	Zone 01		1 23.00	23.00
264281013	Zone 01		1 23.00	23.00
264282001	Zone 01		1 23.00	23.00
264282002	Zone 01		1 23.00	23.00
264282003	Zone 01		1 23.00	23.00
264282004	Zone 01		1 23.00	23.00
264282005	Zone 01		1 23.00	23.00
264282006	Zone 01		1 23.00	23.00
264282007	Zone 01		1 23.00	23.00
264282008	Zone 01		1 23.00	23.00
264282009	Zone 01		1 23.00	23.00
264282010	Zone 01		1 23.00	23.00
264282011	Zone 01		1 23.00	23.00
264282012	Zone 01		1 23.00	23.00
264282013	Zone 01		1 23.00	23.00
264282014	Zone 01		1 23.00	23.00
264282015	Zone 01		1 23.00	23.00
264282016	Zone 01		1 23.00	23.00
264282017	Zone 01		1 23.00	23.00
264282018	Zone 01		1 23.00	23.00
264282019	Zone 01		1 23.00	23.00
264282020	Zone 01		1 23.00	23.00
264282021	Zone 01		1 23.00	23.00
264282022	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned I	BU's FY 17-18	Max Assessment	FY 17-18 Assessment
264282023	Zone 01	1	23.00	23.00
264282024	Zone 01	1	23.00	23.00
264282025	Zone 01	1	23.00	23.00
264282026	Zone 01	1	23.00	23.00
264282027	Zone 01	1	23.00	23.00
264282028	Zone 01	1	23.00	23.00
264282029	Zone 01	1	23.00	23.00
264282030	Zone 01	1	23.00	23.00
264282031	Zone 01	1	23.00	23.00
264282032	Zone 01	1	23.00	23.00
264282033	Zone 01	1	23.00	23.00
264282034	Zone 01	1	23.00	23.00
264282035	Zone 01	1	23.00	23.00
264282036	Zone 01	1	23.00	23.00
264282037	Zone 01	1	23.00	23.00
264282038	Zone 01	1	23.00	23.00
264291001	Zone 01	1	23.00	23.00
264291002	Zone 01	1	23.00	23.00
264291003	Zone 01	1	23.00	23.00
264291004	Zone 01	1	23.00	23.00
264291005	Zone 01	1	23.00	23.00
264291006	Zone 01	1	23.00	23.00
264291007	Zone 01	1	23.00	23.00
264291008	Zone 01	1	23.00	23.00
264291009	Zone 01	1	23.00	23.00
264291010	Zone 01	1	23.00	23.00
264291011	Zone 01	1	23.00	23.00
264291012	Zone 01	1	23.00	23.00
264291013	Zone 01	1	23.00	23.00
264291014	Zone 01	1	23.00	23.00
264292001	Zone 01	1	23.00	23.00
264292002	Zone 01	1	23.00	23.00
264292003	Zone 01	1	23.00	23.00
264292004	Zone 01	1	23.00	23.00
264292005	Zone 01	1	23.00	23.00
264292006	Zone 01	1	23.00	23.00
264292007	Zone 01	1	23.00	23.00
264292008	Zone 01	1	23.00	23.00
264292009	Zone 01	1	23.00	23.00
264292010	Zone 01	1	23.00	23.00
264292011	Zone 01	1	23.00	23.00
264292012	Zone 01	1	23.00	23.00
264292013	Zone 01	1	23.00	23.00
264292014	Zone 01	1	23.00	23.00
264292015	Zone 01	1	23.00	23.00
264292016	Zone 01	1	23.00	23.00
264292017	Zone 01	1	23.00	23.00
264292018	Zone 01	1	23.00	23.00
2 12 2 3 3				_5100

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
264292019	Zone 01		1 23.00	23.00
264292020	Zone 01		1 23.00	23.00
264293001	Zone 01		1 23.00	23.00
264293002	Zone 01		1 23.00	23.00
264293003	Zone 01		1 23.00	23.00
264293004	Zone 01		1 23.00	23.00
264293005	Zone 01		1 23.00	23.00
264293006	Zone 01		1 23.00	23.00
264293007	Zone 01		1 23.00	23.00
264293008	Zone 01		1 23.00	23.00
264293009	Zone 01		1 23.00	23.00
264293010	Zone 01		1 23.00	23.00
264293011	Zone 01		1 23.00	23.00
264293012	Zone 01		1 23.00	23.00
264293013	Zone 01		1 23.00	23.00
264293014	Zone 01		1 23.00	23.00
264293015	Zone 01		1 23.00	23.00
264293016	Zone 01		1 23.00	23.00
264293017	Zone 01		1 23.00	23.00
264293018	Zone 01		1 23.00	23.00
264293019	Zone 01		1 23.00	23.00
264293020	Zone 01		1 23.00	23.00
264293021	Zone 01		1 23.00	23.00
264293022	Zone 01		1 23.00	23.00
264293023	Zone 01		1 23.00	23.00
264293024	Zone 01		1 23.00	23.00
264294001	Zone 01		1 23.00	23.00
264294002	Zone 01		1 23.00	23.00
264294003	Zone 01		1 23.00	23.00
264294004	Zone 01		1 23.00	23.00
264294005	Zone 01		1 23.00	23.00
264294006				23.00
264294007	Zone 01 Zone 01		1 23.00	
			1 23.00 1 23.00	23.00
264294008	Zone 01			23.00
264294009	Zone 01		1 23.00	23.00
264294010	Zone 01		1 23.00	23.00
264294011	Zone 01		1 23.00	23.00
264295001	Zone 01		1 23.00	23.00
264295002	Zone 01		1 23.00	23.00
264295003	Zone 01		1 23.00	23.00
264295004	Zone 01		1 23.00	23.00
264295005	Zone 01		1 23.00	23.00
264295006	Zone 01		1 23.00	23.00
264295007	Zone 01		1 23.00	23.00
264295008	Zone 01		1 23.00	23.00
264295009	Zone 01		1 23.00	23.00
264301001	Zone 01		1 23.00	23.00
264301002	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
264301003	Zone 01		1 23.00	23.00
264301004	Zone 01		1 23.00	23.00
264301005	Zone 01		1 23.00	23.00
264301006	Zone 01		1 23.00	23.00
264301007	Zone 01		1 23.00	23.00
264301008	Zone 01		1 23.00	23.00
264301009	Zone 01		1 23.00	23.00
264301010	Zone 01		1 23.00	23.00
264301011	Zone 01		1 23.00	23.00
264301012	Zone 01		1 23.00	23.00
264301013	Zone 01		1 23.00	23.00
264301014	Zone 01		1 23.00	23.00
264301015	Zone 01		1 23.00	23.00
264301016	Zone 01		1 23.00	23.00
264301017	Zone 01		1 23.00	23.00
264301018	Zone 01		1 23.00	23.00
264301019	Zone 01		1 23.00	23.00
264301020	Zone 01		1 23.00	23.00
264301021	Zone 01		1 23.00	23.00
264301022	Zone 01		1 23.00	23.00
264301023	Zone 01		1 23.00	23.00
264301024	Zone 01		1 23.00	23.00
264301025	Zone 01		1 23.00	23.00
264301026	Zone 01		1 23.00	23.00
264301027	Zone 01		1 23.00	23.00
264301028	Zone 01		1 23.00	23.00
264301029	Zone 01		1 23.00	23.00
264301030	Zone 01		1 23.00	23.00
264301031	Zone 01		1 23.00	23.00
264301032	Zone 01		1 23.00	23.00
264301033	Zone 01		1 23.00	23.00
264301034	Zone 01		1 23.00	23.00
264301035	Zone 01		1 23.00	23.00
264301036	Zone 01		1 23.00	23.00
264301037	Zone 01		1 23.00	23.00
264301038	Zone 01		1 23.00	23.00
264301039	Zone 01		1 23.00	23.00
264301040	Zone 01		1 23.00	23.00
264301041	Zone 01		1 23.00	23.00
264301042	Zone 01		1 23.00	23.00
264301043	Zone 01		1 23.00	23.00
264301044	Zone 01		1 23.00	23.00
264301045	Zone 01		1 23.00	23.00
264301046	Zone 01		1 23.00	23.00
264301046	Zone 01		1 23.00	23.00
264301048	Zone 01		1 23.00	23.00
264301049	Zone 01			
			1 23.00	23.00
264301050	Zone 01		1 23.00	23.00

284302001	APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
264302003 Zone 01 1 23.00 23.00 264302004 Zone 01 1 23.00 23.00 264302006 Zone 01 1 23.00 23.00 264302007 Zone 01 1 23.00 23.00 264302008 Zone 01 1 23.00 23.00 264302009 Zone 01 1 23.00 23.00 264302011 Zone 01 1 23.00 23.00 264302012 Zone 01 1 23.00 23.00 264302013 Zone 01 1 23.00 23.00 264302013 Zone 01 1 23.00 23.00 264302014 Zone 01 1 23.00 23.00 264302015 Zone 01 1 23.00 23.00 264302016 Zone 01 1 23.00 23.00 264302018 Zone 01 1 23.00 23.00 264302019 Zone 01 1 23.00 23.00	264302001	Zone 01		1 23.00	23.00
264302004 Zone 01 1 23.00 23.00 264302005 Zone 01 1 23.00 23.00 264302006 Zone 01 1 23.00 23.00 264302008 Zone 01 1 23.00 23.00 264302009 Zone 01 1 23.00 23.00 264302010 Zone 01 1 23.00 23.00 264302011 Zone 01 1 23.00 23.00 264302012 Zone 01 1 23.00 23.00 264302013 Zone 01 1 23.00 23.00 264302014 Zone 01 1 23.00 23.00 264302015 Zone 01 1 23.00 23.00 264302017 Zone 01 1 23.00 23.00 264302017 Zone 01 1 23.00 23.00 264302018 Zone 01 1 23.00 23.00 264302019 Zone 01 1 23.00 23.00	264302002	Zone 01		1 23.00	23.00
264302006 Zone 01 1 23.00 23.00 264302007 Zone 01 1 23.00 23.00 264302008 Zone 01 1 23.00 23.00 264302009 Zone 01 1 23.00 23.00 264302010 Zone 01 1 23.00 23.00 264302011 Zone 01 1 23.00 23.00 264302012 Zone 01 1 23.00 23.00 264302013 Zone 01 1 23.00 23.00 264302014 Zone 01 1 23.00 23.00 264302015 Zone 01 1 23.00 23.00 264302016 Zone 01 1 23.00 23.00 264302018 Zone 01 1 23.00 23.00 264302018 Zone 01 1 23.00 23.00 264302021 Zone 01 1 23.00 23.00 264302022 Zone 01 1 23.00 23.00	264302003	Zone 01		1 23.00	23.00
264302006 Zone 01 1 23.00 23.00 264302007 Zone 01 1 23.00 23.00 264302008 Zone 01 1 23.00 23.00 264302009 Zone 01 1 23.00 23.00 264302011 Zone 01 1 23.00 23.00 264302012 Zone 01 1 23.00 23.00 264302013 Zone 01 1 23.00 23.00 264302014 Zone 01 1 23.00 23.00 264302015 Zone 01 1 23.00 23.00 264302017 Zone 01 1 23.00 23.00 264302018 Zone 01 1 23.00 23.00 264302019 Zone 01 1 23.00 23.00 264302021 Zone 01 1 23.00 23.00 264302022 Zone 01 1 23.00 23.00 264302023 Zone 01 1 23.00 23.00	264302004	Zone 01		1 23.00	23.00
264302007 Zone 01 1 23.00 23.00 264302008 Zone 01 1 23.00 23.00 264302009 Zone 01 1 23.00 23.00 264302011 Zone 01 1 23.00 23.00 264302012 Zone 01 1 23.00 23.00 264302013 Zone 01 1 23.00 23.00 264302014 Zone 01 1 23.00 23.00 264302015 Zone 01 1 23.00 23.00 264302017 Zone 01 1 23.00 23.00 264302018 Zone 01 1 23.00 23.00 264302019 Zone 01 1 23.00 23.00 264302020 Zone 01 1 23.00 23.00 264302021 Zone 01 1 23.00 23.00 264302022 Zone 01 1 23.00 23.00 264302023 Zone 01 1 23.00 23.00	264302005	Zone 01		1 23.00	23.00
264302008 Zone 01 1 23.00 23.00 264302010 Zone 01 1 23.00 23.00 264302011 Zone 01 1 23.00 23.00 264302012 Zone 01 1 23.00 23.00 264302013 Zone 01 1 23.00 23.00 264302014 Zone 01 1 23.00 23.00 264302015 Zone 01 1 23.00 23.00 264302017 Zone 01 1 23.00 23.00 264302018 Zone 01 1 23.00 23.00 264302019 Zone 01 1 23.00 23.00 264302020 Zone 01 1 23.00 23.00 264302021 Zone 01 1 23.00 23.00 264302022 Zone 01 1 23.00 23.00 264302023 Zone 01 1 23.00 23.00 264302024 Zone 01 1 23.00 23.00	264302006	Zone 01		1 23.00	23.00
264302009 Zone 01 1 23.00 23.00 264302010 Zone 01 1 23.00 23.00 264302012 Zone 01 1 23.00 23.00 264302013 Zone 01 1 23.00 23.00 264302014 Zone 01 1 23.00 23.00 264302015 Zone 01 1 23.00 23.00 264302017 Zone 01 1 23.00 23.00 264302018 Zone 01 1 23.00 23.00 264302019 Zone 01 1 23.00 23.00 264302020 Zone 01 1 23.00 23.00 264302021 Zone 01 1 23.00 23.00 264302022 Zone 01 1 23.00 23.00 264302023 Zone 01 1 23.00 23.00 264302023 Zone 01 1 23.00 23.00 264302024 Zone 01 1 23.00 23.00	264302007	Zone 01		1 23.00	23.00
264302010 Zone 01 1 23.00 23.00 264302011 Zone 01 1 23.00 23.00 264302013 Zone 01 1 23.00 23.00 264302014 Zone 01 1 23.00 23.00 264302015 Zone 01 1 23.00 23.00 264302017 Zone 01 1 23.00 23.00 264302018 Zone 01 1 23.00 23.00 264302019 Zone 01 1 23.00 23.00 264302020 Zone 01 1 23.00 23.00 264302021 Zone 01 1 23.00 23.00 264302022 Zone 01 1 23.00 23.00 264302023 Zone 01 1 23.00 23.00 264302024 Zone 01 1 23.00 23.00 264302025 Zone 01 1 23.00 23.00 264302026 Zone 01 1 23.00 23.00	264302008	Zone 01		1 23.00	23.00
264302011 Zone 01 1 23.00 23.00 264302013 Zone 01 1 23.00 23.00 264302014 Zone 01 1 23.00 23.00 264302015 Zone 01 1 23.00 23.00 264302017 Zone 01 1 23.00 23.00 264302018 Zone 01 1 23.00 23.00 264302019 Zone 01 1 23.00 23.00 264302020 Zone 01 1 23.00 23.00 264302021 Zone 01 1 23.00 23.00 264302022 Zone 01 1 23.00 23.00 264302023 Zone 01 1 23.00 23.00 264302024 Zone 01 1 23.00 23.00 264302025 Zone 01 1 23.00 23.00 264302026 Zone 01 1 23.00 23.00 264302027 Zone 01 1 23.00 23.00	264302009	Zone 01		1 23.00	23.00
264302012 Zone 01 1 23.00 23.00 264302013 Zone 01 1 23.00 23.00 264302014 Zone 01 1 23.00 23.00 264302015 Zone 01 1 23.00 23.00 264302018 Zone 01 1 23.00 23.00 264302019 Zone 01 1 23.00 23.00 264302020 Zone 01 1 23.00 23.00 264302021 Zone 01 1 23.00 23.00 264302022 Zone 01 1 23.00 23.00 264302023 Zone 01 1 23.00 23.00 264302024 Zone 01 1 23.00 23.00 264302025 Zone 01 1 23.00 23.00 264302026 Zone 01 1 23.00 23.00 264302027 Zone 01 1 23.00 23.00 264302028 Zone 01 1 23.00 23.00	264302010	Zone 01		1 23.00	23.00
264302013 Zone 01 1 23.00 23.00 264302014 Zone 01 1 23.00 23.00 264302017 Zone 01 1 23.00 23.00 264302018 Zone 01 1 23.00 23.00 264302019 Zone 01 1 23.00 23.00 26430202 Zone 01 1 23.00 23.00 264302021 Zone 01 1 23.00 23.00 264302022 Zone 01 1 23.00 23.00 264302023 Zone 01 1 23.00 23.00 264302024 Zone 01 1 23.00 23.00 264302025 Zone 01 1 23.00 23.00 264302026 Zone 01 1 23.00 23.00 264302027 Zone 01 1 23.00 23.00 264302028 Zone 01 1 23.00 23.00 264302029 Zone 01 1 23.00 23.00 <	264302011	Zone 01		1 23.00	23.00
264302014 Zone 01 1 23.00 23.00 264302015 Zone 01 1 23.00 23.00 264302017 Zone 01 1 23.00 23.00 264302018 Zone 01 1 23.00 23.00 264302019 Zone 01 1 23.00 23.00 264302021 Zone 01 1 23.00 23.00 264302022 Zone 01 1 23.00 23.00 264302023 Zone 01 1 23.00 23.00 264302024 Zone 01 1 23.00 23.00 264302025 Zone 01 1 23.00 23.00 264302026 Zone 01 1 23.00 23.00 264302027 Zone 01 1 23.00 23.00 264302028 Zone 01 1 23.00 23.00 264302030 Zone 01 1 23.00 23.00 264302031 Zone 01 1 23.00 23.00	264302012	Zone 01		1 23.00	23.00
264302015 Zone 01 1 23.00 23.00 264302017 Zone 01 1 23.00 23.00 264302018 Zone 01 1 23.00 23.00 264302020 Zone 01 1 23.00 23.00 264302021 Zone 01 1 23.00 23.00 264302022 Zone 01 1 23.00 23.00 264302023 Zone 01 1 23.00 23.00 264302024 Zone 01 1 23.00 23.00 264302025 Zone 01 1 23.00 23.00 264302026 Zone 01 1 23.00 23.00 264302027 Zone 01 1 23.00 23.00 264302028 Zone 01 1 23.00 23.00 264302028 Zone 01 1 23.00 23.00 26430203 Zone 01 1 23.00 23.00 26430203 Zone 01 1 23.00 23.00 <t< td=""><td>264302013</td><td>Zone 01</td><td></td><td>1 23.00</td><td>23.00</td></t<>	264302013	Zone 01		1 23.00	23.00
264302017 Zone 01 1 23.00 23.00 264302018 Zone 01 1 23.00 23.00 264302019 Zone 01 1 23.00 23.00 264302020 Zone 01 1 23.00 23.00 264302021 Zone 01 1 23.00 23.00 264302023 Zone 01 1 23.00 23.00 264302024 Zone 01 1 23.00 23.00 264302025 Zone 01 1 23.00 23.00 264302026 Zone 01 1 23.00 23.00 264302027 Zone 01 1 23.00 23.00 264302028 Zone 01 1 23.00 23.00 264302030 Zone 01 1 23.00 23.00 264302031 Zone 01 1 23.00 23.00 264302032 Zone 01 1 23.00 23.00 264302033 Zone 01 1 23.00 23.00	264302014	Zone 01		1 23.00	23.00
264302018 Zone 01 1 23.00 23.00 264302019 Zone 01 1 23.00 23.00 264302020 Zone 01 1 23.00 23.00 264302021 Zone 01 1 23.00 23.00 264302022 Zone 01 1 23.00 23.00 264302024 Zone 01 1 23.00 23.00 264302025 Zone 01 1 23.00 23.00 264302026 Zone 01 1 23.00 23.00 264302027 Zone 01 1 23.00 23.00 264302028 Zone 01 1 23.00 23.00 264302029 Zone 01 1 23.00 23.00 264302030 Zone 01 1 23.00 23.00 264302031 Zone 01 1 23.00 23.00 264302032 Zone 01 1 23.00 23.00 264302033 Zone 01 1 23.00 23.00	264302015	Zone 01		1 23.00	23.00
264302019 Zone 01 1 23.00 23.00 264302020 Zone 01 1 23.00 23.00 264302021 Zone 01 1 23.00 23.00 264302022 Zone 01 1 23.00 23.00 264302024 Zone 01 1 23.00 23.00 264302025 Zone 01 1 23.00 23.00 264302026 Zone 01 1 23.00 23.00 264302027 Zone 01 1 23.00 23.00 264302028 Zone 01 1 23.00 23.00 264302029 Zone 01 1 23.00 23.00 264302030 Zone 01 1 23.00 23.00 264302031 Zone 01 1 23.00 23.00 264302032 Zone 01 1 23.00 23.00 264302033 Zone 01 1 23.00 23.00 264302034 Zone 01 1 23.00 23.00 26431001 Zone 01 1 23.00 23.00	264302017	Zone 01		1 23.00	23.00
264302020 Zone 01 1 23.00 23.00 264302021 Zone 01 1 23.00 23.00 264302022 Zone 01 1 23.00 23.00 264302023 Zone 01 1 23.00 23.00 264302024 Zone 01 1 23.00 23.00 264302025 Zone 01 1 23.00 23.00 264302026 Zone 01 1 23.00 23.00 264302027 Zone 01 1 23.00 23.00 264302028 Zone 01 1 23.00 23.00 264302030 Zone 01 1 23.00 23.00 264302031 Zone 01 1 23.00 23.00 264302032 Zone 01 1 23.00 23.00 264302033 Zone 01 1 23.00 23.00 264302034 Zone 01 1 23.00 23.00 26431001 Zone 01 1 23.00 23.00 <	264302018	Zone 01		1 23.00	23.00
264302021 Zone 01 1 23.00 23.00 264302022 Zone 01 1 23.00 23.00 264302023 Zone 01 1 23.00 23.00 264302024 Zone 01 1 23.00 23.00 264302025 Zone 01 1 23.00 23.00 264302026 Zone 01 1 23.00 23.00 264302027 Zone 01 1 23.00 23.00 264302028 Zone 01 1 23.00 23.00 264302030 Zone 01 1 23.00 23.00 264302031 Zone 01 1 23.00 23.00 264302032 Zone 01 1 23.00 23.00 264302033 Zone 01 1 23.00 23.00 264302034 Zone 01 1 23.00 23.00 264302035 Zone 01 1 23.00 23.00 264311001 Zone 01 1 23.00 23.00 264311002 Zone 01 1 23.00 23.00 <td< td=""><td>264302019</td><td>Zone 01</td><td></td><td>1 23.00</td><td>23.00</td></td<>	264302019	Zone 01		1 23.00	23.00
264302022 Zone 01 1 23.00 23.00 264302023 Zone 01 1 23.00 23.00 264302024 Zone 01 1 23.00 23.00 264302025 Zone 01 1 23.00 23.00 264302026 Zone 01 1 23.00 23.00 264302027 Zone 01 1 23.00 23.00 264302028 Zone 01 1 23.00 23.00 264302030 Zone 01 1 23.00 23.00 264302031 Zone 01 1 23.00 23.00 264302032 Zone 01 1 23.00 23.00 264302033 Zone 01 1 23.00 23.00 264302034 Zone 01 1 23.00 23.00 264302035 Zone 01 1 23.00 23.00 264311001 Zone 01 1 23.00 23.00 264311002 Zone 01 1 23.00 23.00 264311004 Zone 01 1 23.00 23.00 <td< td=""><td>264302020</td><td>Zone 01</td><td></td><td>1 23.00</td><td>23.00</td></td<>	264302020	Zone 01		1 23.00	23.00
264302023 Zone 01 1 23.00 23.00 264302024 Zone 01 1 23.00 23.00 264302025 Zone 01 1 23.00 23.00 264302026 Zone 01 1 23.00 23.00 264302027 Zone 01 1 23.00 23.00 264302028 Zone 01 1 23.00 23.00 264302030 Zone 01 1 23.00 23.00 264302031 Zone 01 1 23.00 23.00 264302032 Zone 01 1 23.00 23.00 264302033 Zone 01 1 23.00 23.00 264302034 Zone 01 1 23.00 23.00 264302035 Zone 01 1 23.00 23.00 264311001 Zone 01 1 23.00 23.00 264311002 Zone 01 1 23.00 23.00 264311004 Zone 01 1 23.00 23.00	264302021	Zone 01		1 23.00	23.00
264302024 Zone 01 1 23.00 23.00 264302025 Zone 01 1 23.00 23.00 264302026 Zone 01 1 23.00 23.00 264302027 Zone 01 1 23.00 23.00 264302028 Zone 01 1 23.00 23.00 264302039 Zone 01 1 23.00 23.00 264302031 Zone 01 1 23.00 23.00 264302032 Zone 01 1 23.00 23.00 264302033 Zone 01 1 23.00 23.00 264302034 Zone 01 1 23.00 23.00 264302035 Zone 01 1 23.00 23.00 264311001 Zone 01 1 23.00 23.00 264311002 Zone 01 1 23.00 23.00 264311003 Zone 01 1 23.00 23.00 264311004 Zone 01 1 23.00 23.00 264311005 Zone 01 1 23.00 23.00 <td< td=""><td>264302022</td><td>Zone 01</td><td></td><td>1 23.00</td><td>23.00</td></td<>	264302022	Zone 01		1 23.00	23.00
264302024 Zone 01 1 23.00 23.00 264302026 Zone 01 1 23.00 23.00 264302027 Zone 01 1 23.00 23.00 264302028 Zone 01 1 23.00 23.00 264302029 Zone 01 1 23.00 23.00 264302030 Zone 01 1 23.00 23.00 264302031 Zone 01 1 23.00 23.00 264302032 Zone 01 1 23.00 23.00 264302033 Zone 01 1 23.00 23.00 264302034 Zone 01 1 23.00 23.00 264302035 Zone 01 1 23.00 23.00 264311001 Zone 01 1 23.00 23.00 264311002 Zone 01 1 23.00 23.00 264311003 Zone 01 1 23.00 23.00 264311004 Zone 01 1 23.00 23.00 264311005 Zone 01 1 23.00 23.00 <td< td=""><td>264302023</td><td></td><td></td><td></td><td>23.00</td></td<>	264302023				23.00
264302026 Zone 01 1 23.00 23.00 264302027 Zone 01 1 23.00 23.00 264302028 Zone 01 1 23.00 23.00 264302039 Zone 01 1 23.00 23.00 264302030 Zone 01 1 23.00 23.00 264302031 Zone 01 1 23.00 23.00 264302032 Zone 01 1 23.00 23.00 264302033 Zone 01 1 23.00 23.00 264302034 Zone 01 1 23.00 23.00 264310001 Zone 01 1 23.00 23.00 264311001 Zone 01 1 23.00 23.00 264311002 Zone 01 1 23.00 23.00 264311003 Zone 01 1 23.00 23.00 264311004 Zone 01 1 23.00 23.00 264311005 Zone 01 1 23.00 23.00 264321001 Zone 01 1 23.00 23.00 <td< td=""><td>264302024</td><td>Zone 01</td><td></td><td>1 23.00</td><td>23.00</td></td<>	264302024	Zone 01		1 23.00	23.00
264302027 Zone 01 1 23.00 23.00 264302028 Zone 01 1 23.00 23.00 264302029 Zone 01 1 23.00 23.00 264302030 Zone 01 1 23.00 23.00 264302031 Zone 01 1 23.00 23.00 264302032 Zone 01 1 23.00 23.00 264302033 Zone 01 1 23.00 23.00 264302034 Zone 01 1 23.00 23.00 264302035 Zone 01 1 23.00 23.00 264311001 Zone 01 1 23.00 23.00 264311002 Zone 01 1 23.00 23.00 264311003 Zone 01 1 23.00 23.00 264311004 Zone 01 1 23.00 23.00 264311005 Zone 01 1 23.00 23.00 264311007 Zone 01 1 23.00 23.00 264321001 Zone 01 1 23.00 23.00 <td< td=""><td>264302025</td><td>Zone 01</td><td></td><td>1 23.00</td><td>23.00</td></td<>	264302025	Zone 01		1 23.00	23.00
264302027 Zone 01 1 23.00 23.00 264302028 Zone 01 1 23.00 23.00 264302029 Zone 01 1 23.00 23.00 264302030 Zone 01 1 23.00 23.00 264302031 Zone 01 1 23.00 23.00 264302032 Zone 01 1 23.00 23.00 264302033 Zone 01 1 23.00 23.00 264302034 Zone 01 1 23.00 23.00 264302035 Zone 01 1 23.00 23.00 264311001 Zone 01 1 23.00 23.00 264311002 Zone 01 1 23.00 23.00 264311003 Zone 01 1 23.00 23.00 264311004 Zone 01 1 23.00 23.00 264311005 Zone 01 1 23.00 23.00 264311007 Zone 01 1 23.00 23.00 264321001 Zone 01 1 23.00 23.00 <td< td=""><td>264302026</td><td>Zone 01</td><td></td><td>1 23.00</td><td></td></td<>	264302026	Zone 01		1 23.00	
264302028 Zone 01 1 23.00 23.00 264302039 Zone 01 1 23.00 23.00 264302030 Zone 01 1 23.00 23.00 264302031 Zone 01 1 23.00 23.00 264302032 Zone 01 1 23.00 23.00 264302033 Zone 01 1 23.00 23.00 264302034 Zone 01 1 23.00 23.00 264302035 Zone 01 1 23.00 23.00 264311001 Zone 01 1 23.00 23.00 264311002 Zone 01 1 23.00 23.00 264311003 Zone 01 1 23.00 23.00 264311004 Zone 01 1 23.00 23.00 264311005 Zone 01 1 23.00 23.00 264311007 Zone 01 1 23.00 23.00 264321001 Zone 01 1 23.00 23.00 264321002 Zone 01 1 23.00 23.00 <td< td=""><td>264302027</td><td></td><td></td><td></td><td></td></td<>	264302027				
264302029 Zone 01 1 23.00 23.00 264302030 Zone 01 1 23.00 23.00 264302031 Zone 01 1 23.00 23.00 264302032 Zone 01 1 23.00 23.00 264302033 Zone 01 1 23.00 23.00 264302034 Zone 01 1 23.00 23.00 26431001 Zone 01 1 23.00 23.00 264311002 Zone 01 1 23.00 23.00 264311003 Zone 01 1 23.00 23.00 264311004 Zone 01 1 23.00 23.00 264311005 Zone 01 1 23.00 23.00 264311006 Zone 01 1 23.00 23.00 264311007 Zone 01 1 23.00 23.00 264321001 Zone 01 1 23.00 23.00 264321002 Zone 01 1 23.00 23.00 264321004 Zone 01 1 23.00 23.00	264302028				
264302030 Zone 01 1 23.00 23.00 264302031 Zone 01 1 23.00 23.00 264302032 Zone 01 1 23.00 23.00 264302033 Zone 01 1 23.00 23.00 264302034 Zone 01 1 23.00 23.00 264302035 Zone 01 1 23.00 23.00 264311001 Zone 01 1 23.00 23.00 264311002 Zone 01 1 23.00 23.00 264311003 Zone 01 1 23.00 23.00 264311004 Zone 01 1 23.00 23.00 264311006 Zone 01 1 23.00 23.00 264311007 Zone 01 1 23.00 23.00 264321001 Zone 01 1 23.00 23.00 264321002 Zone 01 1 23.00 23.00 264321004 Zone 01 1 23.00 23.00 264321004 Zone 01 1 23.00 23.00 <td>264302029</td> <td></td> <td></td> <td></td> <td></td>	264302029				
264302032 Zone 01 1 23.00 23.00 264302033 Zone 01 1 23.00 23.00 264302034 Zone 01 1 23.00 23.00 264302035 Zone 01 1 23.00 23.00 264311001 Zone 01 1 23.00 23.00 264311002 Zone 01 1 23.00 23.00 264311003 Zone 01 1 23.00 23.00 264311004 Zone 01 1 23.00 23.00 264311005 Zone 01 1 23.00 23.00 264311007 Zone 01 1 23.00 23.00 264321001 Zone 01 1 23.00 23.00 264321002 Zone 01 1 23.00 23.00 264321003 Zone 01 1 23.00 23.00 264321004 Zone 01 1 23.00 23.00 264321004 Zone 01 1 23.00 23.00	264302030	Zone 01			
264302033 Zone 01 1 23.00 23.00 264302034 Zone 01 1 23.00 23.00 264302035 Zone 01 1 23.00 23.00 264311001 Zone 01 1 23.00 23.00 264311002 Zone 01 1 23.00 23.00 264311003 Zone 01 1 23.00 23.00 264311005 Zone 01 1 23.00 23.00 264311006 Zone 01 1 23.00 23.00 264311007 Zone 01 1 23.00 23.00 264321001 Zone 01 1 23.00 23.00 264321002 Zone 01 1 23.00 23.00 264321003 Zone 01 1 23.00 23.00 264321004 Zone 01 1 23.00 23.00 264321004 Zone 01 1 23.00 23.00	264302031	Zone 01		1 23.00	23.00
264302034 Zone 01 1 23.00 23.00 264302035 Zone 01 1 23.00 23.00 264311001 Zone 01 1 23.00 23.00 264311002 Zone 01 1 23.00 23.00 264311003 Zone 01 1 23.00 23.00 264311004 Zone 01 1 23.00 23.00 264311006 Zone 01 1 23.00 23.00 264311007 Zone 01 1 23.00 23.00 264321001 Zone 01 1 23.00 23.00 264321002 Zone 01 1 23.00 23.00 264321003 Zone 01 1 23.00 23.00 264321004 Zone 01 1 23.00 23.00	264302032	Zone 01		1 23.00	23.00
264302035 Zone 01 1 23.00 23.00 264311001 Zone 01 1 23.00 23.00 264311002 Zone 01 1 23.00 23.00 264311003 Zone 01 1 23.00 23.00 264311004 Zone 01 1 23.00 23.00 264311005 Zone 01 1 23.00 23.00 264311006 Zone 01 1 23.00 23.00 264321001 Zone 01 1 23.00 23.00 264321002 Zone 01 1 23.00 23.00 264321003 Zone 01 1 23.00 23.00 264321004 Zone 01 1 23.00 23.00 264321004 Zone 01 1 23.00 23.00	264302033	Zone 01		1 23.00	23.00
264311001 Zone 01 1 23.00 23.00 264311002 Zone 01 1 23.00 23.00 264311003 Zone 01 1 23.00 23.00 264311004 Zone 01 1 23.00 23.00 264311005 Zone 01 1 23.00 23.00 264311006 Zone 01 1 23.00 23.00 264321007 Zone 01 1 23.00 23.00 264321001 Zone 01 1 23.00 23.00 264321002 Zone 01 1 23.00 23.00 264321003 Zone 01 1 23.00 23.00 264321004 Zone 01 1 23.00 23.00	264302034	Zone 01		1 23.00	23.00
264311001 Zone 01 1 23.00 23.00 264311002 Zone 01 1 23.00 23.00 264311003 Zone 01 1 23.00 23.00 264311004 Zone 01 1 23.00 23.00 264311005 Zone 01 1 23.00 23.00 264311006 Zone 01 1 23.00 23.00 264321007 Zone 01 1 23.00 23.00 264321001 Zone 01 1 23.00 23.00 264321002 Zone 01 1 23.00 23.00 264321003 Zone 01 1 23.00 23.00 264321004 Zone 01 1 23.00 23.00	264302035	Zone 01		1 23.00	23.00
264311002 Zone 01 1 23.00 23.00 264311003 Zone 01 1 23.00 23.00 264311004 Zone 01 1 23.00 23.00 264311005 Zone 01 1 23.00 23.00 264311006 Zone 01 1 23.00 23.00 264311007 Zone 01 1 23.00 23.00 264321001 Zone 01 1 23.00 23.00 264321002 Zone 01 1 23.00 23.00 264321003 Zone 01 1 23.00 23.00 264321004 Zone 01 1 23.00 23.00	264311001				
264311003 Zone 01 1 23.00 23.00 264311004 Zone 01 1 23.00 23.00 264311005 Zone 01 1 23.00 23.00 264311006 Zone 01 1 23.00 23.00 264311007 Zone 01 1 23.00 23.00 264321001 Zone 01 1 23.00 23.00 264321002 Zone 01 1 23.00 23.00 264321003 Zone 01 1 23.00 23.00 264321004 Zone 01 1 23.00 23.00					23.00
264311005 Zone 01 1 23.00 23.00 264311006 Zone 01 1 23.00 23.00 264311007 Zone 01 1 23.00 23.00 264321001 Zone 01 1 23.00 23.00 264321002 Zone 01 1 23.00 23.00 264321003 Zone 01 1 23.00 23.00 264321004 Zone 01 1 23.00 23.00 264321004 Zone 01 1 23.00 23.00	264311003				
264311006 Zone 01 1 23.00 23.00 264311007 Zone 01 1 23.00 23.00 264321001 Zone 01 1 23.00 23.00 264321002 Zone 01 1 23.00 23.00 264321003 Zone 01 1 23.00 23.00 264321004 Zone 01 1 23.00 23.00 264321004 Zone 01 1 23.00 23.00	264311004	Zone 01		1 23.00	23.00
264311006 Zone 01 1 23.00 23.00 264311007 Zone 01 1 23.00 23.00 264321001 Zone 01 1 23.00 23.00 264321002 Zone 01 1 23.00 23.00 264321003 Zone 01 1 23.00 23.00 264321004 Zone 01 1 23.00 23.00 264321004 Zone 01 1 23.00 23.00	264311005	Zone 01		1 23.00	23.00
264311007 Zone 01 1 23.00 23.00 264321001 Zone 01 1 23.00 23.00 264321002 Zone 01 1 23.00 23.00 264321003 Zone 01 1 23.00 23.00 264321004 Zone 01 1 23.00 23.00	264311006	Zone 01		1 23.00	
264321001 Zone 01 1 23.00 23.00 264321002 Zone 01 1 23.00 23.00 264321003 Zone 01 1 23.00 23.00 264321004 Zone 01 1 23.00 23.00 264321004 Zone 01 1 23.00 23.00	264311007				
264321002 Zone 01 1 23.00 23.00 264321003 Zone 01 1 23.00 23.00 264321004 Zone 01 1 23.00 23.00 264321004 Zone 01 1 23.00 23.00					
264321003 Zone 01 1 23.00 23.00 264321004 Zone 01 1 23.00 23.00					
264321004 Zone 01 1 23.00 23.00					
264321006 Zone 01 1 23.00 23.00					
264321007 Zone 01 1 23.00 23.00	264321007	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
264321008	Zone 01		1 23.00	23.00
264321009	Zone 01		1 23.00	23.00
264321010	Zone 01		1 23.00	23.00
264321011	Zone 01		1 23.00	23.00
264321012	Zone 01		1 23.00	23.00
264321013	Zone 01		1 23.00	23.00
264321014	Zone 01		1 23.00	23.00
264321015	Zone 01		1 23.00	23.00
264321016	Zone 01		1 23.00	23.00
264321017	Zone 01		1 23.00	23.00
264321018	Zone 01		1 23.00	23.00
264321019	Zone 01		1 23.00	23.00
264321020	Zone 01		1 23.00	23.00
264321021	Zone 01		1 23.00	23.00
264321022	Zone 01		1 23.00	23.00
264321023	Zone 01		1 23.00	23.00
264321024	Zone 01		1 23.00	23.00
264321025	Zone 01		1 23.00	23.00
264321026	Zone 01		1 23.00	23.00
264321027	Zone 01		1 23.00	23.00
264321028	Zone 01		1 23.00	23.00
264321029	Zone 01		1 23.00	23.00
264321030	Zone 01		1 23.00	23.00
264321031	Zone 01		1 23.00	23.00
264322001	Zone 01		1 23.00	23.00
264322002	Zone 01		1 23.00	23.00
264322003	Zone 01		1 23.00	23.00
264322004	Zone 01		1 23.00	23.00
264322005	Zone 01		1 23.00	23.00
264322006	Zone 01		1 23.00	23.00
264322007	Zone 01		1 23.00	23.00
264322008	Zone 01		1 23.00	23.00
264322009	Zone 01		1 23.00	23.00
264322010	Zone 01		1 23.00	23.00
264322011	Zone 01		1 23.00	23.00
264322012	Zone 01		1 23.00	23.00
264322013	Zone 01		1 23.00	23.00
264322014	Zone 01		1 23.00	23.00
264322015	Zone 01		1 23.00	23.00
264322016	Zone 01		1 23.00	23.00
264322017	Zone 01		1 23.00	23.00
264322017	Zone 01		1 23.00	23.00
264322019	Zone 01		1 23.00	23.00
264322020	Zone 01		1 23.00	23.00
264322021	Zone 01		1 23.00	23.00
264322021	Zone 01		1 23.00	23.00
264322023	Zone 01			
			1 23.00	23.00
264322024	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
264322025	Zone 01		1 23.00	23.00
264322026	Zone 01		1 23.00	23.00
264322027	Zone 01		1 23.00	23.00
264322028	Zone 01		1 23.00	23.00
264322029	Zone 01		1 23.00	23.00
264322030	Zone 01		1 23.00	23.00
264322031	Zone 01		1 23.00	23.00
264322032	Zone 01		1 23.00	23.00
264322033	Zone 01		1 23.00	23.00
264322034	Zone 01		1 23.00	23.00
264322035	Zone 01		1 23.00	23.00
264322036	Zone 01		1 23.00	23.00
264322037	Zone 01		1 23.00	23.00
264322038	Zone 01		1 23.00	23.00
264322039	Zone 01		1 23.00	23.00
264322040	Zone 01		1 23.00	23.00
264322041	Zone 01		1 23.00	23.00
264322042	Zone 01		1 23.00	23.00
264322043	Zone 01		1 23.00	23.00
264322044	Zone 01		1 23.00	23.00
264322045	Zone 01		1 23.00	23.00
264323001	Zone 01		1 23.00	23.00
264323002	Zone 01		1 23.00	23.00
264323003	Zone 01		1 23.00	23.00
264323004	Zone 01		1 23.00	23.00
264323005	Zone 01		1 23.00	23.00
264323006	Zone 01		1 23.00	23.00
264323007	Zone 01		1 23.00	23.00
264323008	Zone 01		1 23.00	23.00
264323009	Zone 01		1 23.00	23.00
264323010	Zone 01		1 23.00	23.00
264323011	Zone 01		1 23.00	23.00
264323012	Zone 01		1 23.00	23.00
264323013	Zone 01		1 23.00	23.00
264323014	Zone 01		1 23.00	23.00
264331001	Zone 01		1 23.00	23.00
264331002	Zone 01		1 23.00	23.00
264331003	Zone 01		1 23.00	23.00
264331004	Zone 01		1 23.00	23.00
264331005	Zone 01		1 23.00	23.00
264331006	Zone 01		1 23.00	23.00
264331007	Zone 01		1 23.00	23.00
264331008	Zone 01		1 23.00	23.00
264331009	Zone 01		1 23.00	23.00
264331010	Zone 01		1 23.00	23.00
264332001	Zone 01		1 23.00	23.00
264332002	Zone 01		1 23.00	23.00
264332003	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
264332004	Zone 01		1 23.00	23.00
264333001	Zone 01		1 23.00	23.00
264333002	Zone 01		1 23.00	23.00
264333003	Zone 01		1 23.00	23.00
264333004	Zone 01		1 23.00	23.00
264333005	Zone 01		1 23.00	23.00
264333006	Zone 01		1 23.00	23.00
264333007	Zone 01		1 23.00	23.00
264333008	Zone 01		1 23.00	23.00
264333009	Zone 01		1 23.00	23.00
264333010	Zone 01		1 23.00	23.00
264333011	Zone 01		1 23.00	23.00
264333012	Zone 01		1 23.00	23.00
264333013	Zone 01		1 23.00	23.00
264333014	Zone 01		1 23.00	23.00
264333015	Zone 01		1 23.00	23.00
264333016	Zone 01		1 23.00	23.00
264333017	Zone 01		1 23.00	23.00
264333018	Zone 01		1 23.00	23.00
264333019	Zone 01		1 23.00	23.00
264333020	Zone 01		1 23.00	23.00
264333021	Zone 01		1 23.00	23.00
264333022	Zone 01		1 23.00	23.00
264333023	Zone 01		1 23.00	23.00
264333024	Zone 01		1 23.00	23.00
264341001	Zone 01		1 23.00	23.00
264341001	Zone 01		1 23.00	23.00
264341003	Zone 01		1 23.00	23.00
264341004	Zone 01		1 23.00	23.00
264341005	Zone 01		1 23.00	23.00
264341005	Zone 01		1 23.00	23.00
264342001				23.00
264342001	Zone 01 Zone 01		1 23.00 1 23.00	
			1 23.00	23.00
264342004	Zone 01			23.00
264342004	Zone 01		1 23.00	23.00
264342005	Zone 01		1 23.00	23.00
264342006	Zone 01		1 23.00	23.00
264342007	Zone 01		1 23.00	23.00
264342008	Zone 01		1 23.00	23.00
264342009	Zone 01		1 23.00	23.00
264342010	Zone 01		1 23.00	23.00
264342011	Zone 01		1 23.00	23.00
264342012	Zone 01		1 23.00	23.00
264342013	Zone 01		1 23.00	23.00
264342014	Zone 01		1 23.00	23.00
264343001	Zone 01		1 23.00	23.00
264343002	Zone 01		1 23.00	23.00
264343003	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
264343004	Zone 01		1 23.00	23.00
264343005	Zone 01		1 23.00	23.00
264343006	Zone 01		1 23.00	23.00
264343007	Zone 01		1 23.00	23.00
264343008	Zone 01		1 23.00	23.00
264344001	Zone 01		1 23.00	23.00
264344002	Zone 01		1 23.00	23.00
264344003	Zone 01		1 23.00	23.00
264344004	Zone 01		1 23.00	23.00
264344005	Zone 01		1 23.00	23.00
264344006	Zone 01		1 23.00	23.00
264344007	Zone 01		1 23.00	23.00
264344008	Zone 01		1 23.00	23.00
264344009	Zone 01		1 23.00	23.00
264344010	Zone 01		1 23.00	23.00
264344011	Zone 01		1 23.00	23.00
264344012	Zone 01		1 23.00	23.00
264344013	Zone 01		1 23.00	23.00
264344014	Zone 01		1 23.00	23.00
264344015	Zone 01		1 23.00	23.00
264344016	Zone 01		1 23.00	23.00
264344017	Zone 01		1 23.00	23.00
264344018	Zone 01		1 23.00	23.00
264351001	Zone 01		1 23.00	23.00
264351002	Zone 01		1 23.00	23.00
264351003	Zone 01		1 23.00	23.00
264352001	Zone 01		1 23.00	23.00
264352002	Zone 01		1 23.00	23.00
264352003	Zone 01		1 23.00	23.00
264352004	Zone 01		1 23.00	23.00
264352005	Zone 01		1 23.00	23.00
264352006	Zone 01		1 23.00	23.00
264352007	Zone 01		1 23.00	23.00
264352008	Zone 01		1 23.00	23.00
264352009	Zone 01		1 23.00	23.00
264352010	Zone 01		1 23.00	23.00
264352011	Zone 01		1 23.00	23.00
264352012	Zone 01		1 23.00	23.00
264352013	Zone 01		1 23.00	23.00
264352014	Zone 01		1 23.00	23.00
264352015	Zone 01		1 23.00	23.00
264352016			1 23.00	23.00
264352017	Zone 01		1 23.00	23.00
264352017	Zone 01		1 23.00	
264352018 264352019	Zone 01			23.00
	Zone 01		1 23.00	23.00
264352020	Zone 01		1 23.00	23.00
264352021	Zone 01		1 23.00	23.00
264352022	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
264352023	Zone 01		1 23.00	23.00
264352024	Zone 01		1 23.00	23.00
264361001	Zone 01		1 23.00	23.00
264361002	Zone 01		1 23.00	23.00
264361003	Zone 01		1 23.00	23.00
264361004	Zone 01		1 23.00	23.00
264361005	Zone 01		1 23.00	23.00
264361006	Zone 01		1 23.00	23.00
264361007	Zone 01		1 23.00	23.00
264361008	Zone 01		1 23.00	23.00
264361009	Zone 01		1 23.00	23.00
264361010	Zone 01		1 23.00	23.00
264361011	Zone 01		1 23.00	23.00
264361012	Zone 01		1 23.00	23.00
264361013	Zone 01		1 23.00	23.00
264361014	Zone 01		1 23.00	23.00
264361015	Zone 01		1 23.00	23.00
264361016	Zone 01		1 23.00	23.00
264361017	Zone 01		1 23.00	23.00
264361018	Zone 01		1 23.00	23.00
264361019	Zone 01		1 23.00	23.00
264361020	Zone 01		1 23.00	23.00
264361021	Zone 01		1 23.00	23.00
264361022	Zone 01		1 23.00	23.00
264361023	Zone 01		1 23.00	23.00
264361024	Zone 01		1 23.00	23.00
264361025	Zone 01		1 23.00	23.00
264361026	Zone 01		1 23.00	23.00
264361027	Zone 01		1 23.00	23.00
264361028	Zone 01		1 23.00	23.00
264361029	Zone 01		1 23.00	23.00
264361030	Zone 01		1 23.00	23.00
264361031	Zone 01		1 23.00	23.00
			1 23.00	
264361032	Zone 01			23.00
264361033	Zone 01		1 23.00	23.00
264361034	Zone 01		1 23.00	23.00
264361035	Zone 01		1 23.00	23.00
264361036	Zone 01		1 23.00	23.00
264361037	Zone 01		1 23.00	23.00
264361038	Zone 01		1 23.00	23.00
264361039	Zone 01		1 23.00	23.00
264361040	Zone 01		1 23.00	23.00
264361041	Zone 01		1 23.00	23.00
264361042	Zone 01		1 23.00	23.00
264361043	Zone 01		1 23.00	23.00
264361044	Zone 01		1 23.00	23.00
264361045	Zone 01		1 23.00	23.00
264361046	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
264361047	Zone 01		1 23.00	23.00
264361048	Zone 01		1 23.00	23.00
264361049	Zone 01		1 23.00	23.00
264361050	Zone 01		1 23.00	23.00
264362001	Zone 01		1 23.00	23.00
264362002	Zone 01		1 23.00	23.00
264362003	Zone 01		1 23.00	23.00
264362004	Zone 01		1 23.00	23.00
264362005	Zone 01		1 23.00	23.00
264362006	Zone 01		1 23.00	23.00
264362007	Zone 01		1 23.00	23.00
264362008	Zone 01		1 23.00	23.00
264362009	Zone 01		1 23.00	23.00
264362010	Zone 01		1 23.00	23.00
264362011	Zone 01		1 23.00	23.00
264362012	Zone 01		1 23.00	23.00
264362013	Zone 01		1 23.00	23.00
264362014	Zone 01		1 23.00	23.00
264362015	Zone 01		1 23.00	23.00
264362016	Zone 01		1 23.00	23.00
264362017	Zone 01		1 23.00	23.00
264362018	Zone 01		1 23.00	23.00
264362019	Zone 01		1 23.00	23.00
264362020	Zone 01		1 23.00	23.00
264362021	Zone 01		1 23.00	23.00
264362022	Zone 01		1 23.00	23.00
264362023	Zone 01		1 23.00	23.00
264371001	Zone 01		1 23.00	23.00
264371002	Zone 01		1 23.00	23.00
264371003	Zone 01		1 23.00	23.00
264371004	Zone 01		1 23.00	23.00
264371005	Zone 01		1 23.00	23.00
264371006	Zone 01		1 23.00	23.00
264371007	Zone 01		1 23.00	23.00
264371008	Zone 01		1 23.00	23.00
264371009	Zone 01		1 23.00	23.00
264371010	Zone 01		1 23.00	23.00
264371011	Zone 01		1 23.00	23.00
264371012	Zone 01		1 23.00	23.00
264371013	Zone 01		1 23.00	23.00
264371014	Zone 01		1 23.00	23.00
264371015			1 23.00	23.00
264371015	Zone 01		1 23.00	23.00
264371017	Zone 01			
	Zone 01		1 23.00	23.00
264371018	Zone 01		1 23.00	23.00
264371019	Zone 01		1 23.00	23.00
264371020	Zone 01		1 23.00	23.00
264371021	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
264371022	Zone 01		1 23.00	23.00
264371023	Zone 01		1 23.00	23.00
264371024	Zone 01		1 23.00	23.00
264371025	Zone 01		1 23.00	23.00
264371026	Zone 01		1 23.00	23.00
264371027	Zone 01		1 23.00	23.00
264371028	Zone 01		1 23.00	23.00
264371029	Zone 01		1 23.00	23.00
264371030	Zone 01		1 23.00	23.00
264371031	Zone 01		1 23.00	23.00
264371032	Zone 01		1 23.00	23.00
264371033	Zone 01		1 23.00	23.00
264372001	Zone 01		1 23.00	23.00
264372002	Zone 01		1 23.00	23.00
264372003	Zone 01		1 23.00	23.00
264372004	Zone 01		1 23.00	23.00
264372005	Zone 01		1 23.00	23.00
264372006	Zone 01		1 23.00	23.00
264372007	Zone 01		1 23.00	23.00
264372008	Zone 01		1 23.00	23.00
264372009	Zone 01		1 23.00	23.00
264372010	Zone 01		1 23.00	23.00
264372011	Zone 01		1 23.00	23.00
264372011	Zone 01		1 23.00	23.00
264372012	Zone 01		1 23.00	23.00
264372013	Zone 01		1 23.00	23.00
264372014	Zone 01		1 23.00	23.00
264372016	Zone 01		1 23.00	23.00
264373001	Zone 01		1 23.00	23.00
264373001	Zone 01		1 23.00	23.00
264373002	Zone 01		1 23.00	23.00
264373003	Zone 01		1 23.00	23.00
264373004	Zone 01		1 23.00	23.00
264373005	Zone 01		1 23.00	23.00
264373007			1 23.00	23.00
264373007	Zone 01 Zone 01		1 23.00	23.00
264373009			1 23.00	23.00
	Zone 01			
264373010	Zone 01		1 23.00	23.00
264373011	Zone 01		1 23.00	23.00
264373012	Zone 01		1 23.00	23.00
264373013	Zone 01		1 23.00	23.00
264373014	Zone 01		1 23.00	23.00
264373015	Zone 01		1 23.00	23.00
264373016	Zone 01		1 23.00	23.00
264373017	Zone 01		1 23.00	23.00
264381001	Zone 01		1 23.00	23.00
264381002	Zone 01		1 23.00	23.00
264381003	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone L	_MD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
264381004	Zone 01		1 23.00	23.00
264381005	Zone 01		1 23.00	23.00
264381006	Zone 01		1 23.00	23.00
264381007	Zone 01		1 23.00	23.00
264381008	Zone 01		1 23.00	23.00
264381009	Zone 01		1 23.00	23.00
264381010	Zone 01		1 23.00	23.00
264381011	Zone 01		1 23.00	23.00
264381012	Zone 01		1 23.00	23.00
264381013	Zone 01		1 23.00	23.00
264381014	Zone 01		1 23.00	23.00
264381015	Zone 01		1 23.00	23.00
264381016	Zone 01		1 23.00	23.00
264381017	Zone 01		1 23.00	23.00
264381018	Zone 01		1 23.00	23.00
264381019	Zone 01		1 23.00	23.00
264381020	Zone 01		1 23.00	23.00
264381021	Zone 01		1 23.00	23.00
264381022	Zone 01		1 23.00	23.00
264381023	Zone 01		1 23.00	23.00
264381024	Zone 01		1 23.00	23.00
264381025	Zone 01		1 23.00	23.00
264381026	Zone 01		1 23.00	23.00
264381027	Zone 01		1 23.00	23.00
264381028	Zone 01		1 23.00	23.00
264381029	Zone 01		1 23.00	23.00
264382001	Zone 01		1 23.00	23.00
264382002	Zone 01		1 23.00	23.00
264382003	Zone 01		1 23.00	23.00
264382004	Zone 01		1 23.00	23.00
264382005	Zone 01		1 23.00	23.00
264382006	Zone 01		1 23.00	23.00
264382007	Zone 01		1 23.00	23.00
264382008	Zone 01		1 23.00	23.00
264382009	Zone 01		1 23.00	23.00
264382010	Zone 01		1 23.00	23.00
264382011	Zone 01		1 23.00	23.00
264382012	Zone 01		1 23.00	23.00
264382013	Zone 01		1 23.00	23.00
264382014	Zone 01		1 23.00	23.00
264382015	Zone 01		1 23.00	23.00
264382016	Zone 01		1 23.00	23.00
264390001	Zone 01		1 23.00	23.00
264390001	Zone 01		1 23.00	23.00
264390002	Zone 01		1 23.00	23.00
264390003	Zone 01		1 23.00	23.00
264390004	Zone 01		1 23.00	
				23.00
264401001	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone L	_MD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
264401002	Zone 01		1 23.00	23.00
264401003	Zone 01		1 23.00	23.00
264401004	Zone 01		1 23.00	23.00
264401005	Zone 01		1 23.00	23.00
264401006	Zone 01		1 23.00	23.00
264401007	Zone 01		1 23.00	23.00
264401008	Zone 01		1 23.00	23.00
264401009	Zone 01		1 23.00	23.00
264401010	Zone 01		1 23.00	23.00
264401011	Zone 01		1 23.00	23.00
264401012	Zone 01		1 23.00	23.00
264401013	Zone 01		1 23.00	23.00
264401014	Zone 01		1 23.00	23.00
264401015	Zone 01		1 23.00	23.00
264402001	Zone 01		1 23.00	23.00
264402002	Zone 01		1 23.00	23.00
264402003	Zone 01		1 23.00	23.00
264402004	Zone 01		1 23.00	23.00
264402005	Zone 01		1 23.00	23.00
264402006	Zone 01		1 23.00	23.00
264402007	Zone 01		1 23.00	23.00
264402008	Zone 01		1 23.00	23.00
264402009	Zone 01		1 23.00	23.00
264402010	Zone 01		1 23.00	23.00
264402011	Zone 01		1 23.00	23.00
264402012	Zone 01		1 23.00	23.00
264402013	Zone 01		1 23.00	23.00
264402014	Zone 01		1 23.00	23.00
264402015	Zone 01		1 23.00	23.00
264402016	Zone 01		1 23.00	23.00
264403001	Zone 01		1 23.00	23.00
264403002	Zone 01		1 23.00	23.00
264403003	Zone 01		1 23.00	23.00
264403004	Zone 01		1 23.00	23.00
264403005	Zone 01		1 23.00	23.00
264403006	Zone 01		1 23.00	23.00
264403007	Zone 01		1 23.00	23.00
264403008	Zone 01		1 23.00	23.00
264403009	Zone 01		1 23.00	23.00
264403010	Zone 01		1 23.00	23.00
264403011	Zone 01		1 23.00	23.00
264403012	Zone 01		1 23.00	23.00
264403013	Zone 01		1 23.00	23.00
264403013	Zone 01		1 23.00	23.00
264404001	Zone 01		1 23.00	23.00
264404001	Zone 01		1 23.00	23.00
264404002	Zone 01		1 23.00	
				23.00
264404004	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
264404005	Zone 01		1 23.00	23.00
264404006	Zone 01		1 23.00	23.00
264404007	Zone 01		1 23.00	23.00
264404008	Zone 01		1 23.00	23.00
264404009	Zone 01		1 23.00	23.00
264404010	Zone 01		1 23.00	23.00
264404011	Zone 01		1 23.00	23.00
264404012	Zone 01		1 23.00	23.00
264404013	Zone 01		1 23.00	23.00
264404014	Zone 01		1 23.00	23.00
264404015	Zone 01		1 23.00	23.00
264404016	Zone 01		1 23.00	23.00
264404017	Zone 01		1 23.00	23.00
264404018	Zone 01		1 23.00	23.00
264405001	Zone 01		1 23.00	23.00
264405002	Zone 01		1 23.00	23.00
264405003	Zone 01		1 23.00	23.00
264405004	Zone 01		1 23.00	23.00
264405005	Zone 01		1 23.00	23.00
264405006	Zone 01		1 23.00	23.00
264405007	Zone 01		1 23.00	23.00
264405008	Zone 01		1 23.00	23.00
264405009	Zone 01		1 23.00	23.00
264411001	Zone 01		1 23.00	23.00
264411002	Zone 01		1 23.00	23.00
264411003	Zone 01		1 23.00	23.00
264411004	Zone 01		1 23.00	23.00
264411005	Zone 01		1 23.00	23.00
264411006	Zone 01		1 23.00	23.00
264411007	Zone 01		1 23.00	23.00
264411008	Zone 01		1 23.00	23.00
264411009	Zone 01		1 23.00	23.00
264411010	Zone 01		1 23.00	23.00
264411011	Zone 01		1 23.00	23.00
264412001	Zone 01		1 23.00	23.00
264412002	Zone 01		1 23.00	23.00
264412003	Zone 01		1 23.00	23.00
264412004	Zone 01		1 23.00	23.00
264412005	Zone 01		1 23.00	23.00
264412006	Zone 01		1 23.00	23.00
264412007	Zone 01		1 23.00	23.00
264412008	Zone 01		1 23.00	23.00
264412009	Zone 01		1 23.00	23.00
264412010	Zone 01		1 23.00	23.00
264412011	Zone 01		1 23.00	23.00
264412012	Zone 01		1 23.00	23.00
264412013	Zone 01		1 23.00	23.00
264412014	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned E	BU's FY 17	-18 Max Assessment	FY 17-18 Assessment
264412015	Zone 01	1	23.00	23.00
264412016	Zone 01	1	23.00	23.00
264412017	Zone 01	1	23.00	23.00
264412018	Zone 01	1	23.00	23.00
264412019	Zone 01	1	23.00	23.00
264412020	Zone 01	1	23.00	23.00
264412021	Zone 01	1	23.00	23.00
264412022	Zone 01	1	23.00	23.00
264413001	Zone 01	1	23.00	23.00
264413002	Zone 01	1	23.00	23.00
264413003	Zone 01	1	23.00	23.00
264413004	Zone 01	1	23.00	23.00
264413005	Zone 01	1	23.00	23.00
264413006	Zone 01	1	23.00	23.00
264413007	Zone 01	1	23.00	23.00
264413008	Zone 01	1	23.00	23.00
264413009	Zone 01	1	23.00	23.00
264413010	Zone 01	1	23.00	23.00
264421001	Zone 01	1	23.00	23.00
264421002	Zone 01	1	23.00	23.00
264421003	Zone 01	1	23.00	23.00
264421004	Zone 01	1	23.00	23.00
264421005	Zone 01	1	23.00	23.00
264421006	Zone 01	1	23.00	23.00
264421007	Zone 01	1	23.00	23.00
264421008	Zone 01	1	23.00	23.00
264421009	Zone 01	1	23.00	23.00
264421010	Zone 01	1	23.00	23.00
264421011	Zone 01	1	23.00	23.00
264422001	Zone 01	1	23.00	23.00
264422002	Zone 01	1	23.00	23.00
264422003	Zone 01	1	23.00	23.00
264422004	Zone 01	1	23.00	23.00
264422005	Zone 01	1	23.00	23.00
264422006	Zone 01	1	23.00	23.00
264422007	Zone 01	1	23.00	23.00
264422008	Zone 01	1	23.00	23.00
264423001	Zone 01	1	23.00	23.00
264423002	Zone 01	1	23.00	23.00
264423003	Zone 01	1	23.00	23.00
264423004	Zone 01	1	23.00	23.00
264423005	Zone 01	1	23.00	23.00
264423006	Zone 01	1	23.00	23.00
264423007	Zone 01	1	23.00	23.00
264423008	Zone 01	1	23.00	23.00
264423009	Zone 01	1	23.00	23.00
264423010	Zone 01	1	23.00	23.00
264423011	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	d EBU's FY 17-18 M	lax Assessment	FY 17-18 Assessment
264423012	Zone 01	1	23.00	23.00
264423013	Zone 01	1	23.00	23.00
264423014	Zone 01	1	23.00	23.00
264423015	Zone 01	1	23.00	23.00
264423016	Zone 01	1	23.00	23.00
264423017	Zone 01	1	23.00	23.00
264423018	Zone 01	1	23.00	23.00
264423019	Zone 01	1	23.00	23.00
264423020	Zone 01	1	23.00	23.00
264423021	Zone 01	1	23.00	23.00
264423022	Zone 01	1	23.00	23.00
264423023	Zone 01	1	23.00	23.00
264423024	Zone 01	1	23.00	23.00
264423025	Zone 01	1	23.00	23.00
264423026	Zone 01	1	23.00	23.00
264431001	Zone 01	1	23.00	23.00
264431002	Zone 01	1	23.00	23.00
264431003	Zone 01	1	23.00	23.00
264431004	Zone 01	1	23.00	23.00
264431005	Zone 01	1	23.00	23.00
264431006	Zone 01	1	23.00	23.00
264431007	Zone 01	1	23.00	23.00
264431008	Zone 01	1	23.00	23.00
264431009	Zone 01	1	23.00	23.00
264431010	Zone 01	1	23.00	23.00
264431011	Zone 01	1	23.00	23.00
264431012	Zone 01	1	23.00	23.00
264431013	Zone 01	1	23.00	23.00
264431014	Zone 01	1	23.00	23.00
264431015	Zone 01	1	23.00	23.00
264431016	Zone 01	1	23.00	23.00
264431017	Zone 01	1	23.00	23.00
264431018	Zone 01	1	23.00	23.00
264431019	Zone 01	1	23.00	23.00
264431020	Zone 01	1	23.00	23.00
264431021	Zone 01	1	23.00	23.00
264431022	Zone 01	1	23.00	23.00
264431023	Zone 01	1	23.00	23.00
264431024	Zone 01	1	23.00	23.00
264431025	Zone 01	1	23.00	23.00
264431026	Zone 01	1	23.00	23.00
264431027	Zone 01	1	23.00	23.00
264431028	Zone 01	1	23.00	23.00
264431029	Zone 01	1	23.00	23.00
264431030	Zone 01	1	23.00	23.00
264431031	Zone 01	1	23.00	23.00
264431032	Zone 01	1	23.00	23.00
264431033	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone I	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
264431034	Zone 01		1 23.00	23.00
264431035	Zone 01		1 23.00	23.00
264431036	Zone 01		1 23.00	23.00
264431037	Zone 01		1 23.00	23.00
264431038	Zone 01		1 23.00	23.00
264431039	Zone 01		1 23.00	23.00
264431040	Zone 01		1 23.00	23.00
264431041	Zone 01		1 23.00	23.00
264431042	Zone 01		1 23.00	23.00
264431043	Zone 01		1 23.00	23.00
264431044	Zone 01		1 23.00	23.00
264431045	Zone 01		1 23.00	23.00
264431046	Zone 01		1 23.00	23.00
264431047	Zone 01		1 23.00	23.00
264431048	Zone 01		1 23.00	23.00
264431049	Zone 01		1 23.00	23.00
264431050	Zone 01		1 23.00	23.00
264431051	Zone 01		1 23.00	23.00
264431052	Zone 01		1 23.00	23.00
264431053	Zone 01		1 23.00	23.00
264431054	Zone 01		1 23.00	23.00
264431055	Zone 01		1 23.00	23.00
264431056	Zone 01		1 23.00	23.00
264431057	Zone 01		1 23.00	23.00
264432001	Zone 01		1 23.00	23.00
264432002	Zone 01		1 23.00	23.00
264432003	Zone 01		1 23.00	23.00
264432004	Zone 01		1 23.00	23.00
264432005	Zone 01		1 23.00	23.00
264432006	Zone 01		1 23.00	23.00
264432007	Zone 01		1 23.00	23.00
264432008	Zone 01		1 23.00	23.00
264432009	Zone 01		1 23.00	23.00
264432010	Zone 01		1 23.00	23.00
264432011	Zone 01		1 23.00	23.00
291344017	Zone 01		1 23.00	23.00
291393027	Zone 01		1 23.00	23.00
291431022	Zone 01		1 23.00	23.00
291431026	Zone 01		1 23.00	23.00
291311001	Zone 01		1 23.00	23.00
291311001	Zone 01		1 23.00	23.00
291311003 291311004	Zone 01		1 23.00 1 23.00	23.00 23.00
291311004	Zone 01			
291311005	Zone 01		1 23.00	23.00
	Zone 01		1 23.00	23.00
291311007	Zone 01		1 23.00	23.00
291311008	Zone 01		1 23.00	23.00
291311009	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned EB	U's FY 17-18 Max	Assessment	FY 17-18 Assessment
291311010	Zone 01	1	23.00	23.00
291311011	Zone 01	1	23.00	23.00
291311012	Zone 01	1	23.00	23.00
291311013	Zone 01	1	23.00	23.00
291311014	Zone 01	1	23.00	23.00
291311015	Zone 01	1	23.00	23.00
291311016	Zone 01	1	23.00	23.00
291311017	Zone 01	1	23.00	23.00
291311018	Zone 01	1	23.00	23.00
291311019	Zone 01	1	23.00	23.00
291311020	Zone 01	1	23.00	23.00
291311021	Zone 01	1	23.00	23.00
291311022	Zone 01	1	23.00	23.00
291311023	Zone 01	1	23.00	23.00
291311024	Zone 01	1	23.00	23.00
291311025	Zone 01	1	23.00	23.00
291311026	Zone 01	1	23.00	23.00
291311027	Zone 01	1	23.00	23.00
291311028	Zone 01	1	23.00	23.00
291311029	Zone 01	1	23.00	23.00
291311030	Zone 01	1	23.00	23.00
291311031	Zone 01	1	23.00	23.00
291311032	Zone 01	1	23.00	23.00
291311033	Zone 01	1	23.00	23.00
291312001	Zone 01	1	23.00	23.00
291312002	Zone 01	1	23.00	23.00
291312003	Zone 01	1	23.00	23.00
291312004	Zone 01	1	23.00	23.00
291312005	Zone 01	1	23.00	23.00
291312006	Zone 01	1	23.00	23.00
291312007	Zone 01	1	23.00	23.00
291312008	Zone 01	1	23.00	23.00
291312009	Zone 01	1	23.00	23.00
291312010	Zone 01	1	23.00	23.00
291312011	Zone 01	1	23.00	23.00
291313001	Zone 01	1	23.00	23.00
291313002	Zone 01	1	23.00	23.00
291313003	Zone 01	1	23.00	23.00
291313004	Zone 01	1	23.00	23.00
291313005	Zone 01	1	23.00	23.00
291313006	Zone 01	1	23.00	23.00
291313007	Zone 01	1	23.00	23.00
291313008	Zone 01	1	23.00	23.00
291313009	Zone 01	1	23.00	23.00
291313010	Zone 01	1	23.00	23.00
291313011	Zone 01	1	23.00	23.00
291314001	Zone 01	1	23.00	23.00
291314002	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-18	8 Max Assessment	FY 17-18 Assessment
291314003	Zone 01	1	23.00	23.00
291314004	Zone 01	1	23.00	23.00
291314005	Zone 01	1	23.00	23.00
291314006	Zone 01	1	23.00	23.00
291314007	Zone 01	1	23.00	23.00
291314008	Zone 01	1	23.00	23.00
291314009	Zone 01	1	23.00	23.00
291314010	Zone 01	1	23.00	23.00
291314011	Zone 01	1	23.00	23.00
291314012	Zone 01	1	23.00	23.00
291314013	Zone 01	1	23.00	23.00
291314014	Zone 01	1	23.00	23.00
291314015	Zone 01	1	23.00	23.00
291314016	Zone 01	1	23.00	23.00
291314017	Zone 01	1	23.00	23.00
291314018	Zone 01	1	23.00	23.00
291314019	Zone 01	1	23.00	23.00
291314020	Zone 01	1	23.00	23.00
291314021	Zone 01	1	23.00	23.00
291314022	Zone 01	1	23.00	23.00
291321001	Zone 01	1	23.00	23.00
291321002	Zone 01	1	23.00	23.00
291321003	Zone 01	1	23.00	23.00
291321004	Zone 01	1	23.00	23.00
291321005	Zone 01	1	23.00	23.00
291321006	Zone 01	1	23.00	23.00
291321007	Zone 01	1	23.00	23.00
291321008	Zone 01	1	23.00	23.00
291321009	Zone 01	1	23.00	23.00
291321010	Zone 01	1	23.00	23.00
291321011	Zone 01	1	23.00	23.00
291321012	Zone 01	1	23.00	23.00
291321013	Zone 01	1	23.00	23.00
291321014	Zone 01	1	23.00	23.00
291321015	Zone 01	1	23.00	23.00
291321016	Zone 01	1	23.00	23.00
291321017	Zone 01	1	23.00	23.00
291322001	Zone 01	1	23.00	23.00
291322002	Zone 01	1	23.00	23.00
291322003	Zone 01	1	23.00	23.00
291322004	Zone 01	1	23.00	23.00
291322005	Zone 01	1	23.00	23.00
291322006	Zone 01	1	23.00	23.00
291322007	Zone 01	1	23.00	23.00
291322008	Zone 01	1	23.00	23.00
291322009	Zone 01	1	23.00	23.00
291322010	Zone 01	1	23.00	23.00
291322011	Zone 01	1	23.00	23.00
			20.00	20.00

APN	LMD 2014-01 Zone I	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
291322012	Zone 01		1 23.00	23.00
291322013	Zone 01		1 23.00	23.00
291322014	Zone 01		1 23.00	23.00
291322015	Zone 01		1 23.00	23.00
291323001	Zone 01		1 23.00	23.00
291323002	Zone 01		1 23.00	23.00
291323003	Zone 01		1 23.00	23.00
291323004	Zone 01		1 23.00	23.00
291323005	Zone 01		1 23.00	23.00
291323006	Zone 01		1 23.00	23.00
291323007	Zone 01		1 23.00	23.00
291323008	Zone 01		1 23.00	23.00
291323009	Zone 01		1 23.00	23.00
291324001	Zone 01		1 23.00	23.00
291324002	Zone 01		1 23.00	23.00
291324003	Zone 01		1 23.00	23.00
291324004	Zone 01		1 23.00	23.00
291324005	Zone 01		1 23.00	23.00
291324006	Zone 01		1 23.00	23.00
291325001	Zone 01		1 23.00	23.00
291325002	Zone 01		1 23.00	23.00
291325002	Zone 01		1 23.00	23.00
291331001	Zone 01		1 23.00	23.00
291331001	Zone 01		1 23.00	23.00
291331002	Zone 01		1 23.00	23.00
291331003	Zone 01		1 23.00	23.00
291331004	Zone 01		1 23.00	23.00
291331005	Zone 01		1 23.00	23.00
291331007	Zone 01		1 23.00	23.00
291331007	Zone 01		1 23.00	23.00
291331009	Zone 01		1 23.00	23.00
291331010				23.00
	Zone 01 Zone 01		1 23.00	
291331011			1 23.00	23.00
291331012	Zone 01		1 23.00	23.00
291331013	Zone 01		1 23.00	23.00
291331014	Zone 01		1 23.00	23.00
291331015	Zone 01		1 23.00	23.00
291331016	Zone 01		1 23.00	23.00
291332001	Zone 01		1 23.00	23.00
291332002	Zone 01		1 23.00	23.00
291332003	Zone 01		1 23.00	23.00
291332004	Zone 01	•	1 23.00	23.00
291332005	Zone 01		1 23.00	23.00
291332006	Zone 01		1 23.00	23.00
291332007	Zone 01		1 23.00	23.00
291332008	Zone 01		1 23.00	23.00
291332009	Zone 01		1 23.00	23.00
291332010	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone L	MD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
291332011	Zone 01		1 23.00	23.00
291332014	Zone 01		1 23.00	23.00
291332015	Zone 01		1 23.00	23.00
291332016	Zone 01		1 23.00	23.00
291332017	Zone 01		1 23.00	23.00
291332018	Zone 01		1 23.00	23.00
291332019	Zone 01		1 23.00	23.00
291332020	Zone 01		1 23.00	23.00
291332021	Zone 01		1 23.00	23.00
291332022	Zone 01		1 23.00	23.00
291332027	Zone 01		1 23.00	23.00
291332028	Zone 01		1 23.00	23.00
291333001	Zone 01		1 23.00	23.00
291333002	Zone 01		1 23.00	23.00
291333003	Zone 01		1 23.00	23.00
291333004	Zone 01		1 23.00	23.00
291333005	Zone 01		1 23.00	23.00
291333006	Zone 01		1 23.00	23.00
291333007	Zone 01		1 23.00	23.00
291334009	Zone 01		1 23.00	23.00
291334010	Zone 01		1 23.00	23.00
291334011	Zone 01		1 23.00	23.00
291334012	Zone 01		1 23.00	23.00
291334013	Zone 01		1 23.00	23.00
291334014	Zone 01		1 23.00	23.00
291334015	Zone 01		1 23.00	23.00
291334016	Zone 01		1 23.00	23.00
291334017	Zone 01		1 23.00	23.00
291334018	Zone 01		1 23.00	23.00
291334019	Zone 01		1 23.00	23.00
291334020	Zone 01		1 23.00	23.00
291334021	Zone 01		1 23.00	23.00
291334022	Zone 01		1 23.00	23.00
291341001	Zone 01		1 23.00	23.00
291341002	Zone 01		1 23.00	23.00
291341003	Zone 01		1 23.00	23.00
291341004	Zone 01		1 23.00	23.00
291341005	Zone 01		1 23.00	23.00
291341006	Zone 01		1 23.00	23.00
291341007	Zone 01		1 23.00	23.00
291341008	Zone 01		1 23.00	23.00
291341009	Zone 01		1 23.00	23.00
291341010	Zone 01		1 23.00	23.00
291342001	Zone 01		1 23.00	23.00
291342001	Zone 01		1 23.00	23.00
291342002	Zone 01		1 23.00	23.00
291342003	Zone 01		1 23.00	23.00
291342004	Zone 01		1 23.00	23.00
291342003	2016 01		23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned EE	BU's FY 17-18	Max Assessment	FY 17-18 Assessment
291342006	Zone 01	1	23.00	23.00
291342007	Zone 01	1	23.00	23.00
291342008	Zone 01	1	23.00	23.00
291342009	Zone 01	1	23.00	23.00
291342010	Zone 01	1	23.00	23.00
291342011	Zone 01	1	23.00	23.00
291342012	Zone 01	1	23.00	23.00
291342013	Zone 01	1	23.00	23.00
291342014	Zone 01	1	23.00	23.00
291342015	Zone 01	1	23.00	23.00
291342016	Zone 01	1	23.00	23.00
291343001	Zone 01	1	23.00	23.00
291343002	Zone 01	1	23.00	23.00
291343003	Zone 01	1	23.00	23.00
291343004	Zone 01	1	23.00	23.00
291343005	Zone 01	1	23.00	23.00
291343006	Zone 01	1	23.00	23.00
291343007	Zone 01	1	23.00	23.00
291343008	Zone 01	1	23.00	23.00
291343009	Zone 01	1	23.00	23.00
291343010	Zone 01	1	23.00	23.00
291343011	Zone 01	1	23.00	23.00
291343012	Zone 01	1	23.00	23.00
291344001	Zone 01	1	23.00	23.00
291344002	Zone 01	1	23.00	23.00
291344003	Zone 01	1	23.00	23.00
291344004	Zone 01	1	23.00	23.00
291344005	Zone 01	1	23.00	23.00
291344006	Zone 01	1	23.00	23.00
291344007	Zone 01	1	23.00	23.00
291344008	Zone 01	1	23.00	23.00
291344009	Zone 01	1	23.00	23.00
291344010	Zone 01	1	23.00	23.00
291344011	Zone 01	1	23.00	23.00
291344012	Zone 01	1	23.00	23.00
291344013	Zone 01	1	23.00	23.00
291344014	Zone 01	1	23.00	23.00
291344015	Zone 01	1	23.00	23.00
291344016	Zone 01	1	23.00	23.00
291344018	Zone 01	1	23.00	23.00
291344019	Zone 01	1	23.00	23.00
291344020	Zone 01	1	23.00	23.00
291344021	Zone 01	1	23.00	23.00
291344022	Zone 01	1	23.00	23.00
291344023	Zone 01	1	23.00	23.00
291344024	Zone 01	1	23.00	23.00
291344025	Zone 01	1	23.00	23.00
291344026	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assign	ned EBU's FY 17-18 Ma	ax Assessment	FY 17-18 Assessment
291344027	Zone 01	1	23.00	23.00
291344028	Zone 01	1	23.00	23.00
291344029	Zone 01	1	23.00	23.00
291344030	Zone 01	1	23.00	23.00
291344031	Zone 01	1	23.00	23.00
291344032	Zone 01	1	23.00	23.00
291344033	Zone 01	1	23.00	23.00
291344034	Zone 01	1	23.00	23.00
291344035	Zone 01	1	23.00	23.00
291344036	Zone 01	1	23.00	23.00
291344037	Zone 01	1	23.00	23.00
291344038	Zone 01	1	23.00	23.00
291344039	Zone 01	1	23.00	23.00
291344040	Zone 01	1	23.00	23.00
291344041	Zone 01	1	23.00	23.00
291344042	Zone 01	1	23.00	23.00
291344043	Zone 01	1	23.00	23.00
291344044	Zone 01	1	23.00	23.00
291344045	Zone 01	1	23.00	23.00
291344046	Zone 01	1	23.00	23.00
291345001	Zone 01	1	23.00	23.00
291345002	Zone 01	1	23.00	23.00
291345003	Zone 01	1	23.00	23.00
291345004	Zone 01	1	23.00	23.00
291345005	Zone 01	1	23.00	23.00
291345006	Zone 01	1	23.00	23.00
291345007	Zone 01	1	23.00	23.00
291345008	Zone 01	1	23.00	23.00
291361001	Zone 01	1	23.00	23.00
291361002	Zone 01	1	23.00	23.00
291361003	Zone 01	1	23.00	23.00
291361004	Zone 01	1	23.00	23.00
291361005	Zone 01	1	23.00	23.00
291361006	Zone 01	1	23.00	23.00
291361007	Zone 01	1	23.00	23.00
291361008	Zone 01	1	23.00	23.00
291361009	Zone 01	1	23.00	23.00
291361010	Zone 01	1	23.00	23.00
291361011	Zone 01	1	23.00	23.00
291361012	Zone 01	1	23.00	23.00
291361013	Zone 01	1	23.00	23.00
291361014	Zone 01	1	23.00	23.00
291361015	Zone 01	1	23.00	23.00
291361016	Zone 01	1	23.00	23.00
291361017	Zone 01	1	23.00	23.00
291361018	Zone 01	1	23.00	23.00
291361019	Zone 01	1	23.00	23.00
291361020	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assign	ned EBU's FY 17-18 M	ax Assessment	FY 17-18 Assessment
291361021	Zone 01	1	23.00	23.00
291361022	Zone 01	1	23.00	23.00
291361023	Zone 01	1	23.00	23.00
291361024	Zone 01	1	23.00	23.00
291361025	Zone 01	1	23.00	23.00
291361026	Zone 01	1	23.00	23.00
291361027	Zone 01	1	23.00	23.00
291361028	Zone 01	1	23.00	23.00
291361029	Zone 01	1	23.00	23.00
291361030	Zone 01	1	23.00	23.00
291361031	Zone 01	1	23.00	23.00
291361032	Zone 01	1	23.00	23.00
291361033	Zone 01	1	23.00	23.00
291361034	Zone 01	1	23.00	23.00
291361035	Zone 01	1	23.00	23.00
291362001	Zone 01	1	23.00	23.00
291362002	Zone 01	1	23.00	23.00
291362003	Zone 01	1	23.00	23.00
291362004	Zone 01	1	23.00	23.00
291362005	Zone 01	1	23.00	23.00
291362006	Zone 01	1	23.00	23.00
291362007	Zone 01	1	23.00	23.00
291362008	Zone 01	1	23.00	23.00
291362009	Zone 01	1	23.00	23.00
291362010	Zone 01	1	23.00	23.00
291362011	Zone 01	1	23.00	23.00
291362012	Zone 01	1	23.00	23.00
291362013	Zone 01	1	23.00	23.00
291362014	Zone 01	1	23.00	23.00
291362015	Zone 01	1	23.00	23.00
291362016	Zone 01	1	23.00	23.00
291362017	Zone 01	1	23.00	23.00
291362018	Zone 01	1	23.00	23.00
291362019	Zone 01	1	23.00	23.00
291362020	Zone 01	1	23.00	23.00
291362021	Zone 01	1	23.00	23.00
291362022	Zone 01	1	23.00	23.00
291362023	Zone 01	1	23.00	23.00
291362024	Zone 01	1	23.00	23.00
291362025	Zone 01	1	23.00	23.00
291362026	Zone 01	1	23.00	23.00
291362027	Zone 01	1	23.00	23.00
291362028	Zone 01	1	23.00	23.00
291371001	Zone 01	1	23.00	23.00
291371002	Zone 01	1	23.00	23.00
291371003	Zone 01	1	23.00	23.00
291371004	Zone 01	1	23.00	23.00
291371005	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
291371006	Zone 01		1 23.00	23.00
291371007	Zone 01		1 23.00	23.00
291371008	Zone 01		1 23.00	23.00
291371009	Zone 01		1 23.00	23.00
291371010	Zone 01		1 23.00	23.00
291371011	Zone 01		1 23.00	23.00
291371012	Zone 01		1 23.00	23.00
291371013	Zone 01		1 23.00	23.00
291371014	Zone 01		1 23.00	23.00
291371015	Zone 01		1 23.00	23.00
291371016	Zone 01		1 23.00	23.00
291371017	Zone 01		1 23.00	23.00
291371018	Zone 01		1 23.00	23.00
291371019	Zone 01		1 23.00	23.00
291371020	Zone 01		1 23.00	23.00
291371021	Zone 01		1 23.00	23.00
291371022	Zone 01		1 23.00	23.00
291371023	Zone 01		1 23.00	23.00
291371024	Zone 01		1 23.00	23.00
291371025	Zone 01		1 23.00	23.00
291371026	Zone 01		1 23.00	23.00
291371027	Zone 01		1 23.00	23.00
291371027	Zone 01		1 23.00	23.00
291371029	Zone 01		1 23.00	23.00
291371029	Zone 01		1 23.00	23.00
291371030	Zone 01		1 23.00	23.00
291371031	Zone 01		1 23.00	23.00
291371032	Zone 01		1 23.00	23.00
291371033	Zone 01		1 23.00	23.00
291371034	Zone 01		1 23.00	23.00
291371035	Zone 01		1 23.00	23.00
291371030	Zone 01		1 23.00	23.00
291371037	Zone 01		1 23.00	23.00
291371038	Zone 01		1 23.00	23.00
291371040				23.00
291371040	Zone 01		1 23.00	
291371041	Zone 01		1 23.00	23.00
	Zone 01		1 23.00	23.00
291372001	Zone 01		1 23.00	23.00
291372002	Zone 01		1 23.00	23.00
291372003	Zone 01		1 23.00	23.00
291372004	Zone 01		1 23.00	23.00
291372005	Zone 01		1 23.00	23.00
291372006	Zone 01		1 23.00	23.00
291372007	Zone 01		1 23.00	23.00
291372008	Zone 01		1 23.00	23.00
291372009	Zone 01		1 23.00	23.00
291372010	Zone 01		1 23.00	23.00
291372011	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
291372012	Zone 01		1 23.00	23.00
291372013	Zone 01		1 23.00	23.00
291372014	Zone 01		1 23.00	23.00
291372015	Zone 01		1 23.00	23.00
291372016	Zone 01		1 23.00	23.00
291372017	Zone 01		1 23.00	23.00
291372018	Zone 01		1 23.00	23.00
291372019	Zone 01		1 23.00	23.00
291372020	Zone 01		1 23.00	23.00
291372021	Zone 01		1 23.00	23.00
291372022	Zone 01		1 23.00	23.00
291372023	Zone 01		1 23.00	23.00
291372024	Zone 01		1 23.00	23.00
291372025	Zone 01		1 23.00	23.00
291373001	Zone 01		1 23.00	23.00
291373002	Zone 01		1 23.00	23.00
291373003	Zone 01		1 23.00	23.00
291373004	Zone 01		1 23.00	23.00
291373005	Zone 01		1 23.00	23.00
291373006	Zone 01		1 23.00	23.00
291373007	Zone 01		1 23.00	23.00
291373008	Zone 01		1 23.00	23.00
291373009	Zone 01		1 23.00	23.00
291373010	Zone 01		1 23.00	23.00
291373011	Zone 01		1 23.00	23.00
291373011	Zone 01		1 23.00	23.00
291373012	Zone 01		1 23.00	23.00
291373014	Zone 01		1 23.00	23.00
291373014	Zone 01		1 23.00	23.00
291373016	Zone 01		1 23.00	23.00
291373017	Zone 01		1 23.00	23.00
				23.00
291373018	Zone 01 Zone 01		1 23.00	
291373019			1 23.00 1 23.00	23.00
291373020	Zone 01			23.00
291373021	Zone 01		1 23.00	23.00
291373022	Zone 01		1 23.00	23.00
291373023	Zone 01		1 23.00	23.00
291373024	Zone 01		1 23.00	23.00
291373025	Zone 01		1 23.00	23.00
291373026	Zone 01		1 23.00	23.00
291373027	Zone 01		1 23.00	23.00
291373028	Zone 01		1 23.00	23.00
291373029	Zone 01		1 23.00	23.00
291373030	Zone 01		1 23.00	23.00
291373031	Zone 01		1 23.00	23.00
291373032	Zone 01		1 23.00	23.00
291373033	Zone 01		1 23.00	23.00
291373034	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
291373035	Zone 01		1 23.00	23.00
291373036	Zone 01		1 23.00	23.00
291373037	Zone 01		1 23.00	23.00
291373038	Zone 01		1 23.00	23.00
291373039	Zone 01		1 23.00	23.00
291373040	Zone 01		1 23.00	23.00
291373041	Zone 01		1 23.00	23.00
291373042	Zone 01		1 23.00	23.00
291373043	Zone 01		1 23.00	23.00
291373044	Zone 01		1 23.00	23.00
291374001	Zone 01		1 23.00	23.00
291374002	Zone 01		1 23.00	23.00
291374003	Zone 01		1 23.00	23.00
291374004	Zone 01		1 23.00	23.00
291374005	Zone 01		1 23.00	23.00
291374006	Zone 01		1 23.00	23.00
291374007	Zone 01		1 23.00	23.00
291374008	Zone 01		1 23.00	23.00
291374009	Zone 01		1 23.00	23.00
291374010	Zone 01		1 23.00	23.00
291374011	Zone 01		1 23.00	23.00
291374012	Zone 01		1 23.00	23.00
291374013	Zone 01		1 23.00	23.00
291374014	Zone 01		1 23.00	23.00
291374015	Zone 01		1 23.00	23.00
291374016	Zone 01		1 23.00	23.00
291374017	Zone 01		1 23.00	23.00
291374018	Zone 01		1 23.00	23.00
291374019	Zone 01		1 23.00	23.00
291374020	Zone 01		1 23.00	23.00
291374021	Zone 01		1 23.00	23.00
291374022	Zone 01		1 23.00	23.00
291374023	Zone 01		1 23.00	23.00
291374024	Zone 01		1 23.00	23.00
291374025	Zone 01		1 23.00	23.00
291374026	Zone 01		1 23.00	23.00
291374027	Zone 01		1 23.00	23.00
291374028	Zone 01		1 23.00	23.00
291374029	Zone 01		1 23.00	23.00
291374030	Zone 01		1 23.00	23.00
291374031	Zone 01		1 23.00	23.00
291374032	Zone 01		1 23.00	23.00
291374033	Zone 01		1 23.00	23.00
291374034	Zone 01		1 23.00	23.00
291374035	Zone 01		1 23.00	23.00
291374036	Zone 01		1 23.00	23.00
291374037	Zone 01		1 23.00	23.00
291374037	Zone 01		1 23.00	23.00
231374030	20116-01		23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-1	8 Max Assessment	FY 17-18 Assessment
291374039	Zone 01	1	23.00	23.00
291374040	Zone 01	1	23.00	23.00
291374041	Zone 01	1	23.00	23.00
291374042	Zone 01	1	23.00	23.00
291374043	Zone 01	1	23.00	23.00
291374044	Zone 01	1	23.00	23.00
291381001	Zone 01	1	23.00	23.00
291381002	Zone 01	1	23.00	23.00
291381003	Zone 01	1	23.00	23.00
291381004	Zone 01	1	23.00	23.00
291381005	Zone 01	1	23.00	23.00
291381006	Zone 01	1	23.00	23.00
291381007	Zone 01	1	23.00	23.00
291381008	Zone 01	1	23.00	23.00
291381009	Zone 01	1	23.00	23.00
291381010	Zone 01	1	23.00	23.00
291381011	Zone 01	1	23.00	23.00
291381012	Zone 01	1	23.00	23.00
291381013	Zone 01	1	23.00	23.00
291381014	Zone 01	1	23.00	23.00
291381015	Zone 01	1	23.00	23.00
291381016	Zone 01	1	23.00	23.00
291381017	Zone 01	1	23.00	23.00
291381018	Zone 01	1	23.00	23.00
291381019	Zone 01	1	23.00	23.00
291381020	Zone 01	1	23.00	23.00
291381021	Zone 01	1	23.00	23.00
291381022	Zone 01	1	23.00	23.00
291381023	Zone 01	1	23.00	23.00
291381024	Zone 01	1	23.00	23.00
291381025	Zone 01	1	23.00	23.00
291381026	Zone 01	1	23.00	23.00
291381027	Zone 01	1	23.00	23.00
291381028	Zone 01	1	23.00	23.00
291381029	Zone 01	1	23.00	23.00
291381030	Zone 01	1	23.00	23.00
291381031	Zone 01	1	23.00	23.00
291381032	Zone 01	1	23.00	23.00
291381033	Zone 01	1	23.00	23.00
291381034	Zone 01	1	23.00	23.00
291381035	Zone 01	1	23.00	23.00
291381036	Zone 01	1	23.00	23.00
291381037	Zone 01	1	23.00	23.00
291381038	Zone 01	1	23.00	23.00
291381039	Zone 01	1	23.00	23.00
291381040	Zone 01	1	23.00	23.00
291381041	Zone 01	1	23.00	23.00
291381042	Zone 01	1	23.00	23.00
			==100	

APN	LMD 2014-01 Zone LMD Assigned E	BU's FY 17-	18 Max Assessment	FY 17-18 Assessment
291381043	Zone 01	1	23.00	23.00
291382001	Zone 01	1	23.00	23.00
291382002	Zone 01	1	23.00	23.00
291382003	Zone 01	1	23.00	23.00
291382004	Zone 01	1	23.00	23.00
291382005	Zone 01	1	23.00	23.00
291382006	Zone 01	1	23.00	23.00
291382007	Zone 01	1	23.00	23.00
291382008	Zone 01	1	23.00	23.00
291382009	Zone 01	1	23.00	23.00
291382010	Zone 01	1	23.00	23.00
291382011	Zone 01	1	23.00	23.00
291382012	Zone 01	1	23.00	23.00
291382013	Zone 01	1	23.00	23.00
291382014	Zone 01	1	23.00	23.00
291382015	Zone 01	1	23.00	23.00
291382016	Zone 01	1	23.00	23.00
291382017	Zone 01	1	23.00	23.00
291382018	Zone 01	1	23.00	23.00
291382019	Zone 01	1	23.00	23.00
291382020	Zone 01	1	23.00	23.00
291382021	Zone 01	1	23.00	23.00
291382022	Zone 01	1	23.00	23.00
291382023	Zone 01	1	23.00	23.00
291382024	Zone 01	1	23.00	23.00
291382025	Zone 01	1	23.00	23.00
291382026	Zone 01	1	23.00	23.00
291382027	Zone 01	1	23.00	23.00
291382028	Zone 01	1	23.00	23.00
291382029	Zone 01	1	23.00	23.00
291382030	Zone 01	1	23.00	23.00
291382031	Zone 01	1	23.00	23.00
291382032	Zone 01	1	23.00	23.00
291382033	Zone 01	1	23.00	23.00
291382034	Zone 01	1	23.00	23.00
291382035	Zone 01	1	23.00	23.00
291382036	Zone 01	1	23.00	23.00
291382037	Zone 01	1	23.00	23.00
291382038	Zone 01	1	23.00	23.00
291382039	Zone 01	1	23.00	23.00
291382040	Zone 01	1	23.00	23.00
291382041	Zone 01	1	23.00	23.00
291382042	Zone 01	1	23.00	23.00
291382043	Zone 01	1	23.00	23.00
291382044	Zone 01	1	23.00	23.00
291382045	Zone 01	1	23.00	23.00
291382046	Zone 01	1	23.00	23.00
291382047	Zone 01	1	23.00	23.00
2.2222			20.00	20.00

APN	LMD 2014-01 Zone L	_MD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
291382048	Zone 01		1 23.00	23.00
291382049	Zone 01		1 23.00	23.00
291382050	Zone 01		1 23.00	23.00
291382051	Zone 01		1 23.00	23.00
291382052	Zone 01		1 23.00	23.00
291382053	Zone 01		1 23.00	23.00
291382054	Zone 01		1 23.00	23.00
291382055	Zone 01		1 23.00	23.00
291382056	Zone 01		1 23.00	23.00
291382057	Zone 01		1 23.00	23.00
291383001	Zone 01		1 23.00	23.00
291383002	Zone 01		1 23.00	23.00
291383003	Zone 01		1 23.00	23.00
291383004	Zone 01		1 23.00	23.00
291383005	Zone 01		1 23.00	23.00
291383006	Zone 01		1 23.00	23.00
291384001	Zone 01		1 23.00	23.00
291384002	Zone 01		1 23.00	23.00
291384003	Zone 01		1 23.00	23.00
291384004	Zone 01		1 23.00	23.00
291384005	Zone 01		1 23.00	23.00
291384006	Zone 01		1 23.00	23.00
291384007	Zone 01		1 23.00	23.00
291384008	Zone 01		1 23.00	23.00
291384009	Zone 01		1 23.00	23.00
291384010	Zone 01		1 23.00	23.00
291384011	Zone 01		1 23.00	23.00
291384012	Zone 01		1 23.00	23.00
291384013	Zone 01		1 23.00	23.00
291384014	Zone 01		1 23.00	23.00
291384015	Zone 01		1 23.00	23.00
291384016	Zone 01		1 23.00	23.00
291384017	Zone 01		1 23.00	23.00
291384018	Zone 01		1 23.00	23.00
291384019	Zone 01		1 23.00	23.00
291384020	Zone 01		1 23.00	23.00
291384021	Zone 01		1 23.00	23.00
291384022	Zone 01		1 23.00	23.00
291384023	Zone 01		1 23.00	23.00
291384024	Zone 01		1 23.00	23.00
291384025	Zone 01		1 23.00	23.00
291384026	Zone 01		1 23.00	23.00
291384027	Zone 01		1 23.00	23.00
291384028	Zone 01		1 23.00	23.00
291384029	Zone 01		1 23.00	23.00
291384030	Zone 01		1 23.00	23.00
291384031	Zone 01		1 23.00	23.00
291384032	Zone 01		1 23.00	23.00
231001002	20110 01		25.00	20.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
291384033	Zone 01		1 23.00	23.00
291384034	Zone 01		1 23.00	23.00
291391001	Zone 01		1 23.00	23.00
291391002	Zone 01		1 23.00	23.00
291391003	Zone 01		1 23.00	23.00
291391004	Zone 01		1 23.00	23.00
291391005	Zone 01		1 23.00	23.00
291391006	Zone 01		1 23.00	23.00
291391007	Zone 01		1 23.00	23.00
291391008	Zone 01		1 23.00	23.00
291391009	Zone 01		1 23.00	23.00
291391010	Zone 01		1 23.00	23.00
291391011	Zone 01		1 23.00	23.00
291392001	Zone 01		1 23.00	23.00
291392002	Zone 01		1 23.00	23.00
291392003	Zone 01		1 23.00	23.00
291392004	Zone 01		1 23.00	23.00
291392005	Zone 01		1 23.00	23.00
291392006	Zone 01		1 23.00	23.00
291392007	Zone 01		1 23.00	23.00
291392008	Zone 01		1 23.00	23.00
291392009	Zone 01		1 23.00	23.00
291392010	Zone 01		1 23.00	23.00
291392011	Zone 01		1 23.00	23.00
291392012	Zone 01		1 23.00	23.00
291392013	Zone 01		1 23.00	23.00
291392014	Zone 01		1 23.00	23.00
291392015	Zone 01		1 23.00	23.00
291392016	Zone 01		1 23.00	23.00
291392017	Zone 01		1 23.00	23.00
291393001	Zone 01		1 23.00	23.00
291393002	Zone 01		1 23.00	23.00
291393003	Zone 01		1 23.00	23.00
291393004	Zone 01		1 23.00	23.00
291393005	Zone 01		1 23.00	23.00
291393006	Zone 01		1 23.00	23.00
291393007	Zone 01		1 23.00	23.00
291393008	Zone 01		1 23.00	23.00
291393009	Zone 01		1 23.00	23.00
291393010	Zone 01		1 23.00	23.00
291393011	Zone 01		1 23.00	23.00
291393012	Zone 01		1 23.00	23.00
291393013	Zone 01		1 23.00	23.00
291393014	Zone 01		1 23.00	23.00
291393015	Zone 01		1 23.00	23.00
291393016	Zone 01		1 23.00	23.00
291393017	Zone 01		1 23.00	23.00
291393018	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone I	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
291393019	Zone 01		1 23.00	23.00
291393020	Zone 01		1 23.00	23.00
291393021	Zone 01		1 23.00	23.00
291393022	Zone 01		1 23.00	23.00
291393023	Zone 01		1 23.00	23.00
291393024	Zone 01		1 23.00	23.00
291393025	Zone 01		1 23.00	23.00
291393026	Zone 01		1 23.00	23.00
291393028	Zone 01		1 23.00	23.00
291393029	Zone 01		1 23.00	23.00
291393030	Zone 01		1 23.00	23.00
291393031	Zone 01		1 23.00	23.00
291393032	Zone 01		1 23.00	23.00
291393033	Zone 01		1 23.00	23.00
291393034	Zone 01		1 23.00	23.00
291393035	Zone 01		1 23.00	23.00
291393036	Zone 01		1 23.00	23.00
291393037	Zone 01		1 23.00	23.00
291393038	Zone 01		1 23.00	23.00
291393039	Zone 01		1 23.00	23.00
291393040	Zone 01		1 23.00	23.00
291401001	Zone 01		1 23.00	23.00
291401002	Zone 01		1 23.00	23.00
291401003	Zone 01		1 23.00	23.00
291401004	Zone 01		1 23.00	23.00
291401005	Zone 01		1 23.00	23.00
291402001	Zone 01		1 23.00	23.00
291402002	Zone 01		1 23.00	23.00
291402003	Zone 01		1 23.00	23.00
291402004	Zone 01		1 23.00	23.00
291402005	Zone 01		1 23.00	23.00
291402006	Zone 01		1 23.00	23.00
291402007	Zone 01		1 23.00	23.00
291402008	Zone 01		1 23.00	23.00
291402009	Zone 01		1 23.00	23.00
291402010	Zone 01		1 23.00	23.00
291402011	Zone 01		1 23.00	23.00
291402012	Zone 01		1 23.00	23.00
291402013	Zone 01		1 23.00	23.00
291402014	Zone 01		1 23.00	23.00
291402015	Zone 01		1 23.00	23.00
291402016	Zone 01		1 23.00	23.00
291402017	Zone 01		1 23.00	23.00
291402017	Zone 01		1 23.00	23.00
291402019	Zone 01		1 23.00	23.00
291403001	Zone 01		1 23.00	23.00
291403001	Zone 01			
			1 23.00	23.00
291403003	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone L	MD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
291403004	Zone 01		1 23.00	23.00
291403005	Zone 01		1 23.00	23.00
291403006	Zone 01		1 23.00	23.00
291404001	Zone 01		1 23.00	23.00
291404002	Zone 01		1 23.00	23.00
291404003	Zone 01		1 23.00	23.00
291404004	Zone 01		1 23.00	23.00
291404005	Zone 01		1 23.00	23.00
291404006	Zone 01		1 23.00	23.00
291404007	Zone 01		1 23.00	23.00
291404008	Zone 01		1 23.00	23.00
291404009	Zone 01		1 23.00	23.00
291404010	Zone 01		1 23.00	23.00
291404011	Zone 01		1 23.00	23.00
291404012	Zone 01		1 23.00	23.00
291404013	Zone 01		1 23.00	23.00
291404014	Zone 01		1 23.00	23.00
291404015	Zone 01		1 23.00	23.00
291404016	Zone 01		1 23.00	23.00
291404017	Zone 01		1 23.00	23.00
291404018	Zone 01		1 23.00	23.00
291404019	Zone 01		1 23.00	23.00
291404020	Zone 01		1 23.00	23.00
291411001	Zone 01		1 23.00	23.00
291411002	Zone 01		1 23.00	23.00
291411003	Zone 01		1 23.00	23.00
291411004	Zone 01		1 23.00	23.00
291411005	Zone 01		1 23.00	23.00
291411006	Zone 01		1 23.00	23.00
291411007	Zone 01		1 23.00	23.00
291411008	Zone 01		1 23.00	23.00
291411009	Zone 01		1 23.00	23.00
291411010	Zone 01		1 23.00	23.00
291411011	Zone 01		1 23.00	23.00
291411012	Zone 01		1 23.00	23.00
291411013	Zone 01		1 23.00	23.00
291411014	Zone 01		1 23.00	23.00
291412001	Zone 01		1 23.00	23.00
291412002	Zone 01		1 23.00	23.00
291412003	Zone 01		1 23.00	23.00
291412004	Zone 01		1 23.00	23.00
291412005	Zone 01		1 23.00	23.00
291412006	Zone 01		1 23.00	23.00
291412007	Zone 01		1 23.00	23.00
291412007	Zone 01		1 23.00	23.00
291412009	Zone 01		1 23.00	23.00
291412010	Zone 01		1 23.00	23.00
291412011	Zone 01		1 23.00	23.00
231712011	2016 01		23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned E	BU's FY 17-18	Max Assessment	FY 17-18 Assessment
291412012	Zone 01	1	23.00	23.00
291412013	Zone 01	1	23.00	23.00
291412014	Zone 01	1	23.00	23.00
291412015	Zone 01	1	23.00	23.00
291412016	Zone 01	1	23.00	23.00
291412017	Zone 01	1	23.00	23.00
291412018	Zone 01	1	23.00	23.00
291412019	Zone 01	1	23.00	23.00
291412020	Zone 01	1	23.00	23.00
291412021	Zone 01	1	23.00	23.00
291412022	Zone 01	1	23.00	23.00
291412023	Zone 01	1	23.00	23.00
291412024	Zone 01	1	23.00	23.00
291412025	Zone 01	1	23.00	23.00
291412026	Zone 01	1	23.00	23.00
291413001	Zone 01	1	23.00	23.00
291413002	Zone 01	1	23.00	23.00
291413003	Zone 01	1	23.00	23.00
291413004	Zone 01	1	23.00	23.00
291413005	Zone 01	1	23.00	23.00
291413006	Zone 01	1	23.00	23.00
291413007	Zone 01	1	23.00	23.00
291413008	Zone 01	1	23.00	23.00
291413009	Zone 01	1	23.00	23.00
291413010	Zone 01	1	23.00	23.00
291413011	Zone 01	1	23.00	23.00
291413012	Zone 01	1	23.00	23.00
291413013	Zone 01	1	23.00	23.00
291413014	Zone 01	1	23.00	23.00
291413015	Zone 01	1	23.00	23.00
291413016	Zone 01	1	23.00	23.00
291413017	Zone 01	1	23.00	23.00
291413018	Zone 01	1	23.00	23.00
291413019	Zone 01	1	23.00	23.00
291413020	Zone 01	1	23.00	23.00
291413021	Zone 01	1	23.00	23.00
291413022	Zone 01	1	23.00	23.00
291413023	Zone 01	1	23.00	23.00
291413024	Zone 01	1	23.00	23.00
291413025	Zone 01	1	23.00	23.00
291413026	Zone 01	1	23.00	23.00
291413027	Zone 01	1	23.00	23.00
291431001	Zone 01	1	23.00	23.00
291431002	Zone 01	1	23.00	23.00
291431003	Zone 01	1	23.00	23.00
291431004	Zone 01	1	23.00	23.00
291431005	Zone 01	1	23.00	23.00
291431006	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
291431007	Zone 01		1 23.00	23.00
291431008	Zone 01		1 23.00	23.00
291431009	Zone 01		1 23.00	23.00
291431010	Zone 01		1 23.00	23.00
291431011	Zone 01		1 23.00	23.00
291431017	Zone 01		1 23.00	23.00
291431018	Zone 01		1 23.00	23.00
291431019	Zone 01		1 23.00	23.00
291431020	Zone 01		1 23.00	23.00
291431021	Zone 01		1 23.00	23.00
291431023	Zone 01		1 23.00	23.00
291431024	Zone 01		1 23.00	23.00
291431025	Zone 01		1 23.00	23.00
291432001	Zone 01		1 23.00	23.00
291432002	Zone 01		1 23.00	23.00
291432003	Zone 01		1 23.00	23.00
291432004	Zone 01		1 23.00	23.00
291432005	Zone 01		1 23.00	23.00
291432006	Zone 01		1 23.00	23.00
291432007	Zone 01		1 23.00	23.00
291432008	Zone 01		1 23.00	23.00
291432009	Zone 01		1 23.00	23.00
291432010	Zone 01		1 23.00	23.00
291432011	Zone 01		1 23.00	23.00
291432012	Zone 01		1 23.00	23.00
291432013	Zone 01		1 23.00	23.00
291432014	Zone 01		1 23.00	23.00
291432015	Zone 01		1 23.00	23.00
291432016	Zone 01		1 23.00	23.00
291432017	Zone 01		1 23.00	23.00
291432018	Zone 01		1 23.00	23.00
291432019	Zone 01		1 23.00	23.00
291432020	Zone 01		1 23.00	23.00
291432021	Zone 01		1 23.00	23.00
291432022	Zone 01		1 23.00	23.00
291432023	Zone 01		1 23.00	23.00
291432024	Zone 01		1 23.00	23.00
291432025	Zone 01		1 23.00	23.00
291433001	Zone 01		1 23.00	23.00
291433001	Zone 01		1 23.00	23.00
291433002	Zone 01		1 23.00	23.00
291433004	Zone 01		1 23.00	23.00
291433004	Zone 01		1 23.00	23.00
291433005	Zone 01		1 23.00	23.00
291433006	Zone 01		1 23.00	23.00
291433007	Zone 01		1 23.00	23.00
291433009	Zone 01			
			1 23.00	23.00
291433010	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
291433011	Zone 01		1 23.00	23.00
291433012	Zone 01		1 23.00	23.00
291433013	Zone 01		1 23.00	23.00
291433014	Zone 01		1 23.00	23.00
291433015	Zone 01		1 23.00	23.00
291433016	Zone 01		1 23.00	23.00
291492002	Zone 01		1 23.00	23.00
291492003	Zone 01		1 23.00	23.00
291492004	Zone 01		1 23.00	23.00
291492005	Zone 01		1 23.00	23.00
291492006	Zone 01		1 23.00	23.00
291492007	Zone 01		1 23.00	23.00
291492008	Zone 01		1 23.00	23.00
291492009	Zone 01		1 23.00	23.00
291492010	Zone 01		1 23.00	23.00
291492011	Zone 01		1 23.00	23.00
291492012	Zone 01		1 23.00	23.00
291492013	Zone 01		1 23.00	23.00
291492014	Zone 01		1 23.00	23.00
291492015	Zone 01		1 23.00	23.00
291492016	Zone 01		1 23.00	23.00
291492017	Zone 01		1 23.00	23.00
291492017	Zone 01		1 23.00	23.00
291492019	Zone 01		1 23.00	23.00
291492019	Zone 01		1 23.00	23.00
291492021	Zone 01		1 23.00	23.00
291492021	Zone 01		1 23.00	23.00
291492023	Zone 01		1 23.00	23.00
291492024	Zone 01		1 23.00	23.00
291493006	Zone 01		1 23.00	23.00
291493007	Zone 01		1 23.00	23.00
291493008	Zone 01		1 23.00	23.00
291493009	Zone 01		1 23.00	23.00
291493010	Zone 01		1 23.00	23.00
291493011	Zone 01		1 23.00	23.00
291493011	Zone 01		1 23.00	23.00
291493012	Zone 01		1 23.00	23.00
291493013	Zone 01		1 23.00	23.00
291493014	Zone 01		1 23.00	23.00
291493016	Zone 01		1 23.00	23.00
291493017			1 23.00	23.00
	Zone 01			
291493018	Zone 01		1 23.00	23.00
291493019	Zone 01		1 23.00	23.00
291493020 291493021	Zone 01		1 23.00	23.00
	Zone 01		1 23.00	23.00
291493022	Zone 01		1 23.00	23.00
291493023	Zone 01		1 23.00	23.00
291493024	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone L	.MD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
291493025	Zone 01		1 23.00	23.00
291493026	Zone 01		1 23.00	23.00
291493027	Zone 01		1 23.00	23.00
291493028	Zone 01		1 23.00	23.00
291493029	Zone 01		1 23.00	23.00
291493030	Zone 01		1 23.00	23.00
291493031	Zone 01		1 23.00	23.00
291493032	Zone 01		1 23.00	23.00
291493033	Zone 01		1 23.00	23.00
291493034	Zone 01		1 23.00	23.00
291493035	Zone 01		1 23.00	23.00
291493036	Zone 01		1 23.00	23.00
291493037	Zone 01		1 23.00	23.00
291493038	Zone 01		1 23.00	23.00
291493039	Zone 01		1 23.00	23.00
291493044	Zone 01		1 23.00	23.00
291493045	Zone 01		1 23.00	23.00
291493046	Zone 01		1 23.00	23.00
291493050	Zone 01		1 23.00	23.00
291493054	Zone 01		1 23.00	23.00
291493056	Zone 01		1 23.00	23.00
291493057	Zone 01		1 23.00	23.00
291494001	Zone 01		1 23.00	23.00
291494002	Zone 01		1 23.00	23.00
291494003	Zone 01		1 23.00	23.00
291494004	Zone 01		1 23.00	23.00
291494005	Zone 01		1 23.00	23.00
291494006	Zone 01		1 23.00	23.00
291494007	Zone 01		1 23.00	23.00
291494008	Zone 01		1 23.00	23.00
291494009	Zone 01		1 23.00	23.00
291494010	Zone 01		1 23.00	23.00
291501001	Zone 01		1 23.00	23.00
291501002	Zone 01		1 23.00	23.00
291501003	Zone 01		1 23.00	23.00
291501004	Zone 01		1 23.00	23.00
291501005	Zone 01		1 23.00	23.00
291501006	Zone 01		1 23.00	23.00
291501007	Zone 01		1 23.00	23.00
291501008	Zone 01		1 23.00	23.00
291501009	Zone 01		1 23.00	23.00
291501010	Zone 01		1 23.00	23.00
291501011	Zone 01		1 23.00	23.00
291501012	Zone 01		1 23.00	23.00
291501013	Zone 01		1 23.00	23.00
291501014	Zone 01		1 23.00	23.00
291501015	Zone 01		1 23.00	23.00
291501016	Zone 01		1 23.00	23.00
1.00.00				_5.00

APN	LMD 2014-01 Zone L	MD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
291501017	Zone 01		1 23.00	23.00
291501018	Zone 01		1 23.00	23.00
291501019	Zone 01		1 23.00	23.00
291501020	Zone 01		1 23.00	23.00
291501021	Zone 01		1 23.00	23.00
291501022	Zone 01		1 23.00	23.00
291501023	Zone 01		1 23.00	23.00
291501024	Zone 01		1 23.00	23.00
291501025	Zone 01		1 23.00	23.00
291502001	Zone 01		1 23.00	23.00
291502002	Zone 01		1 23.00	23.00
291502003	Zone 01		1 23.00	23.00
291502004	Zone 01		1 23.00	23.00
291502005	Zone 01		1 23.00	23.00
291502006	Zone 01		1 23.00	23.00
291502007	Zone 01		1 23.00	23.00
291502008	Zone 01		1 23.00	23.00
291502009	Zone 01		1 23.00	23.00
291502010	Zone 01		1 23.00	23.00
291502011	Zone 01		1 23.00	23.00
291502012	Zone 01		1 23.00	23.00
291502013	Zone 01		1 23.00	23.00
291503001	Zone 01		1 23.00	23.00
291503002	Zone 01		1 23.00	23.00
291503003	Zone 01		1 23.00	23.00
291503004	Zone 01		1 23.00	23.00
291503005	Zone 01		1 23.00	23.00
291503006	Zone 01		1 23.00	23.00
291503007	Zone 01		1 23.00	23.00
291503008	Zone 01		1 23.00	23.00
291503009	Zone 01		1 23.00	23.00
291503010	Zone 01		1 23.00	23.00
291503011	Zone 01		1 23.00	23.00
291503012	Zone 01		1 23.00	23.00
291503013	Zone 01		1 23.00	23.00
291503014	Zone 01		1 23.00	23.00
291503015	Zone 01		1 23.00	23.00
291503016	Zone 01		1 23.00	23.00
291503017	Zone 01		1 23.00	23.00
291503017	Zone 01		1 23.00	23.00
291503019	Zone 01		1 23.00	23.00
291503019	Zone 01		1 23.00	23.00
291503020	Zone 01		1 23.00	23.00
291503021	Zone 01		1 23.00	23.00
291503022	Zone 01		1 23.00	23.00
291503023	Zone 01		1 23.00	23.00
291503024	Zone 01			
			1 23.00	23.00
291503026	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
291503027	Zone 01		1 23.00	23.00
291503028	Zone 01		1 23.00	23.00
291503029	Zone 01		1 23.00	23.00
291503030	Zone 01		1 23.00	23.00
291503031	Zone 01		1 23.00	23.00
291503032	Zone 01		1 23.00	23.00
291503033	Zone 01		1 23.00	23.00
291503034	Zone 01		1 23.00	23.00
291503035	Zone 01		1 23.00	23.00
291511001	Zone 01		1 23.00	23.00
291511002	Zone 01		1 23.00	23.00
291511003	Zone 01		1 23.00	23.00
291511004	Zone 01		1 23.00	23.00
291511005	Zone 01		1 23.00	23.00
291511006	Zone 01		1 23.00	23.00
291511007	Zone 01		1 23.00	23.00
291511008	Zone 01		1 23.00	23.00
291511009	Zone 01		1 23.00	23.00
291511010	Zone 01		1 23.00	23.00
291511011	Zone 01		1 23.00	23.00
291511012	Zone 01		1 23.00	23.00
291511013	Zone 01		1 23.00	23.00
291511014	Zone 01		1 23.00	23.00
291511015	Zone 01		1 23.00	23.00
291511016	Zone 01		1 23.00	23.00
291511017	Zone 01		1 23.00	23.00
291512001	Zone 01		1 23.00	23.00
291512001	Zone 01		1 23.00	23.00
291512002	Zone 01		1 23.00	23.00
291512003	Zone 01		1 23.00	23.00
291512004	Zone 01		1 23.00	23.00
291512005	Zone 01		1 23.00	23.00
291512007	Zone 01		1 23.00	23.00
291512007			1 23.00	23.00
291512008	Zone 01			23.00
	Zone 01		1 23.00	
291512010 291512011	Zone 01		1 23.00	23.00
	Zone 01		1 23.00	23.00
291512012	Zone 01		1 23.00	23.00
291512013	Zone 01		1 23.00	23.00
291512014	Zone 01		1 23.00	23.00
291512015	Zone 01		1 23.00	23.00
291512016	Zone 01		1 23.00	23.00
291512017	Zone 01		1 23.00	23.00
291512018	Zone 01		1 23.00	23.00
291512019	Zone 01		1 23.00	23.00
291512020	Zone 01		1 23.00	23.00
291512021	Zone 01		1 23.00	23.00
291512022	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LI	MD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
291512023	Zone 01		1 23.00	23.00
291512024	Zone 01		1 23.00	23.00
291512025	Zone 01		1 23.00	23.00
291512026	Zone 01		1 23.00	23.00
291512027	Zone 01		1 23.00	23.00
291512028	Zone 01		1 23.00	23.00
291512029	Zone 01	,	1 23.00	23.00
291512030	Zone 01		1 23.00	23.00
291512031	Zone 01		1 23.00	23.00
291512032	Zone 01		1 23.00	23.00
291512033	Zone 01		1 23.00	23.00
291512034	Zone 01		1 23.00	23.00
291512035	Zone 01		1 23.00	23.00
291512036	Zone 01		1 23.00	23.00
291513001	Zone 01		1 23.00	23.00
291513002	Zone 01		1 23.00	23.00
291513003	Zone 01		1 23.00	23.00
291513004	Zone 01		1 23.00	23.00
291513005	Zone 01		1 23.00	23.00
291513006	Zone 01		1 23.00	23.00
291513007	Zone 01		1 23.00	23.00
291513008	Zone 01		1 23.00	23.00
291513009	Zone 01		1 23.00	23.00
291513010	Zone 01		1 23.00	23.00
291513011	Zone 01		1 23.00	23.00
291513012	Zone 01		1 23.00	23.00
291513013	Zone 01		1 23.00	23.00
291521001	Zone 01		1 23.00	23.00
291521002	Zone 01		1 23.00	23.00
291521003	Zone 01		1 23.00	23.00
291521004	Zone 01		1 23.00	23.00
291521005	Zone 01		1 23.00	23.00
291521006	Zone 01		1 23.00	23.00
291521007	Zone 01		1 23.00	23.00
291521008	Zone 01		1 23.00	23.00
291521009	Zone 01		1 23.00	23.00
291521010	Zone 01		1 23.00	23.00
291521011	Zone 01		1 23.00	23.00
291521012	Zone 01		1 23.00	23.00
291521013	Zone 01		1 23.00	23.00
291522001	Zone 01		1 23.00	23.00
291522002	Zone 01		1 23.00	23.00
291522002	Zone 01		1 23.00	23.00
291522004	Zone 01		1 23.00	23.00
291522005	Zone 01		1 23.00	23.00
291522006	Zone 01		1 23.00	23.00
291522007	Zone 01		1 23.00	23.00
291522007	Zone 01		1 23.00	23.00
23 1322000	2016 01		23.00	25.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-18 N	Max Assessment	FY 17-18 Assessment
291522009	Zone 01	1	23.00	23.00
291522010	Zone 01	1	23.00	23.00
291522011	Zone 01	1	23.00	23.00
291522012	Zone 01	1	23.00	23.00
291522013	Zone 01	1	23.00	23.00
291522014	Zone 01	1	23.00	23.00
291522015	Zone 01	1	23.00	23.00
291522016	Zone 01	1	23.00	23.00
291522017	Zone 01	1	23.00	23.00
291522018	Zone 01	1	23.00	23.00
291522019	Zone 01	1	23.00	23.00
291522020	Zone 01	1	23.00	23.00
291522021	Zone 01	1	23.00	23.00
291522022	Zone 01	1	23.00	23.00
291522023	Zone 01	1	23.00	23.00
291522024	Zone 01	1	23.00	23.00
291522025	Zone 01	1	23.00	23.00
291522026	Zone 01	1	23.00	23.00
291522027	Zone 01	1	23.00	23.00
291522028	Zone 01	1	23.00	23.00
291522029	Zone 01	1	23.00	23.00
291522030	Zone 01	1	23.00	23.00
291522031	Zone 01	1	23.00	23.00
291522032	Zone 01	1	23.00	23.00
291522033	Zone 01	1	23.00	23.00
291522034	Zone 01	1	23.00	23.00
291522035	Zone 01	1	23.00	23.00
291522036	Zone 01	1	23.00	23.00
291522037	Zone 01	1	23.00	23.00
291522038	Zone 01	1	23.00	23.00
291522039	Zone 01	1	23.00	23.00
291523001	Zone 01	1	23.00	23.00
291523002	Zone 01	1	23.00	23.00
291523003	Zone 01	1	23.00	23.00
291523004	Zone 01	1	23.00	23.00
291523005	Zone 01	1	23.00	23.00
291523006	Zone 01	1	23.00	23.00
291523007	Zone 01	1	23.00	23.00
291523008	Zone 01	1	23.00	23.00
291523009	Zone 01	1	23.00	23.00
291523010	Zone 01	1	23.00	23.00
291523011	Zone 01	1	23.00	23.00
291523012	Zone 01	1	23.00	23.00
291523013	Zone 01	1	23.00	23.00
291523014	Zone 01	1	23.00	23.00
291523015	Zone 01	1	23.00	23.00
291523016	Zone 01	1	23.00	23.00
291523017	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-1	8 Max Assessment	FY 17-18 Assessment
291523018	Zone 01	1	23.00	23.00
291523019	Zone 01	1	23.00	23.00
291523020	Zone 01	1	23.00	23.00
291523021	Zone 01	1	23.00	23.00
291523022	Zone 01	1	23.00	23.00
291523023	Zone 01	1	23.00	23.00
291523024	Zone 01	1	23.00	23.00
291523025	Zone 01	1	23.00	23.00
291523026	Zone 01	1	23.00	23.00
291523027	Zone 01	1	23.00	23.00
291523028	Zone 01	1	23.00	23.00
291523029	Zone 01	1	23.00	23.00
291523030	Zone 01	1	23.00	23.00
291523031	Zone 01	1	23.00	23.00
291523032	Zone 01	1	23.00	23.00
291531001	Zone 01	1	23.00	23.00
291531002	Zone 01	1	23.00	23.00
291531003	Zone 01	1	23.00	23.00
291531004	Zone 01	1	23.00	23.00
291531005	Zone 01	1	23.00	23.00
291531006	Zone 01	1	23.00	23.00
291531007	Zone 01	1	23.00	23.00
291531008	Zone 01	1	23.00	23.00
291531009	Zone 01	1	23.00	23.00
291531010	Zone 01	1	23.00	23.00
291531011	Zone 01	1	23.00	23.00
291531012	Zone 01	1	23.00	23.00
291531013	Zone 01	1	23.00	23.00
291531014	Zone 01	1	23.00	23.00
291531015	Zone 01	1	23.00	23.00
291532001	Zone 01	1	23.00	23.00
291532002	Zone 01	1	23.00	23.00
291532003	Zone 01	1	23.00	23.00
291532004	Zone 01	1	23.00	23.00
291532005	Zone 01	1	23.00	23.00
291532006	Zone 01	1	23.00	23.00
291532007	Zone 01	1	23.00	23.00
291532008	Zone 01	1	23.00	23.00
291532009	Zone 01	1	23.00	23.00
291532010	Zone 01	1	23.00	23.00
291532011	Zone 01	1	23.00	23.00
291532012	Zone 01	1	23.00	23.00
291532013	Zone 01	1	23.00	23.00
291532014	Zone 01	1	23.00	23.00
291532015	Zone 01	1	23.00	23.00
291532016	Zone 01	1	23.00	23.00
291532017	Zone 01	1	23.00	23.00
291532018	Zone 01	1	23.00	23.00

APN LMD 2014-01 Zone LMD Assigned EBU's FY 17-18 Max Assessment FY 17-18 Assessment 291532019 Zone 01 1 23.00 291532020 Zone 01 1 23.00 291532021 Zone 01 1 23.00 291532022 Zone 01 1 23.00 291532023 Zone 01 1 23.00 291532024 Zone 01 1 23.00 291532025 Zone 01 1 23.00 291532026 Zone 01 1 23.00 291533001 Zone 01 1 23.00 291533002 Zone 01 1 23.00 291533003 Zone 01 1 23.00	23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00
291532020 Zone 01 1 23.00 291532021 Zone 01 1 23.00 291532022 Zone 01 1 23.00 291532023 Zone 01 1 23.00 291532024 Zone 01 1 23.00 291532025 Zone 01 1 23.00 291532026 Zone 01 1 23.00 291533001 Zone 01 1 23.00 291533002 Zone 01 1 23.00	23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00
291532021 Zone 01 1 23.00 291532022 Zone 01 1 23.00 291532023 Zone 01 1 23.00 291532024 Zone 01 1 23.00 291532025 Zone 01 1 23.00 291532026 Zone 01 1 23.00 291533001 Zone 01 1 23.00 291533002 Zone 01 1 23.00	23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00
291532022 Zone 01 1 23.00 291532023 Zone 01 1 23.00 291532024 Zone 01 1 23.00 291532025 Zone 01 1 23.00 291532026 Zone 01 1 23.00 291533001 Zone 01 1 23.00 291533002 Zone 01 1 23.00	23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00
291532023 Zone 01 1 23.00 291532024 Zone 01 1 23.00 291532025 Zone 01 1 23.00 291532026 Zone 01 1 23.00 291533001 Zone 01 1 23.00 291533002 Zone 01 1 23.00	23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00
291532024 Zone 01 1 23.00 291532025 Zone 01 1 23.00 291532026 Zone 01 1 23.00 291533001 Zone 01 1 23.00 291533002 Zone 01 1 23.00	23.00 23.00 23.00 23.00 23.00 23.00 23.00
291532025 Zone 01 1 23.00 291532026 Zone 01 1 23.00 291533001 Zone 01 1 23.00 291533002 Zone 01 1 23.00	23.00 23.00 23.00 23.00 23.00 23.00
291532026 Zone 01 1 23.00 291533001 Zone 01 1 23.00 291533002 Zone 01 1 23.00	23.00 23.00 23.00 23.00 23.00
291533001 Zone 01 1 23.00 291533002 Zone 01 1 23.00	23.00 23.00 23.00 23.00
291533002 Zone 01 1 23.00	23.00 23.00 23.00
	23.00 23.00
231333003 ZUITE UT	23.00
291533004 Zone 01 1 23.00	
291533005 Zone 01 1 23.00	23.00
291533006 Zone 01 1 23.00	23.00
291533007 Zone 01 1 23.00	23.00
291533008 Zone 01 1 23.00	23.00
291533009 Zone 01 1 23.00	23.00
291533010 Zone 01 1 23.00	23.00
291533011 Zone 01 1 23.00	23.00
291533012 Zone 01 1 23.00	23.00
291533013 Zone 01 1 23.00	23.00
291533014 Zone 01 1 23.00	23.00
291533015 Zone 01 1 23.00	23.00
291533016 Zone 01 1 23.00	23.00
291533017 Zone 01 1 23.00	23.00
291533018 Zone 01 1 23.00	23.00
291533019 Zone 01 1 23.00	23.00
291533020 Zone 01 1 23.00	23.00
291533021 Zone 01 1 23.00	23.00
291533022 Zone 01 1 23.00	23.00
291533023 Zone 01 1 23.00	23.00
291533024 Zone 01 1 23.00	23.00
291533025 Zone 01 1 23.00	23.00
291533026 Zone 01 1 23.00	23.00
291534001 Zone 01 1 23.00	23.00
291534002 Zone 01 1 23.00	23.00
291534003 Zone 01 1 23.00	23.00
291534004 Zone 01 1 23.00	23.00
291534005 Zone 01 1 23.00	23.00
291534006 Zone 01 1 23.00	23.00
291534007 Zone 01 1 23.00	23.00
291535001 Zone 01 1 23.00	23.00
291535002 Zone 01 1 23.00	23.00
291535003 Zone 01 1 23.00	23.00
291535004 Zone 01 1 23.00	23.00
291535005 Zone 01 1 23.00	23.00
291535006 Zone 01 1 23.00	23.00
291535007 Zone 01 1 23.00	23.00

APN	LMD 2014-01 Zone L	.MD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
291535008	Zone 01		1 23.00	23.00
291535009	Zone 01		1 23.00	23.00
291535010	Zone 01		1 23.00	23.00
291535011	Zone 01		1 23.00	23.00
291535012	Zone 01		1 23.00	23.00
291535013	Zone 01		1 23.00	23.00
291535014	Zone 01	,	1 23.00	23.00
291535015	Zone 01		1 23.00	23.00
291535016	Zone 01		1 23.00	23.00
291536001	Zone 01		1 23.00	23.00
291536002	Zone 01		1 23.00	23.00
291536003	Zone 01		1 23.00	23.00
291536004	Zone 01		1 23.00	23.00
291536005	Zone 01		1 23.00	23.00
291536006	Zone 01		1 23.00	23.00
291536007	Zone 01		1 23.00	23.00
291537001	Zone 01		1 23.00	23.00
291537002	Zone 01		1 23.00	23.00
291537003	Zone 01		1 23.00	23.00
291537004	Zone 01		1 23.00	23.00
291537005	Zone 01		1 23.00	23.00
291537006	Zone 01		1 23.00	23.00
291538001	Zone 01		1 23.00	23.00
291538002	Zone 01		1 23.00	23.00
291538003	Zone 01		1 23.00	23.00
291538004	Zone 01		1 23.00	23.00
291538005	Zone 01		1 23.00	23.00
291538006	Zone 01		1 23.00	23.00
291538007	Zone 01		1 23.00	23.00
291538008	Zone 01		1 23.00	23.00
291538009	Zone 01		1 23.00	23.00
291538010	Zone 01		1 23.00	23.00
291538011	Zone 01		1 23.00	23.00
291538012	Zone 01		1 23.00	23.00
291538013	Zone 01		1 23.00	23.00
291538014	Zone 01		1 23.00	23.00
291538015	Zone 01		1 23.00	23.00
291538016	Zone 01		1 23.00	23.00
291538017	Zone 01		1 23.00	23.00
291538018	Zone 01		1 23.00	23.00
291538019	Zone 01		1 23.00	23.00
291538020	Zone 01		1 23.00	23.00
291538021	Zone 01		1 23.00	23.00
291538022	Zone 01		1 23.00	23.00
291538023	Zone 01		1 23.00	23.00
291538024	Zone 01		1 23.00	23.00
291538025	Zone 01		1 23.00	23.00
291538026	Zone 01		1 23.00	23.00
			20.00	20.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
291538027	Zone 01		1 23.00	23.00
291541001	Zone 01		1 23.00	23.00
291541002	Zone 01		1 23.00	23.00
291541003	Zone 01		1 23.00	23.00
291541004	Zone 01		1 23.00	23.00
291541005	Zone 01		1 23.00	23.00
291541006	Zone 01		1 23.00	23.00
291541007	Zone 01		1 23.00	23.00
291541008	Zone 01		1 23.00	23.00
291541009	Zone 01		1 23.00	23.00
291541010	Zone 01		1 23.00	23.00
291541011	Zone 01		1 23.00	23.00
291541012	Zone 01		1 23.00	23.00
291541013	Zone 01		1 23.00	23.00
291541014	Zone 01		1 23.00	23.00
291541015	Zone 01		1 23.00	23.00
291541016	Zone 01		1 23.00	23.00
291541017	Zone 01		1 23.00	23.00
291541018	Zone 01		1 23.00	23.00
			1 23.00	
291541019	Zone 01			23.00
291541020	Zone 01		1 23.00	23.00
291541021	Zone 01		1 23.00	23.00
291541022	Zone 01		1 23.00	23.00
291541023	Zone 01		1 23.00	23.00
291541024	Zone 01		1 23.00	23.00
291541025	Zone 01		1 23.00	23.00
291541026	Zone 01		1 23.00	23.00
291541027	Zone 01		1 23.00	23.00
291541028	Zone 01		1 23.00	23.00
291541029	Zone 01		1 23.00	23.00
291541030	Zone 01		1 23.00	23.00
291541031	Zone 01		1 23.00	23.00
291541032	Zone 01	•	1 23.00	23.00
291541033	Zone 01		1 23.00	23.00
291541034	Zone 01		1 23.00	23.00
291541035	Zone 01		1 23.00	23.00
291541036	Zone 01		1 23.00	23.00
291541037	Zone 01		1 23.00	23.00
291541038	Zone 01	•	1 23.00	23.00
291541039	Zone 01		1 23.00	23.00
291541040	Zone 01		1 23.00	23.00
291541041	Zone 01		1 23.00	23.00
291541042	Zone 01		1 23.00	23.00
291541043	Zone 01		1 23.00	23.00
291541044	Zone 01		1 23.00	23.00
291541045	Zone 01		1 23.00	23.00
291541046	Zone 01		1 23.00	23.00
291541047	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone L	MD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
291541048	Zone 01		1 23.00	23.00
291541049	Zone 01		1 23.00	23.00
291541050	Zone 01		1 23.00	23.00
291542001	Zone 01		1 23.00	23.00
291542002	Zone 01		1 23.00	23.00
291542003	Zone 01		1 23.00	23.00
291542004	Zone 01		1 23.00	23.00
291542005	Zone 01		1 23.00	23.00
291543001	Zone 01		1 23.00	23.00
291543002	Zone 01		1 23.00	23.00
291543003	Zone 01		1 23.00	23.00
291543004	Zone 01		1 23.00	23.00
291543005	Zone 01		1 23.00	23.00
291543006	Zone 01		1 23.00	23.00
291543007	Zone 01		1 23.00	23.00
291543008	Zone 01		1 23.00	23.00
291544001	Zone 01		1 23.00	23.00
291544002	Zone 01		1 23.00	23.00
291544003	Zone 01		1 23.00	23.00
291544004	Zone 01		1 23.00	23.00
291551001	Zone 01		1 23.00	23.00
291551002	Zone 01		1 23.00	23.00
291551003	Zone 01		1 23.00	23.00
291551004	Zone 01		1 23.00	23.00
291551005	Zone 01		1 23.00	23.00
291551006	Zone 01		1 23.00	23.00
291551007	Zone 01		1 23.00	23.00
291551008	Zone 01		1 23.00	23.00
291551009	Zone 01		1 23.00	23.00
291552001	Zone 01		1 23.00	23.00
291552002	Zone 01		1 23.00	23.00
291552003	Zone 01		1 23.00	23.00
291552004	Zone 01		1 23.00	23.00
291552005	Zone 01		1 23.00	23.00
291552006	Zone 01		1 23.00	23.00
291552007	Zone 01		1 23.00	23.00
291552008	Zone 01		1 23.00	23.00
291552009	Zone 01		1 23.00	23.00
291552010	Zone 01		1 23.00	23.00
291552011	Zone 01		1 23.00	23.00
291552012	Zone 01		1 23.00	23.00
291552013	Zone 01		1 23.00	23.00
291552014	Zone 01		1 23.00	23.00
291552015	Zone 01		1 23.00	23.00
291552016	Zone 01		1 23.00	23.00
291552017	Zone 01		1 23.00	23.00
291553001	Zone 01		1 23.00	23.00
291553001	Zone 01		1 23.00	23.00
29100002	Zurie u i		∠3.00	23.00

APN LMD 2014-01 Zone LMD Assigned EBU's FY 17-18 Max Assessment FY 17-18 Assessment 291553003 Zone 01 1 23.00 291553004 Zone 01 1 23.00 291553005 Zone 01 1 23.00 291553006 Zone 01 1 23.00 291553007 Zone 01 1 23.00 291553008 Zone 01 1 23.00 291553010 Zone 01 1 23.00 291553011 Zone 01 1 23.00 291553012 Zone 01 1 23.00 291553013 Zone 01 1 23.00 291553014 Zone 01 1 23.00 291553015 Zone 01 1 23.00 291553016 Zone 01 1 23.00 291553016 Zone 01 1 23.00	23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00
291553004 Zone 01 1 23.00 291553005 Zone 01 1 23.00 291553006 Zone 01 1 23.00 291553007 Zone 01 1 23.00 291553008 Zone 01 1 23.00 291553009 Zone 01 1 23.00 291553010 Zone 01 1 23.00 291553011 Zone 01 1 23.00 291553012 Zone 01 1 23.00 291553013 Zone 01 1 23.00 291553014 Zone 01 1 23.00 291553015 Zone 01 1 23.00	23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00
291553005 Zone 01 1 23.00 291553006 Zone 01 1 23.00 291553007 Zone 01 1 23.00 291553008 Zone 01 1 23.00 291553009 Zone 01 1 23.00 291553010 Zone 01 1 23.00 291553011 Zone 01 1 23.00 291553012 Zone 01 1 23.00 291553013 Zone 01 1 23.00 291553014 Zone 01 1 23.00 291553015 Zone 01 1 23.00	23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00
291553006 Zone 01 1 23.00 291553007 Zone 01 1 23.00 291553008 Zone 01 1 23.00 291553009 Zone 01 1 23.00 291553010 Zone 01 1 23.00 291553011 Zone 01 1 23.00 291553012 Zone 01 1 23.00 291553013 Zone 01 1 23.00 291553014 Zone 01 1 23.00 291553015 Zone 01 1 23.00	23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00
291553007 Zone 01 1 23.00 291553008 Zone 01 1 23.00 291553009 Zone 01 1 23.00 291553010 Zone 01 1 23.00 291553011 Zone 01 1 23.00 291553012 Zone 01 1 23.00 291553013 Zone 01 1 23.00 291553014 Zone 01 1 23.00 291553015 Zone 01 1 23.00	23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00
291553008 Zone 01 1 23.00 291553009 Zone 01 1 23.00 291553010 Zone 01 1 23.00 291553011 Zone 01 1 23.00 291553012 Zone 01 1 23.00 291553013 Zone 01 1 23.00 291553014 Zone 01 1 23.00 291553015 Zone 01 1 23.00	23.00 23.00 23.00 23.00 23.00 23.00 23.00
291553009 Zone 01 1 23.00 291553010 Zone 01 1 23.00 291553011 Zone 01 1 23.00 291553012 Zone 01 1 23.00 291553013 Zone 01 1 23.00 291553014 Zone 01 1 23.00 291553015 Zone 01 1 23.00	23.00 23.00 23.00 23.00 23.00 23.00
291553010 Zone 01 1 23.00 291553011 Zone 01 1 23.00 291553012 Zone 01 1 23.00 291553013 Zone 01 1 23.00 291553014 Zone 01 1 23.00 291553015 Zone 01 1 23.00 291553016 Zone 01 1 23.00	23.00 23.00 23.00 23.00 23.00
291553011 Zone 01 1 23.00 291553012 Zone 01 1 23.00 291553013 Zone 01 1 23.00 291553014 Zone 01 1 23.00 291553015 Zone 01 1 23.00 291553016 Zone 01 1 23.00	23.00 23.00 23.00 23.00
291553012 Zone 01 1 23.00 291553013 Zone 01 1 23.00 291553014 Zone 01 1 23.00 291553015 Zone 01 1 23.00	23.00 23.00 23.00
291553013 Zone 01 1 23.00 291553014 Zone 01 1 23.00 291553015 Zone 01 1 23.00	23.00 23.00
291553014 Zone 01 1 23.00 291553015 Zone 01 1 23.00	23.00
291553015 Zone 01 1 23.00	
231333010 20116 01	23.00
291553017 Zone 01 1 23.00	23.00
291553018 Zone 01 1 23.00	23.00
291553019 Zone 01 1 23.00	23.00
291553020 Zone 01 1 23.00	23.00
291553021 Zone 01 1 23.00	23.00
291553022 Zone 01 1 23.00	23.00
291553023 Zone 01 1 23.00	23.00
291553024 Zone 01 1 23.00	23.00
291553025 Zone 01 1 23.00	23.00
291553026 Zone 01 1 23.00	23.00
291553027 Zone 01 1 23.00	23.00
291553028 Zone 01 1 23.00	23.00
291553029 Zone 01 1 23.00	23.00
291553030 Zone 01 1 23.00	23.00
291554003 Zone 01 1 23.00	23.00
291555001 Zone 01 1 23.00	23.00
291555002 Zone 01 1 23.00	23.00
291555003 Zone 01 1 23.00	23.00
291555004 Zone 01 1 23.00	23.00
291555005 Zone 01 1 23.00	23.00
291555006 Zone 01 1 23.00	23.00
291555007 Zone 01 1 23.00	23.00
291555008 Zone 01 1 23.00	23.00
291555009 Zone 01 1 23.00	23.00
291555010 Zone 01 1 23.00	23.00
291555011 Zone 01 1 23.00	23.00
291555012 Zone 01 1 23.00	23.00
291555013 Zone 01 1 23.00	23.00
291555014 Zone 01 1 23.00	23.00
291555015 Zone 01 1 23.00	23.00
291555016 Zone 01 1 23.00	23.00
291555017 Zone 01 1 23.00	23.00
291555018 Zone 01 1 23.00	23.00
291555019 Zone 01 1 23.00	

APN	I MD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
291556001	Zone 01	LIND Assigned ED0 3	1 23.00	23.00
291556002	Zone 01		1 23.00	23.00
291556003	Zone 01		1 23.00	23.00
291556004	Zone 01		1 23.00	23.00
291556005	Zone 01		1 23.00	23.00
291556006	Zone 01		1 23.00	23.00
291561001	Zone 01		1 23.00	23.00
291561002	Zone 01		1 23.00	23.00
291561003	Zone 01		1 23.00	23.00
291561004	Zone 01		1 23.00	23.00
291561005	Zone 01		1 23.00	23.00
291561006	Zone 01		1 23.00	23.00
291561007	Zone 01		1 23.00	23.00
291561008	Zone 01		1 23.00	23.00
291561009	Zone 01		1 23.00	23.00
291561010	Zone 01		1 23.00	23.00
291561011	Zone 01		1 23.00	23.00
291561012	Zone 01		1 23.00	23.00
291561013	Zone 01		1 23.00	23.00
291561014	Zone 01		1 23.00	23.00
291561015	Zone 01		1 23.00	23.00
291561016	Zone 01		1 23.00	23.00
291561017	Zone 01		1 23.00	23.00
291562001	Zone 01		1 23.00	23.00
291562002	Zone 01		1 23.00	23.00
291562002	Zone 01		1 23.00	23.00
291562004	Zone 01		1 23.00	23.00
291562004	Zone 01		1 23.00	23.00
291562006	Zone 01		1 23.00	23.00
291562007	Zone 01		1 23.00	23.00
291562007	Zone 01		1 23.00	23.00
291562009	Zone 01		1 23.00	23.00
291562010	Zone 01		1 23.00	23.00
291562011	Zone 01		1 23.00	23.00
291562012	Zone 01		1 23.00	23.00
291562013	Zone 01		1 23.00	23.00
291562014	Zone 01		1 23.00	23.00
291562015	Zone 01		1 23.00	23.00
291562016	Zone 01		1 23.00	23.00
291562017				23.00
	Zone 01		1 23.00 1 23.00	
291562018	Zone 01		1 23.00	23.00
291562019	Zone 01			23.00
291562020	Zone 01		1 23.00	23.00
291562021	Zone 01		1 23.00	23.00
291562022	Zone 01		1 23.00	23.00
291562023	Zone 01		1 23.00	23.00
291562024	Zone 01		1 23.00	23.00
291562025	Zone 01		1 23.00	23.00

APN	I MD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
291562026	Zone 01	LIND Assigned ED0 3	1 23.00	23.00
291562027	Zone 01		1 23.00	23.00
291562028	Zone 01		1 23.00	23.00
291562029	Zone 01		1 23.00	23.00
291562030	Zone 01		1 23.00	23.00
291562031	Zone 01		1 23.00	23.00
291562032	Zone 01		1 23.00	23.00
291562033	Zone 01		1 23.00	23.00
291563001	Zone 01		1 23.00	23.00
291563002	Zone 01		1 23.00	23.00
291563003	Zone 01		1 23.00	23.00
291563004	Zone 01		1 23.00	23.00
291563005	Zone 01		1 23.00	23.00
291563006	Zone 01		1 23.00	23.00
292021001	Zone 01		1 23.00	23.00
292021001	Zone 01		1 23.00	23.00
292021002	Zone 01		1 23.00	23.00
292021003	Zone 01		1 23.00	23.00
292021004	Zone 01		1 23.00	23.00
292022001	Zone 01		1 23.00	23.00
292022003	Zone 01		1 23.00	23.00
292022004	Zone 01		1 23.00	23.00
292022005	Zone 01		1 23.00	23.00
292022006	Zone 01		1 23.00	23.00
292022007	Zone 01		1 23.00	23.00
292022008	Zone 01		1 23.00	23.00
292022009	Zone 01		1 23.00	23.00
292022010	Zone 01		1 23.00	23.00
292022012	Zone 01		1 23.00	23.00
292022013	Zone 01		1 23.00	23.00
292022014	Zone 01		1 23.00	23.00
292022015	Zone 01		1 23.00	23.00
292022016	Zone 01		1 23.00	23.00
292022017	Zone 01		1 23.00	23.00
292022018	Zone 01		1 23.00	23.00
292022019	Zone 01		1 23.00	23.00
292022020	Zone 01		1 23.00	23.00
292022021	Zone 01		1 23.00	23.00
292022022	Zone 01		1 23.00	23.00
292022023	Zone 01		1 23.00	23.00
292022024	Zone 01		1 23.00	23.00
292022025	Zone 01		1 23.00	23.00
292022026	Zone 01		1 23.00	23.00
292022027	Zone 01		1 23.00	23.00
292022028	Zone 01		1 23.00	23.00
292022029	Zone 01		1 23.00	23.00
292022030	Zone 01		1 23.00	23.00
292022031	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone I	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
292022032	Zone 01		1 23.00	23.00
292022033	Zone 01		1 23.00	23.00
292022034	Zone 01		1 23.00	23.00
292022035	Zone 01		1 23.00	23.00
292022036	Zone 01		1 23.00	23.00
292022037	Zone 01		1 23.00	23.00
292022038	Zone 01		1 23.00	23.00
292022039	Zone 01		1 23.00	23.00
292022040	Zone 01		1 23.00	23.00
292022041	Zone 01		1 23.00	23.00
292022042	Zone 01		1 23.00	23.00
292022043	Zone 01		1 23.00	23.00
292022044	Zone 01		1 23.00	23.00
292023001	Zone 01		1 23.00	23.00
292023002	Zone 01		1 23.00	23.00
292023003	Zone 01		1 23.00	23.00
292023004	Zone 01		1 23.00	23.00
292023005	Zone 01		1 23.00	23.00
292023006	Zone 01		1 23.00	23.00
292023007	Zone 01		1 23.00	23.00
292023008	Zone 01		1 23.00	23.00
292023009	Zone 01		1 23.00	23.00
292023010	Zone 01		1 23.00	23.00
292023011	Zone 01		1 23.00	23.00
292023011	Zone 01		1 23.00	23.00
292023012	Zone 01		1 23.00	23.00
292023014	Zone 01		1 23.00	23.00
292023015	Zone 01		1 23.00	23.00
292023016	Zone 01		1 23.00	23.00
292023017	Zone 01		1 23.00	23.00
292023017	Zone 01		1 23.00	23.00
292023019	Zone 01		1 23.00	23.00
292023020	Zone 01		1 23.00	23.00
292023021	Zone 01		1 23.00	23.00
292023022	Zone 01		1 23.00	23.00
292023023	Zone 01		1 23.00	23.00
292031001	Zone 01		1 23.00	23.00
292031002	Zone 01		1 23.00	23.00
292031002	Zone 01		1 23.00	23.00
292031003	Zone 01		1 23.00	23.00
292031004	Zone 01		1 23.00	23.00
292031005	Zone 01		1 23.00	23.00
292031007	Zone 01		1 23.00	23.00
292031007	Zone 01		1 23.00	23.00
292031006	Zone 01		1 23.00	23.00
292031009	Zone 01		1 23.00	23.00
292031010	Zone 01			
			1 23.00	23.00
292031012	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
292031013	Zone 01		1 23.00	23.00
292031014	Zone 01		1 23.00	23.00
292031015	Zone 01		1 23.00	23.00
292031016	Zone 01		1 23.00	23.00
292031017	Zone 01		1 23.00	23.00
292031018	Zone 01		1 23.00	23.00
292031019	Zone 01		1 23.00	23.00
292031020	Zone 01		1 23.00	23.00
292032001	Zone 01		1 23.00	23.00
292032002	Zone 01		1 23.00	23.00
292032003	Zone 01		1 23.00	23.00
292032004	Zone 01		1 23.00	23.00
292032005	Zone 01		1 23.00	23.00
292032006	Zone 01		1 23.00	23.00
292032007	Zone 01		1 23.00	23.00
292032008	Zone 01		1 23.00	23.00
292032009	Zone 01		1 23.00	23.00
292032010	Zone 01		1 23.00	23.00
292032012	Zone 01		1 23.00	23.00
292032013	Zone 01		1 23.00	23.00
292032014	Zone 01		1 23.00	23.00
292032015	Zone 01		1 23.00	23.00
292032016	Zone 01		1 23.00	23.00
292032017	Zone 01		1 23.00	23.00
292032017	Zone 01		1 23.00	23.00
292032019	Zone 01		1 23.00	23.00
292032010	Zone 01		1 23.00	23.00
292032020	Zone 01		1 23.00	23.00
292032021	Zone 01		1 23.00	23.00
292032023	Zone 01		1 23.00	23.00
292032024	Zone 01		1 23.00	23.00
292032025	Zone 01		1 23.00	23.00
292033001	Zone 01		1 23.00	23.00
292033001	Zone 01		1 23.00	23.00
292033003	Zone 01		1 23.00	23.00
292033004	Zone 01		1 23.00	23.00
292033005	Zone 01		1 23.00	23.00
292033006	Zone 01		1 23.00	23.00
292033007	Zone 01		1 23.00	23.00
292033007	Zone 01		1 23.00	23.00
292034001	Zone 01		1 23.00	23.00
292034001	Zone 01		1 23.00	23.00
292034003	Zone 01		1 23.00	23.00
292034003	Zone 01		1 23.00	23.00
292034004	Zone 01		1 23.00	23.00
292034005	Zone 01		1 23.00	23.00
292034006	Zone 01		1 23.00	
				23.00
292034008	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
292035001	Zone 01		1 23.00	23.00
292035002	Zone 01		1 23.00	23.00
292035003	Zone 01		1 23.00	23.00
292035004	Zone 01		1 23.00	23.00
292035005	Zone 01		1 23.00	23.00
292035006	Zone 01		1 23.00	23.00
292035007	Zone 01		1 23.00	23.00
292035008	Zone 01		1 23.00	23.00
292035009	Zone 01		1 23.00	23.00
292041001	Zone 01		1 23.00	23.00
292041002	Zone 01		1 23.00	23.00
292041003	Zone 01		1 23.00	23.00
292041004	Zone 01		1 23.00	23.00
292041005	Zone 01		1 23.00	23.00
292041006	Zone 01		1 23.00	23.00
292041007	Zone 01		1 23.00	23.00
292041008	Zone 01		1 23.00	23.00
292041009	Zone 01		1 23.00	23.00
292041010	Zone 01		1 23.00	23.00
292041011	Zone 01		1 23.00	23.00
292041012	Zone 01		1 23.00	23.00
292041013	Zone 01		1 23.00	23.00
292041014	Zone 01		1 23.00	23.00
292041015	Zone 01		1 23.00	23.00
292041016	Zone 01		1 23.00	23.00
292041017	Zone 01		1 23.00	23.00
292041018	Zone 01		1 23.00	23.00
292041019	Zone 01		1 23.00	23.00
292041020	Zone 01		1 23.00	23.00
292041021	Zone 01		1 23.00	23.00
292042001	Zone 01		1 23.00	23.00
292042002	Zone 01		1 23.00	23.00
292042003	Zone 01		1 23.00	23.00
292042004	Zone 01		1 23.00	23.00
292042005	Zone 01		1 23.00	23.00
292042006	Zone 01		1 23.00	23.00
292042007	Zone 01		1 23.00	23.00
292042008	Zone 01		1 23.00	23.00
292042009	Zone 01		1 23.00	23.00
292042010	Zone 01		1 23.00	23.00
292042011	Zone 01		1 23.00	23.00
292042011	Zone 01		1 23.00	23.00
292042012			1 23.00	23.00
292042013	Zone 01 Zone 01		1 23.00	23.00
292042014	Zone 01		1 23.00	23.00
292042016	Zone 01		1 23.00	23.00
292042017	Zone 01		1 23.00	
				23.00
292042018	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
292042019	Zone 01		1 23.00	23.00
292042020	Zone 01		1 23.00	23.00
292043001	Zone 01		1 23.00	23.00
292043002	Zone 01		1 23.00	23.00
292043003	Zone 01		1 23.00	23.00
292043004	Zone 01		1 23.00	23.00
292043005	Zone 01		1 23.00	23.00
292043006	Zone 01		1 23.00	23.00
292043007	Zone 01		1 23.00	23.00
292043008	Zone 01		1 23.00	23.00
292043009	Zone 01		1 23.00	23.00
292043010	Zone 01		1 23.00	23.00
292043011	Zone 01		1 23.00	23.00
292043012	Zone 01		1 23.00	23.00
292043013	Zone 01		1 23.00	23.00
292043014	Zone 01		1 23.00	23.00
292043015	Zone 01		1 23.00	23.00
292043016	Zone 01		1 23.00	23.00
292044001	Zone 01		1 23.00	23.00
292044002	Zone 01		1 23.00	23.00
292044003	Zone 01		1 23.00	23.00
292044004	Zone 01		1 23.00	23.00
292044005	Zone 01		1 23.00	23.00
292044006	Zone 01		1 23.00	23.00
292044007	Zone 01		1 23.00	23.00
292044008	Zone 01		1 23.00	23.00
292044009	Zone 01		1 23.00	23.00
292044010	Zone 01		1 23.00	23.00
292044011	Zone 01		1 23.00	23.00
292044012	Zone 01		1 23.00	23.00
292044013	Zone 01		1 23.00	23.00
292044014	Zone 01		1 23.00	23.00
292044015	Zone 01		1 23.00	23.00
292044016	Zone 01		1 23.00	23.00
292045001	Zone 01		1 23.00	23.00
292045002	Zone 01		1 23.00	23.00
292045003	Zone 01		1 23.00	23.00
292045004	Zone 01		1 23.00	23.00
292045005	Zone 01		1 23.00	23.00
292045006	Zone 01		1 23.00	23.00
292045007	Zone 01		1 23.00	23.00
292045008	Zone 01		1 23.00	23.00
292051001	Zone 01		1 23.00	23.00
292051001	Zone 01		1 23.00	23.00
292051003	Zone 01		1 23.00	23.00
292051004	Zone 01		1 23.00	23.00
292051005	Zone 01		1 23.00	23.00
292051006	Zone 01		1 23.00	23.00
_0_00			20.00	20.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
292051007	Zone 01		1 23.00	23.00
292051008	Zone 01		1 23.00	23.00
292051009	Zone 01		1 23.00	23.00
292051010	Zone 01		1 23.00	23.00
292051011	Zone 01		1 23.00	23.00
292051012	Zone 01		1 23.00	23.00
292051013	Zone 01		1 23.00	23.00
292051014	Zone 01		1 23.00	23.00
292051015	Zone 01		1 23.00	23.00
292051016	Zone 01		1 23.00	23.00
292051017	Zone 01		1 23.00	23.00
292051018	Zone 01		1 23.00	23.00
292051019	Zone 01		1 23.00	23.00
292051020	Zone 01		1 23.00	23.00
292051021	Zone 01		1 23.00	23.00
292051022	Zone 01		1 23.00	23.00
292051023	Zone 01		1 23.00	23.00
292051024	Zone 01		1 23.00	23.00
292051025	Zone 01		1 23.00	23.00
292051026	Zone 01		1 23.00	23.00
292051027	Zone 01		1 23.00	23.00
292051028	Zone 01		1 23.00	23.00
292051029	Zone 01		1 23.00	23.00
292051030	Zone 01		1 23.00	23.00
292051031	Zone 01		1 23.00	23.00
292051032	Zone 01		1 23.00	23.00
292052001	Zone 01		1 23.00	23.00
292052002	Zone 01		1 23.00	23.00
292052003	Zone 01		1 23.00	23.00
292052004	Zone 01		1 23.00	23.00
292052005	Zone 01		1 23.00	23.00
292052006	Zone 01		1 23.00	23.00
292052007	Zone 01		1 23.00	23.00
292052008	Zone 01		1 23.00	23.00
292052009	Zone 01		1 23.00	23.00
292052010	Zone 01		1 23.00	23.00
292052011	Zone 01		1 23.00	23.00
292052012	Zone 01		1 23.00	23.00
292052013	Zone 01		1 23.00	23.00
292052014	Zone 01		1 23.00	23.00
292052015	Zone 01		1 23.00	23.00
292052016	Zone 01		1 23.00	23.00
292052017	Zone 01		1 23.00	23.00
292052017	Zone 01		1 23.00	23.00
292052019	Zone 01		1 23.00	23.00
292052019	Zone 01		1 23.00	23.00
292052021	Zone 01		1 23.00	23.00
292052021	Zone 01		1 23.00	23.00
LULUULULL	20110 01		25.00	25.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
292053001	Zone 01		1 23.00	23.00
292053002	Zone 01		1 23.00	23.00
292053003	Zone 01		1 23.00	23.00
292053004	Zone 01		1 23.00	23.00
292053005	Zone 01		1 23.00	23.00
292053006	Zone 01		1 23.00	23.00
292053007	Zone 01		1 23.00	23.00
292053008	Zone 01		1 23.00	23.00
292053009	Zone 01		1 23.00	23.00
292053010	Zone 01		1 23.00	23.00
292053011	Zone 01		1 23.00	23.00
292053012	Zone 01		1 23.00	23.00
292053013	Zone 01		1 23.00	23.00
292053014	Zone 01		1 23.00	23.00
292053015	Zone 01		1 23.00	23.00
292053016	Zone 01		1 23.00	23.00
292054001	Zone 01		1 23.00	23.00
292054002	Zone 01		1 23.00	23.00
292054003	Zone 01		1 23.00	23.00
292054004	Zone 01		1 23.00	23.00
292054005	Zone 01		1 23.00	23.00
292054006	Zone 01		1 23.00	23.00
292054007	Zone 01		1 23.00	23.00
292054008	Zone 01		1 23.00	23.00
292054009	Zone 01		1 23.00	23.00
292054010	Zone 01		1 23.00	23.00
292054011	Zone 01		1 23.00	23.00
292054012	Zone 01		1 23.00	23.00
292054013	Zone 01		1 23.00	23.00
292054014	Zone 01		1 23.00	23.00
292054015	Zone 01		1 23.00	23.00
292061001	Zone 01		1 23.00	23.00
292061001	Zone 01		1 23.00	23.00
292061002	Zone 01		1 23.00	23.00
292061004	Zone 01		1 23.00	23.00
292061005	Zone 01		1 23.00	23.00
292061006	Zone 01		1 23.00	23.00
292061007	Zone 01		1 23.00	23.00
292061007	Zone 01		1 23.00	23.00
292061009	Zone 01		1 23.00	23.00
292061009	Zone 01		1 23.00	23.00
292061011	Zone 01		1 23.00	23.00
292061012	Zone 01		1 23.00	23.00
292061013	Zone 01		1 23.00	23.00
292061014	Zone 01		1 23.00	23.00
292061016	Zone 01		1 23.00	23.00
	Zone 01			
292061017			1 23.00	23.00
292061018	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assign	ed EBU's FY 17-18 Ma	x Assessment	FY 17-18 Assessment
292061019	Zone 01	1	23.00	23.00
292061020	Zone 01	1	23.00	23.00
292061021	Zone 01	1	23.00	23.00
292061022	Zone 01	1	23.00	23.00
292061023	Zone 01	1	23.00	23.00
292061024	Zone 01	1	23.00	23.00
292061025	Zone 01	1	23.00	23.00
292062001	Zone 01	1	23.00	23.00
292062002	Zone 01	1	23.00	23.00
292062003	Zone 01	1	23.00	23.00
292062004	Zone 01	1	23.00	23.00
292062005	Zone 01	1	23.00	23.00
292062006	Zone 01	1	23.00	23.00
292062007	Zone 01	1	23.00	23.00
292062008	Zone 01	1	23.00	23.00
292062009	Zone 01	1	23.00	23.00
292062010	Zone 01	1	23.00	23.00
292062011	Zone 01	1	23.00	23.00
292062012	Zone 01	1	23.00	23.00
292062013	Zone 01	1	23.00	23.00
292062014	Zone 01	1	23.00	23.00
292063001	Zone 01	1	23.00	23.00
292063002	Zone 01	1	23.00	23.00
292063003	Zone 01	1	23.00	23.00
292063004	Zone 01	1	23.00	23.00
292063005	Zone 01	1	23.00	23.00
292063006	Zone 01	1	23.00	23.00
292063007	Zone 01	1	23.00	23.00
292063008	Zone 01	1	23.00	23.00
292063009	Zone 01	1	23.00	23.00
292063010	Zone 01	1	23.00	23.00
292072001	Zone 01	1	23.00	23.00
292072002	Zone 01	1	23.00	23.00
292072003	Zone 01	1	23.00	23.00
292072004	Zone 01	1	23.00	23.00
292072005	Zone 01	1	23.00	23.00
292072006	Zone 01	1	23.00	23.00
292072007	Zone 01	1	23.00	23.00
292072008	Zone 01	1	23.00	23.00
292072009	Zone 01	1	23.00	23.00
292072010	Zone 01	1	23.00	23.00
292072011	Zone 01	1	23.00	23.00
292072012	Zone 01	1	23.00	23.00
292072013	Zone 01	1	23.00	23.00
292072014	Zone 01	1	23.00	23.00
292072015	Zone 01	1	23.00	23.00
292072016	Zone 01	1	23.00	23.00
292072017	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
292072018	Zone 01		1 23.00	23.00
292072019	Zone 01		1 23.00	23.00
292072020	Zone 01		1 23.00	23.00
292072021	Zone 01		1 23.00	23.00
292072022	Zone 01		1 23.00	23.00
292072023	Zone 01		1 23.00	23.00
292072024	Zone 01		1 23.00	23.00
292072025	Zone 01		1 23.00	23.00
292072026	Zone 01		1 23.00	23.00
292072027	Zone 01		1 23.00	23.00
292072028	Zone 01		1 23.00	23.00
292072029	Zone 01		1 23.00	23.00
292072030	Zone 01		1 23.00	23.00
292081001	Zone 01		1 23.00	23.00
292081002	Zone 01		1 23.00	23.00
292081003	Zone 01		1 23.00	23.00
292081004	Zone 01		1 23.00	23.00
292081005	Zone 01		1 23.00	23.00
292081006	Zone 01		1 23.00	23.00
292081007	Zone 01		1 23.00	23.00
292082001	Zone 01		1 23.00	23.00
292082002	Zone 01		1 23.00	23.00
292082003	Zone 01		1 23.00	23.00
292082004	Zone 01		1 23.00	23.00
292082005	Zone 01		1 23.00	23.00
292082006	Zone 01		1 23.00	23.00
292082007	Zone 01		1 23.00	23.00
292082008	Zone 01		1 23.00	23.00
292082009	Zone 01		1 23.00	23.00
292082010	Zone 01		1 23.00	23.00
292082011	Zone 01		1 23.00	23.00
292082012	Zone 01		1 23.00	23.00
292082013	Zone 01		1 23.00	23.00
292082014	Zone 01		1 23.00	23.00
292082015	Zone 01		1 23.00	23.00
292082016	Zone 01		1 23.00	23.00
292083001	Zone 01		1 23.00	23.00
292083002	Zone 01		1 23.00	23.00
292083003	Zone 01		1 23.00	23.00
292083004	Zone 01		1 23.00	23.00
292083005	Zone 01		1 23.00	23.00
292083006	Zone 01		1 23.00	23.00
292083007	Zone 01		1 23.00	23.00
292083008	Zone 01		1 23.00	23.00
292083009	Zone 01		1 23.00	23.00
292083010	Zone 01		1 23.00	23.00
292083011	Zone 01		1 23.00	23.00
292083012	Zone 01		1 23.00	23.00
_320000 1Z	_5/10 0 1		20.00	20.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
292083013	Zone 01		1 23.00	23.00
292083014	Zone 01		1 23.00	23.00
292083015	Zone 01		1 23.00	23.00
292083016	Zone 01		1 23.00	23.00
292084001	Zone 01		1 23.00	23.00
292084002	Zone 01		1 23.00	23.00
292084003	Zone 01		1 23.00	23.00
292084004	Zone 01		1 23.00	23.00
292084005	Zone 01		1 23.00	23.00
292084006	Zone 01		1 23.00	23.00
292084007	Zone 01		1 23.00	23.00
292084008	Zone 01		1 23.00	23.00
292084009	Zone 01		1 23.00	23.00
292084010	Zone 01		1 23.00	23.00
292084011	Zone 01		1 23.00	23.00
292084012	Zone 01		1 23.00	23.00
292084013	Zone 01		1 23.00	23.00
292084014	Zone 01		1 23.00	23.00
292084015	Zone 01		1 23.00	23.00
292084016	Zone 01		1 23.00	23.00
292084017	Zone 01		1 23.00	23.00
292084018	Zone 01		1 23.00	23.00
292084019	Zone 01		1 23.00	23.00
292084020	Zone 01		1 23.00	23.00
292084021	Zone 01		1 23.00	23.00
292091001	Zone 01		1 23.00	23.00
292091002	Zone 01		1 23.00	23.00
292091003	Zone 01		1 23.00	23.00
292091004	Zone 01		1 23.00	23.00
292091005	Zone 01		1 23.00	23.00
292091006	Zone 01		1 23.00	23.00
292091007	Zone 01		1 23.00	23.00
292091008	Zone 01		1 23.00	23.00
292091009	Zone 01		1 23.00	23.00
292091010	Zone 01		1 23.00	23.00
292091010	Zone 01		1 23.00	23.00
292091011	Zone 01		1 23.00	23.00
292091012	Zone 01		1 23.00	23.00
292091013	Zone 01		1 23.00	23.00
292091014	Zone 01		1 23.00	23.00
292091015	Zone 01		1 23.00	23.00
292091017			1 23.00	23.00
292091017	Zone 01 Zone 01		1 23.00	23.00
292091019			1 23.00	
292091019	Zone 01			23.00
	Zone 01		1 23.00	23.00
292091021	Zone 01		1 23.00	23.00
292091022	Zone 01		1 23.00	23.00
292091023	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-18	8 Max Assessment	FY 17-18 Assessment
292091024	Zone 01	1	23.00	23.00
292092001	Zone 01	1	23.00	23.00
292092002	Zone 01	1	23.00	23.00
292092003	Zone 01	1	23.00	23.00
292092004	Zone 01	1	23.00	23.00
292092005	Zone 01	1	23.00	23.00
292092006	Zone 01	1	23.00	23.00
292092007	Zone 01	1	23.00	23.00
292092008	Zone 01	1	23.00	23.00
292092009	Zone 01	1	23.00	23.00
292092010	Zone 01	1	23.00	23.00
292092011	Zone 01	1	23.00	23.00
292092012	Zone 01	1	23.00	23.00
292092013	Zone 01	1	23.00	23.00
292092014	Zone 01	1	23.00	23.00
292092015	Zone 01	1	23.00	23.00
292092016	Zone 01	1	23.00	23.00
292092017	Zone 01	1	23.00	23.00
292092018	Zone 01	1	23.00	23.00
292092019	Zone 01	1	23.00	23.00
292092020	Zone 01	1	23.00	23.00
292092021	Zone 01	1	23.00	23.00
292092022	Zone 01	1	23.00	23.00
292092023	Zone 01	1	23.00	23.00
292092024	Zone 01	1	23.00	23.00
292092025	Zone 01	1	23.00	23.00
292092026	Zone 01	1	23.00	23.00
292092027	Zone 01	1	23.00	23.00
292092028	Zone 01	1	23.00	23.00
292092029	Zone 01	1	23.00	23.00
292092030	Zone 01	1	23.00	23.00
292092031	Zone 01	1	23.00	23.00
292092032	Zone 01	1	23.00	23.00
292092033	Zone 01	1	23.00	23.00
292092034	Zone 01	1	23.00	23.00
292092035	Zone 01	1	23.00	23.00
292092036	Zone 01	1	23.00	23.00
292092037	Zone 01	1	23.00	23.00
292092038	Zone 01	1	23.00	23.00
292092039	Zone 01	1	23.00	23.00
292092040	Zone 01	1	23.00	23.00
292092041	Zone 01	1	23.00	23.00
292092042	Zone 01	1	23.00	23.00
292092043	Zone 01	1	23.00	23.00
292092044	Zone 01	1	23.00	23.00
292092045	Zone 01	1	23.00	23.00
292092046	Zone 01	1	23.00	23.00
292092047	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
292092048	Zone 01		1 23.00	23.00
292092049	Zone 01		1 23.00	23.00
292092050	Zone 01		1 23.00	23.00
292092051	Zone 01		1 23.00	23.00
292093001	Zone 01		1 23.00	23.00
292093002	Zone 01		1 23.00	23.00
292093003	Zone 01		1 23.00	23.00
292093004	Zone 01		1 23.00	23.00
292093005	Zone 01		1 23.00	23.00
292093006	Zone 01		1 23.00	23.00
292093007	Zone 01		1 23.00	23.00
292094001	Zone 01		1 23.00	23.00
292094002	Zone 01		1 23.00	23.00
292094003	Zone 01		1 23.00	23.00
292094004	Zone 01		1 23.00	23.00
292111001	Zone 01		1 23.00	23.00
292111002	Zone 01		1 23.00	23.00
292111003	Zone 01		1 23.00	23.00
292111004	Zone 01		1 23.00	23.00
292111005	Zone 01		1 23.00	23.00
292111006	Zone 01		1 23.00	23.00
292111007	Zone 01		1 23.00	23.00
292111007	Zone 01		1 23.00	23.00
292111009	Zone 01		1 23.00	23.00
292111010	Zone 01		1 23.00	23.00
292111011	Zone 01		1 23.00	23.00
292111012	Zone 01		1 23.00	23.00
292111013	Zone 01		1 23.00	23.00
292111013	Zone 01		1 23.00	23.00
292111015	Zone 01		1 23.00	23.00
292111016	Zone 01		1 23.00	23.00
292111017	Zone 01		1 23.00	23.00
292111017	Zone 01		1 23.00	23.00
292111019	Zone 01		1 23.00	23.00
292111020	Zone 01		1 23.00	23.00
292111021	Zone 01		1 23.00	23.00
292111021	Zone 01		1 23.00	23.00
292111023	Zone 01		1 23.00	23.00
292111024	Zone 01		1 23.00	23.00
292111024	Zone 01		1 23.00	23.00
292111025	Zone 01		1 23.00	23.00
292111027	Zone 01		1 23.00	23.00
292111027	Zone 01		1 23.00	23.00
292111028	Zone 01		1 23.00	23.00
292112001	Zone 01		1 23.00	23.00
292112002	Zone 01		1 23.00	23.00
292112004	Zone 01		1 23.00	23.00
292112005	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned E	BU's FY 17-18	8 Max Assessment	FY 17-18 Assessment
292112006	Zone 01	1	23.00	23.00
292112007	Zone 01	1	23.00	23.00
292112008	Zone 01	1	23.00	23.00
292112009	Zone 01	1	23.00	23.00
292113001	Zone 01	1	23.00	23.00
292113002	Zone 01	1	23.00	23.00
292113003	Zone 01	1	23.00	23.00
292113004	Zone 01	1	23.00	23.00
292113005	Zone 01	1	23.00	23.00
292113006	Zone 01	1	23.00	23.00
292113007	Zone 01	1	23.00	23.00
292113008	Zone 01	1	23.00	23.00
292113009	Zone 01	1	23.00	23.00
292113010	Zone 01	1	23.00	23.00
292113011	Zone 01	1	23.00	23.00
292113012	Zone 01	1	23.00	23.00
292113013	Zone 01	1	23.00	23.00
292113014	Zone 01	1	23.00	23.00
292113015	Zone 01	1	23.00	23.00
292113016	Zone 01	1	23.00	23.00
292113017	Zone 01	1	23.00	23.00
292113018	Zone 01	1	23.00	23.00
292113019	Zone 01	1	23.00	23.00
292113020	Zone 01	1	23.00	23.00
292113021	Zone 01	1	23.00	23.00
292113022	Zone 01	1	23.00	23.00
292113023	Zone 01	1	23.00	23.00
292113024	Zone 01	1	23.00	23.00
292113025	Zone 01	1	23.00	23.00
292113026	Zone 01	1	23.00	23.00
292113027	Zone 01	1	23.00	23.00
292113028	Zone 01	1	23.00	23.00
292113029	Zone 01	1	23.00	23.00
292113030	Zone 01	1	23.00	23.00
292113031	Zone 01	1	23.00	23.00
292113032	Zone 01	1	23.00	23.00
292113033	Zone 01	1	23.00	23.00
292113034	Zone 01	1	23.00	23.00
292113035	Zone 01	1	23.00	23.00
292113036	Zone 01	1	23.00	23.00
292113037	Zone 01	1	23.00	23.00
292113038	Zone 01	1	23.00	23.00
292113039	Zone 01	1	23.00	23.00
292113040	Zone 01	1	23.00	23.00
292113041	Zone 01	1	23.00	23.00
292113042	Zone 01	1	23.00	23.00
292113043	Zone 01	1	23.00	23.00
292113044	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone I	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
292113045	Zone 01		1 23.00	23.00
292113046	Zone 01		1 23.00	23.00
292121001	Zone 01		1 23.00	23.00
292121002	Zone 01		1 23.00	23.00
292121003	Zone 01		1 23.00	23.00
292121004	Zone 01		1 23.00	23.00
292121005	Zone 01		1 23.00	23.00
292121006	Zone 01		1 23.00	23.00
292122001	Zone 01		1 23.00	23.00
292122002	Zone 01		1 23.00	23.00
292122003	Zone 01		1 23.00	23.00
292122004	Zone 01		1 23.00	23.00
292122005	Zone 01		1 23.00	23.00
292122006	Zone 01		1 23.00	23.00
292122007	Zone 01		1 23.00	23.00
292122008	Zone 01		1 23.00	23.00
292122009	Zone 01		1 23.00	23.00
292122010	Zone 01		1 23.00	23.00
292123001	Zone 01		1 23.00	23.00
292123002	Zone 01		1 23.00	23.00
292123003	Zone 01		1 23.00	23.00
292123004	Zone 01		1 23.00	23.00
292123005	Zone 01		1 23.00	23.00
292123006	Zone 01		1 23.00	23.00
292124001	Zone 01		1 23.00	23.00
292124002	Zone 01		1 23.00	23.00
292124003	Zone 01		1 23.00	23.00
292124004	Zone 01		1 23.00	23.00
292124005	Zone 01		1 23.00	23.00
292124006	Zone 01		1 23.00	23.00
292124007	Zone 01		1 23.00	23.00
292124008	Zone 01		1 23.00	23.00
292124009	Zone 01		1 23.00	23.00
292124010	Zone 01		1 23.00	23.00
292124011	Zone 01		1 23.00	23.00
292125001	Zone 01		1 23.00	23.00
292125002	Zone 01		1 23.00	23.00
292125002	Zone 01		1 23.00	23.00
292125004	Zone 01		1 23.00	23.00
292125005	Zone 01		1 23.00	23.00
292125006	Zone 01		1 23.00	23.00
292126001	Zone 01		1 23.00	23.00
292126001	Zone 01		1 23.00	23.00
292126002	Zone 01		1 23.00	23.00
292126003	Zone 01		1 23.00	23.00
292126004	Zone 01		1 23.00	23.00
292126005	Zone 01			
			1 23.00	23.00
292126007	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
292126008	Zone 01		1 23.00	23.00
292126009	Zone 01		1 23.00	23.00
292126010	Zone 01		1 23.00	23.00
292126011	Zone 01		1 23.00	23.00
292126012	Zone 01		1 23.00	23.00
292126013	Zone 01		1 23.00	23.00
292126014	Zone 01		1 23.00	23.00
292126015	Zone 01		1 23.00	23.00
292126016	Zone 01		1 23.00	23.00
292127001	Zone 01		1 23.00	23.00
292127002	Zone 01		1 23.00	23.00
292127003	Zone 01		1 23.00	23.00
292127004	Zone 01		1 23.00	23.00
292127005	Zone 01		1 23.00	23.00
292127006	Zone 01		1 23.00	23.00
292127007	Zone 01		1 23.00	23.00
292127008	Zone 01		1 23.00	23.00
292127009	Zone 01		1 23.00	23.00
292127010	Zone 01		1 23.00	23.00
292127011	Zone 01		1 23.00	23.00
292127012	Zone 01		1 23.00	23.00
292127013	Zone 01		1 23.00	23.00
292127014	Zone 01		1 23.00	23.00
292127015	Zone 01		1 23.00	23.00
292127016	Zone 01		1 23.00	23.00
292127017	Zone 01		1 23.00	23.00
292127017	Zone 01		1 23.00	23.00
292127019	Zone 01		1 23.00	23.00
292127013	Zone 01		1 23.00	23.00
292127021	Zone 01		1 23.00	23.00
292127022	Zone 01		1 23.00	23.00
292127023	Zone 01		1 23.00	23.00
292127024	Zone 01		1 23.00	23.00
292128001	Zone 01		1 23.00	23.00
292128002	Zone 01		1 23.00	23.00
292128003	Zone 01		1 23.00	23.00
292131001	Zone 01		1 23.00	23.00
292131002	Zone 01		1 23.00	23.00
292131002	Zone 01		1 23.00	23.00
292131003	Zone 01		1 23.00	23.00
292131004	Zone 01		1 23.00	23.00
292131005	Zone 01		1 23.00	23.00
292131007	Zone 01		1 23.00	23.00
292131007	Zone 01		1 23.00	23.00
292131008	Zone 01		1 23.00	23.00
292131010	Zone 01		1 23.00	23.00
	Zone 01			
292132001			1 23.00	23.00
292132002	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone L	_MD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
292132003	Zone 01		1 23.00	23.00
292132004	Zone 01		1 23.00	23.00
292132005	Zone 01		1 23.00	23.00
292132006	Zone 01		1 23.00	23.00
292132007	Zone 01		1 23.00	23.00
292132008	Zone 01		1 23.00	23.00
292132009	Zone 01		1 23.00	23.00
292132010	Zone 01		1 23.00	23.00
292132011	Zone 01		1 23.00	23.00
292132012	Zone 01		1 23.00	23.00
292132013	Zone 01		1 23.00	23.00
292132014	Zone 01		1 23.00	23.00
292132015	Zone 01		1 23.00	23.00
292132016	Zone 01		1 23.00	23.00
292132017	Zone 01		1 23.00	23.00
292132018	Zone 01		1 23.00	23.00
292133001	Zone 01		1 23.00	23.00
292133002	Zone 01		1 23.00	23.00
292133003	Zone 01		1 23.00	23.00
292133004	Zone 01		1 23.00	23.00
292133005	Zone 01		1 23.00	23.00
292133006	Zone 01		1 23.00	23.00
292133007	Zone 01		1 23.00	23.00
292133007	Zone 01		1 23.00	23.00
292133009	Zone 01		1 23.00	23.00
292133010	Zone 01		1 23.00	23.00
292133011	Zone 01		1 23.00	23.00
292133012	Zone 01		1 23.00	23.00
292134001	Zone 01		1 23.00	23.00
292134002	Zone 01		1 23.00	23.00
292134003	Zone 01		1 23.00	23.00
292134004	Zone 01		1 23.00	23.00
292134005	Zone 01		1 23.00	23.00
292134006	Zone 01		1 23.00	23.00
292134007	Zone 01		1 23.00	23.00
292134008	Zone 01		1 23.00	23.00
292134009	Zone 01		1 23.00	23.00
292134010	Zone 01		1 23.00	23.00
292134011	Zone 01		1 23.00	23.00
292134012	Zone 01		1 23.00	23.00
292134013	Zone 01		1 23.00	23.00
292135001	Zone 01		1 23.00	23.00
292135001	Zone 01		1 23.00	23.00
292135002	Zone 01		1 23.00	23.00
292135003	Zone 01		1 23.00	23.00
292135004	Zone 01		1 23.00	23.00
292135005	Zone 01			
			1 23.00	23.00
292135007	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone I	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
292135008	Zone 01		1 23.00	23.00
292135009	Zone 01		1 23.00	23.00
292135010	Zone 01		1 23.00	23.00
292135011	Zone 01		1 23.00	23.00
292135012	Zone 01		1 23.00	23.00
292135013	Zone 01		1 23.00	23.00
292135014	Zone 01		1 23.00	23.00
292135015	Zone 01		1 23.00	23.00
292135016	Zone 01		1 23.00	23.00
292135017	Zone 01		1 23.00	23.00
292135018	Zone 01		1 23.00	23.00
292135019	Zone 01		1 23.00	23.00
292135020	Zone 01		1 23.00	23.00
292135021	Zone 01		1 23.00	23.00
292135022	Zone 01		1 23.00	23.00
292135023	Zone 01		1 23.00	23.00
292151001	Zone 01		1 23.00	23.00
292151002	Zone 01		1 23.00	23.00
292151003	Zone 01		1 23.00	23.00
292151004	Zone 01		1 23.00	23.00
292151005	Zone 01		1 23.00	23.00
292151006	Zone 01		1 23.00	23.00
292151007	Zone 01		1 23.00	23.00
292151007	Zone 01		1 23.00	23.00
292151009	Zone 01		1 23.00	23.00
292151010	Zone 01		1 23.00	23.00
292151011	Zone 01		1 23.00	23.00
292151012	Zone 01		1 23.00	23.00
292151012	Zone 01		1 23.00	23.00
292151014	Zone 01		1 23.00	23.00
292151015	Zone 01		1 23.00	23.00
292151016	Zone 01		1 23.00	23.00
292151017	Zone 01		1 23.00	23.00
292151017	Zone 01		1 23.00	23.00
292151019	Zone 01		1 23.00	23.00
292151020	Zone 01		1 23.00	23.00
292151021	Zone 01		1 23.00	23.00
292151021	Zone 01		1 23.00	23.00
292151022	Zone 01		1 23.00	23.00
292151024	Zone 01		1 23.00	23.00
292151025	Zone 01		1 23.00	23.00
292151025	Zone 01		1 23.00	23.00
292151027	Zone 01		1 23.00	23.00
292151027	Zone 01		1 23.00	23.00
292151028	Zone 01		1 23.00	23.00
292151029	Zone 01		1 23.00	23.00
292151030	Zone 01			
			1 23.00	23.00
292151032	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
292151033	Zone 01		1 23.00	23.00
292151034	Zone 01		1 23.00	23.00
292151035	Zone 01		1 23.00	23.00
292151036	Zone 01		1 23.00	23.00
292151037	Zone 01		1 23.00	23.00
292151038	Zone 01		1 23.00	23.00
292151039	Zone 01		1 23.00	23.00
292151040	Zone 01		1 23.00	23.00
292151041	Zone 01		1 23.00	23.00
292152001	Zone 01		1 23.00	23.00
292152002	Zone 01		1 23.00	23.00
292152003	Zone 01		1 23.00	23.00
292152004	Zone 01		1 23.00	23.00
292152005	Zone 01		1 23.00	23.00
292152006	Zone 01		1 23.00	23.00
292152007	Zone 01		1 23.00	23.00
292152008	Zone 01		1 23.00	23.00
292152009	Zone 01		1 23.00	23.00
292152010	Zone 01		1 23.00	23.00
292152011	Zone 01		1 23.00	23.00
292152012	Zone 01		1 23.00	23.00
292152012	Zone 01		1 23.00	23.00
292152014	Zone 01		1 23.00	23.00
292152015	Zone 01		1 23.00	23.00
292152016	Zone 01		1 23.00	23.00
292152017	Zone 01		1 23.00	23.00
292152017	Zone 01		1 23.00	23.00
292152019	Zone 01		1 23.00	23.00
292152019	Zone 01		1 23.00	23.00
292152021	Zone 01		1 23.00	23.00
292152021	Zone 01		1 23.00	23.00
292152023	Zone 01		1 23.00	23.00
292152023	Zone 01		1 23.00	23.00
292152025	Zone 01		1 23.00	23.00
292152026	Zone 01		1 23.00	23.00
292152027	Zone 01		1 23.00	23.00
292152027	Zone 01		1 23.00	23.00
292152029	Zone 01		1 23.00	23.00
292152029			1 23.00	23.00
292152030	Zone 01			
	Zone 01		1 23.00	23.00
292191001	Zone 01		1 23.00	23.00
292191002	Zone 01		1 23.00	23.00
292191003	Zone 01		1 23.00	23.00
292191004	Zone 01		1 23.00	23.00
292191005	Zone 01		1 23.00	23.00
292191006	Zone 01		1 23.00	23.00
292191007	Zone 01		1 23.00	23.00
292191008	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	I EBU's FY 17-18 N	Max Assessment	FY 17-18 Assessment
292191009	Zone 01	1	23.00	23.00
292191010	Zone 01	1	23.00	23.00
292191011	Zone 01	1	23.00	23.00
292191012	Zone 01	1	23.00	23.00
292191013	Zone 01	1	23.00	23.00
292201001	Zone 01	1	23.00	23.00
292201002	Zone 01	1	23.00	23.00
292201003	Zone 01	1	23.00	23.00
292201004	Zone 01	1	23.00	23.00
292201005	Zone 01	1	23.00	23.00
292201006	Zone 01	1	23.00	23.00
292201007	Zone 01	1	23.00	23.00
292202001	Zone 01	1	23.00	23.00
292202002	Zone 01	1	23.00	23.00
292202003	Zone 01	1	23.00	23.00
292202004	Zone 01	1	23.00	23.00
292202005	Zone 01	1	23.00	23.00
292202006	Zone 01	1	23.00	23.00
292202007	Zone 01	1	23.00	23.00
292202008	Zone 01	1	23.00	23.00
292202022	Zone 01	1	23.00	23.00
292202023	Zone 01	1	23.00	23.00
292202024	Zone 01	1	23.00	23.00
292202025	Zone 01	1	23.00	23.00
292202026	Zone 01	1	23.00	23.00
292202027	Zone 01	1	23.00	23.00
292202028	Zone 01	1	23.00	23.00
292202029	Zone 01	1	23.00	23.00
292202030	Zone 01	1	23.00	23.00
292202031	Zone 01	1	23.00	23.00
292202032	Zone 01	1	23.00	23.00
292202033	Zone 01	1	23.00	23.00
292202034	Zone 01	1	23.00	23.00
292202035	Zone 01	1	23.00	23.00
292202036	Zone 01	1	23.00	23.00
292203001	Zone 01	1	23.00	23.00
292203002	Zone 01	1	23.00	23.00
292203003	Zone 01	1	23.00	23.00
292203004	Zone 01	1	23.00	23.00
292203005	Zone 01	1	23.00	23.00
292203006	Zone 01	1	23.00	23.00
292203007	Zone 01	1	23.00	23.00
292204003	Zone 01	1	23.00	23.00
292204004	Zone 01	1	23.00	23.00
292205007	Zone 01	1	23.00	23.00
292205008	Zone 01	1	23.00	23.00
292205009	Zone 01	1	23.00	23.00
292205010	Zone 01	1	23.00	23.00

292205011 Zone 01 1 23.00 23 292205012 Zone 01 1 23.00 23 292205013 Zone 01 1 23.00 23 292205014 Zone 01 1 23.00 23 292205015 Zone 01 1 23.00 23 292206001 Zone 01 1 23.00 23 292206002 Zone 01 1 23.00 23 292206003 Zone 01 1 23.00 23 292206004 Zone 01 1 23.00 23 292206005 Zone 01 1 23.00 23 292206006 Zone 01 1 23.00 23 292206007 Zone 01 1 23.00 23 292206008 Zone 01 1 23.00 23 292206010 Zone 01 1 23.00 23 292206011 Zone 01 1 23.00 23 292206012 Z	LMD 2014-01	ne LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
292205012 Zone 01 1 23.00 23 292205013 Zone 01 1 23.00 23 292205014 Zone 01 1 23.00 23 2922060015 Zone 01 1 23.00 23 292206002 Zone 01 1 23.00 23 292206003 Zone 01 1 23.00 23 292206004 Zone 01 1 23.00 23 292206005 Zone 01 1 23.00 23 292206006 Zone 01 1 23.00 23 292206007 Zone 01 1 23.00 23 292206008 Zone 01 1 23.00 23 292206010 Zone 01 1 23.00 23 292206011 Zone 01 1 23.00 23 292206012 Zone 01 1 23.00 23 292206013 Zone 01 1 23.00 23 292206015 Zone 01 1 23.00 23 292206016 Zone 01 <t< td=""><td></td><td></td><td></td><td>23.00</td></t<>				23.00
292205013 Zone 01 1 23.00 23 292205014 Zone 01 1 23.00 23 292205015 Zone 01 1 23.00 23 292206001 Zone 01 1 23.00 23 292206002 Zone 01 1 23.00 23 292206003 Zone 01 1 23.00 23 292206004 Zone 01 1 23.00 23 292206005 Zone 01 1 23.00 23 292206006 Zone 01 1 23.00 23 292206007 Zone 01 1 23.00 23 292206008 Zone 01 1 23.00 23 292206010 Zone 01 1 23.00 23 292206011 Zone 01 1 23.00 23 292206012 Zone 01 1 23.00 23 292206013 Zone 01 1 23.00 23 292206015 Zone 01 1 23.00 23 292206016 Zone 01 <td< td=""><td></td><td></td><td></td><td>23.00</td></td<>				23.00
292205014 Zone 01 1 23.00 23 292205015 Zone 01 1 23.00 23 292206001 Zone 01 1 23.00 23 292206002 Zone 01 1 23.00 23 292206003 Zone 01 1 23.00 23 292206004 Zone 01 1 23.00 23 292206005 Zone 01 1 23.00 23 292206006 Zone 01 1 23.00 23 292206007 Zone 01 1 23.00 23 292206008 Zone 01 1 23.00 23 292206010 Zone 01 1 23.00 23 292206011 Zone 01 1 23.00 23 292206012 Zone 01 1 23.00 23 292206014 Zone 01 1 23.00 23 292206015 Zone 01 1 23.00 23 292206016 Zone 01 1 23.00 23 292206017 Zone 01 <td< td=""><td></td><td></td><td></td><td>23.00</td></td<>				23.00
292205015 Zone 01 1 23.00 23 292206001 Zone 01 1 23.00 23 292206002 Zone 01 1 23.00 23 292206003 Zone 01 1 23.00 23 292206004 Zone 01 1 23.00 23 292206005 Zone 01 1 23.00 23 292206006 Zone 01 1 23.00 23 292206007 Zone 01 1 23.00 23 292206008 Zone 01 1 23.00 23 292206010 Zone 01 1 23.00 23 292206011 Zone 01 1 23.00 23 292206012 Zone 01 1 23.00 23 292206013 Zone 01 1 23.00 23 292206014 Zone 01 1 23.00 23 292206015 Zone 01 1 23.00 23 292206017 Zone 01 1 23.00 23 292207001 Zone 01 <td< td=""><td></td><td></td><td></td><td>23.00</td></td<>				23.00
292206001 Zone 01 1 23.00 23 292206002 Zone 01 1 23.00 23 292206003 Zone 01 1 23.00 23 292206004 Zone 01 1 23.00 23 292206005 Zone 01 1 23.00 23 292206006 Zone 01 1 23.00 23 292206007 Zone 01 1 23.00 23 292206008 Zone 01 1 23.00 23 292206010 Zone 01 1 23.00 23 292206011 Zone 01 1 23.00 23 292206012 Zone 01 1 23.00 23 292206013 Zone 01 1 23.00 23 292206014 Zone 01 1 23.00 23 292206015 Zone 01 1 23.00 23 292206017 Zone 01 1 23.00 23 292207001 2one 01 1 23.00 23 292207001 2one 01 <td< td=""><td></td><td></td><td></td><td>23.00</td></td<>				23.00
292206002 Zone 01 1 23.00 23 292206003 Zone 01 1 23.00 23 292206004 Zone 01 1 23.00 23 292206005 Zone 01 1 23.00 23 292206006 Zone 01 1 23.00 23 292206007 Zone 01 1 23.00 23 292206008 Zone 01 1 23.00 23 292206010 Zone 01 1 23.00 23 292206011 Zone 01 1 23.00 23 292206012 Zone 01 1 23.00 23 292206013 Zone 01 1 23.00 23 292206014 Zone 01 1 23.00 23 292206015 Zone 01 1 23.00 23 292206016 Zone 01 1 23.00 23 292206017 Zone 01 1 23.00 23 292207001 Zone 01 1 23.00 23 292207001 Zone 01 <td< td=""><td></td><td></td><td></td><td>23.00</td></td<>				23.00
292206003 Zone 01 1 23.00 23 292206004 Zone 01 1 23.00 23 292206005 Zone 01 1 23.00 23 292206006 Zone 01 1 23.00 23 292206007 Zone 01 1 23.00 23 292206008 Zone 01 1 23.00 23 292206009 Zone 01 1 23.00 23 292206010 Zone 01 1 23.00 23 292206011 Zone 01 1 23.00 23 292206012 Zone 01 1 23.00 23 292206013 Zone 01 1 23.00 23 292206014 Zone 01 1 23.00 23 292206015 Zone 01 1 23.00 23 292206017 Zone 01 1 23.00 23 292206017 Zone 01 1 23.00 23 292207001 Zone 01 1 23.00 23 292207001 Zone 01 <td< td=""><td></td><td></td><td></td><td>23.00</td></td<>				23.00
292206004 Zone 01 1 23.00 23 292206005 Zone 01 1 23.00 23 292206006 Zone 01 1 23.00 23 292206007 Zone 01 1 23.00 23 292206008 Zone 01 1 23.00 23 292206009 Zone 01 1 23.00 23 292206010 Zone 01 1 23.00 23 292206011 Zone 01 1 23.00 23 292206012 Zone 01 1 23.00 23 292206013 Zone 01 1 23.00 23 292206014 Zone 01 1 23.00 23 292206015 Zone 01 1 23.00 23 292206016 Zone 01 1 23.00 23 292206017 Zone 01 1 23.00 23 292207001 Zone 01 1 23.00 23 292207001 Zone 01 1 23.00 23				23.00
292206005 Zone 01 1 23.00 23 292206006 Zone 01 1 23.00 23 292206007 Zone 01 1 23.00 23 292206008 Zone 01 1 23.00 23 292206009 Zone 01 1 23.00 23 292206010 Zone 01 1 23.00 23 292206011 Zone 01 1 23.00 23 292206012 Zone 01 1 23.00 23 292206013 Zone 01 1 23.00 23 292206014 Zone 01 1 23.00 23 292206015 Zone 01 1 23.00 23 292206016 Zone 01 1 23.00 23 292206017 Zone 01 1 23.00 23 292207001 Zone 01 1 23.00 23 292207001 Zone 01 1 23.00 23				23.00
292206006 Zone 01 1 23.00 23 292206007 Zone 01 1 23.00 23 292206008 Zone 01 1 23.00 23 292206009 Zone 01 1 23.00 23 292206010 Zone 01 1 23.00 23 292206011 Zone 01 1 23.00 23 292206012 Zone 01 1 23.00 23 292206013 Zone 01 1 23.00 23 292206014 Zone 01 1 23.00 23 292206015 Zone 01 1 23.00 23 292206017 Zone 01 1 23.00 23 292206017 Zone 01 1 23.00 23 292207001 Zone 01 1 23.00 23 292207001 Zone 01 1 23.00 23				23.00
292206007 Zone 01 1 23.00 23 292206008 Zone 01 1 23.00 23 292206009 Zone 01 1 23.00 23 292206010 Zone 01 1 23.00 23 292206011 Zone 01 1 23.00 23 292206012 Zone 01 1 23.00 23 292206013 Zone 01 1 23.00 23 292206014 Zone 01 1 23.00 23 292206015 Zone 01 1 23.00 23 292206017 Zone 01 1 23.00 23 292206017 Zone 01 1 23.00 23 292207001 Zone 01 1 23.00 23 292207001 Zone 01 1 23.00 23				23.00
292206008 Zone 01 1 23.00 23 292206009 Zone 01 1 23.00 23 292206010 Zone 01 1 23.00 23 292206011 Zone 01 1 23.00 23 292206012 Zone 01 1 23.00 23 292206013 Zone 01 1 23.00 23 292206014 Zone 01 1 23.00 23 292206015 Zone 01 1 23.00 23 292206016 Zone 01 1 23.00 23 292206017 Zone 01 1 23.00 23 292207001 Zone 01 1 23.00 23 292207001 Zone 01 1 23.00 23				23.00
292206009 Zone 01 1 23.00 23 292206010 Zone 01 1 23.00 23 292206011 Zone 01 1 23.00 23 292206012 Zone 01 1 23.00 23 292206013 Zone 01 1 23.00 23 292206014 Zone 01 1 23.00 23 292206015 Zone 01 1 23.00 23 292206016 Zone 01 1 23.00 23 292206017 Zone 01 1 23.00 23 292207001 Zone 01 1 23.00 23 292207001 Zone 01 1 23.00 23				23.00
292206010 Zone 01 1 23.00 23 292206011 Zone 01 1 23.00 23 292206012 Zone 01 1 23.00 23 292206013 Zone 01 1 23.00 23 292206014 Zone 01 1 23.00 23 292206015 Zone 01 1 23.00 23 292206016 Zone 01 1 23.00 23 292206017 Zone 01 1 23.00 23 292207001 Zone 01 1 23.00 23 292207001 Zone 01 1 23.00 23				23.00
292206012 Zone 01 1 23.00 23 292206013 Zone 01 1 23.00 23 292206014 Zone 01 1 23.00 23 292206015 Zone 01 1 23.00 23 292206016 Zone 01 1 23.00 23 292206017 Zone 01 1 23.00 23 292207001 Zone 01 1 23.00 23 292207001 Zone 01 1 23.00 23				23.00
292206012 Zone 01 1 23.00 23 292206013 Zone 01 1 23.00 23 292206014 Zone 01 1 23.00 23 292206015 Zone 01 1 23.00 23 292206016 Zone 01 1 23.00 23 292206017 Zone 01 1 23.00 23 292207001 Zone 01 1 23.00 23 292207001 Zone 01 1 23.00 23				23.00
292206013 Zone 01 1 23.00 23 292206014 Zone 01 1 23.00 23 292206015 Zone 01 1 23.00 23 292206016 Zone 01 1 23.00 23 292206017 Zone 01 1 23.00 23 292207001 Zone 01 1 23.00 23 292207001 Zone 01 1 23.00 23				23.00
292206014 Zone 01 1 23.00 23 292206015 Zone 01 1 23.00 23 292206016 Zone 01 1 23.00 23 292206017 Zone 01 1 23.00 23 292207001 Zone 01 1 23.00 23 292207001 Zone 01 1 23.00 23				23.00
292206015 Zone 01 1 23.00 23 292206016 Zone 01 1 23.00 23 292206017 Zone 01 1 23.00 23 292207001 Zone 01 1 23.00 23 292207001 Zone 01 1 23.00 23			1 23.00	23.00
292206016 Zone 01 1 23.00 23 292206017 Zone 01 1 23.00 23 292207001 Zone 01 1 23.00 23				23.00
292206017 Zone 01 1 23.00 23 292207001 Zone 01 1 23.00 23				23.00
292207001 Zone 01 1 23.00 23				23.00
				23.00
2022 1200 1 2010 0 1 20			1 23.00	23.00
				23.00
				23.00
				23.00
				23.00
				23.00
				23.00
				23.00
				23.00
				23.00
				23.00
				23.00
				23.00
				23.00
				23.00
				23.00
				23.00
				23.00
				23.00
				23.00
				23.00
				23.00
				23.00
				23.00
				23.00

APN	LMD 2014-01 Zone L	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
292213022	Zone 01		1 23.00	23.00
292213023	Zone 01		1 23.00	23.00
292213024	Zone 01		1 23.00	23.00
292213025	Zone 01		1 23.00	23.00
292213026	Zone 01		1 23.00	23.00
292213027	Zone 01		1 23.00	23.00
292221001	Zone 01		0	0.00
292221008	Zone 01		1 23.00	23.00
292221009	Zone 01		1 23.00	23.00
292221010	Zone 01		1 23.00	23.00
292221011	Zone 01		1 23.00	23.00
292221012	Zone 01		1 23.00	23.00
292221013	Zone 01		1 23.00	23.00
292221014	Zone 01		1 23.00	23.00
292221015	Zone 01		1 23.00	23.00
292222010	Zone 01		1 23.00	23.00
292222011	Zone 01		1 23.00	23.00
292222012	Zone 01		1 23.00	23.00
292222013	Zone 01		1 23.00	23.00
292222017	Zone 01		1 23.00	23.00
292222018	Zone 01		1 23.00	23.00
292222019	Zone 01		1 23.00	23.00
292222020	Zone 01		1 23.00	23.00
292222021	Zone 01		1 23.00	23.00
292222022	Zone 01		1 23.00	23.00
292222023	Zone 01		1 23.00	23.00
292222024	Zone 01		1 23.00	23.00
292222025	Zone 01		1 23.00	23.00
292222026	Zone 01		1 23.00	23.00
292222027	Zone 01		1 23.00	23.00
292222028	Zone 01		1 23.00	23.00
292222029	Zone 01		1 23.00	23.00
292222030	Zone 01		1 23.00	23.00
292222031	Zone 01		1 23.00	23.00
292222032	Zone 01		1 23.00	23.00
292271001	Zone 01		1 23.00	23.00
292271001	Zone 01		1 23.00	23.00
292271002	Zone 01		1 23.00	23.00
292271003	Zone 01		1 23.00	23.00
292271005	Zone 01		1 23.00	23.00
292271005	Zone 01		1 23.00	23.00
292271007	Zone 01		1 23.00	23.00
292271007			1 23.00	23.00
292271008	Zone 01 Zone 01		1 23.00	23.00
292272001	Zone 01		1 23.00	23.00
292272002	Zone 01		1 23.00	23.00
292272003	Zone 01			
			1 23.00	23.00
292272005	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
292272006	Zone 01		1 23.00	23.00
292272007	Zone 01		1 23.00	23.00
292272008	Zone 01		1 23.00	23.00
292272009	Zone 01		1 23.00	23.00
292272010	Zone 01		1 23.00	23.00
292272011	Zone 01		1 23.00	23.00
292272012	Zone 01		1 23.00	23.00
292272013	Zone 01		1 23.00	23.00
292272014	Zone 01		1 23.00	23.00
292272015	Zone 01		1 23.00	23.00
292272016	Zone 01		1 23.00	23.00
292272017	Zone 01		1 23.00	23.00
292272018	Zone 01		1 23.00	23.00
292272019	Zone 01		1 23.00	23.00
292272020	Zone 01		1 23.00	23.00
296021001	Zone 01		1 23.00	23.00
296021002	Zone 01		1 23.00	23.00
296021003	Zone 01		1 23.00	23.00
296021004	Zone 01		1 23.00	23.00
296021005	Zone 01		1 23.00	23.00
296021006	Zone 01		1 23.00	23.00
296021007	Zone 01		1 23.00	23.00
296021008	Zone 01		1 23.00	23.00
296021009	Zone 01		1 23.00	23.00
296021010	Zone 01		1 23.00	23.00
296022001	Zone 01		1 23.00	23.00
296022002	Zone 01		1 23.00	23.00
296022003	Zone 01		1 23.00	23.00
296022004	Zone 01		1 23.00	23.00
296022005	Zone 01		1 23.00	23.00
296022006	Zone 01		1 23.00	23.00
296022007	Zone 01		1 23.00	23.00
296022008	Zone 01		1 23.00	23.00
296022009	Zone 01		1 23.00	23.00
296022010	Zone 01		1 23.00	23.00
296023001	Zone 01		1 23.00	23.00
296023002	Zone 01		1 23.00	23.00
296023002	Zone 01		1 23.00	23.00
296023004	Zone 01		1 23.00	23.00
296023005	Zone 01		1 23.00	23.00
296023006	Zone 01		1 23.00	23.00
296023007	Zone 01		1 23.00	23.00
296023007	Zone 01		1 23.00	23.00
296023009	Zone 01		1 23.00	23.00
296023010	Zone 01		1 23.00	23.00
296023011	Zone 01		1 23.00	23.00
296023011	Zone 01		1 23.00	23.00
296023013	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigno	ed EBU's FY 17-18 Ma	ax Assessment	FY 17-18 Assessment
296023014	Zone 01	1	23.00	23.00
296024001	Zone 01	1	23.00	23.00
296024002	Zone 01	1	23.00	23.00
296024003	Zone 01	1	23.00	23.00
296024004	Zone 01	1	23.00	23.00
296024005	Zone 01	1	23.00	23.00
296024006	Zone 01	1	23.00	23.00
296024007	Zone 01	1	23.00	23.00
296024008	Zone 01	1	23.00	23.00
296024009	Zone 01	1	23.00	23.00
296025001	Zone 01	1	23.00	23.00
296025002	Zone 01	1	23.00	23.00
296025003	Zone 01	1	23.00	23.00
296025004	Zone 01	1	23.00	23.00
296025005	Zone 01	1	23.00	23.00
296025006	Zone 01	1	23.00	23.00
296025007	Zone 01	1	23.00	23.00
296025008	Zone 01	1	23.00	23.00
296025009	Zone 01	1	23.00	23.00
296025010	Zone 01	1	23.00	23.00
296025011	Zone 01	1	23.00	23.00
296025012	Zone 01	1	23.00	23.00
296025013	Zone 01	1	23.00	23.00
296025014	Zone 01	1	23.00	23.00
296025015	Zone 01	1	23.00	23.00
296025016	Zone 01	1	23.00	23.00
296025017	Zone 01	1	23.00	23.00
296025018	Zone 01	1	23.00	23.00
296025019	Zone 01	1	23.00	23.00
296025020	Zone 01	1	23.00	23.00
296025021	Zone 01	1	23.00	23.00
296025022	Zone 01	1	23.00	23.00
296025023	Zone 01	1	23.00	23.00
296025024	Zone 01	1	23.00	23.00
296031001	Zone 01	1	23.00	23.00
296031002	Zone 01	1	23.00	23.00
296031003	Zone 01	1	23.00	23.00
296031004	Zone 01	1	23.00	23.00
296031005	Zone 01	1	23.00	23.00
296031006	Zone 01	1	23.00	23.00
296031007	Zone 01	1	23.00	23.00
296031008	Zone 01	1	23.00	23.00
296031009	Zone 01	1	23.00	23.00
296031010	Zone 01	1	23.00	23.00
296031011	Zone 01	1	23.00	23.00
296031012	Zone 01	1	23.00	23.00
296031013	Zone 01	1	23.00	23.00
296031014	Zone 01	1	23.00	23.00
			20.30	20.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
296031015	Zone 01		1 23.00	23.00
296031016	Zone 01		1 23.00	23.00
296032001	Zone 01		1 23.00	23.00
296032002	Zone 01		1 23.00	23.00
296032003	Zone 01		1 23.00	23.00
296032004	Zone 01		1 23.00	23.00
296032005	Zone 01		1 23.00	23.00
296032006	Zone 01		1 23.00	23.00
296032007	Zone 01		1 23.00	23.00
296032008	Zone 01		1 23.00	23.00
296032009	Zone 01		1 23.00	23.00
296032010	Zone 01		1 23.00	23.00
296033001	Zone 01		1 23.00	23.00
296033002	Zone 01		1 23.00	23.00
296033003	Zone 01		1 23.00	23.00
296033004	Zone 01		1 23.00	23.00
296033005	Zone 01		1 23.00	23.00
296033006	Zone 01		1 23.00	23.00
296033007	Zone 01		1 23.00	23.00
296033008	Zone 01		1 23.00	23.00
296033009	Zone 01		1 23.00	23.00
296033010	Zone 01		1 23.00	23.00
296033011	Zone 01		1 23.00	23.00
296033012	Zone 01		1 23.00	23.00
296033013	Zone 01		1 23.00	23.00
296033014	Zone 01		1 23.00	23.00
296033015	Zone 01		1 23.00	23.00
296033016	Zone 01		1 23.00	23.00
296033017	Zone 01		1 23.00	23.00
296033018	Zone 01		1 23.00	23.00
296034001	Zone 01		1 23.00	23.00
296034002	Zone 01		1 23.00	23.00
296034003	Zone 01		1 23.00	23.00
296034004	Zone 01		1 23.00	23.00
296034005	Zone 01		1 23.00	23.00
296034006	Zone 01		1 23.00	23.00
296034007	Zone 01		1 23.00	23.00
296034008	Zone 01		1 23.00	23.00
296034009	Zone 01		1 23.00	23.00
296034009	Zone 01		1 23.00	23.00
296034011	Zone 01		1 23.00	23.00
296034011	Zone 01		1 23.00	23.00
296034012	Zone 01		1 23.00	23.00
296034013	Zone 01		1 23.00	23.00
296034014	Zone 01		1 23.00	23.00
296034016	Zone 01		1 23.00	23.00
296034017	Zone 01			
			1 23.00	23.00
296034018	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-18	Max Assessment	FY 17-18 Assessment
296034019	Zone 01	1	23.00	23.00
296034020	Zone 01	1	23.00	23.00
296034021	Zone 01	1	23.00	23.00
296034022	Zone 01	1	23.00	23.00
296034023	Zone 01	1	23.00	23.00
296034024	Zone 01	1	23.00	23.00
296034025	Zone 01	1	23.00	23.00
296034026	Zone 01	1	23.00	23.00
296034027	Zone 01	1	23.00	23.00
296034028	Zone 01	1	23.00	23.00
296034029	Zone 01	1	23.00	23.00
296034030	Zone 01	1	23.00	23.00
296034031	Zone 01	1	23.00	23.00
296034032	Zone 01	1	23.00	23.00
296034033	Zone 01	1	23.00	23.00
296034034	Zone 01	1	23.00	23.00
296034035	Zone 01	1	23.00	23.00
296034036	Zone 01	1	23.00	23.00
296034037	Zone 01	1	23.00	23.00
296034038	Zone 01	1	23.00	23.00
296034039	Zone 01	1	23.00	23.00
296034040	Zone 01	1	23.00	23.00
296034041	Zone 01	1	23.00	23.00
296041002	Zone 01	1	23.00	23.00
296041003	Zone 01	1	23.00	23.00
296041004	Zone 01	1	23.00	23.00
296041005	Zone 01	1	23.00	23.00
296041006	Zone 01	1	23.00	23.00
296041007	Zone 01	1	23.00	23.00
296041011	Zone 01	1	23.00	23.00
296041012	Zone 01	1	23.00	23.00
296041013	Zone 01	1	23.00	23.00
296041014	Zone 01	1	23.00	23.00
296041015	Zone 01	1	23.00	23.00
296041016	Zone 01	1	23.00	23.00
296041017	Zone 01	1	23.00	23.00
296041018	Zone 01	1	23.00	23.00
296041019	Zone 01	1	23.00	23.00
296041020	Zone 01	1	23.00	23.00
296041021	Zone 01	1	23.00	23.00
296041022	Zone 01	1	23.00	23.00
296041023	Zone 01	1	23.00	23.00
296041024	Zone 01	1	23.00	23.00
296041025	Zone 01	1	23.00	23.00
296041026	Zone 01	1	23.00	23.00
296042001	Zone 01	1	23.00	23.00
296042002	Zone 01	1	23.00	23.00
296042003	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
296042004	Zone 01		1 23.00	23.00
296042005	Zone 01		1 23.00	23.00
296042006	Zone 01		1 23.00	23.00
296042007	Zone 01		1 23.00	23.00
296042008	Zone 01		1 23.00	23.00
296042009	Zone 01		1 23.00	23.00
296042010	Zone 01		1 23.00	23.00
296042011	Zone 01		1 23.00	23.00
296042012	Zone 01		1 23.00	23.00
296042013	Zone 01		1 23.00	23.00
296042014	Zone 01		1 23.00	23.00
296042015	Zone 01		1 23.00	23.00
296042016	Zone 01		1 23.00	23.00
296042017	Zone 01		1 23.00	23.00
296042018	Zone 01		1 23.00	23.00
296042019	Zone 01		1 23.00	23.00
296042020	Zone 01		1 23.00	23.00
296042021	Zone 01		1 23.00	23.00
296042022	Zone 01		1 23.00	23.00
296042023	Zone 01		1 23.00	23.00
296042024	Zone 01		1 23.00	23.00
296042025	Zone 01		1 23.00	23.00
296042026	Zone 01		1 23.00	23.00
296042027	Zone 01		1 23.00	23.00
296042028	Zone 01		1 23.00	23.00
296042029	Zone 01		1 23.00	23.00
296043001	Zone 01		1 23.00	23.00
296043002	Zone 01		1 23.00	23.00
296043003	Zone 01		1 23.00	23.00
296043004	Zone 01		1 23.00	23.00
296043005	Zone 01		1 23.00	23.00
296043006	Zone 01		1 23.00	23.00
296043007	Zone 01		1 23.00	23.00
296043008	Zone 01		1 23.00	23.00
296043009	Zone 01		1 23.00	23.00
296043010	Zone 01		1 23.00	23.00
296044001	Zone 01		1 23.00	23.00
296044002	Zone 01		1 23.00	23.00
296044003	Zone 01		1 23.00	23.00
296044004	Zone 01		1 23.00	23.00
296044005	Zone 01		1 23.00	23.00
296044003	Zone 01		1 23.00	23.00
296045002	Zone 01		1 23.00	23.00
296045002	Zone 01		1 23.00	23.00
296045003	Zone 01		1 23.00	23.00
296045004	Zone 01		1 23.00	23.00
296045005	Zone 01		1 23.00	
				23.00
296045007	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigne	ed EBU's FY 17-18 Ma	x Assessment	FY 17-18 Assessment
296051001	Zone 01	1	23.00	23.00
296051002	Zone 01	1	23.00	23.00
296051003	Zone 01	1	23.00	23.00
296051004	Zone 01	1	23.00	23.00
296051005	Zone 01	1	23.00	23.00
296051006	Zone 01	1	23.00	23.00
296051007	Zone 01	1	23.00	23.00
296051008	Zone 01	1	23.00	23.00
296051009	Zone 01	1	23.00	23.00
296051010	Zone 01	1	23.00	23.00
296052001	Zone 01	1	23.00	23.00
296052002	Zone 01	1	23.00	23.00
296052003	Zone 01	1	23.00	23.00
296052004	Zone 01	1	23.00	23.00
296052005	Zone 01	1	23.00	23.00
296052006	Zone 01	1	23.00	23.00
296052007	Zone 01	1	23.00	23.00
296052008	Zone 01	1	23.00	23.00
296052009	Zone 01	1	23.00	23.00
296052010	Zone 01	1	23.00	23.00
296052011	Zone 01	1	23.00	23.00
296052012	Zone 01	1	23.00	23.00
296052013	Zone 01	1	23.00	23.00
296052014	Zone 01	1	23.00	23.00
296052015	Zone 01	1	23.00	23.00
296052016	Zone 01	1	23.00	23.00
296052017	Zone 01	1	23.00	23.00
296052018	Zone 01	1	23.00	23.00
296052019	Zone 01	1	23.00	23.00
296052020	Zone 01	1	23.00	23.00
296052021	Zone 01	1	23.00	23.00
296052022	Zone 01	1	23.00	23.00
296052023	Zone 01	1	23.00	23.00
296052024	Zone 01	1	23.00	23.00
296052025	Zone 01	1	23.00	23.00
296052026	Zone 01	1	23.00	23.00
296052027	Zone 01	1	23.00	23.00
296052028	Zone 01	1	23.00	23.00
296052029	Zone 01	1	23.00	23.00
296052030	Zone 01	1	23.00	23.00
296052031	Zone 01	1	23.00	23.00
296052032	Zone 01	1	23.00	23.00
296052033	Zone 01	1	23.00	23.00
296052034	Zone 01	1	23.00	23.00
296052035	Zone 01	1	23.00	23.00
296052036	Zone 01	1	23.00	23.00
296052037	Zone 01	1	23.00	23.00
296052038	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
296052039	Zone 01		1 23.00	23.00
296052040	Zone 01		1 23.00	23.00
296052041	Zone 01		1 23.00	23.00
296052042	Zone 01		1 23.00	23.00
296052043	Zone 01		1 23.00	23.00
296052044	Zone 01		1 23.00	23.00
296052045	Zone 01		1 23.00	23.00
296052046	Zone 01		1 23.00	23.00
296052047	Zone 01		1 23.00	23.00
296052048	Zone 01		1 23.00	23.00
296052049	Zone 01		1 23.00	23.00
296052050	Zone 01		1 23.00	23.00
296052051	Zone 01		1 23.00	23.00
296052052	Zone 01		1 23.00	23.00
296052053	Zone 01		1 23.00	23.00
296052054	Zone 01		1 23.00	23.00
296053001	Zone 01		1 23.00	23.00
296053002	Zone 01		1 23.00	23.00
296053003	Zone 01		1 23.00	23.00
296053004	Zone 01		1 23.00	23.00
296053005	Zone 01		1 23.00	23.00
296053006	Zone 01		1 23.00	23.00
296053007	Zone 01		1 23.00	23.00
296053008	Zone 01		1 23.00	23.00
296053009	Zone 01		1 23.00	23.00
296053010	Zone 01		1 23.00	23.00
296054001	Zone 01		1 23.00	23.00
296054002	Zone 01		1 23.00	23.00
296054003	Zone 01		1 23.00	23.00
296054004	Zone 01		1 23.00	23.00
296054005	Zone 01		1 23.00	23.00
296054006	Zone 01		1 23.00	23.00
296054007	Zone 01		1 23.00	23.00
296054008	Zone 01		1 23.00	23.00
296054009	Zone 01		1 23.00	23.00
296071001	Zone 01		1 23.00	23.00
296071001	Zone 01		1 23.00	23.00
296071002	Zone 01		1 23.00	23.00
296071003	Zone 01		1 23.00	23.00
296071004	Zone 01		1 23.00	23.00
296071005	Zone 01		1 23.00	23.00
296071007 296071008	Zone 01		1 23.00	23.00
	Zone 01		1 23.00	23.00
296071009	Zone 01		1 23.00	23.00
296071010	Zone 01		1 23.00	23.00
296071011	Zone 01		1 23.00	23.00
296071012	Zone 01		1 23.00	23.00
296071013	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone L	_MD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
296071014	Zone 01		1 23.00	23.00
296071015	Zone 01		1 23.00	23.00
296071016	Zone 01		1 23.00	23.00
296071017	Zone 01		1 23.00	23.00
296071018	Zone 01		1 23.00	23.00
296071019	Zone 01		1 23.00	23.00
296071020	Zone 01		1 23.00	23.00
296071021	Zone 01		1 23.00	23.00
296071022	Zone 01		1 23.00	23.00
296071023	Zone 01		1 23.00	23.00
296071024	Zone 01		1 23.00	23.00
296071025	Zone 01		1 23.00	23.00
296071026	Zone 01		1 23.00	23.00
296071027	Zone 01		1 23.00	23.00
296071028	Zone 01		1 23.00	23.00
296071029	Zone 01		1 23.00	23.00
296072001	Zone 01		1 23.00	23.00
296072002	Zone 01		1 23.00	23.00
296072003	Zone 01		1 23.00	23.00
296072004	Zone 01		1 23.00	23.00
296072005	Zone 01		1 23.00	23.00
296072006	Zone 01		1 23.00	23.00
296072007	Zone 01		1 23.00	23.00
296072008	Zone 01		1 23.00	23.00
296072009	Zone 01		1 23.00	23.00
296072010	Zone 01		1 23.00	23.00
296072011	Zone 01		1 23.00	23.00
296072012	Zone 01		1 23.00	23.00
296072013	Zone 01		1 23.00	23.00
296072014	Zone 01		1 23.00	23.00
296072015	Zone 01		1 23.00	23.00
296072016	Zone 01		1 23.00	23.00
296072017	Zone 01		1 23.00	23.00
296072018	Zone 01		1 23.00	23.00
296072019	Zone 01		1 23.00	23.00
296072020	Zone 01		1 23.00	23.00
296073001	Zone 01		1 23.00	23.00
296073002	Zone 01		1 23.00	23.00
296073003	Zone 01		1 23.00	23.00
296073004	Zone 01		1 23.00	23.00
296073005	Zone 01		1 23.00	23.00
296073006	Zone 01		1 23.00	23.00
296073007	Zone 01		1 23.00	23.00
296073008	Zone 01		1 23.00	23.00
296073009	Zone 01		1 23.00	23.00
296073010	Zone 01		1 23.00	23.00
296073011	Zone 01		1 23.00	23.00
296073012	Zone 01		1 23.00	23.00
			20.00	_5.00

APN	LMD 2014-01 Zone I	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
296073013	Zone 01		1 23.00	23.00
296073014	Zone 01		1 23.00	23.00
296073015	Zone 01		1 23.00	23.00
296073016	Zone 01		1 23.00	23.00
296074001	Zone 01		1 23.00	23.00
296074002	Zone 01		1 23.00	23.00
296074003	Zone 01		1 23.00	23.00
296074004	Zone 01		1 23.00	23.00
296074005	Zone 01		1 23.00	23.00
296074006	Zone 01		1 23.00	23.00
296074007	Zone 01		1 23.00	23.00
296074008	Zone 01		1 23.00	23.00
296074009	Zone 01		1 23.00	23.00
296074010	Zone 01		1 23.00	23.00
296074011	Zone 01		1 23.00	23.00
296074012	Zone 01		1 23.00	23.00
296074013	Zone 01		1 23.00	23.00
296074014	Zone 01		1 23.00	23.00
296074015	Zone 01		1 23.00	23.00
296081001	Zone 01		1 23.00	23.00
296081002	Zone 01		1 23.00	23.00
296081003	Zone 01		1 23.00	23.00
296081004	Zone 01		1 23.00	23.00
296081005	Zone 01		1 23.00	23.00
296081006	Zone 01		1 23.00	23.00
296081007	Zone 01		1 23.00	23.00
296081008	Zone 01		1 23.00	23.00
296081009	Zone 01		1 23.00	23.00
296082001	Zone 01		1 23.00	23.00
296082002	Zone 01		1 23.00	23.00
296082003	Zone 01		1 23.00	23.00
296082004	Zone 01		1 23.00	23.00
296082005	Zone 01		1 23.00	23.00
296082006	Zone 01		1 23.00	23.00
296082007	Zone 01		1 23.00	23.00
296082008	Zone 01		1 23.00	23.00
296082009	Zone 01		1 23.00	23.00
296082010	Zone 01		1 23.00	23.00
296083001	Zone 01		1 23.00	23.00
296083002	Zone 01		1 23.00	23.00
296083002	Zone 01		1 23.00	23.00
296083004	Zone 01		1 23.00	23.00
296083005	Zone 01		1 23.00	23.00
296083006	Zone 01		1 23.00	23.00
296083007	Zone 01		1 23.00	23.00
296083007	Zone 01		1 23.00	23.00
296083009	Zone 01		1 23.00	
				23.00
296083010	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone L	.MD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
296083011	Zone 01		1 23.00	23.00
296083012	Zone 01		1 23.00	23.00
296083013	Zone 01		1 23.00	23.00
296083014	Zone 01		1 23.00	23.00
296083015	Zone 01		1 23.00	23.00
296083016	Zone 01		1 23.00	23.00
296083017	Zone 01		1 23.00	23.00
296083018	Zone 01		1 23.00	23.00
296083019	Zone 01		1 23.00	23.00
296083020	Zone 01		1 23.00	23.00
296083021	Zone 01		1 23.00	23.00
296083022	Zone 01		1 23.00	23.00
296083023	Zone 01		1 23.00	23.00
296083024	Zone 01		1 23.00	23.00
296083025	Zone 01		1 23.00	23.00
296083026	Zone 01		1 23.00	23.00
296083027	Zone 01		1 23.00	23.00
296083028	Zone 01		1 23.00	23.00
296083029	Zone 01		1 23.00	23.00
296083030	Zone 01		1 23.00	23.00
296083031	Zone 01		1 23.00	23.00
296083032	Zone 01		1 23.00	23.00
296083033	Zone 01		1 23.00	23.00
296083034	Zone 01		1 23.00	23.00
296083035	Zone 01		1 23.00	23.00
296083036	Zone 01		1 23.00	23.00
296083037	Zone 01		1 23.00	23.00
296083038	Zone 01		1 23.00	23.00
296083039	Zone 01		1 23.00	23.00
296083040	Zone 01		1 23.00	23.00
296083041	Zone 01		1 23.00	23.00
296083042	Zone 01		1 23.00	23.00
296083043	Zone 01		1 23.00	23.00
296083044	Zone 01		1 23.00	23.00
296083045	Zone 01		1 23.00	23.00
296083046	Zone 01		1 23.00	23.00
296083047	Zone 01		1 23.00	23.00
296083048	Zone 01		1 23.00	23.00
296083049	Zone 01		1 23.00	23.00
296083050	Zone 01		1 23.00	23.00
296084001	Zone 01		1 23.00	23.00
296084002	Zone 01		1 23.00	23.00
296084003	Zone 01		1 23.00	23.00
296084004	Zone 01		1 23.00	23.00
296084004	Zone 01		1 23.00	23.00
296084005	Zone 01		1 23.00	23.00
296084007	Zone 01		1 23.00	23.00
296084007	Zone 01		1 23.00	23.00
230004000	ZUITE UT		∠3.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
296084009	Zone 01		1 23.00	23.00
296084010	Zone 01		1 23.00	23.00
296091001	Zone 01		1 23.00	23.00
296091002	Zone 01		1 23.00	23.00
296091003	Zone 01		1 23.00	23.00
296091004	Zone 01		1 23.00	23.00
296091005	Zone 01		1 23.00	23.00
296091006	Zone 01		1 23.00	23.00
296091007	Zone 01		1 23.00	23.00
296091008	Zone 01		1 23.00	23.00
296091009	Zone 01		1 23.00	23.00
296091010	Zone 01		1 23.00	23.00
296092001	Zone 01		1 23.00	23.00
296092002	Zone 01		1 23.00	23.00
296092003	Zone 01		1 23.00	23.00
296092004	Zone 01		1 23.00	23.00
296092005	Zone 01		1 23.00	23.00
296092006	Zone 01		1 23.00	23.00
296092007	Zone 01		1 23.00	23.00
296092008	Zone 01		1 23.00	23.00
296092009	Zone 01		1 23.00	23.00
296092010	Zone 01		1 23.00	23.00
296092011	Zone 01		1 23.00	23.00
296092012	Zone 01		1 23.00	23.00
296092013	Zone 01		1 23.00	23.00
296092014	Zone 01		1 23.00	23.00
296092015	Zone 01		1 23.00	23.00
296092016	Zone 01		1 23.00	23.00
296092017	Zone 01		1 23.00	23.00
296092018	Zone 01		1 23.00	23.00
296092019	Zone 01		1 23.00	23.00
296092020	Zone 01		1 23.00	23.00
296092021	Zone 01		1 23.00	23.00
296092022	Zone 01		1 23.00	23.00
296092023	Zone 01		1 23.00	23.00
296092024	Zone 01		1 23.00	23.00
296092025	Zone 01		1 23.00	23.00
296092026	Zone 01		1 23.00	23.00
296092027	Zone 01		1 23.00	23.00
296092028	Zone 01		1 23.00	23.00
296101001	Zone 01		1 23.00	23.00
296101001	Zone 01		1 23.00	23.00
296101002	Zone 01		1 23.00	23.00
296101003	Zone 01		1 23.00	23.00
296101004	Zone 01		1 23.00	23.00
296101005	Zone 01		1 23.00	23.00
296101007	Zone 01		1 23.00	23.00
296101007	Zone 01		1 23.00	23.00
230101000	20116 01		23.00	23.00

296101009	APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
296102001	296101009	Zone 01		1 23.00	23.00
296102002	296101010	Zone 01		1 23.00	23.00
296102003	296102001	Zone 01		1 23.00	23.00
296102004 Zone 01 1 23.00 23.00 296102006 Zone 01 1 23.00 23.00 296102007 Zone 01 1 23.00 23.00 296102008 Zone 01 1 23.00 23.00 296103001 Zone 01 1 23.00 23.00 296103002 Zone 01 1 23.00 23.00 296103003 Zone 01 1 23.00 23.00 296103004 Zone 01 1 23.00 23.00 296103005 Zone 01 1 23.00 23.00 296103006 Zone 01 1 23.00 23.00 296103007 Zone 01 1 23.00 23.00 296103008 Zone 01 1 23.00 23.00 296103001 Zone 01 1 23.00 23.00 296103011 Zone 01 1 23.00 23.00 296103012 Zone 01 1 23.00 23.00	296102002	Zone 01		1 23.00	23.00
296102005 Zone 01	296102003	Zone 01		1 23.00	23.00
296102006 Zone 01	296102004	Zone 01		1 23.00	23.00
296102007 Zone 01	296102005	Zone 01		1 23.00	23.00
296102008	296102006	Zone 01		1 23.00	23.00
296103001 Zone 01 1 23.00 23.00 296103002 Zone 01 1 23.00 23.00 296103003 Zone 01 1 23.00 23.00 296103005 Zone 01 1 23.00 23.00 296103006 Zone 01 1 23.00 23.00 296103007 Zone 01 1 23.00 23.00 296103008 Zone 01 1 23.00 23.00 296103009 Zone 01 1 23.00 23.00 296103010 Zone 01 1 23.00 23.00 296103011 Zone 01 1 23.00 23.00 296103012 Zone 01 1 23.00 23.00 296103013 Zone 01 1 23.00 23.00 296103015 Zone 01 1 23.00 23.00 296103015 Zone 01 1 23.00 23.00 296103016 Zone 01 1 23.00 23.00	296102007	Zone 01		1 23.00	23.00
296103002 Zone 01 1 23.00 23.00 296103003 Zone 01 1 23.00 23.00 296103005 Zone 01 1 23.00 23.00 296103006 Zone 01 1 23.00 23.00 296103007 Zone 01 1 23.00 23.00 296103008 Zone 01 1 23.00 23.00 296103009 Zone 01 1 23.00 23.00 296103010 Zone 01 1 23.00 23.00 296103011 Zone 01 1 23.00 23.00 296103012 Zone 01 1 23.00 23.00 296103013 Zone 01 1 23.00 23.00 296103014 Zone 01 1 23.00 23.00 296103015 Zone 01 1 23.00 23.00 296103016 Zone 01 1 23.00 23.00 296103017 Zone 01 1 23.00 23.00	296102008	Zone 01		1 23.00	23.00
296103003 Zone 01 1 23.00 23.00 296103004 Zone 01 1 23.00 23.00 296103006 Zone 01 1 23.00 23.00 296103007 Zone 01 1 23.00 23.00 296103008 Zone 01 1 23.00 23.00 296103009 Zone 01 1 23.00 23.00 296103010 Zone 01 1 23.00 23.00 296103011 Zone 01 1 23.00 23.00 296103012 Zone 01 1 23.00 23.00 296103013 Zone 01 1 23.00 23.00 296103014 Zone 01 1 23.00 23.00 296103015 Zone 01 1 23.00 23.00 296103016 Zone 01 1 23.00 23.00 296103017 Zone 01 1 23.00 23.00 296103017 Zone 01 1 23.00 23.00	296103001	Zone 01		1 23.00	23.00
296103004 Zone 01 1 23.00 23.00 296103005 Zone 01 1 23.00 23.00 296103006 Zone 01 1 23.00 23.00 296103007 Zone 01 1 23.00 23.00 296103009 Zone 01 1 23.00 23.00 296103010 Zone 01 1 23.00 23.00 296103011 Zone 01 1 23.00 23.00 296103012 Zone 01 1 23.00 23.00 296103013 Zone 01 1 23.00 23.00 296103014 Zone 01 1 23.00 23.00 296103015 Zone 01 1 23.00 23.00 296103016 Zone 01 1 23.00 23.00 296103017 Zone 01 1 23.00 23.00 296103018 Zone 01 1 23.00 23.00 296103019 Zone 01 1 23.00 23.00	296103002	Zone 01		1 23.00	23.00
296103005 Zone 01 1 23.00 23.00 296103007 Zone 01 1 23.00 23.00 296103008 Zone 01 1 23.00 23.00 296103009 Zone 01 1 23.00 23.00 296103010 Zone 01 1 23.00 23.00 296103011 Zone 01 1 23.00 23.00 296103012 Zone 01 1 23.00 23.00 296103013 Zone 01 1 23.00 23.00 296103014 Zone 01 1 23.00 23.00 296103015 Zone 01 1 23.00 23.00 296103016 Zone 01 1 23.00 23.00 296103017 Zone 01 1 23.00 23.00 296103018 Zone 01 1 23.00 23.00 296103019 Zone 01 1 23.00 23.00 296103020 Zone 01 1 23.00 23.00	296103003	Zone 01		1 23.00	23.00
296103006 Zone 01 1 23.00 23.00 296103007 Zone 01 1 23.00 23.00 296103008 Zone 01 1 23.00 23.00 296103009 Zone 01 1 23.00 23.00 296103010 Zone 01 1 23.00 23.00 296103011 Zone 01 1 23.00 23.00 296103012 Zone 01 1 23.00 23.00 296103013 Zone 01 1 23.00 23.00 296103014 Zone 01 1 23.00 23.00 296103015 Zone 01 1 23.00 23.00 296103016 Zone 01 1 23.00 23.00 296103017 Zone 01 1 23.00 23.00 296103018 Zone 01 1 23.00 23.00 296103018 Zone 01 1 23.00 23.00 296103021 Zone 01 1 23.00 23.00	296103004	Zone 01		1 23.00	23.00
296103007 Zone 01 1 23.00 23.00 296103008 Zone 01 1 23.00 23.00 296103009 Zone 01 1 23.00 23.00 296103010 Zone 01 1 23.00 23.00 296103011 Zone 01 1 23.00 23.00 296103013 Zone 01 1 23.00 23.00 296103014 Zone 01 1 23.00 23.00 296103015 Zone 01 1 23.00 23.00 296103016 Zone 01 1 23.00 23.00 296103017 Zone 01 1 23.00 23.00 296103018 Zone 01 1 23.00 23.00 296103017 Zone 01 1 23.00 23.00 296103018 Zone 01 1 23.00 23.00 296103019 Zone 01 1 23.00 23.00 296103021 Zone 01 1 23.00 23.00	296103005	Zone 01		1 23.00	23.00
296103008 Zone 01 1 23.00 23.00 296103009 Zone 01 1 23.00 23.00 296103010 Zone 01 1 23.00 23.00 296103011 Zone 01 1 23.00 23.00 296103013 Zone 01 1 23.00 23.00 296103014 Zone 01 1 23.00 23.00 296103015 Zone 01 1 23.00 23.00 296103016 Zone 01 1 23.00 23.00 296103017 Zone 01 1 23.00 23.00 296103018 Zone 01 1 23.00 23.00 296103019 Zone 01 1 23.00 23.00 296103020 Zone 01 1 23.00 23.00 296103021 Zone 01 1 23.00 23.00 2961103022 Zone 01 1 23.00 23.00 296111001 Zone 01 1 23.00 23.00	296103006	Zone 01		1 23.00	23.00
296103009 Zone 01 1 23.00 23.00 296103010 Zone 01 1 23.00 23.00 296103011 Zone 01 1 23.00 23.00 296103012 Zone 01 1 23.00 23.00 296103013 Zone 01 1 23.00 23.00 296103014 Zone 01 1 23.00 23.00 296103015 Zone 01 1 23.00 23.00 296103016 Zone 01 1 23.00 23.00 296103017 Zone 01 1 23.00 23.00 296103018 Zone 01 1 23.00 23.00 296103019 Zone 01 1 23.00 23.00 296103020 Zone 01 1 23.00 23.00 296103021 Zone 01 1 23.00 23.00 296103022 Zone 01 1 23.00 23.00 296111001 Zone 01 1 23.00 23.00	296103007	Zone 01		1 23.00	23.00
296103010 Zone 01 1 23.00 23.00 296103011 Zone 01 1 23.00 23.00 296103012 Zone 01 1 23.00 23.00 296103013 Zone 01 1 23.00 23.00 296103014 Zone 01 1 23.00 23.00 296103015 Zone 01 1 23.00 23.00 296103016 Zone 01 1 23.00 23.00 296103017 Zone 01 1 23.00 23.00 296103018 Zone 01 1 23.00 23.00 296103020 Zone 01 1 23.00 23.00 296103021 Zone 01 1 23.00 23.00 296103022 Zone 01 1 23.00 23.00 2961103023 Zone 01 1 23.00 23.00 296111001 Zone 01 1 23.00 23.00 296111002 Zone 01 1 23.00 23.00	296103008	Zone 01		1 23.00	23.00
296103011 Zone 01 1 23.00 23.00 296103012 Zone 01 1 23.00 23.00 296103013 Zone 01 1 23.00 23.00 296103014 Zone 01 1 23.00 23.00 296103015 Zone 01 1 23.00 23.00 296103016 Zone 01 1 23.00 23.00 296103017 Zone 01 1 23.00 23.00 296103018 Zone 01 1 23.00 23.00 296103021 Zone 01 1 23.00 23.00 296103021 Zone 01 1 23.00 23.00 296103022 Zone 01 1 23.00 23.00 2961130022 Zone 01 1 23.00 23.00 296111001 Zone 01 1 23.00 23.00 296111002 Zone 01 1 23.00 23.00 296111003 Zone 01 1 23.00 23.00	296103009	Zone 01		1 23.00	23.00
296103012 Zone 01 1 23.00 23.00 296103013 Zone 01 1 23.00 23.00 296103014 Zone 01 1 23.00 23.00 296103015 Zone 01 1 23.00 23.00 296103016 Zone 01 1 23.00 23.00 296103017 Zone 01 1 23.00 23.00 296103018 Zone 01 1 23.00 23.00 296103019 Zone 01 1 23.00 23.00 296103020 Zone 01 1 23.00 23.00 296103021 Zone 01 1 23.00 23.00 296103022 Zone 01 1 23.00 23.00 296111001 Zone 01 1 23.00 23.00 296111002 Zone 01 1 23.00 23.00 296111003 Zone 01 1 23.00 23.00 296111004 Zone 01 1 23.00 23.00	296103010	Zone 01		1 23.00	23.00
296103013 Zone 01 1 23.00 23.00 296103014 Zone 01 1 23.00 23.00 296103015 Zone 01 1 23.00 23.00 296103016 Zone 01 1 23.00 23.00 296103017 Zone 01 1 23.00 23.00 296103018 Zone 01 1 23.00 23.00 296103029 Zone 01 1 23.00 23.00 296103020 Zone 01 1 23.00 23.00 296103021 Zone 01 1 23.00 23.00 296103022 Zone 01 1 23.00 23.00 2961103023 Zone 01 1 23.00 23.00 296111001 Zone 01 1 23.00 23.00 296111002 Zone 01 1 23.00 23.00 296111003 Zone 01 1 23.00 23.00 296111004 Zone 01 1 23.00 23.00	296103011	Zone 01		1 23.00	23.00
296103013 Zone 01 1 23.00 23.00 296103014 Zone 01 1 23.00 23.00 296103015 Zone 01 1 23.00 23.00 296103016 Zone 01 1 23.00 23.00 296103017 Zone 01 1 23.00 23.00 296103018 Zone 01 1 23.00 23.00 296103020 Zone 01 1 23.00 23.00 296103021 Zone 01 1 23.00 23.00 296103022 Zone 01 1 23.00 23.00 2961103023 Zone 01 1 23.00 23.00 296111001 Zone 01 1 23.00 23.00 296111002 Zone 01 1 23.00 23.00 296111003 Zone 01 1 23.00 23.00 296111004 Zone 01 1 23.00 23.00 296111005 Zone 01 1 23.00 23.00					
296103015 Zone 01 1 23.00 23.00 296103016 Zone 01 1 23.00 23.00 296103017 Zone 01 1 23.00 23.00 296103018 Zone 01 1 23.00 23.00 296103019 Zone 01 1 23.00 23.00 296103020 Zone 01 1 23.00 23.00 296103021 Zone 01 1 23.00 23.00 296103022 Zone 01 1 23.00 23.00 29611001 Zone 01 1 23.00 23.00 296111001 Zone 01 1 23.00 23.00 296111002 Zone 01 1 23.00 23.00 296111003 Zone 01 1 23.00 23.00 296111004 Zone 01 1 23.00 23.00 296111005 Zone 01 1 23.00 23.00 296111006 Zone 01 1 23.00 23.00 296111007 Zone 01 1 23.00 23.00	296103013	Zone 01		1 23.00	23.00
296103016 Zone 01 1 23.00 23.00 296103017 Zone 01 1 23.00 23.00 296103018 Zone 01 1 23.00 23.00 296103019 Zone 01 1 23.00 23.00 296103020 Zone 01 1 23.00 23.00 296103021 Zone 01 1 23.00 23.00 296103022 Zone 01 1 23.00 23.00 29611001 Zone 01 1 23.00 23.00 296111001 Zone 01 1 23.00 23.00 296111002 Zone 01 1 23.00 23.00 296111003 Zone 01 1 23.00 23.00 296111004 Zone 01 1 23.00 23.00 296111005 Zone 01 1 23.00 23.00 296111006 Zone 01 1 23.00 23.00 296111007 Zone 01 1 23.00 23.00 296111009 Zone 01 1 23.00 23.00	296103014	Zone 01		1 23.00	23.00
296103016 Zone 01 1 23.00 23.00 296103017 Zone 01 1 23.00 23.00 296103018 Zone 01 1 23.00 23.00 296103019 Zone 01 1 23.00 23.00 296103020 Zone 01 1 23.00 23.00 296103021 Zone 01 1 23.00 23.00 296103022 Zone 01 1 23.00 23.00 29611001 Zone 01 1 23.00 23.00 296111001 Zone 01 1 23.00 23.00 296111002 Zone 01 1 23.00 23.00 296111003 Zone 01 1 23.00 23.00 296111004 Zone 01 1 23.00 23.00 296111005 Zone 01 1 23.00 23.00 296111006 Zone 01 1 23.00 23.00 296111007 Zone 01 1 23.00 23.00 296111009 Zone 01 1 23.00 23.00	296103015				
296103017 Zone 01 1 23.00 23.00 296103018 Zone 01 1 23.00 23.00 296103019 Zone 01 1 23.00 23.00 296103020 Zone 01 1 23.00 23.00 296103021 Zone 01 1 23.00 23.00 296103022 Zone 01 1 23.00 23.00 296111001 Zone 01 1 23.00 23.00 296111001 Zone 01 1 23.00 23.00 296111002 Zone 01 1 23.00 23.00 296111003 Zone 01 1 23.00 23.00 296111004 Zone 01 1 23.00 23.00 296111005 Zone 01 1 23.00 23.00 296111006 Zone 01 1 23.00 23.00 296111007 Zone 01 1 23.00 23.00 296111008 Zone 01 1 23.00 23.00 296111010 Zone 01 1 23.00 23.00 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
296103018 Zone 01 1 23.00 23.00 296103019 Zone 01 1 23.00 23.00 296103020 Zone 01 1 23.00 23.00 296103021 Zone 01 1 23.00 23.00 296103022 Zone 01 1 23.00 23.00 29611001 Zone 01 1 23.00 23.00 296111002 Zone 01 1 23.00 23.00 296111003 Zone 01 1 23.00 23.00 296111004 Zone 01 1 23.00 23.00 296111005 Zone 01 1 23.00 23.00 296111006 Zone 01 1 23.00 23.00 296111007 Zone 01 1 23.00 23.00 296111008 Zone 01 1 23.00 23.00 296111009 Zone 01 1 23.00 23.00 296111011 Zone 01 1 23.00 23.00 296111012 Zone 01 1 23.00 23.00	296103017				
296103019 Zone 01 1 23.00 23.00 296103020 Zone 01 1 23.00 23.00 296103021 Zone 01 1 23.00 23.00 296103022 Zone 01 1 23.00 23.00 29611001 Zone 01 1 23.00 23.00 296111002 Zone 01 1 23.00 23.00 296111003 Zone 01 1 23.00 23.00 296111004 Zone 01 1 23.00 23.00 296111005 Zone 01 1 23.00 23.00 296111006 Zone 01 1 23.00 23.00 296111007 Zone 01 1 23.00 23.00 296111008 Zone 01 1 23.00 23.00 296111009 Zone 01 1 23.00 23.00 296111010 Zone 01 1 23.00 23.00 296111012 Zone 01 1 23.00 23.00 296111013 Zone 01 1 23.00 23.00					
296103021 Zone 01 1 23.00 23.00 296103022 Zone 01 1 23.00 23.00 296103023 Zone 01 1 23.00 23.00 296111001 Zone 01 1 23.00 23.00 296111002 Zone 01 1 23.00 23.00 296111003 Zone 01 1 23.00 23.00 296111004 Zone 01 1 23.00 23.00 296111005 Zone 01 1 23.00 23.00 296111006 Zone 01 1 23.00 23.00 296111007 Zone 01 1 23.00 23.00 296111008 Zone 01 1 23.00 23.00 296111009 Zone 01 1 23.00 23.00 296111010 Zone 01 1 23.00 23.00 296111011 Zone 01 1 23.00 23.00 296111012 Zone 01 1 23.00 23.00 296111013 Zone 01 1 23.00 23.00 <td>296103019</td> <td>Zone 01</td> <td></td> <td></td> <td></td>	296103019	Zone 01			
296103022 Zone 01 1 23.00 23.00 296103023 Zone 01 1 23.00 23.00 296111001 Zone 01 1 23.00 23.00 296111002 Zone 01 1 23.00 23.00 296111003 Zone 01 1 23.00 23.00 296111004 Zone 01 1 23.00 23.00 296111005 Zone 01 1 23.00 23.00 296111006 Zone 01 1 23.00 23.00 296111007 Zone 01 1 23.00 23.00 296111008 Zone 01 1 23.00 23.00 296111009 Zone 01 1 23.00 23.00 296111011 Zone 01 1 23.00 23.00 296111012 Zone 01 1 23.00 23.00 296111013 Zone 01 1 23.00 23.00 296111013 Zone 01 1 23.00 23.00	296103020	Zone 01		1 23.00	23.00
296103023 Zone 01 1 23.00 23.00 296111001 Zone 01 1 23.00 23.00 296111002 Zone 01 1 23.00 23.00 296111003 Zone 01 1 23.00 23.00 296111004 Zone 01 1 23.00 23.00 296111005 Zone 01 1 23.00 23.00 296111006 Zone 01 1 23.00 23.00 296111007 Zone 01 1 23.00 23.00 296111008 Zone 01 1 23.00 23.00 296111009 Zone 01 1 23.00 23.00 296111010 Zone 01 1 23.00 23.00 296111011 Zone 01 1 23.00 23.00 296111012 Zone 01 1 23.00 23.00 296111013 Zone 01 1 23.00 23.00	296103021	Zone 01		1 23.00	23.00
296111001 Zone 01 1 23.00 23.00 296111002 Zone 01 1 23.00 23.00 296111003 Zone 01 1 23.00 23.00 296111004 Zone 01 1 23.00 23.00 296111005 Zone 01 1 23.00 23.00 296111006 Zone 01 1 23.00 23.00 296111007 Zone 01 1 23.00 23.00 296111008 Zone 01 1 23.00 23.00 296111009 Zone 01 1 23.00 23.00 296111010 Zone 01 1 23.00 23.00 296111011 Zone 01 1 23.00 23.00 296111012 Zone 01 1 23.00 23.00 296111013 Zone 01 1 23.00 23.00	296103022	Zone 01		1 23.00	23.00
296111002 Zone 01 1 23.00 23.00 296111003 Zone 01 1 23.00 23.00 296111004 Zone 01 1 23.00 23.00 296111005 Zone 01 1 23.00 23.00 296111006 Zone 01 1 23.00 23.00 296111007 Zone 01 1 23.00 23.00 296111008 Zone 01 1 23.00 23.00 296111009 Zone 01 1 23.00 23.00 296111011 Zone 01 1 23.00 23.00 296111012 Zone 01 1 23.00 23.00 296111013 Zone 01 1 23.00 23.00 296111013 Zone 01 1 23.00 23.00	296103023	Zone 01		1 23.00	23.00
296111002 Zone 01 1 23.00 23.00 296111003 Zone 01 1 23.00 23.00 296111004 Zone 01 1 23.00 23.00 296111005 Zone 01 1 23.00 23.00 296111006 Zone 01 1 23.00 23.00 296111007 Zone 01 1 23.00 23.00 296111008 Zone 01 1 23.00 23.00 296111009 Zone 01 1 23.00 23.00 296111011 Zone 01 1 23.00 23.00 296111012 Zone 01 1 23.00 23.00 296111013 Zone 01 1 23.00 23.00 296111013 Zone 01 1 23.00 23.00	296111001	Zone 01		1 23.00	23.00
296111003 Zone 01 1 23.00 23.00 296111004 Zone 01 1 23.00 23.00 296111005 Zone 01 1 23.00 23.00 296111006 Zone 01 1 23.00 23.00 296111007 Zone 01 1 23.00 23.00 296111008 Zone 01 1 23.00 23.00 296111009 Zone 01 1 23.00 23.00 296111010 Zone 01 1 23.00 23.00 296111011 Zone 01 1 23.00 23.00 296111012 Zone 01 1 23.00 23.00 296111013 Zone 01 1 23.00 23.00	296111002				
296111004 Zone 01 1 23.00 23.00 296111005 Zone 01 1 23.00 23.00 296111006 Zone 01 1 23.00 23.00 296111007 Zone 01 1 23.00 23.00 296111008 Zone 01 1 23.00 23.00 296111009 Zone 01 1 23.00 23.00 296111010 Zone 01 1 23.00 23.00 296111011 Zone 01 1 23.00 23.00 296111012 Zone 01 1 23.00 23.00 296111013 Zone 01 1 23.00 23.00					23.00
296111005 Zone 01 1 23.00 23.00 296111006 Zone 01 1 23.00 23.00 296111007 Zone 01 1 23.00 23.00 296111008 Zone 01 1 23.00 23.00 296111009 Zone 01 1 23.00 23.00 296111010 Zone 01 1 23.00 23.00 296111011 Zone 01 1 23.00 23.00 296111012 Zone 01 1 23.00 23.00 296111013 Zone 01 1 23.00 23.00					
296111006 Zone 01 1 23.00 23.00 296111007 Zone 01 1 23.00 23.00 296111008 Zone 01 1 23.00 23.00 296111009 Zone 01 1 23.00 23.00 296111010 Zone 01 1 23.00 23.00 296111011 Zone 01 1 23.00 23.00 296111012 Zone 01 1 23.00 23.00 296111013 Zone 01 1 23.00 23.00	296111005	Zone 01			
296111007 Zone 01 1 23.00 23.00 296111008 Zone 01 1 23.00 23.00 296111009 Zone 01 1 23.00 23.00 296111010 Zone 01 1 23.00 23.00 296111011 Zone 01 1 23.00 23.00 296111012 Zone 01 1 23.00 23.00 296111013 Zone 01 1 23.00 23.00 296111013 Zone 01 1 23.00 23.00	296111006	Zone 01			
296111008 Zone 01 1 23.00 23.00 296111009 Zone 01 1 23.00 23.00 296111010 Zone 01 1 23.00 23.00 296111011 Zone 01 1 23.00 23.00 296111012 Zone 01 1 23.00 23.00 296111013 Zone 01 1 23.00 23.00	296111007				
296111009 Zone 01 1 23.00 23.00 296111010 Zone 01 1 23.00 23.00 296111011 Zone 01 1 23.00 23.00 296111012 Zone 01 1 23.00 23.00 296111013 Zone 01 1 23.00 23.00 296111013 Zone 01 1 23.00 23.00					
296111010 Zone 01 1 23.00 23.00 296111011 Zone 01 1 23.00 23.00 296111012 Zone 01 1 23.00 23.00 296111013 Zone 01 1 23.00 23.00	296111009	Zone 01		1 23.00	23.00
296111011 Zone 01 1 23.00 23.00 296111012 Zone 01 1 23.00 23.00 296111013 Zone 01 1 23.00 23.00	296111010				
296111012 Zone 01 1 23.00 23.00 296111013 Zone 01 1 23.00 23.00					
296111013 Zone 01 1 23.00 23.00					
296111015 Zone 01 1 23.00 23.00	296111015	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned El	BU's FY 17-	18 Max Assessment	FY 17-18 Assessment
296111016	Zone 01	1	23.00	23.00
296111017	Zone 01	1	23.00	23.00
296111018	Zone 01	1	23.00	23.00
296111019	Zone 01	1	23.00	23.00
296111020	Zone 01	1	23.00	23.00
296111021	Zone 01	1	23.00	23.00
296111022	Zone 01	1	23.00	23.00
296111023	Zone 01	1	23.00	23.00
296111024	Zone 01	1	23.00	23.00
296111025	Zone 01	1	23.00	23.00
296112001	Zone 01	1	23.00	23.00
296112002	Zone 01	1	23.00	23.00
296112003	Zone 01	1	23.00	23.00
296112004	Zone 01	1	23.00	23.00
296112005	Zone 01	1	23.00	23.00
296112006	Zone 01	1	23.00	23.00
296112007	Zone 01	1	23.00	23.00
296112008	Zone 01	1	23.00	23.00
296112009	Zone 01	1	23.00	23.00
296112010	Zone 01	1	23.00	23.00
296112011	Zone 01	1	23.00	23.00
296112012	Zone 01	1	23.00	23.00
296112013	Zone 01	1	23.00	23.00
296112014	Zone 01	1	23.00	23.00
296112015	Zone 01	1	23.00	23.00
296112016	Zone 01	1	23.00	23.00
296112017	Zone 01	1	23.00	23.00
296112018	Zone 01	1	23.00	23.00
296112019	Zone 01	1	23.00	23.00
296112020	Zone 01	1	23.00	23.00
296112021	Zone 01	1	23.00	23.00
296112022	Zone 01	1	23.00	23.00
296112023	Zone 01	1	23.00	23.00
296112024	Zone 01	1	23.00	23.00
296112025	Zone 01	1	23.00	23.00
296112026	Zone 01	1	23.00	23.00
296112027	Zone 01	1	23.00	23.00
296112028	Zone 01	1	23.00	23.00
296112029	Zone 01	1	23.00	23.00
296112030	Zone 01	1	23.00	23.00
296112031	Zone 01	1	23.00	23.00
296112032	Zone 01	1	23.00	23.00
296112033	Zone 01	1	23.00	23.00
296112034	Zone 01	1	23.00	23.00
296112035	Zone 01	1	23.00	23.00
296112036	Zone 01	1	23.00	23.00
296112037	Zone 01	1	23.00	23.00
296112038	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone L	MD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
296112039	Zone 01		1 23.00	23.00
296112040	Zone 01		1 23.00	23.00
296112041	Zone 01		1 23.00	23.00
296112042	Zone 01		1 23.00	23.00
296112043	Zone 01		1 23.00	23.00
296112044	Zone 01		1 23.00	23.00
296112045	Zone 01		1 23.00	23.00
296112046	Zone 01		1 23.00	23.00
296113001	Zone 01		1 23.00	23.00
296113002	Zone 01		1 23.00	23.00
296113003	Zone 01		1 23.00	23.00
296113004	Zone 01		1 23.00	23.00
296113005	Zone 01		1 23.00	23.00
296113006	Zone 01		1 23.00	23.00
296113007	Zone 01		1 23.00	23.00
296113008	Zone 01		1 23.00	23.00
296113009	Zone 01		1 23.00	23.00
296113010	Zone 01		1 23.00	23.00
296121001	Zone 01		1 23.00	23.00
296121002	Zone 01		1 23.00	23.00
296122001	Zone 01		1 23.00	23.00
296122002	Zone 01		1 23.00	23.00
296122003	Zone 01		1 23.00	23.00
296122004	Zone 01		1 23.00	23.00
296122005	Zone 01		1 23.00	23.00
296122006	Zone 01		1 23.00	23.00
296122007	Zone 01		1 23.00	23.00
296123001	Zone 01		1 23.00	23.00
296123002	Zone 01		1 23.00	23.00
296123003	Zone 01		1 23.00	23.00
296123004	Zone 01		1 23.00	23.00
296123005	Zone 01		1 23.00	23.00
296123006	Zone 01		1 23.00	23.00
296123007	Zone 01		1 23.00	23.00
296123008	Zone 01		1 23.00	23.00
296123009	Zone 01		1 23.00	23.00
296123010	Zone 01		1 23.00	23.00
296123011	Zone 01		1 23.00	23.00
296123012	Zone 01		1 23.00	23.00
296123013	Zone 01		1 23.00	23.00
296123014	Zone 01		1 23.00	23.00
296123015	Zone 01		1 23.00	23.00
296123016	Zone 01		1 23.00	23.00
296123017	Zone 01		1 23.00	23.00
296123018	Zone 01		1 23.00	23.00
296123019	Zone 01		1 23.00	23.00
296123020	Zone 01		1 23.00	23.00
296123021	Zone 01		1 23.00	23.00
			20.00	20.00

APN	LMD 2014-01 Zone I	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
296123022	Zone 01		1 23.00	23.00
296123023	Zone 01		1 23.00	23.00
296123024	Zone 01		1 23.00	23.00
296123025	Zone 01		1 23.00	23.00
296123026	Zone 01		1 23.00	23.00
296123027	Zone 01		1 23.00	23.00
296123028	Zone 01		1 23.00	23.00
296124001	Zone 01		1 23.00	23.00
296124002	Zone 01		1 23.00	23.00
296124003	Zone 01		1 23.00	23.00
296124004	Zone 01		1 23.00	23.00
296124005	Zone 01		1 23.00	23.00
296124006	Zone 01		1 23.00	23.00
296124007	Zone 01		1 23.00	23.00
296124008	Zone 01		1 23.00	23.00
296124009	Zone 01		1 23.00	23.00
296124010	Zone 01		1 23.00	23.00
296124011	Zone 01		1 23.00	23.00
296124012	Zone 01		1 23.00	23.00
296124013	Zone 01		1 23.00	23.00
296124014	Zone 01		1 23.00	23.00
296125001	Zone 01		1 23.00	23.00
296125002	Zone 01		1 23.00	23.00
296125003	Zone 01		1 23.00	23.00
296125004	Zone 01		1 23.00	23.00
296125005	Zone 01		1 23.00	23.00
296126001	Zone 01		1 23.00	23.00
296126002	Zone 01		1 23.00	23.00
296126003	Zone 01		1 23.00	23.00
296126004	Zone 01		1 23.00	23.00
296126005	Zone 01		1 23.00	23.00
296126006	Zone 01		1 23.00	23.00
296126007	Zone 01		1 23.00	23.00
296126008	Zone 01		1 23.00	23.00
296126009	Zone 01		1 23.00	23.00
296126010	Zone 01		1 23.00	23.00
296126011	Zone 01		1 23.00	23.00
296126012	Zone 01		1 23.00	23.00
296126013	Zone 01		1 23.00	23.00
296126014	Zone 01		1 23.00	23.00
296126015	Zone 01		1 23.00	23.00
296126016	Zone 01		1 23.00	23.00
296126017	Zone 01		1 23.00	23.00
296126018	Zone 01		1 23.00	23.00
296127001	Zone 01		1 23.00	23.00
296127001	Zone 01		1 23.00	23.00
296131001	Zone 01		1 23.00	23.00
296131001	Zone 01		1 23.00	23.00
230131002	2016-01		23.00	23.00

APN	LMD 2014-01 Zone L	.MD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
296131003	Zone 01		1 23.00	23.00
296131004	Zone 01		1 23.00	23.00
296131005	Zone 01		1 23.00	23.00
296131006	Zone 01		1 23.00	23.00
296131007	Zone 01		1 23.00	23.00
296131008	Zone 01		1 23.00	23.00
296131009	Zone 01		1 23.00	23.00
296132001	Zone 01		1 23.00	23.00
296132002	Zone 01		1 23.00	23.00
296132003	Zone 01		1 23.00	23.00
296132004	Zone 01		1 23.00	23.00
296132005	Zone 01		1 23.00	23.00
296132006	Zone 01		1 23.00	23.00
296132007	Zone 01		1 23.00	23.00
296133001	Zone 01		1 23.00	23.00
296133002	Zone 01		1 23.00	23.00
296133003	Zone 01		1 23.00	23.00
296133004	Zone 01		1 23.00	23.00
296133005	Zone 01		1 23.00	23.00
296133006	Zone 01		1 23.00	23.00
296133007	Zone 01		1 23.00	23.00
296133008	Zone 01		1 23.00	23.00
296133009	Zone 01		1 23.00	23.00
296133010	Zone 01		1 23.00	23.00
296133011	Zone 01		1 23.00	23.00
296133012	Zone 01		1 23.00	23.00
296133013	Zone 01		1 23.00	23.00
296133014	Zone 01		1 23.00	23.00
296133015	Zone 01		1 23.00	23.00
296133016	Zone 01		1 23.00	23.00
296133017	Zone 01		1 23.00	23.00
296133018	Zone 01		1 23.00	23.00
296133019	Zone 01		1 23.00	23.00
296133020	Zone 01		1 23.00	23.00
296133021	Zone 01		1 23.00	23.00
296133022	Zone 01		1 23.00	23.00
296133023	Zone 01		1 23.00	23.00
296133024	Zone 01		1 23.00	23.00
296133025	Zone 01		1 23.00	23.00
296133026	Zone 01		1 23.00	23.00
296133027	Zone 01		1 23.00	23.00
296134001	Zone 01		1 23.00	23.00
296134002	Zone 01		1 23.00	23.00
296134003	Zone 01		1 23.00	23.00
296134004	Zone 01		1 23.00	23.00
296134005	Zone 01		1 23.00	23.00
296134006	Zone 01		1 23.00	23.00
296134007	Zone 01		1 23.00	23.00
_30101001			20.00	20.00

APN	LMD 2014-01 Zone LMD Assigned	d EBU's FY 17-18 M	ax Assessment	FY 17-18 Assessment
296134008	Zone 01	1	23.00	23.00
296134009	Zone 01	1	23.00	23.00
296134010	Zone 01	1	23.00	23.00
296134011	Zone 01	1	23.00	23.00
296134012	Zone 01	1	23.00	23.00
296134013	Zone 01	1	23.00	23.00
296134014	Zone 01	1	23.00	23.00
296134015	Zone 01	1	23.00	23.00
296134016	Zone 01	1	23.00	23.00
296134017	Zone 01	1	23.00	23.00
296134018	Zone 01	1	23.00	23.00
296134019	Zone 01	1	23.00	23.00
296135001	Zone 01	1	23.00	23.00
296135002	Zone 01	1	23.00	23.00
296135003	Zone 01	1	23.00	23.00
296135004	Zone 01	1	23.00	23.00
296135005	Zone 01	1	23.00	23.00
296135006	Zone 01	1	23.00	23.00
296135007	Zone 01	1	23.00	23.00
296135008	Zone 01	1	23.00	23.00
296135009	Zone 01	1	23.00	23.00
296135010	Zone 01	1	23.00	23.00
296135011	Zone 01	1	23.00	23.00
296135012	Zone 01	1	23.00	23.00
296135013	Zone 01	1	23.00	23.00
296135014	Zone 01	1	23.00	23.00
296135015	Zone 01	1	23.00	23.00
296135016	Zone 01	1	23.00	23.00
296135017	Zone 01	1	23.00	23.00
296141001	Zone 01	1	23.00	23.00
296141002	Zone 01	1	23.00	23.00
296141003	Zone 01	1	23.00	23.00
296141004	Zone 01	1	23.00	23.00
296141005	Zone 01	1	23.00	23.00
296141006	Zone 01	1	23.00	23.00
296141007	Zone 01	1	23.00	23.00
296141008	Zone 01	1	23.00	23.00
296141009	Zone 01	1	23.00	23.00
296141010	Zone 01	1	23.00	23.00
296141011	Zone 01	1	23.00	23.00
296142001	Zone 01	1	23.00	23.00
296142002	Zone 01	1	23.00	23.00
296142003	Zone 01	1	23.00	23.00
296142004	Zone 01	1	23.00	23.00
296142005	Zone 01	1	23.00	23.00
296142006	Zone 01	1	23.00	23.00
296142007	Zone 01	1	23.00	23.00
296142008	Zone 01	1	23.00	23.00

APN	I MD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
296142009	Zone 01	Emb Assigned Ebb 3	1 23.00	23.00
296142010	Zone 01		1 23.00	23.00
296142011	Zone 01		1 23.00	23.00
296142012	Zone 01		1 23.00	23.00
296142013	Zone 01		1 23.00	23.00
296142014	Zone 01		1 23.00	23.00
296143001	Zone 01		1 23.00	23.00
296143002	Zone 01		1 23.00	23.00
296143003	Zone 01		1 23.00	23.00
296143004	Zone 01		1 23.00	23.00
296143005	Zone 01		1 23.00	23.00
296143006	Zone 01		1 23.00	23.00
296143007	Zone 01		1 23.00	23.00
296143007	Zone 01		1 23.00	23.00
296143009				23.00
	Zone 01 Zone 01		1 23.00	
296143010			1 23.00	23.00
296143011	Zone 01		1 23.00	23.00
296143012	Zone 01		1 23.00	23.00
296143013	Zone 01		1 23.00	23.00
296143014	Zone 01		1 23.00	23.00
296143015	Zone 01	•	1 23.00	23.00
296143016	Zone 01		1 23.00	23.00
296144001	Zone 01		1 23.00	23.00
296144002	Zone 01	·	1 23.00	23.00
296144003	Zone 01		1 23.00	23.00
296144004	Zone 01	•	1 23.00	23.00
296144005	Zone 01		1 23.00	23.00
296145001	Zone 01		1 23.00	23.00
296145002	Zone 01		1 23.00	23.00
296145003	Zone 01		1 23.00	23.00
296145004	Zone 01		1 23.00	23.00
296145005	Zone 01		1 23.00	23.00
296145006	Zone 01		1 23.00	23.00
296145007	Zone 01		1 23.00	23.00
296145008	Zone 01		1 23.00	23.00
296145009	Zone 01	•	1 23.00	23.00
296145010	Zone 01	•	1 23.00	23.00
296145011	Zone 01		1 23.00	23.00
296145012	Zone 01		1 23.00	23.00
296145013	Zone 01		1 23.00	23.00
296145014	Zone 01		1 23.00	23.00
296145015	Zone 01		1 23.00	23.00
296145016	Zone 01		1 23.00	23.00
296145017	Zone 01		1 23.00	23.00
296145018	Zone 01		1 23.00	23.00
296145019	Zone 01		1 23.00	23.00
296145020	Zone 01		1 23.00	23.00
296145021	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
296145022	Zone 01		1 23.00	23.00
296145023	Zone 01		1 23.00	23.00
296151003	Zone 01		1 23.00	23.00
296151004	Zone 01		1 23.00	23.00
296151005	Zone 01		1 23.00	23.00
296151006	Zone 01		1 23.00	23.00
296151007	Zone 01		1 23.00	23.00
296151008	Zone 01		1 23.00	23.00
296151009	Zone 01		1 23.00	23.00
296151010	Zone 01		1 23.00	23.00
296151011	Zone 01		1 23.00	23.00
296151012	Zone 01		1 23.00	23.00
296151013	Zone 01		1 23.00	23.00
296151016	Zone 01		1 23.00	23.00
296151017	Zone 01		1 23.00	23.00
296151018	Zone 01		1 23.00	23.00
296151019	Zone 01		1 23.00	23.00
296151020	Zone 01		1 23.00	23.00
296151021	Zone 01		1 23.00	23.00
296151022	Zone 01		1 23.00	23.00
296151023	Zone 01		1 23.00	23.00
296151024	Zone 01		1 23.00	23.00
296152001	Zone 01		1 23.00	23.00
296152002	Zone 01		1 23.00	23.00
296152003	Zone 01		1 23.00	23.00
296152004	Zone 01		1 23.00	23.00
296152005	Zone 01		1 23.00	23.00
296152006	Zone 01		1 23.00	23.00
296152007	Zone 01		1 23.00	23.00
296152008	Zone 01		1 23.00	23.00
296152009	Zone 01		1 23.00	23.00
296152010	Zone 01		1 23.00	23.00
296152011	Zone 01		1 23.00	23.00
296152012	Zone 01		1 23.00	23.00
296152013	Zone 01		1 23.00	23.00
296152014	Zone 01		1 23.00	23.00
296152015	Zone 01		1 23.00	23.00
296152016	Zone 01		1 23.00	23.00
296152017	Zone 01		1 23.00	23.00
296152018	Zone 01		1 23.00	23.00
296153001	Zone 01		1 23.00	23.00
296153001	Zone 01		1 23.00	23.00
296153002	Zone 01		1 23.00	23.00
296153003	Zone 01		1 23.00	23.00
296153004	Zone 01		1 23.00	23.00
296153005	Zone 01		1 23.00	23.00
	Zone 01			
296153007			1 23.00	23.00
296153008	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigne	d EBU's FY 17-18 N	lax Assessment	FY 17-18 Assessment
296153009	Zone 01	1	23.00	23.00
296153010	Zone 01	1	23.00	23.00
296153011	Zone 01	1	23.00	23.00
296153012	Zone 01	1	23.00	23.00
296153013	Zone 01	1	23.00	23.00
296153014	Zone 01	1	23.00	23.00
296161002	Zone 01	1	23.00	23.00
296161003	Zone 01	1	23.00	23.00
296161004	Zone 01	1	23.00	23.00
296161005	Zone 01	1	23.00	23.00
296161006	Zone 01	1	23.00	23.00
296161007	Zone 01	1	23.00	23.00
296161008	Zone 01	1	23.00	23.00
296161009	Zone 01	1	23.00	23.00
296161012	Zone 01	1	23.00	23.00
296161013	Zone 01	1	23.00	23.00
296161014	Zone 01	1	23.00	23.00
296161015	Zone 01	1	23.00	23.00
296161016	Zone 01	1	23.00	23.00
296161017	Zone 01	1	23.00	23.00
296161018	Zone 01	1	23.00	23.00
296161019	Zone 01	1	23.00	23.00
296161020	Zone 01	1	23.00	23.00
296161021	Zone 01	1	23.00	23.00
296161023	Zone 01	1	23.00	23.00
296161024	Zone 01	1	23.00	23.00
296161025	Zone 01	1	23.00	23.00
296161026	Zone 01	1	23.00	23.00
296161027	Zone 01	1	23.00	23.00
296161028	Zone 01	1	23.00	23.00
296161029	Zone 01	1	23.00	23.00
296161030	Zone 01	1	23.00	23.00
296161031	Zone 01	1	23.00	23.00
296161032	Zone 01	1	23.00	23.00
296161033	Zone 01	1	23.00	23.00
296161034	Zone 01	1	23.00	23.00
296161035	Zone 01	1	23.00	23.00
296161036	Zone 01	1	23.00	23.00
296161037	Zone 01	1	23.00	23.00
296161038	Zone 01	1	23.00	23.00
296161039	Zone 01	1	23.00	23.00
296161040	Zone 01	1	23.00	23.00
296161041	Zone 01	1	23.00	23.00
296161042	Zone 01	1	23.00	23.00
296161043	Zone 01	1	23.00	23.00
296161044	Zone 01	1	23.00	23.00
296161045	Zone 01	1	23.00	23.00
296161046	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
296161047	Zone 01		1 23.00	23.00
296161048	Zone 01		1 23.00	23.00
296161049	Zone 01		1 23.00	23.00
296161050	Zone 01		1 23.00	23.00
296161051	Zone 01		1 23.00	23.00
296161052	Zone 01		1 23.00	23.00
296161053	Zone 01		1 23.00	23.00
296161054	Zone 01		1 23.00	23.00
296161055	Zone 01		1 23.00	23.00
296161056	Zone 01		1 23.00	23.00
296161057	Zone 01		1 23.00	23.00
296161058	Zone 01		1 23.00	23.00
296161059	Zone 01		1 23.00	23.00
296161060	Zone 01		1 23.00	23.00
296161061	Zone 01		1 23.00	23.00
296161062	Zone 01		1 23.00	23.00
296161063	Zone 01		1 23.00	23.00
296161064	Zone 01		1 23.00	23.00
296161065	Zone 01		1 23.00	23.00
296161066	Zone 01		1 23.00	23.00
296161067	Zone 01		1 23.00	23.00
296161068	Zone 01		1 23.00	23.00
296161069	Zone 01		1 23.00	23.00
296161070	Zone 01		1 23.00	23.00
296161071	Zone 01		1 23.00	23.00
296161072	Zone 01		1 23.00	23.00
296161073	Zone 01		1 23.00	23.00
296161074	Zone 01		1 23.00	23.00
296162001	Zone 01		1 23.00	23.00
296162003	Zone 01		1 23.00	23.00
296162004	Zone 01		1 23.00	23.00
296162005	Zone 01		1 23.00	23.00
296162006	Zone 01		1 23.00	23.00
296162007	Zone 01		1 23.00	23.00
296162008	Zone 01		1 23.00	23.00
296162009	Zone 01		1 23.00	23.00
296162010	Zone 01		1 23.00	23.00
296162011	Zone 01		1 23.00	23.00
296163002	Zone 01		1 23.00	23.00
296163003	Zone 01		1 23.00	23.00
296163004	Zone 01		1 23.00	23.00
296163005	Zone 01		1 23.00	23.00
296163006	Zone 01		1 23.00	23.00
296163007	Zone 01		1 23.00	23.00
296163008	Zone 01		1 23.00	23.00
296163009	Zone 01		1 23.00	23.00
296163010	Zone 01		1 23.00	23.00
296163011	Zone 01		1 23.00	23.00
30.000.				20.00

APN	LMD 2014-01 Zone L	.MD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
296163012	Zone 01		1 23.00	23.00
296171001	Zone 01		1 23.00	23.00
296171002	Zone 01		1 23.00	23.00
296171003	Zone 01		1 23.00	23.00
296171004	Zone 01		1 23.00	23.00
296171005	Zone 01		1 23.00	23.00
296172001	Zone 01		1 23.00	23.00
296172002	Zone 01		1 23.00	23.00
296172003	Zone 01		1 23.00	23.00
296172004	Zone 01		1 23.00	23.00
296172005	Zone 01		1 23.00	23.00
296172006	Zone 01		1 23.00	23.00
296172007	Zone 01		1 23.00	23.00
296172008	Zone 01		1 23.00	23.00
296172009	Zone 01		1 23.00	23.00
296173001	Zone 01		1 23.00	23.00
296173002	Zone 01		1 23.00	23.00
296173003	Zone 01		1 23.00	23.00
296173004	Zone 01		1 23.00	23.00
296173005	Zone 01		1 23.00	23.00
296174001	Zone 01		1 23.00	23.00
296174002	Zone 01		1 23.00	23.00
296174003	Zone 01		1 23.00	23.00
296174004	Zone 01		1 23.00	23.00
296174005	Zone 01		1 23.00	23.00
296174006	Zone 01		1 23.00	23.00
296174007	Zone 01		1 23.00	23.00
296174008	Zone 01		1 23.00	23.00
296174009	Zone 01		1 23.00	23.00
296174010	Zone 01		1 23.00	23.00
296174011	Zone 01		1 23.00	23.00
296174012	Zone 01		1 23.00	23.00
296174013	Zone 01		1 23.00	23.00
296174014	Zone 01		1 23.00	23.00
296174015	Zone 01		1 23.00	23.00
296174016	Zone 01		1 23.00	23.00
296174017	Zone 01		1 23.00	23.00
296174018	Zone 01		1 23.00	23.00
296174019	Zone 01		1 23.00	23.00
296174020	Zone 01		1 23.00	23.00
296174021	Zone 01		1 23.00	23.00
296174021	Zone 01		1 23.00	23.00
296174023	Zone 01		1 23.00	23.00
296174024	Zone 01		1 23.00	23.00
296174025	Zone 01		1 23.00	23.00
296174026	Zone 01		1 23.00	23.00
296174027	Zone 01		1 23.00	23.00
296174027	Zone 01		1 23.00	23.00
230174020	ZUITE UT		23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	I EBU's FY 17-18 N	lax Assessment	FY 17-18 Assessment
296174029	Zone 01	1	23.00	23.00
296174030	Zone 01	1	23.00	23.00
296174031	Zone 01	1	23.00	23.00
296174032	Zone 01	1	23.00	23.00
296174033	Zone 01	1	23.00	23.00
296174034	Zone 01	1	23.00	23.00
296174035	Zone 01	1	23.00	23.00
296175001	Zone 01	1	23.00	23.00
296175002	Zone 01	1	23.00	23.00
296175003	Zone 01	1	23.00	23.00
296175004	Zone 01	1	23.00	23.00
296175005	Zone 01	1	23.00	23.00
296175006	Zone 01	1	23.00	23.00
296175007	Zone 01	1	23.00	23.00
296175008	Zone 01	1	23.00	23.00
296175009	Zone 01	1	23.00	23.00
296175010	Zone 01	1	23.00	23.00
296175011	Zone 01	1	23.00	23.00
296175012	Zone 01	1	23.00	23.00
296175013	Zone 01	1	23.00	23.00
296175014	Zone 01	1	23.00	23.00
296175015	Zone 01	1	23.00	23.00
296175016	Zone 01	1	23.00	23.00
296175017	Zone 01	1	23.00	23.00
296175018	Zone 01	1	23.00	23.00
296175019	Zone 01	1	23.00	23.00
296175020	Zone 01	1	23.00	23.00
296175021	Zone 01	1	23.00	23.00
296175022	Zone 01	1	23.00	23.00
296175023	Zone 01	1	23.00	23.00
296175024	Zone 01	1	23.00	23.00
296175025	Zone 01	1	23.00	23.00
296175026	Zone 01	1	23.00	23.00
296175027	Zone 01	1	23.00	23.00
296175028	Zone 01	1	23.00	23.00
296175029	Zone 01	1	23.00	23.00
296175030	Zone 01	1	23.00	23.00
296175031	Zone 01	1	23.00	23.00
296175032	Zone 01	1	23.00	23.00
296175033	Zone 01	1	23.00	23.00
296175034	Zone 01	1	23.00	23.00
296175035	Zone 01	1	23.00	23.00
296175036	Zone 01	1	23.00	23.00
296175037	Zone 01	1	23.00	23.00
296175038	Zone 01	1	23.00	23.00
296175039	Zone 01	1	23.00	23.00
296175040	Zone 01	1	23.00	23.00
296175041	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned I	BU's FY 17-18 N	Max Assessment	FY 17-18 Assessment
296175042	Zone 01	1	23.00	23.00
296175043	Zone 01	1	23.00	23.00
296175044	Zone 01	1	23.00	23.00
296175045	Zone 01	1	23.00	23.00
296175046	Zone 01	1	23.00	23.00
296175047	Zone 01	1	23.00	23.00
296175048	Zone 01	1	23.00	23.00
296175049	Zone 01	1	23.00	23.00
296175050	Zone 01	1	23.00	23.00
296175051	Zone 01	1	23.00	23.00
296175052	Zone 01	1	23.00	23.00
296175053	Zone 01	1	23.00	23.00
296175054	Zone 01	1	23.00	23.00
296175055	Zone 01	1	23.00	23.00
296175056	Zone 01	1	23.00	23.00
296175057	Zone 01	1	23.00	23.00
296175058	Zone 01	1	23.00	23.00
296175059	Zone 01	1	23.00	23.00
296175060	Zone 01	1	23.00	23.00
296175061	Zone 01	1	23.00	23.00
296175062	Zone 01	1	23.00	23.00
296175063	Zone 01	1	23.00	23.00
296175064	Zone 01	1	23.00	23.00
296175065	Zone 01	1	23.00	23.00
296175066	Zone 01	1	23.00	23.00
296175067	Zone 01	1	23.00	23.00
296175068	Zone 01	1	23.00	23.00
296175069	Zone 01	1	23.00	23.00
296175070	Zone 01	1	23.00	23.00
296175071	Zone 01	1	23.00	23.00
296175072	Zone 01	1	23.00	23.00
296175073	Zone 01	1	23.00	23.00
296175074	Zone 01	1	23.00	23.00
296175075	Zone 01	1	23.00	23.00
296175076	Zone 01	1	23.00	23.00
296175077	Zone 01	1	23.00	23.00
296175078	Zone 01	1	23.00	23.00
296175079	Zone 01	1	23.00	23.00
296175080	Zone 01	1	23.00	23.00
296175081	Zone 01	1	23.00	23.00
296175082	Zone 01	1	23.00	23.00
296175083	Zone 01	1	23.00	23.00
296181001	Zone 01	1	23.00	23.00
296181002	Zone 01	1	23.00	23.00
296181003	Zone 01	1	23.00	23.00
296181004	Zone 01	1	23.00	23.00
296181005	Zone 01	1	23.00	23.00
296181006	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
296181007	Zone 01		1 23.00	23.00
296181008	Zone 01		1 23.00	23.00
296181009	Zone 01		1 23.00	23.00
296181010	Zone 01		1 23.00	23.00
296181011	Zone 01		1 23.00	23.00
296181012	Zone 01		1 23.00	23.00
296181013	Zone 01		1 23.00	23.00
296182001	Zone 01		1 23.00	23.00
296182002	Zone 01		1 23.00	23.00
296182003	Zone 01		1 23.00	23.00
296182004	Zone 01		1 23.00	23.00
296182005	Zone 01		1 23.00	23.00
296182006	Zone 01		1 23.00	23.00
296182007	Zone 01		1 23.00	23.00
296182008	Zone 01		1 23.00	23.00
296182009	Zone 01		1 23.00	23.00
296182010	Zone 01		1 23.00	23.00
296182011	Zone 01		1 23.00	23.00
296182012	Zone 01		1 23.00	23.00
296182013	Zone 01		1 23.00	23.00
296182014	Zone 01		1 23.00	23.00
296182015	Zone 01		1 23.00	23.00
296182016	Zone 01		1 23.00	23.00
296182017	Zone 01		1 23.00	23.00
296182018	Zone 01		1 23.00	23.00
296182019	Zone 01		1 23.00	23.00
296182020	Zone 01		1 23.00	23.00
296182021	Zone 01		1 23.00	23.00
296182022	Zone 01		1 23.00	23.00
296182023	Zone 01		1 23.00	23.00
296182024	Zone 01		1 23.00	23.00
296182025	Zone 01		1 23.00	23.00
296182026	Zone 01		1 23.00	23.00
296183001	Zone 01		1 23.00	23.00
296183002	Zone 01		1 23.00	23.00
296183003	Zone 01		1 23.00	23.00
296183004	Zone 01		1 23.00	23.00
296183005	Zone 01		1 23.00	23.00
296183006	Zone 01		1 23.00	23.00
296183007	Zone 01		1 23.00	23.00
296183008	Zone 01		1 23.00	23.00
296183009	Zone 01		1 23.00	23.00
296183010	Zone 01		1 23.00	23.00
296183011	Zone 01		1 23.00	23.00
296183012	Zone 01		1 23.00	23.00
296183013	Zone 01		1 23.00	23.00
296183014	Zone 01		1 23.00	23.00
296183015	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone L	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
296183016	Zone 01		1 23.00	23.00
296183017	Zone 01		1 23.00	23.00
296183018	Zone 01		1 23.00	23.00
296183019	Zone 01		1 23.00	23.00
296183020	Zone 01		1 23.00	23.00
296183021	Zone 01		1 23.00	23.00
296183022	Zone 01		1 23.00	23.00
296183023	Zone 01		1 23.00	23.00
296184002	Zone 01		1 23.00	23.00
296184003	Zone 01		1 23.00	23.00
296184004	Zone 01		1 23.00	23.00
296184005	Zone 01		1 23.00	23.00
296184006	Zone 01		1 23.00	23.00
296184007	Zone 01		1 23.00	23.00
296184008	Zone 01		1 23.00	23.00
296184009	Zone 01		1 23.00	23.00
296184010	Zone 01		1 23.00	23.00
296184011	Zone 01		1 23.00	23.00
296185001	Zone 01		1 23.00	23.00
296185002	Zone 01		1 23.00	23.00
296185003	Zone 01		1 23.00	23.00
296185004	Zone 01		1 23.00	23.00
296185005	Zone 01		1 23.00	23.00
296185006	Zone 01		1 23.00	23.00
296185007	Zone 01		1 23.00	23.00
296185008	Zone 01		1 23.00	23.00
296185009	Zone 01		1 23.00	23.00
296185010	Zone 01		1 23.00	23.00
296185011	Zone 01		1 23.00	23.00
296185012	Zone 01		1 23.00	23.00
296185013	Zone 01		1 23.00	23.00
296185014	Zone 01		1 23.00	23.00
296185015	Zone 01		1 23.00	23.00
296185016	Zone 01		1 23.00	23.00
296185017	Zone 01		1 23.00	23.00
296185018	Zone 01		1 23.00	23.00
296185019	Zone 01		1 23.00	23.00
296185020	Zone 01		1 23.00	23.00
296185021	Zone 01		1 23.00	23.00
296185022	Zone 01		1 23.00	23.00
296185023	Zone 01		1 23.00	23.00
296185024	Zone 01		1 23.00	23.00
296185025	Zone 01		1 23.00	23.00
296185026	Zone 01		1 23.00	23.00
296185027	Zone 01		1 23.00	23.00
296185028	Zone 01		1 23.00	23.00
296185029	Zone 01		1 23.00	23.00
296185030	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
296185031	Zone 01		1 23.00	23.00
296185032	Zone 01		1 23.00	23.00
296185033	Zone 01		1 23.00	23.00
296185034	Zone 01		1 23.00	23.00
296185035	Zone 01		1 23.00	23.00
296185036	Zone 01		1 23.00	23.00
296185037	Zone 01		1 23.00	23.00
296185038	Zone 01		1 23.00	23.00
296185039	Zone 01		1 23.00	23.00
296185040	Zone 01		1 23.00	23.00
296185041	Zone 01		1 23.00	23.00
296185042	Zone 01		1 23.00	23.00
296185043	Zone 01		1 23.00	23.00
296185044	Zone 01		1 23.00	23.00
296185045	Zone 01		1 23.00	23.00
296191001	Zone 01		1 23.00	23.00
296191002	Zone 01		1 23.00	23.00
296191003	Zone 01		1 23.00	23.00
296191004	Zone 01		1 23.00	23.00
296191005	Zone 01		1 23.00	23.00
296191006	Zone 01		1 23.00	23.00
296192001	Zone 01		1 23.00	23.00
296192002	Zone 01		1 23.00	23.00
296192003	Zone 01		1 23.00	23.00
296192004	Zone 01		1 23.00	23.00
296192005	Zone 01		1 23.00	23.00
296192006	Zone 01		1 23.00	23.00
296192007	Zone 01		1 23.00	23.00
296192008	Zone 01		1 23.00	23.00
296211001	Zone 01		1 23.00	23.00
296211002	Zone 01		1 23.00	23.00
296211003	Zone 01		1 23.00	23.00
296211004	Zone 01		1 23.00	23.00
296211005	Zone 01		1 23.00	23.00
296211006	Zone 01		1 23.00	23.00
296211007	Zone 01		1 23.00	23.00
296211008	Zone 01		1 23.00	23.00
296211009	Zone 01		1 23.00	23.00
296212001	Zone 01		1 23.00	23.00
296212002	Zone 01		1 23.00	23.00
296212003	Zone 01		1 23.00	23.00
296212004	Zone 01		1 23.00	23.00
296212005	Zone 01		1 23.00	23.00
296212006	Zone 01		1 23.00	23.00
296212007	Zone 01		1 23.00	23.00
296212008	Zone 01		1 23.00	23.00
296212009	Zone 01		1 23.00	23.00
296212010	Zone 01		1 23.00	23.00
_30_1_010			20.00	20.00

APN	LMD 2014-01 Zone LMD Assigned EBU	l's FY 17-18 Max	Assessment	FY 17-18 Assessment
296212011	Zone 01	1	23.00	23.00
296212012	Zone 01	1	23.00	23.00
296212013	Zone 01	1	23.00	23.00
296212014	Zone 01	1	23.00	23.00
296212015	Zone 01	1	23.00	23.00
296212016	Zone 01	1	23.00	23.00
296212017	Zone 01	1	23.00	23.00
296212018	Zone 01	1	23.00	23.00
296212019	Zone 01	1	23.00	23.00
296212020	Zone 01	1	23.00	23.00
296212021	Zone 01	1	23.00	23.00
296212022	Zone 01	1	23.00	23.00
296212023	Zone 01	1	23.00	23.00
296212024	Zone 01	1	23.00	23.00
296212025	Zone 01	1	23.00	23.00
296212026	Zone 01	1	23.00	23.00
296212027	Zone 01	1	23.00	23.00
296212028	Zone 01	1	23.00	23.00
296212029	Zone 01	1	23.00	23.00
296212030	Zone 01	1	23.00	23.00
296212031	Zone 01	1	23.00	23.00
296212032	Zone 01	1	23.00	23.00
296212035	Zone 01	1	23.00	23.00
296212036	Zone 01	1	23.00	23.00
296212037	Zone 01	1	23.00	23.00
296212038	Zone 01	1	23.00	23.00
296212039	Zone 01	1	23.00	23.00
296212040	Zone 01	1	23.00	23.00
296212041	Zone 01	1	23.00	23.00
296212042	Zone 01	1	23.00	23.00
296212043	Zone 01	1	23.00	23.00
296212044	Zone 01	1	23.00	23.00
296212045	Zone 01	1	23.00	23.00
296212046	Zone 01	1	23.00	23.00
296212047	Zone 01	1	23.00	23.00
296212048	Zone 01	1	23.00	23.00
296212049	Zone 01	1	23.00	23.00
296212050	Zone 01	1	23.00	23.00
296212051	Zone 01	1	23.00	23.00
296212052	Zone 01	1	23.00	23.00
296212053	Zone 01	1	23.00	23.00
296212054	Zone 01	1	23.00	23.00
296212055	Zone 01	1	23.00	23.00
296212056	Zone 01	1	23.00	23.00
296212057	Zone 01	1	23.00	23.00
296212058	Zone 01	1	23.00	23.00
296212059	Zone 01	1	23.00	23.00
296212060	Zone 01	1	23.00	23.00

APN	I MD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
296212061	Zone 01	LIND Assigned EDG 5	1 23.00	23.00
296212063	Zone 01		1 23.00	23.00
296213001	Zone 01		1 23.00	23.00
296213002	Zone 01		1 23.00	23.00
296213003	Zone 01		1 23.00	23.00
296213004	Zone 01		1 23.00	23.00
296213005	Zone 01		1 23.00	23.00
296213006	Zone 01		1 23.00	23.00
296213007	Zone 01		1 23.00	23.00
296213007	Zone 01		1 23.00	23.00
296213009	Zone 01		1 23.00	23.00
296213010	Zone 01		1 23.00	23.00
296213011	Zone 01		1 23.00	23.00
296213011	Zone 01		1 23.00	23.00
296213013	Zone 01		1 23.00	23.00
296213014	Zone 01		1 23.00	23.00
296213015	Zone 01		1 23.00	23.00
296213016	Zone 01		1 23.00	23.00
296213017	Zone 01		1 23.00	23.00
296213018	Zone 01		1 23.00	23.00
296213019	Zone 01		1 23.00	23.00
296221001	Zone 01		1 23.00	23.00
296221001	Zone 01		1 23.00	23.00
296221002	Zone 01		1 23.00	23.00
296221003	Zone 01		1 23.00	23.00
296221004	Zone 01		1 23.00	23.00
296221005	Zone 01		1 23.00	23.00
296222001	Zone 01		1 23.00	23.00
296222001	Zone 01		1 23.00	23.00
296222002	Zone 01		1 23.00	23.00
296222004	Zone 01		1 23.00	23.00
296222004	Zone 01		1 23.00	23.00
296222006	Zone 01		1 23.00	23.00
296222007	Zone 01		1 23.00	23.00
296222007	Zone 01		1 23.00	23.00
296222009	Zone 01		1 23.00	23.00
296222010	Zone 01		1 23.00	23.00
296222010				
	Zone 01		1 23.00	23.00
296222012	Zone 01		1 23.00	23.00
296222013	Zone 01		1 23.00	23.00
296222014	Zone 01		1 23.00	23.00
296222015	Zone 01		1 23.00	23.00
296222016	Zone 01		1 23.00	23.00
296222017	Zone 01		1 23.00	23.00
296222018	Zone 01		1 23.00	23.00
296222019	Zone 01		1 23.00	23.00
296222020	Zone 01		1 23.00	23.00
296222021	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone L	_MD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
296222022	Zone 01		1 23.00	23.00
296222023	Zone 01		1 23.00	23.00
296222024	Zone 01		1 23.00	23.00
296222025	Zone 01		1 23.00	23.00
296222026	Zone 01		1 23.00	23.00
296222027	Zone 01		1 23.00	23.00
296222028	Zone 01		1 23.00	23.00
296223002	Zone 01		1 23.00	23.00
296223003	Zone 01		1 23.00	23.00
296223004	Zone 01		1 23.00	23.00
296223005	Zone 01		1 23.00	23.00
296223006	Zone 01		1 23.00	23.00
296223007	Zone 01		1 23.00	23.00
296223008	Zone 01		1 23.00	23.00
296223009	Zone 01		1 23.00	23.00
296223010	Zone 01		1 23.00	23.00
296223011	Zone 01		1 23.00	23.00
296223012	Zone 01		1 23.00	23.00
296223013	Zone 01		1 23.00	23.00
296223014	Zone 01		1 23.00	23.00
296223015	Zone 01		1 23.00	23.00
296223016	Zone 01		1 23.00	23.00
296223017	Zone 01		1 23.00	23.00
296223018	Zone 01		1 23.00	23.00
296223019	Zone 01		1 23.00	23.00
296223020	Zone 01		1 23.00	23.00
296223021	Zone 01		1 23.00	23.00
296223022	Zone 01		1 23.00	23.00
296223023	Zone 01		1 23.00	23.00
296223024	Zone 01		1 23.00	23.00
296223025	Zone 01		1 23.00	23.00
296223026	Zone 01		1 23.00	23.00
296223027	Zone 01		1 23.00	23.00
296223028	Zone 01		1 23.00	23.00
296223029	Zone 01		1 23.00	23.00
296223030	Zone 01		1 23.00	23.00
296223031	Zone 01		1 23.00	23.00
296223032	Zone 01		1 23.00	23.00
296223033	Zone 01		1 23.00	23.00
296223034	Zone 01		1 23.00	23.00
296223035	Zone 01		1 23.00	23.00
296223036	Zone 01		1 23.00	23.00
296231001	Zone 01		1 23.00	23.00
296231001	Zone 01		1 23.00	23.00
296231002	Zone 01		1 23.00	23.00
296231003	Zone 01		1 23.00	23.00
296231004	Zone 01		1 23.00	23.00
296231005	Zone 01		1 23.00	23.00
230231000	20116 01		∠3.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-1	8 Max Assessment	FY 17-18 Assessment
296231007	Zone 01	1	23.00	23.00
296231008	Zone 01	1	23.00	23.00
296231009	Zone 01	1	23.00	23.00
296231010	Zone 01	1	23.00	23.00
296231011	Zone 01	1	23.00	23.00
296231012	Zone 01	1	23.00	23.00
296231013	Zone 01	1	23.00	23.00
296232001	Zone 01	1	23.00	23.00
296232002	Zone 01	1	23.00	23.00
296232003	Zone 01	1	23.00	23.00
296232004	Zone 01	1	23.00	23.00
296232005	Zone 01	1	23.00	23.00
296232006	Zone 01	1	23.00	23.00
296232007	Zone 01	1	23.00	23.00
296232008	Zone 01	1	23.00	23.00
296232009	Zone 01	1	23.00	23.00
296232010	Zone 01	1	23.00	23.00
296232011	Zone 01	1	23.00	23.00
296232012	Zone 01	1	23.00	23.00
296232013	Zone 01	1	23.00	23.00
296232014	Zone 01	1	23.00	23.00
296232015	Zone 01	1	23.00	23.00
296232016	Zone 01	1	23.00	23.00
296232017	Zone 01	1	23.00	23.00
296232018	Zone 01	1	23.00	23.00
296232019	Zone 01	1	23.00	23.00
296232020	Zone 01	1	23.00	23.00
296232021	Zone 01	1	23.00	23.00
296232022	Zone 01	1	23.00	23.00
296232023	Zone 01	1	23.00	23.00
296232024	Zone 01	1	23.00	23.00
296232025	Zone 01	1	23.00	23.00
296232026	Zone 01	1	23.00	23.00
296232027	Zone 01	1	23.00	23.00
296232028	Zone 01	1	23.00	23.00
296232029	Zone 01	1	23.00	23.00
296232030	Zone 01	1	23.00	23.00
296232031	Zone 01	1	23.00	23.00
296232032	Zone 01	1	23.00	23.00
296233001	Zone 01	1	23.00	23.00
296233002	Zone 01	1	23.00	23.00
296233003	Zone 01	1	23.00	23.00
296233004	Zone 01	1	23.00	23.00
296233005	Zone 01	1	23.00	23.00
296233006	Zone 01	1	23.00	23.00
296233007	Zone 01	1	23.00	23.00
296233008	Zone 01	1	23.00	23.00
296233009	Zone 01	1	23.00	23.00
			==700	

APN	LMD 2014-01 Zone LMD Assigned I	EBU's FY 17-1	8 Max Assessment	FY 17-18 Assessment
296233010	Zone 01	1	23.00	23.00
296233011	Zone 01	1	23.00	23.00
296233012	Zone 01	1	23.00	23.00
296233013	Zone 01	1	23.00	23.00
296233014	Zone 01	1	23.00	23.00
296233015	Zone 01	1	23.00	23.00
296233016	Zone 01	1	23.00	23.00
296233017	Zone 01	1	23.00	23.00
296233018	Zone 01	1	23.00	23.00
296233019	Zone 01	1	23.00	23.00
296233020	Zone 01	1	23.00	23.00
296233021	Zone 01	1	23.00	23.00
296233022	Zone 01	1	23.00	23.00
296233023	Zone 01	1	23.00	23.00
296233024	Zone 01	1	23.00	23.00
296233025	Zone 01	1	23.00	23.00
296233026	Zone 01	1	23.00	23.00
296233027	Zone 01	1	23.00	23.00
296233028	Zone 01	1	23.00	23.00
296233029	Zone 01	1	23.00	23.00
296233030	Zone 01	1	23.00	23.00
296233031	Zone 01	1	23.00	23.00
296241001	Zone 01	1	23.00	23.00
296241002	Zone 01	1	23.00	23.00
296241003	Zone 01	1	23.00	23.00
296241004	Zone 01	1	23.00	23.00
296241005	Zone 01	1	23.00	23.00
296241006	Zone 01	1	23.00	23.00
296241007	Zone 01	1	23.00	23.00
296241008	Zone 01	1	23.00	23.00
296241009	Zone 01	1	23.00	23.00
296241010	Zone 01	1	23.00	23.00
296241011	Zone 01	1	23.00	23.00
296241012	Zone 01	1	23.00	23.00
296241013	Zone 01	1	23.00	23.00
296241014	Zone 01	1	23.00	23.00
296241015	Zone 01	1	23.00	23.00
296241016	Zone 01	1	23.00	23.00
296241017	Zone 01	1	23.00	23.00
296241018	Zone 01	1	23.00	23.00
296242001	Zone 01	1	23.00	23.00
296242002	Zone 01	1	23.00	23.00
296242003	Zone 01	1	23.00	23.00
296242004	Zone 01	1	23.00	23.00
296242005	Zone 01	1	23.00	23.00
296242006	Zone 01	1	23.00	23.00
296242007	Zone 01	1	23.00	23.00
296242008	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
296242009	Zone 01		1 23.00	23.00
296242010	Zone 01		1 23.00	23.00
296242011	Zone 01		1 23.00	23.00
296242012	Zone 01		1 23.00	23.00
296243001	Zone 01		1 23.00	23.00
296243002	Zone 01		1 23.00	23.00
296243003	Zone 01		1 23.00	23.00
296243004	Zone 01		1 23.00	23.00
296243005	Zone 01		1 23.00	23.00
296243006	Zone 01		1 23.00	23.00
296243007	Zone 01		1 23.00	23.00
296243008	Zone 01		1 23.00	23.00
296243009	Zone 01		1 23.00	23.00
296243010	Zone 01		1 23.00	23.00
296243011	Zone 01		1 23.00	23.00
296243012	Zone 01		1 23.00	23.00
296243013	Zone 01		1 23.00	23.00
296243014	Zone 01		1 23.00	23.00
296243015	Zone 01		1 23.00	23.00
296243016	Zone 01		1 23.00	23.00
296243017	Zone 01		1 23.00	23.00
296243018	Zone 01		1 23.00	23.00
296243019	Zone 01		1 23.00	23.00
296243020	Zone 01		1 23.00	23.00
296243021	Zone 01		1 23.00	23.00
296243022	Zone 01		1 23.00	23.00
296243023	Zone 01		1 23.00	23.00
296243024	Zone 01		1 23.00	23.00
296243025	Zone 01		1 23.00	23.00
296243026	Zone 01		1 23.00	23.00
296243027	Zone 01		1 23.00	23.00
296243028	Zone 01		1 23.00	23.00
296243029	Zone 01		1 23.00	23.00
296243030	Zone 01		1 23.00	23.00
296243031	Zone 01		1 23.00	23.00
296243032	Zone 01		1 23.00	23.00
296243033	Zone 01		1 23.00	23.00
296243034	Zone 01		1 23.00	23.00
296243035	Zone 01		1 23.00	23.00
296243036	Zone 01		1 23.00	23.00
296243037	Zone 01		1 23.00	23.00
296243037	Zone 01		1 23.00	23.00
296244001	Zone 01		1 23.00	23.00
296244001	Zone 01		1 23.00	23.00
296244002	Zone 01		1 23.00	23.00
296244003	Zone 01		1 23.00	23.00
296244004	Zone 01		1 23.00	
				23.00
296244006	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned E	BU's FY 17-18	Max Assessment	FY 17-18 Assessment
296244007	Zone 01	1	23.00	23.00
296244008	Zone 01	1	23.00	23.00
296244009	Zone 01	1	23.00	23.00
296244010	Zone 01	1	23.00	23.00
296251001	Zone 01	1	23.00	23.00
296251002	Zone 01	1	23.00	23.00
296251003	Zone 01	1	23.00	23.00
296251004	Zone 01	1	23.00	23.00
296251005	Zone 01	1	23.00	23.00
296251006	Zone 01	1	23.00	23.00
296251007	Zone 01	1	23.00	23.00
296251008	Zone 01	1	23.00	23.00
296251009	Zone 01	1	23.00	23.00
296251010	Zone 01	1	23.00	23.00
296251011	Zone 01	1	23.00	23.00
296251012	Zone 01	1	23.00	23.00
296251013	Zone 01	1	23.00	23.00
296251014	Zone 01	1	23.00	23.00
296251015	Zone 01	1	23.00	23.00
296251016	Zone 01	1	23.00	23.00
296251017	Zone 01	1	23.00	23.00
296251018	Zone 01	1	23.00	23.00
296252001	Zone 01	1	23.00	23.00
296252002	Zone 01	1	23.00	23.00
296252003	Zone 01	1	23.00	23.00
296252004	Zone 01	1	23.00	23.00
296252005	Zone 01	1	23.00	23.00
296252006	Zone 01	1	23.00	23.00
296252007	Zone 01	1	23.00	23.00
296252008	Zone 01	1	23.00	23.00
296252009	Zone 01	1	23.00	23.00
296252010	Zone 01	1	23.00	23.00
296252011	Zone 01	1	23.00	23.00
296252012	Zone 01	1	23.00	23.00
296252013	Zone 01	1	23.00	23.00
296252014	Zone 01	1	23.00	23.00
296252015	Zone 01	1	23.00	23.00
296252016	Zone 01	1	23.00	23.00
296252017	Zone 01	1	23.00	23.00
296252018	Zone 01	1	23.00	23.00
296253001	Zone 01	1	23.00	23.00
296253002	Zone 01	1	23.00	23.00
296253003	Zone 01	1	23.00	23.00
296253004	Zone 01	1	23.00	23.00
296253005	Zone 01	1	23.00	23.00
296253006	Zone 01	1	23.00	23.00
296253007	Zone 01	1	23.00	23.00
296253008	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone L	_MD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
296253009	Zone 01		1 23.00	23.00
296253010	Zone 01		1 23.00	23.00
296253011	Zone 01		1 23.00	23.00
296253012	Zone 01		1 23.00	23.00
296253013	Zone 01		1 23.00	23.00
296253014	Zone 01		1 23.00	23.00
296253015	Zone 01		1 23.00	23.00
296253016	Zone 01		1 23.00	23.00
296253017	Zone 01		1 23.00	23.00
296253018	Zone 01		1 23.00	23.00
296253019	Zone 01		1 23.00	23.00
296253020	Zone 01		1 23.00	23.00
296253021	Zone 01		1 23.00	23.00
296253022	Zone 01		1 23.00	23.00
296253023	Zone 01		1 23.00	23.00
296253024	Zone 01		1 23.00	23.00
296253025	Zone 01		1 23.00	23.00
296253026	Zone 01		1 23.00	23.00
296253027	Zone 01		1 23.00	23.00
296253028	Zone 01		1 23.00	23.00
296253029	Zone 01		1 23.00	23.00
296253030	Zone 01		1 23.00	23.00
296253031	Zone 01		1 23.00	23.00
296253032	Zone 01		1 23.00	23.00
296253033	Zone 01		1 23.00	23.00
296253034	Zone 01		1 23.00	23.00
296253035	Zone 01		1 23.00	23.00
296253036	Zone 01		1 23.00	23.00
296253037	Zone 01		1 23.00	23.00
296253038	Zone 01		1 23.00	23.00
296253039	Zone 01		1 23.00	23.00
296253040	Zone 01		1 23.00	23.00
296253041	Zone 01		1 23.00	23.00
296253042	Zone 01		1 23.00	23.00
296253043	Zone 01		1 23.00	23.00
296253044	Zone 01		1 23.00	23.00
296253045	Zone 01		1 23.00	23.00
296253046	Zone 01		1 23.00	23.00
296253047	Zone 01		1 23.00	23.00
296253048	Zone 01		1 23.00	23.00
296261001	Zone 01		1 23.00	23.00
296261002	Zone 01		1 23.00	23.00
296261003	Zone 01		1 23.00	23.00
296261004	Zone 01		1 23.00	23.00
296261005	Zone 01		1 23.00	23.00
296261006	Zone 01		1 23.00	23.00
296261007	Zone 01		1 23.00	23.00
296261008	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
296261009	Zone 01	LIND Assigned ED0 3	1 23.00	23.00
296261010	Zone 01		1 23.00	23.00
296261012	Zone 01		1 23.00	23.00
296261013	Zone 01		1 23.00	23.00
296261014	Zone 01		1 23.00	23.00
296261015	Zone 01		1 23.00	23.00
296261016	Zone 01		1 23.00	23.00
296261017	Zone 01		1 23.00	23.00
296261018	Zone 01		1 23.00	23.00
296261019	Zone 01		1 23.00	23.00
296261020	Zone 01		1 23.00	23.00
296261021	Zone 01		1 23.00	23.00
296262001	Zone 01		1 23.00	23.00
296262002	Zone 01		1 23.00	23.00
296262003	Zone 01		1 23.00	23.00
296262004	Zone 01		1 23.00	23.00
296262005	Zone 01		1 23.00	23.00
296262006	Zone 01		1 23.00	23.00
296262007	Zone 01		1 23.00	23.00
296262008	Zone 01		1 23.00	23.00
296262009	Zone 01		1 23.00	23.00
296262010	Zone 01		1 23.00	23.00
296262011	Zone 01		1 23.00	23.00
296262012	Zone 01		1 23.00	23.00
296262013	Zone 01		1 23.00	23.00
296262014	Zone 01		1 23.00	23.00
296262015	Zone 01		1 23.00	23.00
296262016	Zone 01		1 23.00	23.00
296262017	Zone 01		1 23.00	23.00
296262018	Zone 01		1 23.00	23.00
296262019	Zone 01		1 23.00	23.00
296262020	Zone 01		1 23.00	23.00
296262021	Zone 01		1 23.00	23.00
296262022	Zone 01		1 23.00	23.00
296262023	Zone 01		1 23.00	23.00
296262024	Zone 01		1 23.00	23.00
296262025	Zone 01		1 23.00	23.00
296262026	Zone 01		1 23.00	23.00
296262027	Zone 01		1 23.00	23.00
296262028	Zone 01		1 23.00	23.00
296262029	Zone 01		1 23.00	23.00
296263001	Zone 01		1 23.00	23.00
296263002	Zone 01		1 23.00	23.00
296263003	Zone 01		1 23.00	23.00
296263004	Zone 01		1 23.00	23.00
296263005	Zone 01		1 23.00	23.00
296263006	Zone 01		1 23.00	23.00
296263007	Zone 01		1 23.00	23.00
20020001	20110 01		25.00	20.00

APN	LMD 2014-01 Zone LMD Assigned E	BU's FY 17-	18 Max Assessment	FY 17-18 Assessment
296263008	Zone 01	1	23.00	23.00
296263009	Zone 01	1	23.00	23.00
296263010	Zone 01	1	23.00	23.00
296263011	Zone 01	1	23.00	23.00
296263012	Zone 01	1	23.00	23.00
296263013	Zone 01	1	23.00	23.00
296263014	Zone 01	1	23.00	23.00
296263015	Zone 01	1	23.00	23.00
296263016	Zone 01	1	23.00	23.00
296263017	Zone 01	1	23.00	23.00
296263018	Zone 01	1	23.00	23.00
296263019	Zone 01	1	23.00	23.00
296263020	Zone 01	1	23.00	23.00
296263021	Zone 01	1	23.00	23.00
296263022	Zone 01	1	23.00	23.00
296263023	Zone 01	1	23.00	23.00
296263024	Zone 01	1	23.00	23.00
296263025	Zone 01	1	23.00	23.00
296263026	Zone 01	1	23.00	23.00
296263027	Zone 01	1	23.00	23.00
296263028	Zone 01	1	23.00	23.00
296263029	Zone 01	1	23.00	23.00
296263030	Zone 01	1	23.00	23.00
296271001	Zone 01	1	23.00	23.00
296271002	Zone 01	1	23.00	23.00
296271003	Zone 01	1	23.00	23.00
296271004	Zone 01	1	23.00	23.00
296271005	Zone 01	1	23.00	23.00
296271006	Zone 01	1	23.00	23.00
296271007	Zone 01	1	23.00	23.00
296271008	Zone 01	1	23.00	23.00
296271009	Zone 01	1	23.00	23.00
296271010	Zone 01	1	23.00	23.00
296271011	Zone 01	1	23.00	23.00
296271012	Zone 01	1	23.00	23.00
296271013	Zone 01	1	23.00	23.00
296271014	Zone 01	1	23.00	23.00
296271015	Zone 01	1	23.00	23.00
296271016	Zone 01	1	23.00	23.00
296271017	Zone 01	1	23.00	23.00
296271018	Zone 01	1	23.00	23.00
296271019	Zone 01	1	23.00	23.00
296271020	Zone 01	1	23.00	23.00
296271021	Zone 01	1	23.00	23.00
296271022	Zone 01	1	23.00	23.00
296272001	Zone 01	1	23.00	23.00
296272002	Zone 01	1	23.00	23.00
296272003	Zone 01	1	23.00	23.00
		•	20.00	

296272004 Zone 01 1 23.00 23.00 23.00 296272005 Zone 01 1 23.00 23.00 23.00 296272006 Zone 01 1 23.00 23.00 23.00 23.00 296272007 Zone 01 1 23.00 23.00 23.00 296272008 Zone 01 1 23.00 23.00 23.00 296272009 Zone 01 1 23.00 23.00 23.00 296272011 Zone 01 1 23.00 23.00 23.00 296272012 Zone 01 1 23.00 23.00 23.00 296272015 Zone 01 1 23.00 23.00 23.00 296272015 Zone 01 1 23.00 23.00 23.00 296272015 Zone 01 1 23.00 23.00 23.00 296272016 Zone 01 1 23.00 23.00 23.00 296272017 Zone 01 1 23.00 23.00 23.00 296272018 Zone 01 1 23.00 23.00 23.00 296273001 Zone 01 1 23.00 23.00 23.00 296273002 Zone 01 1 23.00 23.00 23.00 296273002 Zone 01 1 23.00 23.00 23.00 296273002 Zone 01 1 23.00 23.00 23.00 296273005 Zone 01 1 23.00 23.00 23.00 296273005 Zone 01 1 23.00 23.00 23.00 296273005 Zone 01 1 23.00 23.00 23.00 296273007 Zone 01 1 23.00 23.00 23.00 296273008 Zone 01 1 23.00 23.00 23.00 296273010 Zone 01 1 23.00 23.00 23.00 296273011 Zone 01 1 23.00 23.00 23.00 296273011 Zone 01 1 23.00 23.00 23.00 296273012 Zone 01 1 23.00	APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
298272006 Zone 01 1 23.00 23.00 298272008 Zone 01 1 23.00 23.00 298272008 Zone 01 1 23.00 23.00 298272019 Zone 01 1 23.00 23.00 296272012 Zone 01 1 23.00 23.00 296272013 Zone 01 1 23.00 23.00 296272014 Zone 01 1 23.00 23.00 296272015 Zone 01 1 23.00 23.00 296272016 Zone 01 1 23.00 23.00 296272017 Zone 01 1 23.00 23.00 296272018 Zone 01 1 23.00 23.00 296272017 Zone 01 1 23.00 23.00 296273001 Zone 01 1 23.00 23.00 296273020 Zone 01 1 23.00 23.00 296273030 Zone 01 1 23.00 23.00	296272004	Zone 01		1 23.00	23.00
296272007 Zone 01 1 23.00 23.00 296272008 Zone 01 1 23.00 23.00 296272017 Zone 01 1 23.00 23.00 296272012 Zone 01 1 23.00 23.00 296272013 Zone 01 1 23.00 23.00 296272014 Zone 01 1 23.00 23.00 296272015 Zone 01 1 23.00 23.00 296272016 Zone 01 1 23.00 23.00 296272017 Zone 01 1 23.00 23.00 296272018 Zone 01 1 23.00 23.00 296273001 Zone 01 1 23.00 23.00 296273002 Zone 01 1 23.00 23.00 296273003 Zone 01 1 23.00 23.00 296273004 Zone 01 1 23.00 23.00 296273005 Zone 01 1 23.00 23.00	296272005	Zone 01		1 23.00	23.00
996272008 Zone 01 1 23.00 23.00 23.00 296272011 Zone 01 1 23.00 23.00 23.00 296272011 Zone 01 1 23.00 23.00 23.00 296272012 Zone 01 1 23.00 23.00 23.00 296272013 Zone 01 1 23.00 23.00 23.00 296272014 Zone 01 1 23.00 23.00 23.00 296272014 Zone 01 1 23.00 23.00 23.00 296272015 Zone 01 1 23.00 23.00 23.00 296272016 Zone 01 1 23.00 23.00 23.00 296272016 Zone 01 1 23.00 23.00 23.00 296272017 Zone 01 1 23.00 23.00 23.00 296272017 Zone 01 1 23.00 23.00 23.00 296272018 Zone 01 1 23.00 23.00 23.00 296273001 Zone 01 1 23.00 23.00 23.00 296273002 Zone 01 1 23.00 23.00 23.00 296273003 Zone 01 1 23.00 23.00 23.00 296273004 Zone 01 1 23.00 23.00 23.00 296273005 Zone 01 1 23.00 23.00 23.00 296273006 Zone 01 1 23.00 23.00 23.00 296273006 Zone 01 1 23.00 23.00 23.00 296273007 Zone 01 1 23.00 23.00 23.00 296273007 Zone 01 1 23.00 23.00 23.00 296273008 Zone 01 1 23.00 23.00 23.00 296273008 Zone 01 1 23.00 23.00 23.00 296273008 Zone 01 1 23.00 23.00 23.00 29627301 Zone 01 1 23.00 23.00 23.00 23.00 29627301 Zone 01 1 23.00 23.00 23.00 29627301 Zone 01 1 23.00 23.00 23.00 23.00 29627301 Zone 01 1 23.00 23.00 23.00 23.00 29627301 Zone 01 1 23.00 23.00 23.00 29627302 Zone 01 1 23.00 23.00 23.00 29627302 Zone 01 1 23.00 23.00 23.00 296274002 Zone 01 1 23.00 23.00 23.00 23.0	296272006	Zone 01		1 23.00	23.00
996272009 Zone 01 1 23.00 23.00 23.00 296272012 Zone 01 1 23.00 23.00 23.00 296272012 Zone 01 1 23.00 23.00 23.00 296272013 Zone 01 1 23.00 23.00 23.00 296272014 Zone 01 1 23.00 23.00 23.00 296272015 Zone 01 1 23.00 23.00 23.00 296272016 Zone 01 1 23.00 23.00 23.00 296272016 Zone 01 1 23.00 23.00 23.00 296272017 Zone 01 1 23.00 23.00 23.00 296272018 Zone 01 1 23.00 23.00 23.00 296272018 Zone 01 1 23.00 23.00 23.00 296272018 Zone 01 1 23.00 23.00 23.00 296273001 Zone 01 1 23.00 23.00 23.00 296273002 Zone 01 1 23.00 23.00 23.00 296273003 Zone 01 1 23.00 23.00 23.00 296273005 Zone 01 1 23.00 23.00 23.00 296273006 Zone 01 1 23.00 23.00 23.00 296273007 Zone 01 1 23.00 23.00 296273007 Zone 01 1 23.00 23.00 29627301 Zone 01 1 23.00 23.00 23.00 29627301 Zone 01 1 23.00 23.00 29627301 Zone 01 1 23.00 23.00 23.00 29627300 Zone 01 1 23.00	296272007	Zone 01		1 23.00	23.00
296272011 Zone 01 1 23.00 23.00 296272013 Zone 01 1 23.00 23.00 296272014 Zone 01 1 23.00 23.00 296272015 Zone 01 1 23.00 23.00 296272016 Zone 01 1 23.00 23.00 296272017 Zone 01 1 23.00 23.00 296272018 Zone 01 1 23.00 23.00 296273001 Zone 01 1 23.00 23.00 296273002 Zone 01 1 23.00 23.00 296273003 Zone 01 1 23.00 23.00 296273004 Zone 01 1 23.00 23.00 296273005 Zone 01 1 23.00 23.00 296273006 Zone 01 1 23.00 23.00 296273007 Zone 01 1 23.00 23.00 296273008 Zone 01 1 23.00 23.00	296272008	Zone 01		1 23.00	23.00
298272012 Zone 01 1 23.00 23.00 296272014 Zone 01 1 23.00 23.00 296272015 Zone 01 1 23.00 23.00 296272016 Zone 01 1 23.00 23.00 296272017 Zone 01 1 23.00 23.00 296272018 Zone 01 1 23.00 23.00 29627301 Zone 01 1 23.00 23.00 29627302 Zone 01 1 23.00 23.00 29627303 Zone 01 1 23.00 23.00 296273002 Zone 01 1 23.00 23.00 296273003 Zone 01 1 23.00 23.00 296273004 Zone 01 1 23.00 23.00 296273005 Zone 01 1 23.00 23.00 296273006 Zone 01 1 23.00 23.00 296273019 Zone 01 1 23.00 23.00 <tr< td=""><td>296272009</td><td>Zone 01</td><td></td><td>1 23.00</td><td>23.00</td></tr<>	296272009	Zone 01		1 23.00	23.00
296272013 Zone 01 1 23.00 23.00 296272015 Zone 01 1 23.00 23.00 296272016 Zone 01 1 23.00 23.00 296272017 Zone 01 1 23.00 23.00 296272018 Zone 01 1 23.00 23.00 296273001 Zone 01 1 23.00 23.00 296273002 Zone 01 1 23.00 23.00 296273003 Zone 01 1 23.00 23.00 296273004 Zone 01 1 23.00 23.00 296273005 Zone 01 1 23.00 23.00 296273006 Zone 01 1 23.00 23.00 296273007 Zone 01 1 23.00 23.00 296273007 Zone 01 1 23.00 23.00 296273010 Zone 01 1 23.00 23.00 296273011 Zone 01 1 23.00 23.00	296272011	Zone 01		1 23.00	23.00
296272014 Zone 01 1 23.00 23.00 296272016 Zone 01 1 23.00 23.00 296272017 Zone 01 1 23.00 23.00 296272018 Zone 01 1 23.00 23.00 296273001 Zone 01 1 23.00 23.00 296273002 Zone 01 1 23.00 23.00 296273003 Zone 01 1 23.00 23.00 296273004 Zone 01 1 23.00 23.00 296273005 Zone 01 1 23.00 23.00 296273006 Zone 01 1 23.00 23.00 296273007 Zone 01 1 23.00 23.00 296273008 Zone 01 1 23.00 23.00 296273010 Zone 01 1 23.00 23.00 296273012 Zone 01 1 23.00 23.00 296273013 Zone 01 1 23.00 23.00	296272012	Zone 01		1 23.00	23.00
296272016 Zone 01 1 23.00 23.00 296272017 Zone 01 1 23.00 23.00 296272018 Zone 01 1 23.00 23.00 296272018 Zone 01 1 23.00 23.00 296273002 Zone 01 1 23.00 23.00 296273003 Zone 01 1 23.00 23.00 296273004 Zone 01 1 23.00 23.00 296273005 Zone 01 1 23.00 23.00 296273006 Zone 01 1 23.00 23.00 296273007 Zone 01 1 23.00 23.00 296273008 Zone 01 1 23.00 23.00 296273010 Zone 01 1 23.00 23.00 296273011 Zone 01 1 23.00 23.00 296273012 Zone 01 1 23.00 23.00 296273013 Zone 01 1 23.00 23.00	296272013	Zone 01		1 23.00	23.00
296272016 Zone 01 1 23.00 23.00 296272017 Zone 01 1 23.00 23.00 296272018 Zone 01 1 23.00 23.00 296273002 Zone 01 1 23.00 23.00 296273003 Zone 01 1 23.00 23.00 296273004 Zone 01 1 23.00 23.00 296273005 Zone 01 1 23.00 23.00 296273006 Zone 01 1 23.00 23.00 296273007 Zone 01 1 23.00 23.00 296273008 Zone 01 1 23.00 23.00 296273008 Zone 01 1 23.00 23.00 296273010 Zone 01 1 23.00 23.00 296273011 Zone 01 1 23.00 23.00 296273012 Zone 01 1 23.00 23.00 296273013 Zone 01 1 23.00 23.00	296272014	Zone 01		1 23.00	23.00
296272017 Zone 01 1 23.00 23.00 296272018 Zone 01 1 23.00 23.00 296273001 Zone 01 1 23.00 23.00 296273002 Zone 01 1 23.00 23.00 296273003 Zone 01 1 23.00 23.00 296273004 Zone 01 1 23.00 23.00 296273005 Zone 01 1 23.00 23.00 296273006 Zone 01 1 23.00 23.00 296273007 Zone 01 1 23.00 23.00 296273008 Zone 01 1 23.00 23.00 296273019 Zone 01 1 23.00 23.00 296273011 Zone 01 1 23.00 23.00 296273011 Zone 01 1 23.00 23.00 296273013 Zone 01 1 23.00 23.00 296273014 Zone 01 1 23.00 23.00	296272015	Zone 01		1 23.00	23.00
296272018 Zone 01 1 23.00 23.00 296273002 Zone 01 1 23.00 23.00 296273003 Zone 01 1 23.00 23.00 296273004 Zone 01 1 23.00 23.00 296273005 Zone 01 1 23.00 23.00 296273006 Zone 01 1 23.00 23.00 296273007 Zone 01 1 23.00 23.00 296273008 Zone 01 1 23.00 23.00 296273009 Zone 01 1 23.00 23.00 296273010 Zone 01 1 23.00 23.00 296273011 Zone 01 1 23.00 23.00 296273012 Zone 01 1 23.00 23.00 296273013 Zone 01 1 23.00 23.00 296273014 Zone 01 1 23.00 23.00 296273015 Zone 01 1 23.00 23.00	296272016	Zone 01		1 23.00	23.00
296273001 Zone 01 1 23.00 23.00 296273002 Zone 01 1 23.00 23.00 296273003 Zone 01 1 23.00 23.00 296273004 Zone 01 1 23.00 23.00 296273005 Zone 01 1 23.00 23.00 296273007 Zone 01 1 23.00 23.00 296273008 Zone 01 1 23.00 23.00 296273009 Zone 01 1 23.00 23.00 296273010 Zone 01 1 23.00 23.00 296273011 Zone 01 1 23.00 23.00 296273012 Zone 01 1 23.00 23.00 296273013 Zone 01 1 23.00 23.00 296273014 Zone 01 1 23.00 23.00 296273015 Zone 01 1 23.00 23.00 296273016 Zone 01 1 23.00 23.00	296272017	Zone 01		1 23.00	23.00
296273002 Zone 01 1 23.00 23.00 296273004 Zone 01 1 23.00 23.00 296273005 Zone 01 1 23.00 23.00 296273006 Zone 01 1 23.00 23.00 296273007 Zone 01 1 23.00 23.00 296273008 Zone 01 1 23.00 23.00 296273010 Zone 01 1 23.00 23.00 296273010 Zone 01 1 23.00 23.00 296273011 Zone 01 1 23.00 23.00 296273012 Zone 01 1 23.00 23.00 296273013 Zone 01 1 23.00 23.00 296273014 Zone 01 1 23.00 23.00 296273015 Zone 01 1 23.00 23.00 296273016 Zone 01 1 23.00 23.00 296273017 Zone 01 1 23.00 23.00	296272018	Zone 01		1 23.00	23.00
296273003 Zone 01 1 23.00 23.00 296273004 Zone 01 1 23.00 23.00 296273005 Zone 01 1 23.00 23.00 296273006 Zone 01 1 23.00 23.00 296273007 Zone 01 1 23.00 23.00 296273008 Zone 01 1 23.00 23.00 296273019 Zone 01 1 23.00 23.00 296273010 Zone 01 1 23.00 23.00 296273011 Zone 01 1 23.00 23.00 296273012 Zone 01 1 23.00 23.00 296273013 Zone 01 1 23.00 23.00 296273014 Zone 01 1 23.00 23.00 296273015 Zone 01 1 23.00 23.00 296273016 Zone 01 1 23.00 23.00 296273017 Zone 01 1 23.00 23.00	296273001	Zone 01		1 23.00	23.00
296273004 Zone 01 1 23.00 23.00 296273005 Zone 01 1 23.00 23.00 296273006 Zone 01 1 23.00 23.00 296273007 Zone 01 1 23.00 23.00 296273008 Zone 01 1 23.00 23.00 296273010 Zone 01 1 23.00 23.00 296273011 Zone 01 1 23.00 23.00 296273012 Zone 01 1 23.00 23.00 296273013 Zone 01 1 23.00 23.00 296273014 Zone 01 1 23.00 23.00 296273015 Zone 01 1 23.00 23.00 296273016 Zone 01 1 23.00 23.00 296273017 Zone 01 1 23.00 23.00 296273018 Zone 01 1 23.00 23.00 296273020 Zone 01 1 23.00 23.00	296273002	Zone 01		1 23.00	23.00
296273005 Zone 01 1 23.00 23.00 296273006 Zone 01 1 23.00 23.00 296273007 Zone 01 1 23.00 23.00 296273008 Zone 01 1 23.00 23.00 296273019 Zone 01 1 23.00 23.00 296273011 Zone 01 1 23.00 23.00 296273012 Zone 01 1 23.00 23.00 296273013 Zone 01 1 23.00 23.00 296273014 Zone 01 1 23.00 23.00 296273015 Zone 01 1 23.00 23.00 296273016 Zone 01 1 23.00 23.00 296273017 Zone 01 1 23.00 23.00 296273018 Zone 01 1 23.00 23.00 296273019 Zone 01 1 23.00 23.00 296273021 Zone 01 1 23.00 23.00	296273003	Zone 01		1 23.00	23.00
296273006 Zone 01 1 23.00 23.00 296273007 Zone 01 1 23.00 23.00 296273008 Zone 01 1 23.00 23.00 296273009 Zone 01 1 23.00 23.00 296273010 Zone 01 1 23.00 23.00 296273011 Zone 01 1 23.00 23.00 296273012 Zone 01 1 23.00 23.00 296273013 Zone 01 1 23.00 23.00 296273014 Zone 01 1 23.00 23.00 296273015 Zone 01 1 23.00 23.00 296273016 Zone 01 1 23.00 23.00 296273017 Zone 01 1 23.00 23.00 296273018 Zone 01 1 23.00 23.00 296273020 Zone 01 1 23.00 23.00 296273021 Zone 01 1 23.00 23.00	296273004	Zone 01		1 23.00	23.00
296273007 Zone 01 1 23.00 23.00 296273008 Zone 01 1 23.00 23.00 296273019 Zone 01 1 23.00 23.00 296273010 Zone 01 1 23.00 23.00 296273011 Zone 01 1 23.00 23.00 296273012 Zone 01 1 23.00 23.00 296273013 Zone 01 1 23.00 23.00 296273014 Zone 01 1 23.00 23.00 296273015 Zone 01 1 23.00 23.00 296273016 Zone 01 1 23.00 23.00 296273017 Zone 01 1 23.00 23.00 296273018 Zone 01 1 23.00 23.00 296273020 Zone 01 1 23.00 23.00 296273021 Zone 01 1 23.00 23.00 296273022 Zone 01 1 23.00 23.00	296273005	Zone 01		1 23.00	23.00
296273008 Zone 01 1 23.00 23.00 296273019 Zone 01 1 23.00 23.00 296273011 Zone 01 1 23.00 23.00 296273012 Zone 01 1 23.00 23.00 296273013 Zone 01 1 23.00 23.00 296273014 Zone 01 1 23.00 23.00 296273015 Zone 01 1 23.00 23.00 296273016 Zone 01 1 23.00 23.00 296273017 Zone 01 1 23.00 23.00 296273018 Zone 01 1 23.00 23.00 296273019 Zone 01 1 23.00 23.00 296273020 Zone 01 1 23.00 23.00 296273021 Zone 01 1 23.00 23.00 296273022 Zone 01 1 23.00 23.00 296273023 Zone 01 1 23.00 23.00	296273006	Zone 01		1 23.00	23.00
296273009 Zone 01 1 23.00 23.00 296273010 Zone 01 1 23.00 23.00 296273011 Zone 01 1 23.00 23.00 296273012 Zone 01 1 23.00 23.00 296273013 Zone 01 1 23.00 23.00 296273014 Zone 01 1 23.00 23.00 296273015 Zone 01 1 23.00 23.00 296273016 Zone 01 1 23.00 23.00 296273017 Zone 01 1 23.00 23.00 296273018 Zone 01 1 23.00 23.00 296273019 Zone 01 1 23.00 23.00 296273020 Zone 01 1 23.00 23.00 296273021 Zone 01 1 23.00 23.00 296273022 Zone 01 1 23.00 23.00 296274001 Zone 01 1 23.00 23.00	296273007	Zone 01		1 23.00	23.00
296273010 Zone 01 1 23.00 23.00 296273011 Zone 01 1 23.00 23.00 296273012 Zone 01 1 23.00 23.00 296273013 Zone 01 1 23.00 23.00 296273014 Zone 01 1 23.00 23.00 296273015 Zone 01 1 23.00 23.00 296273016 Zone 01 1 23.00 23.00 296273017 Zone 01 1 23.00 23.00 296273018 Zone 01 1 23.00 23.00 296273019 Zone 01 1 23.00 23.00 296273020 Zone 01 1 23.00 23.00 296273021 Zone 01 1 23.00 23.00 296273022 Zone 01 1 23.00 23.00 296273023 Zone 01 1 23.00 23.00 296274001 Zone 01 1 23.00 23.00	296273008	Zone 01		1 23.00	23.00
296273011 Zone 01 1 23.00 23.00 296273012 Zone 01 1 23.00 23.00 296273013 Zone 01 1 23.00 23.00 296273014 Zone 01 1 23.00 23.00 296273015 Zone 01 1 23.00 23.00 296273016 Zone 01 1 23.00 23.00 296273017 Zone 01 1 23.00 23.00 296273018 Zone 01 1 23.00 23.00 296273019 Zone 01 1 23.00 23.00 296273020 Zone 01 1 23.00 23.00 296273021 Zone 01 1 23.00 23.00 296273022 Zone 01 1 23.00 23.00 296273023 Zone 01 1 23.00 23.00 296274001 Zone 01 1 23.00 23.00 296274002 Zone 01 1 23.00 23.00	296273009	Zone 01		1 23.00	23.00
296273012 Zone 01 1 23.00 23.00 296273013 Zone 01 1 23.00 23.00 296273014 Zone 01 1 23.00 23.00 296273015 Zone 01 1 23.00 23.00 296273016 Zone 01 1 23.00 23.00 296273017 Zone 01 1 23.00 23.00 296273018 Zone 01 1 23.00 23.00 296273019 Zone 01 1 23.00 23.00 296273020 Zone 01 1 23.00 23.00 296273021 Zone 01 1 23.00 23.00 296273022 Zone 01 1 23.00 23.00 296273023 Zone 01 1 23.00 23.00 296273024 Zone 01 1 23.00 23.00 296274001 Zone 01 1 23.00 23.00 296274002 Zone 01 1 23.00 23.00 296274003 Zone 01 1 23.00 23.00 <td< td=""><td>296273010</td><td>Zone 01</td><td></td><td>1 23.00</td><td>23.00</td></td<>	296273010	Zone 01		1 23.00	23.00
296273012 Zone 01 1 23.00 23.00 296273013 Zone 01 1 23.00 23.00 296273014 Zone 01 1 23.00 23.00 296273015 Zone 01 1 23.00 23.00 296273016 Zone 01 1 23.00 23.00 296273017 Zone 01 1 23.00 23.00 296273018 Zone 01 1 23.00 23.00 296273019 Zone 01 1 23.00 23.00 296273020 Zone 01 1 23.00 23.00 296273021 Zone 01 1 23.00 23.00 296273022 Zone 01 1 23.00 23.00 296273023 Zone 01 1 23.00 23.00 296273024 Zone 01 1 23.00 23.00 296274001 Zone 01 1 23.00 23.00 296274002 Zone 01 1 23.00 23.00 296274003 Zone 01 1 23.00 23.00 <td< td=""><td>296273011</td><td>Zone 01</td><td></td><td>1 23.00</td><td></td></td<>	296273011	Zone 01		1 23.00	
296273013 Zone 01 1 23.00 23.00 296273014 Zone 01 1 23.00 23.00 296273015 Zone 01 1 23.00 23.00 296273016 Zone 01 1 23.00 23.00 296273017 Zone 01 1 23.00 23.00 296273018 Zone 01 1 23.00 23.00 296273019 Zone 01 1 23.00 23.00 296273020 Zone 01 1 23.00 23.00 296273021 Zone 01 1 23.00 23.00 296273022 Zone 01 1 23.00 23.00 296273023 Zone 01 1 23.00 23.00 296273024 Zone 01 1 23.00 23.00 296274001 Zone 01 1 23.00 23.00 296274002 Zone 01 1 23.00 23.00 296274003 Zone 01 1 23.00 23.00 296274004 Zone 01 1 23.00 23.00 <td< td=""><td>296273012</td><td></td><td></td><td></td><td></td></td<>	296273012				
296273014 Zone 01 1 23.00 23.00 296273015 Zone 01 1 23.00 23.00 296273016 Zone 01 1 23.00 23.00 296273017 Zone 01 1 23.00 23.00 296273018 Zone 01 1 23.00 23.00 296273019 Zone 01 1 23.00 23.00 296273020 Zone 01 1 23.00 23.00 296273021 Zone 01 1 23.00 23.00 296273022 Zone 01 1 23.00 23.00 296273023 Zone 01 1 23.00 23.00 296273024 Zone 01 1 23.00 23.00 296274001 Zone 01 1 23.00 23.00 296274002 Zone 01 1 23.00 23.00 296274003 Zone 01 1 23.00 23.00 296274004 Zone 01 1 23.00 23.00 296274005 Zone 01 1 23.00 23.00 <td< td=""><td>296273013</td><td></td><td></td><td></td><td></td></td<>	296273013				
296273015 Zone 01 1 23.00 23.00 296273016 Zone 01 1 23.00 23.00 296273017 Zone 01 1 23.00 23.00 296273018 Zone 01 1 23.00 23.00 296273019 Zone 01 1 23.00 23.00 296273020 Zone 01 1 23.00 23.00 296273021 Zone 01 1 23.00 23.00 296273022 Zone 01 1 23.00 23.00 296273023 Zone 01 1 23.00 23.00 296273024 Zone 01 1 23.00 23.00 296274001 Zone 01 1 23.00 23.00 296274002 Zone 01 1 23.00 23.00 296274003 Zone 01 1 23.00 23.00 296274004 Zone 01 1 23.00 23.00 296274005 Zone 01 1 23.00 23.00 296274007 Zone 01 1 23.00 23.00 <td< td=""><td>296273014</td><td></td><td></td><td></td><td></td></td<>	296273014				
296273017 Zone 01 1 23.00 23.00 296273018 Zone 01 1 23.00 23.00 296273019 Zone 01 1 23.00 23.00 296273020 Zone 01 1 23.00 23.00 296273021 Zone 01 1 23.00 23.00 296273022 Zone 01 1 23.00 23.00 296273023 Zone 01 1 23.00 23.00 296273024 Zone 01 1 23.00 23.00 296274001 Zone 01 1 23.00 23.00 296274002 Zone 01 1 23.00 23.00 296274003 Zone 01 1 23.00 23.00 296274004 Zone 01 1 23.00 23.00 296274005 Zone 01 1 23.00 23.00 296274006 Zone 01 1 23.00 23.00 296274008 Zone 01 1 23.00 23.00 296274009 Zone 01 1 23.00 23.00 <td>296273015</td> <td>Zone 01</td> <td></td> <td></td> <td></td>	296273015	Zone 01			
296273018 Zone 01 1 23.00 23.00 296273020 Zone 01 1 23.00 23.00 296273021 Zone 01 1 23.00 23.00 296273022 Zone 01 1 23.00 23.00 296273023 Zone 01 1 23.00 23.00 296274024 Zone 01 1 23.00 23.00 296274001 Zone 01 1 23.00 23.00 296274002 Zone 01 1 23.00 23.00 296274003 Zone 01 1 23.00 23.00 296274004 Zone 01 1 23.00 23.00 296274005 Zone 01 1 23.00 23.00 296274006 Zone 01 1 23.00 23.00 296274008 Zone 01 1 23.00 23.00 296274009 Zone 01 1 23.00 23.00 296274009 Zone 01 1 23.00 23.00	296273016	Zone 01		1 23.00	23.00
296273019 Zone 01 1 23.00 23.00 296273020 Zone 01 1 23.00 23.00 296273021 Zone 01 1 23.00 23.00 296273022 Zone 01 1 23.00 23.00 296273023 Zone 01 1 23.00 23.00 296274001 Zone 01 1 23.00 23.00 296274002 Zone 01 1 23.00 23.00 296274003 Zone 01 1 23.00 23.00 296274004 Zone 01 1 23.00 23.00 296274005 Zone 01 1 23.00 23.00 296274006 Zone 01 1 23.00 23.00 296274008 Zone 01 1 23.00 23.00 296274009 Zone 01 1 23.00 23.00	296273017	Zone 01		1 23.00	23.00
296273020 Zone 01 1 23.00 23.00 296273021 Zone 01 1 23.00 23.00 296273022 Zone 01 1 23.00 23.00 296273023 Zone 01 1 23.00 23.00 296273024 Zone 01 1 23.00 23.00 296274001 Zone 01 1 23.00 23.00 296274002 Zone 01 1 23.00 23.00 296274003 Zone 01 1 23.00 23.00 296274004 Zone 01 1 23.00 23.00 296274005 Zone 01 1 23.00 23.00 296274006 Zone 01 1 23.00 23.00 296274008 Zone 01 1 23.00 23.00 296274009 Zone 01 1 23.00 23.00	296273018	Zone 01		1 23.00	23.00
296273021 Zone 01 1 23.00 23.00 296273022 Zone 01 1 23.00 23.00 296273023 Zone 01 1 23.00 23.00 296273024 Zone 01 1 23.00 23.00 296274001 Zone 01 1 23.00 23.00 296274002 Zone 01 1 23.00 23.00 296274003 Zone 01 1 23.00 23.00 296274004 Zone 01 1 23.00 23.00 296274005 Zone 01 1 23.00 23.00 296274006 Zone 01 1 23.00 23.00 296274007 Zone 01 1 23.00 23.00 296274008 Zone 01 1 23.00 23.00 296274009 Zone 01 1 23.00 23.00	296273019	Zone 01		1 23.00	23.00
296273021 Zone 01 1 23.00 23.00 296273022 Zone 01 1 23.00 23.00 296273023 Zone 01 1 23.00 23.00 296273024 Zone 01 1 23.00 23.00 296274001 Zone 01 1 23.00 23.00 296274002 Zone 01 1 23.00 23.00 296274003 Zone 01 1 23.00 23.00 296274004 Zone 01 1 23.00 23.00 296274005 Zone 01 1 23.00 23.00 296274006 Zone 01 1 23.00 23.00 296274008 Zone 01 1 23.00 23.00 296274009 Zone 01 1 23.00 23.00	296273020	Zone 01		1 23.00	23.00
296273022 Zone 01 1 23.00 23.00 296273023 Zone 01 1 23.00 23.00 296273024 Zone 01 1 23.00 23.00 296274001 Zone 01 1 23.00 23.00 296274002 Zone 01 1 23.00 23.00 296274003 Zone 01 1 23.00 23.00 296274004 Zone 01 1 23.00 23.00 296274005 Zone 01 1 23.00 23.00 296274006 Zone 01 1 23.00 23.00 296274007 Zone 01 1 23.00 23.00 296274008 Zone 01 1 23.00 23.00 296274009 Zone 01 1 23.00 23.00	296273021				
296273024 Zone 01 1 23.00 23.00 296274001 Zone 01 1 23.00 23.00 296274002 Zone 01 1 23.00 23.00 296274003 Zone 01 1 23.00 23.00 296274004 Zone 01 1 23.00 23.00 296274005 Zone 01 1 23.00 23.00 296274006 Zone 01 1 23.00 23.00 296274007 Zone 01 1 23.00 23.00 296274008 Zone 01 1 23.00 23.00 296274009 Zone 01 1 23.00 23.00	296273022	Zone 01		1 23.00	23.00
296274001 Zone 01 1 23.00 23.00 296274002 Zone 01 1 23.00 23.00 296274003 Zone 01 1 23.00 23.00 296274004 Zone 01 1 23.00 23.00 296274005 Zone 01 1 23.00 23.00 296274006 Zone 01 1 23.00 23.00 296274007 Zone 01 1 23.00 23.00 296274008 Zone 01 1 23.00 23.00 296274009 Zone 01 1 23.00 23.00	296273023	Zone 01		1 23.00	23.00
296274002 Zone 01 1 23.00 23.00 296274003 Zone 01 1 23.00 23.00 296274004 Zone 01 1 23.00 23.00 296274005 Zone 01 1 23.00 23.00 296274006 Zone 01 1 23.00 23.00 296274007 Zone 01 1 23.00 23.00 296274008 Zone 01 1 23.00 23.00 296274009 Zone 01 1 23.00 23.00	296273024	Zone 01		1 23.00	23.00
296274003 Zone 01 1 23.00 23.00 296274004 Zone 01 1 23.00 23.00 296274005 Zone 01 1 23.00 23.00 296274006 Zone 01 1 23.00 23.00 296274007 Zone 01 1 23.00 23.00 296274008 Zone 01 1 23.00 23.00 296274009 Zone 01 1 23.00 23.00	296274001	Zone 01		1 23.00	23.00
296274003 Zone 01 1 23.00 23.00 296274004 Zone 01 1 23.00 23.00 296274005 Zone 01 1 23.00 23.00 296274006 Zone 01 1 23.00 23.00 296274007 Zone 01 1 23.00 23.00 296274008 Zone 01 1 23.00 23.00 296274009 Zone 01 1 23.00 23.00	296274002	Zone 01		1 23.00	23.00
296274004 Zone 01 1 23.00 23.00 296274005 Zone 01 1 23.00 23.00 296274006 Zone 01 1 23.00 23.00 296274007 Zone 01 1 23.00 23.00 296274008 Zone 01 1 23.00 23.00 296274009 Zone 01 1 23.00 23.00	296274003	Zone 01		1 23.00	
296274005 Zone 01 1 23.00 23.00 296274006 Zone 01 1 23.00 23.00 296274007 Zone 01 1 23.00 23.00 296274008 Zone 01 1 23.00 23.00 296274009 Zone 01 1 23.00 23.00					
296274006 Zone 01 1 23.00 23.00 296274007 Zone 01 1 23.00 23.00 296274008 Zone 01 1 23.00 23.00 296274009 Zone 01 1 23.00 23.00					
296274007 Zone 01 1 23.00 23.00 296274008 Zone 01 1 23.00 23.00 296274009 Zone 01 1 23.00 23.00					
296274008 Zone 01 1 23.00 23.00 296274009 Zone 01 1 23.00 23.00					
296274009 Zone 01 1 23.00 23.00					
20100	296274010	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned I	BU's FY 17-18	Max Assessment	FY 17-18 Assessment
296274011	Zone 01	1	23.00	23.00
296274012	Zone 01	1	23.00	23.00
296274013	Zone 01	1	23.00	23.00
296274014	Zone 01	1	23.00	23.00
296274015	Zone 01	1	23.00	23.00
296274016	Zone 01	1	23.00	23.00
296274017	Zone 01	1	23.00	23.00
296291001	Zone 01	1	23.00	23.00
296291002	Zone 01	1	23.00	23.00
296291003	Zone 01	1	23.00	23.00
296291004	Zone 01	1	23.00	23.00
296291005	Zone 01	1	23.00	23.00
296291006	Zone 01	1	23.00	23.00
296291007	Zone 01	1	23.00	23.00
296291008	Zone 01	1	23.00	23.00
296291009	Zone 01	1	23.00	23.00
296291010	Zone 01	1	23.00	23.00
296291011	Zone 01	1	23.00	23.00
296291012	Zone 01	1	23.00	23.00
296291013	Zone 01	1	23.00	23.00
296291014	Zone 01	1	23.00	23.00
296291015	Zone 01	1	23.00	23.00
296291016	Zone 01	1	23.00	23.00
296291017	Zone 01	1	23.00	23.00
296291018	Zone 01	1	23.00	23.00
296291019	Zone 01	1	23.00	23.00
296291020	Zone 01	1	23.00	23.00
296291021	Zone 01	1	23.00	23.00
296291022	Zone 01	1	23.00	23.00
296291023	Zone 01	1	23.00	23.00
296291024	Zone 01	1	23.00	23.00
296291025	Zone 01	1	23.00	23.00
296292001	Zone 01	1	23.00	23.00
296292002	Zone 01	1	23.00	23.00
296292003	Zone 01	1	23.00	23.00
296292004	Zone 01	1	23.00	23.00
296292005	Zone 01	1	23.00	23.00
296292006	Zone 01	1	23.00	23.00
296292007	Zone 01	1	23.00	23.00
296293002	Zone 01	1	23.00	23.00
296293003	Zone 01	1	23.00	23.00
296293004	Zone 01	1	23.00	23.00
296293005	Zone 01	1	23.00	23.00
296293006	Zone 01	1	23.00	23.00
296293007	Zone 01	1	23.00	23.00
296293008	Zone 01	1	23.00	23.00
296293009	Zone 01	1	23.00	23.00
296293010	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-18	3 Max Assessment	FY 17-18 Assessment
296293011	Zone 01	1	23.00	23.00
304121001	Zone 01	1	23.00	23.00
304121002	Zone 01	1	23.00	23.00
304121003	Zone 01	1	23.00	23.00
304121004	Zone 01	1	23.00	23.00
304121005	Zone 01	1	23.00	23.00
304121006	Zone 01	1	23.00	23.00
304121007	Zone 01	1	23.00	23.00
304121008	Zone 01	1	23.00	23.00
304121009	Zone 01	1	23.00	23.00
304121010	Zone 01	1	23.00	23.00
304121011	Zone 01	1	23.00	23.00
304121012	Zone 01	1	23.00	23.00
304121013	Zone 01	1	23.00	23.00
304121014	Zone 01	1	23.00	23.00
304121015	Zone 01	1	23.00	23.00
304121016	Zone 01	1	23.00	23.00
304121017	Zone 01	1	23.00	23.00
304121018	Zone 01	1	23.00	23.00
304121019	Zone 01	1	23.00	23.00
304121020	Zone 01	1	23.00	23.00
304121021	Zone 01	1	23.00	23.00
304121022	Zone 01	1	23.00	23.00
304121023	Zone 01	1	23.00	23.00
304121024	Zone 01	1	23.00	23.00
304121025	Zone 01	1	23.00	23.00
304122003	Zone 01	1	23.00	23.00
304122004	Zone 01	1	23.00	23.00
304122005	Zone 01	1	23.00	23.00
304122006	Zone 01	1	23.00	23.00
304122007	Zone 01	1	23.00	23.00
304122008	Zone 01	1	23.00	23.00
304122009	Zone 01	1	23.00	23.00
304122010	Zone 01	1	23.00	23.00
304122011	Zone 01	1	23.00	23.00
304122012	Zone 01	1	23.00	23.00
304122013	Zone 01	1	23.00	23.00
304122014	Zone 01	1	23.00	23.00
304122015	Zone 01	1	23.00	23.00
304122016	Zone 01	1	23.00	23.00
304122017	Zone 01	1	23.00	23.00
304122018	Zone 01	1	23.00	23.00
304122019	Zone 01	1	23.00	23.00
304122020	Zone 01	1	23.00	23.00
304122021	Zone 01	1	23.00	23.00
304122022	Zone 01	1	23.00	23.00
304122023	Zone 01	1	23.00	23.00
304122024	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD A	ssigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
304122025	Zone 01	•	1 23.00	23.00
304122026	Zone 01	•	1 23.00	23.00
304122027	Zone 01	•	1 23.00	23.00
304122028	Zone 01	•	1 23.00	23.00
304122029	Zone 01		1 23.00	23.00
304122030	Zone 01		1 23.00	23.00
304122031	Zone 01		1 23.00	23.00
304131001	Zone 01		1 23.00	23.00
304131002	Zone 01		1 23.00	23.00
304131003	Zone 01		1 23.00	23.00
304131004	Zone 01		1 23.00	23.00
304131005	Zone 01		1 23.00	23.00
304131006	Zone 01		1 23.00	23.00
304131007	Zone 01		1 23.00	23.00
304131008	Zone 01		1 23.00	23.00
304131009	Zone 01		1 23.00	23.00
304131010	Zone 01		1 23.00	23.00
304131011	Zone 01		1 23.00	23.00
304131012	Zone 01		1 23.00	23.00
304131013	Zone 01		1 23.00	23.00
304131014	Zone 01		1 23.00	23.00
304131015	Zone 01	,	1 23.00	23.00
304131016	Zone 01		1 23.00	23.00
304131017	Zone 01		1 23.00	23.00
304131018	Zone 01		1 23.00	23.00
304131019	Zone 01		1 23.00	23.00
304131020	Zone 01		1 23.00	23.00
304131021	Zone 01	,	1 23.00	23.00
304131022	Zone 01		1 23.00	23.00
304131023	Zone 01		1 23.00	23.00
304131024	Zone 01		1 23.00	23.00
304131025	Zone 01		1 23.00	23.00
304131026	Zone 01		1 23.00	23.00
304131027	Zone 01		1 23.00	23.00
304131028	Zone 01		1 23.00	23.00
304131029	Zone 01		1 23.00	23.00
304132001	Zone 01		1 23.00	23.00
304132002	Zone 01		1 23.00	23.00
304132003	Zone 01		1 23.00	23.00
304132004	Zone 01		1 23.00	23.00
304132005	Zone 01	,	1 23.00	23.00
304132006	Zone 01		1 23.00	23.00
304132007	Zone 01		1 23.00	23.00
304132008	Zone 01		1 23.00	23.00
304132009	Zone 01		1 23.00	23.00
304132010	Zone 01		1 23.00	23.00
304132011	Zone 01		1 23.00	23.00
304132012	Zone 01		1 23.00	23.00
77.102012			20.00	20.00

APN	LMD 2014-01 Zone LMD Assig	ned EBU's FY 17-18 Ma	x Assessment	FY 17-18 Assessment
304132013	Zone 01	1	23.00	23.00
304132014	Zone 01	1	23.00	23.00
304132015	Zone 01	1	23.00	23.00
304132016	Zone 01	1	23.00	23.00
304132017	Zone 01	1	23.00	23.00
304132018	Zone 01	1	23.00	23.00
304132019	Zone 01	1	23.00	23.00
304132020	Zone 01	1	23.00	23.00
304132021	Zone 01	1	23.00	23.00
304132022	Zone 01	1	23.00	23.00
304132023	Zone 01	1	23.00	23.00
304132024	Zone 01	1	23.00	23.00
304132025	Zone 01	1	23.00	23.00
304132026	Zone 01	1	23.00	23.00
304151001	Zone 01	1	23.00	23.00
304151002	Zone 01	1	23.00	23.00
304151003	Zone 01	1	23.00	23.00
304151004	Zone 01	1	23.00	23.00
304151005	Zone 01	1	23.00	23.00
304151006	Zone 01	1	23.00	23.00
304151007	Zone 01	1	23.00	23.00
304151008	Zone 01	1	23.00	23.00
304151009	Zone 01	1	23.00	23.00
304151010	Zone 01	1	23.00	23.00
304151011	Zone 01	1	23.00	23.00
304151012	Zone 01	1	23.00	23.00
304151013	Zone 01	1	23.00	23.00
304151014	Zone 01	1	23.00	23.00
304151015	Zone 01	1	23.00	23.00
304151016	Zone 01	1	23.00	23.00
304151017	Zone 01	1	23.00	23.00
304151018	Zone 01	1	23.00	23.00
304152001	Zone 01	1	23.00	23.00
304152002	Zone 01	1	23.00	23.00
304152003	Zone 01	1	23.00	23.00
304152004	Zone 01	1	23.00	23.00
304152005	Zone 01	1	23.00	23.00
304152006	Zone 01	1	23.00	23.00
304152007	Zone 01	1	23.00	23.00
304152008	Zone 01	1	23.00	23.00
304152009	Zone 01	1	23.00	23.00
304152010	Zone 01	1	23.00	23.00
304152011	Zone 01	1	23.00	23.00
304152012	Zone 01	1	23.00	23.00
304152013	Zone 01	1	23.00	23.00
304152014	Zone 01	1	23.00	23.00
304152015	Zone 01	1	23.00	23.00
304152016	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD A	ssigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
304152017	Zone 01	•	1 23.00	23.00
304152018	Zone 01	•	1 23.00	23.00
304152019	Zone 01	•	1 23.00	23.00
304152020	Zone 01		1 23.00	23.00
304152021	Zone 01		1 23.00	23.00
304152022	Zone 01		1 23.00	23.00
304152023	Zone 01		1 23.00	23.00
304152024	Zone 01		1 23.00	23.00
304152025	Zone 01		1 23.00	23.00
304152026	Zone 01		1 23.00	23.00
304152027	Zone 01		1 23.00	23.00
304152028	Zone 01		1 23.00	23.00
304152029	Zone 01		1 23.00	23.00
304152030	Zone 01		1 23.00	23.00
304152031	Zone 01		1 23.00	23.00
304152032	Zone 01		1 23.00	23.00
304152033	Zone 01		1 23.00	23.00
304152034	Zone 01		1 23.00	23.00
304152035	Zone 01		1 23.00	23.00
304152036	Zone 01		1 23.00	23.00
304152037	Zone 01		1 23.00	23.00
304152038	Zone 01		1 23.00	23.00
304152039	Zone 01		1 23.00	23.00
304152040	Zone 01		1 23.00	23.00
304152041	Zone 01		1 23.00	23.00
304152042	Zone 01		1 23.00	23.00
304152043	Zone 01		1 23.00	23.00
304152044	Zone 01		1 23.00	23.00
304152045	Zone 01		1 23.00	23.00
304152046	Zone 01		1 23.00	23.00
304152047	Zone 01		1 23.00	23.00
304153001	Zone 01		1 23.00	23.00
304153002	Zone 01		1 23.00	23.00
304153003	Zone 01		1 23.00	23.00
304153004	Zone 01		1 23.00	23.00
304153005	Zone 01		1 23.00	23.00
304153006	Zone 01		1 23.00	23.00
304153007	Zone 01		1 23.00	23.00
304153008	Zone 01		1 23.00	23.00
304153009	Zone 01		1 23.00	23.00
304153010	Zone 01		1 23.00	23.00
304153011	Zone 01		1 23.00	23.00
304153012	Zone 01		1 23.00	23.00
304153013	Zone 01		1 23.00	23.00
304153014	Zone 01		1 23.00	23.00
304153015	Zone 01		1 23.00	23.00
304153016	Zone 01		1 23.00	23.00
304153017	Zone 01		1 23.00	23.00
			20.00	20.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
304153018	Zone 01		1 23.00	23.00
304153019	Zone 01		1 23.00	23.00
304153020	Zone 01		1 23.00	23.00
304153021	Zone 01		1 23.00	23.00
304153022	Zone 01		1 23.00	23.00
304153023	Zone 01		1 23.00	23.00
304153024	Zone 01		1 23.00	23.00
304161001	Zone 01		1 23.00	23.00
304161002	Zone 01		1 23.00	23.00
304161003	Zone 01		1 23.00	23.00
304161004	Zone 01		1 23.00	23.00
304161005	Zone 01		1 23.00	23.00
304161006	Zone 01		1 23.00	23.00
304161007	Zone 01		1 23.00	23.00
304161008	Zone 01		1 23.00	23.00
304161009	Zone 01		1 23.00	23.00
304161010	Zone 01		1 23.00	23.00
304161011	Zone 01		1 23.00	23.00
304161012	Zone 01		1 23.00	23.00
304161013	Zone 01		1 23.00	23.00
304161014	Zone 01		1 23.00	23.00
304161015	Zone 01		1 23.00	23.00
304161016	Zone 01		1 23.00	23.00
304162001	Zone 01		1 23.00	23.00
304162002	Zone 01		1 23.00	23.00
304162003	Zone 01		1 23.00	23.00
304163001	Zone 01		1 23.00	23.00
304163002	Zone 01		1 23.00	23.00
304163003	Zone 01		1 23.00	23.00
304163004	Zone 01		1 23.00	23.00
304163005	Zone 01		1 23.00	23.00
304163006	Zone 01		1 23.00	23.00
304163007	Zone 01		1 23.00	23.00
304163008	Zone 01		1 23.00	23.00
304163009	Zone 01		1 23.00	23.00
304163010	Zone 01		1 23.00	23.00
304164001	Zone 01		1 23.00	23.00
304164002	Zone 01		1 23.00	23.00
304164003	Zone 01		1 23.00	23.00
304164004	Zone 01		1 23.00	23.00
304164005	Zone 01		1 23.00	23.00
304164006	Zone 01		1 23.00	23.00
304164007	Zone 01		1 23.00	23.00
304164007	Zone 01		1 23.00	23.00
304164009	Zone 01		1 23.00	23.00
304164010	Zone 01		1 23.00	23.00
304164011				
	Zone 01		1 23.00	23.00
304171001	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assign	ned EBU's FY 17-18 M	ax Assessment	FY 17-18 Assessment
304171002	Zone 01	1	23.00	23.00
304171003	Zone 01	1	23.00	23.00
304171004	Zone 01	1	23.00	23.00
304171005	Zone 01	1	23.00	23.00
304171006	Zone 01	1	23.00	23.00
304171007	Zone 01	1	23.00	23.00
304171008	Zone 01	1	23.00	23.00
304171009	Zone 01	1	23.00	23.00
304171010	Zone 01	1	23.00	23.00
304171011	Zone 01	1	23.00	23.00
304171012	Zone 01	1	23.00	23.00
304171013	Zone 01	1	23.00	23.00
304171014	Zone 01	1	23.00	23.00
304171015	Zone 01	1	23.00	23.00
304171016	Zone 01	1	23.00	23.00
304171017	Zone 01	1	23.00	23.00
304171018	Zone 01	1	23.00	23.00
304171019	Zone 01	1	23.00	23.00
304171020	Zone 01	1	23.00	23.00
304172001	Zone 01	1	23.00	23.00
304172002	Zone 01	1	23.00	23.00
304172003	Zone 01	1	23.00	23.00
304172004	Zone 01	1	23.00	23.00
304172005	Zone 01	1	23.00	23.00
304172006	Zone 01	1	23.00	23.00
304172007	Zone 01	1	23.00	23.00
304172008	Zone 01	1	23.00	23.00
304172009	Zone 01	1	23.00	23.00
304172010	Zone 01	1	23.00	23.00
304172011	Zone 01	1	23.00	23.00
304172012	Zone 01	1	23.00	23.00
304172013	Zone 01	1	23.00	23.00
304172014	Zone 01	1	23.00	23.00
304172015	Zone 01	1	23.00	23.00
304172016	Zone 01	1	23.00	23.00
304172017	Zone 01	1	23.00	23.00
304172018	Zone 01	1	23.00	23.00
304172019	Zone 01	1	23.00	23.00
304172020	Zone 01	1	23.00	23.00
304172021	Zone 01	1	23.00	23.00
304172022	Zone 01	1	23.00	23.00
304172023	Zone 01	1	23.00	23.00
304172024	Zone 01	1	23.00	23.00
304172025	Zone 01	1	23.00	23.00
304172026	Zone 01	1	23.00	23.00
304172027	Zone 01	1	23.00	23.00
304172028	Zone 01	1	23.00	23.00
304172029	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	I EBU's FY 17-18 I	Max Assessment	FY 17-18 Assessment
304172030	Zone 01	1	23.00	23.00
304172031	Zone 01	1	23.00	23.00
304172032	Zone 01	1	23.00	23.00
304172033	Zone 01	1	23.00	23.00
304172034	Zone 01	1	23.00	23.00
304172035	Zone 01	1	23.00	23.00
304172036	Zone 01	1	23.00	23.00
304172037	Zone 01	1	23.00	23.00
304172038	Zone 01	1	23.00	23.00
304172039	Zone 01	1	23.00	23.00
304172040	Zone 01	1	23.00	23.00
304172041	Zone 01	1	23.00	23.00
304172042	Zone 01	1	23.00	23.00
304172043	Zone 01	1	23.00	23.00
304172044	Zone 01	1	23.00	23.00
304172045	Zone 01	1	23.00	23.00
304172046	Zone 01	1	23.00	23.00
304172047	Zone 01	1	23.00	23.00
304172048	Zone 01	1	23.00	23.00
304172049	Zone 01	1	23.00	23.00
304172050	Zone 01	1	23.00	23.00
304172051	Zone 01	1	23.00	23.00
304172052	Zone 01	1	23.00	23.00
304172053	Zone 01	1	23.00	23.00
304172054	Zone 01	1	23.00	23.00
304172055	Zone 01	1	23.00	23.00
304172056	Zone 01	1	23.00	23.00
304172057	Zone 01	1	23.00	23.00
304172058	Zone 01	1	23.00	23.00
304172059	Zone 01	1	23.00	23.00
304172060	Zone 01	1	23.00	23.00
304181001	Zone 01	1	23.00	23.00
304181002	Zone 01	1	23.00	23.00
304181003	Zone 01	1	23.00	23.00
304181004	Zone 01	1	23.00	23.00
304181005	Zone 01	1	23.00	23.00
304181006	Zone 01	1	23.00	23.00
304181007	Zone 01	1	23.00	23.00
304181008	Zone 01	1	23.00	23.00
304181009	Zone 01	1	23.00	23.00
304181010	Zone 01	1	23.00	23.00
304181011	Zone 01	1	23.00	23.00
304181012	Zone 01	1	23.00	23.00
304182001	Zone 01	1	23.00	23.00
304182002	Zone 01	1	23.00	23.00
304182003	Zone 01	1	23.00	23.00
304182004	Zone 01	1	23.00	23.00
304182005	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD A	ssigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
304182006	Zone 01		1 23.00	23.00
304182007	Zone 01		1 23.00	23.00
304182008	Zone 01		1 23.00	23.00
304182009	Zone 01		1 23.00	23.00
304182010	Zone 01		1 23.00	23.00
304182011	Zone 01		1 23.00	23.00
304182012	Zone 01		1 23.00	23.00
304182013	Zone 01		1 23.00	23.00
304182014	Zone 01		1 23.00	23.00
304182015	Zone 01		1 23.00	23.00
304182016	Zone 01		1 23.00	23.00
304182017	Zone 01		1 23.00	23.00
304182018	Zone 01		1 23.00	23.00
304182019	Zone 01		1 23.00	23.00
304182020	Zone 01		1 23.00	23.00
304182021	Zone 01		1 23.00	23.00
304182022	Zone 01		1 23.00	23.00
304182023	Zone 01		1 23.00	23.00
304183001	Zone 01		1 23.00	23.00
304183002	Zone 01		1 23.00	23.00
304183003	Zone 01		1 23.00	23.00
304183004	Zone 01		1 23.00	23.00
304183005	Zone 01		1 23.00	23.00
304183006	Zone 01		1 23.00	23.00
304183007	Zone 01		1 23.00	23.00
304183008	Zone 01		1 23.00	23.00
304183009	Zone 01		1 23.00	23.00
304183010	Zone 01		1 23.00	23.00
304183011	Zone 01		1 23.00	23.00
304183012	Zone 01		1 23.00	23.00
304183013	Zone 01		1 23.00	23.00
304183014	Zone 01		1 23.00	23.00
304183015	Zone 01		1 23.00	23.00
304183016	Zone 01		1 23.00	23.00
304183017	Zone 01		1 23.00	23.00
304183018	Zone 01		1 23.00	23.00
304183019	Zone 01		1 23.00	23.00
304183020	Zone 01		1 23.00	23.00
304183021				
	Zone 01		1 23.00	23.00
304183022	Zone 01		1 23.00	23.00
304183023	Zone 01		1 23.00	23.00
304183024	Zone 01		1 23.00	23.00
304183025	Zone 01		1 23.00	23.00
304183026	Zone 01		1 23.00	23.00
304183027	Zone 01		1 23.00	23.00
304183028	Zone 01		1 23.00	23.00
304183029	Zone 01		1 23.00	23.00
304183030	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigne	d EBU's FY 17-18 M	lax Assessment	FY 17-18 Assessment
304183031	Zone 01	1	23.00	23.00
304183032	Zone 01	1	23.00	23.00
304183033	Zone 01	1	23.00	23.00
304183034	Zone 01	1	23.00	23.00
304183035	Zone 01	1	23.00	23.00
304183036	Zone 01	1	23.00	23.00
304183037	Zone 01	1	23.00	23.00
304183038	Zone 01	1	23.00	23.00
304183039	Zone 01	1	23.00	23.00
304183040	Zone 01	1	23.00	23.00
304183041	Zone 01	1	23.00	23.00
304183042	Zone 01	1	23.00	23.00
304183043	Zone 01	1	23.00	23.00
304183044	Zone 01	1	23.00	23.00
304183045	Zone 01	1	23.00	23.00
304201001	Zone 01	1	23.00	23.00
304201002	Zone 01	1	23.00	23.00
304201003	Zone 01	1	23.00	23.00
304201004	Zone 01	1	23.00	23.00
304201005	Zone 01	1	23.00	23.00
304201006	Zone 01	1	23.00	23.00
304201007	Zone 01	1	23.00	23.00
304201008	Zone 01	1	23.00	23.00
304201009	Zone 01	1	23.00	23.00
304201010	Zone 01	1	23.00	23.00
304201011	Zone 01	1	23.00	23.00
304201012	Zone 01	1	23.00	23.00
304201013	Zone 01	1	23.00	23.00
304201014	Zone 01	1	23.00	23.00
304201015	Zone 01	1	23.00	23.00
304201016	Zone 01	1	23.00	23.00
304201017	Zone 01	1	23.00	23.00
304201018	Zone 01	1	23.00	23.00
304201019	Zone 01	1	23.00	23.00
304201020	Zone 01	1	23.00	23.00
304201021	Zone 01	1	23.00	23.00
304201022	Zone 01	1	23.00	23.00
304201023	Zone 01	1	23.00	23.00
304201024	Zone 01	1	23.00	23.00
304201025	Zone 01	1	23.00	23.00
304202001	Zone 01	1	23.00	23.00
304202002	Zone 01	1	23.00	23.00
304202003	Zone 01	1	23.00	23.00
304202004	Zone 01	1	23.00	23.00
304202005	Zone 01	1	23.00	23.00
304202006	Zone 01	1	23.00	23.00
304202007	Zone 01	1	23.00	23.00
304202008	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigne	d EBU's FY 17-18 I	Max Assessment	FY 17-18 Assessment
304202009	Zone 01	1	23.00	23.00
304202010	Zone 01	1	23.00	23.00
304202011	Zone 01	1	23.00	23.00
304202012	Zone 01	1	23.00	23.00
304202013	Zone 01	1	23.00	23.00
304202014	Zone 01	1	23.00	23.00
304202015	Zone 01	1	23.00	23.00
304202016	Zone 01	1	23.00	23.00
304202017	Zone 01	1	23.00	23.00
304202018	Zone 01	1	23.00	23.00
304202019	Zone 01	1	23.00	23.00
304202020	Zone 01	1	23.00	23.00
304202021	Zone 01	1	23.00	23.00
304202022	Zone 01	1	23.00	23.00
304202023	Zone 01	1	23.00	23.00
304202024	Zone 01	1	23.00	23.00
304211001	Zone 01	1	23.00	23.00
304211002	Zone 01	1	23.00	23.00
304212001	Zone 01	1	23.00	23.00
304212002	Zone 01	1	23.00	23.00
304212003	Zone 01	1	23.00	23.00
304212004	Zone 01	1	23.00	23.00
304212005	Zone 01	1	23.00	23.00
304213001	Zone 01	1	23.00	23.00
304213002	Zone 01	1	23.00	23.00
304213003	Zone 01	1	23.00	23.00
304213004	Zone 01	1	23.00	23.00
304213005	Zone 01	1	23.00	23.00
304213006	Zone 01	1	23.00	23.00
304213007	Zone 01	1	23.00	23.00
304213008	Zone 01	1	23.00	23.00
304213009	Zone 01	1	23.00	23.00
304213010	Zone 01	1	23.00	23.00
304213011	Zone 01	1	23.00	23.00
304231001	Zone 01	1	23.00	23.00
304231002	Zone 01	1	23.00	23.00
304231003	Zone 01	1	23.00	23.00
304231004	Zone 01	1	23.00	23.00
304231005	Zone 01	1	23.00	23.00
304231006	Zone 01	1	23.00	23.00
304231007	Zone 01	1	23.00	23.00
304231008	Zone 01	1	23.00	23.00
304231009	Zone 01	1	23.00	23.00
304231010	Zone 01	1	23.00	23.00
304231011	Zone 01	1	23.00	23.00
304231012	Zone 01	1	23.00	23.00
304231013	Zone 01	1	23.00	23.00
304231014	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
304231015	Zone 01		1 23.00	23.00
304231016	Zone 01		1 23.00	23.00
304231017	Zone 01		1 23.00	23.00
304232001	Zone 01		1 23.00	23.00
304232002	Zone 01		1 23.00	23.00
304232003	Zone 01		1 23.00	23.00
304232004	Zone 01		1 23.00	23.00
304232005	Zone 01		1 23.00	23.00
304232006	Zone 01		1 23.00	23.00
304232007	Zone 01		1 23.00	23.00
304232008	Zone 01		1 23.00	23.00
304232009	Zone 01		1 23.00	23.00
304232010	Zone 01		1 23.00	23.00
304232011	Zone 01		1 23.00	23.00
304232012	Zone 01		1 23.00	23.00
304232013	Zone 01		1 23.00	23.00
308513001	Zone 01		1 23.00	23.00
308513002	Zone 01		1 23.00	23.00
308513003	Zone 01		1 23.00	23.00
308513004	Zone 01		1 23.00	23.00
308513005	Zone 01		1 23.00	23.00
308513006	Zone 01		1 23.00	23.00
308513007	Zone 01		1 23.00	23.00
308513008	Zone 01		1 23.00	23.00
308513009	Zone 01		1 23.00	23.00
308513010	Zone 01		1 23.00	23.00
308513011	Zone 01		1 23.00	23.00
312031001	Zone 01		1 23.00	23.00
312031002	Zone 01		1 23.00	23.00
312031003	Zone 01		1 23.00	23.00
312031004	Zone 01		1 23.00	23.00
312031005	Zone 01		1 23.00	23.00
312031006	Zone 01		1 23.00	23.00
312031007	Zone 01		1 23.00	23.00
312031008	Zone 01		1 23.00	23.00
312031009	Zone 01		1 23.00	23.00
312031010	Zone 01		1 23.00	23.00
312031011	Zone 01		1 23.00	23.00
312031012	Zone 01		1 23.00	23.00
312031013	Zone 01		1 23.00	23.00
312031014	Zone 01		1 23.00	23.00
312031015	Zone 01		1 23.00	23.00
312031016	Zone 01		1 23.00	23.00
312031010	Zone 01		1 23.00	23.00
312031017	Zone 01		1 23.00	23.00
312031019	Zone 01		1 23.00	23.00
312031013	Zone 01		1 23.00	23.00
312031021	Zone 01		1 23.00	23.00
012001021	20110 01		25.00	20:00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
312031022	Zone 01		1 23.00	23.00
312031023	Zone 01		1 23.00	23.00
312031024	Zone 01		1 23.00	23.00
312031025	Zone 01		1 23.00	23.00
312031026	Zone 01		1 23.00	23.00
312031027	Zone 01		1 23.00	23.00
312031028	Zone 01		1 23.00	23.00
312031029	Zone 01		1 23.00	23.00
312031030	Zone 01		1 23.00	23.00
312031031	Zone 01		1 23.00	23.00
312031032	Zone 01		1 23.00	23.00
312032001	Zone 01		1 23.00	23.00
312032002	Zone 01		1 23.00	23.00
312032003	Zone 01		1 23.00	23.00
312032004	Zone 01		1 23.00	23.00
312032005	Zone 01		1 23.00	23.00
312032006	Zone 01		1 23.00	23.00
312032007	Zone 01		1 23.00	23.00
312032008	Zone 01		1 23.00	23.00
312032009	Zone 01		1 23.00	23.00
312032010	Zone 01		1 23.00	23.00
312032011	Zone 01		1 23.00	23.00
312032012	Zone 01		1 23.00	23.00
312032013	Zone 01		1 23.00	23.00
312032014	Zone 01		1 23.00	23.00
312033001	Zone 01		1 23.00	23.00
312033002	Zone 01		1 23.00	23.00
312033003	Zone 01		1 23.00	23.00
312033004	Zone 01		1 23.00	23.00
312033005	Zone 01		1 23.00	23.00
312033006	Zone 01		1 23.00	23.00
312033007	Zone 01		1 23.00	23.00
312033008	Zone 01		1 23.00	23.00
312033009	Zone 01		1 23.00	23.00
312033010	Zone 01		1 23.00	23.00
312033011	Zone 01		1 23.00	23.00
312033012	Zone 01		1 23.00	23.00
312033013	Zone 01		1 23.00	23.00
312033014	Zone 01		1 23.00	23.00
312033015	Zone 01		1 23.00	23.00
312033016	Zone 01		1 23.00	23.00
312033017	Zone 01		1 23.00	23.00
312033018	Zone 01		1 23.00	23.00
312033019	Zone 01		1 23.00	23.00
312033020	Zone 01		1 23.00	23.00
312033021	Zone 01		1 23.00	23.00
312033022	Zone 01		1 23.00	23.00
312033023	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
312033024	Zone 01		1 23.00	23.00
312033025	Zone 01		1 23.00	23.00
312033026	Zone 01		1 23.00	23.00
312033027	Zone 01		1 23.00	23.00
312033028	Zone 01		1 23.00	23.00
312033029	Zone 01		1 23.00	23.00
312041001	Zone 01		1 23.00	23.00
312041002	Zone 01		1 23.00	23.00
312041003	Zone 01		1 23.00	23.00
312041004	Zone 01		1 23.00	23.00
312041005	Zone 01		1 23.00	23.00
312041006	Zone 01		1 23.00	23.00
312041007	Zone 01		1 23.00	23.00
312041008	Zone 01		1 23.00	23.00
312041009	Zone 01		1 23.00	23.00
312041010	Zone 01		1 23.00	23.00
312041011	Zone 01		1 23.00	23.00
312041012	Zone 01		1 23.00	23.00
312041013	Zone 01		1 23.00	23.00
312041014	Zone 01		1 23.00	23.00
312041015	Zone 01		1 23.00	23.00
312041016	Zone 01		1 23.00	23.00
312041017	Zone 01		1 23.00	23.00
312041018	Zone 01		1 23.00	23.00
312041019	Zone 01		1 23.00	23.00
312041020	Zone 01		1 23.00	23.00
312041021	Zone 01		1 23.00	23.00
312041022	Zone 01		1 23.00	23.00
312041023	Zone 01		1 23.00	23.00
312041024	Zone 01		1 23.00	23.00
312041025	Zone 01		1 23.00	23.00
312041026	Zone 01		1 23.00	23.00
312041027	Zone 01		1 23.00	23.00
312042001	Zone 01		1 23.00	23.00
312042002	Zone 01		1 23.00	23.00
312042003	Zone 01		1 23.00	23.00
312042004	Zone 01		1 23.00	23.00
312042005	Zone 01		1 23.00	23.00
312042006	Zone 01		1 23.00	23.00
312042007	Zone 01		1 23.00	23.00
312042008	Zone 01		1 23.00	23.00
312042009	Zone 01		1 23.00	23.00
312042010	Zone 01		1 23.00	23.00
312042011	Zone 01		1 23.00	23.00
312042012	Zone 01		1 23.00	23.00
312042013	Zone 01		1 23.00	23.00
312042014	Zone 01		1 23.00	23.00
312042015	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
312042016	Zone 01		1 23.00	23.00
312042017	Zone 01		1 23.00	23.00
312042018	Zone 01		1 23.00	23.00
312042019	Zone 01		1 23.00	23.00
312042020	Zone 01		1 23.00	23.00
312042021	Zone 01		1 23.00	23.00
312042022	Zone 01		1 23.00	23.00
312042023	Zone 01		1 23.00	23.00
312042024	Zone 01		1 23.00	23.00
312042025	Zone 01		1 23.00	23.00
312042026	Zone 01		1 23.00	23.00
312042027	Zone 01		1 23.00	23.00
312042028	Zone 01		1 23.00	23.00
312042029	Zone 01		1 23.00	23.00
312042030	Zone 01		1 23.00	23.00
312042031	Zone 01		1 23.00	23.00
312042032	Zone 01		1 23.00	23.00
312042033	Zone 01		1 23.00	23.00
312042034	Zone 01		1 23.00	23.00
312042035	Zone 01		1 23.00	23.00
312042036	Zone 01		1 23.00	23.00
312042037	Zone 01		1 23.00	23.00
312042037	Zone 01		1 23.00	23.00
312042030	Zone 01		1 23.00	23.00
312043001	Zone 01		1 23.00	23.00
312043002	Zone 01		1 23.00	23.00
312043004	Zone 01		1 23.00	23.00
312043004	Zone 01		1 23.00	23.00
312043005	Zone 01		1 23.00	23.00
312043000	Zone 01		1 23.00	23.00
312044002	Zone 01		1 23.00	23.00
312044003	Zone 01		1 23.00	23.00
312044004	Zone 01		1 23.00	23.00
312044005	Zone 01		1 23.00	23.00
312044006	Zone 01		1 23.00	23.00
312044007	Zone 01		1 23.00	23.00
312044007	Zone 01		1 23.00	23.00
312045001	Zone 01		1 23.00	23.00
312045002	Zone 01		1 23.00	23.00
312045004	Zone 01		1 23.00	23.00
312045004			1 23.00	23.00
	Zone 01			
312045006 312045007	Zone 01		1 23.00	23.00
	Zone 01		1 23.00	23.00
312045008 312045009	Zone 01		1 23.00	23.00
	Zone 01		1 23.00	23.00
312045010	Zone 01		1 23.00	23.00
312050001	Zone 01		1 23.00	23.00
312050002	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
312050003	Zone 01		1 23.00	23.00
312050004	Zone 01		1 23.00	23.00
312050005	Zone 01		1 23.00	23.00
312050006	Zone 01		1 23.00	23.00
312050007	Zone 01		1 23.00	23.00
312050008	Zone 01		1 23.00	23.00
312050009	Zone 01		1 23.00	23.00
312050010	Zone 01		1 23.00	23.00
312050011	Zone 01		1 23.00	23.00
312050011	Zone 01		1 23.00	23.00
312050012	Zone 01		1 23.00	23.00
312050014	Zone 01		1 23.00	23.00
312050015	Zone 01		1 23.00	23.00
312050016	Zone 01		1 23.00	23.00
312050017	Zone 01		1 23.00	23.00
312050017	Zone 01		1 23.00	23.00
312050019	Zone 01		1 23.00	23.00
312050019	Zone 01		1 23.00	23.00
312050020	Zone 01		1 23.00	23.00
312050021	Zone 01		1 23.00	23.00
312050022	Zone 01		1 23.00	23.00
				23.00
312050024	Zone 01 Zone 01		1 23.00	
312050025			1 23.00	23.00
312050026	Zone 01		1 23.00	23.00
312050027	Zone 01		1 23.00	23.00
312050028	Zone 01		1 23.00	23.00
312050029	Zone 01		1 23.00	23.00
312050030	Zone 01		1 23.00	23.00
312050031	Zone 01		1 23.00	23.00
312050032	Zone 01		1 23.00	23.00
312050033	Zone 01		1 23.00	23.00
312050034	Zone 01		1 23.00	23.00
312050035	Zone 01		1 23.00	23.00
312050036	Zone 01		1 23.00	23.00
312050037	Zone 01		1 23.00	23.00
312050038	Zone 01		1 23.00	23.00
312050039	Zone 01		1 23.00	23.00
312050040	Zone 01		1 23.00	23.00
312050041	Zone 01		1 23.00	23.00
312050042	Zone 01		1 23.00	23.00
312050043	Zone 01		1 23.00	23.00
312050044	Zone 01		1 23.00	23.00
312061001	Zone 01		1 23.00	23.00
312061002	Zone 01		1 23.00	23.00
312061003	Zone 01		1 23.00	23.00
312061004	Zone 01		1 23.00	23.00
312061005	Zone 01		1 23.00	23.00
312061006	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	I EBU's FY 17-18 N	lax Assessment	FY 17-18 Assessment
312061007	Zone 01	1	23.00	23.00
312061008	Zone 01	1	23.00	23.00
312061009	Zone 01	1	23.00	23.00
312061010	Zone 01	1	23.00	23.00
312061011	Zone 01	1	23.00	23.00
312061012	Zone 01	1	23.00	23.00
312061013	Zone 01	1	23.00	23.00
312061014	Zone 01	1	23.00	23.00
312061015	Zone 01	1	23.00	23.00
312061016	Zone 01	1	23.00	23.00
312061017	Zone 01	1	23.00	23.00
312061018	Zone 01	1	23.00	23.00
312061019	Zone 01	1	23.00	23.00
312061020	Zone 01	1	23.00	23.00
312061021	Zone 01	1	23.00	23.00
312061022	Zone 01	1	23.00	23.00
312061023	Zone 01	1	23.00	23.00
312061024	Zone 01	1	23.00	23.00
312061025	Zone 01	1	23.00	23.00
312061026	Zone 01	1	23.00	23.00
312061027	Zone 01	1	23.00	23.00
312061028	Zone 01	1	23.00	23.00
312061029	Zone 01	1	23.00	23.00
312062001	Zone 01	1	23.00	23.00
312062002	Zone 01	1	23.00	23.00
312062003	Zone 01	1	23.00	23.00
312062004	Zone 01	1	23.00	23.00
312062005	Zone 01	1	23.00	23.00
312062006	Zone 01	1	23.00	23.00
312062007	Zone 01	1	23.00	23.00
312062008	Zone 01	1	23.00	23.00
312062009	Zone 01	1	23.00	23.00
312062010	Zone 01	1	23.00	23.00
312062011	Zone 01	1	23.00	23.00
312062012	Zone 01	1	23.00	23.00
312062013	Zone 01	1	23.00	23.00
312062014	Zone 01	1	23.00	23.00
312062015	Zone 01	1	23.00	23.00
312063001	Zone 01	1	23.00	23.00
312063002	Zone 01	1	23.00	23.00
312063003	Zone 01	1	23.00	23.00
312063004	Zone 01	1	23.00	23.00
312063005	Zone 01	1	23.00	23.00
312063006	Zone 01	1	23.00	23.00
312063007	Zone 01	1	23.00	23.00
312063008	Zone 01	1	23.00	23.00
312063009	Zone 01	1	23.00	23.00
312063010	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
312063011	Zone 01		1 23.00	23.00
312063012	Zone 01		1 23.00	23.00
312063013	Zone 01		1 23.00	23.00
312063014	Zone 01		1 23.00	23.00
312063015	Zone 01		1 23.00	23.00
312063016	Zone 01		1 23.00	23.00
312063017	Zone 01		1 23.00	23.00
312063018	Zone 01		1 23.00	23.00
312063019	Zone 01		1 23.00	23.00
312063020	Zone 01		1 23.00	23.00
312063021	Zone 01		1 23.00	23.00
312063021	Zone 01		1 23.00	23.00
312063022	Zone 01		1 23.00	23.00
312063024	Zone 01		1 23.00	23.00
312063025	Zone 01		1 23.00	23.00
312071001	Zone 01		1 23.00	23.00
312071001	Zone 01		1 23.00	23.00
312071002	Zone 01		1 23.00	23.00
312071003	Zone 01		1 23.00	23.00
312071004	Zone 01		1 23.00	23.00
312071005	Zone 01		1 23.00	23.00
				23.00
312071007	Zone 01		1 23.00	
312071008	Zone 01		1 23.00	23.00
312071009	Zone 01		1 23.00	23.00
312071010	Zone 01		1 23.00	23.00
312071011	Zone 01		1 23.00	23.00
312071012	Zone 01		1 23.00	23.00
312071013	Zone 01		1 23.00	23.00
312071014	Zone 01		1 23.00	23.00
312071015	Zone 01		1 23.00	23.00
312071016	Zone 01		1 23.00	23.00
312071017	Zone 01		1 23.00	23.00
312071018	Zone 01		1 23.00	23.00
312071019	Zone 01		1 23.00	23.00
312071020	Zone 01		1 23.00	23.00
312071021	Zone 01		1 23.00	23.00
312071022	Zone 01		1 23.00	23.00
312071023	Zone 01		1 23.00	23.00
312071024	Zone 01		1 23.00	23.00
312071025	Zone 01		1 23.00	23.00
312071026	Zone 01		1 23.00	23.00
312071027	Zone 01		1 23.00	23.00
312071028	Zone 01		1 23.00	23.00
312071029	Zone 01		1 23.00	23.00
312072001	Zone 01		1 23.00	23.00
312072002	Zone 01		1 23.00	23.00
312072003	Zone 01		1 23.00	23.00
312072004	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned EB	U's FY 17-18	Max Assessment	FY 17-18 Assessment
312072005	Zone 01	1	23.00	23.00
312072006	Zone 01	1	23.00	23.00
312072007	Zone 01	1	23.00	23.00
312072008	Zone 01	1	23.00	23.00
312072009	Zone 01	1	23.00	23.00
312072010	Zone 01	1	23.00	23.00
312072011	Zone 01	1	23.00	23.00
312072012	Zone 01	1	23.00	23.00
312072013	Zone 01	1	23.00	23.00
312072014	Zone 01	1	23.00	23.00
312072015	Zone 01	1	23.00	23.00
312072016	Zone 01	1	23.00	23.00
312072017	Zone 01	1	23.00	23.00
312072018	Zone 01	1	23.00	23.00
312072019	Zone 01	1	23.00	23.00
312072020	Zone 01	1	23.00	23.00
312072021	Zone 01	1	23.00	23.00
312072022	Zone 01	1	23.00	23.00
312072023	Zone 01	1	23.00	23.00
312072024	Zone 01	1	23.00	23.00
312072025	Zone 01	1	23.00	23.00
312072026	Zone 01	1	23.00	23.00
312072027	Zone 01	1	23.00	23.00
312072028	Zone 01	1	23.00	23.00
312072029	Zone 01	1	23.00	23.00
312072030	Zone 01	1	23.00	23.00
312072031	Zone 01	1	23.00	23.00
312072032	Zone 01	1	23.00	23.00
312081001	Zone 01	1	23.00	23.00
312081002	Zone 01	1	23.00	23.00
312081003	Zone 01	1	23.00	23.00
312081004	Zone 01	1	23.00	23.00
312081005	Zone 01	1	23.00	23.00
312081006	Zone 01	1	23.00	23.00
312081007	Zone 01	1	23.00	23.00
312081008	Zone 01	1	23.00	23.00
312081009	Zone 01	1	23.00	23.00
312081010	Zone 01	1	23.00	23.00
312081011	Zone 01	1	23.00	23.00
312081012	Zone 01	1	23.00	23.00
312081013	Zone 01	1	23.00	23.00
312081014	Zone 01	1	23.00	23.00
312081015	Zone 01	1	23.00	23.00
312081016	Zone 01	1	23.00	23.00
312081017	Zone 01	1	23.00	23.00
312081018	Zone 01	1	23.00	23.00
312081019	Zone 01	1	23.00	23.00
312081020	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
312081021	Zone 01		1 23.00	23.00
312081022	Zone 01		1 23.00	23.00
312081023	Zone 01		1 23.00	23.00
312081024	Zone 01		1 23.00	23.00
312081025	Zone 01		1 23.00	23.00
312081026	Zone 01		1 23.00	23.00
312081027	Zone 01		1 23.00	23.00
312081028	Zone 01		1 23.00	23.00
312081029	Zone 01		1 23.00	23.00
312081030	Zone 01		1 23.00	23.00
312081031	Zone 01		1 23.00	23.00
312081032	Zone 01		1 23.00	23.00
312081033	Zone 01		1 23.00	23.00
312081034	Zone 01		1 23.00	23.00
312081035	Zone 01		1 23.00	23.00
312081036	Zone 01		1 23.00	23.00
312081037	Zone 01		1 23.00	23.00
312081038	Zone 01		1 23.00	23.00
312081039	Zone 01		1 23.00	23.00
312081040	Zone 01		1 23.00	23.00
312081041	Zone 01		1 23.00	23.00
312081042	Zone 01		1 23.00	23.00
312081043	Zone 01		1 23.00	23.00
312081044	Zone 01		1 23.00	23.00
312081045	Zone 01		1 23.00	23.00
312081046	Zone 01		1 23.00	23.00
312082001	Zone 01		1 23.00	23.00
312082002	Zone 01		1 23.00	23.00
312082002	Zone 01		1 23.00	23.00
312082004	Zone 01		1 23.00	23.00
312082005	Zone 01		1 23.00	23.00
312082006	Zone 01		1 23.00	23.00
312082007	Zone 01		1 23.00	23.00
312082007	Zone 01		1 23.00	23.00
312082009	Zone 01		1 23.00	23.00
312082010	Zone 01		1 23.00	23.00
312082011	Zone 01		1 23.00	23.00
312082012	Zone 01		1 23.00	23.00
312082013	Zone 01		1 23.00	23.00
312082014	Zone 01		1 23.00	23.00
312082015	Zone 01		1 23.00	23.00
312082016	Zone 01		1 23.00	23.00
312082017	Zone 01		1 23.00	23.00
312082017	Zone 01		1 23.00	23.00
312082018	Zone 01		1 23.00	23.00
312082019	Zone 01		1 23.00	23.00
	Zone 01			
312082021			1 23.00	23.00
312082022	Zone 01		1 23.00	23.00

APN	I MD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
312082023	Zone 01	LIND Assigned EDU'S	1 23.00	23.00
312082024	Zone 01		1 23.00	23.00
312082025	Zone 01		1 23.00	23.00
312082026	Zone 01		1 23.00	23.00
312082027	Zone 01		1 23.00	23.00
312082028	Zone 01		1 23.00	23.00
312082029	Zone 01		1 23.00	23.00
312082030	Zone 01		1 23.00	23.00
312082031	Zone 01		1 23.00	23.00
312082032	Zone 01		1 23.00	23.00
312082032	Zone 01		1 23.00	23.00
312082034	Zone 01		1 23.00	23.00
312082035	Zone 01		1 23.00	23.00
312082036	Zone 01		1 23.00	23.00
312082037	Zone 01		1 23.00	23.00
312082038	Zone 01		1 23.00	23.00
312082039	Zone 01		1 23.00	23.00
312082039	Zone 01		1 23.00	23.00
312082041	Zone 01		1 23.00	23.00
312082041	Zone 01		1 23.00	23.00
	Zone 01 Zone 01			
312082043			1 23.00	23.00
312082044	Zone 01		1 23.00	23.00
312082045	Zone 01		1 23.00	23.00
312082046	Zone 01		1 23.00	23.00
312082047	Zone 01		1 23.00	23.00
312082048	Zone 01		1 23.00	23.00
312082049	Zone 01		1 23.00	23.00
312082050	Zone 01		1 23.00	23.00
312082051	Zone 01		1 23.00	23.00
312082052	Zone 01		1 23.00	23.00
312082053	Zone 01		1 23.00	23.00
312082054	Zone 01		1 23.00	23.00
312082055	Zone 01		1 23.00	23.00
312082056	Zone 01		1 23.00	23.00
312082057	Zone 01		1 23.00	23.00
312082058	Zone 01		1 23.00	23.00
312082059	Zone 01		1 23.00	23.00
312082060	Zone 01		1 23.00	23.00
312082061	Zone 01		1 23.00	23.00
312082062	Zone 01		1 23.00	23.00
312083001	Zone 01		1 23.00	23.00
312083002	Zone 01		1 23.00	23.00
312083003	Zone 01		1 23.00	23.00
312083004	Zone 01		1 23.00	23.00
312083005	Zone 01		1 23.00	23.00
312083006	Zone 01		1 23.00	23.00
312083007	Zone 01		1 23.00	23.00
312083008	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
312083009	Zone 01		1 23.00	23.00
312083010	Zone 01		1 23.00	23.00
312083011	Zone 01		1 23.00	23.00
312083012	Zone 01		1 23.00	23.00
312091001	Zone 01		1 23.00	23.00
312091002	Zone 01		1 23.00	23.00
312091003	Zone 01		1 23.00	23.00
312091004	Zone 01		1 23.00	23.00
312091005	Zone 01		1 23.00	23.00
312091006	Zone 01		1 23.00	23.00
312091007	Zone 01		1 23.00	23.00
312091008	Zone 01		1 23.00	23.00
312091009	Zone 01		1 23.00	23.00
312091010	Zone 01		1 23.00	23.00
312091011	Zone 01		1 23.00	23.00
312091012	Zone 01		1 23.00	23.00
312091013	Zone 01		1 23.00	23.00
312091014	Zone 01		1 23.00	23.00
312091015	Zone 01		1 23.00	23.00
312091016	Zone 01		1 23.00	23.00
312091017	Zone 01		1 23.00	23.00
312091018	Zone 01		1 23.00	23.00
312091019	Zone 01		1 23.00	23.00
312091020	Zone 01		1 23.00	23.00
312091021	Zone 01		1 23.00	23.00
312091022	Zone 01		1 23.00	23.00
312091023	Zone 01		1 23.00	23.00
312091024	Zone 01		1 23.00	23.00
312091025	Zone 01		1 23.00	23.00
312091026	Zone 01		1 23.00	23.00
312091027	Zone 01		1 23.00	23.00
312091028	Zone 01		1 23.00	23.00
312091029	Zone 01		1 23.00	23.00
312091030	Zone 01		1 23.00	23.00
312091031	Zone 01		1 23.00	23.00
312091032	Zone 01		1 23.00	23.00
312091033	Zone 01		1 23.00	23.00
312091034	Zone 01		1 23.00	23.00
312091035	Zone 01		1 23.00	23.00
312091036	Zone 01		1 23.00	23.00
312091037	Zone 01		1 23.00	23.00
312091038	Zone 01		1 23.00	23.00
312091039	Zone 01		1 23.00	23.00
312091039	Zone 01		1 23.00	23.00
312091040	Zone 01		1 23.00	23.00
312092001	Zone 01		1 23.00	23.00
312092002	Zone 01		1 23.00	23.00
312092003	Zone 01		1 23.00	23.00
312002007	20110 01		25.00	20.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
312092005	Zone 01		1 23.00	23.00
312093001	Zone 01		1 23.00	23.00
312093002	Zone 01		1 23.00	23.00
312093003	Zone 01		1 23.00	23.00
312093004	Zone 01		1 23.00	23.00
312093005	Zone 01		1 23.00	23.00
312093006	Zone 01		1 23.00	23.00
312093007	Zone 01		1 23.00	23.00
312093008	Zone 01		1 23.00	23.00
312093009	Zone 01		1 23.00	23.00
312093010	Zone 01		1 23.00	23.00
312094001	Zone 01		1 23.00	23.00
312094002	Zone 01		1 23.00	23.00
312094003	Zone 01		1 23.00	23.00
312094004	Zone 01		1 23.00	23.00
312094005	Zone 01		1 23.00	23.00
312094006	Zone 01		1 23.00	23.00
312094007	Zone 01		1 23.00	23.00
312094008	Zone 01		1 23.00	23.00
312094009	Zone 01		1 23.00	23.00
312094010	Zone 01		1 23.00	23.00
312094011	Zone 01		1 23.00	23.00
312094012	Zone 01		1 23.00	23.00
312094013	Zone 01		1 23.00	23.00
312094014	Zone 01		1 23.00	23.00
312094015	Zone 01		1 23.00	23.00
312094016	Zone 01		1 23.00	23.00
312094017	Zone 01		1 23.00	23.00
312094018	Zone 01		1 23.00	23.00
312094019	Zone 01		1 23.00	23.00
312094020	Zone 01		1 23.00	23.00
312094021	Zone 01		1 23.00	23.00
312094022	Zone 01		1 23.00	23.00
312094023	Zone 01		1 23.00	23.00
312094024	Zone 01		1 23.00	23.00
312094025	Zone 01		1 23.00	23.00
312094026	Zone 01		1 23.00	23.00
312094027	Zone 01		1 23.00	23.00
312094028	Zone 01		1 23.00	23.00
312094029	Zone 01		1 23.00	23.00
312094029	Zone 01		1 23.00	23.00
312094030	Zone 01		1 23.00	23.00
312094031	Zone 01		1 23.00	23.00
312094032	Zone 01		1 23.00	23.00
312094033	Zone 01		1 23.00	23.00
312094035	Zone 01		1 23.00	23.00
312094036	Zone 01			
			1 23.00	23.00
312094037	Zone 01		1 23.00	23.00

120940438 Zone 01	APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
312095001 Zone 01 1 23.00 23.00 312095002 Zone 01 1 23.00 23.00 312095003 Zone 01 1 23.00 23.00 312095005 Zone 01 1 23.00 23.00 312095006 Zone 01 1 23.00 23.00 312095007 Zone 01 1 23.00 23.00 312095008 Zone 01 1 23.00 23.00 312095009 Zone 01 1 23.00 23.00 312095010 Zone 01 1 23.00 23.00 312095011 Zone 01 1 23.00 23.00 312095012 Zone 01 1 23.00 23.00 312095013 Zone 01 1 23.00 23.00 312095014 Zone 01 1 23.00 23.00 312095015 Zone 01 1 23.00 23.00 312095016 Zone 01 1 23.00 23.00	312094038	Zone 01		1 23.00	23.00
312095002 Zone 01 1 23.00 23.00 312095003 Zone 01 1 23.00 23.00 312095004 Zone 01 1 23.00 23.00 312095005 Zone 01 1 23.00 23.00 312095006 Zone 01 1 23.00 23.00 312095007 Zone 01 1 23.00 23.00 312095008 Zone 01 1 23.00 23.00 312095009 Zone 01 1 23.00 23.00 312095010 Zone 01 1 23.00 23.00 312095011 Zone 01 1 23.00 23.00 312095012 Zone 01 1 23.00 23.00 312095013 Zone 01 1 23.00 23.00 312095014 Zone 01 1 23.00 23.00 312095015 Zone 01 1 23.00 23.00 312095016 Zone 01 1 23.00 23.00	312094039	Zone 01		1 23.00	23.00
121095003 Zone 01 1 23.00 23.00 312095005 Zone 01 1 23.00 23.00 312095006 Zone 01 1 23.00 23.00 312095007 Zone 01 1 23.00 23.00 312095007 Zone 01 1 23.00 23.00 312095008 Zone 01 1 23.00 23.00 312095008 Zone 01 1 23.00 23.00 312095008 Zone 01 1 23.00 23.00 312095010 Zone 01 1 23.00 23.00 312095011 Zone 01 1 23.00 23.00 312095011 Zone 01 1 23.00 23.00 312095012 Zone 01 1 23.00 23.00 312095013 Zone 01 1 23.00 23.00 312095015 Zone 01 1 23.00 23.00 312095016 Zone 01 1 23.00 23.00 312095018 Zone 01 1 23.00 23.00 312095018 Zone 01 1 23.00 23.00 312095020 Zone 01 1 23.00 23.00 312095022 Zone 01 1 23.00 23.00 312095023 Zone 01 1 23.00 23.00 312095024 Zone 01 1 23.00 23.00 31209502 Zone 01 1 23.00 23.00 31209502 Zone 01 1 23.00 23.00 31209502 Zone 01 1 23.00 23.00 3	312095001	Zone 01		1 23.00	23.00
312095004 Zone 01 1 23.00 23.00 312095005 Zone 01 1 23.00 23.00 312095006 Zone 01 1 23.00 23.00 312095007 Zone 01 1 23.00 23.00 312095008 Zone 01 1 23.00 23.00 312095010 Zone 01 1 23.00 23.00 312095011 Zone 01 1 23.00 23.00 312095012 Zone 01 1 23.00 23.00 312095013 Zone 01 1 23.00 23.00 312095014 Zone 01 1 23.00 23.00 312095015 Zone 01 1 23.00 23.00 312095016 Zone 01 1 23.00 23.00 312095017 Zone 01 1 23.00 23.00 312095018 Zone 01 1 23.00 23.00 312095018 Zone 01 1 23.00 23.00	312095002	Zone 01		1 23.00	23.00
312095006 Zone 01 1 23.00 23.00 312095007 Zone 01 1 23.00 23.00 312095008 Zone 01 1 23.00 23.00 312095009 Zone 01 1 23.00 23.00 312095010 Zone 01 1 23.00 23.00 312095011 Zone 01 1 23.00 23.00 312095012 Zone 01 1 23.00 23.00 312095013 Zone 01 1 23.00 23.00 312095014 Zone 01 1 23.00 23.00 312095015 Zone 01 1 23.00 23.00 312095016 Zone 01 1 23.00 23.00 312095017 Zone 01 1 23.00 23.00 312095018 Zone 01 1 23.00 23.00 312095020 Zone 01 1 23.00 23.00 312095021 Zone 01 1 23.00 23.00	312095003	Zone 01		1 23.00	23.00
912095006 Zone 01 1 23.00 23.00 312095007 Zone 01 1 23.00 23.00 312095008 Zone 01 1 23.00 23.00 312095010 Zone 01 1 23.00 23.00 312095011 Zone 01 1 23.00 23.00 312095012 Zone 01 1 23.00 23.00 312095013 Zone 01 1 23.00 23.00 312095014 Zone 01 1 23.00 23.00 312095015 Zone 01 1 23.00 23.00 312095016 Zone 01 1 23.00 23.00 312095016 Zone 01 1 23.00 23.00 312095017 Zone 01 1 23.00 23.00 312095018 Zone 01 1 23.00 23.00 312095020 Zone 01 1 23.00 23.00 312095022 Zone 01 1 23.00 23.00	312095004	Zone 01		1 23.00	23.00
912095006 Zone 01 1 23.00 23.00 312095008 Zone 01 1 23.00 23.00 312095008 Zone 01 1 23.00 23.00 312095010 Zone 01 1 23.00 23.00 312095011 Zone 01 1 23.00 23.00 312095012 Zone 01 1 23.00 23.00 312095013 Zone 01 1 23.00 23.00 312095014 Zone 01 1 23.00 23.00 312095015 Zone 01 1 23.00 23.00 312095016 Zone 01 1 23.00 23.00 312095016 Zone 01 1 23.00 23.00 312095017 Zone 01 1 23.00 23.00 312095018 Zone 01 1 23.00 23.00 312095020 Zone 01 1 23.00 23.00 312095022 Zone 01 1 23.00 23.00	312095005	Zone 01		1 23.00	23.00
312095008 Zone 01 1 23.00 23.00 312095019 Zone 01 1 23.00 23.00 312095010 Zone 01 1 23.00 23.00 312095012 Zone 01 1 23.00 23.00 312095013 Zone 01 1 23.00 23.00 312095014 Zone 01 1 23.00 23.00 312095015 Zone 01 1 23.00 23.00 312095016 Zone 01 1 23.00 23.00 312095017 Zone 01 1 23.00 23.00 312095018 Zone 01 1 23.00 23.00 312095020 Zone 01 1 23.00 23.00 312095021 Zone 01 1 23.00 23.00 312095022 Zone 01 1 23.00 23.00 312095023 Zone 01 1 23.00 23.00 31201001 Zone 01 1 23.00 23.00 <	312095006	Zone 01		1 23.00	23.00
312095009 Zone 01 1 23.00 23	312095007	Zone 01		1 23.00	23.00
312095010 Zone 01 1 23.00 23.00 312095012 Zone 01 1 23.00 23.00 312095013 Zone 01 1 23.00 23.00 312095014 Zone 01 1 23.00 23.00 312095015 Zone 01 1 23.00 23.00 312095016 Zone 01 1 23.00 23.00 312095017 Zone 01 1 23.00 23.00 312095018 Zone 01 1 23.00 23.00 312095020 Zone 01 1 23.00 23.00 312095021 Zone 01 1 23.00 23.00 312095022 Zone 01 1 23.00 23.00 312095023 Zone 01 1 23.00 23.00 312101001 Zone 03 1 23.00 23.00 312101002 Zone 01 1 23.00 23.00 312101003 Zone 01 1 23.00 23.00	312095008	Zone 01		1 23.00	23.00
312095011 Zone 01 1 23.00 23.00 312095012 Zone 01 1 23.00 23.00 312095014 Zone 01 1 23.00 23.00 312095015 Zone 01 1 23.00 23.00 312095016 Zone 01 1 23.00 23.00 312095017 Zone 01 1 23.00 23.00 312095018 Zone 01 1 23.00 23.00 312095020 Zone 01 1 23.00 23.00 312095021 Zone 01 1 23.00 23.00 312095022 Zone 01 1 23.00 23.00 312095023 Zone 01 1 23.00 23.00 31201001 Zone 01 1 23.00 23.00 312101002 Zone 01 1 23.00 23.00 312101003 Zone 01 1 23.00 23.00 312101004 Zone 01 1 23.00 23.00 <	312095009	Zone 01		1 23.00	23.00
312095012 Zone 01 1 23.00 23.00 312095014 Zone 01 1 23.00 23.00 312095015 Zone 01 1 23.00 23.00 312095016 Zone 01 1 23.00 23.00 312095017 Zone 01 1 23.00 23.00 312095018 Zone 01 1 23.00 23.00 312095020 Zone 01 1 23.00 23.00 312095021 Zone 01 1 23.00 23.00 312095022 Zone 01 1 23.00 23.00 312095023 Zone 01 1 23.00 23.00 312095024 Zone 01 1 23.00 23.00 312101001 Zone 01 1 23.00 23.00 312101002 Zone 01 1 23.00 23.00 312101003 Zone 01 1 23.00 23.00 312101004 Zone 01 1 23.00 23.00	312095010	Zone 01		1 23.00	23.00
312095013 Zone 01 1 23.00 23.00 312095014 Zone 01 1 23.00 23.00 312095015 Zone 01 1 23.00 23.00 312095016 Zone 01 1 23.00 23.00 312095018 Zone 01 1 23.00 23.00 312095020 Zone 01 1 23.00 23.00 312095021 Zone 01 1 23.00 23.00 312095022 Zone 01 1 23.00 23.00 312095023 Zone 01 1 23.00 23.00 312095024 Zone 01 1 23.00 23.00 312101001 Zone 01 1 23.00 23.00 312101002 Zone 01 1 23.00 23.00 312101003 Zone 01 1 23.00 23.00 312101005 Zone 01 1 23.00 23.00 312101006 Zone 01 1 23.00 23.00	312095011	Zone 01		1 23.00	23.00
312095014 Zone 01 1 23.00 23.00 312095015 Zone 01 1 23.00 23.00 312095016 Zone 01 1 23.00 23.00 312095017 Zone 01 1 23.00 23.00 312095020 Zone 01 1 23.00 23.00 312095021 Zone 01 1 23.00 23.00 312095022 Zone 01 1 23.00 23.00 312095023 Zone 01 1 23.00 23.00 312095024 Zone 01 1 23.00 23.00 312095024 Zone 01 1 23.00 23.00 312101001 Zone 01 1 23.00 23.00 312101002 Zone 01 1 23.00 23.00 312101003 Zone 01 1 23.00 23.00 312101004 Zone 01 1 23.00 23.00 312101005 Zone 01 1 23.00 23.00	312095012	Zone 01		1 23.00	23.00
312095015 Zone 01 1 23.00 23.00 312095016 Zone 01 1 23.00 23.00 312095017 Zone 01 1 23.00 23.00 312095018 Zone 01 1 23.00 23.00 312095020 Zone 01 1 23.00 23.00 312095021 Zone 01 1 23.00 23.00 312095022 Zone 01 1 23.00 23.00 312095023 Zone 01 1 23.00 23.00 312095024 Zone 01 1 23.00 23.00 31201001 Zone 01 1 23.00 23.00 31201002 Zone 01 1 23.00 23.00 312101003 Zone 01 1 23.00 23.00 312101004 Zone 01 1 23.00 23.00 312101005 Zone 01 1 23.00 23.00 312101006 Zone 01 1 23.00 23.00 <t< td=""><td>312095013</td><td>Zone 01</td><td></td><td>1 23.00</td><td>23.00</td></t<>	312095013	Zone 01		1 23.00	23.00
312095016 Zone 01 1 23.00 23.00 312095017 Zone 01 1 23.00 23.00 312095020 Zone 01 1 23.00 23.00 312095021 Zone 01 1 23.00 23.00 312095022 Zone 01 1 23.00 23.00 312095023 Zone 01 1 23.00 23.00 312095024 Zone 01 1 23.00 23.00 312101001 Zone 01 1 23.00 23.00 312101002 Zone 01 1 23.00 23.00 312101002 Zone 01 1 23.00 23.00 312101003 Zone 01 1 23.00 23.00 312101004 Zone 01 1 23.00 23.00 312101005 Zone 01 1 23.00 23.00 312101006 Zone 01 1 23.00 23.00 312101007 Zone 01 1 23.00 23.00	312095014	Zone 01		1 23.00	23.00
312095017 Zone 01 1 23.00 23.00 312095018 Zone 01 1 23.00 23.00 312095020 Zone 01 1 23.00 23.00 312095021 Zone 01 1 23.00 23.00 312095022 Zone 01 1 23.00 23.00 312095024 Zone 01 1 23.00 23.00 312101001 Zone 01 1 23.00 23.00 312101002 Zone 01 1 23.00 23.00 312101003 Zone 01 1 23.00 23.00 312101004 Zone 01 1 23.00 23.00 312101005 Zone 01 1 23.00 23.00 312101006 Zone 01 1 23.00 23.00 312101007 Zone 01 1 23.00 23.00 312101008 Zone 01 1 23.00 23.00 312101010 Zone 01 1 23.00 23.00	312095015	Zone 01		1 23.00	23.00
312095018 Zone 01 1 23.00 23.00 312095020 Zone 01 1 23.00 23.00 312095021 Zone 01 1 23.00 23.00 312095022 Zone 01 1 23.00 23.00 312095023 Zone 01 1 23.00 23.00 312101001 Zone 01 1 23.00 23.00 312101002 Zone 01 1 23.00 23.00 312101003 Zone 01 1 23.00 23.00 312101004 Zone 01 1 23.00 23.00 312101005 Zone 01 1 23.00 23.00 312101006 Zone 01 1 23.00 23.00 312101007 Zone 01 1 23.00 23.00 312101008 Zone 01 1 23.00 23.00 312101010 Zone 01 1 23.00 23.00 312101010 Zone 01 1 23.00 23.00	312095016	Zone 01		1 23.00	23.00
312095020 Zone 01 1 23.00 23.00 312095021 Zone 01 1 23.00 23.00 312095022 Zone 01 1 23.00 23.00 312095023 Zone 01 1 23.00 23.00 312101001 Zone 01 1 23.00 23.00 312101002 Zone 01 1 23.00 23.00 312101003 Zone 01 1 23.00 23.00 312101004 Zone 01 1 23.00 23.00 312101005 Zone 01 1 23.00 23.00 312101006 Zone 01 1 23.00 23.00 312101007 Zone 01 1 23.00 23.00 312101008 Zone 01 1 23.00 23.00 312101009 Zone 01 1 23.00 23.00 312101010 Zone 01 1 23.00 23.00 312101010 Zone 01 1 23.00 23.00	312095017	Zone 01		1 23.00	23.00
312095021 Zone 01 1 23.00 23.00 312095022 Zone 01 1 23.00 23.00 312095023 Zone 01 1 23.00 23.00 312095024 Zone 01 1 23.00 23.00 312101001 Zone 01 1 23.00 23.00 312101002 Zone 01 1 23.00 23.00 312101003 Zone 01 1 23.00 23.00 312101004 Zone 01 1 23.00 23.00 312101005 Zone 01 1 23.00 23.00 312101006 Zone 01 1 23.00 23.00 312101007 Zone 01 1 23.00 23.00 312101008 Zone 01 1 23.00 23.00 312101009 Zone 01 1 23.00 23.00 312101010 Zone 01 1 23.00 23.00 312101011 Zone 01 1 23.00 23.00 312101012 Zone 01 1 23.00 23.00 <td< td=""><td>312095018</td><td>Zone 01</td><td></td><td>1 23.00</td><td>23.00</td></td<>	312095018	Zone 01		1 23.00	23.00
312095022 Zone 01 1 23.00 23.00 312095023 Zone 01 1 23.00 23.00 312095024 Zone 01 1 23.00 23.00 312101001 Zone 01 1 23.00 23.00 312101002 Zone 01 1 23.00 23.00 312101003 Zone 01 1 23.00 23.00 312101004 Zone 01 1 23.00 23.00 312101005 Zone 01 1 23.00 23.00 312101006 Zone 01 1 23.00 23.00 312101007 Zone 01 1 23.00 23.00 312101008 Zone 01 1 23.00 23.00 312101009 Zone 01 1 23.00 23.00 312101010 Zone 01 1 23.00 23.00 312101011 Zone 01 1 23.00 23.00 312101014 Zone 01 1 23.00 23.00 312101015 Zone 01 1 23.00 23.00 <td< td=""><td>312095020</td><td>Zone 01</td><td></td><td>1 23.00</td><td>23.00</td></td<>	312095020	Zone 01		1 23.00	23.00
312095023 Zone 01 1 23.00 23.00 312095024 Zone 01 1 23.00 23.00 312101001 Zone 01 1 23.00 23.00 312101002 Zone 01 1 23.00 23.00 312101003 Zone 01 1 23.00 23.00 312101004 Zone 01 1 23.00 23.00 312101005 Zone 01 1 23.00 23.00 312101006 Zone 01 1 23.00 23.00 312101007 Zone 01 1 23.00 23.00 312101008 Zone 01 1 23.00 23.00 312101009 Zone 01 1 23.00 23.00 312101010 Zone 01 1 23.00 23.00 312101011 Zone 01 1 23.00 23.00 312101011 Zone 01 1 23.00 23.00 312101014 Zone 01 1 23.00 23.00	312095021	Zone 01		1 23.00	23.00
312095023 Zone 01 1 23.00 23.00 312095024 Zone 01 1 23.00 23.00 312101001 Zone 01 1 23.00 23.00 312101002 Zone 01 1 23.00 23.00 312101003 Zone 01 1 23.00 23.00 312101004 Zone 01 1 23.00 23.00 312101005 Zone 01 1 23.00 23.00 312101006 Zone 01 1 23.00 23.00 312101007 Zone 01 1 23.00 23.00 312101008 Zone 01 1 23.00 23.00 312101009 Zone 01 1 23.00 23.00 312101010 Zone 01 1 23.00 23.00 312101011 Zone 01 1 23.00 23.00 312101011 Zone 01 1 23.00 23.00 312101014 Zone 01 1 23.00 23.00	312095022	Zone 01		1 23.00	
312101001 Zone 01 1 23.00 23.00 312101002 Zone 01 1 23.00 23.00 312101003 Zone 01 1 23.00 23.00 312101004 Zone 01 1 23.00 23.00 312101005 Zone 01 1 23.00 23.00 312101006 Zone 01 1 23.00 23.00 312101007 Zone 01 1 23.00 23.00 312101008 Zone 01 1 23.00 23.00 312101009 Zone 01 1 23.00 23.00 312101011 Zone 01 1 23.00 23.00 312101011 Zone 01 1 23.00 23.00 312101012 Zone 01 1 23.00 23.00 312101014 Zone 01 1 23.00 23.00 312101015 Zone 01 1 23.00 23.00 312102001 Zone 01 1 23.00 23.00 312102002 Zone 01 1 23.00 23.00 <td< td=""><td>312095023</td><td>Zone 01</td><td></td><td>1 23.00</td><td>23.00</td></td<>	312095023	Zone 01		1 23.00	23.00
312101002 Zone 01 1 23.00 23.00 312101003 Zone 01 1 23.00 23.00 312101004 Zone 01 1 23.00 23.00 312101005 Zone 01 1 23.00 23.00 312101006 Zone 01 1 23.00 23.00 312101007 Zone 01 1 23.00 23.00 312101008 Zone 01 1 23.00 23.00 312101009 Zone 01 1 23.00 23.00 312101010 Zone 01 1 23.00 23.00 312101011 Zone 01 1 23.00 23.00 312101012 Zone 01 1 23.00 23.00 312101013 Zone 01 1 23.00 23.00 312101014 Zone 01 1 23.00 23.00 312102001 Zone 01 1 23.00 23.00 312102001 Zone 01 1 23.00 23.00 312102002 Zone 01 1 23.00 23.00 <td< td=""><td>312095024</td><td>Zone 01</td><td></td><td>1 23.00</td><td>23.00</td></td<>	312095024	Zone 01		1 23.00	23.00
312101003 Zone 01 1 23.00 23.00 312101004 Zone 01 1 23.00 23.00 312101005 Zone 01 1 23.00 23.00 312101006 Zone 01 1 23.00 23.00 312101007 Zone 01 1 23.00 23.00 312101008 Zone 01 1 23.00 23.00 312101009 Zone 01 1 23.00 23.00 312101010 Zone 01 1 23.00 23.00 312101011 Zone 01 1 23.00 23.00 312101012 Zone 01 1 23.00 23.00 312101013 Zone 01 1 23.00 23.00 312101014 Zone 01 1 23.00 23.00 312101015 Zone 01 1 23.00 23.00 312102001 Zone 01 1 23.00 23.00 312102002 Zone 01 1 23.00 23.00 312102003 Zone 01 1 23.00 23.00 <td< td=""><td>312101001</td><td>Zone 01</td><td></td><td>1 23.00</td><td>23.00</td></td<>	312101001	Zone 01		1 23.00	23.00
312101004 Zone 01 1 23.00 23.00 312101005 Zone 01 1 23.00 23.00 312101006 Zone 01 1 23.00 23.00 312101007 Zone 01 1 23.00 23.00 312101008 Zone 01 1 23.00 23.00 312101009 Zone 01 1 23.00 23.00 312101010 Zone 01 1 23.00 23.00 312101011 Zone 01 1 23.00 23.00 312101012 Zone 01 1 23.00 23.00 312101013 Zone 01 1 23.00 23.00 312101014 Zone 01 1 23.00 23.00 312101015 Zone 01 1 23.00 23.00 312102001 Zone 01 1 23.00 23.00 312102002 Zone 01 1 23.00 23.00 312102003 Zone 01 1 23.00 23.00 312102004 Zone 01 1 23.00 23.00 <td< td=""><td>312101002</td><td>Zone 01</td><td></td><td>1 23.00</td><td>23.00</td></td<>	312101002	Zone 01		1 23.00	23.00
312101005 Zone 01 1 23.00 23.00 312101006 Zone 01 1 23.00 23.00 312101007 Zone 01 1 23.00 23.00 312101008 Zone 01 1 23.00 23.00 312101009 Zone 01 1 23.00 23.00 312101010 Zone 01 1 23.00 23.00 312101011 Zone 01 1 23.00 23.00 312101012 Zone 01 1 23.00 23.00 312101013 Zone 01 1 23.00 23.00 312101014 Zone 01 1 23.00 23.00 312101015 Zone 01 1 23.00 23.00 312102001 Zone 01 1 23.00 23.00 312102002 Zone 01 1 23.00 23.00 312102003 Zone 01 1 23.00 23.00 312102004 Zone 01 1 23.00 23.00 312102005 Zone 01 1 23.00 23.00 <td< td=""><td>312101003</td><td>Zone 01</td><td></td><td>1 23.00</td><td>23.00</td></td<>	312101003	Zone 01		1 23.00	23.00
312101006 Zone 01 1 23.00 23.00 312101007 Zone 01 1 23.00 23.00 312101008 Zone 01 1 23.00 23.00 312101009 Zone 01 1 23.00 23.00 312101010 Zone 01 1 23.00 23.00 312101011 Zone 01 1 23.00 23.00 312101013 Zone 01 1 23.00 23.00 312101014 Zone 01 1 23.00 23.00 312101015 Zone 01 1 23.00 23.00 312102001 Zone 01 1 23.00 23.00 312102001 Zone 01 1 23.00 23.00 312102002 Zone 01 1 23.00 23.00 312102003 Zone 01 1 23.00 23.00 312102004 Zone 01 1 23.00 23.00 312102005 Zone 01 1 23.00 23.00 312102006 Zone 01 1 23.00 23.00 <td>312101004</td> <td>Zone 01</td> <td></td> <td>1 23.00</td> <td>23.00</td>	312101004	Zone 01		1 23.00	23.00
312101007 Zone 01 1 23.00 23.00 312101008 Zone 01 1 23.00 23.00 312101009 Zone 01 1 23.00 23.00 312101010 Zone 01 1 23.00 23.00 312101012 Zone 01 1 23.00 23.00 312101013 Zone 01 1 23.00 23.00 312101014 Zone 01 1 23.00 23.00 312101015 Zone 01 1 23.00 23.00 312102001 Zone 01 1 23.00 23.00 312102001 Zone 01 1 23.00 23.00 312102002 Zone 01 1 23.00 23.00 312102003 Zone 01 1 23.00 23.00 312102004 Zone 01 1 23.00 23.00 312102005 Zone 01 1 23.00 23.00 312102006 Zone 01 1 23.00 23.00	312101005	Zone 01		1 23.00	23.00
312101008 Zone 01 1 23.00 23.00 312101009 Zone 01 1 23.00 23.00 312101010 Zone 01 1 23.00 23.00 312101011 Zone 01 1 23.00 23.00 312101012 Zone 01 1 23.00 23.00 312101013 Zone 01 1 23.00 23.00 312101014 Zone 01 1 23.00 23.00 312101015 Zone 01 1 23.00 23.00 312102001 Zone 01 1 23.00 23.00 312102001 Zone 01 1 23.00 23.00 312102002 Zone 01 1 23.00 23.00 312102003 Zone 01 1 23.00 23.00 312102004 Zone 01 1 23.00 23.00 312102005 Zone 01 1 23.00 23.00 312102006 Zone 01 1 23.00 23.00	312101006	Zone 01		1 23.00	23.00
312101009 Zone 01 1 23.00 23.00 312101010 Zone 01 1 23.00 23.00 312101011 Zone 01 1 23.00 23.00 312101012 Zone 01 1 23.00 23.00 312101013 Zone 01 1 23.00 23.00 312101014 Zone 01 1 23.00 23.00 312101015 Zone 01 1 23.00 23.00 312102001 Zone 01 1 23.00 23.00 312102002 Zone 01 1 23.00 23.00 312102003 Zone 01 1 23.00 23.00 312102004 Zone 01 1 23.00 23.00 312102005 Zone 01 1 23.00 23.00 312102006 Zone 01 1 23.00 23.00	312101007	Zone 01		1 23.00	23.00
312101010 Zone 01 1 23.00 23.00 312101011 Zone 01 1 23.00 23.00 312101012 Zone 01 1 23.00 23.00 312101013 Zone 01 1 23.00 23.00 312101014 Zone 01 1 23.00 23.00 312101015 Zone 01 1 23.00 23.00 312102001 Zone 01 1 23.00 23.00 312102001 Zone 01 1 23.00 23.00 312102002 Zone 01 1 23.00 23.00 312102003 Zone 01 1 23.00 23.00 312102004 Zone 01 1 23.00 23.00 312102005 Zone 01 1 23.00 23.00 312102006 Zone 01 1 23.00 23.00	312101008	Zone 01		1 23.00	23.00
312101011 Zone 01 1 23.00 23.00 312101012 Zone 01 1 23.00 23.00 312101013 Zone 01 1 23.00 23.00 312101014 Zone 01 1 23.00 23.00 312101015 Zone 01 1 23.00 23.00 312102001 Zone 01 1 23.00 23.00 312102002 Zone 01 1 23.00 23.00 312102003 Zone 01 1 23.00 23.00 312102004 Zone 01 1 23.00 23.00 312102005 Zone 01 1 23.00 23.00 312102006 Zone 01 1 23.00 23.00	312101009	Zone 01		1 23.00	23.00
312101012 Zone 01 1 23.00 23.00 312101013 Zone 01 1 23.00 23.00 312101014 Zone 01 1 23.00 23.00 312101015 Zone 01 1 23.00 23.00 312102001 Zone 01 1 23.00 23.00 312102002 Zone 01 1 23.00 23.00 312102003 Zone 01 1 23.00 23.00 312102004 Zone 01 1 23.00 23.00 312102005 Zone 01 1 23.00 23.00 312102006 Zone 01 1 23.00 23.00	312101010	Zone 01		1 23.00	23.00
312101013 Zone 01 1 23.00 23.00 312101014 Zone 01 1 23.00 23.00 312101015 Zone 01 1 23.00 23.00 312102001 Zone 01 1 23.00 23.00 312102002 Zone 01 1 23.00 23.00 312102003 Zone 01 1 23.00 23.00 312102004 Zone 01 1 23.00 23.00 312102005 Zone 01 1 23.00 23.00 312102006 Zone 01 1 23.00 23.00	312101011	Zone 01		1 23.00	23.00
312101014 Zone 01 1 23.00 23.00 312101015 Zone 01 1 23.00 23.00 312101016 Zone 01 1 23.00 23.00 312102001 Zone 01 1 23.00 23.00 312102002 Zone 01 1 23.00 23.00 312102003 Zone 01 1 23.00 23.00 312102004 Zone 01 1 23.00 23.00 312102005 Zone 01 1 23.00 23.00 312102006 Zone 01 1 23.00 23.00	312101012	Zone 01		1 23.00	23.00
312101015 Zone 01 1 23.00 23.00 312101016 Zone 01 1 23.00 23.00 312102001 Zone 01 1 23.00 23.00 312102002 Zone 01 1 23.00 23.00 312102003 Zone 01 1 23.00 23.00 312102004 Zone 01 1 23.00 23.00 312102005 Zone 01 1 23.00 23.00 312102006 Zone 01 1 23.00 23.00	312101013	Zone 01		1 23.00	23.00
312101016 Zone 01 1 23.00 23.00 312102001 Zone 01 1 23.00 23.00 312102002 Zone 01 1 23.00 23.00 312102003 Zone 01 1 23.00 23.00 312102004 Zone 01 1 23.00 23.00 312102005 Zone 01 1 23.00 23.00 312102006 Zone 01 1 23.00 23.00	312101014	Zone 01		1 23.00	23.00
312102001 Zone 01 1 23.00 23.00 312102002 Zone 01 1 23.00 23.00 312102003 Zone 01 1 23.00 23.00 312102004 Zone 01 1 23.00 23.00 312102005 Zone 01 1 23.00 23.00 312102006 Zone 01 1 23.00 23.00	312101015	Zone 01		1 23.00	23.00
312102002 Zone 01 1 23.00 23.00 312102003 Zone 01 1 23.00 23.00 312102004 Zone 01 1 23.00 23.00 312102005 Zone 01 1 23.00 23.00 312102006 Zone 01 1 23.00 23.00	312101016	Zone 01		1 23.00	23.00
312102002 Zone 01 1 23.00 23.00 312102003 Zone 01 1 23.00 23.00 312102004 Zone 01 1 23.00 23.00 312102005 Zone 01 1 23.00 23.00 312102006 Zone 01 1 23.00 23.00					
312102003 Zone 01 1 23.00 23.00 312102004 Zone 01 1 23.00 23.00 312102005 Zone 01 1 23.00 23.00 312102006 Zone 01 1 23.00 23.00					
312102004 Zone 01 1 23.00 23.00 312102005 Zone 01 1 23.00 23.00 312102006 Zone 01 1 23.00 23.00					
312102005 Zone 01 1 23.00 23.00 312102006 Zone 01 1 23.00 23.00					
312102006 Zone 01 1 23.00 23.00	312102005			1 23.00	23.00
	312102007	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone L	.MD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
312102008	Zone 01		1 23.00	23.00
312102009	Zone 01		1 23.00	23.00
312102010	Zone 01		1 23.00	23.00
312102011	Zone 01		1 23.00	23.00
312102012	Zone 01		1 23.00	23.00
312102013	Zone 01		1 23.00	23.00
312102014	Zone 01		1 23.00	23.00
312102015	Zone 01		1 23.00	23.00
312102016	Zone 01		1 23.00	23.00
312102017	Zone 01		1 23.00	23.00
312102018	Zone 01		1 23.00	23.00
312102019	Zone 01		1 23.00	23.00
312102020	Zone 01		1 23.00	23.00
312102021	Zone 01		1 23.00	23.00
312102022	Zone 01		1 23.00	23.00
312102023	Zone 01		1 23.00	23.00
312102024	Zone 01		1 23.00	23.00
312102025	Zone 01		1 23.00	23.00
312102026	Zone 01		1 23.00	23.00
312102027	Zone 01		1 23.00	23.00
312102028	Zone 01		1 23.00	23.00
312102029	Zone 01		1 23.00	23.00
312102030	Zone 01		1 23.00	23.00
312102031	Zone 01		1 23.00	23.00
312102032	Zone 01		1 23.00	23.00
312102033	Zone 01		1 23.00	23.00
312102034	Zone 01		1 23.00	23.00
312102035	Zone 01		1 23.00	23.00
312102036	Zone 01		1 23.00	23.00
312102037	Zone 01		1 23.00	23.00
312102038	Zone 01		1 23.00	23.00
312102039	Zone 01		1 23.00	23.00
312102040	Zone 01		1 23.00	23.00
312102041	Zone 01		1 23.00	23.00
312102042	Zone 01		1 23.00	23.00
312102043	Zone 01		1 23.00	23.00
312102044	Zone 01		1 23.00	23.00
312102045	Zone 01		1 23.00	23.00
312102046	Zone 01		1 23.00	23.00
312102047	Zone 01		1 23.00	23.00
312102048	Zone 01		1 23.00	23.00
312102049	Zone 01		1 23.00	23.00
312103001	Zone 01		1 23.00	23.00
312103002	Zone 01		1 23.00	23.00
312103003	Zone 01		1 23.00	23.00
312103004	Zone 01		1 23.00	23.00
312103005	Zone 01		1 23.00	23.00
312103006	Zone 01		1 23.00	23.00
				_5.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
312103007	Zone 01		1 23.00	23.00
312103008	Zone 01		1 23.00	23.00
312103009	Zone 01		1 23.00	23.00
312103011	Zone 01		1 23.00	23.00
312103012	Zone 01		1 23.00	23.00
312103013	Zone 01		1 23.00	23.00
312103014	Zone 01		1 23.00	23.00
312103015	Zone 01		1 23.00	23.00
312103016	Zone 01		1 23.00	23.00
312103017	Zone 01		1 23.00	23.00
312103018	Zone 01		1 23.00	23.00
312103019	Zone 01		1 23.00	23.00
312103020	Zone 01		1 23.00	23.00
312103021	Zone 01		1 23.00	23.00
312103022	Zone 01		1 23.00	23.00
312104001	Zone 01		1 23.00	23.00
312104002	Zone 01		1 23.00	23.00
312104003	Zone 01		1 23.00	23.00
312104004	Zone 01		1 23.00	23.00
312104005	Zone 01		1 23.00	23.00
312104006	Zone 01		1 23.00	23.00
312104007	Zone 01		1 23.00	23.00
312104008	Zone 01		1 23.00	23.00
312104009	Zone 01		1 23.00	23.00
312104010	Zone 01		1 23.00	23.00
312104011	Zone 01		1 23.00	23.00
312104012	Zone 01		1 23.00	23.00
312104013	Zone 01		1 23.00	23.00
312104014	Zone 01		1 23.00	23.00
312104015	Zone 01		1 23.00	23.00
312104016	Zone 01		1 23.00	23.00
312104017	Zone 01		1 23.00	23.00
312104018	Zone 01		1 23.00	23.00
312104019	Zone 01		1 23.00	23.00
312111001	Zone 01		1 23.00	23.00
312111002	Zone 01		1 23.00	23.00
312111003	Zone 01		1 23.00	23.00
312111004	Zone 01		1 23.00	23.00
312111005	Zone 01		1 23.00	23.00
312111005	Zone 01		1 23.00	23.00
312111007	Zone 01		1 23.00	23.00
312111007	Zone 01		1 23.00	23.00
312111008	Zone 01		1 23.00	23.00
312111009	Zone 01		1 23.00	23.00
312111010	Zone 01		1 23.00	23.00
312112001	Zone 01		1 23.00	23.00
312112002	Zone 01		1 23.00	23.00
312112003	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone L	.MD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
312112004	Zone 01		1 23.00	23.00
312112005	Zone 01		1 23.00	23.00
312112006	Zone 01		1 23.00	23.00
312112007	Zone 01		1 23.00	23.00
312112008	Zone 01		1 23.00	23.00
312112009	Zone 01		1 23.00	23.00
312112010	Zone 01		1 23.00	23.00
312112011	Zone 01		1 23.00	23.00
312112012	Zone 01		1 23.00	23.00
312112013	Zone 01		1 23.00	23.00
312112014	Zone 01		1 23.00	23.00
312112015	Zone 01		1 23.00	23.00
312112016	Zone 01		1 23.00	23.00
312112017	Zone 01		1 23.00	23.00
312112018	Zone 01		1 23.00	23.00
312112019	Zone 01		1 23.00	23.00
312112020	Zone 01		1 23.00	23.00
312112021	Zone 01		1 23.00	23.00
312112022	Zone 01		1 23.00	23.00
312112023	Zone 01		1 23.00	23.00
312112024	Zone 01		1 23.00	23.00
312112025	Zone 01		1 23.00	23.00
312112026	Zone 01		1 23.00	23.00
312112027	Zone 01		1 23.00	23.00
312112028	Zone 01		1 23.00	23.00
312112029	Zone 01		1 23.00	23.00
312112030	Zone 01		1 23.00	23.00
312112031	Zone 01		1 23.00	23.00
312112032	Zone 01		1 23.00	23.00
312112033	Zone 01		1 23.00	23.00
312112034	Zone 01		1 23.00	23.00
312112035	Zone 01		1 23.00	23.00
312113001	Zone 01		1 23.00	23.00
312113002	Zone 01		1 23.00	23.00
312113003	Zone 01		1 23.00	23.00
312113004	Zone 01		1 23.00	23.00
312113005	Zone 01		1 23.00	23.00
312113006	Zone 01		1 23.00	23.00
312113007	Zone 01		1 23.00	23.00
312113008	Zone 01		1 23.00	23.00
312113009	Zone 01		1 23.00	23.00
312113010	Zone 01		1 23.00	23.00
312113011	Zone 01		1 23.00	23.00
312121001	Zone 01		1 23.00	23.00
312121001	Zone 01		1 23.00	23.00
312121002	Zone 01		1 23.00	23.00
312121003	Zone 01		1 23.00	23.00
312121004	Zone 01		1 23.00	23.00
312121003	20116 01		23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
312121006	Zone 01		1 23.00	23.00
312121007	Zone 01		1 23.00	23.00
312121008	Zone 01		1 23.00	23.00
312121009	Zone 01		1 23.00	23.00
312121010	Zone 01		1 23.00	23.00
312121011	Zone 01		1 23.00	23.00
312121012	Zone 01		1 23.00	23.00
312121013	Zone 01		1 23.00	23.00
312121014	Zone 01		1 23.00	23.00
312121015	Zone 01		1 23.00	23.00
312121016	Zone 01		1 23.00	23.00
312122001	Zone 01		1 23.00	23.00
312122002	Zone 01		1 23.00	23.00
312122003	Zone 01		1 23.00	23.00
312123001	Zone 01		1 23.00	23.00
312123002	Zone 01		1 23.00	23.00
312123003	Zone 01		1 23.00	23.00
312123004	Zone 01		1 23.00	23.00
312123005	Zone 01		1 23.00	23.00
312123006	Zone 01		1 23.00	23.00
312123007	Zone 01		1 23.00	23.00
312123008	Zone 01		1 23.00	23.00
312123009	Zone 01		1 23.00	23.00
312123010	Zone 01		1 23.00	23.00
312123011	Zone 01		1 23.00	23.00
312123012	Zone 01		1 23.00	23.00
312123013	Zone 01		1 23.00	23.00
312123014	Zone 01		1 23.00	23.00
312123015	Zone 01		1 23.00	23.00
312123016	Zone 01		1 23.00	23.00
312123017	Zone 01		1 23.00	23.00
312123018	Zone 01		1 23.00	23.00
312123019	Zone 01		1 23.00	23.00
312123020	Zone 01		1 23.00	23.00
312123021	Zone 01		1 23.00	23.00
312123022	Zone 01		1 23.00	23.00
312123023	Zone 01		1 23.00	23.00
312123024	Zone 01		1 23.00	23.00
312123025	Zone 01		1 23.00	23.00
312123026	Zone 01		1 23.00	23.00
312123027	Zone 01		1 23.00	23.00
312123028	Zone 01		1 23.00	23.00
312123029	Zone 01		1 23.00	23.00
312123030	Zone 01		1 23.00	23.00
312123031	Zone 01		1 23.00	23.00
312123032	Zone 01		1 23.00	23.00
312123033	Zone 01		1 23.00	23.00
312123034	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-18	Max Assessment	FY 17-18 Assessment
312123035	Zone 01	1	23.00	23.00
312123036	Zone 01	1	23.00	23.00
312123037	Zone 01	1	23.00	23.00
312123038	Zone 01	1	23.00	23.00
312123039	Zone 01	1	23.00	23.00
312123040	Zone 01	1	23.00	23.00
312123041	Zone 01	1	23.00	23.00
312123042	Zone 01	1	23.00	23.00
312123043	Zone 01	1	23.00	23.00
312123044	Zone 01	1	23.00	23.00
312123045	Zone 01	1	23.00	23.00
312123046	Zone 01	1	23.00	23.00
312123047	Zone 01	1	23.00	23.00
312123048	Zone 01	1	23.00	23.00
312123049	Zone 01	1	23.00	23.00
312123050	Zone 01	1	23.00	23.00
312123051	Zone 01	1	23.00	23.00
312123052	Zone 01	1	23.00	23.00
312123053	Zone 01	1	23.00	23.00
312123054	Zone 01	1	23.00	23.00
312124001	Zone 01	1	23.00	23.00
312124002	Zone 01	1	23.00	23.00
312124003	Zone 01	1	23.00	23.00
312124004	Zone 01	1	23.00	23.00
312124005	Zone 01	1	23.00	23.00
312124006	Zone 01	1	23.00	23.00
312124007	Zone 01	1	23.00	23.00
312124008	Zone 01	1	23.00	23.00
312124009	Zone 01	1	23.00	23.00
312124010	Zone 01	1	23.00	23.00
312124011	Zone 01	1	23.00	23.00
312124012	Zone 01	1	23.00	23.00
312124013	Zone 01	1	23.00	23.00
312124014	Zone 01	1	23.00	23.00
312124015	Zone 01	1	23.00	23.00
312124016	Zone 01	1	23.00	23.00
312124017	Zone 01	1	23.00	23.00
312141001	Zone 01	1	23.00	23.00
312141002	Zone 01	1	23.00	23.00
312141003	Zone 01	1	23.00	23.00
312141004	Zone 01	1	23.00	23.00
312141005	Zone 01	1	23.00	23.00
312141006	Zone 01	1	23.00	23.00
312141007	Zone 01	1	23.00	23.00
312141008	Zone 01	1	23.00	23.00
312141009	Zone 01	1	23.00	23.00
312141010	Zone 01	1	23.00	23.00
312141011	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
312141012	Zone 01		1 23.00	23.00
312141013	Zone 01		1 23.00	23.00
312141014	Zone 01		1 23.00	23.00
312141015	Zone 01		1 23.00	23.00
312141016	Zone 01		1 23.00	23.00
312141017	Zone 01		1 23.00	23.00
312141018	Zone 01		1 23.00	23.00
312141019	Zone 01		1 23.00	23.00
312141020	Zone 01		1 23.00	23.00
312141021	Zone 01		1 23.00	23.00
312141022	Zone 01		1 23.00	23.00
312141023	Zone 01		1 23.00	23.00
312141024	Zone 01		1 23.00	23.00
312141025	Zone 01		1 23.00	23.00
312141026	Zone 01		1 23.00	23.00
312141027	Zone 01		1 23.00	23.00
312142001	Zone 01		1 23.00	23.00
312142002	Zone 01		1 23.00	23.00
312142003	Zone 01		1 23.00	23.00
312142004	Zone 01		1 23.00	23.00
312142005	Zone 01		1 23.00	23.00
312142006	Zone 01		1 23.00	23.00
312142007	Zone 01		1 23.00	23.00
312142008	Zone 01		1 23.00	23.00
312142009	Zone 01		1 23.00	23.00
312142010	Zone 01		1 23.00	23.00
312142011	Zone 01		1 23.00	23.00
312142012	Zone 01		1 23.00	23.00
312142013	Zone 01		1 23.00	23.00
312142014	Zone 01		1 23.00	23.00
312142015	Zone 01		1 23.00	23.00
312142016	Zone 01		1 23.00	23.00
312143001	Zone 01		1 23.00	23.00
312143002	Zone 01		1 23.00	23.00
312143003	Zone 01		1 23.00	23.00
312143004	Zone 01		1 23.00	23.00
312143005	Zone 01		1 23.00	23.00
312143006	Zone 01		1 23.00	23.00
312143007	Zone 01		1 23.00	23.00
312143008	Zone 01		1 23.00	23.00
312143009	Zone 01		1 23.00	23.00
312143010	Zone 01		1 23.00	23.00
312143011	Zone 01		1 23.00	23.00
312143012	Zone 01		1 23.00	23.00
312143013	Zone 01		1 23.00	23.00
312143014	Zone 01		1 23.00	23.00
312143015	Zone 01		1 23.00	23.00
312143016	Zone 01		1 23.00	23.00
			20.00	20.00

APN	I MD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
312143017	Zone 01	LIND Assigned ED0 3	1 23.00	23.00
312143018	Zone 01		1 23.00	23.00
312143019	Zone 01		1 23.00	23.00
312143020	Zone 01		1 23.00	23.00
312143021	Zone 01		1 23.00	23.00
312143022	Zone 01		1 23.00	23.00
312143023	Zone 01		1 23.00	23.00
312143024	Zone 01		1 23.00	23.00
312143025	Zone 01		1 23.00	23.00
312143026	Zone 01		1 23.00	23.00
312143027	Zone 01		1 23.00	23.00
312143028	Zone 01		1 23.00	23.00
312144001	Zone 01		1 23.00	23.00
312144002	Zone 01		1 23.00	23.00
312144003	Zone 01		1 23.00	23.00
312144004	Zone 01		1 23.00	23.00
312144005	Zone 01		1 23.00	23.00
312144006	Zone 01		1 23.00	23.00
312144007	Zone 01		1 23.00	23.00
312144008	Zone 01		1 23.00	23.00
312144009	Zone 01		1 23.00	23.00
312144010	Zone 01		1 23.00	23.00
312144011	Zone 01		1 23.00	23.00
312144011	Zone 01		1 23.00	23.00
312144013	Zone 01		1 23.00	23.00
312144014	Zone 01		1 23.00	23.00
312144015	Zone 01		1 23.00	23.00
312144016	Zone 01		1 23.00	23.00
312144017	Zone 01			23.00
312144017	Zone 01		1 23.00 1 23.00	23.00
312144019	Zone 01		1 23.00	23.00
312144020			1 23.00	23.00
312144021	Zone 01 Zone 01		1 23.00	23.00
			1 23.00	23.00
312144022	Zone 01			
312144023	Zone 01		1 23.00	23.00
312151001	Zone 01		1 23.00	23.00
312151002	Zone 01		1 23.00	23.00
312151003	Zone 01		1 23.00	23.00
312151004	Zone 01		1 23.00	23.00
312151005	Zone 01		1 23.00	23.00
312151006	Zone 01		1 23.00	23.00
312151007	Zone 01		1 23.00	23.00
312151008	Zone 01		1 23.00	23.00
312151009	Zone 01		1 23.00	23.00
312151010	Zone 01		1 23.00	23.00
312151011	Zone 01		1 23.00	23.00
312151012	Zone 01		1 23.00	23.00
312151013	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
312151014	Zone 01		1 23.00	23.00
312151015	Zone 01		1 23.00	23.00
312151016	Zone 01		1 23.00	23.00
312151017	Zone 01		1 23.00	23.00
312151018	Zone 01		1 23.00	23.00
312151019	Zone 01		1 23.00	23.00
312151020	Zone 01		1 23.00	23.00
312151021	Zone 01		1 23.00	23.00
312151022	Zone 01		1 23.00	23.00
312151023	Zone 01		1 23.00	23.00
312151024	Zone 01		1 23.00	23.00
312151025	Zone 01		1 23.00	23.00
312151026	Zone 01		1 23.00	23.00
312151027	Zone 01		1 23.00	23.00
312151028	Zone 01		1 23.00	23.00
312151029	Zone 01		1 23.00	23.00
312151030	Zone 01		1 23.00	23.00
312151031	Zone 01		1 23.00	23.00
312151032	Zone 01		1 23.00	23.00
312151033	Zone 01		1 23.00	23.00
312151034	Zone 01		1 23.00	23.00
312151035	Zone 01		1 23.00	23.00
312151036	Zone 01		1 23.00	23.00
312151037	Zone 01		1 23.00	23.00
312151038	Zone 01		1 23.00	23.00
312151039	Zone 01		1 23.00	23.00
312151040	Zone 01		1 23.00	23.00
312151041	Zone 01		1 23.00	23.00
312152001	Zone 01		1 23.00	23.00
312152002	Zone 01		1 23.00	23.00
312152003	Zone 01		1 23.00	23.00
312152004	Zone 01		1 23.00	23.00
312152005	Zone 01		1 23.00	23.00
312152006	Zone 01		1 23.00	23.00
312153001	Zone 01		1 23.00	23.00
312153002	Zone 01		1 23.00	23.00
312153003	Zone 01		1 23.00	23.00
312153004	Zone 01		1 23.00	23.00
312153005	Zone 01		1 23.00	23.00
312153006	Zone 01		1 23.00	23.00
312153007	Zone 01		1 23.00	23.00
312153008	Zone 01		1 23.00	23.00
312153009	Zone 01		1 23.00	23.00
312153010	Zone 01		1 23.00	23.00
312153011	Zone 01		1 23.00	23.00
312154001	Zone 01		1 23.00	23.00
312154002	Zone 01		1 23.00	23.00
312154003	Zone 01		1 23.00	23.00
				20.00

APN	LMD 2014-01 Zone I	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
312154004	Zone 01		1 23.00	23.00
312154005	Zone 01		1 23.00	23.00
312154006	Zone 01		1 23.00	23.00
312154007	Zone 01		1 23.00	23.00
312154008	Zone 01		1 23.00	23.00
312154009	Zone 01		1 23.00	23.00
312154010	Zone 01		1 23.00	23.00
312154011	Zone 01		1 23.00	23.00
312154012	Zone 01		1 23.00	23.00
312154013	Zone 01		1 23.00	23.00
312154014	Zone 01		1 23.00	23.00
312154015	Zone 01		1 23.00	23.00
312154016	Zone 01		1 23.00	23.00
312154017	Zone 01		1 23.00	23.00
312154018	Zone 01		1 23.00	23.00
312154019	Zone 01		1 23.00	23.00
312154020	Zone 01		1 23.00	23.00
312154021	Zone 01		1 23.00	23.00
312154022	Zone 01		1 23.00	23.00
312154023	Zone 01		1 23.00	23.00
312154024	Zone 01		1 23.00	23.00
312154025	Zone 01		1 23.00	23.00
312154026	Zone 01		1 23.00	23.00
312155001	Zone 01		1 23.00	23.00
312155002	Zone 01		1 23.00	23.00
312155003	Zone 01		1 23.00	23.00
312156001	Zone 01		1 23.00	23.00
312156002	Zone 01		1 23.00	23.00
312156003	Zone 01		1 23.00	23.00
312156004	Zone 01		1 23.00	23.00
312156005	Zone 01		1 23.00	23.00
312156006	Zone 01		1 23.00	23.00
312156007	Zone 01		1 23.00	23.00
312156008	Zone 01		1 23.00	23.00
312156009	Zone 01		1 23.00	23.00
312156010	Zone 01		1 23.00	23.00
312156011	Zone 01		1 23.00	23.00
312161001	Zone 01		1 23.00	23.00
312161002	Zone 01		1 23.00	23.00
312161003	Zone 01		1 23.00	23.00
312161004	Zone 01		1 23.00	23.00
312161005	Zone 01		1 23.00	23.00
312161006	Zone 01		1 23.00	23.00
312161007	Zone 01		1 23.00	23.00
312161007	Zone 01		1 23.00	23.00
312161009	Zone 01		1 23.00	23.00
312161010	Zone 01		1 23.00	23.00
312161011	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigr	ed EBU's FY 17-18 Ma	x Assessment	FY 17-18 Assessment
312161012	Zone 01	1	23.00	23.00
312161013	Zone 01	1	23.00	23.00
312161014	Zone 01	1	23.00	23.00
312161015	Zone 01	1	23.00	23.00
312161016	Zone 01	1	23.00	23.00
312161017	Zone 01	1	23.00	23.00
312161018	Zone 01	1	23.00	23.00
312161019	Zone 01	1	23.00	23.00
312161020	Zone 01	1	23.00	23.00
312161021	Zone 01	1	23.00	23.00
312161022	Zone 01	1	23.00	23.00
312161023	Zone 01	1	23.00	23.00
312162001	Zone 01	1	23.00	23.00
312162002	Zone 01	1	23.00	23.00
312162003	Zone 01	1	23.00	23.00
312162004	Zone 01	1	23.00	23.00
312162005	Zone 01	1	23.00	23.00
312162006	Zone 01	1	23.00	23.00
312162007	Zone 01	1	23.00	23.00
312162008	Zone 01	1	23.00	23.00
312162009	Zone 01	1	23.00	23.00
312162010	Zone 01	1	23.00	23.00
312162011	Zone 01	1	23.00	23.00
312162012	Zone 01	1	23.00	23.00
312163001	Zone 01	1	23.00	23.00
312163002	Zone 01	1	23.00	23.00
312163003	Zone 01	1	23.00	23.00
312163004	Zone 01	1	23.00	23.00
312163005	Zone 01	1	23.00	23.00
312163006	Zone 01	1	23.00	23.00
312163007	Zone 01	1	23.00	23.00
312163008	Zone 01	1	23.00	23.00
312163009	Zone 01	1	23.00	23.00
312163010	Zone 01	1	23.00	23.00
312163011	Zone 01	1	23.00	23.00
312163012	Zone 01	1	23.00	23.00
312163013	Zone 01	1	23.00	23.00
312163014	Zone 01	1	23.00	23.00
312163015	Zone 01	1	23.00	23.00
312163016	Zone 01	1	23.00	23.00
312163017	Zone 01	1	23.00	23.00
312163018	Zone 01	1	23.00	23.00
312163019	Zone 01	1	23.00	23.00
312163020	Zone 01	1	23.00	23.00
312163021	Zone 01	1	23.00	23.00
312163022	Zone 01	1	23.00	23.00
312163023	Zone 01	1	23.00	23.00
312163024	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone I	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
312163025	Zone 01		1 23.00	23.00
312163026	Zone 01		1 23.00	23.00
312164001	Zone 01		1 23.00	23.00
312164002	Zone 01		1 23.00	23.00
312164003	Zone 01		1 23.00	23.00
312164004	Zone 01		1 23.00	23.00
312164005	Zone 01		1 23.00	23.00
312164006	Zone 01		1 23.00	23.00
312164007	Zone 01		1 23.00	23.00
312164008	Zone 01		1 23.00	23.00
312164009	Zone 01		1 23.00	23.00
312164010	Zone 01		1 23.00	23.00
312164011	Zone 01		1 23.00	23.00
312164012	Zone 01		1 23.00	23.00
312164013	Zone 01		1 23.00	23.00
312164014	Zone 01		1 23.00	23.00
312164015	Zone 01		1 23.00	23.00
312164016	Zone 01		1 23.00	23.00
312164017	Zone 01		1 23.00	23.00
312164018	Zone 01		1 23.00	23.00
312164019	Zone 01		1 23.00	23.00
312164020	Zone 01		1 23.00	23.00
312164021	Zone 01		1 23.00	23.00
312164022	Zone 01		1 23.00	23.00
312164023	Zone 01		1 23.00	23.00
312164024	Zone 01		1 23.00	23.00
312164025	Zone 01		1 23.00	23.00
312164026	Zone 01		1 23.00	23.00
312164027	Zone 01		1 23.00	23.00
312164028	Zone 01		1 23.00	23.00
312164029	Zone 01		1 23.00	23.00
312164030	Zone 01		1 23.00	23.00
312164031	Zone 01		1 23.00	23.00
312164032	Zone 01		1 23.00	23.00
312164033	Zone 01		1 23.00	23.00
312164034	Zone 01		1 23.00	23.00
312171001	Zone 01		1 23.00	23.00
312171002	Zone 01		1 23.00	23.00
312171002	Zone 01		1 23.00	23.00
312171003	Zone 01		1 23.00	23.00
312171004	Zone 01		1 23.00	23.00
312171005	Zone 01		1 23.00	23.00
312171007	Zone 01		1 23.00	23.00
312171007	Zone 01		1 23.00	23.00
312171008	Zone 01		1 23.00	23.00
312171010	Zone 01		1 23.00	23.00
312171011	Zone 01		1 23.00	23.00
312171012	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
312171013	Zone 01		1 23.00	23.00
312171014	Zone 01		1 23.00	23.00
312171015	Zone 01		1 23.00	23.00
312171016	Zone 01		1 23.00	23.00
312171017	Zone 01		1 23.00	23.00
312171018	Zone 01		1 23.00	23.00
312171019	Zone 01		1 23.00	23.00
312171020	Zone 01		1 23.00	23.00
312171021	Zone 01		1 23.00	23.00
312171022	Zone 01		1 23.00	23.00
312171023	Zone 01		1 23.00	23.00
312171024	Zone 01		1 23.00	23.00
312171025	Zone 01		1 23.00	23.00
312171026	Zone 01		1 23.00	23.00
312171027	Zone 01		1 23.00	23.00
312171028	Zone 01		1 23.00	23.00
312171029	Zone 01		1 23.00	23.00
312171030	Zone 01		1 23.00	23.00
312171031	Zone 01		1 23.00	23.00
312171032	Zone 01		1 23.00	23.00
312171033	Zone 01		1 23.00	23.00
312171034	Zone 01		1 23.00	23.00
312171035	Zone 01		1 23.00	23.00
312171036	Zone 01		1 23.00	23.00
312171037	Zone 01		1 23.00	23.00
312171038	Zone 01		1 23.00	23.00
312171039	Zone 01		1 23.00	23.00
312171040	Zone 01		1 23.00	23.00
312171041	Zone 01		1 23.00	23.00
312171042	Zone 01		1 23.00	23.00
312171043	Zone 01		1 23.00	23.00
312171044	Zone 01		1 23.00	23.00
312171045	Zone 01		1 23.00	23.00
312171046	Zone 01		1 23.00	23.00
312171047	Zone 01		1 23.00	23.00
312171048	Zone 01		1 23.00	23.00
312171049	Zone 01		1 23.00	23.00
312171050	Zone 01		1 23.00	23.00
312171051	Zone 01		1 23.00	23.00
312171051	Zone 01		1 23.00	23.00
312171052	Zone 01		1 23.00	23.00
312171054	Zone 01		1 23.00	23.00
312171055	Zone 01		1 23.00	23.00
312171056	Zone 01		1 23.00	23.00
312171030	Zone 01		1 23.00	23.00
312172001	Zone 01		1 23.00	23.00
312172002	Zone 01		1 23.00	23.00
312172004	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone L	.MD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
312172005	Zone 01		1 23.00	23.00
312172006	Zone 01		1 23.00	23.00
312172007	Zone 01		1 23.00	23.00
312172008	Zone 01		1 23.00	23.00
312172009	Zone 01		1 23.00	23.00
312172010	Zone 01		1 23.00	23.00
312172011	Zone 01		1 23.00	23.00
312172012	Zone 01		1 23.00	23.00
312172013	Zone 01		1 23.00	23.00
312172014	Zone 01		1 23.00	23.00
312172015	Zone 01		1 23.00	23.00
312172016	Zone 01		1 23.00	23.00
312172017	Zone 01		1 23.00	23.00
312172018	Zone 01		1 23.00	23.00
312172019	Zone 01		1 23.00	23.00
312172020	Zone 01		1 23.00	23.00
312172021	Zone 01		1 23.00	23.00
312172022	Zone 01		1 23.00	23.00
312172023	Zone 01		1 23.00	23.00
312172024	Zone 01		1 23.00	23.00
312172025	Zone 01		1 23.00	23.00
312172026	Zone 01		1 23.00	23.00
312172027	Zone 01		1 23.00	23.00
312172028	Zone 01		1 23.00	23.00
312172029	Zone 01		1 23.00	23.00
312172030	Zone 01		1 23.00	23.00
312172031	Zone 01		1 23.00	23.00
312172032	Zone 01		1 23.00	23.00
312172033	Zone 01		1 23.00	23.00
312172034	Zone 01		1 23.00	23.00
312172035	Zone 01		1 23.00	23.00
312172036	Zone 01		1 23.00	23.00
312172037	Zone 01		1 23.00	23.00
312172038	Zone 01		1 23.00	23.00
312172039	Zone 01		1 23.00	23.00
312172040	Zone 01		1 23.00	23.00
312181001	Zone 01		1 23.00	23.00
312181002	Zone 01		1 23.00	23.00
312181003	Zone 01		1 23.00	23.00
312181004	Zone 01		1 23.00	23.00
312181005	Zone 01		1 23.00	23.00
312181006	Zone 01		1 23.00	23.00
312181007	Zone 01		1 23.00	23.00
312181008	Zone 01		1 23.00	23.00
312181009	Zone 01		1 23.00	23.00
312181010	Zone 01		1 23.00	23.00
312181011	Zone 01		1 23.00	23.00
312181012	Zone 01		1 23.00	23.00
				_5.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
312181013	Zone 01		1 23.00	23.00
312181014	Zone 01		1 23.00	23.00
312181015	Zone 01		1 23.00	23.00
312181016	Zone 01		1 23.00	23.00
312181017	Zone 01		1 23.00	23.00
312181018	Zone 01		1 23.00	23.00
312181019	Zone 01		1 23.00	23.00
312181020	Zone 01		1 23.00	23.00
312181021	Zone 01		1 23.00	23.00
312181022	Zone 01		1 23.00	23.00
312181023	Zone 01		1 23.00	23.00
312181024	Zone 01		1 23.00	23.00
312181025	Zone 01		1 23.00	23.00
312182001	Zone 01		1 23.00	23.00
312182002	Zone 01		1 23.00	23.00
312182003	Zone 01		1 23.00	23.00
312182004	Zone 01		1 23.00	23.00
312182005	Zone 01		1 23.00	23.00
312182006	Zone 01		1 23.00	23.00
312182007	Zone 01		1 23.00	23.00
312182008	Zone 01		1 23.00	23.00
312182009	Zone 01		1 23.00	23.00
312182010	Zone 01		1 23.00	23.00
312182011	Zone 01		1 23.00	23.00
312182012	Zone 01		1 23.00	23.00
312182013	Zone 01		1 23.00	23.00
312182014	Zone 01		1 23.00	23.00
312182015	Zone 01		1 23.00	23.00
312182016	Zone 01		1 23.00	23.00
312182017	Zone 01		1 23.00	23.00
312182018	Zone 01		1 23.00	23.00
312182019	Zone 01		1 23.00	23.00
312182020	Zone 01		1 23.00	23.00
312182021	Zone 01		1 23.00	23.00
312182022	Zone 01		1 23.00	23.00
312182023	Zone 01		1 23.00	23.00
312182024	Zone 01		1 23.00	23.00
312182025	Zone 01		1 23.00	23.00
312183001	Zone 01		1 23.00	23.00
312183002	Zone 01		1 23.00	23.00
312183003	Zone 01		1 23.00	23.00
312183004	Zone 01		1 23.00	23.00
312183005	Zone 01		1 23.00	23.00
312183006	Zone 01		1 23.00	23.00
312183007	Zone 01		1 23.00	23.00
312183008	Zone 01		1 23.00	23.00
312183009	Zone 01		1 23.00	23.00
312184001	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigne	d EBU's FY 17-18 N	Max Assessment	FY 17-18 Assessment
312184002	Zone 01	1	23.00	23.00
312184003	Zone 01	1	23.00	23.00
312184004	Zone 01	1	23.00	23.00
312184005	Zone 01	1	23.00	23.00
312184006	Zone 01	1	23.00	23.00
312184007	Zone 01	1	23.00	23.00
312184008	Zone 01	1	23.00	23.00
312184009	Zone 01	1	23.00	23.00
312184010	Zone 01	1	23.00	23.00
312184011	Zone 01	1	23.00	23.00
312184012	Zone 01	1	23.00	23.00
312184013	Zone 01	1	23.00	23.00
312184014	Zone 01	1	23.00	23.00
312184015	Zone 01	1	23.00	23.00
312184016	Zone 01	1	23.00	23.00
312184017	Zone 01	1	23.00	23.00
312191001	Zone 01	1	23.00	23.00
312191002	Zone 01	1	23.00	23.00
312191003	Zone 01	1	23.00	23.00
312191004	Zone 01	1	23.00	23.00
312191005	Zone 01	1	23.00	23.00
312191006	Zone 01	1	23.00	23.00
312191007	Zone 01	1	23.00	23.00
312191008	Zone 01	1	23.00	23.00
312191009	Zone 01	1	23.00	23.00
312191010	Zone 01	1	23.00	23.00
312191011	Zone 01	1	23.00	23.00
312191012	Zone 01	1	23.00	23.00
312191013	Zone 01	1	23.00	23.00
312191014	Zone 01	1	23.00	23.00
312191015	Zone 01	1	23.00	23.00
312191016	Zone 01	1	23.00	23.00
312191017	Zone 01	1	23.00	23.00
312191018	Zone 01	1	23.00	23.00
312191019	Zone 01	1	23.00	23.00
312191020	Zone 01	1	23.00	23.00
312191021	Zone 01	1	23.00	23.00
312191022	Zone 01	1	23.00	23.00
312191023	Zone 01	1	23.00	23.00
312191024	Zone 01	1	23.00	23.00
312191025	Zone 01	1	23.00	23.00
312191026	Zone 01	1	23.00	23.00
312191028	Zone 01	1	23.00	23.00
312192001	Zone 01	1	23.00	23.00
312192002	Zone 01	1	23.00	23.00
312192003	Zone 01	1	23.00	23.00
312192004	Zone 01	1	23.00	23.00
312192005	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
312192006	Zone 01		1 23.00	23.00
312192007	Zone 01		1 23.00	23.00
312192008	Zone 01		1 23.00	23.00
312192009	Zone 01		1 23.00	23.00
312192010	Zone 01		1 23.00	23.00
312192011	Zone 01		1 23.00	23.00
312192012	Zone 01		1 23.00	23.00
312192013	Zone 01		1 23.00	23.00
312192014	Zone 01		1 23.00	23.00
312192015	Zone 01		1 23.00	23.00
312192016	Zone 01		1 23.00	23.00
312193001	Zone 01		1 23.00	23.00
312193002	Zone 01		1 23.00	23.00
312193003	Zone 01		1 23.00	23.00
312193004	Zone 01		1 23.00	23.00
312193005	Zone 01		1 23.00	23.00
312193006	Zone 01		1 23.00	23.00
312193007	Zone 01		1 23.00	23.00
312193008	Zone 01		1 23.00	23.00
312193009	Zone 01		1 23.00	23.00
312193010	Zone 01		1 23.00	23.00
312193011	Zone 01		1 23.00	23.00
312193012	Zone 01		1 23.00	23.00
312193013	Zone 01		1 23.00	23.00
312193014	Zone 01		1 23.00	23.00
312193015	Zone 01		1 23.00	23.00
312193016	Zone 01		1 23.00	23.00
312193017	Zone 01		1 23.00	23.00
312201001	Zone 01		1 23.00	23.00
312201002	Zone 01		1 23.00	23.00
312201003	Zone 01		1 23.00	23.00
312201004	Zone 01		1 23.00	23.00
312201005	Zone 01		1 23.00	23.00
312201006	Zone 01		1 23.00	23.00
312201007	Zone 01		1 23.00	23.00
312201008	Zone 01		1 23.00	23.00
312201009	Zone 01		1 23.00	23.00
312201010	Zone 01		1 23.00	23.00
312202001	Zone 01		1 23.00	23.00
312202002	Zone 01		1 23.00	23.00
312202003	Zone 01		1 23.00	23.00
312202004	Zone 01		1 23.00	23.00
312202005	Zone 01		1 23.00	23.00
312202006	Zone 01		1 23.00	23.00
312202007	Zone 01		1 23.00	23.00
312202008	Zone 01		1 23.00	23.00
312202009	Zone 01		1 23.00	23.00
312202010	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
312202011	Zone 01		1 23.00	23.00
312202012	Zone 01		1 23.00	23.00
312202013	Zone 01		1 23.00	23.00
312202014	Zone 01		1 23.00	23.00
312202015	Zone 01		1 23.00	23.00
312202016	Zone 01		1 23.00	23.00
312202017	Zone 01		1 23.00	23.00
312202018	Zone 01		1 23.00	23.00
312202019	Zone 01		1 23.00	23.00
312202020	Zone 01		1 23.00	23.00
312202021	Zone 01		1 23.00	23.00
312202022	Zone 01		1 23.00	23.00
312202023	Zone 01		1 23.00	23.00
312202024	Zone 01		1 23.00	23.00
312202025	Zone 01		1 23.00	23.00
312202026	Zone 01		1 23.00	23.00
312202027	Zone 01		1 23.00	23.00
312202028	Zone 01		1 23.00	23.00
312202029	Zone 01		1 23.00	23.00
312202030	Zone 01		1 23.00	23.00
312202031	Zone 01		1 23.00	23.00
312202032	Zone 01		1 23.00	23.00
312202033	Zone 01		1 23.00	23.00
312202034	Zone 01		1 23.00	23.00
312202035	Zone 01		1 23.00	23.00
312202036	Zone 01		1 23.00	23.00
312202037	Zone 01		1 23.00	23.00
312202037	Zone 01		1 23.00	23.00
312202039	Zone 01		1 23.00	23.00
312202030	Zone 01		1 23.00	23.00
312202041	Zone 01		1 23.00	23.00
312202041	Zone 01		1 23.00	23.00
312203001	Zone 01		1 23.00	23.00
312203001	Zone 01		1 23.00	23.00
312203002	Zone 01		1 23.00	23.00
312203004	Zone 01		1 23.00	23.00
312203005	Zone 01		1 23.00	23.00
312203006	Zone 01		1 23.00	23.00
312203007	Zone 01		1 23.00	23.00
312203007	Zone 01		1 23.00	23.00
312203009	Zone 01		1 23.00	23.00
312203009	Zone 01		1 23.00	23.00
312203010	Zone 01		1 23.00	23.00
312203011	Zone 01		1 23.00	23.00
312203012	Zone 01		1 23.00	23.00
312204001	Zone 01		1 23.00	23.00
312204001				
	Zone 01		1 23.00	23.00
312204003	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
312204004	Zone 01		1 23.00	23.00
312204005	Zone 01		1 23.00	23.00
312204006	Zone 01		1 23.00	23.00
312204007	Zone 01		1 23.00	23.00
312211001	Zone 01		1 23.00	23.00
312211002	Zone 01		1 23.00	23.00
312211003	Zone 01		1 23.00	23.00
312211004	Zone 01		1 23.00	23.00
312211005	Zone 01		1 23.00	23.00
312211006	Zone 01		1 23.00	23.00
312211007	Zone 01		1 23.00	23.00
312211008	Zone 01		1 23.00	23.00
312211009	Zone 01		1 23.00	23.00
312211010	Zone 01		1 23.00	23.00
312211011	Zone 01		1 23.00	23.00
312211012	Zone 01		1 23.00	23.00
312211013	Zone 01		1 23.00	23.00
312212001	Zone 01		1 23.00	23.00
312212002	Zone 01		1 23.00	23.00
312212003	Zone 01		1 23.00	23.00
312212004	Zone 01		1 23.00	23.00
312212005	Zone 01		1 23.00	23.00
312212006	Zone 01		1 23.00	23.00
312212007	Zone 01		1 23.00	23.00
312212008	Zone 01		1 23.00	23.00
312212009	Zone 01		1 23.00	23.00
312212010	Zone 01		1 23.00	23.00
312212011	Zone 01		1 23.00	23.00
312212012	Zone 01		1 23.00	23.00
312212013	Zone 01		1 23.00	23.00
312212014	Zone 01		1 23.00	23.00
312212015	Zone 01		1 23.00	23.00
312212016	Zone 01		1 23.00	23.00
312212017	Zone 01		1 23.00	23.00
312212018	Zone 01		1 23.00	23.00
312212019	Zone 01		1 23.00	23.00
312212020	Zone 01		1 23.00	23.00
312212021	Zone 01		1 23.00	23.00
312212022	Zone 01		1 23.00	23.00
312212023	Zone 01		1 23.00	23.00
312212024	Zone 01		1 23.00	23.00
312212025	Zone 01		1 23.00	23.00
312212026	Zone 01		1 23.00	23.00
312212027	Zone 01		1 23.00	23.00
312212028	Zone 01		1 23.00	23.00
312212029	Zone 01		1 23.00	23.00
312212030	Zone 01		1 23.00	23.00
312212031	Zone 01		1 23.00	23.00
			20.00	20.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
312212032	Zone 01		1 23.00	23.00
312212033	Zone 01		1 23.00	23.00
312212034	Zone 01		1 23.00	23.00
312212035	Zone 01		1 23.00	23.00
312221001	Zone 01		1 23.00	23.00
312221002	Zone 01		1 23.00	23.00
312221003	Zone 01		1 23.00	23.00
312221004	Zone 01		1 23.00	23.00
312221005	Zone 01		1 23.00	23.00
312221006	Zone 01		1 23.00	23.00
312221007	Zone 01		1 23.00	23.00
312221008	Zone 01		1 23.00	23.00
312221009	Zone 01		1 23.00	23.00
312221010	Zone 01		1 23.00	23.00
312221011	Zone 01		1 23.00	23.00
312221012	Zone 01		1 23.00	23.00
312221013	Zone 01		1 23.00	23.00
312221014	Zone 01		1 23.00	23.00
312221015	Zone 01		1 23.00	23.00
312221016	Zone 01		1 23.00	23.00
312221017	Zone 01		1 23.00	23.00
312221018	Zone 01		1 23.00	23.00
312221019	Zone 01		1 23.00	23.00
312221020	Zone 01		1 23.00	23.00
312221021	Zone 01		1 23.00	23.00
312221022	Zone 01		1 23.00	23.00
312221023	Zone 01		1 23.00	23.00
312222001	Zone 01		1 23.00	23.00
312222002	Zone 01		1 23.00	23.00
312222003	Zone 01		1 23.00	23.00
312222004	Zone 01		1 23.00	23.00
312222005	Zone 01		1 23.00	23.00
312222006	Zone 01		1 23.00	23.00
312222007	Zone 01		1 23.00	23.00
312222008	Zone 01		1 23.00	23.00
312222009	Zone 01		1 23.00	23.00
312222010	Zone 01		1 23.00	23.00
312222011	Zone 01		1 23.00	23.00
312222012	Zone 01		1 23.00	23.00
312222013	Zone 01		1 23.00	23.00
312222014	Zone 01		1 23.00	23.00
312222015	Zone 01		1 23.00	23.00
312222016	Zone 01		1 23.00	23.00
312222017	Zone 01		1 23.00	23.00
312222018	Zone 01		1 23.00	23.00
312222019	Zone 01		1 23.00	23.00
312222020	Zone 01		1 23.00	23.00
312222021	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
312222022	Zone 01		1 23.00	23.00
312222023	Zone 01		1 23.00	23.00
312222024	Zone 01		1 23.00	23.00
312222025	Zone 01		1 23.00	23.00
312222026	Zone 01		1 23.00	23.00
312222027	Zone 01		1 23.00	23.00
312222028	Zone 01		1 23.00	23.00
312222029	Zone 01		1 23.00	23.00
312222030	Zone 01		1 23.00	23.00
312222031	Zone 01		1 23.00	23.00
312222032	Zone 01		1 23.00	23.00
312222033	Zone 01		1 23.00	23.00
312222034	Zone 01		1 23.00	23.00
312222035	Zone 01		1 23.00	23.00
312222036	Zone 01		1 23.00	23.00
312222037	Zone 01		1 23.00	23.00
312223001	Zone 01		1 23.00	23.00
312223002	Zone 01		1 23.00	23.00
312223003	Zone 01		1 23.00	23.00
312223004	Zone 01		1 23.00	23.00
312223005	Zone 01		1 23.00	23.00
312223006	Zone 01		1 23.00	23.00
312223007	Zone 01		1 23.00	23.00
312223008	Zone 01		1 23.00	23.00
312223009	Zone 01		1 23.00	23.00
312223010	Zone 01		1 23.00	23.00
312223011	Zone 01		1 23.00	23.00
312223012	Zone 01		1 23.00	23.00
312223013	Zone 01		1 23.00	23.00
312223014	Zone 01		1 23.00	23.00
312223015	Zone 01		1 23.00	23.00
312223016	Zone 01		1 23.00	23.00
312223017	Zone 01		1 23.00	23.00
312223018	Zone 01		1 23.00	23.00
312223019	Zone 01		1 23.00	23.00
312223020	Zone 01		1 23.00	23.00
312223021	Zone 01		1 23.00	23.00
312223022	Zone 01		1 23.00	23.00
312223023	Zone 01		1 23.00	23.00
312223024	Zone 01		1 23.00	23.00
312223025	Zone 01		1 23.00	23.00
312223026	Zone 01		1 23.00	23.00
312223027	Zone 01		1 23.00	23.00
312223028	Zone 01		1 23.00	23.00
312223029	Zone 01		1 23.00	23.00
312223030	Zone 01		1 23.00	23.00
312223031	Zone 01		1 23.00	23.00
312223032	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
312223033	Zone 01		1 23.00	23.00
312223034	Zone 01		1 23.00	23.00
312223035	Zone 01		1 23.00	23.00
312223036	Zone 01		1 23.00	23.00
312223037	Zone 01		1 23.00	23.00
312223038	Zone 01		1 23.00	23.00
312223039	Zone 01		1 23.00	23.00
312224001	Zone 01		1 23.00	23.00
312224002	Zone 01		1 23.00	23.00
312224003	Zone 01		1 23.00	23.00
312224004	Zone 01		1 23.00	23.00
312224005	Zone 01		1 23.00	23.00
312224006	Zone 01		1 23.00	23.00
312224007	Zone 01		1 23.00	23.00
312224008	Zone 01		1 23.00	23.00
312224009	Zone 01		1 23.00	23.00
312224010	Zone 01		1 23.00	23.00
312224011	Zone 01		1 23.00	23.00
312224012	Zone 01		1 23.00	23.00
312224013	Zone 01		1 23.00	23.00
312224014	Zone 01		1 23.00	23.00
312224015	Zone 01		1 23.00	23.00
312231001	Zone 01		1 23.00	23.00
312231002	Zone 01		1 23.00	23.00
312231002	Zone 01		1 23.00	23.00
312231003	Zone 01		1 23.00	23.00
312232001	Zone 01		1 23.00	23.00
312232001	Zone 01		1 23.00	23.00
312232002	Zone 01		1 23.00	23.00
312232003	Zone 01		1 23.00	23.00
312232005	Zone 01		1 23.00	23.00
312232005	Zone 01		1 23.00	23.00
312232007	Zone 01		1 23.00	23.00
312232007	Zone 01		1 23.00	23.00
312232009	Zone 01		1 23.00	23.00
312232010	Zone 01		1 23.00	23.00
312232010	Zone 01		1 23.00	23.00
312232011	Zone 01		1 23.00	23.00
312232012	Zone 01		1 23.00	23.00
312232013	Zone 01		1 23.00	23.00
312232014	Zone 01		1 23.00	23.00
312232015	Zone 01		1 23.00	23.00
312232017	Zone 01		1 23.00	23.00
312232017	Zone 01		1 23.00	23.00
312232016	Zone 01		1 23.00	23.00
312232019	Zone 01		1 23.00	23.00
312232021	Zone 01		1 23.00	23.00
312232022	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned E	BU's FY 17-18	Max Assessment	FY 17-18 Assessment
312232023	Zone 01	1	23.00	23.00
312232024	Zone 01	1	23.00	23.00
312232025	Zone 01	1	23.00	23.00
312232026	Zone 01	1	23.00	23.00
312232027	Zone 01	1	23.00	23.00
312232028	Zone 01	1	23.00	23.00
312232029	Zone 01	1	23.00	23.00
312232030	Zone 01	1	23.00	23.00
312232031	Zone 01	1	23.00	23.00
312232032	Zone 01	1	23.00	23.00
312232033	Zone 01	1	23.00	23.00
312232034	Zone 01	1	23.00	23.00
312232035	Zone 01	1	23.00	23.00
312232036	Zone 01	1	23.00	23.00
312232037	Zone 01	1	23.00	23.00
312233001	Zone 01	1	23.00	23.00
312233002	Zone 01	1	23.00	23.00
312233003	Zone 01	1	23.00	23.00
312233004	Zone 01	1	23.00	23.00
312233005	Zone 01	1	23.00	23.00
312233006	Zone 01	1	23.00	23.00
312233007	Zone 01	1	23.00	23.00
312233008	Zone 01	1	23.00	23.00
312233009	Zone 01	1	23.00	23.00
312233010	Zone 01	1	23.00	23.00
312233011	Zone 01	1	23.00	23.00
312233012	Zone 01	1	23.00	23.00
312233013	Zone 01	1	23.00	23.00
312233014	Zone 01	1	23.00	23.00
312233015	Zone 01	1	23.00	23.00
312233016	Zone 01	1	23.00	23.00
312233020	Zone 01	1	23.00	23.00
312233021	Zone 01	1	23.00	23.00
312233022	Zone 01	1	23.00	23.00
312233023	Zone 01	1	23.00	23.00
312233024	Zone 01	1	23.00	23.00
312233025	Zone 01	1	23.00	23.00
312233026	Zone 01	1	23.00	23.00
312233027	Zone 01	1	23.00	23.00
312233028	Zone 01	1	23.00	23.00
312233029	Zone 01	1	23.00	23.00
312233030	Zone 01	1	23.00	23.00
312233031	Zone 01	1	23.00	23.00
312233032	Zone 01	1	23.00	23.00
312234001	Zone 01	1	23.00	23.00
312234002	Zone 01	1	23.00	23.00
312234003	Zone 01	1	23.00	23.00
312234004	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone I	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
312234005	Zone 01		1 23.00	23.00
312234006	Zone 01		1 23.00	23.00
312234007	Zone 01		1 23.00	23.00
312234008	Zone 01		1 23.00	23.00
312234009	Zone 01		1 23.00	23.00
312234010	Zone 01		1 23.00	23.00
312234011	Zone 01		1 23.00	23.00
312234012	Zone 01		1 23.00	23.00
312234013	Zone 01		1 23.00	23.00
312234014	Zone 01		1 23.00	23.00
312234015	Zone 01		1 23.00	23.00
312234016	Zone 01		1 23.00	23.00
312234017	Zone 01		1 23.00	23.00
312234018	Zone 01		1 23.00	23.00
312234019	Zone 01		1 23.00	23.00
312234020	Zone 01		1 23.00	23.00
312234021	Zone 01		1 23.00	23.00
312234022	Zone 01		1 23.00	23.00
312234023	Zone 01		1 23.00	23.00
312234024	Zone 01		1 23.00	23.00
312234025	Zone 01		1 23.00	23.00
312234026	Zone 01		1 23.00	23.00
312234027	Zone 01		1 23.00	23.00
312234028	Zone 01		1 23.00	23.00
312234029	Zone 01		1 23.00	23.00
312234030	Zone 01		1 23.00	23.00
312234031	Zone 01		1 23.00	23.00
312234032	Zone 01		1 23.00	23.00
312234033	Zone 01		1 23.00	23.00
312234034	Zone 01		1 23.00	23.00
312234035	Zone 01		1 23.00	23.00
312234036	Zone 01		1 23.00	23.00
312234037	Zone 01		1 23.00	23.00
312234038	Zone 01		1 23.00	23.00
312241001	Zone 01		1 23.00	23.00
312241002	Zone 01		1 23.00	23.00
312241002	Zone 01		1 23.00	23.00
312241004	Zone 01		1 23.00	23.00
312241005	Zone 01		1 23.00	23.00
312241006	Zone 01		1 23.00	23.00
312241007	Zone 01		1 23.00	23.00
312241007	Zone 01		1 23.00	23.00
312241009	Zone 01		1 23.00	23.00
312241010	Zone 01		1 23.00	23.00
312242001	Zone 01		1 23.00	23.00
312242001	Zone 01		1 23.00	23.00
312242002				
	Zone 01		1 23.00	23.00
312242004	Zone 01		1 23.00	23.00

APN	I MD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
312242005	Zone 01	LIND Assigned ED0 3	1 23.00	23.00
312242006	Zone 01		1 23.00	23.00
312242007	Zone 01		1 23.00	23.00
312242008	Zone 01		1 23.00	23.00
312242009	Zone 01		1 23.00	23.00
312242010	Zone 01		1 23.00	23.00
312242011	Zone 01		1 23.00	23.00
312242012	Zone 01		1 23.00	23.00
312242012	Zone 01		1 23.00	23.00
312242014	Zone 01		1 23.00	23.00
312242015	Zone 01		1 23.00	23.00
312242016	Zone 01		1 23.00	23.00
312242017	Zone 01		1 23.00	23.00
312242017	Zone 01		1 23.00	23.00
312242019	Zone 01		1 23.00	23.00
312242019	Zone 01		1 23.00	23.00
312242021	Zone 01		1 23.00	23.00
312242022	Zone 01		1 23.00	23.00
312242023	Zone 01		1 23.00	23.00
312242024	Zone 01		1 23.00	23.00
312242025	Zone 01		1 23.00	23.00
312242026	Zone 01		1 23.00	23.00
312242027	Zone 01		1 23.00	23.00
312242027	Zone 01		1 23.00	23.00
312242020	Zone 01		1 23.00	23.00
312243001	Zone 01		1 23.00	23.00
312243002	Zone 01		1 23.00	23.00
312243003	Zone 01		1 23.00	23.00
312243004	Zone 01		1 23.00	23.00
312243005	Zone 01		1 23.00	23.00
312243007	Zone 01		1 23.00	23.00
312243007	Zone 01		1 23.00	23.00
312243009	Zone 01		1 23.00	23.00
312351032	Zone 01		1 23.00	23.00
316030003			1 23.00	23.00
316030003	Zone 01 Zone 01		1 23.00	23.00
316030004	Zone 01		1 23.00	23.00
316030006	Zone 01		1 23.00	23.00
316040001 316040002	Zone 01		1 23.00	23.00
	Zone 01		1 23.00	23.00
316040003	Zone 01		1 23.00	23.00
316040004	Zone 01		1 23.00	23.00
316040005	Zone 01		1 23.00	23.00
316040006	Zone 01		1 23.00	23.00
316040007	Zone 01		1 23.00	23.00
316040008	Zone 01		1 23.00	23.00
316040009	Zone 01		1 23.00	23.00
316040010	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMI	O Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
316040011	Zone 01		1 23.00	23.00
316040012	Zone 01		1 23.00	23.00
316040013	Zone 01		1 23.00	23.00
316040014	Zone 01		1 23.00	23.00
316040015	Zone 01		1 23.00	23.00
316040016	Zone 01		1 23.00	23.00
316040017	Zone 01		1 23.00	23.00
316040018	Zone 01		1 23.00	23.00
316051001	Zone 01		1 23.00	23.00
316051002	Zone 01		1 23.00	23.00
316051003	Zone 01		1 23.00	23.00
316051004	Zone 01		1 23.00	23.00
316051005	Zone 01		1 23.00	23.00
316051006	Zone 01		1 23.00	23.00
316051007	Zone 01		1 23.00	23.00
316051008	Zone 01		1 23.00	23.00
316051009	Zone 01		1 23.00	23.00
316051010	Zone 01		1 23.00	23.00
316051011	Zone 01		1 23.00	23.00
316051012	Zone 01		1 23.00	23.00
316051013	Zone 01		1 23.00	23.00
316051014	Zone 01		1 23.00	23.00
316052001	Zone 01		1 23.00	23.00
316052001	Zone 01		1 23.00	23.00
316052003	Zone 01		1 23.00	23.00
316052004	Zone 01		1 23.00	23.00
316052005	Zone 01		1 23.00	23.00
316052006	Zone 01		1 23.00	23.00
316052007	Zone 01		1 23.00	23.00
316052007	Zone 01		1 23.00	23.00
316052009	Zone 01		1 23.00	23.00
	Zone 01			
316052010			1 23.00	23.00
316052011	Zone 01		1 23.00	23.00 23.00
316052012	Zone 01		1 23.00	
316052013	Zone 01		1 23.00	23.00
316052014	Zone 01		1 23.00	23.00
316052015	Zone 01		1 23.00	23.00
316052016	Zone 01		1 23.00	23.00
316052017	Zone 01		1 23.00	23.00
316052018	Zone 01		1 23.00	23.00
316052019	Zone 01		1 23.00	23.00
316052020	Zone 01		1 23.00	23.00
316052021	Zone 01		1 23.00	23.00
316052022	Zone 01		1 23.00	23.00
316052023	Zone 01		1 23.00	23.00
316052024	Zone 01		1 23.00	23.00
316061001	Zone 01		1 23.00	23.00
316061002	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
316061003	Zone 01		1 23.00	23.00
316061004	Zone 01		1 23.00	23.00
316061005	Zone 01		1 23.00	23.00
316061006	Zone 01		1 23.00	23.00
316061007	Zone 01		1 23.00	23.00
316061008	Zone 01		1 23.00	23.00
316061009	Zone 01		1 23.00	23.00
316061010	Zone 01		1 23.00	23.00
316061011	Zone 01		1 23.00	23.00
316061012	Zone 01		1 23.00	23.00
316061013	Zone 01		1 23.00	23.00
316061014	Zone 01		1 23.00	23.00
316061015	Zone 01		1 23.00	23.00
316061016	Zone 01		1 23.00	23.00
316061017	Zone 01		1 23.00	23.00
316061018	Zone 01		1 23.00	23.00
316061019	Zone 01		1 23.00	23.00
316061020	Zone 01		1 23.00	23.00
316061021	Zone 01		1 23.00	23.00
316061022	Zone 01		1 23.00	23.00
316061023	Zone 01		1 23.00	23.00
316061024	Zone 01		1 23.00	23.00
316061025	Zone 01		1 23.00	23.00
316062001	Zone 01		1 23.00	23.00
316062002	Zone 01		1 23.00	23.00
316062003	Zone 01		1 23.00	23.00
316062004	Zone 01		1 23.00	23.00
316062005	Zone 01		1 23.00	23.00
316062006	Zone 01		1 23.00	23.00
316062007	Zone 01		1 23.00	23.00
316062008	Zone 01		1 23.00	23.00
316062009	Zone 01		1 23.00	23.00
316062010	Zone 01		1 23.00	23.00
316062011	Zone 01		1 23.00	23.00
316062012	Zone 01		1 23.00	23.00
316062013	Zone 01		1 23.00	23.00
316062014	Zone 01		1 23.00	23.00
316062015	Zone 01		1 23.00	23.00
316062016	Zone 01		1 23.00	23.00
316062017	Zone 01		1 23.00	23.00
316062018	Zone 01		1 23.00	23.00
316062019	Zone 01		1 23.00	23.00
316063001	Zone 01		1 23.00	23.00
316063001	Zone 01		1 23.00	23.00
316063002	Zone 01		1 23.00	23.00
316063004	Zone 01		1 23.00	23.00
316063005	Zone 01		1 23.00	23.00
316063006	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone I	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
316063007	Zone 01		1 23.00	23.00
316063008	Zone 01		1 23.00	23.00
316063009	Zone 01		1 23.00	23.00
316063010	Zone 01		1 23.00	23.00
316063011	Zone 01		1 23.00	23.00
316063012	Zone 01		1 23.00	23.00
316063013	Zone 01		1 23.00	23.00
316063014	Zone 01		1 23.00	23.00
316063015	Zone 01		1 23.00	23.00
316063016	Zone 01		1 23.00	23.00
316063017	Zone 01		1 23.00	23.00
316063018	Zone 01		1 23.00	23.00
316063019	Zone 01		1 23.00	23.00
316063020	Zone 01		1 23.00	23.00
316063021	Zone 01		1 23.00	23.00
316063022	Zone 01		1 23.00	23.00
316064001	Zone 01		1 23.00	23.00
316064002	Zone 01		1 23.00	23.00
316064003	Zone 01		1 23.00	23.00
316064004	Zone 01		1 23.00	23.00
316064005	Zone 01		1 23.00	23.00
316064006	Zone 01		1 23.00	23.00
316064007	Zone 01		1 23.00	23.00
316064008	Zone 01		1 23.00	23.00
316064009	Zone 01		1 23.00	23.00
316064010	Zone 01		1 23.00	23.00
316064011	Zone 01		1 23.00	23.00
316064012	Zone 01		1 23.00	23.00
316064013	Zone 01		1 23.00	23.00
316064014	Zone 01		1 23.00	23.00
316064015	Zone 01		1 23.00	23.00
316064016	Zone 01		1 23.00	23.00
316064017	Zone 01		1 23.00	23.00
316064018	Zone 01		1 23.00	23.00
316064019	Zone 01		1 23.00	23.00
316064020	Zone 01		1 23.00	23.00
316081001	Zone 01		1 23.00	23.00
316081002	Zone 01		1 23.00	23.00
316081003	Zone 01		1 23.00	23.00
316081004	Zone 01		1 23.00	23.00
316081005	Zone 01		1 23.00	23.00
316081006	Zone 01		1 23.00	23.00
316081007	Zone 01		1 23.00	23.00
316081007	Zone 01		1 23.00	23.00
316081008	Zone 01		1 23.00	23.00
316081009	Zone 01		1 23.00	23.00
316081010	Zone 01		1 23.00	23.00
316081012	Zone 01		1 23.00	23.00
310001012	20116 01		23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
316082001	Zone 01		1 23.00	23.00
316082002	Zone 01		1 23.00	23.00
316082003	Zone 01		1 23.00	23.00
316082004	Zone 01		1 23.00	23.00
316082005	Zone 01		1 23.00	23.00
316082006	Zone 01		1 23.00	23.00
316082007	Zone 01		1 23.00	23.00
316082008	Zone 01		1 23.00	23.00
316082009	Zone 01		1 23.00	23.00
316082010	Zone 01		1 23.00	23.00
316082011	Zone 01		1 23.00	23.00
316082012	Zone 01		1 23.00	23.00
316082013	Zone 01		1 23.00	23.00
316082014	Zone 01		1 23.00	23.00
316082015	Zone 01		1 23.00	23.00
316082016	Zone 01		1 23.00	23.00
316082017	Zone 01		1 23.00	23.00
316082018	Zone 01		1 23.00	23.00
316082019	Zone 01		1 23.00	23.00
316082020	Zone 01		1 23.00	23.00
316082021	Zone 01		1 23.00	23.00
316082022	Zone 01		1 23.00	23.00
316082023	Zone 01		1 23.00	23.00
316082024	Zone 01		1 23.00	23.00
316083001	Zone 01		1 23.00	23.00
316083002	Zone 01		1 23.00	23.00
316083003	Zone 01		1 23.00	23.00
316083004	Zone 01		1 23.00	23.00
316083005	Zone 01		1 23.00	23.00
316083006	Zone 01		1 23.00	23.00
316083007	Zone 01		1 23.00	23.00
316083008	Zone 01		1 23.00	23.00
316083009	Zone 01		1 23.00	23.00
316083010	Zone 01		1 23.00	23.00
316083011	Zone 01		1 23.00	23.00
316083012	Zone 01		1 23.00	23.00
316083013	Zone 01		1 23.00	23.00
316083014	Zone 01		1 23.00	23.00
316083015	Zone 01		1 23.00	23.00
316083016	Zone 01		1 23.00	23.00
316083017	Zone 01		1 23.00	23.00
316083018	Zone 01		1 23.00	23.00
316083019	Zone 01		1 23.00	23.00
316083020	Zone 01		1 23.00	23.00
316083020	Zone 01		1 23.00	23.00
316083021	Zone 01		1 23.00	23.00
316083023	Zone 01		1 23.00	23.00
316083024	Zone 01		1 23.00	23.00
310003024	20116 01		23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
316083025	Zone 01	LIND Assigned ED0 3	1 23.00	23.00
316083026	Zone 01		1 23.00	23.00
316083027	Zone 01		1 23.00	23.00
316083028	Zone 01		1 23.00	23.00
316083029	Zone 01		1 23.00	23.00
316083030	Zone 01		1 23.00	23.00
316083031	Zone 01		1 23.00	23.00
316083032	Zone 01		1 23.00	23.00
316083033	Zone 01		1 23.00	23.00
316083034	Zone 01		1 23.00	23.00
316083035	Zone 01		1 23.00	23.00
316083036	Zone 01		1 23.00	23.00
316083037	Zone 01		1 23.00	23.00
316083038	Zone 01		1 23.00	23.00
316084001	Zone 01		1 23.00	23.00
316084002	Zone 01		1 23.00	23.00
316084003	Zone 01		1 23.00	23.00
316084004	Zone 01		1 23.00	23.00
316084005	Zone 01		1 23.00	23.00
316084006	Zone 01		1 23.00	23.00
316084007	Zone 01		1 23.00	23.00
316084007	Zone 01		1 23.00	23.00
316084009	Zone 01		1 23.00	23.00
316084019	Zone 01		1 23.00	23.00
316085001	Zone 01		1 23.00	23.00
316085001	Zone 01		1 23.00	23.00
316085002	Zone 01		1 23.00	23.00
316091001	Zone 01		1 23.00	23.00
316091001	Zone 01		1 23.00	23.00
316091002	Zone 01		1 23.00	23.00
316091003	Zone 01		1 23.00	23.00
316091004	Zone 01		1 23.00	23.00
316091005	Zone 01		1 23.00	23.00
	Zone 01		1 23.00	23.00
316091007				23.00
316091008	Zone 01 Zone 01		1 23.00	
316091009			1 23.00	23.00
316091010	Zone 01		1 23.00	23.00
316091011	Zone 01		1 23.00	23.00
316091012	Zone 01		1 23.00	23.00
316091013	Zone 01		1 23.00	23.00
316091014	Zone 01		1 23.00	23.00
316091015	Zone 01		1 23.00	23.00
316091016	Zone 01		1 23.00	23.00
316091017	Zone 01		1 23.00	23.00
316091018	Zone 01		1 23.00	23.00
316091019	Zone 01		1 23.00	23.00
316091020	Zone 01		1 23.00	23.00
316091021	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
316092001	Zone 01		1 23.00	23.00
316092002	Zone 01		1 23.00	23.00
316092003	Zone 01		1 23.00	23.00
316092004	Zone 01		1 23.00	23.00
316092005	Zone 01		1 23.00	23.00
316092006	Zone 01		1 23.00	23.00
316092007	Zone 01		1 23.00	23.00
316092008	Zone 01		1 23.00	23.00
316092009	Zone 01		1 23.00	23.00
316092010	Zone 01		1 23.00	23.00
316092011	Zone 01		1 23.00	23.00
316092012	Zone 01		1 23.00	23.00
316093001	Zone 01		1 23.00	23.00
316093002	Zone 01		1 23.00	23.00
316093003	Zone 01		1 23.00	23.00
316093004	Zone 01		1 23.00	23.00
316093005	Zone 01		1 23.00	23.00
316093006	Zone 01		1 23.00	23.00
316093007	Zone 01		1 23.00	23.00
316093008	Zone 01		1 23.00	23.00
316093009	Zone 01		1 23.00	23.00
316093010	Zone 01		1 23.00	23.00
316093011	Zone 01		1 23.00	23.00
316093012	Zone 01		1 23.00	23.00
316093013	Zone 01		1 23.00	23.00
316093014	Zone 01		1 23.00	23.00
316093015	Zone 01		1 23.00	23.00
316093016	Zone 01		1 23.00	23.00
316093017	Zone 01		1 23.00	23.00
316093018	Zone 01		1 23.00	23.00
316093019	Zone 01		1 23.00	23.00
316093020	Zone 01		1 23.00	23.00
316093021	Zone 01		1 23.00	23.00
316093021	Zone 01		1 23.00	23.00
316093023	Zone 01		1 23.00	23.00
316093024	Zone 01		1 23.00	23.00
316093024	Zone 01		1 23.00	23.00
316094001	Zone 01		1 23.00	23.00
316094002	Zone 01		1 23.00	23.00
316094003	Zone 01		1 23.00	23.00
316094004	Zone 01		1 23.00	23.00
316094005 316094006	Zone 01 Zone 01		1 23.00 1 23.00	23.00 23.00
316094006	Zone 01 Zone 01		1 23.00	
316094007				23.00
	Zone 01		1 23.00	23.00
316094009	Zone 01		1 23.00	23.00
316094010	Zone 01		1 23.00	23.00
316094011	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
316094012	Zone 01		1 23.00	23.00
316095001	Zone 01		1 23.00	23.00
316095002	Zone 01		1 23.00	23.00
316095003	Zone 01		1 23.00	23.00
316121001	Zone 01		1 23.00	23.00
316121002	Zone 01		1 23.00	23.00
316121003	Zone 01		1 23.00	23.00
316121004	Zone 01		1 23.00	23.00
316121005	Zone 01		1 23.00	23.00
316121006	Zone 01		1 23.00	23.00
316121007	Zone 01		1 23.00	23.00
316121008	Zone 01		1 23.00	23.00
316121009	Zone 01		1 23.00	23.00
316121010	Zone 01		1 23.00	23.00
316121011	Zone 01		1 23.00	23.00
316121012	Zone 01		1 23.00	23.00
316121013	Zone 01		1 23.00	23.00
316121014	Zone 01		1 23.00	23.00
316121015	Zone 01		1 23.00	23.00
316121016	Zone 01		1 23.00	23.00
316121017	Zone 01		1 23.00	23.00
316121018	Zone 01		1 23.00	23.00
316121019	Zone 01		1 23.00	23.00
316121020	Zone 01		1 23.00	23.00
316121021	Zone 01		1 23.00	23.00
316121022	Zone 01		1 23.00	23.00
316121023	Zone 01		1 23.00	23.00
316121024	Zone 01		1 23.00	23.00
316121025	Zone 01		1 23.00	23.00
316121026	Zone 01		1 23.00	23.00
316121027	Zone 01		1 23.00	23.00
316121028	Zone 01		1 23.00	23.00
316121029	Zone 01		1 23.00	23.00
316121030	Zone 01		1 23.00	23.00
316121031	Zone 01		1 23.00	23.00
316121032	Zone 01		1 23.00	23.00
316121033	Zone 01		1 23.00	23.00
316121034	Zone 01		1 23.00	23.00
316121035	Zone 01		1 23.00	23.00
316121036	Zone 01		1 23.00	23.00
316121037	Zone 01		1 23.00	23.00
316121037	Zone 01		1 23.00	23.00
316121039	Zone 01		1 23.00	23.00
316121039	Zone 01		1 23.00	23.00
316121041	Zone 01		1 23.00	23.00
316122001	Zone 01		1 23.00	23.00
316122002	Zone 01		1 23.00	23.00
316122003	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-18	Max Assessment	FY 17-18 Assessment
316122004	Zone 01	1	23.00	23.00
316122005	Zone 01	1	23.00	23.00
316122006	Zone 01	1	23.00	23.00
316122007	Zone 01	1	23.00	23.00
316122008	Zone 01	1	23.00	23.00
316122009	Zone 01	1	23.00	23.00
316122010	Zone 01	1	23.00	23.00
316122011	Zone 01	1	23.00	23.00
316122012	Zone 01	1	23.00	23.00
316122013	Zone 01	1	23.00	23.00
316122014	Zone 01	1	23.00	23.00
316122015	Zone 01	1	23.00	23.00
316122016	Zone 01	1	23.00	23.00
316122017	Zone 01	1	23.00	23.00
316122018	Zone 01	1	23.00	23.00
316122019	Zone 01	1	23.00	23.00
316122020	Zone 01	1	23.00	23.00
316122021	Zone 01	1	23.00	23.00
316122022	Zone 01	1	23.00	23.00
316122023	Zone 01	1	23.00	23.00
316122024	Zone 01	1	23.00	23.00
316122025	Zone 01	1	23.00	23.00
316122026	Zone 01	1	23.00	23.00
316122027	Zone 01	1	23.00	23.00
316122028	Zone 01	1	23.00	23.00
316122029	Zone 01	1	23.00	23.00
316122030	Zone 01	1	23.00	23.00
316122031	Zone 01	1	23.00	23.00
316122032	Zone 01	1	23.00	23.00
316122033	Zone 01	1	23.00	23.00
316122034	Zone 01	1	23.00	23.00
316122035	Zone 01	1	23.00	23.00
316122036	Zone 01	1	23.00	23.00
316122037	Zone 01	1	23.00	23.00
316122038	Zone 01	1	23.00	23.00
316122039	Zone 01	1	23.00	23.00
316122040	Zone 01	1	23.00	23.00
316131001	Zone 01	1	23.00	23.00
316131002	Zone 01	1	23.00	23.00
316131003	Zone 01	1	23.00	23.00
316131004	Zone 01	1	23.00	23.00
316131005	Zone 01	1	23.00	23.00
316131006	Zone 01	1	23.00	23.00
316131007	Zone 01	1	23.00	23.00
316131008	Zone 01	1	23.00	23.00
316131009	Zone 01	1	23.00	23.00
316131010	Zone 01	1	23.00	23.00
316131011	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
316131012	Zone 01		1 23.00	23.00
316131013	Zone 01		1 23.00	23.00
316131014	Zone 01		1 23.00	23.00
316131015	Zone 01		1 23.00	23.00
316131016	Zone 01		1 23.00	23.00
316132001	Zone 01		1 23.00	23.00
316132002	Zone 01		1 23.00	23.00
316132003	Zone 01		1 23.00	23.00
316132004	Zone 01		1 23.00	23.00
316132005	Zone 01		1 23.00	23.00
316132006	Zone 01		1 23.00	23.00
316132007	Zone 01		1 23.00	23.00
316132008	Zone 01		1 23.00	23.00
316132009	Zone 01		1 23.00	23.00
316132010	Zone 01		1 23.00	23.00
316132011	Zone 01		1 23.00	23.00
316132012	Zone 01		1 23.00	23.00
316132013	Zone 01		1 23.00	23.00
316132014	Zone 01		1 23.00	23.00
316132015	Zone 01		1 23.00	23.00
316132016	Zone 01		1 23.00	23.00
316132017	Zone 01		1 23.00	23.00
316132018	Zone 01		1 23.00	23.00
316132019	Zone 01		1 23.00	23.00
316132020	Zone 01		1 23.00	23.00
316132021	Zone 01		1 23.00	23.00
316133001	Zone 01		1 23.00	23.00
316133002	Zone 01		1 23.00	23.00
316133003	Zone 01		1 23.00	23.00
316133004	Zone 01		1 23.00	23.00
316133005	Zone 01		1 23.00	23.00
316133006	Zone 01		1 23.00	23.00
316133007	Zone 01		1 23.00	23.00
316133008	Zone 01		1 23.00	23.00
316133009	Zone 01		1 23.00	23.00
316133010	Zone 01		1 23.00	23.00
316133011	Zone 01		1 23.00	23.00
316133012	Zone 01		1 23.00	23.00
316133013	Zone 01		1 23.00	23.00
316133014	Zone 01		1 23.00	23.00
316133015	Zone 01		1 23.00	23.00
316133016	Zone 01		1 23.00	23.00
316133017	Zone 01		1 23.00	23.00
316133018	Zone 01		1 23.00	23.00
316133019	Zone 01		1 23.00	23.00
316133020	Zone 01		1 23.00	23.00
316133021	Zone 01		1 23.00	23.00
316133022	Zone 01		1 23.00	23.00
J.O.OOOLL			20.00	20.00

APN	LMD 2014-01 Zone L	MD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
316133023	Zone 01		1 23.00	23.00
316133024	Zone 01		1 23.00	23.00
316133025	Zone 01		1 23.00	23.00
316133026	Zone 01		1 23.00	23.00
316133027	Zone 01		1 23.00	23.00
316133028	Zone 01		1 23.00	23.00
316133029	Zone 01		1 23.00	23.00
316133030	Zone 01		1 23.00	23.00
316133031	Zone 01		1 23.00	23.00
316141001	Zone 01		1 23.00	23.00
316141002	Zone 01		1 23.00	23.00
316141003	Zone 01		1 23.00	23.00
316141004	Zone 01		1 23.00	23.00
316141005	Zone 01		1 23.00	23.00
316141006	Zone 01		1 23.00	23.00
316141007	Zone 01		1 23.00	23.00
316141008	Zone 01		1 23.00	23.00
316141009	Zone 01		1 23.00	23.00
316141010	Zone 01		1 23.00	23.00
316141011	Zone 01		1 23.00	23.00
316141012	Zone 01		1 23.00	23.00
316141013	Zone 01		1 23.00	23.00
316141014	Zone 01		1 23.00	23.00
316141015	Zone 01		1 23.00	23.00
316141016	Zone 01		1 23.00	23.00
316141017	Zone 01		1 23.00	23.00
316141018	Zone 01		1 23.00	23.00
316141019	Zone 01		1 23.00	23.00
316141020	Zone 01		1 23.00	23.00
316141021	Zone 01		1 23.00	23.00
316141023	Zone 01		1 23.00	23.00
316141024	Zone 01		1 23.00	23.00
316141025	Zone 01		1 23.00	23.00
316141026	Zone 01		1 23.00	23.00
316141027	Zone 01		1 23.00	23.00
316141028	Zone 01		1 23.00	23.00
316141029	Zone 01		1 23.00	23.00
316141030	Zone 01		1 23.00	23.00
316141031	Zone 01		1 23.00	23.00
316141032	Zone 01		1 23.00	23.00
316141033	Zone 01		1 23.00	23.00
316141034	Zone 01		1 23.00	23.00
316141035	Zone 01		1 23.00	23.00
316141036	Zone 01		1 23.00	23.00
316141037	Zone 01		1 23.00	23.00
316141038	Zone 01		1 23.00	23.00
316141039	Zone 01		1 23.00	23.00
316141040				
310141040	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone L	MD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
316141041	Zone 01		1 23.00	23.00
316141042	Zone 01		1 23.00	23.00
316141043	Zone 01		1 23.00	23.00
316141044	Zone 01		1 23.00	23.00
316141045	Zone 01		1 23.00	23.00
316141046	Zone 01		1 23.00	23.00
316141047	Zone 01		1 23.00	23.00
316142001	Zone 01		1 23.00	23.00
316142002	Zone 01		1 23.00	23.00
316142003	Zone 01		1 23.00	23.00
316142004	Zone 01		1 23.00	23.00
316142005	Zone 01		1 23.00	23.00
316142006	Zone 01		1 23.00	23.00
316142007	Zone 01		1 23.00	23.00
316142008	Zone 01		1 23.00	23.00
316142009	Zone 01		1 23.00	23.00
316142010	Zone 01		1 23.00	23.00
316142011	Zone 01		1 23.00	23.00
316142012	Zone 01		1 23.00	23.00
316142013	Zone 01		1 23.00	23.00
316142014	Zone 01		1 23.00	23.00
316142015	Zone 01		1 23.00	23.00
316142016	Zone 01		1 23.00	23.00
316143001	Zone 01		1 23.00	23.00
316143002	Zone 01		1 23.00	23.00
316143003	Zone 01		1 23.00	23.00
316143004	Zone 01		1 23.00	23.00
316143005	Zone 01		1 23.00	23.00
316143006	Zone 01		1 23.00	23.00
316143007	Zone 01		1 23.00	23.00
316143008	Zone 01		1 23.00	23.00
316143009	Zone 01		1 23.00	23.00
316143010	Zone 01		1 23.00	23.00
316143011	Zone 01		1 23.00	23.00
316143012	Zone 01		1 23.00	23.00
316143013	Zone 01		1 23.00	23.00
316143014	Zone 01		1 23.00	23.00
316143015	Zone 01		1 23.00	23.00
316143016	Zone 01		1 23.00	23.00
316143017	Zone 01		1 23.00	23.00
316143018	Zone 01		1 23.00	23.00
316143019	Zone 01		1 23.00	23.00
316143020	Zone 01		1 23.00	23.00
316143021	Zone 01		1 23.00	23.00
316143023	Zone 01		1 23.00	23.00
316143024	Zone 01		1 23.00	23.00
316151001	Zone 01		1 23.00	23.00
316151001	Zone 01		1 23.00	23.00
310131002	Zurie u i		23.00	23.00

APN	LMD 2014-01 Zone LMD Assigne	ed EBU's FY 17-18 Ma	x Assessment	FY 17-18 Assessment
316151003	Zone 01	1	23.00	23.00
316151004	Zone 01	1	23.00	23.00
316151005	Zone 01	1	23.00	23.00
316151006	Zone 01	1	23.00	23.00
316151007	Zone 01	1	23.00	23.00
316151008	Zone 01	1	23.00	23.00
316151009	Zone 01	1	23.00	23.00
316151010	Zone 01	1	23.00	23.00
316151011	Zone 01	1	23.00	23.00
316151012	Zone 01	1	23.00	23.00
316152001	Zone 01	1	23.00	23.00
316152002	Zone 01	1	23.00	23.00
316152003	Zone 01	1	23.00	23.00
316152004	Zone 01	1	23.00	23.00
316152005	Zone 01	1	23.00	23.00
316152006	Zone 01	1	23.00	23.00
316152007	Zone 01	1	23.00	23.00
316152008	Zone 01	1	23.00	23.00
316152009	Zone 01	1	23.00	23.00
316152010	Zone 01	1	23.00	23.00
316152011	Zone 01	1	23.00	23.00
316152012	Zone 01	1	23.00	23.00
316153001	Zone 01	1	23.00	23.00
316153002	Zone 01	1	23.00	23.00
316153003	Zone 01	1	23.00	23.00
316153004	Zone 01	1	23.00	23.00
316153005	Zone 01	1	23.00	23.00
316153006	Zone 01	1	23.00	23.00
316153007	Zone 01	1	23.00	23.00
316153008	Zone 01	1	23.00	23.00
316153009	Zone 01	1	23.00	23.00
316153010	Zone 01	1	23.00	23.00
316153011	Zone 01	1	23.00	23.00
316153012	Zone 01	1	23.00	23.00
316153013	Zone 01	1	23.00	23.00
316153014	Zone 01	1	23.00	23.00
316153015	Zone 01	1	23.00	23.00
316153016	Zone 01	1	23.00	23.00
316153017	Zone 01	1	23.00	23.00
316153018	Zone 01	1	23.00	23.00
316153019	Zone 01	1	23.00	23.00
316153020	Zone 01	1	23.00	23.00
316153021	Zone 01	1	23.00	23.00
316153022	Zone 01	1	23.00	23.00
316153023	Zone 01	1	23.00	23.00
316153024	Zone 01	1	23.00	23.00
316153025	Zone 01	1	23.00	23.00
316153026	Zone 01	1	23.00	23.00
				25100

APN	LMD 2014-01 Zone L	MD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
316153027	Zone 01		1 23.00	23.00
316153028	Zone 01		1 23.00	23.00
316153029	Zone 01		1 23.00	23.00
316153030	Zone 01		1 23.00	23.00
316153031	Zone 01		1 23.00	23.00
316153032	Zone 01		1 23.00	23.00
316153033	Zone 01		1 23.00	23.00
316153034	Zone 01		1 23.00	23.00
316153035	Zone 01		1 23.00	23.00
316153036	Zone 01		1 23.00	23.00
316153037	Zone 01		1 23.00	23.00
316153038	Zone 01		1 23.00	23.00
316153039	Zone 01		1 23.00	23.00
316153040	Zone 01		1 23.00	23.00
316153041	Zone 01		1 23.00	23.00
316153042	Zone 01		1 23.00	23.00
316153043	Zone 01		1 23.00	23.00
316153044	Zone 01		1 23.00	23.00
316153045	Zone 01		1 23.00	23.00
316153046	Zone 01		1 23.00	23.00
316153047	Zone 01		1 23.00	23.00
316153048	Zone 01		1 23.00	23.00
316153049	Zone 01		1 23.00	23.00
316153050	Zone 01		1 23.00	23.00
316153051	Zone 01		1 23.00	23.00
316153052	Zone 01		1 23.00	23.00
316153053	Zone 01		1 23.00	23.00
316153054	Zone 01		1 23.00	23.00
316153055	Zone 01		1 23.00	23.00
316153056	Zone 01		1 23.00	23.00
316153057	Zone 01		1 23.00	23.00
487360015	Zone 01		1 23.00	23.00
487360019	Zone 01		1 23.00	23.00
474720005	Zone 01		1 23.00	23.00
474720006	Zone 01		1 23.00	23.00
474720007	Zone 01		1 23.00	23.00
474720008	Zone 01		1 23.00	23.00
473230001	Zone 01		1 23.00	23.00
473230002	Zone 01		1 23.00	23.00
473230003	Zone 01		1 23.00	23.00
473230003	Zone 01		1 23.00	23.00
473230004	Zone 01		1 23.00	23.00
473230005	Zone 01		1 23.00	23.00
473230007	Zone 01		1 23.00	23.00
473230007	Zone 01		1 23.00	23.00
474721006	Zone 01		1 23.00	23.00
474721000	Zone 01		1 23.00	23.00
474721007	Zone 01		1 23.00	
4/4/21000	ZUITE UT		23.00	23.00

APN	LMD 2014-01 Zone LMD Ass	igned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
474721009	Zone 01	1	23.00	23.00
474723003	Zone 01	1	23.00	23.00
474722008	Zone 01	1	23.00	23.00
473260001	Zone 01	1	23.00	23.00
473260002	Zone 01	1	23.00	23.00
473260003	Zone 01	1	23.00	23.00
473260004	Zone 01	1	23.00	23.00
473260005	Zone 01	1	23.00	23.00
473260006	Zone 01	1	23.00	23.00
473260007	Zone 01	1	23.00	23.00
473260008	Zone 01	1	23.00	23.00
473260009	Zone 01	1	23.00	23.00
473260010	Zone 01	1	23.00	23.00
473260011	Zone 01	1	23.00	23.00
473260012	Zone 01	1	23.00	23.00
473260013	Zone 01	1	23.00	23.00
473260014	Zone 01	1	23.00	23.00
473260015	Zone 01	1	23.00	23.00
473261001	Zone 01	1	23.00	23.00
473300002	Zone 01	0		0.00
473300009	Zone 01	0		0.00
473300015	Zone 01	0		0.00
473351001	Zone 01	1	23.00	23.00
473351002	Zone 01	1	23.00	23.00
473351003	Zone 01	1	23.00	23.00
473351005	Zone 01	1	23.00	23.00
473351008	Zone 01	1	23.00	23.00
473351010	Zone 01	1	23.00	23.00
473351011	Zone 01	1	23.00	23.00
473351012	Zone 01	1	23.00	23.00
473351013	Zone 01	1	23.00	23.00
473351014	Zone 01	1	23.00	23.00
473351015	Zone 01	1	23.00	23.00
473351016	Zone 01	1	23.00	23.00
473351017	Zone 01	1	23.00	23.00
473351018	Zone 01	1	23.00	23.00
473351019	Zone 01	1	23.00	23.00
473351020	Zone 01	1	23.00	23.00
473351021	Zone 01	1	23.00	23.00
473351022	Zone 01	1	23.00	23.00
473351033	Zone 01	1	23.00	23.00
473351034	Zone 01	1	23.00	23.00
473351035	Zone 01	1	23.00	23.00
473351036	Zone 01	1	23.00	23.00
473351037	Zone 01	1	23.00	23.00
473351038	Zone 01	1	23.00	23.00
473351039	Zone 01	1	23.00	23.00
473352001	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-1	8 Max Assessment	FY 17-18 Assessment
473352002	Zone 01	1	23.00	23.00
473352003	Zone 01	1	23.00	23.00
473352004	Zone 01	1	23.00	23.00
473352005	Zone 01	1	23.00	23.00
473361007	Zone 01	1	23.00	23.00
473361008	Zone 01	1	23.00	23.00
473361009	Zone 01	1	23.00	23.00
473361010	Zone 01	1	23.00	23.00
473361011	Zone 01	1	23.00	23.00
473361012	Zone 01	1	23.00	23.00
473362001	Zone 01	1	23.00	23.00
473362002	Zone 01	1	23.00	23.00
473362003	Zone 01	1	23.00	23.00
473362004	Zone 01	1	23.00	23.00
473362005	Zone 01	1	23.00	23.00
473362006	Zone 01	1	23.00	23.00
473363003	Zone 01	1	23.00	23.00
473363004	Zone 01	1	23.00	23.00
473363005	Zone 01	1	23.00	23.00
473363006	Zone 01	1	23.00	23.00
473363007	Zone 01	1	23.00	23.00
473364001	Zone 01	1	23.00	23.00
473364002	Zone 01	1	23.00	23.00
473364005	Zone 01	1	23.00	23.00
473364006	Zone 01	1	23.00	23.00
473364007	Zone 01	1	23.00	23.00
473364008	Zone 01	1	23.00	23.00
473364009	Zone 01	1	23.00	23.00
473365001	Zone 01	1	23.00	23.00
473365002	Zone 01	1	23.00	23.00
473365003	Zone 01	1	23.00	23.00
473371001	Zone 01	1	23.00	23.00
473371002	Zone 01	1	23.00	23.00
473371003	Zone 01	1	23.00	23.00
473371004	Zone 01	1	23.00	23.00
473371005	Zone 01	1	23.00	23.00
473371006	Zone 01	1	23.00	23.00
473371007	Zone 01	1	23.00	23.00
473371008	Zone 01	1	23.00	23.00
473371009	Zone 01	1	23.00	23.00
473371010	Zone 01	1	23.00	23.00
473371011	Zone 01	1	23.00	23.00
473371012	Zone 01	1	23.00	23.00
473372001	Zone 01	1	23.00	23.00
473372002	Zone 01	1	23.00	23.00
473372003	Zone 01	1	23.00	23.00
473372004	Zone 01	1	23.00	23.00
473372005	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned EB	U's FY 17-18 Max	Assessment	FY 17-18 Assessment
473372006	Zone 01	1	23.00	23.00
473372007	Zone 01	1	23.00	23.00
473372008	Zone 01	1	23.00	23.00
473373001	Zone 01	1	23.00	23.00
473373002	Zone 01	1	23.00	23.00
473373003	Zone 01	1	23.00	23.00
473373004	Zone 01	1	23.00	23.00
473373005	Zone 01	1	23.00	23.00
473373006	Zone 01	1	23.00	23.00
473373007	Zone 01	1	23.00	23.00
473373008	Zone 01	1	23.00	23.00
473373009	Zone 01	1	23.00	23.00
473373010	Zone 01	1	23.00	23.00
473373011	Zone 01	1	23.00	23.00
473373012	Zone 01	1	23.00	23.00
473373013	Zone 01	1	23.00	23.00
473373014	Zone 01	1	23.00	23.00
473373015	Zone 01	1	23.00	23.00
473373016	Zone 01	1	23.00	23.00
473381001	Zone 01	1	23.00	23.00
473381002	Zone 01	1	23.00	23.00
473381003	Zone 01	1	23.00	23.00
473381004	Zone 01	1	23.00	23.00
473381005	Zone 01	1	23.00	23.00
473382001	Zone 01	1	23.00	23.00
473382002	Zone 01	1	23.00	23.00
473382003	Zone 01	1	23.00	23.00
473382004	Zone 01	1	23.00	23.00
473382005	Zone 01	1	23.00	23.00
473382006	Zone 01	1	23.00	23.00
473382007	Zone 01	1	23.00	23.00
473382008	Zone 01	1	23.00	23.00
473383001	Zone 01	1	23.00	23.00
473383002	Zone 01	1	23.00	23.00
473383003	Zone 01	1	23.00	23.00
473383004	Zone 01	1	23.00	23.00
473383005	Zone 01	1	23.00	23.00
473383006	Zone 01	1	23.00	23.00
473383007	Zone 01	1	23.00	23.00
473384001	Zone 01	1	23.00	23.00
473384002	Zone 01	1	23.00	23.00
473384003	Zone 01	1	23.00	23.00
473384004	Zone 01	1	23.00	23.00
473384005	Zone 01	1	23.00	23.00
473384006	Zone 01	1	23.00	23.00
473384007	Zone 01	1	23.00	23.00
473384008	Zone 01	1	23.00	23.00
473384009	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
473384010	Zone 01		1 23.00	23.00
473391001	Zone 01		1 23.00	23.00
473391002	Zone 01		1 23.00	23.00
473391003	Zone 01		1 23.00	23.00
473391004	Zone 01		1 23.00	23.00
473391005	Zone 01		1 23.00	23.00
473391006	Zone 01		1 23.00	23.00
473391007	Zone 01		1 23.00	23.00
473391008	Zone 01		1 23.00	23.00
473391009	Zone 01		1 23.00	23.00
473391010	Zone 01		1 23.00	23.00
473391011	Zone 01		1 23.00	23.00
473391012	Zone 01		1 23.00	23.00
473391013	Zone 01		1 23.00	23.00
473391014	Zone 01		1 23.00	23.00
473391015	Zone 01		1 23.00	23.00
473391016	Zone 01		1 23.00	23.00
473391017	Zone 01		1 23.00	23.00
473391018	Zone 01		1 23.00	23.00
473391019	Zone 01		1 23.00	23.00
473391020	Zone 01		1 23.00	23.00
473391021	Zone 01		1 23.00	23.00
473392001	Zone 01		1 23.00	23.00
473392002	Zone 01		1 23.00	23.00
473392003	Zone 01		1 23.00	23.00
473392004	Zone 01		1 23.00	23.00
473392005	Zone 01		1 23.00	23.00
473392006	Zone 01		1 23.00	23.00
473392007	Zone 01		1 23.00	23.00
473401001	Zone 01		1 23.00	23.00
473401002	Zone 01		1 23.00	23.00
473401003	Zone 01		1 23.00	23.00
473401004	Zone 01		1 23.00	23.00
473401005	Zone 01		1 23.00	23.00
473401006	Zone 01		1 23.00	23.00
473401007	Zone 01		1 23.00	23.00
473401008	Zone 01		1 23.00	23.00
473401009	Zone 01		1 23.00	23.00
473401010	Zone 01		1 23.00	23.00
473402001	Zone 01		1 23.00	23.00
473402002	Zone 01		1 23.00	23.00
473402003	Zone 01		1 23.00	23.00
473402004	Zone 01		1 23.00	23.00
473402005	Zone 01		1 23.00	23.00
473402006	Zone 01		1 23.00	23.00
473402007	Zone 01		1 23.00	23.00
473411001	Zone 01		1 23.00	23.00
473411002	Zone 01		1 23.00	23.00
				20.30

APN	LMD 2014-01 Zone LMD Assigned EE	U's FY 17-18 I	Max Assessment	FY 17-18 Assessment
473411003	Zone 01	1	23.00	23.00
473411004	Zone 01	1	23.00	23.00
473411005	Zone 01	1	23.00	23.00
473411006	Zone 01	1	23.00	23.00
473411007	Zone 01	1	23.00	23.00
473411008	Zone 01	1	23.00	23.00
473411009	Zone 01	1	23.00	23.00
473412001	Zone 01	1	23.00	23.00
473412002	Zone 01	1	23.00	23.00
473412003	Zone 01	1	23.00	23.00
473412004	Zone 01	1	23.00	23.00
473412005	Zone 01	1	23.00	23.00
473412006	Zone 01	1	23.00	23.00
473412007	Zone 01	1	23.00	23.00
473412008	Zone 01	1	23.00	23.00
473412009	Zone 01	1	23.00	23.00
473412010	Zone 01	1	23.00	23.00
473412011	Zone 01	1	23.00	23.00
473412012	Zone 01	1	23.00	23.00
473412013	Zone 01	1	23.00	23.00
473412014	Zone 01	1	23.00	23.00
473412015	Zone 01	1	23.00	23.00
473412016	Zone 01	1	23.00	23.00
473412017	Zone 01	1	23.00	23.00
473412018	Zone 01	1	23.00	23.00
473412019	Zone 01	1	23.00	23.00
474073002	Zone 01	1	23.00	23.00
474073003	Zone 01	1	23.00	23.00
474073004	Zone 01	1	23.00	23.00
474074009	Zone 01	1	23.00	23.00
474074010	Zone 01	1	23.00	23.00
474074011	Zone 01	1	23.00	23.00
474074012	Zone 01	1	23.00	23.00
474074013	Zone 01	1	23.00	23.00
474074014	Zone 01	1	23.00	23.00
474074015	Zone 01	1	23.00	23.00
474074016	Zone 01	1	23.00	23.00
474074017	Zone 01	1	23.00	23.00
474075001	Zone 01	1	23.00	23.00
474075002	Zone 01	1	23.00	23.00
474075003	Zone 01	1	23.00	23.00
474075004	Zone 01	1	23.00	23.00
474075005	Zone 01	1	23.00	23.00
474075006	Zone 01	1	23.00	23.00
474075007	Zone 01	1	23.00	23.00
474075008	Zone 01	1	23.00	23.00
474075009	Zone 01	1	23.00	23.00
474081005	Zone 01	1	23.00	23.00
			25.00	

APN	LMD 2014-01 Zone LMD Assigne	d EBU's FY 17-18 M	ax Assessment	FY 17-18 Assessment
474081006	Zone 01	1	23.00	23.00
474081007	Zone 01	1	23.00	23.00
474081008	Zone 01	1	23.00	23.00
474081009	Zone 01	1	23.00	23.00
474081010	Zone 01	1	23.00	23.00
474081011	Zone 01	1	23.00	23.00
474081012	Zone 01	1	23.00	23.00
474082006	Zone 01	1	23.00	23.00
474082007	Zone 01	1	23.00	23.00
474082008	Zone 01	1	23.00	23.00
474082009	Zone 01	1	23.00	23.00
474083001	Zone 01	1	23.00	23.00
474083002	Zone 01	1	23.00	23.00
474083003	Zone 01	1	23.00	23.00
474084001	Zone 01	1	23.00	23.00
474084002	Zone 01	1	23.00	23.00
474084003	Zone 01	1	23.00	23.00
474084004	Zone 01	1	23.00	23.00
474084005	Zone 01	1	23.00	23.00
474084006	Zone 01	1	23.00	23.00
474084007	Zone 01	1	23.00	23.00
474084008	Zone 01	1	23.00	23.00
474084009	Zone 01	1	23.00	23.00
474084010	Zone 01	1	23.00	23.00
474084011	Zone 01	1	23.00	23.00
474084012	Zone 01	1	23.00	23.00
474084013	Zone 01	1	23.00	23.00
474084014	Zone 01	1	23.00	23.00
474084015	Zone 01	1	23.00	23.00
474084016	Zone 01	1	23.00	23.00
474084017	Zone 01	1	23.00	23.00
474084018	Zone 01	1	23.00	23.00
474084019	Zone 01	1	23.00	23.00
474084020	Zone 01	1	23.00	23.00
474084021	Zone 01	1	23.00	23.00
474084022	Zone 01	1	23.00	23.00
474084023	Zone 01	1	23.00	23.00
474084024	Zone 01	1	23.00	23.00
474084025	Zone 01	1	23.00	23.00
474084026	Zone 01	1	23.00	23.00
474084027	Zone 01	1	23.00	23.00
474084028	Zone 01	1	23.00	23.00
474084029	Zone 01	1	23.00	23.00
474084030	Zone 01	1	23.00	23.00
474084031	Zone 01	1	23.00	23.00
474084032	Zone 01	1	23.00	23.00
474084033	Zone 01	1	23.00	23.00
474170016	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
474170017	Zone 01		1 23.00	23.00
474170018	Zone 01		1 23.00	23.00
474170019	Zone 01		1 23.00	23.00
474170021	Zone 01		1 23.00	23.00
474171001	Zone 01		1 23.00	23.00
474171002	Zone 01		1 23.00	23.00
474171003	Zone 01		1 23.00	23.00
474171004	Zone 01		1 23.00	23.00
474171005	Zone 01		1 23.00	23.00
474171006	Zone 01		1 23.00	23.00
474171007	Zone 01		1 23.00	23.00
474171008	Zone 01		1 23.00	23.00
474171009	Zone 01		1 23.00	23.00
474171010	Zone 01		1 23.00	23.00
474171011	Zone 01		1 23.00	23.00
474171012	Zone 01		1 23.00	23.00
474171013	Zone 01		1 23.00	23.00
474171014	Zone 01		1 23.00	23.00
474171015	Zone 01		1 23.00	23.00
474171016	Zone 01		1 23.00	23.00
474180019	Zone 01		1 23.00	23.00
474180020	Zone 01		1 23.00	23.00
474180020	Zone 01		1 23.00	23.00
474180021	Zone 01		1 23.00	23.00
474180022	Zone 01		1 23.00	23.00
474180023	Zone 01		1 23.00	23.00
474180024	Zone 01		1 23.00	23.00
474180025	Zone 01		1 23.00	23.00
474180027	Zone 01		1 23.00	23.00
474181001	Zone 01		1 23.00	23.00
474181002	Zone 01		1 23.00	23.00
474181003	Zone 01		1 23.00	23.00
474181004	Zone 01		1 23.00	23.00
474181005	Zone 01		1 23.00	23.00
474181006	Zone 01		1 23.00	23.00
474181007	Zone 01		1 23.00	23.00
474181008	Zone 01		1 23.00	23.00
474181009	Zone 01		1 23.00	23.00
474181010	Zone 01		1 23.00	23.00
474181011	Zone 01		1 23.00	23.00
474181011	Zone 01		1 23.00	23.00
474181012	Zone 01		1 23.00	23.00
474181014 474181015	Zone 01		1 23.00	23.00
	Zone 01		1 23.00	23.00
474181016	Zone 01		1 23.00	23.00
474181017	Zone 01		1 23.00	23.00
474181018	Zone 01		1 23.00	23.00
474181019	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
474181020	Zone 01		1 23.00	23.00
474181021	Zone 01		1 23.00	23.00
474181022	Zone 01		1 23.00	23.00
474181023	Zone 01		1 23.00	23.00
474181024	Zone 01		1 23.00	23.00
474181025	Zone 01		1 23.00	23.00
474181026	Zone 01		1 23.00	23.00
474200014	Zone 01		0	0.00
474200025	Zone 01		0	0.00
474220006	Zone 01		1 23.00	23.00
474220011	Zone 01		1 23.00	23.00
474220012	Zone 01		1 23.00	23.00
474220013	Zone 01		1 23.00	23.00
474220014	Zone 01		1 23.00	23.00
474220015	Zone 01		1 23.00	23.00
474220016	Zone 01		1 23.00	23.00
474220017	Zone 01		1 23.00	23.00
474220018	Zone 01		1 23.00	23.00
474220019	Zone 01		1 23.00	23.00
474220020	Zone 01		1 23.00	23.00
474220021	Zone 01		1 23.00	23.00
474220025	Zone 01		1 23.00	23.00
474220026	Zone 01		1 23.00	23.00
474220027	Zone 01		1 23.00	23.00
474220030	Zone 01		1 23.00	23.00
474220031	Zone 01		1 23.00	23.00
474220032	Zone 01		1 23.00	23.00
474220040	Zone 01		1 23.00	23.00
474220045	Zone 01		1 23.00	23.00
474220071	Zone 01		1 23.00	23.00
474220048	Zone 01		1 23.00	23.00
474220049	Zone 01	•	1 23.00	23.00
474220051	Zone 01	•	1 23.00	23.00
474220069	Zone 01	•	1 23.00	23.00
474281001	Zone 01	•	1 23.00	23.00
474281002	Zone 01	•	1 23.00	23.00
474282001	Zone 01	•	1 23.00	23.00
474282002	Zone 01	•	1 23.00	23.00
474282003	Zone 01	•	1 23.00	23.00
474283001	Zone 01	•	1 23.00	23.00
474283002	Zone 01		1 23.00	23.00
474283003	Zone 01		1 23.00	23.00
474283004	Zone 01		1 23.00	23.00
474283005	Zone 01		1 23.00	23.00
474283006	Zone 01		1 23.00	23.00
474284001	Zone 01		1 23.00	23.00
474284002	Zone 01		1 23.00	23.00
474284003	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-18	Max Assessment	FY 17-18 Assessment
474284004	Zone 01	1	23.00	23.00
474284005	Zone 01	1	23.00	23.00
474284006	Zone 01	1	23.00	23.00
474291001	Zone 01	1	23.00	23.00
474291002	Zone 01	1	23.00	23.00
474291003	Zone 01	1	23.00	23.00
474291004	Zone 01	1	23.00	23.00
474291005	Zone 01	1	23.00	23.00
474291006	Zone 01	1	23.00	23.00
474291007	Zone 01	1	23.00	23.00
474291013	Zone 01	1	23.00	23.00
474291014	Zone 01	1	23.00	23.00
474291015	Zone 01	1	23.00	23.00
474291017	Zone 01	1	23.00	23.00
474291020	Zone 01	1	23.00	23.00
474291021	Zone 01	1	23.00	23.00
474291022	Zone 01	1	23.00	23.00
474291023	Zone 01	1	23.00	23.00
474291024	Zone 01	1	23.00	23.00
474291025	Zone 01	1	23.00	23.00
474291026	Zone 01	1	23.00	23.00
474291027	Zone 01	1	23.00	23.00
474291028	Zone 01	1	23.00	23.00
474291029	Zone 01	1	23.00	23.00
474291030	Zone 01	1	23.00	23.00
474291031	Zone 01	1	23.00	23.00
474291033	Zone 01	1	23.00	23.00
474291034	Zone 01	1	23.00	23.00
474291035	Zone 01	1	23.00	23.00
474291036	Zone 01	1	23.00	23.00
474292001	Zone 01	1	23.00	23.00
474292002	Zone 01	1	23.00	23.00
474292003	Zone 01	1	23.00	23.00
474292004	Zone 01	1	23.00	23.00
474292007	Zone 01	1	23.00	23.00
474292008	Zone 01	1	23.00	23.00
474292009	Zone 01	1	23.00	23.00
474292010	Zone 01	1	23.00	23.00
474292011	Zone 01	1	23.00	23.00
474292012	Zone 01	1	23.00	23.00
474292013	Zone 01	1	23.00	23.00
474292014	Zone 01	1	23.00	23.00
474292015	Zone 01	1	23.00	23.00
474292016	Zone 01	1	23.00	23.00
474292017	Zone 01	1	23.00	23.00
474292018	Zone 01	1	23.00	23.00
474292019	Zone 01	1	23.00	23.00
474292020	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
474292021	Zone 01		1 23.00	23.00
474292022	Zone 01		1 23.00	23.00
474292023	Zone 01		1 23.00	23.00
474292024	Zone 01		1 23.00	23.00
474292025	Zone 01		1 23.00	23.00
474292026	Zone 01		1 23.00	23.00
474293001	Zone 01		1 23.00	23.00
474293002	Zone 01		1 23.00	23.00
474293003	Zone 01		1 23.00	23.00
474293004	Zone 01		1 23.00	23.00
474293005	Zone 01		1 23.00	23.00
474331001	Zone 01		1 23.00	23.00
474331002	Zone 01		1 23.00	23.00
474331003	Zone 01		1 23.00	23.00
474331004	Zone 01		1 23.00	23.00
474331005	Zone 01		1 23.00	23.00
474331006	Zone 01		1 23.00	23.00
474331007	Zone 01		1 23.00	23.00
474332001	Zone 01		1 23.00	23.00
474332002	Zone 01		1 23.00	23.00
474332003	Zone 01		1 23.00	23.00
474332004	Zone 01		1 23.00	23.00
474332005	Zone 01		1 23.00	23.00
474333006	Zone 01		1 23.00	23.00
474333007	Zone 01		1 23.00	23.00
474333008	Zone 01		1 23.00	23.00
474333009	Zone 01		1 23.00	23.00
474333010	Zone 01		1 23.00	23.00
474333011	Zone 01		1 23.00	23.00
474333012	Zone 01		1 23.00	23.00
474333013	Zone 01		1 23.00	23.00
474333014	Zone 01		1 23.00	23.00
474333015	Zone 01		1 23.00	23.00
474333016	Zone 01		1 23.00	23.00
474333017	Zone 01		1 23.00	23.00
474333018	Zone 01		1 23.00	23.00
474333019	Zone 01		1 23.00	23.00
474333020	Zone 01		1 23.00	23.00
474333021	Zone 01		1 23.00	23.00
474333021	Zone 01		1 23.00	23.00
474333022	Zone 01		1 23.00	23.00
	Zone 01			
474333024 474341005	Zone 01 Zone 01		1 23.00	23.00 23.00
			1 23.00	
474341006	Zone 01		1 23.00	23.00
474341007	Zone 01		1 23.00	23.00
474341008	Zone 01		1 23.00	23.00
474342001	Zone 01		1 23.00	23.00
474342002	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
474342003	Zone 01		1 23.00	23.00
474342004	Zone 01		1 23.00	23.00
474343001	Zone 01		1 23.00	23.00
474343002	Zone 01		1 23.00	23.00
474343003	Zone 01		1 23.00	23.00
474343004	Zone 01		1 23.00	23.00
474343005	Zone 01		1 23.00	23.00
474343006	Zone 01		1 23.00	23.00
474343007	Zone 01		1 23.00	23.00
474343008	Zone 01		1 23.00	23.00
474351006	Zone 01		1 23.00	23.00
474351007	Zone 01		1 23.00	23.00
474351015	Zone 01		1 23.00	23.00
474351016	Zone 01		1 23.00	23.00
474351017	Zone 01		1 23.00	23.00
474351018	Zone 01		1 23.00	23.00
474352001	Zone 01		1 23.00	23.00
474352002	Zone 01		1 23.00	23.00
474352003	Zone 01		1 23.00	23.00
474352004	Zone 01		1 23.00	23.00
474352005	Zone 01		1 23.00	23.00
474352009	Zone 01		1 23.00	23.00
474352010	Zone 01		1 23.00	23.00
474352011	Zone 01		1 23.00	23.00
474352012	Zone 01		1 23.00	23.00
474352013	Zone 01		1 23.00	23.00
474352014	Zone 01		1 23.00	23.00
474352015	Zone 01		1 23.00	23.00
474352016	Zone 01		1 23.00	23.00
474353001	Zone 01		1 23.00	23.00
474353002	Zone 01		1 23.00	23.00
474353003	Zone 01		1 23.00	23.00
474353004	Zone 01		1 23.00	23.00
474353005	Zone 01		1 23.00	23.00
474361003	Zone 01		1 23.00	23.00
474361004	Zone 01		1 23.00	23.00
474361005	Zone 01		1 23.00	23.00
474361006	Zone 01		1 23.00	23.00
474361019	Zone 01		1 23.00	23.00
474361020	Zone 01		1 23.00	23.00
474361021	Zone 01		1 23.00	23.00
474361021	Zone 01		1 23.00	23.00
474361023	Zone 01		1 23.00	23.00
474361023	Zone 01		1 23.00	23.00
474361024	Zone 01		1 23.00	23.00
474361026	Zone 01		1 23.00	23.00
474361027	Zone 01		1 23.00	23.00
474361027	Zone 01		1 23.00	23.00
7/4301020	2016 01		23.00	23.00

APN	LMD 2014-01 Zone LMD Assign	ed EBU's FY 17-18 Ma	x Assessment	FY 17-18 Assessment
474361029	Zone 01	1	23.00	23.00
474361030	Zone 01	1	23.00	23.00
474362001	Zone 01	1	23.00	23.00
474362002	Zone 01	1	23.00	23.00
474362003	Zone 01	1	23.00	23.00
474362004	Zone 01	1	23.00	23.00
474362005	Zone 01	1	23.00	23.00
474362007	Zone 01	1	23.00	23.00
474362008	Zone 01	1	23.00	23.00
474362009	Zone 01	1	23.00	23.00
474362010	Zone 01	1	23.00	23.00
474362011	Zone 01	1	23.00	23.00
474363001	Zone 01	1	23.00	23.00
474363002	Zone 01	1	23.00	23.00
474363003	Zone 01	1	23.00	23.00
474363004	Zone 01	1	23.00	23.00
474363005	Zone 01	1	23.00	23.00
474363006	Zone 01	1	23.00	23.00
474371005	Zone 01	1	23.00	23.00
474371007	Zone 01	1	23.00	23.00
474371009	Zone 01	1	23.00	23.00
474371016	Zone 01	1	23.00	23.00
474371018	Zone 01	1	23.00	23.00
474371019	Zone 01	1	23.00	23.00
474372001	Zone 01	1	23.00	23.00
474372002	Zone 01	1	23.00	23.00
474372003	Zone 01	1	23.00	23.00
474372004	Zone 01	1	23.00	23.00
474372005	Zone 01	1	23.00	23.00
474372006	Zone 01	1	23.00	23.00
474372008	Zone 01	1	23.00	23.00
474372009	Zone 01	1	23.00	23.00
474372010	Zone 01	1	23.00	23.00
474372011	Zone 01	1	23.00	23.00
474372012	Zone 01	1	23.00	23.00
474373001	Zone 01	1	23.00	23.00
474373002	Zone 01	1	23.00	23.00
474373003	Zone 01	1	23.00	23.00
474373004	Zone 01	1	23.00	23.00
474373005	Zone 01	1	23.00	23.00
474373006	Zone 01	1	23.00	23.00
474381025	Zone 01	1	23.00	23.00
474381026	Zone 01	1	23.00	23.00
474381027	Zone 01	1	23.00	23.00
474382001	Zone 01	1	23.00	23.00
474382002	Zone 01	1	23.00	23.00
474382003	Zone 01	1	23.00	23.00
474382005	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigne	d EBU's FY 17-18 N	Max Assessment	FY 17-18 Assessment
474384001	Zone 01	1	23.00	23.00
474384002	Zone 01	1	23.00	23.00
474384003	Zone 01	1	23.00	23.00
474391001	Zone 01	1	23.00	23.00
474391002	Zone 01	1	23.00	23.00
474391003	Zone 01	1	23.00	23.00
474391004	Zone 01	1	23.00	23.00
474391005	Zone 01	1	23.00	23.00
474391006	Zone 01	1	23.00	23.00
474391007	Zone 01	1	23.00	23.00
474391008	Zone 01	1	23.00	23.00
474391009	Zone 01	1	23.00	23.00
474391010	Zone 01	1	23.00	23.00
474391011	Zone 01	1	23.00	23.00
474391012	Zone 01	1	23.00	23.00
474391013	Zone 01	1	23.00	23.00
474391014	Zone 01	1	23.00	23.00
474391015	Zone 01	1	23.00	23.00
474391016	Zone 01	1	23.00	23.00
474391017	Zone 01	1	23.00	23.00
474391018	Zone 01	1	23.00	23.00
474391019	Zone 01	1	23.00	23.00
474391020	Zone 01	1	23.00	23.00
474391021	Zone 01	1	23.00	23.00
474391022	Zone 01	1	23.00	23.00
474391023	Zone 01	1	23.00	23.00
474391024	Zone 01	1	23.00	23.00
474391025	Zone 01	1	23.00	23.00
474392001	Zone 01	1	23.00	23.00
474392002	Zone 01	1	23.00	23.00
474392003	Zone 01	1	23.00	23.00
474392004	Zone 01	1	23.00	23.00
474392005	Zone 01	1	23.00	23.00
474392006	Zone 01	1	23.00	23.00
474392007	Zone 01	1	23.00	23.00
474392008	Zone 01	1	23.00	23.00
474392009	Zone 01	1	23.00	23.00
474392010	Zone 01	1	23.00	23.00
474392011	Zone 01	1	23.00	23.00
474392012	Zone 01	1	23.00	23.00
474393001	Zone 01	1	23.00	23.00
474393002	Zone 01	1	23.00	23.00
474393003	Zone 01	1	23.00	23.00
474393004	Zone 01	1	23.00	23.00
474393005	Zone 01	1	23.00	23.00
474393006	Zone 01	1	23.00	23.00
474393007	Zone 01	1	23.00	23.00
474393008	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
474393009	Zone 01		1 23.00	23.00
474393010	Zone 01		1 23.00	23.00
474394001	Zone 01		1 23.00	23.00
474394002	Zone 01		1 23.00	23.00
474394003	Zone 01		1 23.00	23.00
474394004	Zone 01		1 23.00	23.00
474394005	Zone 01		1 23.00	23.00
474394006	Zone 01		1 23.00	23.00
474394007	Zone 01		1 23.00	23.00
474394008	Zone 01		1 23.00	23.00
474394009	Zone 01		1 23.00	23.00
474394010	Zone 01		1 23.00	23.00
474394011	Zone 01		1 23.00	23.00
474394012	Zone 01		1 23.00	23.00
474401001	Zone 01		1 23.00	23.00
474401002	Zone 01		1 23.00	23.00
474401003	Zone 01		1 23.00	23.00
474401004	Zone 01		1 23.00	23.00
474401005	Zone 01		1 23.00	23.00
474402001	Zone 01		1 23.00	23.00
474402002	Zone 01		1 23.00	23.00
474402003	Zone 01		1 23.00	23.00
474402004	Zone 01		1 23.00	23.00
474402005	Zone 01		1 23.00	23.00
474402006	Zone 01		1 23.00	23.00
474402007	Zone 01		1 23.00	23.00
474402008	Zone 01		1 23.00	23.00
474402009	Zone 01		1 23.00	23.00
474402010	Zone 01		1 23.00	23.00
474402011	Zone 01		1 23.00	23.00
474402012	Zone 01		1 23.00	23.00
474402012	Zone 01		1 23.00	23.00
474402014	Zone 01		1 23.00	23.00
474402015	Zone 01		1 23.00	23.00
474402016	Zone 01		1 23.00	23.00
474402017	Zone 01		1 23.00	23.00
474402018	Zone 01		1 23.00	23.00
474402019	Zone 01		1 23.00	23.00
474402020	Zone 01		1 23.00	23.00
474402020	Zone 01		1 23.00	23.00
474402021	Zone 01		1 23.00	23.00
474403001	Zone 01		1 23.00	23.00
474403001	Zone 01		1 23.00	23.00
474403002	Zone 01		1 23.00	23.00
474403003	Zone 01		1 23.00	23.00
474403004	Zone 01		1 23.00	23.00
474403005	Zone 01			
			1 23.00	23.00
474403007	Zone 01		1 23.00	23.00

474403008 Zone 01 1 23.00 23.00 474404002 Zone 01 1 23.00 23.00 474404002 Zone 01 1 23.00 23.00 474404004 Zone 01 1 23.00 23.00 474404006 Zone 01 1 23.00 23.00 474404007 Zone 01 1 23.00 23.00 474404008 Zone 01 1 23.00 23.00 474404009 Zone 01 1 23.00 23.00 474410001 Zone 01 1 23.00 23.00 474410002 Zone 01 1 23.00 23.00 474410003 Zone 01 1 23.00 23.00 474410004 Zone 01 1 23.00 23.00 474410005 Zone 01 1 23.00 23.00 474410007 Zone 01 1 23.00 23.00 474410006 Zone 01 1 23.00 23.00	APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
474404002 Zone 01 1 23.00 23.00 474404003 Zone 01 1 23.00 23.00 474404005 Zone 01 1 23.00 23.00 474404006 Zone 01 1 23.00 23.00 474404007 Zone 01 1 23.00 23.00 474404008 Zone 01 1 23.00 23.00 474404009 Zone 01 1 23.00 23.00 474410001 Zone 01 1 23.00 23.00 474410002 Zone 01 1 23.00 23.00 474410003 Zone 01 1 23.00 23.00 474410004 Zone 01 1 23.00 23.00 474410005 Zone 01 1 23.00 23.00 474410006 Zone 01 1 23.00 23.00 47441007 Zone 01 1 23.00 23.00 47441007 Zone 01 1 23.00 23.00 <t< td=""><td>474403008</td><td>Zone 01</td><td></td><td>1 23.00</td><td>23.00</td></t<>	474403008	Zone 01		1 23.00	23.00
474404003 Zone 01 1 23.00 23.00 474404004 Zone 01 1 23.00 23.00 474404005 Zone 01 1 23.00 23.00 474404007 Zone 01 1 23.00 23.00 474404008 Zone 01 1 23.00 23.00 474404009 Zone 01 1 23.00 23.00 474410001 Zone 01 1 23.00 23.00 474410002 Zone 01 1 23.00 23.00 47441003 Zone 01 1 23.00 23.00 47441004 Zone 01 1 23.00 23.00 47441005 Zone 01 1 23.00 23.00 47441006 Zone 01 1 23.00 23.00 47441007 Zone 01 1 23.00 23.00 47441007 Zone 01 1 23.00 23.00 47441007 Zone 01 1 23.00 23.00	474404001	Zone 01		1 23.00	23.00
474404004 Zone 01 1 23.00 23.00 474404005 Zone 01 1 23.00 23.00 474404007 Zone 01 1 23.00 23.00 474404008 Zone 01 1 23.00 23.00 474404009 Zone 01 1 23.00 23.00 474410001 Zone 01 1 23.00 23.00 474410002 Zone 01 1 23.00 23.00 474410003 Zone 01 1 23.00 23.00 474410004 Zone 01 1 23.00 23.00 47441005 Zone 01 1 23.00 23.00 47441006 Zone 01 1 23.00 23.00 47441007 Zone 01 1 23.00 23.00 47441007 Zone 01 1 23.00 23.00 47441007 Zone 01 1 23.00 23.00 474410007 Zone 01 1 23.00 23.00	474404002	Zone 01		1 23.00	23.00
474404005 Zone 01 1 23.00 23.00 474404006 Zone 01 1 23.00 23.00 474404008 Zone 01 1 23.00 23.00 474404009 Zone 01 1 23.00 23.00 474410001 Zone 01 1 23.00 23.00 474410002 Zone 01 1 23.00 23.00 474410003 Zone 01 1 23.00 23.00 474410004 Zone 01 1 23.00 23.00 474410005 Zone 01 1 23.00 23.00 474410006 Zone 01 1 23.00 23.00 474410007 Zone 01 1 23.00 23.00 474410008 Zone 01 1 23.00 23.00 474410100 Zone 01 1 23.00 23.00 47441001 Zone 01 1 23.00 23.00 47442002 Zone 01 1 23.00 23.00 <t< td=""><td>474404003</td><td>Zone 01</td><td></td><td>1 23.00</td><td>23.00</td></t<>	474404003	Zone 01		1 23.00	23.00
474404005 Zone 01 1 23.00 23.00 474404006 Zone 01 1 23.00 23.00 474404007 Zone 01 1 23.00 23.00 474404008 Zone 01 1 23.00 23.00 47441001 Zone 01 1 23.00 23.00 47441002 Zone 01 1 23.00 23.00 47441003 Zone 01 1 23.00 23.00 47441004 Zone 01 1 23.00 23.00 47441005 Zone 01 1 23.00 23.00 47441006 Zone 01 1 23.00 23.00 47441007 Zone 01 1 23.00 23.00 47441008 Zone 01 1 23.00 23.00 47441009 Zone 01 1 23.00 23.00 47441001 Zone 01 1 23.00 23.00 47441001 Zone 01 1 23.00 23.00	474404004	Zone 01		1 23.00	23.00
474404066 Zone 01 1 23.00 23.00 474404007 Zone 01 1 23.00 23.00 474404008 Zone 01 1 23.00 23.00 47441001 Zone 01 1 23.00 23.00 47441002 Zone 01 1 23.00 23.00 47441003 Zone 01 1 23.00 23.00 47441004 Zone 01 1 23.00 23.00 47441005 Zone 01 1 23.00 23.00 47441006 Zone 01 1 23.00 23.00 47441007 Zone 01 1 23.00 23.00 47441007 Zone 01 1 23.00 23.00 474410008 Zone 01 1 23.00 23.00 474410010 Zone 01 1 23.00 23.00 474410101 Zone 01 1 23.00 23.00 47442002 Zone 01 1 23.00 23.00					
474404007 Zone 01 1 23.00 23.00 474404008 Zone 01 1 23.00 23.00 47440009 Zone 01 1 23.00 23.00 474410001 Zone 01 1 23.00 23.00 474410003 Zone 01 1 23.00 23.00 474410004 Zone 01 1 23.00 23.00 474410005 Zone 01 1 23.00 23.00 474410007 Zone 01 1 23.00 23.00 474410008 Zone 01 1 23.00 23.00 474410009 Zone 01 1 23.00 23.00 474410001 Zone 01 1 23.00 23.00 474410010 Zone 01 1 23.00 23.00 474410011 Zone 01 1 23.00 23.00 47442002 Zone 01 1 23.00 23.00 47442003 Zone 01 1 23.00 23.00 <tr< td=""><td></td><td></td><td></td><td></td><td></td></tr<>					
474404008 Zone 01 1 23.00 23.00 474404009 Zone 01 1 23.00 23.00 474410001 Zone 01 1 23.00 23.00 474410003 Zone 01 1 23.00 23.00 474410004 Zone 01 1 23.00 23.00 47441006 Zone 01 1 23.00 23.00 47441007 Zone 01 1 23.00 23.00 47441008 Zone 01 1 23.00 23.00 47441009 Zone 01 1 23.00 23.00 474410010 Zone 01 1 23.00 23.00 47442001 Zone 01 1 23.00 23.00 474420002 Zone 01 1 23.00 23.00	474404007				
47444009 Zone 01 1 23.00 23.00 474410001 Zone 01 1 23.00 23.00 474410002 Zone 01 1 23.00 23.00 474410004 Zone 01 1 23.00 23.00 47441005 Zone 01 1 23.00 23.00 47441006 Zone 01 1 23.00 23.00 47441007 Zone 01 1 23.00 23.00 47441008 Zone 01 1 23.00 23.00 47441009 Zone 01 1 23.00 23.00 47441001 Zone 01 1 23.00 23.00 47441001 Zone 01 1 23.00 23.00 47442001 Zone 01 1 23.00 23.00 47442002 Zone 01 1 23.00 23.00 47442003 Zone 01 1 23.00 23.00 47442004 Zone 01 1 23.00 23.00					
474410001 Zone 01 1 23.00 23.00 474410002 Zone 01 1 23.00 23.00 474410004 Zone 01 1 23.00 23.00 474410005 Zone 01 1 23.00 23.00 474410006 Zone 01 1 23.00 23.00 474410007 Zone 01 1 23.00 23.00 474410008 Zone 01 1 23.00 23.00 474410009 Zone 01 1 23.00 23.00 474410010 Zone 01 1 23.00 23.00 474410011 Zone 01 1 23.00 23.00 474410012 Zone 01 1 23.00 23.00 474420012 Zone 01 1 23.00 23.00 474420003 Zone 01 1 23.00 23.00 474420004 Zone 01 1 23.00 23.00 474420005 Zone 01 1 23.00 23.00					
474410002 Zone 01 1 23.00 23.00 474410003 Zone 01 1 23.00 23.00 474410006 Zone 01 1 23.00 23.00 474410006 Zone 01 1 23.00 23.00 474410007 Zone 01 1 23.00 23.00 47441008 Zone 01 1 23.00 23.00 47441009 Zone 01 1 23.00 23.00 474410010 Zone 01 1 23.00 23.00 474410011 Zone 01 1 23.00 23.00 474410012 Zone 01 1 23.00 23.00 47442002 Zone 01 1 23.00 23.00 47442003 Zone 01 1 23.00 23.00 474420004 Zone 01 1 23.00 23.00 474420005 Zone 01 1 23.00 23.00 474420006 Zone 01 1 23.00 23.00					
474410003 Zone 01 1 23.00 23.00 474410004 Zone 01 1 23.00 23.00 474410006 Zone 01 1 23.00 23.00 474410007 Zone 01 1 23.00 23.00 474410008 Zone 01 1 23.00 23.00 47441009 Zone 01 1 23.00 23.00 474410010 Zone 01 1 23.00 23.00 474410011 Zone 01 1 23.00 23.00 474410012 Zone 01 1 23.00 23.00 47442002 Zone 01 1 23.00 23.00 47442003 Zone 01 1 23.00 23.00 47442004 Zone 01 1 23.00 23.00 47442005 Zone 01 1 23.00 23.00 47442006 Zone 01 1 23.00 23.00 47442007 Zone 01 1 23.00 23.00					
474410004 Zone 01 1 23.00 23.00 474410006 Zone 01 1 23.00 23.00 474410007 Zone 01 1 23.00 23.00 474410008 Zone 01 1 23.00 23.00 474410009 Zone 01 1 23.00 23.00 47441001 Zone 01 1 23.00 23.00 474410011 Zone 01 1 23.00 23.00 474410012 Zone 01 1 23.00 23.00 47442002 Zone 01 1 23.00 23.00 47442002 Zone 01 1 23.00 23.00 47442003 Zone 01 1 23.00 23.00 47442004 Zone 01 1 23.00 23.00 47442005 Zone 01 1 23.00 23.00 47442006 Zone 01 1 23.00 23.00 47442007 Zone 01 1 23.00 23.00					
474410005 Zone 01 1 23.00 23.00 474410007 Zone 01 1 23.00 23.00 474410008 Zone 01 1 23.00 23.00 474410009 Zone 01 1 23.00 23.00 474410010 Zone 01 1 23.00 23.00 474410011 Zone 01 1 23.00 23.00 474420012 Zone 01 1 23.00 23.00 474420002 Zone 01 1 23.00 23.00 474420003 Zone 01 1 23.00 23.00 474420004 Zone 01 1 23.00 23.00 474420005 Zone 01 1 23.00 23.00 474420006 Zone 01 1 23.00 23.00 474420007 Zone 01 1 23.00 23.00 47442008 Zone 01 1 23.00 23.00 47442009 Zone 01 1 23.00 23.00 <t< td=""><td></td><td></td><td></td><td></td><td></td></t<>					
474410006 Zone 01 1 23.00 23.00 474410007 Zone 01 1 23.00 23.00 474410008 Zone 01 1 23.00 23.00 474410019 Zone 01 1 23.00 23.00 474410011 Zone 01 1 23.00 23.00 474410012 Zone 01 1 23.00 23.00 474420002 Zone 01 1 23.00 23.00 474420003 Zone 01 1 23.00 23.00 474420004 Zone 01 1 23.00 23.00 47442005 Zone 01 1 23.00 23.00 47442006 Zone 01 1 23.00 23.00 47442007 Zone 01 1 23.00 23.00 47442008 Zone 01 1 23.00 23.00 47442009 Zone 01 1 23.00 23.00 47442001 Zone 01 1 23.00 23.00					
474410007 Zone 01 1 23.00 23.00 474410008 Zone 01 1 23.00 23.00 474410010 Zone 01 1 23.00 23.00 474410011 Zone 01 1 23.00 23.00 474410012 Zone 01 1 23.00 23.00 47442002 Zone 01 1 23.00 23.00 47442003 Zone 01 1 23.00 23.00 47442004 Zone 01 1 23.00 23.00 47442005 Zone 01 1 23.00 23.00 47442006 Zone 01 1 23.00 23.00 47442007 Zone 01 1 23.00 23.00 47442008 Zone 01 1 23.00 23.00 47442009 Zone 01 1 23.00 23.00 47442010 Zone 01 1 23.00 23.00 47442001 Zone 01 1 23.00 23.00					
474410008 Zone 01 1 23.00 23.00 474410019 Zone 01 1 23.00 23.00 474410010 Zone 01 1 23.00 23.00 474410012 Zone 01 1 23.00 23.00 474420002 Zone 01 1 23.00 23.00 474420003 Zone 01 1 23.00 23.00 474420004 Zone 01 1 23.00 23.00 47442005 Zone 01 1 23.00 23.00 47442006 Zone 01 1 23.00 23.00 47442007 Zone 01 1 23.00 23.00 47442008 Zone 01 1 23.00 23.00 47442009 Zone 01 1 23.00 23.00 47442000 Zone 01 1 23.00 23.00 47442001 Zone 01 1 23.00 23.00 47442001 Zone 01 1 23.00 23.00					
474410009 Zone 01 1 23.00 23.00 474410010 Zone 01 1 23.00 23.00 474410011 Zone 01 1 23.00 23.00 47442002 Zone 01 1 23.00 23.00 47442003 Zone 01 1 23.00 23.00 47442004 Zone 01 1 23.00 23.00 47442005 Zone 01 1 23.00 23.00 47442006 Zone 01 1 23.00 23.00 47442007 Zone 01 1 23.00 23.00 47442008 Zone 01 1 23.00 23.00 47442009 Zone 01 1 23.00 23.00 47442001 Zone 01 1 23.00 23.00 47442001 Zone 01 1 23.00 23.00 47442001 Zone 01 1 23.00 23.00 474431001 Zone 01 1 23.00 23.00					
474410010 Zone 01 1 23.00 23.00 474410011 Zone 01 1 23.00 23.00 474410012 Zone 01 1 23.00 23.00 474420002 Zone 01 1 23.00 23.00 474420003 Zone 01 1 23.00 23.00 474420004 Zone 01 1 23.00 23.00 47442005 Zone 01 1 23.00 23.00 47442006 Zone 01 1 23.00 23.00 47442007 Zone 01 1 23.00 23.00 47442008 Zone 01 1 23.00 23.00 47442009 Zone 01 1 23.00 23.00 47442001 Zone 01 1 23.00 23.00 47442001 Zone 01 1 23.00 23.00 474431001 Zone 01 1 23.00 23.00 474431002 Zone 01 1 23.00 23.00					
474410011 Zone 01 1 23.00 23.00 474410012 Zone 01 1 23.00 23.00 474420002 Zone 01 1 23.00 23.00 474420003 Zone 01 1 23.00 23.00 474420004 Zone 01 1 23.00 23.00 47442006 Zone 01 1 23.00 23.00 47442007 Zone 01 1 23.00 23.00 47442008 Zone 01 1 23.00 23.00 47442009 Zone 01 1 23.00 23.00 474420010 Zone 01 1 23.00 23.00 474420011 Zone 01 1 23.00 23.00 474420012 Zone 01 1 23.00 23.00 474431001 Zone 01 1 23.00 23.00 474431002 Zone 01 1 23.00 23.00 474431003 Zone 01 1 23.00 23.00					
474410012 Zone 01 1 23.00 23.00 474420002 Zone 01 1 23.00 23.00 474420003 Zone 01 1 23.00 23.00 474420004 Zone 01 1 23.00 23.00 474420005 Zone 01 1 23.00 23.00 474420006 Zone 01 1 23.00 23.00 474420008 Zone 01 1 23.00 23.00 474420009 Zone 01 1 23.00 23.00 474420010 Zone 01 1 23.00 23.00 474420011 Zone 01 1 23.00 23.00 474420012 Zone 01 1 23.00 23.00 474431001 Zone 01 1 23.00 23.00 474431002 Zone 01 1 23.00 23.00 474431003 Zone 01 1 23.00 23.00 474431004 Zone 01 1 23.00 23.00 474431005 Zone 01 1 23.00 23.00 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
474420002 Zone 01 1 23.00 23.00 474420003 Zone 01 1 23.00 23.00 474420006 Zone 01 1 23.00 23.00 474420006 Zone 01 1 23.00 23.00 474420007 Zone 01 1 23.00 23.00 47442008 Zone 01 1 23.00 23.00 474420010 Zone 01 1 23.00 23.00 474420010 Zone 01 1 23.00 23.00 474420011 Zone 01 1 23.00 23.00 474431001 Zone 01 1 23.00 23.00 474431001 Zone 01 1 23.00 23.00 474431002 Zone 01 1 23.00 23.00 474431003 Zone 01 1 23.00 23.00 474431004 Zone 01 1 23.00 23.00 474431005 Zone 01 1 23.00 23.00 474431006 Zone 01 1 23.00 23.00					
474420003 Zone 01 1 23.00 23.00 474420004 Zone 01 1 23.00 23.00 474420005 Zone 01 1 23.00 23.00 474420006 Zone 01 1 23.00 23.00 474420007 Zone 01 1 23.00 23.00 47442008 Zone 01 1 23.00 23.00 474420010 Zone 01 1 23.00 23.00 474420011 Zone 01 1 23.00 23.00 474420012 Zone 01 1 23.00 23.00 474431001 Zone 01 1 23.00 23.00 474431002 Zone 01 1 23.00 23.00 474431003 Zone 01 1 23.00 23.00 474431004 Zone 01 1 23.00 23.00 474431005 Zone 01 1 23.00 23.00 474431006 Zone 01 1 23.00 23.00 <					
474420004 Zone 01 1 23.00 23.00 474420006 Zone 01 1 23.00 23.00 474420007 Zone 01 1 23.00 23.00 474420008 Zone 01 1 23.00 23.00 474420009 Zone 01 1 23.00 23.00 47442010 Zone 01 1 23.00 23.00 47442011 Zone 01 1 23.00 23.00 47442012 Zone 01 1 23.00 23.00 474431001 Zone 01 1 23.00 23.00 474431002 Zone 01 1 23.00 23.00 474431003 Zone 01 1 23.00 23.00 474431004 Zone 01 1 23.00 23.00 474431005 Zone 01 1 23.00 23.00 474431006 Zone 01 1 23.00 23.00 474431007 Zone 01 1 23.00 23.00 474431010 Zone 01 1 23.00 23.00 47					
474420005 Zone 01 1 23.00 23.00 474420006 Zone 01 1 23.00 23.00 474420007 Zone 01 1 23.00 23.00 474420008 Zone 01 1 23.00 23.00 474420010 Zone 01 1 23.00 23.00 474420011 Zone 01 1 23.00 23.00 474420012 Zone 01 1 23.00 23.00 474431001 Zone 01 1 23.00 23.00 474431002 Zone 01 1 23.00 23.00 474431003 Zone 01 1 23.00 23.00 474431004 Zone 01 1 23.00 23.00 474431005 Zone 01 1 23.00 23.00 474431006 Zone 01 1 23.00 23.00 474431008 Zone 01 1 23.00 23.00 474431010 Zone 01 1 23.00 23.00 474431011 Zone 01 1 23.00 23.00 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
474420006 Zone 01 1 23.00 23.00 474420007 Zone 01 1 23.00 23.00 474420008 Zone 01 1 23.00 23.00 474420010 Zone 01 1 23.00 23.00 474420011 Zone 01 1 23.00 23.00 474420012 Zone 01 1 23.00 23.00 474431001 Zone 01 1 23.00 23.00 474431002 Zone 01 1 23.00 23.00 474431003 Zone 01 1 23.00 23.00 474431004 Zone 01 1 23.00 23.00 474431005 Zone 01 1 23.00 23.00 474431006 Zone 01 1 23.00 23.00 474431007 Zone 01 1 23.00 23.00 474431008 Zone 01 1 23.00 23.00 474431010 Zone 01 1 23.00 23.00 474431011 Zone 01 1 23.00 23.00 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
474420007 Zone 01 1 23.00 23.00 474420008 Zone 01 1 23.00 23.00 474420019 Zone 01 1 23.00 23.00 474420011 Zone 01 1 23.00 23.00 474420012 Zone 01 1 23.00 23.00 474431001 Zone 01 1 23.00 23.00 474431002 Zone 01 1 23.00 23.00 474431003 Zone 01 1 23.00 23.00 474431004 Zone 01 1 23.00 23.00 474431005 Zone 01 1 23.00 23.00 474431006 Zone 01 1 23.00 23.00 474431007 Zone 01 1 23.00 23.00 474431009 Zone 01 1 23.00 23.00 474431010 Zone 01 1 23.00 23.00 474431011 Zone 01 1 23.00 23.00 474431012 Zone 01 1 23.00 23.00 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
474420008 Zone 01 1 23.00 23.00 474420019 Zone 01 1 23.00 23.00 474420010 Zone 01 1 23.00 23.00 474420011 Zone 01 1 23.00 23.00 474431001 Zone 01 1 23.00 23.00 474431002 Zone 01 1 23.00 23.00 474431003 Zone 01 1 23.00 23.00 474431004 Zone 01 1 23.00 23.00 474431005 Zone 01 1 23.00 23.00 474431006 Zone 01 1 23.00 23.00 474431007 Zone 01 1 23.00 23.00 474431008 Zone 01 1 23.00 23.00 474431010 Zone 01 1 23.00 23.00 474431011 Zone 01 1 23.00 23.00 474431012 Zone 01 1 23.00 23.00 474431013 Zone 01 1 23.00 23.00 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
474420009 Zone 01 1 23.00 23.00 474420010 Zone 01 1 23.00 23.00 474420011 Zone 01 1 23.00 23.00 474420012 Zone 01 1 23.00 23.00 474431001 Zone 01 1 23.00 23.00 474431002 Zone 01 1 23.00 23.00 474431003 Zone 01 1 23.00 23.00 474431005 Zone 01 1 23.00 23.00 474431006 Zone 01 1 23.00 23.00 474431007 Zone 01 1 23.00 23.00 474431008 Zone 01 1 23.00 23.00 474431009 Zone 01 1 23.00 23.00 474431010 Zone 01 1 23.00 23.00 474431011 Zone 01 1 23.00 23.00 474431014 Zone 01 1 23.00 23.00 474431013 Zone 01 1 23.00 23.00 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
474420010 Zone 01 1 23.00 23.00 474420011 Zone 01 1 23.00 23.00 474420012 Zone 01 1 23.00 23.00 474431001 Zone 01 1 23.00 23.00 474431002 Zone 01 1 23.00 23.00 474431003 Zone 01 1 23.00 23.00 474431004 Zone 01 1 23.00 23.00 474431005 Zone 01 1 23.00 23.00 474431007 Zone 01 1 23.00 23.00 474431008 Zone 01 1 23.00 23.00 474431009 Zone 01 1 23.00 23.00 474431010 Zone 01 1 23.00 23.00 474431011 Zone 01 1 23.00 23.00 474431012 Zone 01 1 23.00 23.00 474431013 Zone 01 1 23.00 23.00 474431014 Zone 01 1 23.00 23.00 <td></td> <td></td> <td></td> <td></td> <td></td>					
474420011 Zone 01 1 23.00 23.00 474420012 Zone 01 1 23.00 23.00 474431001 Zone 01 1 23.00 23.00 474431002 Zone 01 1 23.00 23.00 474431003 Zone 01 1 23.00 23.00 474431004 Zone 01 1 23.00 23.00 474431005 Zone 01 1 23.00 23.00 474431006 Zone 01 1 23.00 23.00 474431007 Zone 01 1 23.00 23.00 474431008 Zone 01 1 23.00 23.00 474431010 Zone 01 1 23.00 23.00 474431011 Zone 01 1 23.00 23.00 474431012 Zone 01 1 23.00 23.00 474431013 Zone 01 1 23.00 23.00 474431014 Zone 01 1 23.00 23.00					
474420012 Zone 01 1 23.00 23.00 474431001 Zone 01 1 23.00 23.00 474431002 Zone 01 1 23.00 23.00 474431003 Zone 01 1 23.00 23.00 474431004 Zone 01 1 23.00 23.00 474431005 Zone 01 1 23.00 23.00 474431006 Zone 01 1 23.00 23.00 474431007 Zone 01 1 23.00 23.00 474431008 Zone 01 1 23.00 23.00 474431009 Zone 01 1 23.00 23.00 474431010 Zone 01 1 23.00 23.00 474431011 Zone 01 1 23.00 23.00 474431013 Zone 01 1 23.00 23.00 474431014 Zone 01 1 23.00 23.00					
474431001 Zone 01 1 23.00 23.00 474431002 Zone 01 1 23.00 23.00 474431003 Zone 01 1 23.00 23.00 474431004 Zone 01 1 23.00 23.00 474431005 Zone 01 1 23.00 23.00 474431006 Zone 01 1 23.00 23.00 474431007 Zone 01 1 23.00 23.00 474431008 Zone 01 1 23.00 23.00 474431010 Zone 01 1 23.00 23.00 474431011 Zone 01 1 23.00 23.00 474431012 Zone 01 1 23.00 23.00 474431013 Zone 01 1 23.00 23.00 474431014 Zone 01 1 23.00 23.00					
474431002 Zone 01 1 23.00 23.00 474431003 Zone 01 1 23.00 23.00 474431004 Zone 01 1 23.00 23.00 474431005 Zone 01 1 23.00 23.00 474431006 Zone 01 1 23.00 23.00 474431007 Zone 01 1 23.00 23.00 474431008 Zone 01 1 23.00 23.00 474431009 Zone 01 1 23.00 23.00 474431010 Zone 01 1 23.00 23.00 474431011 Zone 01 1 23.00 23.00 474431012 Zone 01 1 23.00 23.00 474431013 Zone 01 1 23.00 23.00 474431014 Zone 01 1 23.00 23.00					
474431003 Zone 01 1 23.00 23.00 474431004 Zone 01 1 23.00 23.00 474431005 Zone 01 1 23.00 23.00 474431006 Zone 01 1 23.00 23.00 474431007 Zone 01 1 23.00 23.00 474431008 Zone 01 1 23.00 23.00 474431010 Zone 01 1 23.00 23.00 474431011 Zone 01 1 23.00 23.00 474431012 Zone 01 1 23.00 23.00 474431013 Zone 01 1 23.00 23.00 474431014 Zone 01 1 23.00 23.00					
474431004 Zone 01 1 23.00 23.00 474431005 Zone 01 1 23.00 23.00 474431006 Zone 01 1 23.00 23.00 474431007 Zone 01 1 23.00 23.00 474431008 Zone 01 1 23.00 23.00 474431010 Zone 01 1 23.00 23.00 474431011 Zone 01 1 23.00 23.00 474431012 Zone 01 1 23.00 23.00 474431013 Zone 01 1 23.00 23.00 474431014 Zone 01 1 23.00 23.00 474431014 Zone 01 1 23.00 23.00					
474431005 Zone 01 1 23.00 23.00 474431006 Zone 01 1 23.00 23.00 474431007 Zone 01 1 23.00 23.00 474431008 Zone 01 1 23.00 23.00 474431009 Zone 01 1 23.00 23.00 474431010 Zone 01 1 23.00 23.00 474431011 Zone 01 1 23.00 23.00 474431013 Zone 01 1 23.00 23.00 474431014 Zone 01 1 23.00 23.00 474431014 Zone 01 1 23.00 23.00					
474431006 Zone 01 1 23.00 23.00 474431007 Zone 01 1 23.00 23.00 474431008 Zone 01 1 23.00 23.00 474431009 Zone 01 1 23.00 23.00 474431010 Zone 01 1 23.00 23.00 474431011 Zone 01 1 23.00 23.00 474431013 Zone 01 1 23.00 23.00 474431014 Zone 01 1 23.00 23.00 474431014 Zone 01 1 23.00 23.00					
474431007 Zone 01 1 23.00 23.00 474431008 Zone 01 1 23.00 23.00 474431009 Zone 01 1 23.00 23.00 474431010 Zone 01 1 23.00 23.00 474431011 Zone 01 1 23.00 23.00 474431012 Zone 01 1 23.00 23.00 474431013 Zone 01 1 23.00 23.00 474431014 Zone 01 1 23.00 23.00					
474431008 Zone 01 1 23.00 23.00 474431009 Zone 01 1 23.00 23.00 474431010 Zone 01 1 23.00 23.00 474431011 Zone 01 1 23.00 23.00 474431012 Zone 01 1 23.00 23.00 474431013 Zone 01 1 23.00 23.00 474431014 Zone 01 1 23.00 23.00					
474431009 Zone 01 1 23.00 23.00 474431010 Zone 01 1 23.00 23.00 474431011 Zone 01 1 23.00 23.00 474431012 Zone 01 1 23.00 23.00 474431013 Zone 01 1 23.00 23.00 474431014 Zone 01 1 23.00 23.00					
474431010 Zone 01 1 23.00 23.00 474431011 Zone 01 1 23.00 23.00 474431012 Zone 01 1 23.00 23.00 474431013 Zone 01 1 23.00 23.00 474431014 Zone 01 1 23.00 23.00					
474431011 Zone 01 1 23.00 23.00 474431012 Zone 01 1 23.00 23.00 474431013 Zone 01 1 23.00 23.00 474431014 Zone 01 1 23.00 23.00					
474431012 Zone 01 1 23.00 23.00 474431013 Zone 01 1 23.00 23.00 474431014 Zone 01 1 23.00 23.00					
474431013 Zone 01 1 23.00 23.00 474431014 Zone 01 1 23.00 23.00					
474431014 Zone 01 1 23.00 23.00					
474421015 7000.01 $4.000.00$					
474431013 Zone 01 1 Z3.00 Z3.00	474431015	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigne	ed EBU's FY 17-18 Max	x Assessment	FY 17-18 Assessment
474431016	Zone 01	1	23.00	23.00
474431017	Zone 01	1	23.00	23.00
474431018	Zone 01	1	23.00	23.00
474431019	Zone 01	1	23.00	23.00
474431020	Zone 01	1	23.00	23.00
474431021	Zone 01	1	23.00	23.00
474431022	Zone 01	1	23.00	23.00
474431023	Zone 01	1	23.00	23.00
474431024	Zone 01	1	23.00	23.00
474431025	Zone 01	1	23.00	23.00
474431026	Zone 01	1	23.00	23.00
474431027	Zone 01	1	23.00	23.00
474431028	Zone 01	1	23.00	23.00
474431029	Zone 01	1	23.00	23.00
474431030	Zone 01	1	23.00	23.00
474431031	Zone 01	1	23.00	23.00
474431032	Zone 01	1	23.00	23.00
474431033	Zone 01	1	23.00	23.00
474431034	Zone 01	1	23.00	23.00
474431035	Zone 01	1	23.00	23.00
474433001	Zone 01	1	23.00	23.00
474433002	Zone 01	1	23.00	23.00
474433003	Zone 01	1	23.00	23.00
474433004	Zone 01	1	23.00	23.00
474433005	Zone 01	1	23.00	23.00
474433006	Zone 01	1	23.00	23.00
474433007	Zone 01	1	23.00	23.00
474433009	Zone 01	1	23.00	23.00
474433010	Zone 01	1	23.00	23.00
474433011	Zone 01	1	23.00	23.00
474432001	Zone 01	1	23.00	23.00
474432002	Zone 01	1	23.00	23.00
474432003	Zone 01	1	23.00	23.00
474432004	Zone 01	1	23.00	23.00
474432005	Zone 01	1	23.00	23.00
474432006	Zone 01	1	23.00	23.00
474432007	Zone 01	1	23.00	23.00
474432008	Zone 01	1	23.00	23.00
474432009	Zone 01	1	23.00	23.00
474432010	Zone 01	1	23.00	23.00
474433012	Zone 01	1	23.00	23.00
474433013	Zone 01	1	23.00	23.00
474433014	Zone 01	1	23.00	23.00
474433015	Zone 01	1	23.00	23.00
474433016	Zone 01	1	23.00	23.00
474433017	Zone 01	1	23.00	23.00
474433018	Zone 01	1	23.00	23.00
474433019	Zone 01	1	23.00	23.00
				25100

APN	I MD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
474433020	Zone 01	LIND Assigned ED0 3	1 23.00	23.00
474434001	Zone 01		1 23.00	23.00
474434002	Zone 01		1 23.00	23.00
474434003	Zone 01		1 23.00	23.00
474434004	Zone 01		1 23.00	23.00
474434005	Zone 01		1 23.00	23.00
474434006	Zone 01		1 23.00	23.00
474434007	Zone 01		1 23.00	23.00
474434008	Zone 01		1 23.00	23.00
474434009	Zone 01		1 23.00	23.00
474434010	Zone 01		1 23.00	23.00
474434011	Zone 01		1 23.00	23.00
474434012	Zone 01		1 23.00	23.00
474434013	Zone 01		1 23.00	23.00
474434014	Zone 01		1 23.00	23.00
474434015	Zone 01		1 23.00	23.00
474434016	Zone 01		1 23.00	23.00
474435001	Zone 01		1 23.00	23.00
474435001	Zone 01		1 23.00	23.00
474435002	Zone 01		1 23.00	23.00
474435003	Zone 01		1 23.00	23.00
474435004	Zone 01		1 23.00	23.00
474435005	Zone 01		1 23.00	23.00
474435006	Zone 01		1 23.00	23.00
474435007	Zone 01		1 23.00	23.00
474435006	Zone 01		1 23.00	23.00
474441001	Zone 01		1 23.00	23.00
474441001	Zone 01		1 23.00	23.00
474441002	Zone 01		1 23.00	23.00
474441004	Zone 01		1 23.00	23.00
474441004	Zone 01		1 23.00	23.00
474441006	Zone 01		1 23.00	23.00
474441007	Zone 01		1 23.00	23.00
			1 23.00	23.00
474441008	Zone 01		1 23.00	
474441009	Zone 01			23.00
474441010	Zone 01		1 23.00	23.00
474441011	Zone 01		1 23.00	23.00
474441012	Zone 01		1 23.00	23.00
474441013	Zone 01		1 23.00	23.00
474441014	Zone 01		1 23.00	23.00
474441015	Zone 01		1 23.00	23.00
474442001	Zone 01		1 23.00	23.00
474442002	Zone 01		1 23.00	23.00
474442003	Zone 01		1 23.00	23.00
474442004	Zone 01		1 23.00	23.00
474442005	Zone 01		1 23.00	23.00
474442006	Zone 01		1 23.00	23.00
474442007	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
474442008	Zone 01		1 23.00	23.00
474442009	Zone 01		1 23.00	23.00
474442010	Zone 01		1 23.00	23.00
474442011	Zone 01		1 23.00	23.00
474442012	Zone 01		1 23.00	23.00
474443001	Zone 01		1 23.00	23.00
474443002	Zone 01		1 23.00	23.00
474443003	Zone 01		1 23.00	23.00
474443004	Zone 01		1 23.00	23.00
474443005	Zone 01		1 23.00	23.00
474443006	Zone 01		1 23.00	23.00
474443007	Zone 01		1 23.00	23.00
474443008	Zone 01		1 23.00	23.00
474443010	Zone 01		1 23.00	23.00
474443011	Zone 01		1 23.00	23.00
474443012	Zone 01		1 23.00	23.00
474443013	Zone 01		1 23.00	23.00
474443014	Zone 01		1 23.00	23.00
474443015	Zone 01		1 23.00	23.00
474443016	Zone 01		1 23.00	23.00
474443017	Zone 01		1 23.00	23.00
474443018	Zone 01		1 23.00	23.00
474443019	Zone 01		1 23.00	23.00
474443020	Zone 01		1 23.00	23.00
474443021	Zone 01		1 23.00	23.00
474443022	Zone 01		1 23.00	23.00
474443023	Zone 01		1 23.00	23.00
474443024	Zone 01		1 23.00	23.00
474443025	Zone 01		1 23.00	23.00
474443026	Zone 01		1 23.00	23.00
474443027	Zone 01		1 23.00	23.00
474443028	Zone 01		1 23.00	23.00
474444001	Zone 01		1 23.00	23.00
474444002	Zone 01		1 23.00	23.00
474444003	Zone 01		1 23.00	23.00
474444004	Zone 01		1 23.00	23.00
474444005	Zone 01		1 23.00	23.00
474444006	Zone 01		1 23.00	23.00
474444007	Zone 01		1 23.00	23.00
474444009	Zone 01		1 23.00	23.00
474444010	Zone 01		1 23.00	23.00
474444011	Zone 01		1 23.00	23.00
474444012	Zone 01		1 23.00	23.00
474444013	Zone 01		1 23.00	23.00
474444014	Zone 01		1 23.00	23.00
474444015	Zone 01		1 23.00	23.00
474444016	Zone 01		1 23.00	23.00
474444017	Zone 01		1 23.00	23.00
	_3110 01		20.00	20.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-18	8 Max Assessment	FY 17-18 Assessment
474444018	Zone 01	1	23.00	23.00
474451001	Zone 01	1	23.00	23.00
474451002	Zone 01	1	23.00	23.00
474451003	Zone 01	1	23.00	23.00
474451004	Zone 01	1	23.00	23.00
474451005	Zone 01	1	23.00	23.00
474451006	Zone 01	1	23.00	23.00
474451007	Zone 01	1	23.00	23.00
474451008	Zone 01	1	23.00	23.00
474451009	Zone 01	1	23.00	23.00
474451010	Zone 01	1	23.00	23.00
474451011	Zone 01	1	23.00	23.00
474451012	Zone 01	1	23.00	23.00
474451013	Zone 01	1	23.00	23.00
474451014	Zone 01	1	23.00	23.00
474451015	Zone 01	1	23.00	23.00
474451016	Zone 01	1	23.00	23.00
474451017	Zone 01	1	23.00	23.00
474451018	Zone 01	1	23.00	23.00
474451019	Zone 01	1	23.00	23.00
474451020	Zone 01	1	23.00	23.00
474451021	Zone 01	1	23.00	23.00
474451022	Zone 01	1	23.00	23.00
474451023	Zone 01	1	23.00	23.00
474451024	Zone 01	1	23.00	23.00
474451025	Zone 01	1	23.00	23.00
474451026	Zone 01	1	23.00	23.00
474452001	Zone 01	1	23.00	23.00
474452002	Zone 01	1	23.00	23.00
474452003	Zone 01	1	23.00	23.00
474452004	Zone 01	1	23.00	23.00
474452005	Zone 01	1	23.00	23.00
474452006	Zone 01	1	23.00	23.00
474452007	Zone 01	1	23.00	23.00
474452008	Zone 01	1	23.00	23.00
474452009	Zone 01	1	23.00	23.00
474452010	Zone 01	1	23.00	23.00
474452011	Zone 01	1	23.00	23.00
474452012	Zone 01	1	23.00	23.00
474453001	Zone 01	1	23.00	23.00
474453002	Zone 01	1	23.00	23.00
474453003	Zone 01	1	23.00	23.00
474453004	Zone 01	1	23.00	23.00
474453005	Zone 01	1	23.00	23.00
474453006	Zone 01	1	23.00	23.00
474453007	Zone 01	1	23.00	23.00
474453008	Zone 01	1	23.00	23.00
474453009	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
474453010	Zone 01		1 23.00	23.00
474453011	Zone 01		1 23.00	23.00
474453012	Zone 01		1 23.00	23.00
474453013	Zone 01		1 23.00	23.00
474453014	Zone 01		1 23.00	23.00
474453015	Zone 01		1 23.00	23.00
474453016	Zone 01		1 23.00	23.00
474453017	Zone 01		1 23.00	23.00
474453018	Zone 01		1 23.00	23.00
474453019	Zone 01		1 23.00	23.00
474453020	Zone 01		1 23.00	23.00
474454001	Zone 01		1 23.00	23.00
474454002	Zone 01		1 23.00	23.00
474454003	Zone 01		1 23.00	23.00
474454004	Zone 01		1 23.00	23.00
474454005	Zone 01		1 23.00	23.00
474454006	Zone 01		1 23.00	23.00
474454007	Zone 01		1 23.00	23.00
474454008	Zone 01		1 23.00	23.00
474454009	Zone 01		1 23.00	23.00
474461001	Zone 01		1 23.00	23.00
474461002	Zone 01		1 23.00	23.00
474461003	Zone 01		1 23.00	23.00
474461004	Zone 01		1 23.00	23.00
474461005	Zone 01		1 23.00	23.00
474461006	Zone 01		1 23.00	23.00
474461008	Zone 01		1 23.00	23.00
474461009	Zone 01		1 23.00	23.00
474461010	Zone 01		1 23.00	23.00
474461011	Zone 01		1 23.00	23.00
474461012	Zone 01		1 23.00	23.00
474461013	Zone 01		1 23.00	23.00
474461014	Zone 01		1 23.00	23.00
474462002	Zone 01		1 23.00	23.00
474462003	Zone 01		1 23.00	23.00
474462004	Zone 01		1 23.00	23.00
474462005	Zone 01		1 23.00	23.00
474462006	Zone 01		1 23.00	23.00
474462007	Zone 01		1 23.00	23.00
474462008	Zone 01		1 23.00	23.00
474462009	Zone 01		1 23.00	23.00
474462010	Zone 01		1 23.00	23.00
474462011	Zone 01		1 23.00	23.00
474462012	Zone 01		1 23.00	23.00
474462013	Zone 01		1 23.00	23.00
474462014	Zone 01		1 23.00	23.00
474462015	Zone 01		1 23.00	23.00
474462016	Zone 01		1 23.00	23.00
.7 1102010	_3110 01		20.00	20.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
474462017	Zone 01		1 23.00	23.00
474462018	Zone 01		1 23.00	23.00
474462019	Zone 01		1 23.00	23.00
474462020	Zone 01		1 23.00	23.00
474462021	Zone 01		1 23.00	23.00
474462022	Zone 01		1 23.00	23.00
474462023	Zone 01		1 23.00	23.00
474462024	Zone 01		1 23.00	23.00
474462025	Zone 01		1 23.00	23.00
474462026	Zone 01		1 23.00	23.00
474462027	Zone 01		1 23.00	23.00
474462028	Zone 01		1 23.00	23.00
474462029	Zone 01		1 23.00	23.00
474462030	Zone 01		1 23.00	23.00
474462031	Zone 01		1 23.00	23.00
474463001	Zone 01		1 23.00	23.00
474463002	Zone 01		1 23.00	23.00
474463003	Zone 01		1 23.00	23.00
474463004	Zone 01		1 23.00	23.00
474463005	Zone 01		1 23.00	23.00
474463006	Zone 01		1 23.00	23.00
474463007	Zone 01		1 23.00	23.00
474463008	Zone 01		1 23.00	23.00
474463009	Zone 01		1 23.00	23.00
474463010	Zone 01		1 23.00	23.00
474463011	Zone 01		1 23.00	23.00
474463012	Zone 01		1 23.00	23.00
474463013	Zone 01		1 23.00	23.00
474463014	Zone 01		1 23.00	23.00
474463015	Zone 01		1 23.00	23.00
474463016	Zone 01		1 23.00	23.00
474463017	Zone 01		1 23.00	23.00
474463018	Zone 01		1 23.00	23.00
474463019	Zone 01		1 23.00	23.00
474471001	Zone 01		1 23.00	23.00
474471002	Zone 01		1 23.00	23.00
474471002	Zone 01		1 23.00	23.00
474471004	Zone 01		1 23.00	23.00
474471005	Zone 01		1 23.00	23.00
474471005	Zone 01		1 23.00	23.00
474471007	Zone 01		1 23.00	23.00
474471007	Zone 01		1 23.00	23.00
474471008	Zone 01		1 23.00	23.00
474471010	Zone 01		1 23.00	23.00
474471010	Zone 01		1 23.00	23.00
474471011	Zone 01		1 23.00	23.00
474471012				
	Zone 01		1 23.00	23.00
474471014	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
474471015	Zone 01		1 23.00	23.00
474471016	Zone 01		1 23.00	23.00
474471017	Zone 01		1 23.00	23.00
474471018	Zone 01		1 23.00	23.00
474471019	Zone 01		1 23.00	23.00
474471020	Zone 01		1 23.00	23.00
474471021	Zone 01		1 23.00	23.00
474471022	Zone 01		1 23.00	23.00
474471023	Zone 01		1 23.00	23.00
474471024	Zone 01		1 23.00	23.00
474471025	Zone 01		1 23.00	23.00
474471026	Zone 01		1 23.00	23.00
474471027	Zone 01		1 23.00	23.00
474471028	Zone 01		1 23.00	23.00
474471029	Zone 01		1 23.00	23.00
474471030	Zone 01		1 23.00	23.00
474471031	Zone 01		1 23.00	23.00
474471032	Zone 01		1 23.00	23.00
474471033	Zone 01		1 23.00	23.00
474471034	Zone 01		1 23.00	23.00
474471035	Zone 01		1 23.00	23.00
474471036	Zone 01		1 23.00	23.00
474471037	Zone 01		1 23.00	23.00
474471038	Zone 01		1 23.00	23.00
474471039	Zone 01		1 23.00	23.00
474471040	Zone 01		1 23.00	23.00
474471041	Zone 01		1 23.00	23.00
474471042	Zone 01		1 23.00	23.00
474471043	Zone 01		1 23.00	23.00
474472001	Zone 01		1 23.00	23.00
474472002	Zone 01		1 23.00	23.00
474472003	Zone 01		1 23.00	23.00
474472004	Zone 01		1 23.00	23.00
474472005	Zone 01		1 23.00	23.00
474472006	Zone 01		1 23.00	23.00
474472007	Zone 01		1 23.00	23.00
474472008	Zone 01		1 23.00	23.00
474472009	Zone 01		1 23.00	23.00
474472010	Zone 01		1 23.00	23.00
474472011	Zone 01		1 23.00	23.00
474472012	Zone 01		1 23.00	23.00
474472013	Zone 01		1 23.00	23.00
474481001	Zone 01		1 23.00	23.00
474481002	Zone 01		1 23.00	23.00
474481003	Zone 01		1 23.00	23.00
474481004	Zone 01		1 23.00	23.00
474481005	Zone 01		1 23.00	23.00
474481006	Zone 01		1 23.00	23.00
.,			20.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-1	8 Max Assessment	FY 17-18 Assessment
474481007	Zone 01	1	23.00	23.00
474481008	Zone 01	1	23.00	23.00
474481009	Zone 01	1	23.00	23.00
474481010	Zone 01	1	23.00	23.00
474481011	Zone 01	1	23.00	23.00
474481012	Zone 01	1	23.00	23.00
474481013	Zone 01	1	23.00	23.00
474481014	Zone 01	1	23.00	23.00
474481015	Zone 01	1	23.00	23.00
474481017	Zone 01	1	23.00	23.00
474481018	Zone 01	1	23.00	23.00
474481019	Zone 01	1	23.00	23.00
474481020	Zone 01	1	23.00	23.00
474481021	Zone 01	1	23.00	23.00
474481022	Zone 01	1	23.00	23.00
474481023	Zone 01	1	23.00	23.00
474481024	Zone 01	1	23.00	23.00
474482001	Zone 01	1	23.00	23.00
474482002	Zone 01	1	23.00	23.00
474482003	Zone 01	1	23.00	23.00
474482004	Zone 01	1	23.00	23.00
474482005	Zone 01	1	23.00	23.00
474482006	Zone 01	1	23.00	23.00
474482007	Zone 01	1	23.00	23.00
474482008	Zone 01	1	23.00	23.00
474482009	Zone 01	1	23.00	23.00
474482010	Zone 01	1	23.00	23.00
474482011	Zone 01	1	23.00	23.00
474482012	Zone 01	1	23.00	23.00
474482013	Zone 01	1	23.00	23.00
474482014	Zone 01	1	23.00	23.00
474482015	Zone 01	1	23.00	23.00
474482016	Zone 01	1	23.00	23.00
474482017	Zone 01	1	23.00	23.00
474482018	Zone 01	1	23.00	23.00
474482019	Zone 01	1	23.00	23.00
474482020	Zone 01	1	23.00	23.00
474482021	Zone 01	1	23.00	23.00
474482022	Zone 01	1	23.00	23.00
474511001	Zone 01	1	23.00	23.00
474511002	Zone 01	1	23.00	23.00
474511003	Zone 01	1	23.00	23.00
474511004	Zone 01	1	23.00	23.00
474511005	Zone 01	1	23.00	23.00
474511006	Zone 01	1	23.00	23.00
474511007	Zone 01	1	23.00	23.00
474511008	Zone 01	1	23.00	23.00
474511009	Zone 01	1	23.00	23.00
				_5100

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
474511010	Zone 01		1 23.00	23.00
474511011	Zone 01		1 23.00	23.00
474511012	Zone 01		1 23.00	23.00
474511013	Zone 01		1 23.00	23.00
474511014	Zone 01		1 23.00	23.00
474511015	Zone 01		1 23.00	23.00
474511016	Zone 01		1 23.00	23.00
474511017	Zone 01		1 23.00	23.00
474511018	Zone 01		1 23.00	23.00
474511019	Zone 01		1 23.00	23.00
474511020	Zone 01		1 23.00	23.00
474511021	Zone 01		1 23.00	23.00
474511022	Zone 01		1 23.00	23.00
474511023	Zone 01		1 23.00	23.00
474511024	Zone 01		1 23.00	23.00
474511025	Zone 01		1 23.00	23.00
474511026	Zone 01		1 23.00	23.00
474511027	Zone 01		1 23.00	23.00
474511028	Zone 01		1 23.00	23.00
474511029	Zone 01		1 23.00	23.00
474511030	Zone 01		1 23.00	23.00
474511031	Zone 01		1 23.00	23.00
474511032	Zone 01		1 23.00	23.00
474511033	Zone 01		1 23.00	23.00
474511034	Zone 01		1 23.00	23.00
474511035	Zone 01		1 23.00	23.00
474511036	Zone 01		1 23.00	23.00
474511037	Zone 01		1 23.00	23.00
474511037	Zone 01		1 23.00	23.00
474511038	Zone 01		1 23.00	23.00
474512001			1 23.00	23.00
474512002	Zone 01			
	Zone 01		1 23.00	23.00
474512004	Zone 01		1 23.00 1 23.00	23.00
474512005	Zone 01			23.00
474512006	Zone 01		1 23.00	23.00
474512007	Zone 01		1 23.00	23.00
474512008	Zone 01		1 23.00	23.00
474512009	Zone 01		1 23.00	23.00
474512010	Zone 01		1 23.00	23.00
474512011	Zone 01		1 23.00	23.00
474512012	Zone 01	·	1 23.00	23.00
474512013	Zone 01		1 23.00	23.00
474512014	Zone 01		1 23.00	23.00
474512015	Zone 01		1 23.00	23.00
474512016	Zone 01		1 23.00	23.00
474512017	Zone 01		1 23.00	23.00
474513001	Zone 01		1 23.00	23.00
474513002	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
474513003	Zone 01		1 23.00	23.00
474513004	Zone 01		1 23.00	23.00
474513005	Zone 01		1 23.00	23.00
474513006	Zone 01		1 23.00	23.00
474513007	Zone 01		1 23.00	23.00
474513008	Zone 01		1 23.00	23.00
474513009	Zone 01		1 23.00	23.00
474513010	Zone 01		1 23.00	23.00
474513011	Zone 01		1 23.00	23.00
474513012	Zone 01		1 23.00	23.00
474513013	Zone 01		1 23.00	23.00
474513014	Zone 01		1 23.00	23.00
474513015	Zone 01		1 23.00	23.00
474513016	Zone 01		1 23.00	23.00
474513017	Zone 01		1 23.00	23.00
474521001	Zone 01		1 23.00	23.00
474521002	Zone 01		1 23.00	23.00
474521003	Zone 01		1 23.00	23.00
474521004	Zone 01		1 23.00	23.00
474521005	Zone 01		1 23.00	23.00
474521006	Zone 01		1 23.00	23.00
474521007	Zone 01		1 23.00	23.00
474521007	Zone 01		1 23.00	23.00
474521009	Zone 01		1 23.00	23.00
474521010	Zone 01		1 23.00	23.00
474521010	Zone 01		1 23.00	23.00
474521011	Zone 01		1 23.00	23.00
474521012	Zone 01		1 23.00	23.00
474521013	Zone 01		1 23.00	23.00
474521015	Zone 01		1 23.00	23.00
474521015	Zone 01		1 23.00	23.00
474521017	Zone 01		1 23.00	23.00
474521017	Zone 01		1 23.00	23.00
474521019	Zone 01		1 23.00	23.00
474521019			1 23.00	23.00
474521020	Zone 01 Zone 01		1 23.00	23.00
			1 23.00	23.00
474521022	Zone 01			
474521023	Zone 01		1 23.00	23.00
474521024	Zone 01		1 23.00	23.00
474521025	Zone 01		1 23.00	23.00
474521026	Zone 01		1 23.00	23.00
474521027	Zone 01		1 23.00	23.00
474521028	Zone 01		1 23.00	23.00
474521029	Zone 01		1 23.00	23.00
474522001	Zone 01		1 23.00	23.00
474522002	Zone 01		1 23.00	23.00
474522003	Zone 01		1 23.00	23.00
474522004	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
474522005	Zone 01		1 23.00	23.00
474522006	Zone 01		1 23.00	23.00
474522007	Zone 01		1 23.00	23.00
474522008	Zone 01		1 23.00	23.00
474522009	Zone 01		1 23.00	23.00
474522010	Zone 01		1 23.00	23.00
474522011	Zone 01		1 23.00	23.00
474522012	Zone 01		1 23.00	23.00
474522014	Zone 01		1 23.00	23.00
474523001	Zone 01		1 23.00	23.00
474523002	Zone 01		1 23.00	23.00
474523003	Zone 01		1 23.00	23.00
474523004	Zone 01		1 23.00	23.00
474523005	Zone 01		1 23.00	23.00
474523006	Zone 01		1 23.00	23.00
474523007	Zone 01		1 23.00	23.00
474523008	Zone 01		1 23.00	23.00
474523009	Zone 01		1 23.00	23.00
474523010	Zone 01		1 23.00	23.00
474523011	Zone 01		1 23.00	23.00
474523012	Zone 01		1 23.00	23.00
474523013	Zone 01		1 23.00	23.00
474523014	Zone 01		1 23.00	23.00
474523015	Zone 01		1 23.00	23.00
474523016	Zone 01		1 23.00	23.00
474523017	Zone 01		1 23.00	23.00
474523018	Zone 01		1 23.00	23.00
474523019	Zone 01		1 23.00	23.00
474523020	Zone 01		1 23.00	23.00
474523021	Zone 01		1 23.00	23.00
474523022	Zone 01		1 23.00	23.00
474523023	Zone 01		1 23.00	23.00
474523024	Zone 01		1 23.00	23.00
474523025	Zone 01		1 23.00	23.00
474523026	Zone 01		1 23.00	23.00
474523027	Zone 01		1 23.00	23.00
474523028	Zone 01		1 23.00	23.00
474523029	Zone 01		1 23.00	23.00
474523030	Zone 01		1 23.00	23.00
474523031	Zone 01		1 23.00	23.00
474523031	Zone 01		1 23.00	23.00
474524001	Zone 01		1 23.00	23.00
474524001	Zone 01		1 23.00	23.00
474524002	Zone 01		1 23.00	23.00
474524003	Zone 01		1 23.00	23.00
474524004	Zone 01		1 23.00	23.00
474524005	Zone 01		1 23.00	23.00
474524006	Zone 01 Zone 01		1 23.00	23.00
7/402400/	20116 01		23.00	23.00

474524008 Zone 01 1 23.00 23.00 23.00 474524010 Zone 01 1 23.00 23.00 23.00 474524010 Zone 01 1 23.00 23.00 23.00 474524011 Zone 01 1 23.00 23.00 23.00 474524012 Zone 01 1 23.00 23.00 23.00 474524013 Zone 01 1 23.00 23.00 23.00 474524013 Zone 01 1 23.00 23.00 23.00 474525011 Zone 01 1 23.00 23.00 23.00 474525001 Zone 01 1 23.00 23.00 23.00 474525003 Zone 01 1 23.00 23.00 23.00 474525003 Zone 01 1 23.00 23.00 23.00 474525005 Zone 01 1 23.00 23.00 23.00 474525006 Zone 01 1 23.00 23.00 23.00 474525007 Zone 01 1 23.00 23.00 23.00 474525007 Zone 01 1 23.00 23.00 23.00 474531001 Zone 01 1 23.00 23.00 23.00 474531003 Zone 01 1 23.00 23.00 23.00 474531005 Zone 01 1 23.00 23.00 23.00 474531005 Zone 01 1 23.00 23.00 23.00 474531007 Zone 01 1 23.00 23.00 23.00 474531007 Zone 01 1 23.00 23.00 23.00 474531007 Zone 01 1 23.00 23.00 23.00 474531010 Zone 01 1 23.00 23.00 23.00 474531010 Zone 01 1 23.00 23.00 23.00 474531011 Zone 01 1 23.00 23.00 23.00 474531011 Zone 01 1 23.00 23.00 23.00 474531011 Zone 01 1 23.00 23.00 23.00 474531013 Zone 01 1 23.00 23.00 23.00 474531013 Zone 01 1 23.00	APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
474524010 Zone 01 1 23.00 23.00 474524011 Zone 01 1 23.00 23.00 474524013 Zone 01 1 23.00 23.00 474524014 Zone 01 1 23.00 23.00 474525001 Zone 01 1 23.00 23.00 474525002 Zone 01 1 23.00 23.00 474525003 Zone 01 1 23.00 23.00 474525003 Zone 01 1 23.00 23.00 474525004 Zone 01 1 23.00 23.00 474525005 Zone 01 1 23.00 23.00 474525007 Zone 01 1 23.00 23.00 474531001 Zone 01 1 23.00 23.00 474531002 Zone 01 1 23.00 23.00 474531003 Zone 01 1 23.00 23.00 474531004 Zone 01 1 23.00 23.00	474524008	Zone 01		1 23.00	23.00
474524011 Zone 01 1 23.00 23.00 474524012 Zone 01 1 23.00 23.00 474524013 Zone 01 1 23.00 23.00 474525011 Zone 01 1 23.00 23.00 474525002 Zone 01 1 23.00 23.00 474525003 Zone 01 1 23.00 23.00 474525004 Zone 01 1 23.00 23.00 474525005 Zone 01 1 23.00 23.00 474525006 Zone 01 1 23.00 23.00 474525007 Zone 01 1 23.00 23.00 474531001 Zone 01 1 23.00 23.00 474531002 Zone 01 1 23.00 23.00 474531003 Zone 01 1 23.00 23.00 474531004 Zone 01 1 23.00 23.00 474531005 Zone 01 1 23.00 23.00	474524009	Zone 01		1 23.00	23.00
474524012 Zone 01 1 23.00 23.00 474524013 Zone 01 1 23.00 23.00 474525001 Zone 01 1 23.00 23.00 474525002 Zone 01 1 23.00 23.00 474525003 Zone 01 1 23.00 23.00 474525004 Zone 01 1 23.00 23.00 474525005 Zone 01 1 23.00 23.00 474525006 Zone 01 1 23.00 23.00 474525007 Zone 01 1 23.00 23.00 474531001 Zone 01 1 23.00 23.00 474531002 Zone 01 1 23.00 23.00 474531003 Zone 01 1 23.00 23.00 474531003 Zone 01 1 23.00 23.00 474531004 Zone 01 1 23.00 23.00 474531005 Zone 01 1 23.00 23.00	474524010	Zone 01		1 23.00	23.00
474524013 Zone 01 1 23.00 23.00 474525001 Zone 01 1 23.00 23.00 474525002 Zone 01 1 23.00 23.00 474525003 Zone 01 1 23.00 23.00 474525004 Zone 01 1 23.00 23.00 474525005 Zone 01 1 23.00 23.00 474525006 Zone 01 1 23.00 23.00 474525007 Zone 01 1 23.00 23.00 474525007 Zone 01 1 23.00 23.00 474531001 Zone 01 1 23.00 23.00 474531002 Zone 01 1 23.00 23.00 474531003 Zone 01 1 23.00 23.00 474531004 Zone 01 1 23.00 23.00 474531005 Zone 01 1 23.00 23.00 474531007 Zone 01 1 23.00 23.00	474524011	Zone 01		1 23.00	23.00
474524014 Zone 01 1 23.00 23.00 474525001 Zone 01 1 23.00 23.00 474525002 Zone 01 1 23.00 23.00 474525004 Zone 01 1 23.00 23.00 474525005 Zone 01 1 23.00 23.00 474525007 Zone 01 1 23.00 23.00 474525007 Zone 01 1 23.00 23.00 474531001 Zone 01 1 23.00 23.00 474531002 Zone 01 1 23.00 23.00 474531003 Zone 01 1 23.00 23.00 474531004 Zone 01 1 23.00 23.00 474531005 Zone 01 1 23.00 23.00 474531006 Zone 01 1 23.00 23.00 474531007 Zone 01 1 23.00 23.00 474531008 Zone 01 1 23.00 23.00	474524012	Zone 01		1 23.00	23.00
474525001 Zone 01 1 23.00 23.00 474525002 Zone 01 1 23.00 23.00 474525003 Zone 01 1 23.00 23.00 474525005 Zone 01 1 23.00 23.00 474525006 Zone 01 1 23.00 23.00 474525007 Zone 01 1 23.00 23.00 474531001 Zone 01 1 23.00 23.00 474531002 Zone 01 1 23.00 23.00 474531003 Zone 01 1 23.00 23.00 474531004 Zone 01 1 23.00 23.00 474531005 Zone 01 1 23.00 23.00 474531007 Zone 01 1 23.00 23.00 474531007 Zone 01 1 23.00 23.00 474531007 Zone 01 1 23.00 23.00 474531010 Zone 01 1 23.00 23.00	474524013	Zone 01		1 23.00	23.00
474525001 Zone 01 1 23.00 23.00 474525002 Zone 01 1 23.00 23.00 474525003 Zone 01 1 23.00 23.00 474525005 Zone 01 1 23.00 23.00 474525006 Zone 01 1 23.00 23.00 474525007 Zone 01 1 23.00 23.00 474531001 Zone 01 1 23.00 23.00 474531002 Zone 01 1 23.00 23.00 474531003 Zone 01 1 23.00 23.00 474531004 Zone 01 1 23.00 23.00 474531005 Zone 01 1 23.00 23.00 474531007 Zone 01 1 23.00 23.00 474531007 Zone 01 1 23.00 23.00 474531007 Zone 01 1 23.00 23.00 474531010 Zone 01 1 23.00 23.00	474524014	Zone 01		1 23.00	23.00
474525002 Zone 01 1 23.00 23.00 474525003 Zone 01 1 23.00 23.00 474525006 Zone 01 1 23.00 23.00 474525006 Zone 01 1 23.00 23.00 474525007 Zone 01 1 23.00 23.00 474531001 Zone 01 1 23.00 23.00 474531002 Zone 01 1 23.00 23.00 474531003 Zone 01 1 23.00 23.00 474531003 Zone 01 1 23.00 23.00 474531004 Zone 01 1 23.00 23.00 474531005 Zone 01 1 23.00 23.00 474531006 Zone 01 1 23.00 23.00 474531008 Zone 01 1 23.00 23.00 474531009 Zone 01 1 23.00 23.00 474531010 Zone 01 1 23.00 23.00	474525001				
474525003 Zone 01 1 23.00 23.00 474525005 Zone 01 1 23.00 23.00 474525006 Zone 01 1 23.00 23.00 474525007 Zone 01 1 23.00 23.00 474531001 Zone 01 1 23.00 23.00 474531002 Zone 01 1 23.00 23.00 474531003 Zone 01 1 23.00 23.00 474531004 Zone 01 1 23.00 23.00 474531005 Zone 01 1 23.00 23.00 474531006 Zone 01 1 23.00 23.00 474531007 Zone 01 1 23.00 23.00 474531008 Zone 01 1 23.00 23.00 474531009 Zone 01 1 23.00 23.00 474531010 Zone 01 1 23.00 23.00 474531011 Zone 01 1 23.00 23.00	474525002	Zone 01		1 23.00	
474525004 Zone 01 1 23.00 23.00 474525005 Zone 01 1 23.00 23.00 474525007 Zone 01 1 23.00 23.00 474525007 Zone 01 1 23.00 23.00 474531001 Zone 01 1 23.00 23.00 474531002 Zone 01 1 23.00 23.00 474531003 Zone 01 1 23.00 23.00 474531004 Zone 01 1 23.00 23.00 474531005 Zone 01 1 23.00 23.00 474531007 Zone 01 1 23.00 23.00 474531008 Zone 01 1 23.00 23.00 474531009 Zone 01 1 23.00 23.00 474531010 Zone 01 1 23.00 23.00 474531011 Zone 01 1 23.00 23.00 474531012 Zone 01 1 23.00 23.00		Zone 01			23.00
474525005 Zone 01 1 23.00 23.00 474525007 Zone 01 1 23.00 23.00 474525007 Zone 01 1 23.00 23.00 474531001 Zone 01 1 23.00 23.00 474531002 Zone 01 1 23.00 23.00 474531003 Zone 01 1 23.00 23.00 474531004 Zone 01 1 23.00 23.00 474531005 Zone 01 1 23.00 23.00 474531006 Zone 01 1 23.00 23.00 474531007 Zone 01 1 23.00 23.00 474531008 Zone 01 1 23.00 23.00 474531009 Zone 01 1 23.00 23.00 474531010 Zone 01 1 23.00 23.00 474531011 Zone 01 1 23.00 23.00 474531013 Zone 01 1 23.00 23.00					
474525006 Zone 01 1 23.00 23.00 474525007 Zone 01 1 23.00 23.00 474531002 Zone 01 1 23.00 23.00 474531003 Zone 01 1 23.00 23.00 474531004 Zone 01 1 23.00 23.00 474531005 Zone 01 1 23.00 23.00 474531007 Zone 01 1 23.00 23.00 474531007 Zone 01 1 23.00 23.00 474531008 Zone 01 1 23.00 23.00 474531009 Zone 01 1 23.00 23.00 474531010 Zone 01 1 23.00 23.00 474531011 Zone 01 1 23.00 23.00 474531012 Zone 01 1 23.00 23.00 474531013 Zone 01 1 23.00 23.00 474531014 Zone 01 1 23.00 23.00					
474525007 Zone 01 1 23.00 23.00 474531001 Zone 01 1 23.00 23.00 474531002 Zone 01 1 23.00 23.00 474531003 Zone 01 1 23.00 23.00 474531005 Zone 01 1 23.00 23.00 474531006 Zone 01 1 23.00 23.00 474531007 Zone 01 1 23.00 23.00 474531008 Zone 01 1 23.00 23.00 474531009 Zone 01 1 23.00 23.00 474531010 Zone 01 1 23.00 23.00 474531011 Zone 01 1 23.00 23.00 474531011 Zone 01 1 23.00 23.00 474531014 Zone 01 1 23.00 23.00 474531014 Zone 01 1 23.00 23.00 474531015 Zone 01 1 23.00 23.00					
474531001 Zone 01 1 23.00 23.00 474531002 Zone 01 1 23.00 23.00 474531003 Zone 01 1 23.00 23.00 474531004 Zone 01 1 23.00 23.00 474531005 Zone 01 1 23.00 23.00 474531006 Zone 01 1 23.00 23.00 474531007 Zone 01 1 23.00 23.00 474531008 Zone 01 1 23.00 23.00 474531009 Zone 01 1 23.00 23.00 474531010 Zone 01 1 23.00 23.00 474531011 Zone 01 1 23.00 23.00 474531012 Zone 01 1 23.00 23.00 474531013 Zone 01 1 23.00 23.00 474531013 Zone 01 1 23.00 23.00 474531015 Zone 01 1 23.00 23.00					
474531002 Zone 01 1 23.00 23.00 474531003 Zone 01 1 23.00 23.00 474531004 Zone 01 1 23.00 23.00 474531005 Zone 01 1 23.00 23.00 474531006 Zone 01 1 23.00 23.00 474531007 Zone 01 1 23.00 23.00 474531008 Zone 01 1 23.00 23.00 474531009 Zone 01 1 23.00 23.00 474531010 Zone 01 1 23.00 23.00 474531011 Zone 01 1 23.00 23.00 474531012 Zone 01 1 23.00 23.00 474531013 Zone 01 1 23.00 23.00 474531014 Zone 01 1 23.00 23.00 474532015 Zone 01 1 23.00 23.00 474532001 Zone 01 1 23.00 23.00					
474531003 Zone 01 1 23.00 23.00 474531004 Zone 01 1 23.00 23.00 474531005 Zone 01 1 23.00 23.00 474531006 Zone 01 1 23.00 23.00 474531007 Zone 01 1 23.00 23.00 474531008 Zone 01 1 23.00 23.00 474531010 Zone 01 1 23.00 23.00 474531011 Zone 01 1 23.00 23.00 474531012 Zone 01 1 23.00 23.00 474531013 Zone 01 1 23.00 23.00 474531014 Zone 01 1 23.00 23.00 474531015 Zone 01 1 23.00 23.00 474532014 Zone 01 1 23.00 23.00 474532001 Zone 01 1 23.00 23.00 474532002 Zone 01 1 23.00 23.00					
474531004 Zone 01 1 23.00 23.00 474531005 Zone 01 1 23.00 23.00 474531006 Zone 01 1 23.00 23.00 474531007 Zone 01 1 23.00 23.00 474531008 Zone 01 1 23.00 23.00 474531010 Zone 01 1 23.00 23.00 474531011 Zone 01 1 23.00 23.00 474531012 Zone 01 1 23.00 23.00 474531013 Zone 01 1 23.00 23.00 474531014 Zone 01 1 23.00 23.00 474531014 Zone 01 1 23.00 23.00 474531014 Zone 01 1 23.00 23.00 474532015 Zone 01 1 23.00 23.00 474532001 Zone 01 1 23.00 23.00 474532003 Zone 01 1 23.00 23.00					
474531005 Zone 01 1 23.00 23.00 474531006 Zone 01 1 23.00 23.00 474531007 Zone 01 1 23.00 23.00 474531008 Zone 01 1 23.00 23.00 474531009 Zone 01 1 23.00 23.00 474531011 Zone 01 1 23.00 23.00 474531011 Zone 01 1 23.00 23.00 474531012 Zone 01 1 23.00 23.00 474531013 Zone 01 1 23.00 23.00 474531014 Zone 01 1 23.00 23.00 474531015 Zone 01 1 23.00 23.00 474532001 Zone 01 1 23.00 23.00 474532002 Zone 01 1 23.00 23.00 474532003 Zone 01 1 23.00 23.00 474532004 Zone 01 1 23.00 23.00					
474531006 Zone 01 1 23.00 23.00 474531007 Zone 01 1 23.00 23.00 474531008 Zone 01 1 23.00 23.00 474531009 Zone 01 1 23.00 23.00 474531010 Zone 01 1 23.00 23.00 474531011 Zone 01 1 23.00 23.00 474531012 Zone 01 1 23.00 23.00 474531013 Zone 01 1 23.00 23.00 474531014 Zone 01 1 23.00 23.00 474531015 Zone 01 1 23.00 23.00 474532001 Zone 01 1 23.00 23.00 474532002 Zone 01 1 23.00 23.00 474532003 Zone 01 1 23.00 23.00 474532004 Zone 01 1 23.00 23.00 474532005 Zone 01 1 23.00 23.00 474532006 Zone 01 1 23.00 23.00 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
474531007 Zone 01 1 23.00 23.00 474531008 Zone 01 1 23.00 23.00 474531010 Zone 01 1 23.00 23.00 474531011 Zone 01 1 23.00 23.00 474531011 Zone 01 1 23.00 23.00 474531013 Zone 01 1 23.00 23.00 474531014 Zone 01 1 23.00 23.00 474531015 Zone 01 1 23.00 23.00 474532001 Zone 01 1 23.00 23.00 474532002 Zone 01 1 23.00 23.00 474532003 Zone 01 1 23.00 23.00 474532004 Zone 01 1 23.00 23.00 474532005 Zone 01 1 23.00 23.00 474532006 Zone 01 1 23.00 23.00 474532007 Zone 01 1 23.00 23.00 474532008 Zone 01 1 23.00 23.00 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
474531008 Zone 01 1 23.00 23.00 474531019 Zone 01 1 23.00 23.00 474531010 Zone 01 1 23.00 23.00 474531011 Zone 01 1 23.00 23.00 474531012 Zone 01 1 23.00 23.00 474531013 Zone 01 1 23.00 23.00 474531015 Zone 01 1 23.00 23.00 474532001 Zone 01 1 23.00 23.00 474532002 Zone 01 1 23.00 23.00 474532003 Zone 01 1 23.00 23.00 474532004 Zone 01 1 23.00 23.00 474532005 Zone 01 1 23.00 23.00 474532006 Zone 01 1 23.00 23.00 474532007 Zone 01 1 23.00 23.00 474532008 Zone 01 1 23.00 23.00 474532010 Zone 01 1 23.00 23.00 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
474531009 Zone 01 1 23.00 23.00 474531010 Zone 01 1 23.00 23.00 474531011 Zone 01 1 23.00 23.00 474531012 Zone 01 1 23.00 23.00 474531013 Zone 01 1 23.00 23.00 474531014 Zone 01 1 23.00 23.00 474532015 Zone 01 1 23.00 23.00 474532001 Zone 01 1 23.00 23.00 474532002 Zone 01 1 23.00 23.00 474532003 Zone 01 1 23.00 23.00 474532004 Zone 01 1 23.00 23.00 474532005 Zone 01 1 23.00 23.00 474532006 Zone 01 1 23.00 23.00 474532007 Zone 01 1 23.00 23.00 474532009 Zone 01 1 23.00 23.00 474532010 Zone 01 1 23.00 23.00 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
474531010 Zone 01 1 23.00 23.00 474531011 Zone 01 1 23.00 23.00 474531012 Zone 01 1 23.00 23.00 474531013 Zone 01 1 23.00 23.00 474531014 Zone 01 1 23.00 23.00 474531015 Zone 01 1 23.00 23.00 474532001 Zone 01 1 23.00 23.00 474532002 Zone 01 1 23.00 23.00 474532003 Zone 01 1 23.00 23.00 474532004 Zone 01 1 23.00 23.00 474532005 Zone 01 1 23.00 23.00 474532006 Zone 01 1 23.00 23.00 474532007 Zone 01 1 23.00 23.00 474532008 Zone 01 1 23.00 23.00 474532010 Zone 01 1 23.00 23.00 474532011 Zone 01 1 23.00 23.00 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
474531011 Zone 01 1 23.00 23.00 474531012 Zone 01 1 23.00 23.00 474531013 Zone 01 1 23.00 23.00 474531014 Zone 01 1 23.00 23.00 474531015 Zone 01 1 23.00 23.00 474532001 Zone 01 1 23.00 23.00 474532002 Zone 01 1 23.00 23.00 474532003 Zone 01 1 23.00 23.00 474532004 Zone 01 1 23.00 23.00 474532005 Zone 01 1 23.00 23.00 474532006 Zone 01 1 23.00 23.00 474532007 Zone 01 1 23.00 23.00 474532008 Zone 01 1 23.00 23.00 474532010 Zone 01 1 23.00 23.00 474532011 Zone 01 1 23.00 23.00 474532012 Zone 01 1 23.00 23.00 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
474531012 Zone 01 1 23.00 23.00 474531013 Zone 01 1 23.00 23.00 474531014 Zone 01 1 23.00 23.00 474531015 Zone 01 1 23.00 23.00 474532001 Zone 01 1 23.00 23.00 474532002 Zone 01 1 23.00 23.00 474532003 Zone 01 1 23.00 23.00 474532004 Zone 01 1 23.00 23.00 474532005 Zone 01 1 23.00 23.00 474532006 Zone 01 1 23.00 23.00 474532007 Zone 01 1 23.00 23.00 474532008 Zone 01 1 23.00 23.00 474532010 Zone 01 1 23.00 23.00 474532011 Zone 01 1 23.00 23.00 474532012 Zone 01 1 23.00 23.00 474532013 Zone 01 1 23.00 23.00 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
474531013 Zone 01 1 23.00 23.00 474531014 Zone 01 1 23.00 23.00 474531015 Zone 01 1 23.00 23.00 474532001 Zone 01 1 23.00 23.00 474532002 Zone 01 1 23.00 23.00 474532003 Zone 01 1 23.00 23.00 474532004 Zone 01 1 23.00 23.00 474532005 Zone 01 1 23.00 23.00 474532006 Zone 01 1 23.00 23.00 474532007 Zone 01 1 23.00 23.00 474532008 Zone 01 1 23.00 23.00 474532010 Zone 01 1 23.00 23.00 474532011 Zone 01 1 23.00 23.00 474532012 Zone 01 1 23.00 23.00 474532013 Zone 01 1 23.00 23.00 474532014 Zone 01 1 23.00 23.00 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
474531014 Zone 01 1 23.00 23.00 474531015 Zone 01 1 23.00 23.00 474532001 Zone 01 1 23.00 23.00 474532002 Zone 01 1 23.00 23.00 474532003 Zone 01 1 23.00 23.00 474532004 Zone 01 1 23.00 23.00 474532005 Zone 01 1 23.00 23.00 474532006 Zone 01 1 23.00 23.00 474532007 Zone 01 1 23.00 23.00 474532008 Zone 01 1 23.00 23.00 474532010 Zone 01 1 23.00 23.00 474532011 Zone 01 1 23.00 23.00 474532012 Zone 01 1 23.00 23.00 474532013 Zone 01 1 23.00 23.00 474532015 Zone 01 1 23.00 23.00 474532016 Zone 01 1 23.00 23.00 <td></td> <td></td> <td></td> <td></td> <td></td>					
474531015 Zone 01 1 23.00 23.00 474532001 Zone 01 1 23.00 23.00 474532002 Zone 01 1 23.00 23.00 474532003 Zone 01 1 23.00 23.00 474532004 Zone 01 1 23.00 23.00 474532005 Zone 01 1 23.00 23.00 474532006 Zone 01 1 23.00 23.00 474532007 Zone 01 1 23.00 23.00 474532008 Zone 01 1 23.00 23.00 474532010 Zone 01 1 23.00 23.00 474532011 Zone 01 1 23.00 23.00 474532012 Zone 01 1 23.00 23.00 474532013 Zone 01 1 23.00 23.00 474532014 Zone 01 1 23.00 23.00 474532015 Zone 01 1 23.00 23.00 474532016 Zone 01 1 23.00 23.00 <td></td> <td></td> <td></td> <td></td> <td></td>					
474532001 Zone 01 1 23.00 23.00 474532002 Zone 01 1 23.00 23.00 474532003 Zone 01 1 23.00 23.00 474532004 Zone 01 1 23.00 23.00 474532005 Zone 01 1 23.00 23.00 474532006 Zone 01 1 23.00 23.00 474532007 Zone 01 1 23.00 23.00 474532008 Zone 01 1 23.00 23.00 474532010 Zone 01 1 23.00 23.00 474532011 Zone 01 1 23.00 23.00 474532012 Zone 01 1 23.00 23.00 474532013 Zone 01 1 23.00 23.00 474532014 Zone 01 1 23.00 23.00 474532015 Zone 01 1 23.00 23.00 474532016 Zone 01 1 23.00 23.00					
474532002 Zone 01 1 23.00 23.00 474532003 Zone 01 1 23.00 23.00 474532004 Zone 01 1 23.00 23.00 474532005 Zone 01 1 23.00 23.00 474532006 Zone 01 1 23.00 23.00 474532007 Zone 01 1 23.00 23.00 474532008 Zone 01 1 23.00 23.00 474532010 Zone 01 1 23.00 23.00 474532011 Zone 01 1 23.00 23.00 474532012 Zone 01 1 23.00 23.00 474532013 Zone 01 1 23.00 23.00 474532014 Zone 01 1 23.00 23.00 474532015 Zone 01 1 23.00 23.00 474532016 Zone 01 1 23.00 23.00					
474532003 Zone 01 1 23.00 23.00 474532004 Zone 01 1 23.00 23.00 474532005 Zone 01 1 23.00 23.00 474532006 Zone 01 1 23.00 23.00 474532007 Zone 01 1 23.00 23.00 474532008 Zone 01 1 23.00 23.00 474532019 Zone 01 1 23.00 23.00 474532011 Zone 01 1 23.00 23.00 474532012 Zone 01 1 23.00 23.00 474532013 Zone 01 1 23.00 23.00 474532014 Zone 01 1 23.00 23.00 474532015 Zone 01 1 23.00 23.00 474532016 Zone 01 1 23.00 23.00					
474532004 Zone 01 1 23.00 23.00 474532005 Zone 01 1 23.00 23.00 474532006 Zone 01 1 23.00 23.00 474532007 Zone 01 1 23.00 23.00 474532008 Zone 01 1 23.00 23.00 474532019 Zone 01 1 23.00 23.00 474532010 Zone 01 1 23.00 23.00 474532011 Zone 01 1 23.00 23.00 474532012 Zone 01 1 23.00 23.00 474532013 Zone 01 1 23.00 23.00 474532014 Zone 01 1 23.00 23.00 474532015 Zone 01 1 23.00 23.00 474532016 Zone 01 1 23.00 23.00					
474532005 Zone 01 1 23.00 23.00 474532006 Zone 01 1 23.00 23.00 474532007 Zone 01 1 23.00 23.00 474532008 Zone 01 1 23.00 23.00 474532010 Zone 01 1 23.00 23.00 474532011 Zone 01 1 23.00 23.00 474532012 Zone 01 1 23.00 23.00 474532013 Zone 01 1 23.00 23.00 474532014 Zone 01 1 23.00 23.00 474532015 Zone 01 1 23.00 23.00 474532016 Zone 01 1 23.00 23.00					
474532006 Zone 01 1 23.00 23.00 474532007 Zone 01 1 23.00 23.00 474532008 Zone 01 1 23.00 23.00 474532009 Zone 01 1 23.00 23.00 474532010 Zone 01 1 23.00 23.00 474532011 Zone 01 1 23.00 23.00 474532012 Zone 01 1 23.00 23.00 474532013 Zone 01 1 23.00 23.00 474532014 Zone 01 1 23.00 23.00 474532015 Zone 01 1 23.00 23.00 474532016 Zone 01 1 23.00 23.00					
474532007 Zone 01 1 23.00 23.00 474532008 Zone 01 1 23.00 23.00 474532009 Zone 01 1 23.00 23.00 474532010 Zone 01 1 23.00 23.00 474532011 Zone 01 1 23.00 23.00 474532012 Zone 01 1 23.00 23.00 474532013 Zone 01 1 23.00 23.00 474532014 Zone 01 1 23.00 23.00 474532015 Zone 01 1 23.00 23.00 474532016 Zone 01 1 23.00 23.00					
474532008 Zone 01 1 23.00 23.00 474532009 Zone 01 1 23.00 23.00 474532010 Zone 01 1 23.00 23.00 474532011 Zone 01 1 23.00 23.00 474532012 Zone 01 1 23.00 23.00 474532013 Zone 01 1 23.00 23.00 474532014 Zone 01 1 23.00 23.00 474532015 Zone 01 1 23.00 23.00 474532016 Zone 01 1 23.00 23.00					
474532009 Zone 01 1 23.00 23.00 474532010 Zone 01 1 23.00 23.00 474532011 Zone 01 1 23.00 23.00 474532012 Zone 01 1 23.00 23.00 474532013 Zone 01 1 23.00 23.00 474532014 Zone 01 1 23.00 23.00 474532015 Zone 01 1 23.00 23.00 474532016 Zone 01 1 23.00 23.00					
474532010 Zone 01 1 23.00 23.00 474532011 Zone 01 1 23.00 23.00 474532012 Zone 01 1 23.00 23.00 474532013 Zone 01 1 23.00 23.00 474532014 Zone 01 1 23.00 23.00 474532015 Zone 01 1 23.00 23.00 474532016 Zone 01 1 23.00 23.00					
474532011 Zone 01 1 23.00 23.00 474532012 Zone 01 1 23.00 23.00 474532013 Zone 01 1 23.00 23.00 474532014 Zone 01 1 23.00 23.00 474532015 Zone 01 1 23.00 23.00 474532016 Zone 01 1 23.00 23.00					
474532012 Zone 01 1 23.00 23.00 474532013 Zone 01 1 23.00 23.00 474532014 Zone 01 1 23.00 23.00 474532015 Zone 01 1 23.00 23.00 474532016 Zone 01 1 23.00 23.00					
474532013 Zone 01 1 23.00 23.00 474532014 Zone 01 1 23.00 23.00 474532015 Zone 01 1 23.00 23.00 474532016 Zone 01 1 23.00 23.00					
474532014 Zone 01 1 23.00 23.00 474532015 Zone 01 1 23.00 23.00 474532016 Zone 01 1 23.00 23.00					
474532015 Zone 01 1 23.00 23.00 474532016 Zone 01 1 23.00 23.00					
474532016 Zone 01 1 23.00 23.00					
474522017 7000 01 02.00					
	474532017	Zone 01		1 23.00	23.00
474532018 Zone 01 1 23.00 23.00					
474532019 Zone 01 1 23.00 23.00	474532019	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-18	3 Max Assessment	FY 17-18 Assessment
474532020	Zone 01	1	23.00	23.00
474532021	Zone 01	1	23.00	23.00
474532022	Zone 01	1	23.00	23.00
474532023	Zone 01	1	23.00	23.00
474532024	Zone 01	1	23.00	23.00
474532025	Zone 01	1	23.00	23.00
474532026	Zone 01	1	23.00	23.00
474532027	Zone 01	1	23.00	23.00
474533001	Zone 01	1	23.00	23.00
474533002	Zone 01	1	23.00	23.00
474533003	Zone 01	1	23.00	23.00
474533004	Zone 01	1	23.00	23.00
474533005	Zone 01	1	23.00	23.00
474533006	Zone 01	1	23.00	23.00
474533007	Zone 01	1	23.00	23.00
474533008	Zone 01	1	23.00	23.00
474533009	Zone 01	1	23.00	23.00
474533010	Zone 01	1	23.00	23.00
474533011	Zone 01	1	23.00	23.00
474533012	Zone 01	1	23.00	23.00
474533013	Zone 01	1	23.00	23.00
474533014	Zone 01	1	23.00	23.00
474533015	Zone 01	1	23.00	23.00
474533016	Zone 01	1	23.00	23.00
474533017	Zone 01	1	23.00	23.00
474534001	Zone 01	1	23.00	23.00
474534002	Zone 01	1	23.00	23.00
474534003	Zone 01	1	23.00	23.00
474534004	Zone 01	1	23.00	23.00
474534005	Zone 01	1	23.00	23.00
474534006	Zone 01	1	23.00	23.00
474534007	Zone 01	1	23.00	23.00
474534008	Zone 01	1	23.00	23.00
474534009	Zone 01	1	23.00	23.00
474534010	Zone 01	1	23.00	23.00
474534011	Zone 01	1	23.00	23.00
474534012	Zone 01	1	23.00	23.00
474534013	Zone 01	1	23.00	23.00
474541001	Zone 01	1	23.00	23.00
474541002	Zone 01	1	23.00	23.00
474541003	Zone 01	1	23.00	23.00
474541004	Zone 01	1	23.00	23.00
474541005	Zone 01	1	23.00	23.00
474541006	Zone 01	1	23.00	23.00
474541007	Zone 01	1	23.00	23.00
474541008	Zone 01	1	23.00	23.00
474541009	Zone 01	1	23.00	23.00
474541010	Zone 01	1	23.00	23.00
			20.00	

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-1	8 Max Assessment	FY 17-18 Assessment
474541011	Zone 01	1	23.00	23.00
474541012	Zone 01	1	23.00	23.00
474541013	Zone 01	1	23.00	23.00
474541014	Zone 01	1	23.00	23.00
474541015	Zone 01	1	23.00	23.00
474541016	Zone 01	1	23.00	23.00
474541017	Zone 01	1	23.00	23.00
474541018	Zone 01	1	23.00	23.00
474541019	Zone 01	1	23.00	23.00
474541020	Zone 01	1	23.00	23.00
474541021	Zone 01	1	23.00	23.00
474541022	Zone 01	1	23.00	23.00
474541023	Zone 01	1	23.00	23.00
474541024	Zone 01	1	23.00	23.00
474541025	Zone 01	1	23.00	23.00
474541026	Zone 01	1	23.00	23.00
474541027	Zone 01	1	23.00	23.00
474541028	Zone 01	1	23.00	23.00
474541029	Zone 01	1	23.00	23.00
474541030	Zone 01	1	23.00	23.00
474541031	Zone 01	1	23.00	23.00
474541032	Zone 01	1	23.00	23.00
474541033	Zone 01	1	23.00	23.00
474541034	Zone 01	1	23.00	23.00
474541035	Zone 01	1	23.00	23.00
474541036	Zone 01	1	23.00	23.00
474541037	Zone 01	1	23.00	23.00
474541038	Zone 01	1	23.00	23.00
474541039	Zone 01	1	23.00	23.00
474541040	Zone 01	1	23.00	23.00
474541041	Zone 01	1	23.00	23.00
474541042	Zone 01	1	23.00	23.00
474541043	Zone 01	1	23.00	23.00
474541044	Zone 01	1	23.00	23.00
474541045	Zone 01	1	23.00	23.00
474541046	Zone 01	1	23.00	23.00
474541047	Zone 01	1	23.00	23.00
474541048	Zone 01	1	23.00	23.00
474541049	Zone 01	1	23.00	23.00
474541050	Zone 01	1	23.00	23.00
474542001	Zone 01	1	23.00	23.00
474542002	Zone 01	1	23.00	23.00
474542003	Zone 01	1	23.00	23.00
474542004	Zone 01	1	23.00	23.00
474542005	Zone 01	1	23.00	23.00
474542006	Zone 01	1	23.00	23.00
474542007	Zone 01	1	23.00	23.00
474542008	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
474542009	Zone 01		1 23.00	23.00
474542010	Zone 01		1 23.00	23.00
474551001	Zone 01		1 23.00	23.00
474551002	Zone 01		1 23.00	23.00
474551003	Zone 01		1 23.00	23.00
474551004	Zone 01		1 23.00	23.00
474551005	Zone 01		1 23.00	23.00
474551006	Zone 01		1 23.00	23.00
474551007	Zone 01		1 23.00	23.00
474551008	Zone 01		1 23.00	23.00
474551009	Zone 01		1 23.00	23.00
474551010	Zone 01		1 23.00	23.00
474552001	Zone 01		1 23.00	23.00
474552002	Zone 01		1 23.00	23.00
474552003	Zone 01		1 23.00	23.00
474552004	Zone 01		1 23.00	23.00
474552005	Zone 01		1 23.00	23.00
474552006	Zone 01		1 23.00	23.00
474552007	Zone 01		1 23.00	23.00
474552008	Zone 01		1 23.00	23.00
474552009	Zone 01		1 23.00	23.00
474553001	Zone 01		1 23.00	23.00
474553001	Zone 01		1 23.00	23.00
474553002	Zone 01		1 23.00	23.00
474553003	Zone 01		1 23.00	23.00
474553004	Zone 01		1 23.00	23.00
474553005	Zone 01		1 23.00	23.00
474553007	Zone 01		1 23.00	23.00
474553007	Zone 01		1 23.00	23.00
474553009	Zone 01		1 23.00	23.00
474553010	Zone 01		1 23.00	23.00
474553010	Zone 01		1 23.00	23.00
474553011	Zone 01		1 23.00	23.00
474553012	Zone 01		1 23.00	23.00
474553013			1 23.00	23.00
474553014	Zone 01 Zone 01		1 23.00	23.00
	Zone 01		1 23.00	23.00
474553016				
474553017	Zone 01		1 23.00	23.00
474553018	Zone 01		1 23.00	23.00
474553019	Zone 01		1 23.00	23.00
474553020	Zone 01		1 23.00	23.00
474561001	Zone 01		1 23.00	23.00
474561002	Zone 01		1 23.00	23.00
474561003	Zone 01		1 23.00	23.00
474561004	Zone 01		1 23.00	23.00
474561005	Zone 01		1 23.00	23.00
474561006	Zone 01		1 23.00	23.00
474561007	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
474561008	Zone 01		1 23.00	23.00
474561009	Zone 01		1 23.00	23.00
474561010	Zone 01		1 23.00	23.00
474561011	Zone 01		1 23.00	23.00
474561012	Zone 01		1 23.00	23.00
474561013	Zone 01		1 23.00	23.00
474562001	Zone 01		1 23.00	23.00
474562002	Zone 01		1 23.00	23.00
474562003	Zone 01		1 23.00	23.00
474562004	Zone 01		1 23.00	23.00
474562005	Zone 01		1 23.00	23.00
474562006	Zone 01		1 23.00	23.00
474562007	Zone 01		1 23.00	23.00
474562008	Zone 01		1 23.00	23.00
474562009	Zone 01		1 23.00	23.00
474562010	Zone 01		1 23.00	23.00
474562011	Zone 01		1 23.00	23.00
474562012	Zone 01		1 23.00	23.00
474562013	Zone 01		1 23.00	23.00
474562014	Zone 01		1 23.00	23.00
474562015	Zone 01		1 23.00	23.00
474562016	Zone 01		1 23.00	23.00
474562017	Zone 01		1 23.00	23.00
474562018	Zone 01		1 23.00	23.00
474562019	Zone 01		1 23.00	23.00
474563001	Zone 01		1 23.00	23.00
474563002	Zone 01		1 23.00	23.00
474563003	Zone 01		1 23.00	23.00
474563004	Zone 01		1 23.00	23.00
474563005	Zone 01		1 23.00	23.00
474563006	Zone 01		1 23.00	23.00
474563007	Zone 01		1 23.00	23.00
474563008	Zone 01		1 23.00	23.00
474563009	Zone 01		1 23.00	23.00
474563010	Zone 01		1 23.00	23.00
474563011	Zone 01		1 23.00	23.00
474563012	Zone 01		1 23.00	23.00
474563013	Zone 01		1 23.00	23.00
474563014	Zone 01		1 23.00	23.00
474563015	Zone 01		1 23.00	23.00
474563016	Zone 01		1 23.00	23.00
474563017	Zone 01		1 23.00	23.00
474563018	Zone 01		1 23.00	23.00
474563019	Zone 01		1 23.00	23.00
474563020	Zone 01		1 23.00	23.00
474563021	Zone 01		1 23.00	23.00
474571001	Zone 01		1 23.00	23.00
474571001	Zone 01		1 23.00	23.00
7/43/1002	20116 01		23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
474571003	Zone 01		1 23.00	23.00
474571004	Zone 01		1 23.00	23.00
474572001	Zone 01		1 23.00	23.00
474572002	Zone 01		1 23.00	23.00
474572003	Zone 01		1 23.00	23.00
474572004	Zone 01		1 23.00	23.00
474572005	Zone 01		1 23.00	23.00
474572006	Zone 01		1 23.00	23.00
474572007	Zone 01		1 23.00	23.00
474572008	Zone 01		1 23.00	23.00
474573001	Zone 01		1 23.00	23.00
474573002	Zone 01		1 23.00	23.00
474573003	Zone 01		1 23.00	23.00
474573004	Zone 01		1 23.00	23.00
474573005	Zone 01		1 23.00	23.00
474573006	Zone 01		1 23.00	23.00
474573007	Zone 01		1 23.00	23.00
474573008	Zone 01		1 23.00	23.00
474573009	Zone 01		1 23.00	23.00
474573010	Zone 01		1 23.00	23.00
474574001	Zone 01		1 23.00	23.00
474574002	Zone 01		1 23.00	23.00
474574003	Zone 01		1 23.00	23.00
474574004	Zone 01		1 23.00	23.00
474574005	Zone 01		1 23.00	23.00
474574006	Zone 01		1 23.00	23.00
474574007	Zone 01		1 23.00	23.00
474574008	Zone 01		1 23.00	23.00
474574009	Zone 01		1 23.00	23.00
474574010	Zone 01		1 23.00	23.00
474575001	Zone 01		1 23.00	23.00
474575002	Zone 01		1 23.00	23.00
474575003	Zone 01		1 23.00	23.00
474576001	Zone 01		1 23.00	23.00
474576002	Zone 01		1 23.00	23.00
474576003	Zone 01		1 23.00	23.00
474576004	Zone 01		1 23.00	23.00
474576005	Zone 01		1 23.00	23.00
474576006	Zone 01		1 23.00	23.00
474576007	Zone 01		1 23.00	23.00
474576008	Zone 01		1 23.00	23.00
474576009	Zone 01		1 23.00	23.00
474576010	Zone 01		1 23.00	23.00
474576011	Zone 01		1 23.00	23.00
474576012	Zone 01		1 23.00	23.00
474576013	Zone 01		1 23.00	23.00
474576014	Zone 01		1 23.00	23.00
474577001	Zone 01		1 23.00	23.00
.1 1011 001	_3,10 0 1		20.00	20.00

APN	LMD 2014-01 Zone LMD Assigne	d EBU's FY 17-18 I	Max Assessment	FY 17-18 Assessment
474577002	Zone 01	1	23.00	23.00
474577003	Zone 01	1	23.00	23.00
474581001	Zone 01	1	23.00	23.00
474581002	Zone 01	1	23.00	23.00
474581003	Zone 01	1	23.00	23.00
474581004	Zone 01	1	23.00	23.00
474581005	Zone 01	1	23.00	23.00
474581006	Zone 01	1	23.00	23.00
474581007	Zone 01	1	23.00	23.00
474581008	Zone 01	1	23.00	23.00
474581009	Zone 01	1	23.00	23.00
474581010	Zone 01	1	23.00	23.00
474581011	Zone 01	1	23.00	23.00
474581012	Zone 01	1	23.00	23.00
474581013	Zone 01	1	23.00	23.00
474581014	Zone 01	1	23.00	23.00
474581015	Zone 01	1	23.00	23.00
474581016	Zone 01	1	23.00	23.00
474581017	Zone 01	1	23.00	23.00
474581018	Zone 01	1	23.00	23.00
474581019	Zone 01	1	23.00	23.00
474581020	Zone 01	1	23.00	23.00
474581021	Zone 01	1	23.00	23.00
474582001	Zone 01	1	23.00	23.00
474582002	Zone 01	1	23.00	23.00
474582003	Zone 01	1	23.00	23.00
474582004	Zone 01	1	23.00	23.00
474582005	Zone 01	1	23.00	23.00
474582006	Zone 01	1	23.00	23.00
474582007	Zone 01	1	23.00	23.00
474582008	Zone 01	1	23.00	23.00
474583001	Zone 01	1	23.00	23.00
474583002	Zone 01	1	23.00	23.00
474583003	Zone 01	1	23.00	23.00
474583004	Zone 01	1	23.00	23.00
474583005	Zone 01	1	23.00	23.00
474583006	Zone 01	1	23.00	23.00
474583007	Zone 01	1	23.00	23.00
474583008	Zone 01	1	23.00	23.00
474584001	Zone 01	1	23.00	23.00
474584002	Zone 01	1	23.00	23.00
474584003	Zone 01	1	23.00	23.00
474584004	Zone 01	1	23.00	23.00
474584005	Zone 01	1	23.00	23.00
474584006	Zone 01	1	23.00	23.00
474584007	Zone 01	1	23.00	23.00
474584008	Zone 01	1	23.00	23.00
474584009	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-18	8 Max Assessment	FY 17-18 Assessment
474584010	Zone 01	1	23.00	23.00
474584011	Zone 01	1	23.00	23.00
474584012	Zone 01	1	23.00	23.00
474584013	Zone 01	1	23.00	23.00
474584014	Zone 01	1	23.00	23.00
474584015	Zone 01	1	23.00	23.00
474584016	Zone 01	1	23.00	23.00
474584017	Zone 01	1	23.00	23.00
474584018	Zone 01	1	23.00	23.00
474601001	Zone 01	1	23.00	23.00
474601002	Zone 01	1	23.00	23.00
474601003	Zone 01	1	23.00	23.00
474601004	Zone 01	1	23.00	23.00
474601005	Zone 01	1	23.00	23.00
474601006	Zone 01	1	23.00	23.00
474601007	Zone 01	1	23.00	23.00
474601008	Zone 01	1	23.00	23.00
474602001	Zone 01	1	23.00	23.00
474602002	Zone 01	1	23.00	23.00
474602003	Zone 01	1	23.00	23.00
474602004	Zone 01	1	23.00	23.00
474602005	Zone 01	1	23.00	23.00
474602006	Zone 01	1	23.00	23.00
474602007	Zone 01	1	23.00	23.00
474602008	Zone 01	1	23.00	23.00
474602009	Zone 01	1	23.00	23.00
474602010	Zone 01	1	23.00	23.00
474602011	Zone 01	1	23.00	23.00
474602012	Zone 01	1	23.00	23.00
474602013	Zone 01	1	23.00	23.00
474602014	Zone 01	1	23.00	23.00
474602015	Zone 01	1	23.00	23.00
474602016	Zone 01	1	23.00	23.00
474602017	Zone 01	1	23.00	23.00
474602018	Zone 01	1	23.00	23.00
474602020	Zone 01	1	23.00	23.00
474602021	Zone 01	1	23.00	23.00
474602022	Zone 01	1	23.00	23.00
474602023	Zone 01	1	23.00	23.00
474602024	Zone 01	1	23.00	23.00
474602025	Zone 01	1	23.00	23.00
474602026	Zone 01	1	23.00	23.00
474602027	Zone 01	1	23.00	23.00
474602028	Zone 01	1	23.00	23.00
474602029	Zone 01	1	23.00	23.00
474602030	Zone 01	1	23.00	23.00
474602031	Zone 01	1	23.00	23.00
474602032	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-1	8 Max Assessment	FY 17-18 Assessment
474602033	Zone 01	1	23.00	23.00
474602034	Zone 01	1	23.00	23.00
474602035	Zone 01	1	23.00	23.00
474602036	Zone 01	1	23.00	23.00
474602037	Zone 01	1	23.00	23.00
474611001	Zone 01	1	23.00	23.00
474611002	Zone 01	1	23.00	23.00
474611003	Zone 01	1	23.00	23.00
474611004	Zone 01	1	23.00	23.00
474611005	Zone 01	1	23.00	23.00
474611006	Zone 01	1	23.00	23.00
474611007	Zone 01	1	23.00	23.00
474611008	Zone 01	1	23.00	23.00
474611009	Zone 01	1	23.00	23.00
474611010	Zone 01	1	23.00	23.00
474611011	Zone 01	1	23.00	23.00
474611012	Zone 01	1	23.00	23.00
474611013	Zone 01	1	23.00	23.00
474611014	Zone 01	1	23.00	23.00
474611015	Zone 01	1	23.00	23.00
474611016	Zone 01	1	23.00	23.00
474611017	Zone 01	1	23.00	23.00
474611018	Zone 01	1	23.00	23.00
474612001	Zone 01	1	23.00	23.00
474612002	Zone 01	1	23.00	23.00
474612003	Zone 01	1	23.00	23.00
474612004	Zone 01	1	23.00	23.00
474612005	Zone 01	1	23.00	23.00
474612006	Zone 01	1	23.00	23.00
474612007	Zone 01	1	23.00	23.00
474612008	Zone 01	1	23.00	23.00
474612009	Zone 01	1	23.00	23.00
474612010	Zone 01	1	23.00	23.00
474612011	Zone 01	1	23.00	23.00
474612012	Zone 01	1	23.00	23.00
474612013	Zone 01	1	23.00	23.00
474612014	Zone 01	1	23.00	23.00
474612015	Zone 01	1	23.00	23.00
474612016	Zone 01	1	23.00	23.00
474612017	Zone 01	1	23.00	23.00
474612018	Zone 01	1	23.00	23.00
474612019	Zone 01	1	23.00	23.00
474612020	Zone 01	1	23.00	23.00
474612021	Zone 01	1	23.00	23.00
474612022	Zone 01	1	23.00	23.00
474612023	Zone 01	1	23.00	23.00
474612024	Zone 01	1	23.00	23.00
474612025	Zone 01	1	23.00	23.00
			==100	

474612026	APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
474612028 Zone 01 1 23.00 23.00 474612029 Zone 01 1 23.00 23.00 474621002 Zone 01 1 23.00 23.00 474621003 Zone 01 1 23.00 23.00 474621004 Zone 01 1 23.00 23.00 474621005 Zone 01 1 23.00 23.00 474621006 Zone 01 1 23.00 23.00 474621007 Zone 01 1 23.00 23.00 474621008 Zone 01 1 23.00 23.00 474621009 Zone 01 1 23.00 23.00 474621009 Zone 01 1 23.00 23.00 474622001 Zone 01 1 23.00 23.00 474622002 Zone 01 1 23.00 23.00 47462203 Zone 01 1 23.00 23.00 47462204 Zone 01 1 23.00 23.00 <t< td=""><td>474612026</td><td>Zone 01</td><td></td><td>1 23.00</td><td>23.00</td></t<>	474612026	Zone 01		1 23.00	23.00
474612029 Zone 01 1 23.00 23.00 474621001 Zone 01 1 23.00 23.00 474621002 Zone 01 1 23.00 23.00 474621003 Zone 01 1 23.00 23.00 474621004 Zone 01 1 23.00 23.00 474621005 Zone 01 1 23.00 23.00 474621006 Zone 01 1 23.00 23.00 474621007 Zone 01 1 23.00 23.00 474621009 Zone 01 1 23.00 23.00 474621010 Zone 01 1 23.00 23.00 474622002 Zone 01 1 23.00 23.00 474622001 Zone 01 1 23.00 23.00 474622002 Zone 01 1 23.00 23.00 474622003 Zone 01 1 23.00 23.00 474622004 Zone 01 1 23.00 23.00	474612027	Zone 01		1 23.00	23.00
474621001 Zone 01 1 23.00 23.00 474621002 Zone 01 1 23.00 23.00 474621003 Zone 01 1 23.00 23.00 474621005 Zone 01 1 23.00 23.00 474621006 Zone 01 1 23.00 23.00 474621007 Zone 01 1 23.00 23.00 474621008 Zone 01 1 23.00 23.00 474621009 Zone 01 1 23.00 23.00 474621010 Zone 01 1 23.00 23.00 474622001 Zone 01 1 23.00 23.00 474622001 Zone 01 1 23.00 23.00 474622002 Zone 01 1 23.00 23.00 474622003 Zone 01 1 23.00 23.00 474622004 Zone 01 1 23.00 23.00 474622005 Zone 01 1 23.00 23.00	474612028	Zone 01		1 23.00	23.00
474821002 Zone 01 1 23.00 23.00 474621003 Zone 01 1 23.00 23.00 474621004 Zone 01 1 23.00 23.00 474621005 Zone 01 1 23.00 23.00 474621007 Zone 01 1 23.00 23.00 474621009 Zone 01 1 23.00 23.00 474621010 Zone 01 1 23.00 23.00 474621010 Zone 01 1 23.00 23.00 474622001 Zone 01 1 23.00 23.00 474622002 Zone 01 1 23.00 23.00 474622003 Zone 01 1 23.00 23.00 474622004 Zone 01 1 23.00 23.00 474622005 Zone 01 1 23.00 23.00 474622006 Zone 01 1 23.00 23.00 474622007 Zone 01 1 23.00 23.00	474612029	Zone 01		1 23.00	23.00
474621003 Zone 01 1 23.00 23.00 474621005 Zone 01 1 23.00 23.00 474621006 Zone 01 1 23.00 23.00 474621007 Zone 01 1 23.00 23.00 474621008 Zone 01 1 23.00 23.00 474621009 Zone 01 1 23.00 23.00 474621010 Zone 01 1 23.00 23.00 474622001 Zone 01 1 23.00 23.00 474622002 Zone 01 1 23.00 23.00 474622003 Zone 01 1 23.00 23.00 474622004 Zone 01 1 23.00 23.00 474622005 Zone 01 1 23.00 23.00 474622006 Zone 01 1 23.00 23.00 474622007 Zone 01 1 23.00 23.00 474622008 Zone 01 1 23.00 23.00	474621001	Zone 01		1 23.00	23.00
474621004 Zone 01 1 23.00 23.00 474621006 Zone 01 1 23.00 23.00 474621007 Zone 01 1 23.00 23.00 474621008 Zone 01 1 23.00 23.00 474621009 Zone 01 1 23.00 23.00 474621010 Zone 01 1 23.00 23.00 474622001 Zone 01 1 23.00 23.00 474622002 Zone 01 1 23.00 23.00 474622003 Zone 01 1 23.00 23.00 474622004 Zone 01 1 23.00 23.00 474622005 Zone 01 1 23.00 23.00 474622006 Zone 01 1 23.00 23.00 474622007 Zone 01 1 23.00 23.00 474622007 Zone 01 1 23.00 23.00 474622009 Zone 01 1 23.00 23.00	474621002	Zone 01		1 23.00	23.00
474621005 Zone 01 1 23.00 23.00 474621007 Zone 01 1 23.00 23.00 474621008 Zone 01 1 23.00 23.00 474621009 Zone 01 1 23.00 23.00 474621010 Zone 01 1 23.00 23.00 474622001 Zone 01 1 23.00 23.00 474622002 Zone 01 1 23.00 23.00 474622003 Zone 01 1 23.00 23.00 474622004 Zone 01 1 23.00 23.00 474622005 Zone 01 1 23.00 23.00 474622006 Zone 01 1 23.00 23.00 474622007 Zone 01 1 23.00 23.00 474622007 Zone 01 1 23.00 23.00 474622007 Zone 01 1 23.00 23.00 474622009 Zone 01 1 23.00 23.00	474621003	Zone 01		1 23.00	23.00
474621006 Zone 01 1 23.00 23.00 474621007 Zone 01 1 23.00 23.00 474621008 Zone 01 1 23.00 23.00 474621010 Zone 01 1 23.00 23.00 474622011 Zone 01 1 23.00 23.00 474622002 Zone 01 1 23.00 23.00 474622003 Zone 01 1 23.00 23.00 474622004 Zone 01 1 23.00 23.00 474622005 Zone 01 1 23.00 23.00 474622006 Zone 01 1 23.00 23.00 474622007 Zone 01 1 23.00 23.00 474622008 Zone 01 1 23.00 23.00 474622009 Zone 01 1 23.00 23.00 474622010 Zone 01 1 23.00 23.00 474622011 Zone 01 1 23.00 23.00	474621004	Zone 01		1 23.00	23.00
474621007 Zone 01 1 23.00 23.00 474621009 Zone 01 1 23.00 23.00 474621010 Zone 01 1 23.00 23.00 474621010 Zone 01 1 23.00 23.00 474622002 Zone 01 1 23.00 23.00 474622003 Zone 01 1 23.00 23.00 474622004 Zone 01 1 23.00 23.00 474622005 Zone 01 1 23.00 23.00 474622006 Zone 01 1 23.00 23.00 474622007 Zone 01 1 23.00 23.00 474622008 Zone 01 1 23.00 23.00 474622009 Zone 01 1 23.00 23.00 474622010 Zone 01 1 23.00 23.00 474622011 Zone 01 1 23.00 23.00 474622012 Zone 01 1 23.00 23.00	474621005	Zone 01		1 23.00	23.00
474621008 Zone 01 1 23.00 23.00 474621010 Zone 01 1 23.00 23.00 474622011 Zone 01 1 23.00 23.00 474622002 Zone 01 1 23.00 23.00 474622003 Zone 01 1 23.00 23.00 474622004 Zone 01 1 23.00 23.00 474622005 Zone 01 1 23.00 23.00 474622006 Zone 01 1 23.00 23.00 474622007 Zone 01 1 23.00 23.00 474622008 Zone 01 1 23.00 23.00 474622009 Zone 01 1 23.00 23.00 474622010 Zone 01 1 23.00 23.00 474622011 Zone 01 1 23.00 23.00 474622012 Zone 01 1 23.00 23.00 474622013 Zone 01 1 23.00 23.00	474621006	Zone 01		1 23.00	23.00
474621009 Zone 01 1 23.00 23.00 474622001 Zone 01 1 23.00 23.00 474622002 Zone 01 1 23.00 23.00 474622003 Zone 01 1 23.00 23.00 474622004 Zone 01 1 23.00 23.00 474622005 Zone 01 1 23.00 23.00 474622006 Zone 01 1 23.00 23.00 474622007 Zone 01 1 23.00 23.00 474622008 Zone 01 1 23.00 23.00 474622009 Zone 01 1 23.00 23.00 474622010 Zone 01 1 23.00 23.00 474622011 Zone 01 1 23.00 23.00 474622012 Zone 01 1 23.00 23.00 474622013 Zone 01 1 23.00 23.00 474622013 Zone 01 1 23.00 23.00	474621007	Zone 01		1 23.00	23.00
474621010 Zone 01 1 23.00 23.00 474622001 Zone 01 1 23.00 23.00 474622003 Zone 01 1 23.00 23.00 474622004 Zone 01 1 23.00 23.00 474622005 Zone 01 1 23.00 23.00 474622006 Zone 01 1 23.00 23.00 474622008 Zone 01 1 23.00 23.00 474622008 Zone 01 1 23.00 23.00 474622009 Zone 01 1 23.00 23.00 474622010 Zone 01 1 23.00 23.00 474622011 Zone 01 1 23.00 23.00 474622012 Zone 01 1 23.00 23.00 474622013 Zone 01 1 23.00 23.00 474622014 Zone 01 1 23.00 23.00 474622015 Zone 01 1 23.00 23.00 474622014 Zone 01 1 23.00 23.00 <td< td=""><td>474621008</td><td>Zone 01</td><td></td><td>1 23.00</td><td>23.00</td></td<>	474621008	Zone 01		1 23.00	23.00
474622001 Zone 01 1 23.00 23.00 474622003 Zone 01 1 23.00 23.00 474622003 Zone 01 1 23.00 23.00 474622004 Zone 01 1 23.00 23.00 474622005 Zone 01 1 23.00 23.00 474622007 Zone 01 1 23.00 23.00 474622008 Zone 01 1 23.00 23.00 474622009 Zone 01 1 23.00 23.00 474622010 Zone 01 1 23.00 23.00 474622011 Zone 01 1 23.00 23.00 474622012 Zone 01 1 23.00 23.00 474622013 Zone 01 1 23.00 23.00 474622014 Zone 01 1 23.00 23.00 474622013 Zone 01 1 23.00 23.00 474622014 Zone 01 1 23.00 23.00	474621009	Zone 01		1 23.00	23.00
474622002 Zone 01 1 23.00 23.00 474622004 Zone 01 1 23.00 23.00 474622005 Zone 01 1 23.00 23.00 474622006 Zone 01 1 23.00 23.00 474622007 Zone 01 1 23.00 23.00 474622008 Zone 01 1 23.00 23.00 474622010 Zone 01 1 23.00 23.00 474622010 Zone 01 1 23.00 23.00 474622011 Zone 01 1 23.00 23.00 474622012 Zone 01 1 23.00 23.00 474622013 Zone 01 1 23.00 23.00 474622014 Zone 01 1 23.00 23.00 474622015 Zone 01 1 23.00 23.00 474622015 Zone 01 1 23.00 23.00 474622015 Zone 01 1 23.00 23.00	474621010	Zone 01		1 23.00	23.00
474622003 Zone 01 1 23.00 23.00 474622005 Zone 01 1 23.00 23.00 474622006 Zone 01 1 23.00 23.00 474622007 Zone 01 1 23.00 23.00 474622008 Zone 01 1 23.00 23.00 474622009 Zone 01 1 23.00 23.00 474622010 Zone 01 1 23.00 23.00 474622011 Zone 01 1 23.00 23.00 474622012 Zone 01 1 23.00 23.00 474622013 Zone 01 1 23.00 23.00 474622014 Zone 01 1 23.00 23.00 474622015 Zone 01 1 23.00 23.00 474622016 Zone 01 1 23.00 23.00 474622017 Zone 01 1 23.00 23.00 474622017 Zone 01 1 23.00 23.00	474622001	Zone 01		1 23.00	23.00
474622004 Zone 01 1 23.00 23.00 474622005 Zone 01 1 23.00 23.00 474622006 Zone 01 1 23.00 23.00 474622007 Zone 01 1 23.00 23.00 474622008 Zone 01 1 23.00 23.00 474622010 Zone 01 1 23.00 23.00 474622011 Zone 01 1 23.00 23.00 474622012 Zone 01 1 23.00 23.00 474622013 Zone 01 1 23.00 23.00 474622014 Zone 01 1 23.00 23.00 474622015 Zone 01 1 23.00 23.00 474622016 Zone 01 1 23.00 23.00 474622017 Zone 01 1 23.00 23.00 474622017 Zone 01 1 23.00 23.00 474622018 Zone 01 1 23.00 23.00	474622002	Zone 01		1 23.00	23.00
474622005 Zone 01 1 23.00 23.00 474622007 Zone 01 1 23.00 23.00 474622008 Zone 01 1 23.00 23.00 474622009 Zone 01 1 23.00 23.00 474622010 Zone 01 1 23.00 23.00 474622011 Zone 01 1 23.00 23.00 474622012 Zone 01 1 23.00 23.00 474622013 Zone 01 1 23.00 23.00 474622014 Zone 01 1 23.00 23.00 474622015 Zone 01 1 23.00 23.00 474622016 Zone 01 1 23.00 23.00 474622017 Zone 01 1 23.00 23.00 474622018 Zone 01 1 23.00 23.00 474622019 Zone 01 1 23.00 23.00 474622021 Zone 01 1 23.00 23.00	474622003	Zone 01		1 23.00	23.00
474622006 Zone 01 1 23.00 23.00 474622007 Zone 01 1 23.00 23.00 474622008 Zone 01 1 23.00 23.00 474622019 Zone 01 1 23.00 23.00 474622011 Zone 01 1 23.00 23.00 474622012 Zone 01 1 23.00 23.00 474622013 Zone 01 1 23.00 23.00 474622014 Zone 01 1 23.00 23.00 474622015 Zone 01 1 23.00 23.00 474622014 Zone 01 1 23.00 23.00 474622015 Zone 01 1 23.00 23.00 474622016 Zone 01 1 23.00 23.00 474622017 Zone 01 1 23.00 23.00 474622018 Zone 01 1 23.00 23.00 474622020 Zone 01 1 23.00 23.00	474622004	Zone 01		1 23.00	23.00
474622007 Zone 01 1 23.00 23.00 474622008 Zone 01 1 23.00 23.00 474622010 Zone 01 1 23.00 23.00 474622011 Zone 01 1 23.00 23.00 474622012 Zone 01 1 23.00 23.00 474622013 Zone 01 1 23.00 23.00 474622014 Zone 01 1 23.00 23.00 474622015 Zone 01 1 23.00 23.00 474622016 Zone 01 1 23.00 23.00 474622017 Zone 01 1 23.00 23.00 474622017 Zone 01 1 23.00 23.00 474622018 Zone 01 1 23.00 23.00 474622019 Zone 01 1 23.00 23.00 474622021 Zone 01 1 23.00 23.00 474631001 Zone 01 1 23.00 23.00	474622005	Zone 01		1 23.00	23.00
474622008 Zone 01 1 23.00 23.00 474622009 Zone 01 1 23.00 23.00 474622010 Zone 01 1 23.00 23.00 474622011 Zone 01 1 23.00 23.00 474622012 Zone 01 1 23.00 23.00 474622013 Zone 01 1 23.00 23.00 474622014 Zone 01 1 23.00 23.00 474622015 Zone 01 1 23.00 23.00 474622016 Zone 01 1 23.00 23.00 474622017 Zone 01 1 23.00 23.00 474622018 Zone 01 1 23.00 23.00 474622019 Zone 01 1 23.00 23.00 474622019 Zone 01 1 23.00 23.00 474622021 Zone 01 1 23.00 23.00 474631001 Zone 01 1 23.00 23.00	474622006	Zone 01		1 23.00	23.00
474622009 Zone 01 1 23.00 23.00 474622010 Zone 01 1 23.00 23.00 474622011 Zone 01 1 23.00 23.00 474622012 Zone 01 1 23.00 23.00 474622013 Zone 01 1 23.00 23.00 474622014 Zone 01 1 23.00 23.00 474622015 Zone 01 1 23.00 23.00 474622016 Zone 01 1 23.00 23.00 474622017 Zone 01 1 23.00 23.00 474622018 Zone 01 1 23.00 23.00 474622019 Zone 01 1 23.00 23.00 474622020 Zone 01 1 23.00 23.00 474622021 Zone 01 1 23.00 23.00 474631001 Zone 01 1 23.00 23.00 474631002 Zone 01 1 23.00 23.00 474631003 Zone 01 1 23.00 23.00 <td< td=""><td>474622007</td><td>Zone 01</td><td></td><td>1 23.00</td><td>23.00</td></td<>	474622007	Zone 01		1 23.00	23.00
474622010 Zone 01 1 23.00 23.00 474622011 Zone 01 1 23.00 23.00 474622012 Zone 01 1 23.00 23.00 474622013 Zone 01 1 23.00 23.00 474622014 Zone 01 1 23.00 23.00 474622015 Zone 01 1 23.00 23.00 474622016 Zone 01 1 23.00 23.00 474622017 Zone 01 1 23.00 23.00 474622018 Zone 01 1 23.00 23.00 474622019 Zone 01 1 23.00 23.00 474622020 Zone 01 1 23.00 23.00 474622021 Zone 01 1 23.00 23.00 474631001 Zone 01 1 23.00 23.00 474631002 Zone 01 1 23.00 23.00 474631003 Zone 01 1 23.00 23.00 474631004 Zone 01 1 23.00 23.00 <td< td=""><td>474622008</td><td></td><td></td><td>1 23.00</td><td>23.00</td></td<>	474622008			1 23.00	23.00
474622010 Zone 01 1 23.00 23.00 474622011 Zone 01 1 23.00 23.00 474622012 Zone 01 1 23.00 23.00 474622013 Zone 01 1 23.00 23.00 474622014 Zone 01 1 23.00 23.00 474622015 Zone 01 1 23.00 23.00 474622016 Zone 01 1 23.00 23.00 474622017 Zone 01 1 23.00 23.00 474622018 Zone 01 1 23.00 23.00 474622019 Zone 01 1 23.00 23.00 474622020 Zone 01 1 23.00 23.00 474622021 Zone 01 1 23.00 23.00 474631001 Zone 01 1 23.00 23.00 474631002 Zone 01 1 23.00 23.00 474631003 Zone 01 1 23.00 23.00 474631004 Zone 01 1 23.00 23.00 <td< td=""><td>474622009</td><td>Zone 01</td><td></td><td>1 23.00</td><td></td></td<>	474622009	Zone 01		1 23.00	
474622012 Zone 01 1 23.00 23.00 474622013 Zone 01 1 23.00 23.00 474622014 Zone 01 1 23.00 23.00 474622015 Zone 01 1 23.00 23.00 474622016 Zone 01 1 23.00 23.00 474622017 Zone 01 1 23.00 23.00 474622018 Zone 01 1 23.00 23.00 474622019 Zone 01 1 23.00 23.00 474622020 Zone 01 1 23.00 23.00 474622021 Zone 01 1 23.00 23.00 474631001 Zone 01 1 23.00 23.00 474631002 Zone 01 1 23.00 23.00 474631003 Zone 01 1 23.00 23.00 474631004 Zone 01 1 23.00 23.00 474631005 Zone 01 1 23.00 23.00 474631006 Zone 01 1 23.00 23.00 <td< td=""><td>474622010</td><td>Zone 01</td><td></td><td>1 23.00</td><td>23.00</td></td<>	474622010	Zone 01		1 23.00	23.00
474622013 Zone 01 1 23.00 23.00 474622014 Zone 01 1 23.00 23.00 474622015 Zone 01 1 23.00 23.00 474622016 Zone 01 1 23.00 23.00 474622017 Zone 01 1 23.00 23.00 474622018 Zone 01 1 23.00 23.00 474622019 Zone 01 1 23.00 23.00 474622020 Zone 01 1 23.00 23.00 474622021 Zone 01 1 23.00 23.00 474631001 Zone 01 1 23.00 23.00 474631002 Zone 01 1 23.00 23.00 474631003 Zone 01 1 23.00 23.00 474631004 Zone 01 1 23.00 23.00 474631005 Zone 01 1 23.00 23.00 474631006 Zone 01 1 23.00 23.00 474631008 Zone 01 1 23.00 23.00 <td< td=""><td>474622011</td><td>Zone 01</td><td></td><td>1 23.00</td><td>23.00</td></td<>	474622011	Zone 01		1 23.00	23.00
474622014 Zone 01 1 23.00 23.00 474622015 Zone 01 1 23.00 23.00 474622016 Zone 01 1 23.00 23.00 474622017 Zone 01 1 23.00 23.00 474622018 Zone 01 1 23.00 23.00 474622019 Zone 01 1 23.00 23.00 474622020 Zone 01 1 23.00 23.00 474622021 Zone 01 1 23.00 23.00 474622022 Zone 01 1 23.00 23.00 474631001 Zone 01 1 23.00 23.00 474631002 Zone 01 1 23.00 23.00 474631003 Zone 01 1 23.00 23.00 474631004 Zone 01 1 23.00 23.00 474631005 Zone 01 1 23.00 23.00 474631006 Zone 01 1 23.00 23.00 474631008 Zone 01 1 23.00 23.00 <td< td=""><td>474622012</td><td>Zone 01</td><td></td><td>1 23.00</td><td>23.00</td></td<>	474622012	Zone 01		1 23.00	23.00
474622015 Zone 01 1 23.00 23.00 474622016 Zone 01 1 23.00 23.00 474622017 Zone 01 1 23.00 23.00 474622018 Zone 01 1 23.00 23.00 474622019 Zone 01 1 23.00 23.00 474622020 Zone 01 1 23.00 23.00 474622021 Zone 01 1 23.00 23.00 474631001 Zone 01 1 23.00 23.00 474631002 Zone 01 1 23.00 23.00 474631003 Zone 01 1 23.00 23.00 474631004 Zone 01 1 23.00 23.00 474631005 Zone 01 1 23.00 23.00 474631006 Zone 01 1 23.00 23.00 474631008 Zone 01 1 23.00 23.00 474631009 Zone 01 1 23.00 23.00 474631010 Zone 01 1 23.00 23.00 <td< td=""><td>474622013</td><td>Zone 01</td><td></td><td>1 23.00</td><td>23.00</td></td<>	474622013	Zone 01		1 23.00	23.00
474622016 Zone 01 1 23.00 23.00 474622017 Zone 01 1 23.00 23.00 474622018 Zone 01 1 23.00 23.00 474622019 Zone 01 1 23.00 23.00 474622020 Zone 01 1 23.00 23.00 474622021 Zone 01 1 23.00 23.00 474631001 Zone 01 1 23.00 23.00 474631002 Zone 01 1 23.00 23.00 474631003 Zone 01 1 23.00 23.00 474631004 Zone 01 1 23.00 23.00 474631005 Zone 01 1 23.00 23.00 474631006 Zone 01 1 23.00 23.00 474631007 Zone 01 1 23.00 23.00 474631008 Zone 01 1 23.00 23.00 474631009 Zone 01 1 23.00 23.00 474631010 Zone 01 1 23.00 23.00 <td< td=""><td>474622014</td><td>Zone 01</td><td></td><td>1 23.00</td><td>23.00</td></td<>	474622014	Zone 01		1 23.00	23.00
474622017 Zone 01 1 23.00 23.00 474622018 Zone 01 1 23.00 23.00 474622019 Zone 01 1 23.00 23.00 474622020 Zone 01 1 23.00 23.00 474622021 Zone 01 1 23.00 23.00 474631001 Zone 01 1 23.00 23.00 474631002 Zone 01 1 23.00 23.00 474631003 Zone 01 1 23.00 23.00 474631004 Zone 01 1 23.00 23.00 474631005 Zone 01 1 23.00 23.00 474631006 Zone 01 1 23.00 23.00 474631007 Zone 01 1 23.00 23.00 474631008 Zone 01 1 23.00 23.00 474631009 Zone 01 1 23.00 23.00 474631010 Zone 01 1 23.00 23.00 474631011 Zone 01 1 23.00 23.00 <td>474622015</td> <td>Zone 01</td> <td></td> <td>1 23.00</td> <td>23.00</td>	474622015	Zone 01		1 23.00	23.00
474622018 Zone 01 1 23.00 23.00 474622019 Zone 01 1 23.00 23.00 474622020 Zone 01 1 23.00 23.00 474622021 Zone 01 1 23.00 23.00 474631001 Zone 01 1 23.00 23.00 474631002 Zone 01 1 23.00 23.00 474631003 Zone 01 1 23.00 23.00 474631004 Zone 01 1 23.00 23.00 474631005 Zone 01 1 23.00 23.00 474631006 Zone 01 1 23.00 23.00 474631007 Zone 01 1 23.00 23.00 474631008 Zone 01 1 23.00 23.00 474631010 Zone 01 1 23.00 23.00 474631011 Zone 01 1 23.00 23.00 474631011 Zone 01 1 23.00 23.00	474622016	Zone 01		1 23.00	23.00
474622019 Zone 01 1 23.00 23.00 474622020 Zone 01 1 23.00 23.00 474622021 Zone 01 1 23.00 23.00 474622022 Zone 01 1 23.00 23.00 474631001 Zone 01 1 23.00 23.00 474631002 Zone 01 1 23.00 23.00 474631003 Zone 01 1 23.00 23.00 474631004 Zone 01 1 23.00 23.00 474631005 Zone 01 1 23.00 23.00 474631006 Zone 01 1 23.00 23.00 474631007 Zone 01 1 23.00 23.00 474631008 Zone 01 1 23.00 23.00 474631009 Zone 01 1 23.00 23.00 474631010 Zone 01 1 23.00 23.00 474631011 Zone 01 1 23.00 23.00	474622017	Zone 01		1 23.00	23.00
474622020 Zone 01 1 23.00 23.00 474622021 Zone 01 1 23.00 23.00 474622022 Zone 01 1 23.00 23.00 474631001 Zone 01 1 23.00 23.00 474631002 Zone 01 1 23.00 23.00 474631003 Zone 01 1 23.00 23.00 474631004 Zone 01 1 23.00 23.00 474631005 Zone 01 1 23.00 23.00 474631006 Zone 01 1 23.00 23.00 474631007 Zone 01 1 23.00 23.00 474631008 Zone 01 1 23.00 23.00 474631009 Zone 01 1 23.00 23.00 474631010 Zone 01 1 23.00 23.00 474631011 Zone 01 1 23.00 23.00	474622018	Zone 01		1 23.00	23.00
474622021 Zone 01 1 23.00 23.00 474622022 Zone 01 1 23.00 23.00 474631001 Zone 01 1 23.00 23.00 474631002 Zone 01 1 23.00 23.00 474631003 Zone 01 1 23.00 23.00 474631004 Zone 01 1 23.00 23.00 474631005 Zone 01 1 23.00 23.00 474631006 Zone 01 1 23.00 23.00 474631007 Zone 01 1 23.00 23.00 474631008 Zone 01 1 23.00 23.00 474631009 Zone 01 1 23.00 23.00 474631010 Zone 01 1 23.00 23.00 474631011 Zone 01 1 23.00 23.00	474622019	Zone 01		1 23.00	23.00
474622022 Zone 01 1 23.00 23.00 474631001 Zone 01 1 23.00 23.00 474631002 Zone 01 1 23.00 23.00 474631003 Zone 01 1 23.00 23.00 474631004 Zone 01 1 23.00 23.00 474631005 Zone 01 1 23.00 23.00 474631006 Zone 01 1 23.00 23.00 474631007 Zone 01 1 23.00 23.00 474631008 Zone 01 1 23.00 23.00 474631010 Zone 01 1 23.00 23.00 474631011 Zone 01 1 23.00 23.00 474631011 Zone 01 1 23.00 23.00	474622020	Zone 01		1 23.00	23.00
474631001 Zone 01 1 23.00 23.00 474631002 Zone 01 1 23.00 23.00 474631003 Zone 01 1 23.00 23.00 474631004 Zone 01 1 23.00 23.00 474631005 Zone 01 1 23.00 23.00 474631006 Zone 01 1 23.00 23.00 474631007 Zone 01 1 23.00 23.00 474631008 Zone 01 1 23.00 23.00 474631009 Zone 01 1 23.00 23.00 474631010 Zone 01 1 23.00 23.00 474631011 Zone 01 1 23.00 23.00	474622021	Zone 01		1 23.00	23.00
474631002 Zone 01 1 23.00 23.00 474631003 Zone 01 1 23.00 23.00 474631004 Zone 01 1 23.00 23.00 474631005 Zone 01 1 23.00 23.00 474631006 Zone 01 1 23.00 23.00 474631007 Zone 01 1 23.00 23.00 474631008 Zone 01 1 23.00 23.00 474631010 Zone 01 1 23.00 23.00 474631011 Zone 01 1 23.00 23.00 474631011 Zone 01 1 23.00 23.00	474622022	Zone 01		1 23.00	23.00
474631003 Zone 01 1 23.00 23.00 474631004 Zone 01 1 23.00 23.00 474631005 Zone 01 1 23.00 23.00 474631006 Zone 01 1 23.00 23.00 474631007 Zone 01 1 23.00 23.00 474631008 Zone 01 1 23.00 23.00 474631010 Zone 01 1 23.00 23.00 474631011 Zone 01 1 23.00 23.00 474631011 Zone 01 1 23.00 23.00	474631001	Zone 01		1 23.00	23.00
474631004 Zone 01 1 23.00 23.00 474631005 Zone 01 1 23.00 23.00 474631006 Zone 01 1 23.00 23.00 474631007 Zone 01 1 23.00 23.00 474631008 Zone 01 1 23.00 23.00 474631009 Zone 01 1 23.00 23.00 474631010 Zone 01 1 23.00 23.00 474631011 Zone 01 1 23.00 23.00	474631002	Zone 01		1 23.00	23.00
474631005 Zone 01 1 23.00 23.00 474631006 Zone 01 1 23.00 23.00 474631007 Zone 01 1 23.00 23.00 474631008 Zone 01 1 23.00 23.00 474631009 Zone 01 1 23.00 23.00 474631010 Zone 01 1 23.00 23.00 474631011 Zone 01 1 23.00 23.00	474631003	Zone 01		1 23.00	23.00
474631006 Zone 01 1 23.00 23.00 474631007 Zone 01 1 23.00 23.00 474631008 Zone 01 1 23.00 23.00 474631009 Zone 01 1 23.00 23.00 474631010 Zone 01 1 23.00 23.00 474631011 Zone 01 1 23.00 23.00	474631004	Zone 01		1 23.00	23.00
474631007 Zone 01 1 23.00 23.00 474631008 Zone 01 1 23.00 23.00 474631009 Zone 01 1 23.00 23.00 474631010 Zone 01 1 23.00 23.00 474631011 Zone 01 1 23.00 23.00	474631005	Zone 01		1 23.00	23.00
474631007 Zone 01 1 23.00 23.00 474631008 Zone 01 1 23.00 23.00 474631009 Zone 01 1 23.00 23.00 474631010 Zone 01 1 23.00 23.00 474631011 Zone 01 1 23.00 23.00	474631006				
474631008 Zone 01 1 23.00 23.00 474631009 Zone 01 1 23.00 23.00 474631010 Zone 01 1 23.00 23.00 474631011 Zone 01 1 23.00 23.00		Zone 01			
474631009 Zone 01 1 23.00 23.00 474631010 Zone 01 1 23.00 23.00 474631011 Zone 01 1 23.00 23.00	474631008				
474631010 Zone 01 1 23.00 23.00 474631011 Zone 01 1 23.00 23.00					
474631011 Zone 01 1 23.00 23.00	474631010	Zone 01		1 23.00	23.00
	474631012	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
474631013	Zone 01		1 23.00	23.00
474631014	Zone 01		1 23.00	23.00
474631015	Zone 01		1 23.00	23.00
474631016	Zone 01		1 23.00	23.00
474631017	Zone 01		1 23.00	23.00
474632001	Zone 01		1 23.00	23.00
474632002	Zone 01		1 23.00	23.00
474632003	Zone 01		1 23.00	23.00
474632004	Zone 01		1 23.00	23.00
474632005	Zone 01		1 23.00	23.00
474632006	Zone 01		1 23.00	23.00
474632007	Zone 01		1 23.00	23.00
474632008	Zone 01		1 23.00	23.00
474632009	Zone 01		1 23.00	23.00
474632010	Zone 01		1 23.00	23.00
474632011	Zone 01		1 23.00	23.00
474632012	Zone 01		1 23.00	23.00
474632013	Zone 01		1 23.00	23.00
474632014	Zone 01		1 23.00	23.00
474632015	Zone 01		1 23.00	23.00
474632016	Zone 01		1 23.00	23.00
474632017	Zone 01		1 23.00	23.00
474632018	Zone 01		1 23.00	23.00
474641001	Zone 01		1 23.00	23.00
474641002	Zone 01		1 23.00	23.00
474641003	Zone 01		1 23.00	23.00
474641004	Zone 01		1 23.00	23.00
474641005	Zone 01		1 23.00	23.00
474641006	Zone 01		1 23.00	23.00
474641007	Zone 01		1 23.00	23.00
474641008	Zone 01		1 23.00	23.00
474641009	Zone 01		1 23.00	23.00
474641010	Zone 01		1 23.00	23.00
474641011	Zone 01		1 23.00	23.00
474641012	Zone 01		1 23.00	23.00
474641013	Zone 01		1 23.00	23.00
474641014	Zone 01		1 23.00	23.00
474641015	Zone 01		1 23.00	23.00
474641016	Zone 01		1 23.00	23.00
474641017	Zone 01		1 23.00	23.00
474641018	Zone 01		1 23.00	23.00
474641019	Zone 01		1 23.00	23.00
474641020	Zone 01		1 23.00	23.00
474641021	Zone 01		1 23.00	23.00
474641022	Zone 01		1 23.00	23.00
474641023	Zone 01		1 23.00	23.00
474642001	Zone 01		1 23.00	23.00
474642002	Zone 01		1 23.00	23.00
			20.00	20.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-18 M	ax Assessment	FY 17-18 Assessment
474642003	Zone 01	1	23.00	23.00
474642004	Zone 01	1	23.00	23.00
474642005	Zone 01	1	23.00	23.00
474642006	Zone 01	1	23.00	23.00
474642007	Zone 01	1	23.00	23.00
474642008	Zone 01	1	23.00	23.00
474642009	Zone 01	1	23.00	23.00
474642010	Zone 01	1	23.00	23.00
474643001	Zone 01	1	23.00	23.00
474643002	Zone 01	1	23.00	23.00
474643003	Zone 01	1	23.00	23.00
474643004	Zone 01	1	23.00	23.00
474643005	Zone 01	1	23.00	23.00
474643006	Zone 01	1	23.00	23.00
474643007	Zone 01	1	23.00	23.00
474643008	Zone 01	1	23.00	23.00
474643009	Zone 01	1	23.00	23.00
474643010	Zone 01	1	23.00	23.00
474643011	Zone 01	1	23.00	23.00
474643012	Zone 01	1	23.00	23.00
474643013	Zone 01	1	23.00	23.00
474643014	Zone 01	1	23.00	23.00
474643015	Zone 01	1	23.00	23.00
474643016	Zone 01	1	23.00	23.00
474643017	Zone 01	1	23.00	23.00
474643018	Zone 01	1	23.00	23.00
474643019	Zone 01	1	23.00	23.00
474643020	Zone 01	1	23.00	23.00
474643021	Zone 01	1	23.00	23.00
474643022	Zone 01	1	23.00	23.00
474643023	Zone 01	1	23.00	23.00
474643024	Zone 01	1	23.00	23.00
474644001	Zone 01	1	23.00	23.00
474644002	Zone 01	1	23.00	23.00
474644003	Zone 01	1	23.00	23.00
474644004	Zone 01	1	23.00	23.00
474644005	Zone 01	1	23.00	23.00
474644006	Zone 01	1	23.00	23.00
474644007	Zone 01	1	23.00	23.00
474644008	Zone 01	1	23.00	23.00
474644009	Zone 01	1	23.00	23.00
474644010	Zone 01	1	23.00	23.00
474644011	Zone 01	1	23.00	23.00
474644012	Zone 01	1	23.00	23.00
474644013	Zone 01	1	23.00	23.00
474644014	Zone 01	1	23.00	23.00
474644015	Zone 01	1	23.00	23.00
474644016	Zone 01	1	23.00	23.00

APN	I MD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
474645001	Zone 01	LIND Assigned EDO 3	1 23.00	23.00
474645002	Zone 01		1 23.00	23.00
474645003	Zone 01		1 23.00	23.00
474645004	Zone 01		1 23.00	23.00
474645005	Zone 01		1 23.00	23.00
474645006	Zone 01		1 23.00	23.00
474645007	Zone 01		1 23.00	23.00
474645008	Zone 01		1 23.00	23.00
474645009	Zone 01		1 23.00	23.00
474645010	Zone 01		1 23.00	23.00
474645011	Zone 01		1 23.00	23.00
474645012	Zone 01		1 23.00	23.00
474645013	Zone 01		1 23.00	23.00
474645014	Zone 01		1 23.00	23.00
474645015	Zone 01		1 23.00	23.00
474645016	Zone 01		1 23.00	23.00
474651001	Zone 01		1 23.00	23.00
474651002	Zone 01		1 23.00	23.00
474651002	Zone 01		1 23.00	23.00
474651004	Zone 01		1 23.00	23.00
474651005	Zone 01		1 23.00	23.00
474651006	Zone 01		1 23.00	23.00
474651007	Zone 01		1 23.00	23.00
474651007	Zone 01		1 23.00	23.00
	Zone 01		1 23.00	23.00
474651009	Zone 01		1 23.00	23.00
474651010	Zone 01		1 23.00	23.00
474651011 474651012	Zone 01		1 23.00	23.00
474651012	Zone 01		1 23.00	23.00
474651013	Zone 01		1 23.00	23.00
	Zone 01		1 23.00	23.00
474651015 474651016			1 23.00	23.00
474651017	Zone 01 Zone 01		1 23.00	23.00
474651017			1 23.00	23.00
	Zone 01		1 23.00	
474651019 474651020	Zone 01 Zone 01		1 23.00	23.00 23.00
474651021	Zone 01		1 23.00	23.00
474651021				
	Zone 01		1 23.00	23.00
474651023	Zone 01		1 23.00	23.00
474651024	Zone 01		1 23.00	23.00
474651025	Zone 01		1 23.00	23.00
474651026	Zone 01		1 23.00	23.00
474651027	Zone 01		1 23.00	23.00
474651028	Zone 01		1 23.00	23.00
474651029	Zone 01		1 23.00	23.00
474651030	Zone 01		1 23.00	23.00
474651031	Zone 01		1 23.00	23.00
474651032	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
474651033	Zone 01		1 23.00	23.00
474651034	Zone 01		1 23.00	23.00
474651035	Zone 01		1 23.00	23.00
474651036	Zone 01		1 23.00	23.00
474651037	Zone 01		1 23.00	23.00
474651038	Zone 01		1 23.00	23.00
474651039	Zone 01		1 23.00	23.00
474651040	Zone 01		1 23.00	23.00
474651041	Zone 01		1 23.00	23.00
474651042	Zone 01		1 23.00	23.00
474651043	Zone 01		1 23.00	23.00
474651044	Zone 01		1 23.00	23.00
474651045	Zone 01		1 23.00	23.00
474652001	Zone 01		1 23.00	23.00
474652002	Zone 01		1 23.00	23.00
474652003	Zone 01		1 23.00	23.00
474652004	Zone 01		1 23.00	23.00
474652005	Zone 01		1 23.00	23.00
474652006	Zone 01		1 23.00	23.00
474652007	Zone 01		1 23.00	23.00
474652008	Zone 01		1 23.00	23.00
474652009	Zone 01		1 23.00	23.00
474652010	Zone 01		1 23.00	23.00
474652011	Zone 01		1 23.00	23.00
474652012	Zone 01		1 23.00	23.00
474652013	Zone 01		1 23.00	23.00
474652014	Zone 01		1 23.00	23.00
474652015	Zone 01		1 23.00	23.00
474652016	Zone 01		1 23.00	23.00
474652017	Zone 01		1 23.00	23.00
474652018	Zone 01		1 23.00	23.00
474652019	Zone 01		1 23.00	23.00
474653001	Zone 01		1 23.00	23.00
474653002	Zone 01		1 23.00	23.00
474653003	Zone 01		1 23.00	23.00
474653004	Zone 01		1 23.00	23.00
474653005	Zone 01		1 23.00	23.00
474653006	Zone 01		1 23.00	23.00
474653007	Zone 01		1 23.00	23.00
474660001	Zone 01		1 23.00	23.00
474660002	Zone 01		1 23.00	23.00
474660002	Zone 01		1 23.00	23.00
474660004	Zone 01		1 23.00	23.00
474660005	Zone 01		1 23.00	23.00
474660006	Zone 01		1 23.00	23.00
474660007	Zone 01		1 23.00	23.00
474660007	Zone 01		1 23.00	23.00
474660009	Zone 01		1 23.00	23.00
774000003	20116 01		23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
474660010	Zone 01		1 23.00	23.00
474660011	Zone 01		1 23.00	23.00
474660012	Zone 01		1 23.00	23.00
474660013	Zone 01		1 23.00	23.00
474660014	Zone 01		1 23.00	23.00
474660015	Zone 01		1 23.00	23.00
474660016	Zone 01		1 23.00	23.00
474660017	Zone 01		1 23.00	23.00
474660018	Zone 01		1 23.00	23.00
474660019	Zone 01		1 23.00	23.00
474660020	Zone 01		1 23.00	23.00
474660021	Zone 01		1 23.00	23.00
474660022	Zone 01		1 23.00	23.00
474660023	Zone 01		1 23.00	23.00
474660024	Zone 01		1 23.00	23.00
474660025	Zone 01		1 23.00	23.00
474660026	Zone 01		1 23.00	23.00
474671001	Zone 01		1 23.00	23.00
474671001	Zone 01		1 23.00	23.00
474671002	Zone 01		1 23.00	23.00
474671003	Zone 01		1 23.00	23.00
				23.00
474671005	Zone 01		1 23.00	
474671006	Zone 01		1 23.00	23.00
474671007	Zone 01		1 23.00	23.00
474672001	Zone 01		1 23.00	23.00
474672002	Zone 01		1 23.00	23.00
474672003	Zone 01		1 23.00	23.00
474672004	Zone 01		1 23.00	23.00
474672005	Zone 01		1 23.00	23.00
474672006	Zone 01		1 23.00	23.00
474672007	Zone 01		1 23.00	23.00
474672008	Zone 01		1 23.00	23.00
474673001	Zone 01		1 23.00	23.00
474673002	Zone 01		1 23.00	23.00
474673003	Zone 01		1 23.00	23.00
474673004	Zone 01		1 23.00	23.00
474673005	Zone 01		1 23.00	23.00
474674001	Zone 01		1 23.00	23.00
474674002	Zone 01		1 23.00	23.00
474674003	Zone 01		1 23.00	23.00
474674004	Zone 01		1 23.00	23.00
474674005	Zone 01		1 23.00	23.00
474674006	Zone 01		1 23.00	23.00
474674007	Zone 01		1 23.00	23.00
474674008	Zone 01		1 23.00	23.00
474674009	Zone 01		1 23.00	23.00
474674010	Zone 01		1 23.00	23.00
474674011	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
474674012	Zone 01		1 23.00	23.00
474674013	Zone 01		1 23.00	23.00
474674014	Zone 01		1 23.00	23.00
474674015	Zone 01		1 23.00	23.00
474674016	Zone 01		1 23.00	23.00
474675001	Zone 01		1 23.00	23.00
474675002	Zone 01		1 23.00	23.00
474675003	Zone 01		1 23.00	23.00
474675004	Zone 01		1 23.00	23.00
474675005	Zone 01		1 23.00	23.00
474675006	Zone 01		1 23.00	23.00
474675007	Zone 01		1 23.00	23.00
474675008	Zone 01		1 23.00	23.00
474675009	Zone 01		1 23.00	23.00
474675010	Zone 01		1 23.00	23.00
474675011	Zone 01		1 23.00	23.00
474675012	Zone 01		1 23.00	23.00
474675013	Zone 01		1 23.00	23.00
474675014	Zone 01		1 23.00	23.00
474675015	Zone 01		1 23.00	23.00
474675016	Zone 01		1 23.00	23.00
474675017	Zone 01		1 23.00	23.00
474681001	Zone 01		1 23.00	23.00
474681002	Zone 01		1 23.00	23.00
474681003	Zone 01		1 23.00	23.00
474681004	Zone 01		1 23.00	23.00
474681005	Zone 01		1 23.00	23.00
474681006	Zone 01		1 23.00	23.00
474681007	Zone 01		1 23.00	23.00
474681008	Zone 01		1 23.00	23.00
474681009	Zone 01		1 23.00	23.00
474681010	Zone 01		1 23.00	23.00
474681011	Zone 01		1 23.00	23.00
474681012	Zone 01		1 23.00	23.00
474681013	Zone 01		1 23.00	23.00
474681014	Zone 01		1 23.00	23.00
474681015	Zone 01		1 23.00	23.00
474681016	Zone 01		1 23.00	23.00
474682001	Zone 01		1 23.00	23.00
474682002	Zone 01		1 23.00	23.00
474682003	Zone 01		1 23.00	23.00
474682004	Zone 01		1 23.00	23.00
474682005	Zone 01		1 23.00	23.00
474701001	Zone 01		1 23.00	23.00
474701002	Zone 01		1 23.00	23.00
474701003	Zone 01		1 23.00	23.00
474701004	Zone 01		1 23.00	23.00
474701005	Zone 01		1 23.00	23.00
			20.00	20.00

474701006	APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
47470100B Zone 01 1 23.00 23.00 474701010 Zone 01 1 23.00 23.00 474701011 Zone 01 1 23.00 23.00 474701012 Zone 01 1 23.00 23.00 474701013 Zone 01 1 23.00 23.00 474701014 Zone 01 1 23.00 23.00 474702001 Zone 01 1 23.00 23.00 474702001 Zone 01 1 23.00 23.00 474702003 Zone 01 1 23.00 23.00 474702003 Zone 01 1 23.00 23.00 474702005 Zone 01 1 23.00 23.00 474702006 Zone 01 1 23.00 23.00 474702007 Zone 01 1 23.00 23.00 474702008 Zone 01 1 23.00 23.00 474703001 Zone 01 1 23.00 23.00	474701006	Zone 01		1 23.00	23.00
474701009 Zone 01	474701007	Zone 01		1 23.00	23.00
474701010 Zone 01 1 23.00 23.00 474701011 Zone 01 1 23.00 23.00 474701013 Zone 01 1 23.00 23.00 474701014 Zone 01 1 23.00 23.00 474702001 Zone 01 1 23.00 23.00 474702002 Zone 01 1 23.00 23.00 474702003 Zone 01 1 23.00 23.00 474702004 Zone 01 1 23.00 23.00 474702005 Zone 01 1 23.00 23.00 474702006 Zone 01 1 23.00 23.00 474702007 Zone 01 1 23.00 23.00 474703007 Zone 01 1 23.00 23.00 474703001 Zone 01 1 23.00 23.00 474703002 Zone 01 1 23.00 23.00 474703003 Zone 01 1 23.00 23.00	474701008	Zone 01		1 23.00	23.00
474701011 Zone 01 1 23.00 23.00 474701012 Zone 01 1 23.00 23.00 474701014 Zone 01 1 23.00 23.00 474702001 Zone 01 1 23.00 23.00 474702002 Zone 01 1 23.00 23.00 474702003 Zone 01 1 23.00 23.00 474702004 Zone 01 1 23.00 23.00 474702005 Zone 01 1 23.00 23.00 474702006 Zone 01 1 23.00 23.00 474702007 Zone 01 1 23.00 23.00 474703001 Zone 01 1 23.00 23.00 474703001 Zone 01 1 23.00 23.00 474703002 Zone 01 1 23.00 23.00 474703003 Zone 01 1 23.00 23.00 474703004 Zone 01 1 23.00 23.00	474701009				
474701011 Zone 01 1 23.00 23.00 474701012 Zone 01 1 23.00 23.00 474701014 Zone 01 1 23.00 23.00 474702001 Zone 01 1 23.00 23.00 474702002 Zone 01 1 23.00 23.00 474702003 Zone 01 1 23.00 23.00 474702004 Zone 01 1 23.00 23.00 474702005 Zone 01 1 23.00 23.00 474702006 Zone 01 1 23.00 23.00 474702007 Zone 01 1 23.00 23.00 474703001 Zone 01 1 23.00 23.00 474703001 Zone 01 1 23.00 23.00 474703002 Zone 01 1 23.00 23.00 474703003 Zone 01 1 23.00 23.00 474703004 Zone 01 1 23.00 23.00	474701010	Zone 01		1 23.00	23.00
474701012 Zone 01 1 23.00 23.00 474701013 Zone 01 1 23.00 23.00 474702001 Zone 01 1 23.00 23.00 474702002 Zone 01 1 23.00 23.00 474702003 Zone 01 1 23.00 23.00 474702004 Zone 01 1 23.00 23.00 474702005 Zone 01 1 23.00 23.00 474702006 Zone 01 1 23.00 23.00 474702007 Zone 01 1 23.00 23.00 474702008 Zone 01 1 23.00 23.00 474703001 Zone 01 1 23.00 23.00 474703002 Zone 01 1 23.00 23.00 474703003 Zone 01 1 23.00 23.00 474703004 Zone 01 1 23.00 23.00 474703005 Zone 01 1 23.00 23.00					
474701013 Zone 01 1 23.00 23.00 474701014 Zone 01 1 23.00 23.00 474702002 Zone 01 1 23.00 23.00 474702003 Zone 01 1 23.00 23.00 474702004 Zone 01 1 23.00 23.00 474702005 Zone 01 1 23.00 23.00 474702006 Zone 01 1 23.00 23.00 474702007 Zone 01 1 23.00 23.00 474702008 Zone 01 1 23.00 23.00 474703001 Zone 01 1 23.00 23.00 474703002 Zone 01 1 23.00 23.00 474703003 Zone 01 1 23.00 23.00 474703004 Zone 01 1 23.00 23.00 474703005 Zone 01 1 23.00 23.00 474710001 Zone 01 1 23.00 23.00					
474701014 Zone 01 1 23.00 23.00 474702001 Zone 01 1 23.00 23.00 474702003 Zone 01 1 23.00 23.00 474702004 Zone 01 1 23.00 23.00 474702005 Zone 01 1 23.00 23.00 474702006 Zone 01 1 23.00 23.00 474702007 Zone 01 1 23.00 23.00 474702008 Zone 01 1 23.00 23.00 474703001 Zone 01 1 23.00 23.00 474703002 Zone 01 1 23.00 23.00 474703003 Zone 01 1 23.00 23.00 474703004 Zone 01 1 23.00 23.00 474703005 Zone 01 1 23.00 23.00 474710001 Zone 01 1 23.00 23.00 474710002 Zone 01 1 23.00 23.00	474701013				
474702001 Zone 01 1 23.00 23.00 474702002 Zone 01 1 23.00 23.00 474702003 Zone 01 1 23.00 23.00 474702005 Zone 01 1 23.00 23.00 474702006 Zone 01 1 23.00 23.00 474702007 Zone 01 1 23.00 23.00 474702008 Zone 01 1 23.00 23.00 474703001 Zone 01 1 23.00 23.00 474703002 Zone 01 1 23.00 23.00 474703003 Zone 01 1 23.00 23.00 474703004 Zone 01 1 23.00 23.00 474703005 Zone 01 1 23.00 23.00 474710001 Zone 01 1 23.00 23.00 474710002 Zone 01 1 23.00 23.00 47471003 Zone 01 1 23.00 23.00 <					
474702002 Zone 01 1 23.00 23.00 474702003 Zone 01 1 23.00 23.00 474702004 Zone 01 1 23.00 23.00 474702005 Zone 01 1 23.00 23.00 474702007 Zone 01 1 23.00 23.00 474702008 Zone 01 1 23.00 23.00 474703001 Zone 01 1 23.00 23.00 474703002 Zone 01 1 23.00 23.00 474703003 Zone 01 1 23.00 23.00 474703004 Zone 01 1 23.00 23.00 474703005 Zone 01 1 23.00 23.00 474710001 Zone 01 1 23.00 23.00 474710002 Zone 01 1 23.00 23.00 474710003 Zone 01 1 23.00 23.00 474710003 Zone 01 1 23.00 23.00					
474702003 Zone 01 1 23.00 23.00 474702004 Zone 01 1 23.00 23.00 474702005 Zone 01 1 23.00 23.00 474702006 Zone 01 1 23.00 23.00 474702007 Zone 01 1 23.00 23.00 474703001 Zone 01 1 23.00 23.00 474703001 Zone 01 1 23.00 23.00 474703002 Zone 01 1 23.00 23.00 474703003 Zone 01 1 23.00 23.00 474703004 Zone 01 1 23.00 23.00 474703005 Zone 01 1 23.00 23.00 474710001 Zone 01 1 23.00 23.00 474710002 Zone 01 1 23.00 23.00 474710003 Zone 01 1 23.00 23.00 474713004 Zone 01 1 23.00 23.00					
474702004 Zone 01 1 23.00 23.00 474702005 Zone 01 1 23.00 23.00 474702007 Zone 01 1 23.00 23.00 474702008 Zone 01 1 23.00 23.00 474702008 Zone 01 1 23.00 23.00 474703001 Zone 01 1 23.00 23.00 474703002 Zone 01 1 23.00 23.00 474703003 Zone 01 1 23.00 23.00 474703004 Zone 01 1 23.00 23.00 474703005 Zone 01 1 23.00 23.00 474710001 Zone 01 1 23.00 23.00 474710002 Zone 01 1 23.00 23.00 474710003 Zone 01 1 23.00 23.00 47471004 Zone 01 1 23.00 23.00 474713006 Zone 01 1 23.00 23.00 <					
474702005 Zone 01 1 23.00 23.00 474702007 Zone 01 1 23.00 23.00 474702008 Zone 01 1 23.00 23.00 474703001 Zone 01 1 23.00 23.00 474703002 Zone 01 1 23.00 23.00 474703003 Zone 01 1 23.00 23.00 474703004 Zone 01 1 23.00 23.00 474703005 Zone 01 1 23.00 23.00 474703006 Zone 01 1 23.00 23.00 474710001 Zone 01 1 23.00 23.00 474710002 Zone 01 1 23.00 23.00 474710003 Zone 01 1 23.00 23.00 474713006 Zone 01 1 23.00 23.00 474713006 Zone 01 1 23.00 23.00 4747110004 Zone 01 1 23.00 23.00					
474702006 Zone 01 1 23.00 23.00 474702007 Zone 01 1 23.00 23.00 474702008 Zone 01 1 23.00 23.00 474703001 Zone 01 1 23.00 23.00 474703002 Zone 01 1 23.00 23.00 474703003 Zone 01 1 23.00 23.00 474703004 Zone 01 1 23.00 23.00 474703005 Zone 01 1 23.00 23.00 474703006 Zone 01 1 23.00 23.00 474710001 Zone 01 1 23.00 23.00 474710002 Zone 01 1 23.00 23.00 474710003 Zone 01 1 23.00 23.00 474713006 Zone 01 1 23.00 23.00 474713006 Zone 01 1 23.00 23.00 474713006 Zone 01 1 23.00 23.00					
474702007 Zone 01 1 23.00 23.00 474702008 Zone 01 1 23.00 23.00 474703001 Zone 01 1 23.00 23.00 474703002 Zone 01 1 23.00 23.00 474703003 Zone 01 1 23.00 23.00 474703005 Zone 01 1 23.00 23.00 474703006 Zone 01 1 23.00 23.00 474710001 Zone 01 1 23.00 23.00 474710002 Zone 01 1 23.00 23.00 47471003 Zone 01 1 23.00 23.00 47471004 Zone 01 1 23.00 23.00 474713005 Zone 01 1 23.00 23.00 474713006 Zone 01 1 23.00 23.00 474713005 Zone 01 1 23.00 23.00 474714001 Zone 01 1 23.00 23.00 <t< td=""><td></td><td></td><td></td><td></td><td></td></t<>					
474702008 Zone 01 1 23.00 23.00 474703001 Zone 01 1 23.00 23.00 474703002 Zone 01 1 23.00 23.00 474703003 Zone 01 1 23.00 23.00 474703004 Zone 01 1 23.00 23.00 474703005 Zone 01 1 23.00 23.00 474710001 Zone 01 1 23.00 23.00 474710002 Zone 01 1 23.00 23.00 474710003 Zone 01 1 23.00 23.00 474710004 Zone 01 1 23.00 23.00 474713006 Zone 01 1 23.00 23.00 474713006 Zone 01 1 23.00 23.00 474713007 Zone 01 1 23.00 23.00 474714004 Zone 01 1 23.00 23.00 474714007 Zone 01 1 23.00 23.00					
474703001 Zone 01 1 23.00 23.00 474703002 Zone 01 1 23.00 23.00 474703003 Zone 01 1 23.00 23.00 474703004 Zone 01 1 23.00 23.00 474703005 Zone 01 1 23.00 23.00 474703006 Zone 01 1 23.00 23.00 474710001 Zone 01 1 23.00 23.00 474710002 Zone 01 1 23.00 23.00 474710003 Zone 01 1 23.00 23.00 474710004 Zone 01 1 23.00 23.00 474713006 Zone 01 1 23.00 23.00 474713007 Zone 01 1 23.00 23.00 4747140004 Zone 01 1 23.00 23.00 474714001 Zone 01 1 23.00 23.00 475030017 Zone 01 1 23.00 23.00					
474703002 Zone 01 1 23.00 23.00 474703003 Zone 01 1 23.00 23.00 474703004 Zone 01 1 23.00 23.00 474703005 Zone 01 1 23.00 23.00 474710001 Zone 01 1 23.00 23.00 474710002 Zone 01 1 23.00 23.00 474710003 Zone 01 1 23.00 23.00 474713004 Zone 01 1 23.00 23.00 474713005 Zone 01 1 23.00 23.00 474713006 Zone 01 1 23.00 23.00 474713007 Zone 01 1 23.00 23.00 474714004 Zone 01 1 23.00 23.00 474714002 Zone 01 1 23.00 23.00 474714001 Zone 01 1 23.00 23.00 475030018 Zone 01 1 23.00 23.00					
474703003 Zone 01 1 23.00 23.00 474703004 Zone 01 1 23.00 23.00 474703005 Zone 01 1 23.00 23.00 474710001 Zone 01 1 23.00 23.00 474710002 Zone 01 1 23.00 23.00 47471003 Zone 01 1 23.00 23.00 474713004 Zone 01 1 23.00 23.00 474713006 Zone 01 1 23.00 23.00 474713006 Zone 01 1 23.00 23.00 474713004 Zone 01 1 23.00 23.00 474714004 Zone 01 1 23.00 23.00 474714002 Zone 01 1 23.00 23.00 474714002 Zone 01 1 23.00 23.00 475030017 Zone 01 1 23.00 23.00 475030018 Zone 01 1 23.00 23.00 <					
474703004 Zone 01 1 23.00 23.00 474703005 Zone 01 1 23.00 23.00 474703006 Zone 01 1 23.00 23.00 474710001 Zone 01 1 23.00 23.00 474710002 Zone 01 1 23.00 23.00 474710004 Zone 01 1 23.00 23.00 474713006 Zone 01 1 23.00 23.00 474713005 Zone 01 1 23.00 23.00 474713004 Zone 01 1 23.00 23.00 474714001 Zone 01 1 23.00 23.00 474714002 Zone 01 1 23.00 23.00 475030017 Zone 01 1 23.00 23.00 475030017 Zone 01 1 23.00 23.00 475030018 Zone 01 1 23.00 23.00 475030021 Zone 01 1 23.00 23.00					
474703005 Zone 01 1 23.00 23.00 474703006 Zone 01 1 23.00 23.00 474710001 Zone 01 1 23.00 23.00 474710002 Zone 01 1 23.00 23.00 474710003 Zone 01 1 23.00 23.00 474713004 Zone 01 1 23.00 23.00 474713005 Zone 01 1 23.00 23.00 474713004 Zone 01 1 23.00 23.00 474714001 Zone 01 1 23.00 23.00 474714002 Zone 01 1 23.00 23.00 474714001 Zone 01 1 23.00 23.00 475030017 Zone 01 1 23.00 23.00 475030018 Zone 01 1 23.00 23.00 475030019 Zone 01 1 23.00 23.00 475030020 Zone 01 1 23.00 23.00					
474703006 Zone 01 1 23.00 23.00 474710001 Zone 01 1 23.00 23.00 474710002 Zone 01 1 23.00 23.00 474710003 Zone 01 1 23.00 23.00 474713004 Zone 01 1 23.00 23.00 474713005 Zone 01 1 23.00 23.00 474713004 Zone 01 1 23.00 23.00 474714005 Zone 01 1 23.00 23.00 474714001 Zone 01 1 23.00 23.00 474714002 Zone 01 1 23.00 23.00 475030017 Zone 01 1 23.00 23.00 475030018 Zone 01 1 23.00 23.00 475030018 Zone 01 1 23.00 23.00 475030020 Zone 01 1 23.00 23.00 475030021 Zone 01 1 23.00 23.00					
474710001 Zone 01 1 23.00 23.00 474710002 Zone 01 1 23.00 23.00 474710003 Zone 01 1 23.00 23.00 474710004 Zone 01 1 23.00 23.00 474713006 Zone 01 1 23.00 23.00 474713005 Zone 01 1 23.00 23.00 474711011 Zone 01 1 23.00 23.00 474714002 Zone 01 1 23.00 23.00 474714001 Zone 01 1 23.00 23.00 475030017 Zone 01 1 23.00 23.00 475030018 Zone 01 1 23.00 23.00 475030019 Zone 01 1 23.00 23.00 475030020 Zone 01 1 23.00 23.00 475030021 Zone 01 1 23.00 23.00 475030022 Zone 01 1 23.00 23.00 475030023 Zone 01 1 23.00 23.00 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
474710002 Zone 01 1 23.00 23.00 474710003 Zone 01 1 23.00 23.00 474710004 Zone 01 1 23.00 23.00 474713006 Zone 01 1 23.00 23.00 474713005 Zone 01 1 23.00 23.00 474713004 Zone 01 1 23.00 23.00 474714011 Zone 01 1 23.00 23.00 474714002 Zone 01 1 23.00 23.00 475030017 Zone 01 1 23.00 23.00 475030018 Zone 01 1 23.00 23.00 475030019 Zone 01 1 23.00 23.00 475030020 Zone 01 1 23.00 23.00 475030021 Zone 01 1 23.00 23.00 475030022 Zone 01 1 23.00 23.00 475030023 Zone 01 1 23.00 23.00 475031001 Zone 01 1 23.00 23.00 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
474710003 Zone 01 1 23.00 23.00 474710004 Zone 01 1 23.00 23.00 474713006 Zone 01 1 23.00 23.00 474713005 Zone 01 1 23.00 23.00 474713004 Zone 01 1 23.00 23.00 474714011 Zone 01 1 23.00 23.00 474714002 Zone 01 1 23.00 23.00 475030017 Zone 01 1 23.00 23.00 475030018 Zone 01 1 23.00 23.00 475030019 Zone 01 1 23.00 23.00 475030020 Zone 01 1 23.00 23.00 475030021 Zone 01 1 23.00 23.00 475030022 Zone 01 1 23.00 23.00 475030023 Zone 01 1 23.00 23.00 475031001 Zone 01 1 23.00 23.00 475031002 Zone 01 1 23.00 23.00 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
474710004 Zone 01 1 23.00 23.00 474713006 Zone 01 1 23.00 23.00 474713005 Zone 01 1 23.00 23.00 474713004 Zone 01 1 23.00 23.00 474711011 Zone 01 1 23.00 23.00 474714002 Zone 01 1 23.00 23.00 475030017 Zone 01 1 23.00 23.00 475030018 Zone 01 1 23.00 23.00 475030019 Zone 01 1 23.00 23.00 475030020 Zone 01 1 23.00 23.00 475030021 Zone 01 1 23.00 23.00 475030022 Zone 01 1 23.00 23.00 475030023 Zone 01 1 23.00 23.00 475031001 Zone 01 1 23.00 23.00 475031002 Zone 01 1 23.00 23.00 475031003 Zone 01 1 23.00 23.00 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
474713006 Zone 01 1 23.00 23.00 474713005 Zone 01 1 23.00 23.00 474713004 Zone 01 1 23.00 23.00 474711011 Zone 01 1 23.00 23.00 474714002 Zone 01 1 23.00 23.00 474714001 Zone 01 1 23.00 23.00 475030017 Zone 01 1 23.00 23.00 475030018 Zone 01 1 23.00 23.00 475030019 Zone 01 1 23.00 23.00 475030020 Zone 01 1 23.00 23.00 475030021 Zone 01 1 23.00 23.00 475030022 Zone 01 1 23.00 23.00 475030023 Zone 01 1 23.00 23.00 475031001 Zone 01 1 23.00 23.00 475031002 Zone 01 1 23.00 23.00 475031003 Zone 01 1 23.00 23.00 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
474713005 Zone 01 1 23.00 23.00 474713004 Zone 01 1 23.00 23.00 474711011 Zone 01 1 23.00 23.00 474714002 Zone 01 1 23.00 23.00 474714001 Zone 01 1 23.00 23.00 475030017 Zone 01 1 23.00 23.00 475030018 Zone 01 1 23.00 23.00 475030019 Zone 01 1 23.00 23.00 475030020 Zone 01 1 23.00 23.00 475030021 Zone 01 1 23.00 23.00 475030022 Zone 01 1 23.00 23.00 475030023 Zone 01 1 23.00 23.00 475031001 Zone 01 1 23.00 23.00 475031002 Zone 01 1 23.00 23.00 475031003 Zone 01 1 23.00 23.00 475031004 Zone 01 1 23.00 23.00 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
474713004 Zone 01 1 23.00 23.00 474711011 Zone 01 1 23.00 23.00 474714002 Zone 01 1 23.00 23.00 474714001 Zone 01 1 23.00 23.00 475030017 Zone 01 1 23.00 23.00 475030018 Zone 01 1 23.00 23.00 475030020 Zone 01 1 23.00 23.00 475030021 Zone 01 1 23.00 23.00 475030022 Zone 01 1 23.00 23.00 475030023 Zone 01 1 23.00 23.00 475031001 Zone 01 1 23.00 23.00 475031001 Zone 01 1 23.00 23.00 475031002 Zone 01 1 23.00 23.00 475031003 Zone 01 1 23.00 23.00 475031004 Zone 01 1 23.00 23.00 475031005 Zone 01 1 23.00 23.00 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
474711011 Zone 01 1 23.00 23.00 474714002 Zone 01 1 23.00 23.00 474714001 Zone 01 1 23.00 23.00 475030017 Zone 01 1 23.00 23.00 475030018 Zone 01 1 23.00 23.00 475030020 Zone 01 1 23.00 23.00 475030021 Zone 01 1 23.00 23.00 475030022 Zone 01 1 23.00 23.00 475030023 Zone 01 1 23.00 23.00 475031004 Zone 01 1 23.00 23.00 475031001 Zone 01 1 23.00 23.00 475031002 Zone 01 1 23.00 23.00 475031003 Zone 01 1 23.00 23.00 475031004 Zone 01 1 23.00 23.00 475031005 Zone 01 1 23.00 23.00 475031006 Zone 01 1 23.00 23.00 <td></td> <td></td> <td></td> <td></td> <td></td>					
474714002 Zone 01 1 23.00 23.00 474714001 Zone 01 1 23.00 23.00 475030017 Zone 01 1 23.00 23.00 475030018 Zone 01 1 23.00 23.00 475030020 Zone 01 1 23.00 23.00 475030021 Zone 01 1 23.00 23.00 475030022 Zone 01 1 23.00 23.00 475030023 Zone 01 1 23.00 23.00 475031001 Zone 01 1 23.00 23.00 475031002 Zone 01 1 23.00 23.00 475031003 Zone 01 1 23.00 23.00 475031004 Zone 01 1 23.00 23.00 475031005 Zone 01 1 23.00 23.00 475031006 Zone 01 1 23.00 23.00					
474714001 Zone 01 1 23.00 23.00 475030017 Zone 01 1 23.00 23.00 475030018 Zone 01 1 23.00 23.00 475030019 Zone 01 1 23.00 23.00 475030020 Zone 01 1 23.00 23.00 475030021 Zone 01 1 23.00 23.00 475030022 Zone 01 1 23.00 23.00 475030023 Zone 01 1 23.00 23.00 475031001 Zone 01 1 23.00 23.00 475031001 Zone 01 1 23.00 23.00 475031002 Zone 01 1 23.00 23.00 475031003 Zone 01 1 23.00 23.00 475031004 Zone 01 1 23.00 23.00 475031005 Zone 01 1 23.00 23.00 475031006 Zone 01 1 23.00 23.00					
475030017 Zone 01 1 23.00 23.00 475030018 Zone 01 1 23.00 23.00 475030019 Zone 01 1 23.00 23.00 475030020 Zone 01 1 23.00 23.00 475030021 Zone 01 1 23.00 23.00 475030022 Zone 01 1 23.00 23.00 475030023 Zone 01 1 23.00 23.00 475031001 Zone 01 1 23.00 23.00 475031001 Zone 01 1 23.00 23.00 475031002 Zone 01 1 23.00 23.00 475031003 Zone 01 1 23.00 23.00 475031004 Zone 01 1 23.00 23.00 475031005 Zone 01 1 23.00 23.00 475031006 Zone 01 1 23.00 23.00					
475030018 Zone 01 1 23.00 23.00 475030019 Zone 01 1 23.00 23.00 475030020 Zone 01 1 23.00 23.00 475030021 Zone 01 1 23.00 23.00 475030022 Zone 01 1 23.00 23.00 475030023 Zone 01 1 23.00 23.00 475031004 Zone 01 1 23.00 23.00 475031001 Zone 01 1 23.00 23.00 475031002 Zone 01 1 23.00 23.00 475031003 Zone 01 1 23.00 23.00 475031004 Zone 01 1 23.00 23.00 475031005 Zone 01 1 23.00 23.00 475031006 Zone 01 1 23.00 23.00					
475030019 Zone 01 1 23.00 23.00 475030020 Zone 01 1 23.00 23.00 475030021 Zone 01 1 23.00 23.00 475030022 Zone 01 1 23.00 23.00 475030023 Zone 01 1 23.00 23.00 475031001 Zone 01 1 23.00 23.00 475031002 Zone 01 1 23.00 23.00 475031003 Zone 01 1 23.00 23.00 475031004 Zone 01 1 23.00 23.00 475031005 Zone 01 1 23.00 23.00 475031006 Zone 01 1 23.00 23.00					
475030020 Zone 01 1 23.00 23.00 475030021 Zone 01 1 23.00 23.00 475030022 Zone 01 1 23.00 23.00 475030023 Zone 01 1 23.00 23.00 475031001 Zone 01 1 23.00 23.00 475031002 Zone 01 1 23.00 23.00 475031003 Zone 01 1 23.00 23.00 475031004 Zone 01 1 23.00 23.00 475031005 Zone 01 1 23.00 23.00 475031006 Zone 01 1 23.00 23.00					
475030021 Zone 01 1 23.00 23.00 475030022 Zone 01 1 23.00 23.00 475030023 Zone 01 1 23.00 23.00 475030024 Zone 01 1 23.00 23.00 475031001 Zone 01 1 23.00 23.00 475031002 Zone 01 1 23.00 23.00 475031003 Zone 01 1 23.00 23.00 475031004 Zone 01 1 23.00 23.00 475031005 Zone 01 1 23.00 23.00 475031006 Zone 01 1 23.00 23.00					
475030022 Zone 01 1 23.00 23.00 475030023 Zone 01 1 23.00 23.00 475030024 Zone 01 1 23.00 23.00 475031001 Zone 01 1 23.00 23.00 475031002 Zone 01 1 23.00 23.00 475031003 Zone 01 1 23.00 23.00 475031004 Zone 01 1 23.00 23.00 475031005 Zone 01 1 23.00 23.00 475031006 Zone 01 1 23.00 23.00					
475030023 Zone 01 1 23.00 23.00 475030024 Zone 01 1 23.00 23.00 475031001 Zone 01 1 23.00 23.00 475031002 Zone 01 1 23.00 23.00 475031003 Zone 01 1 23.00 23.00 475031004 Zone 01 1 23.00 23.00 475031005 Zone 01 1 23.00 23.00 475031006 Zone 01 1 23.00 23.00					
475030024 Zone 01 1 23.00 23.00 475031001 Zone 01 1 23.00 23.00 475031002 Zone 01 1 23.00 23.00 475031003 Zone 01 1 23.00 23.00 475031004 Zone 01 1 23.00 23.00 475031005 Zone 01 1 23.00 23.00 475031006 Zone 01 1 23.00 23.00					
475031001 Zone 01 1 23.00 23.00 475031002 Zone 01 1 23.00 23.00 475031003 Zone 01 1 23.00 23.00 475031004 Zone 01 1 23.00 23.00 475031005 Zone 01 1 23.00 23.00 475031006 Zone 01 1 23.00 23.00					
475031002 Zone 01 1 23.00 23.00 475031003 Zone 01 1 23.00 23.00 475031004 Zone 01 1 23.00 23.00 475031005 Zone 01 1 23.00 23.00 475031006 Zone 01 1 23.00 23.00					
475031003 Zone 01 1 23.00 23.00 475031004 Zone 01 1 23.00 23.00 475031005 Zone 01 1 23.00 23.00 475031006 Zone 01 1 23.00 23.00					
475031004 Zone 01 1 23.00 23.00 475031005 Zone 01 1 23.00 23.00 475031006 Zone 01 1 23.00 23.00					
475031005 Zone 01 1 23.00 23.00 475031006 Zone 01 1 23.00 23.00					
475031006 Zone 01 1 23.00 23.00					
475031007 Zone 01 1 23.00 23.00					
	475031007	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigne	ed EBU's FY 17-18 Ma	x Assessment	FY 17-18 Assessment
475031008	Zone 01	1	23.00	23.00
475031009	Zone 01	1	23.00	23.00
475031010	Zone 01	1	23.00	23.00
475031011	Zone 01	1	23.00	23.00
475031012	Zone 01	1	23.00	23.00
475031013	Zone 01	1	23.00	23.00
475032001	Zone 01	1	23.00	23.00
475032002	Zone 01	1	23.00	23.00
475032003	Zone 01	1	23.00	23.00
475032004	Zone 01	1	23.00	23.00
475032005	Zone 01	1	23.00	23.00
475032006	Zone 01	1	23.00	23.00
475032007	Zone 01	1	23.00	23.00
475032008	Zone 01	1	23.00	23.00
475032009	Zone 01	1	23.00	23.00
475032010	Zone 01	1	23.00	23.00
475032011	Zone 01	1	23.00	23.00
475032012	Zone 01	1	23.00	23.00
475032013	Zone 01	1	23.00	23.00
475032014	Zone 01	1	23.00	23.00
475032015	Zone 01	1	23.00	23.00
475032016	Zone 01	1	23.00	23.00
475032017	Zone 01	1	23.00	23.00
475032018	Zone 01	1	23.00	23.00
475032019	Zone 01	1	23.00	23.00
475032020	Zone 01	1	23.00	23.00
475032021	Zone 01	1	23.00	23.00
475050009	Zone 01	1	23.00	23.00
475050010	Zone 01	1	23.00	23.00
475050011	Zone 01	1	23.00	23.00
475050012	Zone 01	1	23.00	23.00
475050013	Zone 01	1	23.00	23.00
475050014	Zone 01	1	23.00	23.00
475050015	Zone 01	1	23.00	23.00
475050016	Zone 01	1	23.00	23.00
475050017	Zone 01	1	23.00	23.00
475050018	Zone 01	1	23.00	23.00
475050019	Zone 01	1	23.00	23.00
475050020	Zone 01	1	23.00	23.00
475050021	Zone 01	1	23.00	23.00
475050022	Zone 01	1	23.00	23.00
475050023	Zone 01	1	23.00	23.00
475050024	Zone 01	1	23.00	23.00
475050025	Zone 01	1	23.00	23.00
475050026	Zone 01	1	23.00	23.00
475050027	Zone 01	1	23.00	23.00
475050028	Zone 01	1	23.00	23.00
475050029	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
475050030	Zone 01		1 23.00	23.00
475050031	Zone 01		1 23.00	23.00
475050032	Zone 01		1 23.00	23.00
475050033	Zone 01		1 23.00	23.00
475050034	Zone 01		1 23.00	23.00
475050035	Zone 01		1 23.00	23.00
475050036	Zone 01		1 23.00	23.00
475050037	Zone 01		1 23.00	23.00
475050038	Zone 01		1 23.00	23.00
475050039	Zone 01		1 23.00	23.00
475081002	Zone 01		1 23.00	23.00
475081003	Zone 01		1 23.00	23.00
475081004	Zone 01		1 23.00	23.00
475081005	Zone 01		1 23.00	23.00
475081006	Zone 01		1 23.00	23.00
475081007	Zone 01		1 23.00	23.00
475081008	Zone 01		1 23.00	23.00
475081009	Zone 01		1 23.00	23.00
475081010	Zone 01		1 23.00	23.00
475081011	Zone 01		1 23.00	23.00
475081012	Zone 01		1 23.00	23.00
475081013	Zone 01		1 23.00	23.00
475081014	Zone 01		1 23.00	23.00
475081015	Zone 01		1 23.00	23.00
475081016	Zone 01		1 23.00	23.00
475081017	Zone 01		1 23.00	23.00
475081017	Zone 01		1 23.00	23.00
475081019	Zone 01		1 23.00	
			1 23.00	23.00
475081020	Zone 01			23.00
475082001	Zone 01		1 23.00	23.00
475082002	Zone 01		1 23.00	23.00
475082003	Zone 01		1 23.00	23.00
475082004	Zone 01		1 23.00	23.00
475082005	Zone 01		1 23.00	23.00
475082006	Zone 01		1 23.00	23.00
475082007	Zone 01		1 23.00	23.00
475082008	Zone 01		1 23.00	23.00
475082009	Zone 01	•	1 23.00	23.00
475082010	Zone 01		1 23.00	23.00
475082011	Zone 01	•	1 23.00	23.00
475082012	Zone 01		1 23.00	23.00
475082013	Zone 01		1 23.00	23.00
475082014	Zone 01		1 23.00	23.00
475082015	Zone 01		1 23.00	23.00
475082016	Zone 01		1 23.00	23.00
475082017	Zone 01		1 23.00	23.00
475082018	Zone 01		1 23.00	23.00
475082019	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned E	BU's FY 17-	18 Max Assessment	FY 17-18 Assessment
475082020	Zone 01	1	23.00	23.00
475082021	Zone 01	1	23.00	23.00
475082022	Zone 01	1	23.00	23.00
475082023	Zone 01	1	23.00	23.00
475082024	Zone 01	1	23.00	23.00
475082025	Zone 01	1	23.00	23.00
475082026	Zone 01	1	23.00	23.00
475082027	Zone 01	1	23.00	23.00
475082028	Zone 01	1	23.00	23.00
475082029	Zone 01	1	23.00	23.00
475082030	Zone 01	1	23.00	23.00
475083001	Zone 01	1	23.00	23.00
475083002	Zone 01	1	23.00	23.00
475083003	Zone 01	1	23.00	23.00
475083004	Zone 01	1	23.00	23.00
475083005	Zone 01	1	23.00	23.00
475083006	Zone 01	1	23.00	23.00
475083007	Zone 01	1	23.00	23.00
475083008	Zone 01	1	23.00	23.00
475100021	Zone 01	1	23.00	23.00
475100022	Zone 01	1	23.00	23.00
475100023	Zone 01	1	23.00	23.00
475100024	Zone 01	1	23.00	23.00
475100025	Zone 01	1	23.00	23.00
475100026	Zone 01	1	23.00	23.00
475100027	Zone 01	1	23.00	23.00
475100028	Zone 01	1	23.00	23.00
475100029	Zone 01	1	23.00	23.00
475100030	Zone 01	1	23.00	23.00
475100031	Zone 01	1	23.00	23.00
475100032	Zone 01	1	23.00	23.00
475100033	Zone 01	1	23.00	23.00
475100034	Zone 01	1	23.00	23.00
475100035	Zone 01	1	23.00	23.00
475100036	Zone 01	1	23.00	23.00
475100037	Zone 01	1	23.00	23.00
475100038	Zone 01	1	23.00	23.00
475100039	Zone 01	1	23.00	23.00
475100040	Zone 01	1	23.00	23.00
475100041	Zone 01	1	23.00	23.00
475100042	Zone 01	1	23.00	23.00
475100043	Zone 01	1	23.00	23.00
475100044	Zone 01	1	23.00	23.00
475100045	Zone 01	1	23.00	23.00
475100046	Zone 01	1	23.00	23.00
475100047	Zone 01	1	23.00	23.00
475100048	Zone 01	1	23.00	23.00
475100049	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LI	MD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
475100050	Zone 01		1 23.00	23.00
475100051	Zone 01		1 23.00	23.00
475100052	Zone 01		1 23.00	23.00
475100053	Zone 01		1 23.00	23.00
475100054	Zone 01		1 23.00	23.00
475100055	Zone 01		1 23.00	23.00
475100056	Zone 01	,	1 23.00	23.00
475100057	Zone 01		1 23.00	23.00
475100058	Zone 01		1 23.00	23.00
475100059	Zone 01		1 23.00	23.00
475100060	Zone 01		1 23.00	23.00
475100061	Zone 01		1 23.00	23.00
475100062	Zone 01		1 23.00	23.00
475100063	Zone 01	,	1 23.00	23.00
475100064	Zone 01		1 23.00	23.00
475100065	Zone 01		1 23.00	23.00
475100066	Zone 01		1 23.00	23.00
475100067	Zone 01		1 23.00	23.00
475100068	Zone 01		1 23.00	23.00
475100069	Zone 01		1 23.00	23.00
475100070	Zone 01		1 23.00	23.00
475111001	Zone 01		1 23.00	23.00
475111002	Zone 01		1 23.00	23.00
475111003	Zone 01		1 23.00	23.00
475111004	Zone 01		1 23.00	23.00
475111005	Zone 01		1 23.00	23.00
475111006	Zone 01		1 23.00	23.00
475111007	Zone 01		1 23.00	23.00
475111008	Zone 01		1 23.00	23.00
475111009	Zone 01		1 23.00	23.00
475111010	Zone 01		1 23.00	23.00
475111011	Zone 01		1 23.00	23.00
475111012	Zone 01		1 23.00	23.00
475111013	Zone 01		1 23.00	23.00
475111014	Zone 01		1 23.00	23.00
475111015	Zone 01		1 23.00	23.00
475111016	Zone 01		1 23.00	23.00
475111017	Zone 01		1 23.00	23.00
475111018	Zone 01		1 23.00	23.00
475111019	Zone 01		1 23.00	23.00
475111020	Zone 01		1 23.00	23.00
475111021	Zone 01		1 23.00	23.00
475111022	Zone 01		1 23.00	23.00
475111023	Zone 01		1 23.00	23.00
475111024	Zone 01		1 23.00	23.00
475111025	Zone 01		1 23.00	23.00
475111026	Zone 01		1 23.00	23.00
475111027	Zone 01		1 23.00	23.00
0111021			20.00	20.00

APN	LMD 2014-01 Zone LMD Assigned E	BU's FY 17-	18 Max Assessment	FY 17-18 Assessment
475111028	Zone 01	1	23.00	23.00
475111029	Zone 01	1	23.00	23.00
475111030	Zone 01	1	23.00	23.00
475111031	Zone 01	1	23.00	23.00
475111032	Zone 01	1	23.00	23.00
475111033	Zone 01	1	23.00	23.00
475111034	Zone 01	1	23.00	23.00
475111035	Zone 01	1	23.00	23.00
475112001	Zone 01	1	23.00	23.00
475112002	Zone 01	1	23.00	23.00
475112003	Zone 01	1	23.00	23.00
475112004	Zone 01	1	23.00	23.00
475112005	Zone 01	1	23.00	23.00
475112006	Zone 01	1	23.00	23.00
475112007	Zone 01	1	23.00	23.00
475120003	Zone 01	1	23.00	23.00
475120004	Zone 01	1	23.00	23.00
475120005	Zone 01	1	23.00	23.00
475120006	Zone 01	1	23.00	23.00
475120007	Zone 01	1	23.00	23.00
475120008	Zone 01	1	23.00	23.00
475120009	Zone 01	1	23.00	23.00
475120010	Zone 01	1	23.00	23.00
475120011	Zone 01	1	23.00	23.00
475120012	Zone 01	1	23.00	23.00
475121001	Zone 01	1	23.00	23.00
475121002	Zone 01	1	23.00	23.00
475121003	Zone 01	1	23.00	23.00
475121004	Zone 01	1	23.00	23.00
475121005	Zone 01	1	23.00	23.00
475121006	Zone 01	1	23.00	23.00
475121007	Zone 01	1	23.00	23.00
475121008	Zone 01	1	23.00	23.00
475121009	Zone 01	1	23.00	23.00
475121010	Zone 01	1	23.00	23.00
475121011	Zone 01	1	23.00	23.00
475121012	Zone 01	1	23.00	23.00
475121013	Zone 01	1	23.00	23.00
475121014	Zone 01	1	23.00	23.00
475121015	Zone 01	1	23.00	23.00
475121016	Zone 01	1	23.00	23.00
475121017	Zone 01	1	23.00	23.00
475121018	Zone 01	1	23.00	23.00
475121019	Zone 01	1	23.00	23.00
475121020	Zone 01	1	23.00	23.00
475122001	Zone 01	1	23.00	23.00
475122002	Zone 01	1	23.00	23.00
475122003	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
475122004	Zone 01		1 23.00	23.00
475122005	Zone 01		1 23.00	23.00
475122006	Zone 01		1 23.00	23.00
475131001	Zone 01		1 23.00	23.00
475131002	Zone 01		1 23.00	23.00
475131003	Zone 01		1 23.00	23.00
475131004	Zone 01		1 23.00	23.00
475131005	Zone 01		1 23.00	23.00
475131006	Zone 01		1 23.00	23.00
475131007	Zone 01		1 23.00	23.00
475132001	Zone 01		1 23.00	23.00
475132002	Zone 01		1 23.00	23.00
475132003	Zone 01		1 23.00	23.00
475132004	Zone 01		1 23.00	23.00
475132005	Zone 01		1 23.00	23.00
475132006	Zone 01		1 23.00	23.00
475132007	Zone 01		1 23.00	23.00
475132008	Zone 01		1 23.00	23.00
475132009	Zone 01		1 23.00	23.00
475132010	Zone 01		1 23.00	23.00
475132011	Zone 01		1 23.00	23.00
475132012	Zone 01		1 23.00	23.00
475132013	Zone 01		1 23.00	23.00
475132014	Zone 01		1 23.00	23.00
475132015	Zone 01		1 23.00	23.00
475132016	Zone 01		1 23.00	23.00
475132017	Zone 01		1 23.00	23.00
475132018	Zone 01		1 23.00	23.00
475132019	Zone 01		1 23.00	23.00
475132020	Zone 01		1 23.00	23.00
475132021	Zone 01		1 23.00	23.00
475132022	Zone 01		1 23.00	23.00
475132023	Zone 01		1 23.00	23.00
475132024	Zone 01		1 23.00	23.00
475132025	Zone 01		1 23.00	23.00
475132026	Zone 01		1 23.00	23.00
475132027	Zone 01		1 23.00	23.00
475132028	Zone 01		1 23.00	23.00
475132029	Zone 01		1 23.00	23.00
475132030	Zone 01		1 23.00	23.00
475132031	Zone 01		1 23.00	23.00
475132032	Zone 01		1 23.00	23.00
475133001	Zone 01		1 23.00	23.00
475133002	Zone 01		1 23.00	23.00
475133002	Zone 01		1 23.00	23.00
475133004	Zone 01		1 23.00	23.00
475133005	Zone 01		1 23.00	23.00
475133006	Zone 01		1 23.00	23.00
.70100000	_3,10 0 1		20.00	20.00

APN	LMD 2014-01 Zone LMD As	signed EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
475133007	Zone 01	1	23.00	23.00
475133008	Zone 01	1	23.00	23.00
475133009	Zone 01	1	23.00	23.00
475133010	Zone 01	1	23.00	23.00
475133011	Zone 01	1	23.00	23.00
475133012	Zone 01	1	23.00	23.00
475133013	Zone 01	•	23.00	23.00
475133014	Zone 01	•	23.00	23.00
475133015	Zone 01	•	23.00	23.00
475133016	Zone 01	4	23.00	23.00
475133017	Zone 01	4	23.00	23.00
475133018	Zone 01	4	23.00	23.00
475133019	Zone 01	4	23.00	23.00
475133020	Zone 01		23.00	23.00
475133021	Zone 01	4	23.00	23.00
475133022	Zone 01		23.00	23.00
475133023	Zone 01	,	23.00	23.00
475133024	Zone 01	,	23.00	23.00
475134001	Zone 01		23.00	23.00
475134002	Zone 01		23.00	23.00
475134003	Zone 01		23.00	23.00
475134004	Zone 01		23.00	23.00
475134005	Zone 01		23.00	23.00
475134006	Zone 01		23.00	23.00
475134007	Zone 01		23.00	23.00
475134007	Zone 01		23.00	23.00
475134009	Zone 01		23.00	23.00
475134010	Zone 01		23.00	23.00
475134011	Zone 01			
			23.00 23.00	23.00 23.00
475134012	Zone 01 Zone 01			
475141001	Zone 01		23.00	23.00
475141002	Zone 01		23.00	23.00
475141003			23.00	23.00
475141004	Zone 01		23.00	23.00
475141005	Zone 01		23.00	23.00
475141006	Zone 01		23.00	23.00
475141007	Zone 01		23.00	23.00
475141008	Zone 01		23.00	23.00
475141009	Zone 01		23.00	23.00
475141010	Zone 01		23.00	23.00
475141011	Zone 01		23.00	23.00
475141012	Zone 01		23.00	23.00
475141013	Zone 01		23.00	23.00
475141014	Zone 01		23.00	23.00
475141015	Zone 01		23.00	23.00
475141016	Zone 01		23.00	23.00
475141017	Zone 01		23.00	23.00
475141018	Zone 01		23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-18	3 Max Assessment	FY 17-18 Assessment
475141019	Zone 01	1	23.00	23.00
475141020	Zone 01	1	23.00	23.00
475141021	Zone 01	1	23.00	23.00
475141022	Zone 01	1	23.00	23.00
475141023	Zone 01	1	23.00	23.00
475141024	Zone 01	1	23.00	23.00
475141025	Zone 01	1	23.00	23.00
475141026	Zone 01	1	23.00	23.00
475142001	Zone 01	1	23.00	23.00
475142002	Zone 01	1	23.00	23.00
475142003	Zone 01	1	23.00	23.00
475142004	Zone 01	1	23.00	23.00
475142005	Zone 01	1	23.00	23.00
475142006	Zone 01	1	23.00	23.00
475142007	Zone 01	1	23.00	23.00
475142008	Zone 01	1	23.00	23.00
475142009	Zone 01	1	23.00	23.00
475142010	Zone 01	1	23.00	23.00
475142011	Zone 01	1	23.00	23.00
475150019	Zone 01	1	23.00	23.00
475150020	Zone 01	1	23.00	23.00
475150021	Zone 01	1	23.00	23.00
475150022	Zone 01	1	23.00	23.00
475150023	Zone 01	1	23.00	23.00
475150024	Zone 01	1	23.00	23.00
475150025	Zone 01	1	23.00	23.00
475150026	Zone 01	1	23.00	23.00
475150027	Zone 01	1	23.00	23.00
475150028	Zone 01	1	23.00	23.00
475150029	Zone 01	1	23.00	23.00
475150030	Zone 01	1	23.00	23.00
475150031	Zone 01	1	23.00	23.00
475150032	Zone 01	1	23.00	23.00
475150033	Zone 01	1	23.00	23.00
475150034	Zone 01	1	23.00	23.00
475150035	Zone 01	1	23.00	23.00
475150036	Zone 01	1	23.00	23.00
475150037	Zone 01	1	23.00	23.00
475150038	Zone 01	1	23.00	23.00
475160034	Zone 01	1	23.00	23.00
475160035	Zone 01	1	23.00	23.00
475160036	Zone 01	1	23.00	23.00
475160037	Zone 01	1	23.00	23.00
475160038	Zone 01	1	23.00	23.00
475160039	Zone 01	1	23.00	23.00
475160040	Zone 01	1	23.00	23.00
475160041	Zone 01	1	23.00	23.00
475160042	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
475160043	Zone 01		1 23.00	23.00
475160044	Zone 01		1 23.00	23.00
475160045	Zone 01		1 23.00	23.00
475160046	Zone 01		1 23.00	23.00
475160047	Zone 01		1 23.00	23.00
475160048	Zone 01		1 23.00	23.00
475160049	Zone 01		1 23.00	23.00
475160050	Zone 01		1 23.00	23.00
475160051	Zone 01		1 23.00	23.00
475160052	Zone 01		1 23.00	23.00
475170005	Zone 01		1 23.00	23.00
475170006	Zone 01		1 23.00	23.00
475170007	Zone 01		1 23.00	23.00
475170007	Zone 01		1 23.00	23.00
475170009	Zone 01		1 23.00	23.00
475170003	Zone 01		1 23.00	23.00
475170010	Zone 01		1 23.00	23.00
475170011	Zone 01		1 23.00	23.00
475170012	Zone 01		1 23.00	23.00
475170013	Zone 01		1 23.00	23.00
475170014	Zone 01		1 23.00	23.00
475170015	Zone 01		1 23.00	23.00
475170010	Zone 01		1 23.00	23.00
475170017	Zone 01		1 23.00	23.00
475170018	Zone 01		1 23.00	23.00
475170019	Zone 01		1 23.00	
475170020	Zone 01		1 23.00	23.00 23.00
475170021	Zone 01		1 23.00	23.00
475170023 475170024	Zone 01 Zone 01		1 23.00 1 23.00	23.00 23.00
475170024	Zone 01		1 23.00	23.00
				23.00
475170026	Zone 01		1 23.00	
475170027	Zone 01		1 23.00	23.00
475170028	Zone 01		1 23.00	23.00
475170029	Zone 01		1 23.00	23.00
475170030	Zone 01		1 23.00	23.00
475170031	Zone 01		1 23.00	23.00
475170032	Zone 01		1 23.00	23.00
475170033	Zone 01		1 23.00	23.00
475170034	Zone 01		1 23.00	23.00
475170035	Zone 01		1 23.00	23.00
475170036	Zone 01		1 23.00	23.00
475170037	Zone 01		1 23.00	23.00
475170038	Zone 01		1 23.00	23.00
475170039	Zone 01		1 23.00	23.00
475170040	Zone 01		1 23.00	23.00
475170041	Zone 01		1 23.00	23.00
475170042	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone L	MD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
475170043	Zone 01		1 23.00	23.00
475170044	Zone 01		1 23.00	23.00
475170045	Zone 01		1 23.00	23.00
475170046	Zone 01		1 23.00	23.00
475171001	Zone 01		1 23.00	23.00
475171002	Zone 01		1 23.00	23.00
475171003	Zone 01		1 23.00	23.00
475171004	Zone 01		1 23.00	23.00
475171005	Zone 01		1 23.00	23.00
475171006	Zone 01		1 23.00	23.00
475171007	Zone 01		1 23.00	23.00
475171008	Zone 01		1 23.00	23.00
475171009	Zone 01		1 23.00	23.00
475171010	Zone 01		1 23.00	23.00
475171011	Zone 01		1 23.00	23.00
475171012	Zone 01		1 23.00	23.00
475171013	Zone 01		1 23.00	23.00
475171014	Zone 01		1 23.00	23.00
475171015	Zone 01		1 23.00	23.00
475171016	Zone 01		1 23.00	23.00
475171017	Zone 01		1 23.00	23.00
475171018	Zone 01		1 23.00	23.00
475171019	Zone 01		1 23.00	23.00
475171020	Zone 01		1 23.00	23.00
475171021	Zone 01		1 23.00	23.00
475171022	Zone 01		1 23.00	23.00
475172001	Zone 01		1 23.00	23.00
475172002	Zone 01		1 23.00	23.00
475172003	Zone 01		1 23.00	23.00
475172004	Zone 01		1 23.00	23.00
475172005	Zone 01		1 23.00	23.00
475172006	Zone 01		1 23.00	23.00
475172007	Zone 01		1 23.00	23.00
475172008	Zone 01		1 23.00	23.00
475172009	Zone 01		1 23.00	23.00
475172010	Zone 01		1 23.00	23.00
475172011	Zone 01		1 23.00	23.00
475172012	Zone 01		1 23.00	23.00
475172013	Zone 01		1 23.00	23.00
475172014	Zone 01		1 23.00	23.00
475172015	Zone 01		1 23.00	23.00
475172016	Zone 01		1 23.00	23.00
475172017	Zone 01		1 23.00	23.00
475172018	Zone 01		1 23.00	23.00
475172019	Zone 01		1 23.00	23.00
475181009	Zone 01		1 23.00	23.00
475181010	Zone 01		1 23.00	23.00
475181011	Zone 01		1 23.00	23.00
	_3110 01		20.00	20.00

APN	LMD 2014-01 Zone LMD Assign	ed EBU's FY 17-18 Max	x Assessment	FY 17-18 Assessment
475181012	Zone 01	1	23.00	23.00
475181013	Zone 01	1	23.00	23.00
475181014	Zone 01	1	23.00	23.00
475181015	Zone 01	1	23.00	23.00
475181016	Zone 01	1	23.00	23.00
475181017	Zone 01	1	23.00	23.00
475181018	Zone 01	1	23.00	23.00
475181019	Zone 01	1	23.00	23.00
475181020	Zone 01	1	23.00	23.00
475181021	Zone 01	1	23.00	23.00
475181022	Zone 01	1	23.00	23.00
475181023	Zone 01	1	23.00	23.00
475181024	Zone 01	1	23.00	23.00
475181025	Zone 01	1	23.00	23.00
475181026	Zone 01	1	23.00	23.00
475181027	Zone 01	1	23.00	23.00
475181028	Zone 01	1	23.00	23.00
475181029	Zone 01	1	23.00	23.00
475181030	Zone 01	1	23.00	23.00
475181031	Zone 01	1	23.00	23.00
475181032	Zone 01	1	23.00	23.00
475181033	Zone 01	1	23.00	23.00
475181034	Zone 01	1	23.00	23.00
475181035	Zone 01	1	23.00	23.00
475181036	Zone 01	1	23.00	23.00
475182001	Zone 01	1	23.00	23.00
475182002	Zone 01	1	23.00	23.00
475182003	Zone 01	1	23.00	23.00
475182004	Zone 01	1	23.00	23.00
475182005	Zone 01	1	23.00	23.00
475182006	Zone 01	1	23.00	23.00
475182007	Zone 01	1	23.00	23.00
475182008	Zone 01	1	23.00	23.00
475182009	Zone 01	1	23.00	23.00
475182010	Zone 01	1	23.00	23.00
475182022	Zone 01	1	23.00	23.00
475182023	Zone 01	1	23.00	23.00
475182024	Zone 01	1	23.00	23.00
475182025	Zone 01	1	23.00	23.00
475182026	Zone 01	1	23.00	23.00
475182027	Zone 01	1	23.00	23.00
475182028	Zone 01	1	23.00	23.00
475182029	Zone 01	1	23.00	23.00
475182030	Zone 01	1	23.00	23.00
475182031	Zone 01	1	23.00	23.00
475182032	Zone 01	1	23.00	23.00
475182033	Zone 01	1	23.00	23.00
475182034	Zone 01	1	23.00	23.00
				25100

APN	LMD 2014-01 Zone LMD Assigned El	BU's FY 17-	18 Max Assessment	FY 17-18 Assessment
475182035	Zone 01	1	23.00	23.00
475182036	Zone 01	1	23.00	23.00
475182037	Zone 01	1	23.00	23.00
475182038	Zone 01	1	23.00	23.00
475182039	Zone 01	1	23.00	23.00
475182040	Zone 01	1	23.00	23.00
475182041	Zone 01	1	23.00	23.00
475210022	Zone 01	1	23.00	23.00
475210023	Zone 01	1	23.00	23.00
475210024	Zone 01	1	23.00	23.00
475210025	Zone 01	1	23.00	23.00
475210026	Zone 01	1	23.00	23.00
475210027	Zone 01	1	23.00	23.00
475210028	Zone 01	1	23.00	23.00
475210029	Zone 01	1	23.00	23.00
475210030	Zone 01	1	23.00	23.00
475210031	Zone 01	1	23.00	23.00
475210032	Zone 01	1	23.00	23.00
475210033	Zone 01	1	23.00	23.00
475210034	Zone 01	1	23.00	23.00
475210035	Zone 01	1	23.00	23.00
475210036	Zone 01	1	23.00	23.00
475210037	Zone 01	1	23.00	23.00
475210038	Zone 01	1	23.00	23.00
475211001	Zone 01	1	23.00	23.00
475211002	Zone 01	1	23.00	23.00
475211003	Zone 01	1	23.00	23.00
475211004	Zone 01	1	23.00	23.00
475211005	Zone 01	1	23.00	23.00
475211006	Zone 01	1	23.00	23.00
475211007	Zone 01	1	23.00	23.00
475211008	Zone 01	1	23.00	23.00
475212001	Zone 01	1	23.00	23.00
475212002	Zone 01	1	23.00	23.00
475212003	Zone 01	1	23.00	23.00
475212004	Zone 01	1	23.00	23.00
475212005	Zone 01	1	23.00	23.00
475212006	Zone 01	1	23.00	23.00
475212007	Zone 01	1	23.00	23.00
475212008	Zone 01	1	23.00	23.00
475212009	Zone 01	1	23.00	23.00
475212010	Zone 01	1	23.00	23.00
475212011	Zone 01	1	23.00	23.00
475212012	Zone 01	1	23.00	23.00
475212013	Zone 01	1	23.00	23.00
475212014	Zone 01	1	23.00	23.00
475212015	Zone 01	1	23.00	23.00
475212016	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
475220003	Zone 01		1 23.00	23.00
475220004	Zone 01		1 23.00	23.00
475220005	Zone 01		1 23.00	23.00
475220006	Zone 01		1 23.00	23.00
475220007	Zone 01		1 23.00	23.00
475220008	Zone 01		1 23.00	23.00
475220009	Zone 01		1 23.00	23.00
475220010	Zone 01		1 23.00	23.00
475220011	Zone 01		1 23.00	23.00
475220012	Zone 01		1 23.00	23.00
475220064	Zone 01		1 23.00	23.00
475220065	Zone 01		1 23.00	23.00
475220066	Zone 01		1 23.00	23.00
475220069	Zone 01		1 23.00	23.00
475220070	Zone 01		1 23.00	23.00
475220073	Zone 01		1 23.00	23.00
475221001	Zone 01		1 23.00	23.00
475221002	Zone 01		1 23.00	23.00
475221003	Zone 01		1 23.00	23.00
475221004	Zone 01		1 23.00	23.00
475221005	Zone 01		1 23.00	23.00
475221006	Zone 01		1 23.00	23.00
475221007	Zone 01		1 23.00	23.00
475221008	Zone 01		1 23.00	23.00
475221009	Zone 01		1 23.00	23.00
475221010	Zone 01		1 23.00	23.00
475221011	Zone 01		1 23.00	23.00
475221011	Zone 01		1 23.00	23.00
475231001	Zone 01		1 23.00	23.00
475231001	Zone 01		1 23.00	23.00
475231002	Zone 01		1 23.00	23.00
				23.00
475231004	Zone 01		1 23.00	
475231005	Zone 01		1 23.00 1 23.00	23.00
475231006	Zone 01			23.00
475231007	Zone 01		1 23.00	23.00
475231008	Zone 01		1 23.00	23.00
475231009	Zone 01		1 23.00	23.00
475231010	Zone 01		1 23.00	23.00
475231011	Zone 01		1 23.00	23.00
475231012	Zone 01		1 23.00	23.00
475231013	Zone 01	•	1 23.00	23.00
475231014	Zone 01		1 23.00	23.00
475231015	Zone 01		1 23.00	23.00
475231016	Zone 01		1 23.00	23.00
475231017	Zone 01		1 23.00	23.00
475231018	Zone 01		1 23.00	23.00
475231019	Zone 01		1 23.00	23.00
475231020	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone L	_MD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
475231021	Zone 01		1 23.00	23.00
475231022	Zone 01		1 23.00	23.00
475231023	Zone 01		1 23.00	23.00
475231024	Zone 01		1 23.00	23.00
475231025	Zone 01		1 23.00	23.00
475231026	Zone 01		1 23.00	23.00
475231027	Zone 01		1 23.00	23.00
475231028	Zone 01		1 23.00	23.00
475231029	Zone 01		1 23.00	23.00
475231030	Zone 01		1 23.00	23.00
475231031	Zone 01		1 23.00	23.00
475231032	Zone 01		1 23.00	23.00
475231033	Zone 01		1 23.00	23.00
475231034	Zone 01		1 23.00	23.00
475231035	Zone 01		1 23.00	23.00
475231036	Zone 01		1 23.00	23.00
475231037	Zone 01		1 23.00	23.00
475232001	Zone 01		1 23.00	23.00
475232002	Zone 01		1 23.00	23.00
475232003	Zone 01		1 23.00	23.00
475232004	Zone 01		1 23.00	23.00
475232005	Zone 01		1 23.00	23.00
475232006	Zone 01		1 23.00	23.00
475232007	Zone 01		1 23.00	23.00
475232008	Zone 01		1 23.00	23.00
475232009	Zone 01		1 23.00	23.00
475232003	Zone 01		1 23.00	23.00
475232010	Zone 01		1 23.00	23.00
475232021	Zone 01		1 23.00	23.00
475233001	Zone 01		1 23.00	23.00
475233002	Zone 01		1 23.00	23.00
475233002	Zone 01		1 23.00	23.00
475233003	Zone 01		1 23.00	23.00
475233005	Zone 01		1 23.00	23.00
475233006	Zone 01		1 23.00	23.00
475233007	Zone 01		1 23.00	23.00
475233007	Zone 01		1 23.00	23.00
475233009	Zone 01		1 23.00	23.00
475233003	Zone 01		1 23.00	23.00
475233010	Zone 01		1 23.00	23.00
475233011	Zone 01		1 23.00	23.00
475233012	Zone 01		1 23.00	23.00
475233013	Zone 01		1 23.00	23.00
475233014	Zone 01		1 23.00	23.00
475233015	Zone 01		1 23.00	23.00
475233016	Zone 01		1 23.00	23.00
	Zone 01			
475233018			1 23.00	23.00
475233019	Zone 01		1 23.00	23.00

475233020 Zone 01 1 23.00 23.00 475233021 Zone 01 1 23.00 23.00 475233022 Zone 01 1 23.00 23.00 475233023 Zone 01 1 23.00 23.00 475233025 Zone 01 1 23.00 23.00 475233025 Zone 01 1 23.00 23.00 475240031 Zone 01 1 23.00 23.00 475240032 Zone 01 1 23.00 23.00 475240038 Zone 01 1 23.00 23.00 475240031 Zone 01 1 23.00 23.00 475240032 Zone 01 1 23.00 23.00 475240031 Zone 01 1 23.00 23.00 475250057 Zone 01 1 23.00 23.00 475250058 Zone 01 1 23.00 23.00 475250069 Zone 01 1 23.00 23.00	APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
475233022 Zone 01 1 23.00 23.00 475233023 Zone 01 1 23.00 23.00 475233024 Zone 01 1 23.00 23.00 475233025 Zone 01 1 23.00 23.00 475240031 Zone 01 1 23.00 23.00 475240032 Zone 01 1 23.00 23.00 475240033 Zone 01 1 23.00 23.00 475240034 Zone 01 1 23.00 23.00 475250057 Zone 01 1 23.00 23.00 475250058 Zone 01 1 23.00 23.00 475250059 Zone 01 1 23.00 23.00 475250061 Zone 01 1 23.00 23.00 475250062 Zone 01 1 23.00 23.00 475250063 Zone 01 1 23.00 23.00 475250063 Zone 01 1 23.00 23.00	475233020	Zone 01		1 23.00	23.00
475233023 Zone 01 1 23.00 23.00 475233025 Zone 01 1 23.00 23.00 475233026 Zone 01 1 23.00 23.00 475233026 Zone 01 1 23.00 23.00 475230031 Zone 01 1 23.00 23.00 475240031 Zone 01 1 23.00 23.00 475240032 Zone 01 1 23.00 23.00 475240038 Zone 01 1 23.00 23.00 475240041 Zone 01 1 23.00 23.00 475250057 Zone 01 1 23.00 23.00 475250069 Zone 01 1 23.00 23.00 475250060 Zone 01 1 23.00 23.00 475250060 Zone 01 1 23.00 23.00 475250061 Zone 01 1 23.00 23.00 475250062 Zone 01 1 23.00 23.00 475250063 Zone 01 1 23.00 23.00 475250066 Zone 01 1 23.00 23.00 475250066 Zone 01 1 23.00 23.00 475250067 Zone 01 1 23.00 23.00 475250068 Zone 01 1 23.00 23.00 475250069 Zone 01 1 23.00 23.00 475250060 Zone 01 1 23.00 23.00 475251001 Zone 01 1 23.00 23.00 475251002 Zone 01 1 23.00 23.00 475251002 Zone 01 1 23.00 23.00 475251003 Zone 01 1 23.00 23.00 475251004 Zone 01 1 23.00 23.00 475251005 Zone 01 1 23.00 23.00 475251007 Zone 01 1 23.00 23.0	475233021	Zone 01		1 23.00	23.00
475233024 Zone 01 1 23.00 23.00 47523026 Zone 01 1 23.00 23.00 47523026 Zone 01 1 23.00 23.00 475240031 Zone 01 1 23.00 23.00 475240032 Zone 01 1 23.00 23.00 475240038 Zone 01 1 23.00 23.00 475240041 Zone 01 1 23.00 23.00 475250057 Zone 01 1 23.00 23.00 475250058 Zone 01 1 23.00 23.00 475250059 Zone 01 1 23.00 23.00 475250060 Zone 01 1 23.00 23.00 475250061 Zone 01 1 23.00 23.00 475250062 Zone 01 1 23.00 23.00 475250065 Zone 01 1 23.00 23.00 475250065 Zone 01 1 23.00 23.00 475250066 Zone 01 1 23.00 23.00 475250065 Zone 01 1 23.00 23.00 475250066 Zone 01 1 23.00 23.00 475250067 Zone 01 1 23.00 23.00 475250068 Zone 01 1 23.00 23.00 475250069 Zone 01 1 23.00 23.00 475250060 Zone 01 1 23.00 23.00 475250065 Zone 01 1 23.00 23.00 475251007 Zone 01 1 23.00 23.00 475251007 Zone 01 1 23.00 23.00 475251008 Zone 01 1 23.00 23.00 475251007 Zone 01 1 23.00 23.00 475251008 Zone 01 1 23.00 23.00 475251009 Zone 01 1 23.00 23.00 475251007 Zone 01 1 23.00 23.00 475251008 Zone 01 1 23.00 23.00 475251009 Zone 01 1 23.00 23.00 475251010 Zone 01 1 23.00 23.00	475233022	Zone 01		1 23.00	23.00
475233025 Zone 01 1 23.00 23.00 475240031 Zone 01 1 23.00 23.00 475240032 Zone 01 1 23.00 23.00 475240038 Zone 01 1 23.00 23.00 475240038 Zone 01 1 23.00 23.00 475240041 Zone 01 1 23.00 23.00 475250057 Zone 01 1 23.00 23.00 475250058 Zone 01 1 23.00 23.00 475250060 Zone 01 1 23.00 23.00 475250060 Zone 01 1 23.00 23.00 475250061 Zone 01 1 23.00 23.00 475250062 Zone 01 1 23.00 23.00 475250063 Zone 01 1 23.00 23.00 475250063 Zone 01 1 23.00 23.00 475250064 Zone 01 1 23.00 23.00 475250065 Zone 01 1 23.00 23.00 475250065 Zone 01 1 23.00 23.00 475250060 Zone 01 1 23.00 23.00 475250060 Zone 01 1 23.00 23.00 475250061 Zone 01 1 23.00 23.00 475250062 Zone 01 1 23.00 23.00 475250063 Zone 01 1 23.00 23.00 475250064 Zone 01 1 23.00 23.00 475250065 Zone 01 1 23.00 23.00 475250065 Zone 01 1 23.00 23.00 475251006 Zone 01 1 23.00 23.00 475251007 Zone 01 1 23.00 23.00 475251007 Zone 01 1 23.00 23.00 475251008 Zone 01 1 23.00 23.00 475251009 Zone 01 1 23.00 23.00 475251001 Zone 01 1 23.00 23.00 475251002 Zone 01 1 23.00 23.00 475251002 Zone 01 1 23.00 23.00 475251003 Zone 01 1 23.00 23.00 475251004 Zone 01 1 23.00 23.00 475251005 Zone 01 1 23.00 23.00 475251007 Zone 01 1 23.00 23.00 475251008 Zone 01 1 23.00 23.00 475251009 Zone 01 1 23.00 23.00 475251009 Zone 01 1 23.00 23.00 475251009 Zone 01 1 23.00 23.00 475251001 Zone 01 1 23.00 23.00 475251010 Zone 01 1 23.00 23.0	475233023	Zone 01		1 23.00	23.00
475230266 Zone 01 1 23.00 23.00 475240031 Zone 01 1 23.00 23.00 475240032 Zone 01 1 23.00 23.00 475240038 Zone 01 1 23.00 23.00 475250057 Zone 01 1 23.00 23.00 475250058 Zone 01 1 23.00 23.00 475250059 Zone 01 1 23.00 23.00 475250060 Zone 01 1 23.00 23.00 475250061 Zone 01 1 23.00 23.00 475250062 Zone 01 1 23.00 23.00 475250063 Zone 01 1 23.00 23.00 475250064 Zone 01 1 23.00 23.00 475250065 Zone 01 1 23.00 23.00 475250066 Zone 01 1 23.00 23.00 475251001 Zone 01 1 23.00 23.00	475233024	Zone 01		1 23.00	23.00
475240031 Zone 01 1 23.00 23.00 475240032 Zone 01 1 23.00 23.00 475240038 Zone 01 1 23.00 23.00 475250057 Zone 01 1 23.00 23.00 475250058 Zone 01 1 23.00 23.00 475250060 Zone 01 1 23.00 23.00 475250061 Zone 01 1 23.00 23.00 475250062 Zone 01 1 23.00 23.00 475250063 Zone 01 1 23.00 23.00 475250062 Zone 01 1 23.00 23.00 475250063 Zone 01 1 23.00 23.00 475250064 Zone 01 1 23.00 23.00 475250065 Zone 01 1 23.00 23.00 475251006 Zone 01 1 23.00 23.00 475251001 Zone 01 1 23.00 23.00	475233025	Zone 01		1 23.00	23.00
475240031 Zone 01 1 23.00 23.00 475240032 Zone 01 1 23.00 23.00 475240038 Zone 01 1 23.00 23.00 475240041 Zone 01 1 23.00 23.00 475250058 Zone 01 1 23.00 23.00 475250059 Zone 01 1 23.00 23.00 475250060 Zone 01 1 23.00 23.00 475250061 Zone 01 1 23.00 23.00 475250062 Zone 01 1 23.00 23.00 475250063 Zone 01 1 23.00 23.00 475250062 Zone 01 1 23.00 23.00 475250063 Zone 01 1 23.00 23.00 475250066 Zone 01 1 23.00 23.00 475251001 Zone 01 1 23.00 23.00 475251002 Zone 01 1 23.00 23.00	475233026	Zone 01		1 23.00	23.00
475240038 Zone 01 1 23.00 23.00 475240041 Zone 01 1 23.00 23.00 475250057 Zone 01 1 23.00 23.00 475250058 Zone 01 1 23.00 23.00 475250060 Zone 01 1 23.00 23.00 475250061 Zone 01 1 23.00 23.00 475250062 Zone 01 1 23.00 23.00 475250063 Zone 01 1 23.00 23.00 475250063 Zone 01 1 23.00 23.00 475250064 Zone 01 1 23.00 23.00 475250065 Zone 01 1 23.00 23.00 475251001 Zone 01 1 23.00 23.00 475251002 Zone 01 1 23.00 23.00 475251003 Zone 01 1 23.00 23.00 475251004 Zone 01 1 23.00 23.00	475240031	Zone 01		1 23.00	23.00
47524041 Zone 01 1 23.00 23.00 475250058 Zone 01 1 23.00 23.00 475250058 Zone 01 1 23.00 23.00 475250060 Zone 01 1 23.00 23.00 475250061 Zone 01 1 23.00 23.00 475250062 Zone 01 1 23.00 23.00 475250063 Zone 01 1 23.00 23.00 475250064 Zone 01 1 23.00 23.00 475250065 Zone 01 1 23.00 23.00 475250066 Zone 01 1 23.00 23.00 475250065 Zone 01 1 23.00 23.00 475251001 Zone 01 1 23.00 23.00 475251002 Zone 01 1 23.00 23.00 475251003 Zone 01 1 23.00 23.00 475251004 Zone 01 1 23.00 23.00 <	475240032	Zone 01		1 23.00	23.00
475250057 Zone 01 1 23.00 23.00 475250058 Zone 01 1 23.00 23.00 475250060 Zone 01 1 23.00 23.00 475250061 Zone 01 1 23.00 23.00 475250062 Zone 01 1 23.00 23.00 475250063 Zone 01 1 23.00 23.00 475250064 Zone 01 1 23.00 23.00 475250065 Zone 01 1 23.00 23.00 475250066 Zone 01 1 23.00 23.00 475250065 Zone 01 1 23.00 23.00 475251001 Zone 01 1 23.00 23.00 475251002 Zone 01 1 23.00 23.00 475251003 Zone 01 1 23.00 23.00 475251004 Zone 01 1 23.00 23.00 475251005 Zone 01 1 23.00 23.00	475240038	Zone 01		1 23.00	23.00
475250058 Zone 01 1 23.00 23.00 475250060 Zone 01 1 23.00 23.00 475250061 Zone 01 1 23.00 23.00 475250062 Zone 01 1 23.00 23.00 475250063 Zone 01 1 23.00 23.00 475250064 Zone 01 1 23.00 23.00 475250065 Zone 01 1 23.00 23.00 475250066 Zone 01 1 23.00 23.00 475251007 Zone 01 1 23.00 23.00 475251008 Zone 01 1 23.00 23.00 475251009 Zone 01 1 23.00 23.00 475251005 Zone 01 1 23.00 23.00 475251006 Zone 01 1 23.00 23.00 475251007 Zone 01 1 23.00 23.00 475251008 Zone 01 1 23.00 23.00	475240041	Zone 01		1 23.00	23.00
475250059 Zone 01 1 23.00 23.00 475250061 Zone 01 1 23.00 23.00 475250062 Zone 01 1 23.00 23.00 475250063 Zone 01 1 23.00 23.00 475250064 Zone 01 1 23.00 23.00 475250065 Zone 01 1 23.00 23.00 475250066 Zone 01 1 23.00 23.00 475251001 Zone 01 1 23.00 23.00 475251002 Zone 01 1 23.00 23.00 475251003 Zone 01 1 23.00 23.00 475251004 Zone 01 1 23.00 23.00 475251005 Zone 01 1 23.00 23.00 475251006 Zone 01 1 23.00 23.00 475251005 Zone 01 1 23.00 23.00 475251006 Zone 01 1 23.00 23.00	475250057	Zone 01		1 23.00	23.00
475250060 Zone 01 1 23.00 23.00 475250061 Zone 01 1 23.00 23.00 475250062 Zone 01 1 23.00 23.00 475250063 Zone 01 1 23.00 23.00 475250064 Zone 01 1 23.00 23.00 475250065 Zone 01 1 23.00 23.00 475251001 Zone 01 1 23.00 23.00 475251002 Zone 01 1 23.00 23.00 475251003 Zone 01 1 23.00 23.00 475251004 Zone 01 1 23.00 23.00 475251005 Zone 01 1 23.00 23.00 475251006 Zone 01 1 23.00 23.00 475251007 Zone 01 1 23.00 23.00 475251008 Zone 01 1 23.00 23.00 475251010 Zone 01 1 23.00 23.00	475250058	Zone 01		1 23.00	23.00
475250061 Zone 01 1 23.00 23.00 475250062 Zone 01 1 23.00 23.00 475250063 Zone 01 1 23.00 23.00 475250064 Zone 01 1 23.00 23.00 475250065 Zone 01 1 23.00 23.00 475251001 Zone 01 1 23.00 23.00 475251002 Zone 01 1 23.00 23.00 475251003 Zone 01 1 23.00 23.00 475251003 Zone 01 1 23.00 23.00 475251004 Zone 01 1 23.00 23.00 475251005 Zone 01 1 23.00 23.00 475251006 Zone 01 1 23.00 23.00 475251007 Zone 01 1 23.00 23.00 475251008 Zone 01 1 23.00 23.00 475251019 Zone 01 1 23.00 23.00	475250059	Zone 01		1 23.00	23.00
475250062 Zone 01 1 23.00 23.00 475250063 Zone 01 1 23.00 23.00 475250064 Zone 01 1 23.00 23.00 475250065 Zone 01 1 23.00 23.00 475250066 Zone 01 1 23.00 23.00 475251001 Zone 01 1 23.00 23.00 475251002 Zone 01 1 23.00 23.00 475251003 Zone 01 1 23.00 23.00 475251004 Zone 01 1 23.00 23.00 475251005 Zone 01 1 23.00 23.00 475251006 Zone 01 1 23.00 23.00 475251007 Zone 01 1 23.00 23.00 475251008 Zone 01 1 23.00 23.00 475251010 Zone 01 1 23.00 23.00 475251011 Zone 01 1 23.00 23.00	475250060	Zone 01		1 23.00	23.00
475250063 Zone 01 1 23.00 23.00 475250064 Zone 01 1 23.00 23.00 475250065 Zone 01 1 23.00 23.00 475250066 Zone 01 1 23.00 23.00 475251001 Zone 01 1 23.00 23.00 475251002 Zone 01 1 23.00 23.00 475251003 Zone 01 1 23.00 23.00 475251004 Zone 01 1 23.00 23.00 475251005 Zone 01 1 23.00 23.00 475251006 Zone 01 1 23.00 23.00 475251007 Zone 01 1 23.00 23.00 475251008 Zone 01 1 23.00 23.00 475251009 Zone 01 1 23.00 23.00 475251010 Zone 01 1 23.00 23.00 475251011 Zone 01 1 23.00 23.00	475250061	Zone 01		1 23.00	23.00
475250064 Zone 01 1 23.00 23.00 475250065 Zone 01 1 23.00 23.00 475250066 Zone 01 1 23.00 23.00 475251001 Zone 01 1 23.00 23.00 475251002 Zone 01 1 23.00 23.00 475251004 Zone 01 1 23.00 23.00 475251005 Zone 01 1 23.00 23.00 475251006 Zone 01 1 23.00 23.00 475251007 Zone 01 1 23.00 23.00 475251008 Zone 01 1 23.00 23.00 475251009 Zone 01 1 23.00 23.00 475251010 Zone 01 1 23.00 23.00 475251011 Zone 01 1 23.00 23.00 475251012 Zone 01 1 23.00 23.00 475251013 Zone 01 1 23.00 23.00	475250062	Zone 01		1 23.00	23.00
475250065 Zone 01 1 23.00 23.00 475250066 Zone 01 1 23.00 23.00 475251001 Zone 01 1 23.00 23.00 475251002 Zone 01 1 23.00 23.00 475251003 Zone 01 1 23.00 23.00 475251004 Zone 01 1 23.00 23.00 475251005 Zone 01 1 23.00 23.00 475251006 Zone 01 1 23.00 23.00 475251007 Zone 01 1 23.00 23.00 475251008 Zone 01 1 23.00 23.00 475251009 Zone 01 1 23.00 23.00 475251010 Zone 01 1 23.00 23.00 475251011 Zone 01 1 23.00 23.00 475251013 Zone 01 1 23.00 23.00 475251014 Zone 01 1 23.00 23.00	475250063	Zone 01		1 23.00	23.00
475250066 Zone 01 1 23.00 23.00 475251001 Zone 01 1 23.00 23.00 475251002 Zone 01 1 23.00 23.00 475251003 Zone 01 1 23.00 23.00 475251004 Zone 01 1 23.00 23.00 475251005 Zone 01 1 23.00 23.00 475251006 Zone 01 1 23.00 23.00 475251007 Zone 01 1 23.00 23.00 475251008 Zone 01 1 23.00 23.00 475251009 Zone 01 1 23.00 23.00 475251010 Zone 01 1 23.00 23.00 475251011 Zone 01 1 23.00 23.00 475251012 Zone 01 1 23.00 23.00 475251013 Zone 01 1 23.00 23.00 475251015 Zone 01 1 23.00 23.00	475250064	Zone 01		1 23.00	23.00
475251001 Zone 01 1 23.00 23.00 475251002 Zone 01 1 23.00 23.00 475251003 Zone 01 1 23.00 23.00 475251004 Zone 01 1 23.00 23.00 475251005 Zone 01 1 23.00 23.00 475251006 Zone 01 1 23.00 23.00 475251007 Zone 01 1 23.00 23.00 475251008 Zone 01 1 23.00 23.00 475251009 Zone 01 1 23.00 23.00 475251010 Zone 01 1 23.00 23.00 475251011 Zone 01 1 23.00 23.00 475251012 Zone 01 1 23.00 23.00 475251013 Zone 01 1 23.00 23.00 475251014 Zone 01 1 23.00 23.00 475251015 Zone 01 1 23.00 23.00	475250065	Zone 01		1 23.00	23.00
475251002 Zone 01 1 23.00 23.00 475251003 Zone 01 1 23.00 23.00 475251004 Zone 01 1 23.00 23.00 475251005 Zone 01 1 23.00 23.00 475251006 Zone 01 1 23.00 23.00 475251007 Zone 01 1 23.00 23.00 475251008 Zone 01 1 23.00 23.00 475251009 Zone 01 1 23.00 23.00 475251010 Zone 01 1 23.00 23.00 475251011 Zone 01 1 23.00 23.00 475251012 Zone 01 1 23.00 23.00 475251013 Zone 01 1 23.00 23.00 475251014 Zone 01 1 23.00 23.00 475251015 Zone 01 1 23.00 23.00 475251016 Zone 01 1 23.00 23.00 475251018 Zone 01 1 23.00 23.00 <td< td=""><td>475250066</td><td>Zone 01</td><td></td><td>1 23.00</td><td>23.00</td></td<>	475250066	Zone 01		1 23.00	23.00
475251003 Zone 01 1 23.00 23.00 475251004 Zone 01 1 23.00 23.00 475251005 Zone 01 1 23.00 23.00 475251006 Zone 01 1 23.00 23.00 475251007 Zone 01 1 23.00 23.00 475251008 Zone 01 1 23.00 23.00 475251009 Zone 01 1 23.00 23.00 475251010 Zone 01 1 23.00 23.00 475251011 Zone 01 1 23.00 23.00 475251012 Zone 01 1 23.00 23.00 475251013 Zone 01 1 23.00 23.00 475251014 Zone 01 1 23.00 23.00 475251015 Zone 01 1 23.00 23.00 475251016 Zone 01 1 23.00 23.00 475251019 Zone 01 1 23.00 23.00	475251001	Zone 01		1 23.00	23.00
475251003 Zone 01 1 23.00 23.00 475251004 Zone 01 1 23.00 23.00 475251005 Zone 01 1 23.00 23.00 475251006 Zone 01 1 23.00 23.00 475251007 Zone 01 1 23.00 23.00 475251008 Zone 01 1 23.00 23.00 475251009 Zone 01 1 23.00 23.00 475251010 Zone 01 1 23.00 23.00 475251011 Zone 01 1 23.00 23.00 475251012 Zone 01 1 23.00 23.00 475251013 Zone 01 1 23.00 23.00 475251014 Zone 01 1 23.00 23.00 475251015 Zone 01 1 23.00 23.00 475251016 Zone 01 1 23.00 23.00 475251019 Zone 01 1 23.00 23.00	475251002	Zone 01		1 23.00	
475251005 Zone 01 1 23.00 23.00 475251006 Zone 01 1 23.00 23.00 475251007 Zone 01 1 23.00 23.00 475251008 Zone 01 1 23.00 23.00 475251009 Zone 01 1 23.00 23.00 475251010 Zone 01 1 23.00 23.00 475251011 Zone 01 1 23.00 23.00 475251012 Zone 01 1 23.00 23.00 475251013 Zone 01 1 23.00 23.00 475251014 Zone 01 1 23.00 23.00 475251015 Zone 01 1 23.00 23.00 475251016 Zone 01 1 23.00 23.00 475251018 Zone 01 1 23.00 23.00 475251019 Zone 01 1 23.00 23.00 475261008 Zone 01 1 23.00 23.00 475261010 Zone 01 1 23.00 23.00 <td< td=""><td>475251003</td><td>Zone 01</td><td></td><td>1 23.00</td><td>23.00</td></td<>	475251003	Zone 01		1 23.00	23.00
475251006 Zone 01 1 23.00 23.00 475251007 Zone 01 1 23.00 23.00 475251008 Zone 01 1 23.00 23.00 475251019 Zone 01 1 23.00 23.00 475251010 Zone 01 1 23.00 23.00 475251011 Zone 01 1 23.00 23.00 475251012 Zone 01 1 23.00 23.00 475251013 Zone 01 1 23.00 23.00 475251014 Zone 01 1 23.00 23.00 475251015 Zone 01 1 23.00 23.00 475251016 Zone 01 1 23.00 23.00 475251017 Zone 01 1 23.00 23.00 475251018 Zone 01 1 23.00 23.00 475261018 Zone 01 1 23.00 23.00 475261019 Zone 01 1 23.00 23.00 475261010 Zone 01 1 23.00 23.00 <td< td=""><td>475251004</td><td>Zone 01</td><td></td><td>1 23.00</td><td>23.00</td></td<>	475251004	Zone 01		1 23.00	23.00
475251007 Zone 01 1 23.00 23.00 475251008 Zone 01 1 23.00 23.00 475251009 Zone 01 1 23.00 23.00 475251010 Zone 01 1 23.00 23.00 475251011 Zone 01 1 23.00 23.00 475251012 Zone 01 1 23.00 23.00 475251013 Zone 01 1 23.00 23.00 475251014 Zone 01 1 23.00 23.00 475251015 Zone 01 1 23.00 23.00 475251016 Zone 01 1 23.00 23.00 475251017 Zone 01 1 23.00 23.00 475251018 Zone 01 1 23.00 23.00 475261008 Zone 01 1 23.00 23.00 475261010 Zone 01 1 23.00 23.00 475261011 Zone 01 1 23.00 23.00 475261012 Zone 01 1 23.00 23.00 <td< td=""><td>475251005</td><td>Zone 01</td><td></td><td>1 23.00</td><td>23.00</td></td<>	475251005	Zone 01		1 23.00	23.00
475251008 Zone 01 1 23.00 23.00 475251009 Zone 01 1 23.00 23.00 475251010 Zone 01 1 23.00 23.00 475251011 Zone 01 1 23.00 23.00 475251012 Zone 01 1 23.00 23.00 475251013 Zone 01 1 23.00 23.00 475251014 Zone 01 1 23.00 23.00 475251015 Zone 01 1 23.00 23.00 475251016 Zone 01 1 23.00 23.00 475251017 Zone 01 1 23.00 23.00 475251018 Zone 01 1 23.00 23.00 475261019 Zone 01 1 23.00 23.00 475261008 Zone 01 1 23.00 23.00 475261010 Zone 01 1 23.00 23.00 475261011 Zone 01 1 23.00 23.00 475261012 Zone 01 1 23.00 23.00 <td< td=""><td>475251006</td><td>Zone 01</td><td></td><td>1 23.00</td><td>23.00</td></td<>	475251006	Zone 01		1 23.00	23.00
475251009 Zone 01 1 23.00 23.00 475251010 Zone 01 1 23.00 23.00 475251011 Zone 01 1 23.00 23.00 475251012 Zone 01 1 23.00 23.00 475251013 Zone 01 1 23.00 23.00 475251014 Zone 01 1 23.00 23.00 475251015 Zone 01 1 23.00 23.00 475251016 Zone 01 1 23.00 23.00 475251017 Zone 01 1 23.00 23.00 475251018 Zone 01 1 23.00 23.00 475251019 Zone 01 1 23.00 23.00 475261008 Zone 01 1 23.00 23.00 475261009 Zone 01 1 23.00 23.00 475261011 Zone 01 1 23.00 23.00 475261012 Zone 01 1 23.00 23.00 475261013 Zone 01 1 23.00 23.00 <td< td=""><td>475251007</td><td>Zone 01</td><td></td><td>1 23.00</td><td>23.00</td></td<>	475251007	Zone 01		1 23.00	23.00
475251010 Zone 01 1 23.00 23.00 475251011 Zone 01 1 23.00 23.00 475251012 Zone 01 1 23.00 23.00 475251013 Zone 01 1 23.00 23.00 475251014 Zone 01 1 23.00 23.00 475251015 Zone 01 1 23.00 23.00 475251016 Zone 01 1 23.00 23.00 475251017 Zone 01 1 23.00 23.00 475251018 Zone 01 1 23.00 23.00 475251019 Zone 01 1 23.00 23.00 475261008 Zone 01 1 23.00 23.00 475261010 Zone 01 1 23.00 23.00 475261011 Zone 01 1 23.00 23.00 475261012 Zone 01 1 23.00 23.00 475261013 Zone 01 1 23.00 23.00 475261014 Zone 01 1 23.00 23.00	475251008	Zone 01		1 23.00	23.00
475251011 Zone 01 1 23.00 23.00 475251012 Zone 01 1 23.00 23.00 475251013 Zone 01 1 23.00 23.00 475251014 Zone 01 1 23.00 23.00 475251015 Zone 01 1 23.00 23.00 475251016 Zone 01 1 23.00 23.00 475251017 Zone 01 1 23.00 23.00 475251018 Zone 01 1 23.00 23.00 475251019 Zone 01 1 23.00 23.00 475261008 Zone 01 1 23.00 23.00 475261010 Zone 01 1 23.00 23.00 475261011 Zone 01 1 23.00 23.00 475261012 Zone 01 1 23.00 23.00 475261013 Zone 01 1 23.00 23.00 475261014 Zone 01 1 23.00 23.00	475251009	Zone 01		1 23.00	23.00
475251012 Zone 01 1 23.00 23.00 475251013 Zone 01 1 23.00 23.00 475251014 Zone 01 1 23.00 23.00 475251015 Zone 01 1 23.00 23.00 475251016 Zone 01 1 23.00 23.00 475251017 Zone 01 1 23.00 23.00 475251018 Zone 01 1 23.00 23.00 475251019 Zone 01 1 23.00 23.00 475261008 Zone 01 1 23.00 23.00 475261010 Zone 01 1 23.00 23.00 475261011 Zone 01 1 23.00 23.00 475261012 Zone 01 1 23.00 23.00 475261013 Zone 01 1 23.00 23.00 475261014 Zone 01 1 23.00 23.00	475251010	Zone 01		1 23.00	23.00
475251013 Zone 01 1 23.00 23.00 475251014 Zone 01 1 23.00 23.00 475251015 Zone 01 1 23.00 23.00 475251016 Zone 01 1 23.00 23.00 475251017 Zone 01 1 23.00 23.00 475251018 Zone 01 1 23.00 23.00 475251019 Zone 01 1 23.00 23.00 475261008 Zone 01 1 23.00 23.00 475261009 Zone 01 1 23.00 23.00 475261010 Zone 01 1 23.00 23.00 475261011 Zone 01 1 23.00 23.00 475261012 Zone 01 1 23.00 23.00 475261013 Zone 01 1 23.00 23.00 475261014 Zone 01 1 23.00 23.00	475251011	Zone 01		1 23.00	23.00
475251014 Zone 01 1 23.00 23.00 475251015 Zone 01 1 23.00 23.00 475251016 Zone 01 1 23.00 23.00 475251017 Zone 01 1 23.00 23.00 475251018 Zone 01 1 23.00 23.00 475251019 Zone 01 1 23.00 23.00 475261008 Zone 01 1 23.00 23.00 475261009 Zone 01 1 23.00 23.00 475261010 Zone 01 1 23.00 23.00 475261011 Zone 01 1 23.00 23.00 475261012 Zone 01 1 23.00 23.00 475261013 Zone 01 1 23.00 23.00 475261014 Zone 01 1 23.00 23.00	475251012	Zone 01		1 23.00	23.00
475251015 Zone 01 1 23.00 23.00 475251016 Zone 01 1 23.00 23.00 475251017 Zone 01 1 23.00 23.00 475251018 Zone 01 1 23.00 23.00 475251019 Zone 01 1 23.00 23.00 475261008 Zone 01 1 23.00 23.00 475261010 Zone 01 1 23.00 23.00 475261011 Zone 01 1 23.00 23.00 475261012 Zone 01 1 23.00 23.00 475261013 Zone 01 1 23.00 23.00 475261014 Zone 01 1 23.00 23.00 475261014 Zone 01 1 23.00 23.00	475251013	Zone 01		1 23.00	23.00
475251016 Zone 01 1 23.00 23.00 475251017 Zone 01 1 23.00 23.00 475251018 Zone 01 1 23.00 23.00 475251019 Zone 01 1 23.00 23.00 475261008 Zone 01 1 23.00 23.00 475261009 Zone 01 1 23.00 23.00 475261010 Zone 01 1 23.00 23.00 475261011 Zone 01 1 23.00 23.00 475261012 Zone 01 1 23.00 23.00 475261013 Zone 01 1 23.00 23.00 475261014 Zone 01 1 23.00 23.00	475251014	Zone 01		1 23.00	23.00
475251017 Zone 01 1 23.00 23.00 475251018 Zone 01 1 23.00 23.00 475251019 Zone 01 1 23.00 23.00 475261008 Zone 01 1 23.00 23.00 475261009 Zone 01 1 23.00 23.00 475261010 Zone 01 1 23.00 23.00 475261011 Zone 01 1 23.00 23.00 475261012 Zone 01 1 23.00 23.00 475261013 Zone 01 1 23.00 23.00 475261014 Zone 01 1 23.00 23.00	475251015	Zone 01		1 23.00	23.00
475251018 Zone 01 1 23.00 23.00 475251019 Zone 01 1 23.00 23.00 475261008 Zone 01 1 23.00 23.00 475261009 Zone 01 1 23.00 23.00 475261010 Zone 01 1 23.00 23.00 475261011 Zone 01 1 23.00 23.00 475261012 Zone 01 1 23.00 23.00 475261013 Zone 01 1 23.00 23.00 475261014 Zone 01 1 23.00 23.00	475251016	Zone 01		1 23.00	23.00
475251018 Zone 01 1 23.00 23.00 475251019 Zone 01 1 23.00 23.00 475261008 Zone 01 1 23.00 23.00 475261009 Zone 01 1 23.00 23.00 475261010 Zone 01 1 23.00 23.00 475261011 Zone 01 1 23.00 23.00 475261012 Zone 01 1 23.00 23.00 475261013 Zone 01 1 23.00 23.00 475261014 Zone 01 1 23.00 23.00	475251017	Zone 01		1 23.00	23.00
475261008 Zone 01 1 23.00 23.00 475261009 Zone 01 1 23.00 23.00 475261010 Zone 01 1 23.00 23.00 475261011 Zone 01 1 23.00 23.00 475261012 Zone 01 1 23.00 23.00 475261013 Zone 01 1 23.00 23.00 475261014 Zone 01 1 23.00 23.00	475251018	Zone 01		1 23.00	23.00
475261009 Zone 01 1 23.00 23.00 475261010 Zone 01 1 23.00 23.00 475261011 Zone 01 1 23.00 23.00 475261012 Zone 01 1 23.00 23.00 475261013 Zone 01 1 23.00 23.00 475261014 Zone 01 1 23.00 23.00	475251019	Zone 01		1 23.00	23.00
475261010 Zone 01 1 23.00 23.00 475261011 Zone 01 1 23.00 23.00 475261012 Zone 01 1 23.00 23.00 475261013 Zone 01 1 23.00 23.00 475261014 Zone 01 1 23.00 23.00	475261008	Zone 01		1 23.00	23.00
475261011 Zone 01 1 23.00 23.00 475261012 Zone 01 1 23.00 23.00 475261013 Zone 01 1 23.00 23.00 475261014 Zone 01 1 23.00 23.00	475261009	Zone 01		1 23.00	23.00
475261011 Zone 01 1 23.00 23.00 475261012 Zone 01 1 23.00 23.00 475261013 Zone 01 1 23.00 23.00 475261014 Zone 01 1 23.00 23.00					
475261012 Zone 01 1 23.00 23.00 475261013 Zone 01 1 23.00 23.00 475261014 Zone 01 1 23.00 23.00	475261011				
475261014 Zone 01 1 23.00 23.00	475261012				
	475261013	Zone 01		1 23.00	23.00
475261015 Zone 01 1 23.00 23.00	475261014	Zone 01		1 23.00	23.00
1 20.00	475261015	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
475261016	Zone 01		1 23.00	23.00
475261017	Zone 01		1 23.00	23.00
475261018	Zone 01		1 23.00	23.00
475261026	Zone 01		1 23.00	23.00
475261027	Zone 01		1 23.00	23.00
475261028	Zone 01		1 23.00	23.00
475261029	Zone 01		1 23.00	23.00
475261030	Zone 01		1 23.00	23.00
475261031	Zone 01		1 23.00	23.00
475261032	Zone 01		1 23.00	23.00
475261033	Zone 01		1 23.00	23.00
475261034	Zone 01		1 23.00	23.00
475261035	Zone 01		1 23.00	23.00
475262001	Zone 01		1 23.00	23.00
475262002	Zone 01		1 23.00	23.00
475262003	Zone 01		1 23.00	23.00
475262004	Zone 01		1 23.00	23.00
475262005	Zone 01		1 23.00	23.00
475262006	Zone 01		1 23.00	23.00
475262007	Zone 01		1 23.00	23.00
475262008	Zone 01		1 23.00	23.00
475262009	Zone 01		1 23.00	23.00
475262016	Zone 01		1 23.00	23.00
475262017	Zone 01		1 23.00	23.00
475262018	Zone 01		1 23.00	23.00
475263008	Zone 01		1 23.00	23.00
475263009	Zone 01		1 23.00	23.00
475263010	Zone 01		1 23.00	23.00
475263011	Zone 01		1 23.00	23.00
475263012	Zone 01		1 23.00	23.00
475263013	Zone 01		1 23.00	23.00
475263014	Zone 01		1 23.00	23.00
475263015	Zone 01		1 23.00	23.00
475263016	Zone 01		1 23.00	23.00
475263017	Zone 01		1 23.00	23.00
475263018	Zone 01		1 23.00	23.00
475263019	Zone 01		1 23.00	23.00
475263020	Zone 01		1 23.00	23.00
475263021	Zone 01		1 23.00	23.00
475263021				23.00
	Zone 01		1 23.00	
475263023	Zone 01		1 23.00	23.00
475263024	Zone 01		1 23.00	23.00
475263025	Zone 01		1 23.00	23.00
475263026	Zone 01		1 23.00	23.00
475263027	Zone 01		1 23.00	23.00
475263028	Zone 01		1 23.00	23.00
475263029	Zone 01		1 23.00	23.00
475263031	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned El	BU's FY 17-1	8 Max Assessment	FY 17-18 Assessment
475263032	Zone 01	1	23.00	23.00
475263033	Zone 01	1	23.00	23.00
475263034	Zone 01	1	23.00	23.00
475263035	Zone 01	1	23.00	23.00
475263036	Zone 01	1	23.00	23.00
475264001	Zone 01	1	23.00	23.00
475264002	Zone 01	1	23.00	23.00
475264003	Zone 01	1	23.00	23.00
475264004	Zone 01	1	23.00	23.00
475264005	Zone 01	1	23.00	23.00
475264006	Zone 01	1	23.00	23.00
475264007	Zone 01	1	23.00	23.00
475264008	Zone 01	1	23.00	23.00
475264009	Zone 01	1	23.00	23.00
475264010	Zone 01	1	23.00	23.00
475271001	Zone 01	1	23.00	23.00
475271002	Zone 01	1	23.00	23.00
475271003	Zone 01	1	23.00	23.00
475271004	Zone 01	1	23.00	23.00
475271005	Zone 01	1	23.00	23.00
475271006	Zone 01	1	23.00	23.00
475271007	Zone 01	1	23.00	23.00
475271008	Zone 01	1	23.00	23.00
475271009	Zone 01	1	23.00	23.00
475271010	Zone 01	1	23.00	23.00
475272001	Zone 01	1	23.00	23.00
475272002	Zone 01	1	23.00	23.00
475272003	Zone 01	1	23.00	23.00
475272004	Zone 01	1	23.00	23.00
475272005	Zone 01	1	23.00	23.00
475272006	Zone 01	1	23.00	23.00
475272007	Zone 01	1	23.00	23.00
475272008	Zone 01	1	23.00	23.00
475272009	Zone 01	1	23.00	23.00
475272010	Zone 01	1	23.00	23.00
475272011	Zone 01	1	23.00	23.00
475272012	Zone 01	1	23.00	23.00
475272013	Zone 01	1	23.00	23.00
475272014	Zone 01	1	23.00	23.00
475272015	Zone 01	1	23.00	23.00
475272016	Zone 01	1	23.00	23.00
475272017	Zone 01	1	23.00	23.00
475272018	Zone 01	1	23.00	23.00
475280044	Zone 01	1	23.00	23.00
475280045	Zone 01	1	23.00	23.00
475280046	Zone 01	1	23.00	23.00
475280047	Zone 01	1	23.00	23.00
475280048	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned I	BU's FY 17-18	Max Assessment	FY 17-18 Assessment
475280049	Zone 01	1	23.00	23.00
475280050	Zone 01	1	23.00	23.00
475280051	Zone 01	1	23.00	23.00
475280052	Zone 01	1	23.00	23.00
475280053	Zone 01	1	23.00	23.00
475280054	Zone 01	1	23.00	23.00
475280055	Zone 01	1	23.00	23.00
475280056	Zone 01	1	23.00	23.00
475280057	Zone 01	1	23.00	23.00
475280058	Zone 01	1	23.00	23.00
475280059	Zone 01	1	23.00	23.00
475280060	Zone 01	1	23.00	23.00
475280061	Zone 01	1	23.00	23.00
475292010	Zone 01	1	23.00	23.00
475292011	Zone 01	1	23.00	23.00
475292012	Zone 01	1	23.00	23.00
475292013	Zone 01	1	23.00	23.00
475292014	Zone 01	1	23.00	23.00
475292015	Zone 01	1	23.00	23.00
475292016	Zone 01	1	23.00	23.00
475292017	Zone 01	1	23.00	23.00
475292018	Zone 01	1	23.00	23.00
475293020	Zone 01	1	23.00	23.00
475293021	Zone 01	1	23.00	23.00
475293022	Zone 01	1	23.00	23.00
475293023	Zone 01	1	23.00	23.00
475293024	Zone 01	1	23.00	23.00
475293025	Zone 01	1	23.00	23.00
475293026	Zone 01	1	23.00	23.00
475293027	Zone 01	1	23.00	23.00
475293028	Zone 01	1	23.00	23.00
475293029	Zone 01	1	23.00	23.00
475293030	Zone 01	1	23.00	23.00
475293031	Zone 01	1	23.00	23.00
475293032	Zone 01	1	23.00	23.00
475293033	Zone 01	1	23.00	23.00
475293034	Zone 01	1	23.00	23.00
475293035	Zone 01	1	23.00	23.00
475293036	Zone 01	1	23.00	23.00
475293037	Zone 01	1	23.00	23.00
475293038	Zone 01	1	23.00	23.00
475293039	Zone 01	1	23.00	23.00
475293040	Zone 01	1	23.00	23.00
475293041	Zone 01	1	23.00	23.00
475293042	Zone 01	1	23.00	23.00
475293043	Zone 01	1	23.00	23.00
475293044	Zone 01	1	23.00	23.00
475293045	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
475293046	Zone 01		1 23.00	23.00
475293047	Zone 01		1 23.00	23.00
475293048	Zone 01		1 23.00	23.00
475293049	Zone 01		1 23.00	23.00
475293050	Zone 01		1 23.00	23.00
475293051	Zone 01		1 23.00	23.00
475293052	Zone 01		1 23.00	23.00
475293053	Zone 01		1 23.00	23.00
475293054	Zone 01		1 23.00	23.00
475293055	Zone 01		1 23.00	23.00
475293056	Zone 01		1 23.00	23.00
475293057	Zone 01		1 23.00	23.00
475293058	Zone 01		1 23.00	23.00
475293059	Zone 01		1 23.00	23.00
475293060	Zone 01		1 23.00	23.00
475293061	Zone 01		1 23.00	23.00
475293062	Zone 01		1 23.00	23.00
475293063	Zone 01		1 23.00	23.00
475293064	Zone 01		1 23.00	23.00
475300038	Zone 01		1 23.00	23.00
475300039	Zone 01		1 23.00	23.00
475300040	Zone 01		1 23.00	23.00
475300041	Zone 01		1 23.00	23.00
475300042	Zone 01		1 23.00	23.00
475300043	Zone 01		1 23.00	23.00
475300044	Zone 01		1 23.00	23.00
475300045	Zone 01		1 23.00	23.00
475300046	Zone 01		1 23.00	23.00
475300047	Zone 01		1 23.00	23.00
475300048	Zone 01		1 23.00	23.00
475300049	Zone 01		1 23.00	23.00
475300050	Zone 01		1 23.00	23.00
475300051	Zone 01		1 23.00	23.00
475300052	Zone 01		1 23.00	23.00
475300053	Zone 01		1 23.00	23.00
475300054	Zone 01		1 23.00	23.00
475300055	Zone 01		1 23.00	23.00
475311001	Zone 01		1 23.00	23.00
475311001	Zone 01		1 23.00	23.00
475311002	Zone 01		1 23.00	23.00
475311003	Zone 01		1 23.00	23.00
475311004	Zone 01		1 23.00	23.00
475311006	Zone 01		1 23.00	23.00
475311007	Zone 01		1 23.00	23.00
475311008	Zone 01		1 23.00	23.00
475311009	Zone 01		1 23.00	23.00
475311010	Zone 01		1 23.00	23.00
475311012	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned I	BU's FY 17-18	8 Max Assessment	FY 17-18 Assessment
475311013	Zone 01	1	23.00	23.00
475311014	Zone 01	1	23.00	23.00
475311015	Zone 01	1	23.00	23.00
475311016	Zone 01	1	23.00	23.00
475311017	Zone 01	1	23.00	23.00
475311018	Zone 01	1	23.00	23.00
475311019	Zone 01	1	23.00	23.00
475311020	Zone 01	1	23.00	23.00
475311021	Zone 01	1	23.00	23.00
475311022	Zone 01	1	23.00	23.00
475311023	Zone 01	1	23.00	23.00
475311024	Zone 01	1	23.00	23.00
475311025	Zone 01	1	23.00	23.00
475311026	Zone 01	1	23.00	23.00
475311027	Zone 01	1	23.00	23.00
475311028	Zone 01	1	23.00	23.00
475311029	Zone 01	1	23.00	23.00
475311030	Zone 01	1	23.00	23.00
475311031	Zone 01	1	23.00	23.00
475312001	Zone 01	1	23.00	23.00
475312002	Zone 01	1	23.00	23.00
475312003	Zone 01	1	23.00	23.00
475312004	Zone 01	1	23.00	23.00
475312005	Zone 01	1	23.00	23.00
475312006	Zone 01	1	23.00	23.00
475312007	Zone 01	1	23.00	23.00
475312008	Zone 01	1	23.00	23.00
475312009	Zone 01	1	23.00	23.00
475312010	Zone 01	1	23.00	23.00
475312011	Zone 01	1	23.00	23.00
475312012	Zone 01	1	23.00	23.00
475312013	Zone 01	1	23.00	23.00
475312014	Zone 01	1	23.00	23.00
475312015	Zone 01	1	23.00	23.00
475312016	Zone 01	1	23.00	23.00
475312017	Zone 01	1	23.00	23.00
475312018	Zone 01	1	23.00	23.00
475312019	Zone 01	1	23.00	23.00
475312020	Zone 01	1	23.00	23.00
475312021	Zone 01	1	23.00	23.00
475312022	Zone 01	1	23.00	23.00
475312023	Zone 01	1	23.00	23.00
475312024	Zone 01	1	23.00	23.00
475312025	Zone 01	1	23.00	23.00
475312026	Zone 01	1	23.00	23.00
475312027	Zone 01	1	23.00	23.00
475312028	Zone 01	1	23.00	23.00
475312029	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
475312030	Zone 01		1 23.00	23.00
475312031	Zone 01		1 23.00	23.00
475313001	Zone 01		1 23.00	23.00
475313002	Zone 01		1 23.00	23.00
475313003	Zone 01		1 23.00	23.00
475313004	Zone 01		1 23.00	23.00
475313005	Zone 01		1 23.00	23.00
475313006	Zone 01		1 23.00	23.00
475313007	Zone 01		1 23.00	23.00
475313008	Zone 01		1 23.00	23.00
475313009	Zone 01		1 23.00	23.00
475313010	Zone 01		1 23.00	23.00
475314001	Zone 01		1 23.00	23.00
475314002	Zone 01		1 23.00	23.00
475314003	Zone 01		1 23.00	23.00
475314004	Zone 01		1 23.00	23.00
475314005	Zone 01		1 23.00	23.00
475314006	Zone 01		1 23.00	23.00
475314007	Zone 01		1 23.00	23.00
475314008	Zone 01		1 23.00	23.00
475314009	Zone 01		1 23.00	23.00
475314010	Zone 01		1 23.00	23.00
475321001	Zone 01		1 23.00	23.00
475321002	Zone 01		1 23.00	23.00
475321003	Zone 01		1 23.00	23.00
475321004	Zone 01		1 23.00	23.00
475321005	Zone 01		1 23.00	23.00
475321006	Zone 01		1 23.00	23.00
475321007	Zone 01		1 23.00	23.00
475321008	Zone 01		1 23.00	23.00
475321009	Zone 01		1 23.00	23.00
475321010	Zone 01		1 23.00	23.00
475321011	Zone 01		1 23.00	23.00
475321012	Zone 01		1 23.00	23.00
475321013	Zone 01		1 23.00	23.00
475321014	Zone 01		1 23.00	23.00
475321015	Zone 01		1 23.00	23.00
475321016	Zone 01		1 23.00	23.00
475321017	Zone 01		1 23.00	23.00
475321018	Zone 01		1 23.00	23.00
475321019	Zone 01		1 23.00	23.00
475321020	Zone 01		1 23.00	23.00
475321021	Zone 01		1 23.00	23.00
475321022	Zone 01		1 23.00	23.00
475321023	Zone 01		1 23.00	23.00
475321024	Zone 01		1 23.00	23.00
475321025	Zone 01		1 23.00	23.00
475321026	Zone 01		1 23.00	23.00
.70021020	_3,10 0 1		20.00	20.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
475321027	Zone 01		1 23.00	23.00
475321028	Zone 01		1 23.00	23.00
475321029	Zone 01		1 23.00	23.00
475321030	Zone 01		1 23.00	23.00
475321031	Zone 01		1 23.00	23.00
475321032	Zone 01		1 23.00	23.00
475321033	Zone 01		1 23.00	23.00
475321034	Zone 01		1 23.00	23.00
475322001	Zone 01		1 23.00	23.00
475322002	Zone 01		1 23.00	23.00
475322003	Zone 01		1 23.00	23.00
475322004	Zone 01		1 23.00	23.00
475322005	Zone 01		1 23.00	23.00
475322006	Zone 01		1 23.00	23.00
475322007	Zone 01		1 23.00	23.00
475322008	Zone 01		1 23.00	23.00
475322009	Zone 01		1 23.00	23.00
475322010	Zone 01		1 23.00	23.00
475322011	Zone 01		1 23.00	23.00
475322012	Zone 01		1 23.00	23.00
475322013	Zone 01		1 23.00	23.00
475322014	Zone 01		1 23.00	23.00
475322015	Zone 01		1 23.00	23.00
475322016	Zone 01		1 23.00	23.00
475322017	Zone 01		1 23.00	23.00
475322018	Zone 01		1 23.00	23.00
475322019	Zone 01		1 23.00	23.00
475322020	Zone 01		1 23.00	23.00
475322021	Zone 01		1 23.00	23.00
475322022	Zone 01		1 23.00	23.00
475322023	Zone 01		1 23.00	23.00
475322024	Zone 01		1 23.00	23.00
475322025	Zone 01		1 23.00	23.00
475322026	Zone 01		1 23.00	23.00
475322027	Zone 01		1 23.00	23.00
475322028	Zone 01		1 23.00	23.00
475322029	Zone 01		1 23.00	23.00
475322030	Zone 01		1 23.00	23.00
475322031	Zone 01		1 23.00	23.00
475322032	Zone 01		1 23.00	23.00
475322033	Zone 01		1 23.00	23.00
475322034	Zone 01		1 23.00	23.00
475331001	Zone 01		1 23.00	23.00
475331002	Zone 01		1 23.00	23.00
475331003	Zone 01		1 23.00	23.00
475331004	Zone 01		1 23.00	23.00
475331005	Zone 01		1 23.00	23.00
475331006	Zone 01		1 23.00	23.00
., 000.000			20.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
475331007	Zone 01		1 23.00	23.00
475331008	Zone 01		1 23.00	23.00
475331009	Zone 01		1 23.00	23.00
475331010	Zone 01		1 23.00	23.00
475331011	Zone 01		1 23.00	23.00
475331012	Zone 01		1 23.00	23.00
475331013	Zone 01		1 23.00	23.00
475331014	Zone 01		1 23.00	23.00
475331015	Zone 01		1 23.00	23.00
475331016	Zone 01		1 23.00	23.00
475331017	Zone 01		1 23.00	23.00
475331018	Zone 01		1 23.00	23.00
475331019	Zone 01		1 23.00	23.00
475331020	Zone 01		1 23.00	23.00
475331021	Zone 01		1 23.00	23.00
475331022	Zone 01		1 23.00	23.00
475332001	Zone 01		1 23.00	23.00
475332001	Zone 01		1 23.00	23.00
475332002	Zone 01		1 23.00	23.00
475332003	Zone 01		1 23.00	23.00
475332004	Zone 01		1 23.00	23.00
475332005	Zone 01		1 23.00	23.00
475332007	Zone 01		1 23.00	23.00
475332007	Zone 01		1 23.00	23.00
475332008	Zone 01		1 23.00	23.00
475332010	Zone 01		1 23.00	23.00
475332011	Zone 01		1 23.00	23.00
475332012	Zone 01		1 23.00	23.00
475332013	Zone 01		1 23.00	23.00
475332014	Zone 01		1 23.00	23.00
475333001	Zone 01		1 23.00	23.00
475333002	Zone 01		1 23.00	23.00
475333003	Zone 01		1 23.00	23.00
475333004	Zone 01		1 23.00	23.00
475333005	Zone 01		1 23.00	23.00
475333006	Zone 01		1 23.00	23.00
475333007	Zone 01		1 23.00	23.00
475333008	Zone 01		1 23.00	23.00
475333009	Zone 01		1 23.00	23.00
475333010	Zone 01		1 23.00	23.00
475333011	Zone 01		1 23.00	23.00
475333012	Zone 01		1 23.00	23.00
475333013	Zone 01		1 23.00	23.00
475333014	Zone 01		1 23.00	23.00
475333015	Zone 01		1 23.00	23.00
475333016	Zone 01		1 23.00	23.00
475333017	Zone 01		1 23.00	23.00
475333018	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
475333019	Zone 01		1 23.00	23.00
475333020	Zone 01		1 23.00	23.00
475334001	Zone 01		1 23.00	23.00
475334002	Zone 01		1 23.00	23.00
475334003	Zone 01		1 23.00	23.00
475334004	Zone 01		1 23.00	23.00
475334005	Zone 01		1 23.00	23.00
475334006	Zone 01		1 23.00	23.00
475334007	Zone 01		1 23.00	23.00
475334008	Zone 01		1 23.00	23.00
475334009	Zone 01		1 23.00	23.00
475334010	Zone 01		1 23.00	23.00
475334011	Zone 01		1 23.00	23.00
475334012	Zone 01		1 23.00	23.00
475334013	Zone 01		1 23.00	23.00
475334014	Zone 01		1 23.00	23.00
475334015	Zone 01		1 23.00	23.00
475334016	Zone 01		1 23.00	23.00
475335001	Zone 01		1 23.00	23.00
475335002	Zone 01		1 23.00	23.00
475335003	Zone 01		1 23.00	23.00
475335004	Zone 01		1 23.00	23.00
475335005	Zone 01		1 23.00	23.00
475335005	Zone 01		1 23.00	23.00
475335007	Zone 01		1 23.00	23.00
475335007	Zone 01		1 23.00	23.00
475341001	Zone 01		1 23.00	23.00
475341002	Zone 01		1 23.00	23.00
475341002	Zone 01		1 23.00	23.00
475341004	Zone 01		1 23.00	23.00
475341005	Zone 01		1 23.00	23.00
475341006	Zone 01		1 23.00	23.00
475341007	Zone 01		1 23.00	23.00
475341008	Zone 01		1 23.00	23.00
475341009	Zone 01		1 23.00	23.00
475341010	Zone 01		1 23.00	23.00
475341011	Zone 01		1 23.00	23.00
475341012	Zone 01		1 23.00	23.00
475341013	Zone 01		1 23.00	23.00
475341014	Zone 01		1 23.00	23.00
475341015	Zone 01		1 23.00	23.00
475341016	Zone 01		1 23.00	23.00
475341017	Zone 01		1 23.00	23.00
475341017	Zone 01		1 23.00	23.00
475341016	Zone 01		1 23.00	23.00
475341019	Zone 01		1 23.00	23.00
475341020	Zone 01		1 23.00	23.00
475341022	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-18	Max Assessment	FY 17-18 Assessment
475341023	Zone 01	1	23.00	23.00
475341024	Zone 01	1	23.00	23.00
475341025	Zone 01	1	23.00	23.00
475341026	Zone 01	1	23.00	23.00
475341027	Zone 01	1	23.00	23.00
475342001	Zone 01	1	23.00	23.00
475342002	Zone 01	1	23.00	23.00
475342003	Zone 01	1	23.00	23.00
475342004	Zone 01	1	23.00	23.00
475342005	Zone 01	1	23.00	23.00
475342006	Zone 01	1	23.00	23.00
475342007	Zone 01	1	23.00	23.00
475342008	Zone 01	1	23.00	23.00
475342009	Zone 01	1	23.00	23.00
475342010	Zone 01	1	23.00	23.00
475342011	Zone 01	1	23.00	23.00
475342012	Zone 01	1	23.00	23.00
475342013	Zone 01	1	23.00	23.00
475342014	Zone 01	1	23.00	23.00
475342015	Zone 01	1	23.00	23.00
475342016	Zone 01	1	23.00	23.00
475342017	Zone 01	1	23.00	23.00
475342018	Zone 01	1	23.00	23.00
475342019	Zone 01	1	23.00	23.00
475342020	Zone 01	1	23.00	23.00
475342021	Zone 01	1	23.00	23.00
475342022	Zone 01	1	23.00	23.00
475342023	Zone 01	1	23.00	23.00
475342024	Zone 01	1	23.00	23.00
475342025	Zone 01	1	23.00	23.00
475342026	Zone 01	1	23.00	23.00
475342027	Zone 01	1	23.00	23.00
475342028	Zone 01	1	23.00	23.00
475342029	Zone 01	1	23.00	23.00
475342030	Zone 01	1	23.00	23.00
475342031	Zone 01	1	23.00	23.00
475342032	Zone 01	1	23.00	23.00
475342033	Zone 01	1	23.00	23.00
475342034	Zone 01	1	23.00	23.00
475342035	Zone 01	1	23.00	23.00
475342036	Zone 01	1	23.00	23.00
475342037	Zone 01	1	23.00	23.00
475342038	Zone 01	1	23.00	23.00
475342039	Zone 01	1	23.00	23.00
475343001	Zone 01	1	23.00	23.00
475343002	Zone 01	1	23.00	23.00
475343003	Zone 01	1	23.00	23.00
475343004	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
475343005	Zone 01		1 23.00	23.00
475343006	Zone 01		1 23.00	23.00
475343007	Zone 01		1 23.00	23.00
475343008	Zone 01		1 23.00	23.00
475343009	Zone 01		1 23.00	23.00
475343010	Zone 01		1 23.00	23.00
475343011	Zone 01		1 23.00	23.00
475343012	Zone 01		1 23.00	23.00
475351001	Zone 01		1 23.00	23.00
475351002	Zone 01		1 23.00	23.00
475351003	Zone 01		1 23.00	23.00
475351004	Zone 01		1 23.00	23.00
475351005	Zone 01		1 23.00	23.00
475351006	Zone 01		1 23.00	23.00
475351007	Zone 01		1 23.00	23.00
475351008	Zone 01		1 23.00	23.00
475351009	Zone 01		1 23.00	23.00
475351010	Zone 01		1 23.00	23.00
475351011	Zone 01		1 23.00	23.00
475351012	Zone 01		1 23.00	23.00
475351013	Zone 01		1 23.00	23.00
475351014	Zone 01		1 23.00	23.00
475351015	Zone 01		1 23.00	23.00
475351016	Zone 01		1 23.00	23.00
475351017	Zone 01		1 23.00	23.00
475351018	Zone 01		1 23.00	23.00
475352001	Zone 01		1 23.00	23.00
475352002	Zone 01		1 23.00	23.00
475352003	Zone 01		1 23.00	23.00
475352004	Zone 01		1 23.00	23.00
475352005	Zone 01		1 23.00	23.00
475352006	Zone 01		1 23.00	23.00
475352007	Zone 01		1 23.00	23.00
475352008	Zone 01		1 23.00	23.00
475352009	Zone 01		1 23.00	23.00
475352010	Zone 01		1 23.00	23.00
475352011	Zone 01		1 23.00	23.00
475352014	Zone 01		1 23.00	23.00
475352015	Zone 01		1 23.00	23.00
475352016	Zone 01		1 23.00	23.00
475352017	Zone 01		1 23.00	23.00
475352018	Zone 01		1 23.00	23.00
475352019	Zone 01		1 23.00	23.00
475352020	Zone 01		1 23.00	23.00
475352020	Zone 01		1 23.00	23.00
475352021	Zone 01		1 23.00	23.00
475352022	Zone 01		1 23.00	23.00
475352023	Zone 01		1 23.00	23.00
110002027	2010-01		25.00	25.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-18	3 Max Assessment	FY 17-18 Assessment
475352025	Zone 01	1	23.00	23.00
475352026	Zone 01	1	23.00	23.00
475352032	Zone 01	1	23.00	23.00
475352033	Zone 01	1	23.00	23.00
475352034	Zone 01	1	23.00	23.00
475352035	Zone 01	1	23.00	23.00
475352036	Zone 01	1	23.00	23.00
475352037	Zone 01	1	23.00	23.00
475352038	Zone 01	1	23.00	23.00
475352039	Zone 01	1	23.00	23.00
475352040	Zone 01	1	23.00	23.00
475352041	Zone 01	1	23.00	23.00
475353001	Zone 01	1	23.00	23.00
475353002	Zone 01	1	23.00	23.00
475353003	Zone 01	1	23.00	23.00
475353004	Zone 01	1	23.00	23.00
475353005	Zone 01	1	23.00	23.00
475353006	Zone 01	1	23.00	23.00
475353007	Zone 01	1	23.00	23.00
475353008	Zone 01	1	23.00	23.00
475353009	Zone 01	1	23.00	23.00
475353010	Zone 01	1	23.00	23.00
475353011	Zone 01	1	23.00	23.00
475353012	Zone 01	1	23.00	23.00
475353013	Zone 01	1	23.00	23.00
474720010	Zone 01	1	23.00	23.00
474720011	Zone 01	1	23.00	23.00
474720012	Zone 01	1	23.00	23.00
474720013	Zone 01	1	23.00	23.00
474720014	Zone 01	1	23.00	23.00
474720015	Zone 01	1	23.00	23.00
474720016	Zone 01	1	23.00	23.00
474720017	Zone 01	1	23.00	23.00
474720018	Zone 01	1	23.00	23.00
474720019	Zone 01	1	23.00	23.00
487360013	Zone 01	1	23.00	23.00
487360014	Zone 01	1	23.00	23.00
487360016	Zone 01	1	23.00	23.00
487360017	Zone 01	1	23.00	23.00
487360018	Zone 01	1	23.00	23.00
487360020	Zone 01	1	23.00	23.00
487360021	Zone 01	1	23.00	23.00
487360022	Zone 01	1	23.00	23.00
478040032	Zone 01	1	23.00	23.00
478070013	Zone 01	1	23.00	23.00
478070014	Zone 01	1	23.00	23.00
478080004	Zone 01	1	23.00	23.00
478080005	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone L	_MD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
478280001	Zone 01		1 23.00	23.00
478280002	Zone 01		1 23.00	23.00
478280003	Zone 01		1 23.00	23.00
478280004	Zone 01		1 23.00	23.00
478280005	Zone 01		1 23.00	23.00
478280006	Zone 01		1 23.00	23.00
478280007	Zone 01		1 23.00	23.00
478280008	Zone 01		1 23.00	23.00
478280009	Zone 01		1 23.00	23.00
478280010	Zone 01		1 23.00	23.00
478280011	Zone 01		1 23.00	23.00
478280012	Zone 01		1 23.00	23.00
478280013	Zone 01		1 23.00	23.00
478280014	Zone 01		1 23.00	23.00
478280015	Zone 01		1 23.00	23.00
478280016	Zone 01		1 23.00	23.00
478280017	Zone 01		1 23.00	23.00
478280018	Zone 01		1 23.00	23.00
478290001	Zone 01		1 23.00	23.00
478290002	Zone 01		1 23.00	23.00
478290003	Zone 01		1 23.00	23.00
478290004	Zone 01		1 23.00	23.00
478290005	Zone 01		1 23.00	23.00
478290006	Zone 01		1 23.00	23.00
478290007	Zone 01		1 23.00	23.00
478290008	Zone 01		1 23.00	23.00
478290009	Zone 01		1 23.00	23.00
478290010	Zone 01		1 23.00	23.00
478290011	Zone 01		1 23.00	23.00
478290012	Zone 01		1 23.00	23.00
478290013	Zone 01		1 23.00	23.00
478290014	Zone 01		1 23.00	23.00
478290015	Zone 01		1 23.00	23.00
478290016	Zone 01		1 23.00	23.00
478290017	Zone 01		1 23.00	23.00
478290018	Zone 01		1 23.00	23.00
478301001	Zone 01		1 23.00	23.00
478301001	Zone 01		1 23.00	23.00
478301002	Zone 01		1 23.00	23.00
478301003	Zone 01		1 23.00	23.00
478301004	Zone 01		1 23.00	23.00
478301005	Zone 01		1 23.00	23.00
478301007	Zone 01		1 23.00	23.00
478301007	Zone 01		1 23.00	23.00
478301008	Zone 01		1 23.00	23.00
478301009	Zone 01		1 23.00	23.00
478301011	Zone 01		1 23.00	23.00
478301012	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assig	ned EBU's FY 17	-18 Max Assessment	FY 17-18 Assessment
478301013	Zone 01	1	23.00	23.00
478301014	Zone 01	1	23.00	23.00
478302001	Zone 01	1	23.00	23.00
478302002	Zone 01	1	23.00	23.00
478302003	Zone 01	1	23.00	23.00
478302004	Zone 01	1	23.00	23.00
478302005	Zone 01	1	23.00	23.00
478303001	Zone 01	1	23.00	23.00
478303002	Zone 01	1	23.00	23.00
478303003	Zone 01	1	23.00	23.00
478303004	Zone 01	1	23.00	23.00
478303005	Zone 01	1	23.00	23.00
478303006	Zone 01	1	23.00	23.00
478303009	Zone 01	1	23.00	23.00
478303010	Zone 01	1	23.00	23.00
478303011	Zone 01	1	23.00	23.00
478303012	Zone 01	1	23.00	23.00
478303013	Zone 01	1	23.00	23.00
478303014	Zone 01	1	23.00	23.00
478303015	Zone 01	1	23.00	23.00
478311001	Zone 01	1	23.00	23.00
478311002	Zone 01	1	23.00	23.00
478311003	Zone 01	1	23.00	23.00
478311004	Zone 01	1	23.00	23.00
478312001	Zone 01	1	23.00	23.00
478312002	Zone 01	1	23.00	23.00
478312003	Zone 01	1	23.00	23.00
478312004	Zone 01	1	23.00	23.00
478312005	Zone 01	1	23.00	23.00
478312006	Zone 01	1	23.00	23.00
478312007	Zone 01	1	23.00	23.00
478312008	Zone 01	1	23.00	23.00
478312009	Zone 01	1	23.00	23.00
478312010	Zone 01	1	23.00	23.00
478312011	Zone 01	1	23.00	23.00
478312012	Zone 01	1	23.00	23.00
478312013	Zone 01	1	23.00	23.00
478312014	Zone 01	1	23.00	23.00
478312015	Zone 01	1	23.00	23.00
478312016	Zone 01	1	23.00	23.00
478312017	Zone 01	1	23.00	23.00
478313001	Zone 01	1	23.00	23.00
478313002	Zone 01	1	23.00	23.00
478313003	Zone 01	1	23.00	23.00
478313004	Zone 01	1	23.00	23.00
478313005	Zone 01	1	23.00	23.00
478314001	Zone 01	1	23.00	23.00
478314002	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
478314003	Zone 01		1 23.00	23.00
478314004	Zone 01		1 23.00	23.00
478314005	Zone 01		1 23.00	23.00
478314006	Zone 01		1 23.00	23.00
479060001	Zone 01		1 23.00	23.00
479060002	Zone 01		1 23.00	23.00
479060003	Zone 01		1 23.00	23.00
479060004	Zone 01		1 23.00	23.00
479060005	Zone 01		1 23.00	23.00
479060006	Zone 01		1 23.00	23.00
479060007	Zone 01		1 23.00	23.00
479060008	Zone 01		1 23.00	23.00
479060009	Zone 01		1 23.00	23.00
479060010	Zone 01		1 23.00	23.00
479060011	Zone 01		1 23.00	23.00
479060012	Zone 01		1 23.00	23.00
479060013	Zone 01		1 23.00	23.00
479060014	Zone 01		1 23.00	23.00
479060015	Zone 01		1 23.00	23.00
479060016	Zone 01		1 23.00	23.00
479060017	Zone 01		1 23.00	23.00
479060018	Zone 01		1 23.00	23.00
479060019	Zone 01		1 23.00	23.00
479060030	Zone 01		1 23.00	23.00
479060031	Zone 01		1 23.00	23.00
479060032	Zone 01		1 23.00	23.00
479060033	Zone 01		1 23.00	23.00
479060034	Zone 01		1 23.00	23.00
479060035	Zone 01		1 23.00	23.00
479060036	Zone 01		1 23.00	23.00
479060037	Zone 01		1 23.00	23.00
479060038	Zone 01		1 23.00	23.00
479060039	Zone 01		1 23.00	23.00
479060040	Zone 01		1 23.00	23.00
479060041	Zone 01		1 23.00	23.00
479061001	Zone 01		1 23.00	23.00
479061002	Zone 01		1 23.00	23.00
479061003	Zone 01		1 23.00	23.00
479061004	Zone 01		1 23.00	23.00
479061005	Zone 01		1 23.00	23.00
479061006	Zone 01		1 23.00	23.00
479062001	Zone 01		1 23.00	23.00
479062002	Zone 01		1 23.00	23.00
479062003	Zone 01		1 23.00	23.00
479062004	Zone 01		1 23.00	23.00
479062005	Zone 01		1 23.00	23.00
479062008	Zone 01		1 23.00	23.00
479062009	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
479062010	Zone 01		1 23.00	23.00
479062011	Zone 01		1 23.00	23.00
479062012	Zone 01		1 23.00	23.00
479062013	Zone 01		1 23.00	23.00
479062014	Zone 01		1 23.00	23.00
479062015	Zone 01		1 23.00	23.00
479062016	Zone 01		1 23.00	23.00
479062017	Zone 01		1 23.00	23.00
479062018	Zone 01		1 23.00	23.00
479062019	Zone 01		1 23.00	23.00
479062020	Zone 01		1 23.00	23.00
479062021	Zone 01		1 23.00	23.00
479062022	Zone 01		1 23.00	23.00
479062023	Zone 01		1 23.00	23.00
479062024	Zone 01		1 23.00	23.00
479062025	Zone 01		1 23.00	23.00
479062026	Zone 01		1 23.00	23.00
479062027	Zone 01		1 23.00	23.00
479062028	Zone 01		1 23.00	23.00
479062029	Zone 01		1 23.00	23.00
479062030	Zone 01		1 23.00	23.00
479062031	Zone 01		1 23.00	23.00
479062032	Zone 01		1 23.00	23.00
479062033	Zone 01		1 23.00	23.00
479062034	Zone 01		1 23.00	23.00
479062035	Zone 01		1 23.00	23.00
479062036	Zone 01		1 23.00	23.00
479062037	Zone 01		1 23.00	23.00
479062038	Zone 01		1 23.00	23.00
479062039	Zone 01		1 23.00	23.00
479062040	Zone 01		1 23.00	23.00
479062041	Zone 01		1 23.00	23.00
479062042	Zone 01		1 23.00	23.00
479062043	Zone 01		1 23.00	23.00
479062044	Zone 01		1 23.00	23.00
479100009	Zone 01		1 23.00	23.00
479100010	Zone 01		1 23.00	23.00
479100011	Zone 01		1 23.00	23.00
479100012	Zone 01		1 23.00	23.00
479100013	Zone 01		1 23.00	23.00
479100014	Zone 01		1 23.00	23.00
479100015	Zone 01		1 23.00	23.00
479100016	Zone 01		1 23.00	23.00
479100017	Zone 01		1 23.00	23.00
479100018	Zone 01		1 23.00	23.00
479100019	Zone 01		1 23.00	23.00
479100020	Zone 01		1 23.00	23.00
479100021	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-18	Max Assessment	FY 17-18 Assessment
479100022	Zone 01	1	23.00	23.00
479100023	Zone 01	1	23.00	23.00
479100024	Zone 01	1	23.00	23.00
479100025	Zone 01	1	23.00	23.00
479101001	Zone 01	1	23.00	23.00
479101002	Zone 01	1	23.00	23.00
479101003	Zone 01	1	23.00	23.00
479101004	Zone 01	1	23.00	23.00
479101005	Zone 01	1	23.00	23.00
479101006	Zone 01	1	23.00	23.00
479102001	Zone 01	1	23.00	23.00
479102002	Zone 01	1	23.00	23.00
479102003	Zone 01	1	23.00	23.00
479102004	Zone 01	1	23.00	23.00
479102005	Zone 01	1	23.00	23.00
479102006	Zone 01	1	23.00	23.00
479102007	Zone 01	1	23.00	23.00
479102008	Zone 01	1	23.00	23.00
479102009	Zone 01	1	23.00	23.00
479102010	Zone 01	1	23.00	23.00
479102011	Zone 01	1	23.00	23.00
479102012	Zone 01	1	23.00	23.00
479102013	Zone 01	1	23.00	23.00
479102014	Zone 01	1	23.00	23.00
479111001	Zone 01	1	23.00	23.00
479111002	Zone 01	1	23.00	23.00
479111003	Zone 01	1	23.00	23.00
479111004	Zone 01	1	23.00	23.00
479111005	Zone 01	1	23.00	23.00
479111006	Zone 01	1	23.00	23.00
479111007	Zone 01	1	23.00	23.00
479111008	Zone 01	1	23.00	23.00
479111009	Zone 01	1	23.00	23.00
479111010	Zone 01	1	23.00	23.00
479112001	Zone 01	1	23.00	23.00
479112002	Zone 01	1	23.00	23.00
479112003	Zone 01	1	23.00	23.00
479112004	Zone 01	1	23.00	23.00
479112005	Zone 01	1	23.00	23.00
479112006	Zone 01	1	23.00	23.00
479112007	Zone 01	1	23.00	23.00
479112008	Zone 01	1	23.00	23.00
479112009	Zone 01	1	23.00	23.00
479112010	Zone 01	1	23.00	23.00
479112011	Zone 01	1	23.00	23.00
479113001	Zone 01	1	23.00	23.00
479113002	Zone 01	1	23.00	23.00
479113003	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned EBU	J's FY 17-18 Max Assessment	FY 17-18 Assessment
479113004	Zone 01	1 23.0	23.00
479113005	Zone 01	1 23.0	23.00
479113006	Zone 01	1 23.0	23.00
479113007	Zone 01	1 23.0	23.00
479113008	Zone 01	1 23.0	23.00
479113009	Zone 01	1 23.0	23.00
479113010	Zone 01	1 23.0	
479113011	Zone 01	1 23.0	23.00
479113012	Zone 01	1 23.0	23.00
479113013	Zone 01	1 23.0	
479113014	Zone 01	1 23.0	
479113015	Zone 01	1 23.0	
479113016	Zone 01	1 23.0	
479113017	Zone 01	1 23.0	
479113018	Zone 01	1 23.0	
479113019	Zone 01	1 23.0	
479113020	Zone 01	1 23.0	
479113021	Zone 01	1 23.0	
479113022	Zone 01	1 23.0	
479113023	Zone 01	1 23.0	
479113024	Zone 01	1 23.0	
479113025	Zone 01	1 23.0	
479113026	Zone 01	1 23.0	
479113027	Zone 01	1 23.0	
479113028	Zone 01	1 23.0	
479113029	Zone 01	1 23.0	
479113030	Zone 01	1 23.0	
479113031	Zone 01	1 23.0	
479113032	Zone 01	1 23.0	
479113033	Zone 01	1 23.0	
479113034	Zone 01	1 23.0	
479113035	Zone 01	1 23.0	
479113036	Zone 01	1 23.0	
479113037	Zone 01	1 23.0	
479113038	Zone 01	1 23.0	
479113039	Zone 01	1 23.0	
479113040	Zone 01	1 23.0	
479113041	Zone 01	1 23.0	
479113042	Zone 01	1 23.0	
479113043	Zone 01	1 23.0	
479113044	Zone 01	1 23.0	
479113045	Zone 01	1 23.0	
479113046	Zone 01	1 23.0	
479113047	Zone 01	1 23.0	
479113048	Zone 01	1 23.0	
479113049	Zone 01	1 23.0	
479113050	Zone 01	1 23.0	
479113051	Zone 01	1 23.0	

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
479113052	Zone 01		1 23.00	23.00
479113053	Zone 01		1 23.00	23.00
479113054	Zone 01		1 23.00	23.00
479113055	Zone 01		1 23.00	23.00
479113056	Zone 01		1 23.00	23.00
479113057	Zone 01		1 23.00	23.00
479113058	Zone 01		1 23.00	23.00
479113059	Zone 01		1 23.00	23.00
479113060	Zone 01		1 23.00	23.00
479113061	Zone 01		1 23.00	23.00
479120031	Zone 01		1 23.00	23.00
479120032	Zone 01		1 23.00	23.00
479120033	Zone 01		1 23.00	23.00
479120034	Zone 01		1 23.00	23.00
479120035	Zone 01		1 23.00	23.00
479120036	Zone 01		1 23.00	23.00
479120037	Zone 01		1 23.00	23.00
479120038	Zone 01		1 23.00	23.00
479120039	Zone 01		1 23.00	23.00
479121001	Zone 01		1 23.00	23.00
479121002	Zone 01		1 23.00	23.00
479121003	Zone 01		1 23.00	23.00
479121004	Zone 01		1 23.00	23.00
479121005	Zone 01		1 23.00	23.00
479121006	Zone 01		1 23.00	23.00
479121007	Zone 01		1 23.00	23.00
479121008	Zone 01		1 23.00	23.00
479121009	Zone 01		1 23.00	23.00
479170002	Zone 01		1 23.00	23.00
479170018	Zone 01		1 23.00	23.00
479170019	Zone 01		1 23.00	23.00
479170020	Zone 01		1 23.00	23.00
479170021	Zone 01		1 23.00	23.00
479170022	Zone 01		1 23.00	23.00
479170023	Zone 01		1 23.00	23.00
479170024	Zone 01		1 23.00	23.00
479170025	Zone 01		1 23.00	23.00
479170026	Zone 01		1 23.00	23.00
479170027	Zone 01		1 23.00	23.00
479170028	Zone 01		1 23.00	23.00
479170029	Zone 01		1 23.00	23.00
479170030	Zone 01		1 23.00	23.00
479170031	Zone 01		1 23.00	23.00
479170032	Zone 01		1 23.00	23.00
479251001	Zone 01		1 23.00	23.00
479251002	Zone 01		1 23.00	23.00
479251003	Zone 01		1 23.00	23.00
479251004	Zone 01		1 23.00	23.00
				==:00

APN	LMD 2014-01 Zone L	.MD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
479251005	Zone 01		1 23.00	23.00
479251006	Zone 01		1 23.00	23.00
479251007	Zone 01		1 23.00	23.00
479251008	Zone 01		1 23.00	23.00
479251009	Zone 01		1 23.00	23.00
479251010	Zone 01		1 23.00	23.00
479251011	Zone 01		1 23.00	23.00
479251012	Zone 01		1 23.00	23.00
479251013	Zone 01		1 23.00	23.00
479251014	Zone 01		1 23.00	23.00
479251015	Zone 01		1 23.00	23.00
479251016	Zone 01		1 23.00	23.00
479251017	Zone 01		1 23.00	23.00
479251018	Zone 01		1 23.00	23.00
479251019	Zone 01		1 23.00	23.00
479251020	Zone 01		1 23.00	23.00
479251021	Zone 01		1 23.00	23.00
479251022	Zone 01		1 23.00	23.00
479251023	Zone 01		1 23.00	23.00
479251024	Zone 01		1 23.00	23.00
479251025	Zone 01		1 23.00	23.00
479251026	Zone 01		1 23.00	23.00
479251027	Zone 01		1 23.00	23.00
479251028	Zone 01		1 23.00	23.00
479251029	Zone 01		1 23.00	23.00
479252001	Zone 01		1 23.00	23.00
479252002	Zone 01		1 23.00	23.00
479252003	Zone 01		1 23.00	23.00
479252004	Zone 01		1 23.00	23.00
479252005	Zone 01		1 23.00	23.00
479252006	Zone 01		1 23.00	23.00
479252007	Zone 01		1 23.00	23.00
479252008	Zone 01		1 23.00	23.00
479252009	Zone 01		1 23.00	23.00
479252010	Zone 01		1 23.00	23.00
479252011	Zone 01		1 23.00	23.00
479252012	Zone 01		1 23.00	23.00
479252013	Zone 01		1 23.00	23.00
479252014	Zone 01		1 23.00	23.00
479252015	Zone 01		1 23.00	23.00
479252016	Zone 01		1 23.00	23.00
479252017	Zone 01		1 23.00	23.00
479252018	Zone 01		1 23.00	23.00
479252019	Zone 01		1 23.00	23.00
479252020	Zone 01		1 23.00	23.00
479252021	Zone 01		1 23.00	23.00
479252022	Zone 01		1 23.00	23.00
479252023	Zone 01		1 23.00	23.00
0202020			20.00	20.00

APN	LMD 2014-01 Zone L	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
479252024	Zone 01		1 23.00	23.00
479252025	Zone 01		1 23.00	23.00
479252026	Zone 01		1 23.00	23.00
479252027	Zone 01		1 23.00	23.00
479252028	Zone 01		1 23.00	23.00
479253001	Zone 01		1 23.00	23.00
479253002	Zone 01		1 23.00	23.00
479253003	Zone 01		1 23.00	23.00
479253004	Zone 01		1 23.00	23.00
479253005	Zone 01		1 23.00	23.00
479253006	Zone 01		1 23.00	23.00
479253007	Zone 01		1 23.00	23.00
479253008	Zone 01		1 23.00	23.00
479253009	Zone 01		1 23.00	23.00
479253010	Zone 01		1 23.00	23.00
479253011	Zone 01		1 23.00	23.00
479253012	Zone 01		1 23.00	23.00
479253013	Zone 01		1 23.00	23.00
479253014	Zone 01		1 23.00	23.00
479253015	Zone 01		1 23.00	23.00
479253016	Zone 01		1 23.00	23.00
479253017	Zone 01		1 23.00	23.00
479253018	Zone 01		1 23.00	23.00
479253019	Zone 01		1 23.00	23.00
479253020	Zone 01		1 23.00	23.00
479261001	Zone 01		1 23.00	23.00
479261002	Zone 01		1 23.00	23.00
479261003	Zone 01		1 23.00	23.00
479261004	Zone 01		1 23.00	23.00
479261005	Zone 01		1 23.00	23.00
479261006	Zone 01		1 23.00	23.00
479261007	Zone 01		1 23.00	23.00
479261008	Zone 01		1 23.00	23.00
479261009	Zone 01		1 23.00	23.00
479261010	Zone 01		1 23.00	23.00
479261011	Zone 01		1 23.00	23.00
479261012	Zone 01		1 23.00	23.00
479261013	Zone 01		1 23.00	23.00
479261014	Zone 01		1 23.00	23.00
479261015	Zone 01		1 23.00	23.00
479261016	Zone 01		1 23.00	23.00
479261017	Zone 01		1 23.00	23.00
479261017	Zone 01		1 23.00	23.00
479261019	Zone 01		1 23.00	23.00
479261019	Zone 01		1 23.00	23.00
479261020	Zone 01		1 23.00	23.00
479261021	Zone 01		1 23.00	23.00
479261023	Zone 01		1 23.00	23.00
413201023	Zone on		23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned E	BU's FY 17-18	Max Assessment	FY 17-18 Assessment
479261024	Zone 01	1	23.00	23.00
479261025	Zone 01	1	23.00	23.00
479261026	Zone 01	1	23.00	23.00
479261027	Zone 01	1	23.00	23.00
479261028	Zone 01	1	23.00	23.00
479261029	Zone 01	1	23.00	23.00
479261030	Zone 01	1	23.00	23.00
479261031	Zone 01	1	23.00	23.00
479261032	Zone 01	1	23.00	23.00
479261033	Zone 01	1	23.00	23.00
479261034	Zone 01	1	23.00	23.00
479261035	Zone 01	1	23.00	23.00
479261036	Zone 01	1	23.00	23.00
479261037	Zone 01	1	23.00	23.00
479261038	Zone 01	1	23.00	23.00
479261039	Zone 01	1	23.00	23.00
479261040	Zone 01	1	23.00	23.00
479261041	Zone 01	1	23.00	23.00
479261042	Zone 01	1	23.00	23.00
479261043	Zone 01	1	23.00	23.00
479261044	Zone 01	1	23.00	23.00
479261045	Zone 01	1	23.00	23.00
479261046	Zone 01	1	23.00	23.00
479261047	Zone 01	1	23.00	23.00
479261048	Zone 01	1	23.00	23.00
479261049	Zone 01	1	23.00	23.00
479261050	Zone 01	1	23.00	23.00
479261051	Zone 01	1	23.00	23.00
479261052	Zone 01	1	23.00	23.00
479261053	Zone 01	1	23.00	23.00
479261054	Zone 01	1	23.00	23.00
479262001	Zone 01	1	23.00	23.00
479262002	Zone 01	1	23.00	23.00
479262003	Zone 01	1	23.00	23.00
479262004	Zone 01	1	23.00	23.00
479262005	Zone 01	1	23.00	23.00
479262006	Zone 01	1	23.00	23.00
479262007	Zone 01	1	23.00	23.00
479262008	Zone 01	1	23.00	23.00
479262009	Zone 01	1	23.00	23.00
479262010	Zone 01	1	23.00	23.00
479262011	Zone 01	1	23.00	23.00
479262012	Zone 01	1	23.00	23.00
479262013	Zone 01	1	23.00	23.00
479262014	Zone 01	1	23.00	23.00
479262015	Zone 01	1	23.00	23.00
479262016	Zone 01	1	23.00	23.00
479263001	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
479263002	Zone 01		1 23.00	23.00
479263003	Zone 01		1 23.00	23.00
479263004	Zone 01		1 23.00	23.00
479263005	Zone 01		1 23.00	23.00
479263006	Zone 01		1 23.00	23.00
479263007	Zone 01		1 23.00	23.00
479270001	Zone 01		1 23.00	23.00
479270002	Zone 01		1 23.00	23.00
479270003	Zone 01		1 23.00	23.00
479270004	Zone 01		1 23.00	23.00
479270005	Zone 01		1 23.00	23.00
479270006	Zone 01		1 23.00	23.00
479270007	Zone 01		1 23.00	23.00
479270008	Zone 01		1 23.00	23.00
479270009	Zone 01		1 23.00	23.00
479270010	Zone 01		1 23.00	23.00
479270011	Zone 01		1 23.00	23.00
479270012	Zone 01		1 23.00	23.00
479270013	Zone 01		1 23.00	23.00
479270014	Zone 01		1 23.00	23.00
479270015	Zone 01		1 23.00	23.00
479270016	Zone 01		1 23.00	23.00
479270017	Zone 01		1 23.00	23.00
479270018	Zone 01		1 23.00	23.00
479270019	Zone 01		1 23.00	23.00
479270020	Zone 01		1 23.00	23.00
479270022	Zone 01		1 23.00	23.00
479270023	Zone 01		1 23.00	23.00
479270024	Zone 01		1 23.00	23.00
479270025	Zone 01		1 23.00	23.00
479270026	Zone 01		1 23.00	23.00
479270027	Zone 01		1 23.00	23.00
479270028	Zone 01		1 23.00	23.00
479270029	Zone 01		1 23.00	23.00
479270030	Zone 01		1 23.00	23.00
479270031	Zone 01		1 23.00	23.00
479270032	Zone 01		1 23.00	23.00
479270033	Zone 01		1 23.00	23.00
479270034	Zone 01		1 23.00	23.00
479270035	Zone 01		1 23.00	23.00
479270036	Zone 01		1 23.00	23.00
479270037	Zone 01		1 23.00	23.00
479270038	Zone 01		1 23.00	23.00
479270039	Zone 01		1 23.00	23.00
479270040	Zone 01		1 23.00	23.00
479271001	Zone 01		1 23.00	23.00
479271002	Zone 01		1 23.00	23.00
479271003	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
479271004	Zone 01		1 23.00	23.00
479271005	Zone 01		1 23.00	23.00
479271006	Zone 01		1 23.00	23.00
479271007	Zone 01		1 23.00	23.00
479271008	Zone 01		1 23.00	23.00
479271009	Zone 01		1 23.00	23.00
479271010	Zone 01		1 23.00	23.00
479271011	Zone 01		1 23.00	23.00
479271012	Zone 01		1 23.00	23.00
479271013	Zone 01		1 23.00	23.00
479271014	Zone 01		1 23.00	23.00
479271015	Zone 01		1 23.00	23.00
479271016	Zone 01		1 23.00	23.00
479272001	Zone 01		1 23.00	23.00
479272002	Zone 01		1 23.00	23.00
479272003	Zone 01		1 23.00	23.00
479272004	Zone 01		1 23.00	23.00
479272005	Zone 01		1 23.00	23.00
479272006	Zone 01		1 23.00	23.00
479272007	Zone 01		1 23.00	23.00
479272008	Zone 01		1 23.00	23.00
479272009	Zone 01		1 23.00	23.00
479272010	Zone 01		1 23.00	23.00
479272011	Zone 01		1 23.00	23.00
479272012	Zone 01		1 23.00	23.00
479272013	Zone 01		1 23.00	23.00
479272014	Zone 01		1 23.00	23.00
479272015	Zone 01		1 23.00	23.00
479272016	Zone 01		1 23.00	23.00
479272017	Zone 01		1 23.00	23.00
479272018	Zone 01		1 23.00	23.00
479272019	Zone 01		1 23.00	23.00
479272020	Zone 01		1 23.00	23.00
479272021	Zone 01		1 23.00	23.00
479280001	Zone 01		1 23.00	23.00
479280002	Zone 01		1 23.00	23.00
479280003	Zone 01		1 23.00	23.00
479280004	Zone 01		1 23.00	23.00
479280005	Zone 01		1 23.00	23.00
479280006	Zone 01		1 23.00	23.00
479280007	Zone 01		1 23.00	23.00
479280008	Zone 01		1 23.00	23.00
479281001	Zone 01		1 23.00	23.00
479281002	Zone 01		1 23.00	23.00
479281003	Zone 01		1 23.00	23.00
479281004	Zone 01		1 23.00	23.00
479281005	Zone 01		1 23.00	23.00
479281006	Zone 01		1 23.00	23.00
110201000	2010-01		20.00	25.00

APN	LMD 2014-01 Zone LMD Assigr	ed EBU's FY 17-18 Max	x Assessment	FY 17-18 Assessment
479281007	Zone 01	1	23.00	23.00
479281008	Zone 01	1	23.00	23.00
479281009	Zone 01	1	23.00	23.00
479281010	Zone 01	1	23.00	23.00
479281011	Zone 01	1	23.00	23.00
479281012	Zone 01	1	23.00	23.00
479281013	Zone 01	1	23.00	23.00
479281014	Zone 01	1	23.00	23.00
479281015	Zone 01	1	23.00	23.00
479281016	Zone 01	1	23.00	23.00
479281017	Zone 01	1	23.00	23.00
479281018	Zone 01	1	23.00	23.00
479281019	Zone 01	1	23.00	23.00
479281020	Zone 01	1	23.00	23.00
479281021	Zone 01	1	23.00	23.00
479281022	Zone 01	1	23.00	23.00
479281023	Zone 01	1	23.00	23.00
479282001	Zone 01	1	23.00	23.00
479282002	Zone 01	1	23.00	23.00
479282003	Zone 01	1	23.00	23.00
479282004	Zone 01	1	23.00	23.00
479282005	Zone 01	1	23.00	23.00
479282006	Zone 01	1	23.00	23.00
479290001	Zone 01	1	23.00	23.00
479290002	Zone 01	1	23.00	23.00
479290003	Zone 01	1	23.00	23.00
479290004	Zone 01	1	23.00	23.00
479290005	Zone 01	1	23.00	23.00
479290006	Zone 01	1	23.00	23.00
479290007	Zone 01	1	23.00	23.00
479290008	Zone 01	1	23.00	23.00
479290009	Zone 01	1	23.00	23.00
479290010	Zone 01	1	23.00	23.00
479290011	Zone 01	1	23.00	23.00
479291001	Zone 01	1	23.00	23.00
479291002	Zone 01	1	23.00	23.00
479291003	Zone 01	1	23.00	23.00
479291004	Zone 01	1	23.00	23.00
479291005	Zone 01	1	23.00	23.00
479291006	Zone 01	1	23.00	23.00
479291007	Zone 01	1	23.00	23.00
479291008	Zone 01	1	23.00	23.00
479291009	Zone 01	1	23.00	23.00
479291010	Zone 01	1	23.00	23.00
479291011	Zone 01	1	23.00	23.00
479291012	Zone 01	1	23.00	23.00
479291013	Zone 01	1	23.00	23.00
479291014	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assign	ned EBU's FY 17-18 Ma	ax Assessment	FY 17-18 Assessment
479291015	Zone 01	1	23.00	23.00
479291016	Zone 01	1	23.00	23.00
479291017	Zone 01	1	23.00	23.00
479291018	Zone 01	1	23.00	23.00
479291019	Zone 01	1	23.00	23.00
479291020	Zone 01	1	23.00	23.00
479291021	Zone 01	1	23.00	23.00
479291022	Zone 01	1	23.00	23.00
479291023	Zone 01	1	23.00	23.00
479291024	Zone 01	1	23.00	23.00
479291025	Zone 01	1	23.00	23.00
479291026	Zone 01	1	23.00	23.00
479291027	Zone 01	1	23.00	23.00
479291028	Zone 01	1	23.00	23.00
479291029	Zone 01	1	23.00	23.00
479291030	Zone 01	1	23.00	23.00
479291031	Zone 01	1	23.00	23.00
479291032	Zone 01	1	23.00	23.00
479291033	Zone 01	1	23.00	23.00
479291034	Zone 01	1	23.00	23.00
479291035	Zone 01	1	23.00	23.00
479291036	Zone 01	1	23.00	23.00
479291037	Zone 01	1	23.00	23.00
479291038	Zone 01	1	23.00	23.00
479291039	Zone 01	1	23.00	23.00
479291040	Zone 01	1	23.00	23.00
479291041	Zone 01	1	23.00	23.00
479292001	Zone 01	1	23.00	23.00
479292002	Zone 01	1	23.00	23.00
479292003	Zone 01	1	23.00	23.00
479292004	Zone 01	1	23.00	23.00
479292005	Zone 01	1	23.00	23.00
479292006	Zone 01	1	23.00	23.00
479292007	Zone 01	1	23.00	23.00
479292008	Zone 01	1	23.00	23.00
479292009	Zone 01	1	23.00	23.00
479292010	Zone 01	1	23.00	23.00
479292011	Zone 01	1	23.00	23.00
479292012	Zone 01	1	23.00	23.00
479292013	Zone 01	1	23.00	23.00
479292014	Zone 01	1	23.00	23.00
479293001	Zone 01	1	23.00	23.00
479293002	Zone 01	1	23.00	23.00
479293003	Zone 01	1	23.00	23.00
479293004	Zone 01	1	23.00	23.00
479293005	Zone 01	1	23.00	23.00
479293006	Zone 01	1	23.00	23.00
479293007	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assign	ed EBU's FY 17-18 Ma	x Assessment	FY 17-18 Assessment
479293008	Zone 01	1	23.00	23.00
479293009	Zone 01	1	23.00	23.00
479293010	Zone 01	1	23.00	23.00
479293011	Zone 01	1	23.00	23.00
479293012	Zone 01	1	23.00	23.00
479293013	Zone 01	1	23.00	23.00
479293014	Zone 01	1	23.00	23.00
479293015	Zone 01	1	23.00	23.00
479293016	Zone 01	1	23.00	23.00
479293017	Zone 01	1	23.00	23.00
479293018	Zone 01	1	23.00	23.00
479293019	Zone 01	1	23.00	23.00
479293020	Zone 01	1	23.00	23.00
479293021	Zone 01	1	23.00	23.00
479293022	Zone 01	1	23.00	23.00
479300001	Zone 01	1	23.00	23.00
479300002	Zone 01	1	23.00	23.00
479300003	Zone 01	1	23.00	23.00
479300004	Zone 01	1	23.00	23.00
479300005	Zone 01	1	23.00	23.00
479300006	Zone 01	1	23.00	23.00
479300007	Zone 01	1	23.00	23.00
479300008	Zone 01	1	23.00	23.00
479300009	Zone 01	1	23.00	23.00
479300010	Zone 01	1	23.00	23.00
479300011	Zone 01	1	23.00	23.00
479300012	Zone 01	1	23.00	23.00
479300013	Zone 01	1	23.00	23.00
479300015	Zone 01	1	23.00	23.00
479300016	Zone 01	1	23.00	23.00
479300017	Zone 01	1	23.00	23.00
479300018	Zone 01	1	23.00	23.00
479300019	Zone 01	1	23.00	23.00
479300020	Zone 01	1	23.00	23.00
479300021	Zone 01	1	23.00	23.00
479300022	Zone 01	1	23.00	23.00
479300023	Zone 01	1	23.00	23.00
479300024	Zone 01	1	23.00	23.00
479300025	Zone 01	1	23.00	23.00
479300026	Zone 01	1	23.00	23.00
479300027	Zone 01	1	23.00	23.00
479300028	Zone 01	1	23.00	23.00
479300029	Zone 01	1	23.00	23.00
479300030	Zone 01	1	23.00	23.00
479300031	Zone 01	1	23.00	23.00
479300032	Zone 01	1	23.00	23.00
479300033	Zone 01	1	23.00	23.00
479300034	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
479300035	Zone 01		1 23.00	23.00
479300037	Zone 01		1 23.00	23.00
479301001	Zone 01		1 23.00	23.00
479301002	Zone 01		1 23.00	23.00
479301003	Zone 01		1 23.00	23.00
479301004	Zone 01		1 23.00	23.00
479301005	Zone 01		1 23.00	23.00
479301006	Zone 01		1 23.00	23.00
479301007	Zone 01		1 23.00	23.00
479301009	Zone 01		1 23.00	23.00
479301010	Zone 01		1 23.00	23.00
479301011	Zone 01		1 23.00	23.00
479302001	Zone 01		1 23.00	23.00
479302003	Zone 01		1 23.00	23.00
479302004	Zone 01		1 23.00	23.00
479302005	Zone 01		1 23.00	23.00
479302006	Zone 01		1 23.00	23.00
479302007	Zone 01		1 23.00	23.00
479302008	Zone 01		1 23.00	23.00
479302009	Zone 01		1 23.00	23.00
479302010	Zone 01		1 23.00	23.00
479302011	Zone 01		1 23.00	23.00
479302013	Zone 01		1 23.00	23.00
479311001	Zone 01		1 23.00	23.00
479311002	Zone 01		1 23.00	23.00
479311003	Zone 01		1 23.00	23.00
479311004	Zone 01		1 23.00	23.00
479311005	Zone 01		1 23.00	23.00
479311006	Zone 01		1 23.00	23.00
479311007	Zone 01		1 23.00	23.00
479311008	Zone 01		1 23.00	23.00
479311009	Zone 01		1 23.00	23.00
479311010	Zone 01		1 23.00	23.00
479311011	Zone 01		1 23.00	23.00
479311014	Zone 01		1 23.00	23.00
479311015	Zone 01		1 23.00	23.00
479311016	Zone 01		1 23.00	23.00
479311017	Zone 01		1 23.00	23.00
479311018	Zone 01		1 23.00	23.00
479311019	Zone 01		1 23.00	23.00
479311020	Zone 01		1 23.00	23.00
479311021	Zone 01		1 23.00	23.00
479311022	Zone 01		1 23.00	23.00
479311023	Zone 01		1 23.00	23.00
479311024	Zone 01		1 23.00	23.00
479311025	Zone 01		1 23.00	23.00
479311026	Zone 01		1 23.00	23.00
479311027	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned I	BU's FY 17-18	Max Assessment	FY 17-18 Assessment
479311028	Zone 01	1	23.00	23.00
479311029	Zone 01	1	23.00	23.00
479311030	Zone 01	1	23.00	23.00
479311031	Zone 01	1	23.00	23.00
479311032	Zone 01	1	23.00	23.00
479311033	Zone 01	1	23.00	23.00
479311034	Zone 01	1	23.00	23.00
479311035	Zone 01	1	23.00	23.00
479311036	Zone 01	1	23.00	23.00
479311037	Zone 01	1	23.00	23.00
479312001	Zone 01	1	23.00	23.00
479312002	Zone 01	1	23.00	23.00
479312003	Zone 01	1	23.00	23.00
479312004	Zone 01	1	23.00	23.00
479312005	Zone 01	1	23.00	23.00
479312006	Zone 01	1	23.00	23.00
479312007	Zone 01	1	23.00	23.00
479312008	Zone 01	1	23.00	23.00
479312009	Zone 01	1	23.00	23.00
479312010	Zone 01	1	23.00	23.00
479312011	Zone 01	1	23.00	23.00
479312012	Zone 01	1	23.00	23.00
479312013	Zone 01	1	23.00	23.00
479312014	Zone 01	1	23.00	23.00
479312015	Zone 01	1	23.00	23.00
479312016	Zone 01	1	23.00	23.00
479312017	Zone 01	1	23.00	23.00
479312018	Zone 01	1	23.00	23.00
479312019	Zone 01	1	23.00	23.00
479312020	Zone 01	1	23.00	23.00
479312021	Zone 01	1	23.00	23.00
479312022	Zone 01	1	23.00	23.00
479312023	Zone 01	1	23.00	23.00
479312024	Zone 01	1	23.00	23.00
479312025	Zone 01	1	23.00	23.00
479312026	Zone 01	1	23.00	23.00
479312027	Zone 01	1	23.00	23.00
479312028	Zone 01	1	23.00	23.00
479312029	Zone 01	1	23.00	23.00
479312030	Zone 01	1	23.00	23.00
479312031	Zone 01	1	23.00	23.00
479312032	Zone 01	1	23.00	23.00
479312033	Zone 01	1	23.00	23.00
479312034	Zone 01	1	23.00	23.00
479312035	Zone 01	1	23.00	23.00
479312036	Zone 01	1	23.00	23.00
479312037	Zone 01	1	23.00	23.00
479312038	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned EB	U's FY 17-18 Max	Assessment	FY 17-18 Assessment
479312039	Zone 01	1	23.00	23.00
479312040	Zone 01	1	23.00	23.00
479312041	Zone 01	1	23.00	23.00
479312042	Zone 01	1	23.00	23.00
479312043	Zone 01	1	23.00	23.00
479312044	Zone 01	1	23.00	23.00
479312045	Zone 01	1	23.00	23.00
479312046	Zone 01	1	23.00	23.00
479312047	Zone 01	1	23.00	23.00
479312048	Zone 01	1	23.00	23.00
479312049	Zone 01	1	23.00	23.00
479312050	Zone 01	1	23.00	23.00
479312051	Zone 01	1	23.00	23.00
479312052	Zone 01	1	23.00	23.00
479312053	Zone 01	1	23.00	23.00
479312054	Zone 01	1	23.00	23.00
479312055	Zone 01	1	23.00	23.00
479312056	Zone 01	1	23.00	23.00
479312057	Zone 01	1	23.00	23.00
479312058	Zone 01	1	23.00	23.00
479312059	Zone 01	1	23.00	23.00
479312060	Zone 01	1	23.00	23.00
479312061	Zone 01	1	23.00	23.00
479312062	Zone 01	1	23.00	23.00
479312063	Zone 01	1	23.00	23.00
479312064	Zone 01	1	23.00	23.00
479312065	Zone 01	1	23.00	23.00
479312066	Zone 01	1	23.00	23.00
479312067	Zone 01	1	23.00	23.00
479321001	Zone 01	1	23.00	23.00
479321002	Zone 01	1	23.00	23.00
479321003	Zone 01	1	23.00	23.00
479321004	Zone 01	1	23.00	23.00
479321005	Zone 01	1	23.00	23.00
479321006	Zone 01	1	23.00	23.00
479321007	Zone 01	1	23.00	23.00
479321008	Zone 01	1	23.00	23.00
479321009	Zone 01	1	23.00	23.00
479321010	Zone 01	1	23.00	23.00
479321011	Zone 01	1	23.00	23.00
479321012	Zone 01	1	23.00	23.00
479321013	Zone 01	1	23.00	23.00
479321014	Zone 01	1	23.00	23.00
479321015	Zone 01	1	23.00	23.00
479321016	Zone 01	1	23.00	23.00
479321017	Zone 01	1	23.00	23.00
479321018	Zone 01	1	23.00	23.00
479321019	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
479321020	Zone 01		1 23.00	23.00
479321021	Zone 01		1 23.00	23.00
479321022	Zone 01		1 23.00	23.00
479321023	Zone 01		1 23.00	23.00
479321024	Zone 01		1 23.00	23.00
479321025	Zone 01		1 23.00	23.00
479321026	Zone 01		1 23.00	23.00
479321027	Zone 01		1 23.00	23.00
479321028	Zone 01		1 23.00	23.00
479321029	Zone 01		1 23.00	23.00
479321030	Zone 01		1 23.00	23.00
479321031	Zone 01		1 23.00	23.00
479321032	Zone 01		1 23.00	23.00
479321033	Zone 01		1 23.00	23.00
479321034	Zone 01		1 23.00	23.00
479321035	Zone 01		1 23.00	23.00
479321036	Zone 01		1 23.00	23.00
479321037	Zone 01		1 23.00	23.00
479321038	Zone 01		1 23.00	23.00
479322001	Zone 01		1 23.00	23.00
479322002	Zone 01		1 23.00	23.00
479322003	Zone 01		1 23.00	23.00
479322004	Zone 01		1 23.00	23.00
479322005	Zone 01		1 23.00	23.00
479322006	Zone 01		1 23.00	23.00
479322007	Zone 01		1 23.00	23.00
479322008	Zone 01		1 23.00	23.00
479322009	Zone 01		1 23.00	23.00
479322010	Zone 01		1 23.00	23.00
479322011	Zone 01		1 23.00	23.00
479322012	Zone 01		1 23.00	23.00
479322013	Zone 01		1 23.00	23.00
479322014	Zone 01		1 23.00	23.00
479322015	Zone 01		1 23.00	23.00
479322016	Zone 01		1 23.00	23.00
479322017	Zone 01		1 23.00	23.00
479322018	Zone 01		1 23.00	23.00
479322019	Zone 01		1 23.00	23.00
479322020	Zone 01		1 23.00	23.00
479331001	Zone 01		1 23.00	23.00
479331002	Zone 01		1 23.00	23.00
479331003	Zone 01		1 23.00	23.00
479331004	Zone 01		1 23.00	23.00
479331005	Zone 01		1 23.00	23.00
479331006	Zone 01		1 23.00	23.00
479332001	Zone 01		1 23.00	23.00
479332002	Zone 01		1 23.00	23.00
479332003	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
479332004	Zone 01		1 23.00	23.00
479332005	Zone 01		1 23.00	23.00
479332006	Zone 01		1 23.00	23.00
479332007	Zone 01		1 23.00	23.00
479332008	Zone 01		1 23.00	23.00
479332009	Zone 01		1 23.00	23.00
479332010	Zone 01		1 23.00	23.00
479332011	Zone 01		1 23.00	23.00
479333001	Zone 01		1 23.00	23.00
479333002	Zone 01		1 23.00	23.00
479333003	Zone 01		1 23.00	23.00
479333004	Zone 01		1 23.00	23.00
479333005	Zone 01		1 23.00	23.00
479333006	Zone 01		1 23.00	23.00
479333007	Zone 01		1 23.00	23.00
479333008	Zone 01		1 23.00	23.00
479333009	Zone 01		1 23.00	23.00
479333010	Zone 01		1 23.00	23.00
479333011	Zone 01		1 23.00	23.00
479333012	Zone 01		1 23.00	23.00
479333013	Zone 01		1 23.00	23.00
479333014	Zone 01		1 23.00	23.00
479333015	Zone 01		1 23.00	23.00
479333016	Zone 01		1 23.00	23.00
479333017	Zone 01		1 23.00	23.00
479333018	Zone 01		1 23.00	23.00
479333019	Zone 01		1 23.00	23.00
479333020	Zone 01		1 23.00	23.00
479333021	Zone 01		1 23.00	23.00
479333022	Zone 01		1 23.00	23.00
479333023	Zone 01		1 23.00	23.00
479333024	Zone 01		1 23.00	23.00
479341001	Zone 01		1 23.00	23.00
479341002	Zone 01		1 23.00	23.00
479341003	Zone 01		1 23.00	23.00
479341004	Zone 01		1 23.00	23.00
479341005	Zone 01		1 23.00	23.00
479341006	Zone 01		1 23.00	23.00
479341007	Zone 01		1 23.00	23.00
479341008	Zone 01		1 23.00	23.00
479341009	Zone 01		1 23.00	23.00
479341010	Zone 01		1 23.00	23.00
479341011	Zone 01		1 23.00	23.00
479341012	Zone 01		1 23.00	23.00
479341013	Zone 01		1 23.00	23.00
479341014	Zone 01		1 23.00	23.00
479341015	Zone 01		1 23.00	23.00
479341016	Zone 01		1 23.00	23.00
410041010	2010-01		25.00	25.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
479341017	Zone 01		1 23.00	23.00
479341018	Zone 01		1 23.00	23.00
479341019	Zone 01		1 23.00	23.00
479341020	Zone 01		1 23.00	23.00
479341021	Zone 01		1 23.00	23.00
479341022	Zone 01		1 23.00	23.00
479341023	Zone 01		1 23.00	23.00
479341024	Zone 01		1 23.00	23.00
479341025	Zone 01		1 23.00	23.00
479341026	Zone 01		1 23.00	23.00
479341027	Zone 01		1 23.00	23.00
479341028	Zone 01		1 23.00	23.00
479341029	Zone 01		1 23.00	23.00
479341030	Zone 01		1 23.00	23.00
479341031	Zone 01		1 23.00	23.00
479341032	Zone 01		1 23.00	23.00
479342001	Zone 01		1 23.00	23.00
479342002	Zone 01		1 23.00	23.00
479342003	Zone 01		1 23.00	23.00
479342004	Zone 01		1 23.00	23.00
479342005	Zone 01		1 23.00	23.00
479342006	Zone 01		1 23.00	23.00
479342007	Zone 01		1 23.00	23.00
479342008	Zone 01		1 23.00	23.00
479342009	Zone 01		1 23.00	23.00
479342010	Zone 01		1 23.00	23.00
479342011	Zone 01		1 23.00	23.00
479342012	Zone 01		1 23.00	23.00
479342013	Zone 01		1 23.00	23.00
479342014	Zone 01		1 23.00	23.00
479342015	Zone 01		1 23.00	23.00
479342016	Zone 01		1 23.00	23.00
479342017	Zone 01		1 23.00	23.00
479342018	Zone 01		1 23.00	23.00
479351001	Zone 01		1 23.00	23.00
479351002	Zone 01		1 23.00	23.00
479351003	Zone 01		1 23.00	23.00
479351004	Zone 01		1 23.00	23.00
479351005	Zone 01		1 23.00	23.00
479351006	Zone 01		1 23.00	23.00
479351007	Zone 01		1 23.00	23.00
479351008	Zone 01		1 23.00	23.00
479351009	Zone 01		1 23.00	23.00
479351010	Zone 01		1 23.00	23.00
479351011	Zone 01		1 23.00	23.00
479351012	Zone 01		1 23.00	23.00
479351013	Zone 01		1 23.00	23.00
479351014	Zone 01		1 23.00	23.00
.70001011	_3,10 0 1		20.00	20.00

APN	LMD 2014-01 Zone LMD Assigno	ed EBU's FY 17-18 Ma	x Assessment	FY 17-18 Assessment
479351015	Zone 01	1	23.00	23.00
479351018	Zone 01	1	23.00	23.00
479351019	Zone 01	1	23.00	23.00
479351020	Zone 01	1	23.00	23.00
479351021	Zone 01	1	23.00	23.00
479351022	Zone 01	1	23.00	23.00
479351025	Zone 01	1	23.00	23.00
479351026	Zone 01	1	23.00	23.00
479352001	Zone 01	1	23.00	23.00
479352002	Zone 01	1	23.00	23.00
479352003	Zone 01	1	23.00	23.00
479352004	Zone 01	1	23.00	23.00
479352005	Zone 01	1	23.00	23.00
479352006	Zone 01	1	23.00	23.00
479352007	Zone 01	1	23.00	23.00
479352008	Zone 01	1	23.00	23.00
479352009	Zone 01	1	23.00	23.00
479352010	Zone 01	1	23.00	23.00
479352011	Zone 01	1	23.00	23.00
479352012	Zone 01	1	23.00	23.00
479352013	Zone 01	1	23.00	23.00
479352014	Zone 01	1	23.00	23.00
479352015	Zone 01	1	23.00	23.00
479352016	Zone 01	1	23.00	23.00
479352017	Zone 01	1	23.00	23.00
479352020	Zone 01	1	23.00	23.00
479352021	Zone 01	1	23.00	23.00
479352022	Zone 01	1	23.00	23.00
479352023	Zone 01	1	23.00	23.00
479352024	Zone 01	1	23.00	23.00
479352025	Zone 01	1	23.00	23.00
479352026	Zone 01	1	23.00	23.00
479352027	Zone 01	1	23.00	23.00
479352028	Zone 01	1	23.00	23.00
479352033	Zone 01	1	23.00	23.00
479352034	Zone 01	1	23.00	23.00
479352035	Zone 01	1	23.00	23.00
479352036	Zone 01	1	23.00	23.00
479352037	Zone 01	1	23.00	23.00
479352038	Zone 01	1	23.00	23.00
479352039	Zone 01	1	23.00	23.00
479352040	Zone 01	1	23.00	23.00
479352041	Zone 01	1	23.00	23.00
479352042	Zone 01	1	23.00	23.00
479352043	Zone 01	1	23.00	23.00
479352044	Zone 01	1	23.00	23.00
479352045	Zone 01	1	23.00	23.00
479352046	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
479352047	Zone 01		1 23.00	23.00
479352048	Zone 01		1 23.00	23.00
479352049	Zone 01		1 23.00	23.00
479352050	Zone 01		1 23.00	23.00
479353001	Zone 01		1 23.00	23.00
479353002	Zone 01		1 23.00	23.00
479353003	Zone 01		1 23.00	23.00
479353004	Zone 01		1 23.00	23.00
479353005	Zone 01		1 23.00	23.00
479353006	Zone 01		1 23.00	23.00
479353007	Zone 01		1 23.00	23.00
479353008	Zone 01		1 23.00	23.00
479353009	Zone 01		1 23.00	23.00
479353010	Zone 01		1 23.00	23.00
479353011	Zone 01		1 23.00	23.00
479353012	Zone 01		1 23.00	23.00
479353013	Zone 01		1 23.00	23.00
479353014	Zone 01		1 23.00	23.00
479353015	Zone 01		1 23.00	23.00
479361001	Zone 01		1 23.00	23.00
479361002	Zone 01		1 23.00	23.00
479361003	Zone 01		1 23.00	23.00
479361004	Zone 01		1 23.00	23.00
479361005	Zone 01		1 23.00	23.00
479361006	Zone 01		1 23.00	23.00
479361007	Zone 01		1 23.00	23.00
479361007	Zone 01		1 23.00	23.00
479361009	Zone 01		1 23.00	23.00
479361010	Zone 01		1 23.00	23.00
479361011	Zone 01		1 23.00	23.00
	Zone 01		1 23.00	23.00
479361012 479361013				23.00
	Zone 01 Zone 01		1 23.00	
479361014			1 23.00 1 23.00	23.00
479361015	Zone 01			23.00
479361016	Zone 01		1 23.00	23.00
479361017	Zone 01		1 23.00	23.00
479361018	Zone 01		1 23.00	23.00
479361019	Zone 01		1 23.00	23.00
479362001	Zone 01		1 23.00	23.00
479362002	Zone 01		1 23.00	23.00
479362003	Zone 01		1 23.00	23.00
479362004	Zone 01		1 23.00	23.00
479362005	Zone 01		1 23.00	23.00
479362006	Zone 01		1 23.00	23.00
479362007	Zone 01		1 23.00	23.00
479362008	Zone 01		1 23.00	23.00
479362011	Zone 01		1 23.00	23.00
479362012	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned EE	BU's FY 17-18	Max Assessment	FY 17-18 Assessment
479362013	Zone 01	1	23.00	23.00
479362014	Zone 01	1	23.00	23.00
479362015	Zone 01	1	23.00	23.00
479362016	Zone 01	1	23.00	23.00
479362017	Zone 01	1	23.00	23.00
479362018	Zone 01	1	23.00	23.00
479362019	Zone 01	1	23.00	23.00
479362020	Zone 01	1	23.00	23.00
479362021	Zone 01	1	23.00	23.00
479362022	Zone 01	1	23.00	23.00
479362023	Zone 01	1	23.00	23.00
479362024	Zone 01	1	23.00	23.00
479362025	Zone 01	1	23.00	23.00
479362026	Zone 01	1	23.00	23.00
479362027	Zone 01	1	23.00	23.00
479362028	Zone 01	1	23.00	23.00
479362029	Zone 01	1	23.00	23.00
479362030	Zone 01	1	23.00	23.00
479362031	Zone 01	1	23.00	23.00
479362032	Zone 01	1	23.00	23.00
479362033	Zone 01	1	23.00	23.00
479362034	Zone 01	1	23.00	23.00
479362035	Zone 01	1	23.00	23.00
479362036	Zone 01	1	23.00	23.00
479362037	Zone 01	1	23.00	23.00
479362038	Zone 01	1	23.00	23.00
479362042	Zone 01	1	23.00	23.00
479362044	Zone 01	1	23.00	23.00
479363001	Zone 01	1	23.00	23.00
479363002	Zone 01	1	23.00	23.00
479363003	Zone 01	1	23.00	23.00
479363004	Zone 01	1	23.00	23.00
479363005	Zone 01	1	23.00	23.00
479363006	Zone 01	1	23.00	23.00
479363007	Zone 01	1	23.00	23.00
479363008	Zone 01	1	23.00	23.00
479363009	Zone 01	1	23.00	23.00
479363010	Zone 01	1	23.00	23.00
479363011	Zone 01	1	23.00	23.00
479363012	Zone 01	1	23.00	23.00
479363013	Zone 01	1	23.00	23.00
479363014	Zone 01	1	23.00	23.00
479363015	Zone 01	1	23.00	23.00
479363016	Zone 01	1	23.00	23.00
479363017	Zone 01	1	23.00	23.00
479363018	Zone 01	1	23.00	23.00
479371001	Zone 01	1	23.00	23.00
479371002	Zone 01	1	23.00	23.00
				_5100

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
479371003	Zone 01		1 23.00	23.00
479371004	Zone 01		1 23.00	23.00
479371005	Zone 01		1 23.00	23.00
479371006	Zone 01		1 23.00	23.00
479371007	Zone 01		1 23.00	23.00
479371008	Zone 01		1 23.00	23.00
479371009	Zone 01		1 23.00	23.00
479371010	Zone 01		1 23.00	23.00
479371011	Zone 01		1 23.00	23.00
479371012	Zone 01		1 23.00	23.00
479371013	Zone 01		1 23.00	23.00
479371014	Zone 01		1 23.00	23.00
479371015	Zone 01		1 23.00	23.00
479371016	Zone 01		1 23.00	23.00
479371017	Zone 01		1 23.00	23.00
479371018	Zone 01		1 23.00	23.00
479371019	Zone 01		1 23.00	23.00
479371020	Zone 01		1 23.00	23.00
479371021	Zone 01		1 23.00	23.00
479371022	Zone 01		1 23.00	23.00
479371023	Zone 01		1 23.00	23.00
479371024	Zone 01		1 23.00	23.00
479371025	Zone 01		1 23.00	23.00
479371026	Zone 01		1 23.00	23.00
479371027	Zone 01		1 23.00	23.00
479371028	Zone 01		1 23.00	23.00
479371029	Zone 01		1 23.00	23.00
479371030	Zone 01		1 23.00	23.00
479371031	Zone 01		1 23.00	23.00
479371032	Zone 01		1 23.00	23.00
479372001	Zone 01		1 23.00	23.00
479372002	Zone 01		1 23.00	23.00
479372003	Zone 01		1 23.00	23.00
479372004	Zone 01		1 23.00	23.00
479372005	Zone 01		1 23.00	23.00
479372006	Zone 01		1 23.00	23.00
479372007	Zone 01		1 23.00	23.00
479372008	Zone 01		1 23.00	23.00
479372009	Zone 01		1 23.00	23.00
479372010	Zone 01		1 23.00	23.00
479372011	Zone 01		1 23.00	23.00
479372012	Zone 01		1 23.00	23.00
479372013	Zone 01		1 23.00	23.00
479372014	Zone 01		1 23.00	23.00
479372015	Zone 01		1 23.00	23.00
479372016	Zone 01		1 23.00	23.00
479372017	Zone 01		1 23.00	23.00
479372018	Zone 01		1 23.00	23.00
				==:00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
479372019	Zone 01		1 23.00	23.00
479372020	Zone 01		1 23.00	23.00
479381001	Zone 01		1 23.00	23.00
479381002	Zone 01		1 23.00	23.00
479381003	Zone 01		1 23.00	23.00
479381004	Zone 01		1 23.00	23.00
479381005	Zone 01		1 23.00	23.00
479381006	Zone 01		1 23.00	23.00
479381007	Zone 01		1 23.00	23.00
479381008	Zone 01		1 23.00	23.00
479381009	Zone 01		1 23.00	23.00
479382001	Zone 01		1 23.00	23.00
479382002	Zone 01		1 23.00	23.00
479382003	Zone 01		1 23.00	23.00
479382004	Zone 01		1 23.00	23.00
479382005	Zone 01		1 23.00	23.00
479382006	Zone 01		1 23.00	23.00
479382007	Zone 01		1 23.00	23.00
479382008	Zone 01		1 23.00	23.00
479382009	Zone 01		1 23.00	23.00
479382010	Zone 01		1 23.00	23.00
479382011	Zone 01		1 23.00	23.00
479382012	Zone 01		1 23.00	23.00
479382013	Zone 01		1 23.00	23.00
479382014	Zone 01		1 23.00	23.00
479382015	Zone 01		1 23.00	23.00
479382016	Zone 01		1 23.00	23.00
479382017	Zone 01		1 23.00	23.00
479382018	Zone 01		1 23.00	23.00
479382019	Zone 01		1 23.00	23.00
479382019	Zone 01		1 23.00	23.00
				23.00
479382021 479382022	Zone 01 Zone 01		1 23.00	
			1 23.00 1 23.00	23.00
479382023	Zone 01			23.00
479382024	Zone 01		1 23.00	23.00
479382025	Zone 01		1 23.00	23.00
479382026	Zone 01		1 23.00	23.00
479382027	Zone 01		1 23.00	23.00
479382028	Zone 01		1 23.00	23.00
479382029	Zone 01		1 23.00	23.00
479383001	Zone 01		1 23.00	23.00
479383002	Zone 01		1 23.00	23.00
479383003	Zone 01		1 23.00	23.00
479383004	Zone 01		1 23.00	23.00
479383005	Zone 01		1 23.00	23.00
479383006	Zone 01		1 23.00	23.00
479383007	Zone 01		1 23.00	23.00
479383008	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned E	BU's FY 17-1	18 Max Assessment	FY 17-18 Assessment
479383009	Zone 01	1	23.00	23.00
479383010	Zone 01	1	23.00	23.00
479383011	Zone 01	1	23.00	23.00
479383012	Zone 01	1	23.00	23.00
479383013	Zone 01	1	23.00	23.00
479383014	Zone 01	1	23.00	23.00
479383015	Zone 01	1	23.00	23.00
479383016	Zone 01	1	23.00	23.00
479384001	Zone 01	1	23.00	23.00
479384002	Zone 01	1	23.00	23.00
479384003	Zone 01	1	23.00	23.00
479384004	Zone 01	1	23.00	23.00
479384005	Zone 01	1	23.00	23.00
479384006	Zone 01	1	23.00	23.00
479384007	Zone 01	1	23.00	23.00
479384008	Zone 01	1	23.00	23.00
479384009	Zone 01	1	23.00	23.00
479384010	Zone 01	1	23.00	23.00
479384011	Zone 01	1	23.00	23.00
479384012	Zone 01	1	23.00	23.00
479384013	Zone 01	1	23.00	23.00
479384014	Zone 01	1	23.00	23.00
479384015	Zone 01	1	23.00	23.00
479384016	Zone 01	1	23.00	23.00
479384017	Zone 01	1	23.00	23.00
479384018	Zone 01	1	23.00	23.00
479384019	Zone 01	1	23.00	23.00
479384020	Zone 01	1	23.00	23.00
479384021	Zone 01	1	23.00	23.00
479384022	Zone 01	1	23.00	23.00
479384023	Zone 01	1	23.00	23.00
479384024	Zone 01	1	23.00	23.00
479391001	Zone 01	1	23.00	23.00
479391002	Zone 01	1	23.00	23.00
479391003	Zone 01	1	23.00	23.00
479391004	Zone 01	1	23.00	23.00
479391005	Zone 01	1	23.00	23.00
479391006	Zone 01	1	23.00	23.00
479391007	Zone 01	1	23.00	23.00
479391008	Zone 01	1	23.00	23.00
479391009	Zone 01	1	23.00	23.00
479391010	Zone 01	1	23.00	23.00
479391011	Zone 01	1	23.00	23.00
479391012	Zone 01	1	23.00	23.00
479391013	Zone 01	1	23.00	23.00
479391014	Zone 01	1	23.00	23.00
479391015	Zone 01	1	23.00	23.00
479391016	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
479391017	Zone 01		1 23.00	23.00
479391018	Zone 01		1 23.00	23.00
479392001	Zone 01		1 23.00	23.00
479392002	Zone 01		1 23.00	23.00
479392003	Zone 01		1 23.00	23.00
479392004	Zone 01		1 23.00	23.00
479392005	Zone 01		1 23.00	23.00
479392006	Zone 01		1 23.00	23.00
479392007	Zone 01		1 23.00	23.00
479392008	Zone 01		1 23.00	23.00
479392009	Zone 01		1 23.00	23.00
479392010	Zone 01		1 23.00	23.00
479392011	Zone 01		1 23.00	23.00
479392012	Zone 01		1 23.00	23.00
479392013	Zone 01		1 23.00	23.00
479392014	Zone 01		1 23.00	23.00
479392015	Zone 01		1 23.00	23.00
479392016	Zone 01		1 23.00	23.00
479392017	Zone 01		1 23.00	23.00
479392018	Zone 01		1 23.00	23.00
479401001	Zone 01		1 23.00	23.00
479401002	Zone 01		1 23.00	23.00
479401003	Zone 01		1 23.00	23.00
479401004	Zone 01		1 23.00	23.00
479401005	Zone 01		1 23.00	23.00
479401006	Zone 01		1 23.00	23.00
479401007	Zone 01		1 23.00	23.00
479401008	Zone 01		1 23.00	23.00
479401009	Zone 01		1 23.00	23.00
479401010	Zone 01		1 23.00	23.00
479401011	Zone 01		1 23.00	23.00
479401012	Zone 01		1 23.00	23.00
479401013	Zone 01		1 23.00	23.00
479401014	Zone 01		1 23.00	23.00
479401015	Zone 01		1 23.00	23.00
479401016	Zone 01		1 23.00	23.00
479401017	Zone 01		1 23.00	23.00
479401018	Zone 01		1 23.00	23.00
479401019	Zone 01		1 23.00	23.00
479401020	Zone 01		1 23.00	23.00
479401021	Zone 01		1 23.00	23.00
479401022	Zone 01		1 23.00	23.00
479401023	Zone 01		1 23.00	23.00
479401024	Zone 01		1 23.00	23.00
479401025	Zone 01		1 23.00	23.00
479401026	Zone 01		1 23.00	23.00
479401027	Zone 01		1 23.00	23.00
479401028	Zone 01		1 23.00	23.00
.70101020	_3110 01		20.00	20.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
479401029	Zone 01		1 23.00	23.00
479401030	Zone 01		1 23.00	23.00
479401031	Zone 01		1 23.00	23.00
479401032	Zone 01		1 23.00	23.00
479401033	Zone 01		1 23.00	23.00
479402001	Zone 01		1 23.00	23.00
479402002	Zone 01		1 23.00	23.00
479402003	Zone 01		1 23.00	23.00
479402004	Zone 01		1 23.00	23.00
479402005	Zone 01		1 23.00	23.00
479402006	Zone 01		1 23.00	23.00
479402007	Zone 01		1 23.00	23.00
479402008	Zone 01		1 23.00	23.00
479402009	Zone 01		1 23.00	23.00
479402010	Zone 01		1 23.00	23.00
479402011	Zone 01		1 23.00	23.00
479402012	Zone 01		1 23.00	23.00
479402013	Zone 01		1 23.00	23.00
479402014	Zone 01		1 23.00	23.00
479402015	Zone 01		1 23.00	23.00
479402016	Zone 01		1 23.00	23.00
479402017	Zone 01		1 23.00	23.00
479402018	Zone 01		1 23.00	23.00
479402019	Zone 01		1 23.00	23.00
479402020	Zone 01		1 23.00	23.00
479402021	Zone 01		1 23.00	23.00
479402022	Zone 01		1 23.00	23.00
479402023	Zone 01		1 23.00	23.00
479402024	Zone 01		1 23.00	23.00
479402025	Zone 01		1 23.00	23.00
479402026	Zone 01		1 23.00	23.00
479402027	Zone 01		1 23.00	23.00
479402028	Zone 01		1 23.00	23.00
479402029	Zone 01		1 23.00	23.00
479402030	Zone 01		1 23.00	23.00
479402031	Zone 01		1 23.00	23.00
479402032	Zone 01		1 23.00	23.00
479402033	Zone 01		1 23.00	23.00
479402034	Zone 01		1 23.00	23.00
479402035	Zone 01		1 23.00	23.00
479411001	Zone 01		1 23.00	23.00
479411002	Zone 01		1 23.00	23.00
479411003	Zone 01		1 23.00	23.00
479411004	Zone 01		1 23.00	23.00
479411005	Zone 01		1 23.00	23.00
479411006	Zone 01		1 23.00	23.00
479411007	Zone 01		1 23.00	23.00
479411008	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
479411009	Zone 01		1 23.00	23.00
479411010	Zone 01		1 23.00	23.00
479411011	Zone 01		1 23.00	23.00
479411012	Zone 01		1 23.00	23.00
479411013	Zone 01		1 23.00	23.00
479411014	Zone 01		1 23.00	23.00
479411015	Zone 01		1 23.00	23.00
479411016	Zone 01		1 23.00	23.00
479411017	Zone 01		1 23.00	23.00
479411018	Zone 01		1 23.00	23.00
479411019	Zone 01		1 23.00	23.00
479411020	Zone 01		1 23.00	23.00
479411021	Zone 01		1 23.00	23.00
479411022	Zone 01		1 23.00	23.00
479411023	Zone 01		1 23.00	23.00
479411024	Zone 01		1 23.00	23.00
479411025	Zone 01		1 23.00	23.00
479411026	Zone 01		1 23.00	23.00
479411027	Zone 01		1 23.00	23.00
479411028	Zone 01		1 23.00	23.00
479411029	Zone 01		1 23.00	23.00
479411030	Zone 01		1 23.00	23.00
479411031	Zone 01		1 23.00	23.00
479411032	Zone 01		1 23.00	23.00
479411033	Zone 01		1 23.00	23.00
479411034	Zone 01		1 23.00	23.00
479411035	Zone 01		1 23.00	23.00
479411036	Zone 01		1 23.00	23.00
479411037	Zone 01		1 23.00	23.00
479411038	Zone 01		1 23.00	23.00
479411039	Zone 01		1 23.00	23.00
479412001	Zone 01		1 23.00	23.00
479412002	Zone 01		1 23.00	23.00
479412003	Zone 01		1 23.00	23.00
479412004	Zone 01		1 23.00	23.00
479412005	Zone 01		1 23.00	23.00
479412006	Zone 01		1 23.00	23.00
479412007	Zone 01		1 23.00	23.00
479412008	Zone 01		1 23.00	23.00
479412009	Zone 01		1 23.00	23.00
479412010	Zone 01		1 23.00	23.00
479412011	Zone 01		1 23.00	23.00
479412012	Zone 01		1 23.00	23.00
479412013	Zone 01		1 23.00	23.00
479412014	Zone 01		1 23.00	23.00
479412015	Zone 01		1 23.00	23.00
479412016	Zone 01		1 23.00	23.00
479412017	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned EB	J's FY 17-18 Max	Assessment	FY 17-18 Assessment
479412018	Zone 01	1	23.00	23.00
479412019	Zone 01	1	23.00	23.00
479412020	Zone 01	1	23.00	23.00
479413001	Zone 01	1	23.00	23.00
479413002	Zone 01	1	23.00	23.00
479413003	Zone 01	1	23.00	23.00
479413004	Zone 01	1	23.00	23.00
479413005	Zone 01	1	23.00	23.00
479413006	Zone 01	1	23.00	23.00
479413007	Zone 01	1	23.00	23.00
479413008	Zone 01	1	23.00	23.00
479413009	Zone 01	1	23.00	23.00
479413010	Zone 01	1	23.00	23.00
479413011	Zone 01	1	23.00	23.00
479413012	Zone 01	1	23.00	23.00
479413013	Zone 01	1	23.00	23.00
479413014	Zone 01	1	23.00	23.00
479413015	Zone 01	1	23.00	23.00
479413016	Zone 01	1	23.00	23.00
479413017	Zone 01	1	23.00	23.00
479413018	Zone 01	1	23.00	23.00
479413019	Zone 01	1	23.00	23.00
479413020	Zone 01	1	23.00	23.00
479413021	Zone 01	1	23.00	23.00
479413022	Zone 01	1	23.00	23.00
479413023	Zone 01	1	23.00	23.00
479413024	Zone 01	1	23.00	23.00
479413025	Zone 01	1	23.00	23.00
479413026	Zone 01	1	23.00	23.00
479413027	Zone 01	1	23.00	23.00
479421001	Zone 01	1	23.00	23.00
479421002	Zone 01	1	23.00	23.00
479421003	Zone 01	1	23.00	23.00
479421004	Zone 01	1	23.00	23.00
479421005	Zone 01	1	23.00	23.00
479421006	Zone 01	1	23.00	23.00
479421007	Zone 01	1	23.00	23.00
479421008	Zone 01	1	23.00	23.00
479421009	Zone 01	1	23.00	23.00
479421010	Zone 01	1	23.00	23.00
479421011	Zone 01	1	23.00	23.00
479421012	Zone 01	1	23.00	23.00
479421013	Zone 01	1	23.00	23.00
479421014	Zone 01	1	23.00	23.00
479421015	Zone 01	1	23.00	23.00
479421016	Zone 01	1	23.00	23.00
479421017	Zone 01	1	23.00	23.00
479421018	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
479421019	Zone 01		1 23.00	23.00
479421020	Zone 01		1 23.00	23.00
479421021	Zone 01		1 23.00	23.00
479421022	Zone 01		1 23.00	23.00
479421023	Zone 01		1 23.00	23.00
479421024	Zone 01		1 23.00	23.00
479421025	Zone 01		1 23.00	23.00
479421026	Zone 01		1 23.00	23.00
479421027	Zone 01		1 23.00	23.00
479421028	Zone 01		1 23.00	23.00
479421029	Zone 01		1 23.00	23.00
479421030	Zone 01		1 23.00	23.00
479421031	Zone 01		1 23.00	23.00
479421032	Zone 01		1 23.00	23.00
479421033	Zone 01		1 23.00	23.00
479421034	Zone 01		1 23.00	23.00
479421035	Zone 01		1 23.00	23.00
479422001	Zone 01		1 23.00	23.00
479422002	Zone 01		1 23.00	23.00
479422003	Zone 01		1 23.00	23.00
479422004	Zone 01		1 23.00	23.00
479422005	Zone 01		1 23.00	23.00
479422006	Zone 01		1 23.00	23.00
479422007	Zone 01		1 23.00	23.00
479422008	Zone 01		1 23.00	23.00
479422009	Zone 01		1 23.00	23.00
479422010	Zone 01		1 23.00	23.00
479422011	Zone 01		1 23.00	23.00
479422012	Zone 01		1 23.00	23.00
479422013	Zone 01		1 23.00	23.00
479422014	Zone 01		1 23.00	23.00
479422015	Zone 01		1 23.00	23.00
479422016	Zone 01		1 23.00	23.00
479422017	Zone 01		1 23.00	23.00
479422018	Zone 01		1 23.00	23.00
479422019	Zone 01		1 23.00	23.00
479422020	Zone 01		1 23.00	23.00
479422021	Zone 01		1 23.00	23.00
479422022	Zone 01		1 23.00	23.00
479422023	Zone 01		1 23.00	23.00
479422024	Zone 01		1 23.00	23.00
479422025	Zone 01		1 23.00	23.00
479422026	Zone 01		1 23.00	23.00
479422027	Zone 01		1 23.00	23.00
479422028	Zone 01		1 23.00	23.00
479422029	Zone 01		1 23.00	23.00
479422030	Zone 01		1 23.00	23.00
479422031	Zone 01		1 23.00	23.00
.70122001	_3/10 0 1		20.00	20.00

APN	LMD 2014-01 Zone L	_MD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
479422032	Zone 01		1 23.00	23.00
479422033	Zone 01		1 23.00	23.00
479422034	Zone 01		1 23.00	23.00
479422035	Zone 01		1 23.00	23.00
479422036	Zone 01		1 23.00	23.00
479422037	Zone 01		1 23.00	23.00
479422038	Zone 01		1 23.00	23.00
479422039	Zone 01		1 23.00	23.00
479422040	Zone 01		1 23.00	23.00
479422041	Zone 01		1 23.00	23.00
479422042	Zone 01		1 23.00	23.00
479422043	Zone 01		1 23.00	23.00
479422044	Zone 01		1 23.00	23.00
479423021	Zone 01		1 23.00	23.00
479423022	Zone 01		1 23.00	23.00
479423023	Zone 01		1 23.00	23.00
479423024	Zone 01		1 23.00	23.00
479423025	Zone 01		1 23.00	23.00
479423026	Zone 01		1 23.00	23.00
479423027	Zone 01		1 23.00	23.00
479423028	Zone 01		1 23.00	23.00
479423029	Zone 01		1 23.00	23.00
479423030	Zone 01		1 23.00	23.00
479423031	Zone 01		1 23.00	23.00
479423032	Zone 01		1 23.00	23.00
479423032	Zone 01		1 23.00	23.00
479423034	Zone 01		1 23.00	23.00
479423035	Zone 01		1 23.00	23.00
479423036	Zone 01		1 23.00	23.00
479423037	Zone 01		1 23.00	23.00
479423038	Zone 01		1 23.00	23.00
479423039	Zone 01		1 23.00	23.00
479423040	Zone 01		1 23.00	23.00
479431001	Zone 01		1 23.00	23.00
479431002	Zone 01		1 23.00	23.00
479431003	Zone 01		1 23.00	23.00
479431004	Zone 01		1 23.00	23.00
479431005	Zone 01		1 23.00	23.00
479431006	Zone 01		1 23.00	23.00
479431007	Zone 01		1 23.00	23.00
479431007	Zone 01		1 23.00	23.00
479431009	Zone 01		1 23.00	23.00
479431010	Zone 01		1 23.00	23.00
479431011	Zone 01		1 23.00	23.00
479431011	Zone 01		1 23.00	23.00
479431012	Zone 01		1 23.00	23.00
479431013	Zone 01			
			1 23.00	23.00
479431015	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-1	8 Max Assessment	FY 17-18 Assessment
479431016	Zone 01	1	23.00	23.00
479431017	Zone 01	1	23.00	23.00
479431018	Zone 01	1	23.00	23.00
479431019	Zone 01	1	23.00	23.00
479431020	Zone 01	1	23.00	23.00
479431021	Zone 01	1	23.00	23.00
479431022	Zone 01	1	23.00	23.00
479431023	Zone 01	1	23.00	23.00
479432001	Zone 01	1	23.00	23.00
479432002	Zone 01	1	23.00	23.00
479432003	Zone 01	1	23.00	23.00
479432004	Zone 01	1	23.00	23.00
479432005	Zone 01	1	23.00	23.00
479432006	Zone 01	1	23.00	23.00
479432007	Zone 01	1	23.00	23.00
479432008	Zone 01	1	23.00	23.00
479432009	Zone 01	1	23.00	23.00
479432010	Zone 01	1	23.00	23.00
479432011	Zone 01	1	23.00	23.00
479432012	Zone 01	1	23.00	23.00
479432013	Zone 01	1	23.00	23.00
479432014	Zone 01	1	23.00	23.00
479432015	Zone 01	1	23.00	23.00
479432016	Zone 01	1	23.00	23.00
479432017	Zone 01	1	23.00	23.00
479432018	Zone 01	1	23.00	23.00
479432019	Zone 01	1	23.00	23.00
479432020	Zone 01	1	23.00	23.00
479432021	Zone 01	1	23.00	23.00
479432022	Zone 01	1	23.00	23.00
479432023	Zone 01	1	23.00	23.00
479432024	Zone 01	1	23.00	23.00
479432025	Zone 01	1	23.00	23.00
479432026	Zone 01	1	23.00	23.00
479432027	Zone 01	1	23.00	23.00
479432028	Zone 01	1	23.00	23.00
479432029	Zone 01	1	23.00	23.00
479432030	Zone 01	1	23.00	23.00
479432031	Zone 01	1	23.00	23.00
479432032	Zone 01	1	23.00	23.00
479432033	Zone 01	1	23.00	23.00
479432034	Zone 01	1	23.00	23.00
479433001	Zone 01	1	23.00	23.00
479433002	Zone 01	1	23.00	23.00
479433003	Zone 01	1	23.00	23.00
479433004	Zone 01	1	23.00	23.00
479433005	Zone 01	1	23.00	23.00
479433006	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-18	3 Max Assessment	FY 17-18 Assessment
479433007	Zone 01	1	23.00	23.00
479434001	Zone 01	1	23.00	23.00
479434002	Zone 01	1	23.00	23.00
479434003	Zone 01	1	23.00	23.00
479434004	Zone 01	1	23.00	23.00
479434005	Zone 01	1	23.00	23.00
479434006	Zone 01	1	23.00	23.00
479434007	Zone 01	1	23.00	23.00
479434008	Zone 01	1	23.00	23.00
479435001	Zone 01	1	23.00	23.00
479435002	Zone 01	1	23.00	23.00
479435003	Zone 01	1	23.00	23.00
479435004	Zone 01	1	23.00	23.00
479435005	Zone 01	1	23.00	23.00
479435006	Zone 01	1	23.00	23.00
479435007	Zone 01	1	23.00	23.00
479435008	Zone 01	1	23.00	23.00
479441001	Zone 01	1	23.00	23.00
479441002	Zone 01	1	23.00	23.00
479441003	Zone 01	1	23.00	23.00
479441004	Zone 01	1	23.00	23.00
479441005	Zone 01	1	23.00	23.00
479441006	Zone 01	1	23.00	23.00
479441007	Zone 01	1	23.00	23.00
479441008	Zone 01	1	23.00	23.00
479441009	Zone 01	1	23.00	23.00
479441010	Zone 01	1	23.00	23.00
479441011	Zone 01	1	23.00	23.00
479441012	Zone 01	1	23.00	23.00
479441013	Zone 01	1	23.00	23.00
479441014	Zone 01	1	23.00	23.00
479441015	Zone 01	1	23.00	23.00
479441016	Zone 01	1	23.00	23.00
479441017	Zone 01	1	23.00	23.00
479441018	Zone 01	1	23.00	23.00
479441019	Zone 01	1	23.00	23.00
479441020	Zone 01	1	23.00	23.00
479441021	Zone 01	1	23.00	23.00
479441022	Zone 01	1	23.00	23.00
479441023	Zone 01	1	23.00	23.00
479441024	Zone 01	1	23.00	23.00
479441025	Zone 01	1	23.00	23.00
479441026	Zone 01	1	23.00	23.00
479441027	Zone 01	1	23.00	23.00
479441028	Zone 01	1	23.00	23.00
479441029	Zone 01	1	23.00	23.00
479442001	Zone 01	1	23.00	23.00
479442002	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Ass	igned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
479442003	Zone 01	1	23.00	23.00
479442004	Zone 01	1	23.00	23.00
479442005	Zone 01	1	23.00	23.00
479442006	Zone 01	1	23.00	23.00
479442007	Zone 01	1	23.00	23.00
479442008	Zone 01	1	23.00	23.00
479442009	Zone 01	1	23.00	23.00
479442010	Zone 01	1	23.00	23.00
479443001	Zone 01	1	23.00	23.00
479443002	Zone 01	1	23.00	23.00
479443003	Zone 01	1	23.00	23.00
479443004	Zone 01	1	23.00	23.00
479443005	Zone 01	1	23.00	23.00
479443006	Zone 01	1	23.00	23.00
479443007	Zone 01	1	23.00	23.00
479443008	Zone 01	1	23.00	23.00
479443009	Zone 01	1	23.00	23.00
479443010	Zone 01	1	23.00	23.00
479443011	Zone 01	1	23.00	23.00
479443012	Zone 01	1	23.00	23.00
479443013	Zone 01	1	23.00	23.00
479443014	Zone 01	1	23.00	23.00
479443015	Zone 01	1	23.00	23.00
479443016	Zone 01	1	23.00	23.00
479443017	Zone 01	1	23.00	23.00
479444001	Zone 01	1	23.00	23.00
479444002	Zone 01	1	23.00	23.00
479444003	Zone 01	1	23.00	23.00
479444004	Zone 01	1	23.00	23.00
479444005	Zone 01	1	23.00	23.00
479444006	Zone 01	1	23.00	23.00
479444007	Zone 01	1	23.00	23.00
479444008	Zone 01	1	23.00	23.00
479444009	Zone 01	1	23.00	23.00
479444010	Zone 01	1	23.00	23.00
479444011	Zone 01	1	23.00	23.00
479444012	Zone 01	1	23.00	23.00
479444013	Zone 01	1	23.00	23.00
479444014	Zone 01	1	23.00	23.00
479444015	Zone 01	1	23.00	23.00
479444016	Zone 01	1	23.00	23.00
479444017	Zone 01	1	23.00	23.00
479444018	Zone 01	1	23.00	23.00
479444019	Zone 01	1	23.00	23.00
479444020	Zone 01	1	23.00	23.00
479444021	Zone 01	1	23.00	23.00
479444022	Zone 01	1	23.00	23.00
479444023	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
479444024	Zone 01		1 23.00	23.00
479444025	Zone 01		1 23.00	23.00
479451010	Zone 01		1 23.00	23.00
479451011	Zone 01		1 23.00	23.00
479451012	Zone 01		1 23.00	23.00
479451013	Zone 01		1 23.00	23.00
479451014	Zone 01		1 23.00	23.00
479451015	Zone 01		1 23.00	23.00
479451016	Zone 01		1 23.00	23.00
479451017	Zone 01		1 23.00	23.00
479451018	Zone 01		1 23.00	23.00
479452001	Zone 01		1 23.00	23.00
479452002	Zone 01		1 23.00	23.00
479452003	Zone 01		1 23.00	23.00
479452004	Zone 01		1 23.00	23.00
479452005	Zone 01		1 23.00	23.00
479452006	Zone 01		1 23.00	23.00
479452007	Zone 01		1 23.00	23.00
479452008	Zone 01		1 23.00	23.00
479452009	Zone 01		1 23.00	23.00
479452010	Zone 01		1 23.00	23.00
479453001	Zone 01		1 23.00	23.00
479453001	Zone 01		1 23.00	23.00
479453002	Zone 01		1 23.00	23.00
479453004	Zone 01		1 23.00	23.00
479453005	Zone 01		1 23.00	23.00
479453006	Zone 01		1 23.00	23.00
479453007	Zone 01		1 23.00	
			1 23.00	23.00
479453008	Zone 01			23.00
479453009	Zone 01		1 23.00	23.00
479453010	Zone 01		1 23.00	23.00
479453011	Zone 01		1 23.00	23.00
479453012	Zone 01		1 23.00	23.00
479453013	Zone 01		1 23.00	23.00
479453014	Zone 01		1 23.00	23.00
479453015	Zone 01		1 23.00	23.00
479453016	Zone 01		1 23.00	23.00
479453017	Zone 01	·	1 23.00	23.00
479453018	Zone 01		1 23.00	23.00
479453019	Zone 01	•	1 23.00	23.00
479453021	Zone 01		1 23.00	23.00
479453022	Zone 01		1 23.00	23.00
479453023	Zone 01		1 23.00	23.00
479453024	Zone 01		1 23.00	23.00
479453025	Zone 01		1 23.00	23.00
479453026	Zone 01		1 23.00	23.00
479453027	Zone 01		1 23.00	23.00
479453028	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assig	ned EBU's FY 17-18	Max Assessment	FY 17-18 Assessment
479453029	Zone 01	1	23.00	23.00
479453030	Zone 01	1	23.00	23.00
479454001	Zone 01	1	23.00	23.00
479454002	Zone 01	1	23.00	23.00
479454003	Zone 01	1	23.00	23.00
479454004	Zone 01	1	23.00	23.00
479454005	Zone 01	1	23.00	23.00
479454006	Zone 01	1	23.00	23.00
479454007	Zone 01	1	23.00	23.00
479454008	Zone 01	1	23.00	23.00
479454009	Zone 01	1	23.00	23.00
479454010	Zone 01	1	23.00	23.00
479454011	Zone 01	1	23.00	23.00
479454012	Zone 01	1	23.00	23.00
479454013	Zone 01	1	23.00	23.00
479454014	Zone 01	1	23.00	23.00
479454015	Zone 01	1	23.00	23.00
479454016	Zone 01	1	23.00	23.00
479454017	Zone 01	1	23.00	23.00
479454018	Zone 01	1	23.00	23.00
479454019	Zone 01	1	23.00	23.00
479454020	Zone 01	1	23.00	23.00
479455001	Zone 01	1	23.00	23.00
479455002	Zone 01	1	23.00	23.00
479455003	Zone 01	1	23.00	23.00
479455004	Zone 01	1	23.00	23.00
479455005	Zone 01	1	23.00	23.00
479455006	Zone 01	1	23.00	23.00
479455007	Zone 01	1	23.00	23.00
479455008	Zone 01	1	23.00	23.00
479455009	Zone 01	1	23.00	23.00
479455010	Zone 01	1	23.00	23.00
479455011	Zone 01	1	23.00	23.00
479455012	Zone 01	1	23.00	23.00
479461001	Zone 01	1	23.00	23.00
479461002	Zone 01	1	23.00	23.00
479461003	Zone 01	1	23.00	23.00
479461004	Zone 01	1	23.00	23.00
479461005	Zone 01	1	23.00	23.00
479461006	Zone 01	1	23.00	23.00
479461007	Zone 01	1	23.00	23.00
479461008	Zone 01	1	23.00	23.00
479461009	Zone 01	1	23.00	23.00
479461010	Zone 01	1	23.00	23.00
479461011	Zone 01	1	23.00	23.00
479461012	Zone 01	1	23.00	23.00
479461013	Zone 01	1	23.00	23.00
479461014	Zone 01	1	23.00	23.00

APN	I MD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
479461015	Zone 01	LINID Assigned EDU'S	1 23.00	23.00
479461017	Zone 01		1 23.00	23.00
479461018	Zone 01		1 23.00	23.00
479461019	Zone 01		1 23.00	23.00
479461020	Zone 01		1 23.00	23.00
479461021	Zone 01		1 23.00	23.00
479461021	Zone 01		1 23.00	23.00
479461023	Zone 01		1 23.00	23.00
479461024	Zone 01		1 23.00	23.00
479461025	Zone 01		1 23.00	23.00
479461026	Zone 01		1 23.00	23.00
479461027	Zone 01		1 23.00	23.00
479461028	Zone 01		1 23.00	23.00
479461029	Zone 01		1 23.00	23.00
479461030	Zone 01		1 23.00	23.00
479461031	Zone 01		1 23.00	23.00
479461032	Zone 01		1 23.00	23.00
479461032	Zone 01		1 23.00	23.00
479461033	Zone 01		1 23.00	23.00
479461034	Zone 01		1 23.00	23.00
				23.00
479461036	Zone 01		1 23.00	
479462001	Zone 01		1 23.00	23.00
479462002	Zone 01		1 23.00	23.00
479462003	Zone 01		1 23.00	23.00
479462004	Zone 01		1 23.00	23.00
479462005	Zone 01		1 23.00	23.00
479462006	Zone 01		1 23.00	23.00
479462007	Zone 01		1 23.00	23.00
479462008	Zone 01		1 23.00 1 23.00	23.00
479462009 479462010	Zone 01 Zone 01			23.00 23.00
			1 23.00	23.00
479462011 479462012	Zone 01 Zone 01		1 23.00 1 23.00	23.00
			1 23.00	23.00
479462013	Zone 01		1 23.00	23.00
479462014 479462015	Zone 01 Zone 01		1 23.00	23.00
479462016	Zone 01		1 23.00	23.00
479462017				
	Zone 01		1 23.00	23.00
479462018	Zone 01		1 23.00	23.00
479462019	Zone 01		1 23.00	23.00
479462020	Zone 01		1 23.00	23.00
479462021	Zone 01		1 23.00	23.00
479462022	Zone 01		1 23.00	23.00
479462023	Zone 01		1 23.00	23.00
479462024	Zone 01		1 23.00	23.00
479462025	Zone 01		1 23.00	23.00
479462026	Zone 01		1 23.00	23.00
479462027	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
479462028	Zone 01		1 23.00	23.00
479462029	Zone 01		1 23.00	23.00
479462030	Zone 01		1 23.00	23.00
479462031	Zone 01		1 23.00	23.00
479462032	Zone 01		1 23.00	23.00
479462033	Zone 01		1 23.00	23.00
479462034	Zone 01		1 23.00	23.00
479462035	Zone 01		1 23.00	23.00
479462036	Zone 01		1 23.00	23.00
479462037	Zone 01		1 23.00	23.00
479462038	Zone 01		1 23.00	23.00
479462039	Zone 01		1 23.00	23.00
479462040	Zone 01		1 23.00	23.00
479462041	Zone 01		1 23.00	23.00
479462042	Zone 01		1 23.00	23.00
479462043	Zone 01		1 23.00	23.00
479462044	Zone 01		1 23.00	23.00
479462045	Zone 01		1 23.00	23.00
479462046	Zone 01		1 23.00	23.00
479462047	Zone 01		1 23.00	23.00
479462048	Zone 01		1 23.00	23.00
479462049	Zone 01		1 23.00	23.00
479462050	Zone 01		1 23.00	23.00
479462051	Zone 01		1 23.00	23.00
479462052	Zone 01		1 23.00	23.00
479462053	Zone 01		1 23.00	23.00
479462054	Zone 01		1 23.00	23.00
479462055	Zone 01		1 23.00	23.00
479462056	Zone 01		1 23.00	23.00
479462057	Zone 01		1 23.00	23.00
479462058	Zone 01		1 23.00	23.00
479471001	Zone 01		1 23.00	23.00
479471001	Zone 01		1 23.00	23.00
479471002	Zone 01		1 23.00	23.00
479471003	Zone 01		1 23.00	23.00
479471004	Zone 01		1 23.00	23.00
			1 23.00	23.00
479471006	Zone 01			
479472001	Zone 01		1 23.00	23.00
479472002	Zone 01		1 23.00	23.00
479472003	Zone 01		1 23.00	23.00
479472004	Zone 01		1 23.00	23.00
479472005	Zone 01		1 23.00	23.00
479472006	Zone 01		1 23.00	23.00
479472007	Zone 01		1 23.00	23.00
479472008	Zone 01		1 23.00	23.00
479472009	Zone 01		1 23.00	23.00
479472010	Zone 01		1 23.00	23.00
479472011	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-1	8 Max Assessment	FY 17-18 Assessment
479472012	Zone 01	1	23.00	23.00
479472013	Zone 01	1	23.00	23.00
479472014	Zone 01	1	23.00	23.00
479472015	Zone 01	1	23.00	23.00
479472016	Zone 01	1	23.00	23.00
479472017	Zone 01	1	23.00	23.00
479472018	Zone 01	1	23.00	23.00
479472019	Zone 01	1	23.00	23.00
479472020	Zone 01	1	23.00	23.00
479473001	Zone 01	1	23.00	23.00
479473002	Zone 01	1	23.00	23.00
479473003	Zone 01	1	23.00	23.00
479473004	Zone 01	1	23.00	23.00
479473005	Zone 01	1	23.00	23.00
479473006	Zone 01	1	23.00	23.00
479473007	Zone 01	1	23.00	23.00
479473008	Zone 01	1	23.00	23.00
479473009	Zone 01	1	23.00	23.00
479473010	Zone 01	1	23.00	23.00
479473011	Zone 01	1	23.00	23.00
479473012	Zone 01	1	23.00	23.00
479473013	Zone 01	1	23.00	23.00
479473014	Zone 01	1	23.00	23.00
479473015	Zone 01	1	23.00	23.00
479473016	Zone 01	1	23.00	23.00
479473017	Zone 01	1	23.00	23.00
479473018	Zone 01	1	23.00	23.00
479473019	Zone 01	1	23.00	23.00
479473020	Zone 01	1	23.00	23.00
479473021	Zone 01	1	23.00	23.00
479473022	Zone 01	1	23.00	23.00
479473023	Zone 01	1	23.00	23.00
479473024	Zone 01	1	23.00	23.00
479473025	Zone 01	1	23.00	23.00
479473026	Zone 01	1	23.00	23.00
479473027	Zone 01	1	23.00	23.00
479473028	Zone 01	1	23.00	23.00
479473029	Zone 01	1	23.00	23.00
479473030	Zone 01	1	23.00	23.00
479473031	Zone 01	1	23.00	23.00
479473032	Zone 01	1	23.00	23.00
479473033	Zone 01	1	23.00	23.00
479473034	Zone 01	1	23.00	23.00
479474001	Zone 01	1	23.00	23.00
479474002	Zone 01	1	23.00	23.00
479474003	Zone 01	1	23.00	23.00
479474004	Zone 01	1	23.00	23.00
479474005	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigne	d EBU's FY 17-18 I	Max Assessment	FY 17-18 Assessment
479474006	Zone 01	1	23.00	23.00
479474007	Zone 01	1	23.00	23.00
479474008	Zone 01	1	23.00	23.00
479474009	Zone 01	1	23.00	23.00
479474010	Zone 01	1	23.00	23.00
479474011	Zone 01	1	23.00	23.00
479474012	Zone 01	1	23.00	23.00
479474013	Zone 01	1	23.00	23.00
479474014	Zone 01	1	23.00	23.00
479474015	Zone 01	1	23.00	23.00
479474016	Zone 01	1	23.00	23.00
479475002	Zone 01	1	23.00	23.00
479475003	Zone 01	1	23.00	23.00
479475004	Zone 01	1	23.00	23.00
479475005	Zone 01	1	23.00	23.00
479475006	Zone 01	1	23.00	23.00
479475007	Zone 01	1	23.00	23.00
479475008	Zone 01	1	23.00	23.00
479475009	Zone 01	1	23.00	23.00
479475010	Zone 01	1	23.00	23.00
479475011	Zone 01	1	23.00	23.00
479475012	Zone 01	1	23.00	23.00
479475013	Zone 01	1	23.00	23.00
479475014	Zone 01	1	23.00	23.00
479475015	Zone 01	1	23.00	23.00
479475016	Zone 01	1	23.00	23.00
479476001	Zone 01	1	23.00	23.00
479476002	Zone 01	1	23.00	23.00
479476003	Zone 01	1	23.00	23.00
479476004	Zone 01	1	23.00	23.00
479476005	Zone 01	1	23.00	23.00
479476006	Zone 01	1	23.00	23.00
479476007	Zone 01	1	23.00	23.00
479476008	Zone 01	1	23.00	23.00
479476009	Zone 01	1	23.00	23.00
479476010	Zone 01	1	23.00	23.00
479476011	Zone 01	1	23.00	23.00
479476012	Zone 01	1	23.00	23.00
479476013	Zone 01	1	23.00	23.00
479476014	Zone 01	1	23.00	23.00
479476015	Zone 01	1	23.00	23.00
479476016	Zone 01	1	23.00	23.00
479477001	Zone 01	1	23.00	23.00
479477002	Zone 01	1	23.00	23.00
479477003	Zone 01	1	23.00	23.00
479477004	Zone 01	1	23.00	23.00
479477005	Zone 01	1	23.00	23.00
479477006	Zone 01	1	23.00	23.00

APN	I MD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
479477007	Zone 01	LIND Addigned EDU'S	1 23.00	23.00
479477008	Zone 01		1 23.00	23.00
479477009	Zone 01		1 23.00	23.00
479477010	Zone 01		1 23.00	23.00
479477011	Zone 01		1 23.00	23.00
479477012	Zone 01		1 23.00	23.00
479477013	Zone 01		1 23.00	23.00
479477014	Zone 01		1 23.00	23.00
479481001	Zone 01		1 23.00	23.00
479481002	Zone 01		1 23.00	23.00
479481003	Zone 01		1 23.00	23.00
479481004	Zone 01		1 23.00	23.00
479481005	Zone 01		1 23.00	23.00
479481006	Zone 01		1 23.00	23.00
479481007	Zone 01		1 23.00	23.00
479481008	Zone 01		1 23.00	23.00
479481009	Zone 01		1 23.00	23.00
479481010	Zone 01		1 23.00	23.00
479481011	Zone 01		1 23.00	23.00
479481012	Zone 01		1 23.00	23.00
479481013	Zone 01		1 23.00	23.00
479482001	Zone 01		1 23.00	23.00
479482001	Zone 01		1 23.00	23.00
479482003	Zone 01		1 23.00	23.00
479482004	Zone 01		1 23.00	23.00
479482005	Zone 01		1 23.00	23.00
479482006	Zone 01		1 23.00	23.00
479482007	Zone 01		1 23.00	23.00
479482008	Zone 01		1 23.00	23.00
479482009	Zone 01		1 23.00	23.00
479482010	Zone 01		1 23.00	23.00
479482011	Zone 01		1 23.00	23.00
479482012	Zone 01		1 23.00	23.00
479482013	Zone 01		1 23.00	23.00
479482014			1 23.00	23.00
479482015	Zone 01 Zone 01		1 23.00	23.00
479482016	Zone 01		1 23.00	23.00
479482017				
	Zone 01		1 23.00	23.00
479482018 479482019	Zone 01		1 23.00	23.00
	Zone 01		1 23.00	23.00
479482020	Zone 01		1 23.00	23.00
479482021	Zone 01		1 23.00	23.00
479482022	Zone 01		1 23.00	23.00
479482023	Zone 01		1 23.00	23.00
479482024	Zone 01		1 23.00	23.00
479482025	Zone 01		1 23.00	23.00
479482026	Zone 01		1 23.00	23.00
479482027	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned E	BU's FY 17-	18 Max Assessment	FY 17-18 Assessment
479482028	Zone 01	1	23.00	23.00
479482029	Zone 01	1	23.00	23.00
479482030	Zone 01	1	23.00	23.00
479482031	Zone 01	1	23.00	23.00
479482032	Zone 01	1	23.00	23.00
479482033	Zone 01	1	23.00	23.00
479482035	Zone 01	1	23.00	23.00
479482036	Zone 01	1	23.00	23.00
479482037	Zone 01	1	23.00	23.00
479482038	Zone 01	1	23.00	23.00
479482039	Zone 01	1	23.00	23.00
479482040	Zone 01	1	23.00	23.00
479482041	Zone 01	1	23.00	23.00
479482042	Zone 01	1	23.00	23.00
479482043	Zone 01	1	23.00	23.00
479482044	Zone 01	1	23.00	23.00
479482045	Zone 01	1	23.00	23.00
479482046	Zone 01	1	23.00	23.00
479482047	Zone 01	1	23.00	23.00
479482048	Zone 01	1	23.00	23.00
479482049	Zone 01	1	23.00	23.00
479482050	Zone 01	1	23.00	23.00
479482051	Zone 01	1	23.00	23.00
479482052	Zone 01	1	23.00	23.00
479482053	Zone 01	1	23.00	23.00
479482054	Zone 01	1	23.00	23.00
479482055	Zone 01	1	23.00	23.00
479482056	Zone 01	1	23.00	23.00
479482057	Zone 01	1	23.00	23.00
479482058	Zone 01	1	23.00	23.00
479482059	Zone 01	1	23.00	23.00
479482060	Zone 01	1	23.00	23.00
479482061	Zone 01	1	23.00	23.00
479482062	Zone 01	1	23.00	23.00
479482063	Zone 01	1	23.00	23.00
479483001	Zone 01	1	23.00	23.00
479483002	Zone 01	1	23.00	23.00
479483003	Zone 01	1	23.00	23.00
479483004	Zone 01	1	23.00	23.00
479483005	Zone 01	1	23.00	23.00
479483006	Zone 01	1	23.00	23.00
479483007	Zone 01	1	23.00	23.00
479483008	Zone 01	1	23.00	23.00
479483009	Zone 01	1	23.00	23.00
479483010	Zone 01	1	23.00	23.00
479483011	Zone 01	1	23.00	23.00
479483012	Zone 01	1	23.00	23.00
479483013	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
479483014	Zone 01		1 23.00	23.00
479483015	Zone 01		1 23.00	23.00
479483016	Zone 01		1 23.00	23.00
479483017	Zone 01		1 23.00	23.00
479483018	Zone 01		1 23.00	23.00
479483019	Zone 01		1 23.00	23.00
479483020	Zone 01		1 23.00	23.00
479483021	Zone 01		1 23.00	23.00
479483022	Zone 01		1 23.00	23.00
479483023	Zone 01		1 23.00	23.00
479483024	Zone 01		1 23.00	23.00
479483025	Zone 01		1 23.00	23.00
479483026	Zone 01		1 23.00	23.00
479483027	Zone 01		1 23.00	23.00
479483028	Zone 01		1 23.00	23.00
479483029	Zone 01		1 23.00	23.00
479483030	Zone 01		1 23.00	23.00
479483031	Zone 01		1 23.00	23.00
479491001	Zone 01		1 23.00	23.00
479491002	Zone 01		1 23.00	23.00
479491003	Zone 01		1 23.00	23.00
479491004	Zone 01		1 23.00	23.00
479491005	Zone 01		1 23.00	23.00
479491006	Zone 01		1 23.00	23.00
479491007	Zone 01		1 23.00	23.00
479491008	Zone 01		1 23.00	23.00
479491009	Zone 01		1 23.00	23.00
479491010	Zone 01		1 23.00	23.00
479491011	Zone 01		1 23.00	23.00
479491012	Zone 01		1 23.00	23.00
479491013	Zone 01		1 23.00	23.00
479491014	Zone 01		1 23.00	23.00
479491015	Zone 01		1 23.00	23.00
479491016	Zone 01		1 23.00	23.00
479491017	Zone 01		1 23.00	23.00
479491018	Zone 01		1 23.00	23.00
479491019	Zone 01		1 23.00	23.00
479491020	Zone 01		1 23.00	23.00
479491021	Zone 01		1 23.00	23.00
479491022	Zone 01		1 23.00	23.00
479491023	Zone 01		1 23.00	23.00
479491024	Zone 01		1 23.00	23.00
479491025	Zone 01		1 23.00	23.00
479491026	Zone 01		1 23.00	23.00
479491027	Zone 01		1 23.00	23.00
479492001	Zone 01		1 23.00	23.00
479492002	Zone 01		1 23.00	23.00
479492003	Zone 01		1 23.00	23.00
				20.30

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
479492004	Zone 01		1 23.00	23.00
479492005	Zone 01		1 23.00	23.00
479492006	Zone 01		1 23.00	23.00
479492007	Zone 01		1 23.00	23.00
479492008	Zone 01		1 23.00	23.00
479492009	Zone 01		1 23.00	23.00
479492010	Zone 01		1 23.00	23.00
479492011	Zone 01		1 23.00	23.00
479492012	Zone 01		1 23.00	23.00
479492013	Zone 01		1 23.00	23.00
479492014	Zone 01		1 23.00	23.00
479492015	Zone 01		1 23.00	23.00
479492016	Zone 01		1 23.00	23.00
479492017	Zone 01		1 23.00	23.00
479492018	Zone 01		1 23.00	23.00
479501013	Zone 01		1 23.00	23.00
479501014	Zone 01		1 23.00	23.00
479501015	Zone 01		1 23.00	23.00
479501016	Zone 01		1 23.00	23.00
479501017	Zone 01		1 23.00	23.00
479501018	Zone 01		1 23.00	23.00
479501019	Zone 01		1 23.00	23.00
479501020	Zone 01		1 23.00	23.00
479501021	Zone 01		1 23.00	23.00
479501022	Zone 01		1 23.00	23.00
479501023	Zone 01		1 23.00	23.00
479501024	Zone 01		1 23.00	23.00
479501025	Zone 01		1 23.00	23.00
479501026	Zone 01		1 23.00	23.00
479501027	Zone 01		1 23.00	23.00
479501028	Zone 01		1 23.00	23.00
479501029	Zone 01		1 23.00	23.00
479501030	Zone 01		1 23.00	23.00
479501031	Zone 01		1 23.00	23.00
479501032	Zone 01		1 23.00	23.00
479501033	Zone 01		1 23.00	23.00
479501034	Zone 01		1 23.00	23.00
479501035	Zone 01		1 23.00	23.00
479501036	Zone 01		1 23.00	23.00
479501037	Zone 01		1 23.00	23.00
479501038	Zone 01		1 23.00	23.00
479501039	Zone 01		1 23.00	23.00
479501040	Zone 01		1 23.00	23.00
479501041	Zone 01		1 23.00	23.00
479501042	Zone 01		1 23.00	23.00
479501043	Zone 01		1 23.00	23.00
479501044	Zone 01		1 23.00	23.00
479501045	Zone 01		1 23.00	23.00
			20.00	20.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
479501046	Zone 01		1 23.00	23.00
479501047	Zone 01		1 23.00	23.00
479501048	Zone 01		1 23.00	23.00
479501049	Zone 01		1 23.00	23.00
479501050	Zone 01		1 23.00	23.00
479501051	Zone 01		1 23.00	23.00
479501052	Zone 01		1 23.00	23.00
479501053	Zone 01		1 23.00	23.00
479501054	Zone 01		1 23.00	23.00
479502001	Zone 01		1 23.00	23.00
479502002	Zone 01		1 23.00	23.00
479502003	Zone 01		1 23.00	23.00
479502004	Zone 01		1 23.00	23.00
479502005	Zone 01		1 23.00	23.00
479502006	Zone 01		1 23.00	23.00
479502007	Zone 01		1 23.00	23.00
479502008	Zone 01		1 23.00	23.00
479502012	Zone 01		1 23.00	23.00
479502013	Zone 01		1 23.00	23.00
479502014	Zone 01		1 23.00	23.00
479502015	Zone 01		1 23.00	23.00
479502016	Zone 01		1 23.00	23.00
479502017	Zone 01		1 23.00	23.00
479502018	Zone 01		1 23.00	23.00
479502019	Zone 01		1 23.00	23.00
479502020	Zone 01		1 23.00	23.00
479502021	Zone 01		1 23.00	23.00
479502022	Zone 01		1 23.00	23.00
479502023	Zone 01		1 23.00	23.00
479502024	Zone 01		1 23.00	23.00
479502025	Zone 01		1 23.00	23.00
479502026	Zone 01		1 23.00	23.00
479512004	Zone 01		1 23.00	23.00
479512005	Zone 01		1 23.00	23.00
479512006	Zone 01		1 23.00	23.00
479512007	Zone 01		1 23.00	23.00
479512008	Zone 01		1 23.00	23.00
479512009	Zone 01		1 23.00	23.00
479512010	Zone 01		1 23.00	23.00
479512010	Zone 01		1 23.00	23.00
479512011	Zone 01		1 23.00	23.00
479512012	Zone 01		1 23.00	23.00
479512013	Zone 01		1 23.00	23.00
479512014	Zone 01		1 23.00	23.00
479512013	Zone 01		1 23.00	23.00
479513001	Zone 01		1 23.00	23.00
479513002	Zone 01		1 23.00	23.00
479513003	Zone 01		1 23.00	23.00
7/30/3004	20116-01		23.00	23.00

APN	LMD 2014-01 Zone LMD Assign	ed EBU's FY 17-18 Ma	ax Assessment	FY 17-18 Assessment
479513005	Zone 01	1	23.00	23.00
479513006	Zone 01	1	23.00	23.00
479513007	Zone 01	1	23.00	23.00
479513008	Zone 01	1	23.00	23.00
479513009	Zone 01	1	23.00	23.00
479513013	Zone 01	1	23.00	23.00
479513014	Zone 01	1	23.00	23.00
479513015	Zone 01	1	23.00	23.00
479513016	Zone 01	1	23.00	23.00
479513017	Zone 01	1	23.00	23.00
479513018	Zone 01	1	23.00	23.00
479513019	Zone 01	1	23.00	23.00
479513020	Zone 01	1	23.00	23.00
479513021	Zone 01	1	23.00	23.00
479513022	Zone 01	1	23.00	23.00
479513023	Zone 01	1	23.00	23.00
479513024	Zone 01	1	23.00	23.00
479513025	Zone 01	1	23.00	23.00
479513026	Zone 01	1	23.00	23.00
479513027	Zone 01	1	23.00	23.00
479514001	Zone 01	1	23.00	23.00
479514002	Zone 01	1	23.00	23.00
479514002	Zone 01	1	23.00	23.00
479514004	Zone 01	1	23.00	23.00
479514004	Zone 01	1	23.00	23.00
479514005	Zone 01	1	23.00	23.00
479514007	Zone 01	1		23.00
		1	23.00	
479514008	Zone 01	1	23.00	23.00
479515001	Zone 01	1	23.00	23.00
479515002	Zone 01	1	23.00	23.00
479515003	Zone 01	1	23.00	23.00
479515004	Zone 01	1	23.00	23.00
479515005	Zone 01	1	23.00	23.00
479515006	Zone 01	1	23.00	23.00
479515007	Zone 01	1	23.00	23.00
479515008	Zone 01	1	23.00	23.00
479515009	Zone 01	1	23.00	23.00
479515010	Zone 01	1	23.00	23.00
479515011	Zone 01	1	23.00	23.00
479515012	Zone 01	1	23.00	23.00
479515013	Zone 01	1	23.00	23.00
479515014	Zone 01	1	23.00	23.00
479515015	Zone 01	1	23.00	23.00
479515016	Zone 01	1	23.00	23.00
479515017	Zone 01	1	23.00	23.00
479515018	Zone 01	1	23.00	23.00
479515019	Zone 01	1	23.00	23.00
479515020	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
479515021	Zone 01		1 23.00	23.00
479515022	Zone 01		1 23.00	23.00
479516001	Zone 01		1 23.00	23.00
479516002	Zone 01		1 23.00	23.00
479516003	Zone 01		1 23.00	23.00
479516004	Zone 01		1 23.00	23.00
479516005	Zone 01		1 23.00	23.00
479516006	Zone 01		1 23.00	23.00
479516007	Zone 01		1 23.00	23.00
479517001	Zone 01		1 23.00	23.00
479517002	Zone 01		1 23.00	23.00
479517003	Zone 01		1 23.00	23.00
479517004	Zone 01		1 23.00	23.00
479517005	Zone 01		1 23.00	23.00
479517006	Zone 01		1 23.00	23.00
479517007	Zone 01		1 23.00	23.00
479517008	Zone 01		1 23.00	23.00
479521001	Zone 01		1 23.00	23.00
479521002	Zone 01		1 23.00	23.00
479521003	Zone 01		1 23.00	23.00
479521003	Zone 01		1 23.00	23.00
479521005	Zone 01		1 23.00	23.00
479521005	Zone 01		1 23.00	23.00
479521007	Zone 01		1 23.00	23.00
479521007	Zone 01		1 23.00	23.00
479521009	Zone 01		1 23.00	23.00
479521010	Zone 01		1 23.00	23.00
479521010	Zone 01		1 23.00	23.00
479521011	Zone 01		1 23.00	23.00
479521012	Zone 01		1 23.00	23.00
479521013	Zone 01		1 23.00	23.00
479521015	Zone 01		1 23.00	23.00
479521016	Zone 01		1 23.00	23.00
479521017	Zone 01		1 23.00	23.00
479521017	Zone 01		1 23.00	23.00
479521019	Zone 01		1 23.00	23.00
479521019	Zone 01		1 23.00	23.00
479522001	Zone 01		1 23.00	23.00
479522001	Zone 01		1 23.00	23.00
	Zone 01		1 23.00	23.00
479522003				
479522004	Zone 01		1 23.00	23.00
479522005	Zone 01		1 23.00	23.00
479522006	Zone 01		1 23.00	23.00
479522007	Zone 01		1 23.00	23.00
479522008	Zone 01		1 23.00	23.00
479522009	Zone 01		1 23.00	23.00
479522010	Zone 01		1 23.00	23.00
479522011	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
479522012	Zone 01		1 23.00	23.00
479522013	Zone 01		1 23.00	23.00
479522014	Zone 01		1 23.00	23.00
479522015	Zone 01		1 23.00	23.00
479523001	Zone 01		1 23.00	23.00
479523002	Zone 01		1 23.00	23.00
479523003	Zone 01		1 23.00	23.00
479523004	Zone 01		1 23.00	23.00
479523005	Zone 01		1 23.00	23.00
479523006	Zone 01		1 23.00	23.00
479523007	Zone 01		1 23.00	23.00
479523008	Zone 01		1 23.00	23.00
479523009	Zone 01		1 23.00	23.00
479523010	Zone 01		1 23.00	23.00
479523011	Zone 01		1 23.00	23.00
479523012	Zone 01		1 23.00	23.00
479523013	Zone 01		1 23.00	23.00
479523014	Zone 01		1 23.00	23.00
479523015	Zone 01		1 23.00	23.00
479524001	Zone 01		1 23.00	23.00
479524002	Zone 01		1 23.00	23.00
479524003	Zone 01		1 23.00	23.00
479524004	Zone 01		1 23.00	23.00
479524005	Zone 01		1 23.00	23.00
479524006	Zone 01		1 23.00	23.00
479524007	Zone 01		1 23.00	23.00
479524008	Zone 01		1 23.00	23.00
479524009	Zone 01		1 23.00	23.00
479524010	Zone 01		1 23.00	23.00
479524011	Zone 01		1 23.00	23.00
479524012	Zone 01		1 23.00	23.00
479524013	Zone 01		1 23.00	23.00
479524014	Zone 01		1 23.00	23.00
479524015	Zone 01		1 23.00	23.00
479524016	Zone 01		1 23.00	23.00
479524017	Zone 01		1 23.00	23.00
479524018	Zone 01		1 23.00	23.00
479524019	Zone 01		1 23.00	23.00
479524020	Zone 01		1 23.00	23.00
479524021	Zone 01		1 23.00	23.00
479524022	Zone 01		1 23.00	23.00
479524023	Zone 01		1 23.00	23.00
479524024	Zone 01		1 23.00	23.00
479524025	Zone 01		1 23.00	23.00
479524026	Zone 01		1 23.00	23.00
479524027	Zone 01		1 23.00	23.00
479524027	Zone 01		1 23.00	23.00
479524029	Zone 01		1 23.00	23.00
41 JUL 4023	2010-01		25.00	25.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-18	8 Max Assessment	FY 17-18 Assessment
479531001	Zone 01	1	23.00	23.00
479531002	Zone 01	1	23.00	23.00
479531003	Zone 01	1	23.00	23.00
479531004	Zone 01	1	23.00	23.00
479531005	Zone 01	1	23.00	23.00
479531006	Zone 01	1	23.00	23.00
479531007	Zone 01	1	23.00	23.00
479531008	Zone 01	1	23.00	23.00
479531009	Zone 01	1	23.00	23.00
479531010	Zone 01	1	23.00	23.00
479531011	Zone 01	1	23.00	23.00
479531012	Zone 01	1	23.00	23.00
479531013	Zone 01	1	23.00	23.00
479531014	Zone 01	1	23.00	23.00
479531015	Zone 01	1	23.00	23.00
479531016	Zone 01	1	23.00	23.00
479531017	Zone 01	1	23.00	23.00
479531018	Zone 01	1	23.00	23.00
479531019	Zone 01	1	23.00	23.00
479531020	Zone 01	1	23.00	23.00
479531021	Zone 01	1	23.00	23.00
479531022	Zone 01	1	23.00	23.00
479531023	Zone 01	1	23.00	23.00
479531024	Zone 01	1	23.00	23.00
479531027	Zone 01	1	23.00	23.00
479531028	Zone 01	1	23.00	23.00
479531029	Zone 01	1	23.00	23.00
479531030	Zone 01	1	23.00	23.00
479531031	Zone 01	1	23.00	23.00
479531032	Zone 01	1	23.00	23.00
479531033	Zone 01	1	23.00	23.00
479531034	Zone 01	1	23.00	23.00
479531035	Zone 01	1	23.00	23.00
479531036	Zone 01	1	23.00	23.00
479532001	Zone 01	1	23.00	23.00
479532002	Zone 01	1	23.00	23.00
479532003	Zone 01	1	23.00	23.00
479532004	Zone 01	1	23.00	23.00
479532005	Zone 01	1	23.00	23.00
479532006	Zone 01	1	23.00	23.00
479532007	Zone 01	1	23.00	23.00
479533001	Zone 01	1	23.00	23.00
479533002	Zone 01	1	23.00	23.00
479533003	Zone 01	1	23.00	23.00
479533004	Zone 01	1	23.00	23.00
479533005	Zone 01	1	23.00	23.00
479533006	Zone 01	1	23.00	23.00
479533007	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone L	.MD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
479533010	Zone 01		1 23.00	23.00
479533011	Zone 01		1 23.00	23.00
479533012	Zone 01		1 23.00	23.00
479533013	Zone 01		1 23.00	23.00
479533014	Zone 01		1 23.00	23.00
479533015	Zone 01		1 23.00	23.00
479533016	Zone 01		1 23.00	23.00
479533017	Zone 01		1 23.00	23.00
479533018	Zone 01		1 23.00	23.00
479533019	Zone 01		1 23.00	23.00
479533020	Zone 01		1 23.00	23.00
479533021	Zone 01		1 23.00	23.00
479533022	Zone 01		1 23.00	23.00
479533023	Zone 01		1 23.00	23.00
479533025	Zone 01		1 23.00	23.00
479533026	Zone 01		1 23.00	23.00
479534001	Zone 01		1 23.00	23.00
479534002	Zone 01		1 23.00	23.00
479534003	Zone 01		1 23.00	23.00
479534004	Zone 01		1 23.00	23.00
479534005	Zone 01		1 23.00	23.00
479534006	Zone 01		1 23.00	23.00
479534007	Zone 01		1 23.00	23.00
479534008	Zone 01		1 23.00	23.00
479541001	Zone 01		1 23.00	23.00
479541002	Zone 01		1 23.00	23.00
479541003	Zone 01		1 23.00	23.00
479541004	Zone 01		1 23.00	23.00
479541005	Zone 01		1 23.00	23.00
479541006	Zone 01		1 23.00	23.00
479541007	Zone 01		1 23.00	23.00
479541008	Zone 01		1 23.00	23.00
479541009	Zone 01		1 23.00	23.00
479541010	Zone 01		1 23.00	23.00
479541011	Zone 01		1 23.00	23.00
479541012	Zone 01		1 23.00	23.00
479541013	Zone 01		1 23.00	23.00
479541014	Zone 01		1 23.00	23.00
479542001	Zone 01		1 23.00	23.00
479542002	Zone 01		1 23.00	23.00
479542003	Zone 01		1 23.00	23.00
479542004	Zone 01		1 23.00	23.00
479542005	Zone 01		1 23.00	23.00
479542006	Zone 01		1 23.00	23.00
479542007	Zone 01		1 23.00	23.00
479542008	Zone 01		1 23.00	23.00
479542009	Zone 01		1 23.00	23.00
479542010	Zone 01		1 23.00	23.00
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			_5.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
479542011	Zone 01		1 23.00	23.00
479542012	Zone 01		1 23.00	23.00
479542013	Zone 01		1 23.00	23.00
479542014	Zone 01		1 23.00	23.00
479542015	Zone 01		1 23.00	23.00
479542016	Zone 01		1 23.00	23.00
479542017	Zone 01		1 23.00	23.00
479542018	Zone 01		1 23.00	23.00
479542019	Zone 01		1 23.00	23.00
479542020	Zone 01		1 23.00	23.00
479543001	Zone 01		1 23.00	23.00
479543002	Zone 01		1 23.00	23.00
479543003	Zone 01		1 23.00	23.00
479543004	Zone 01		1 23.00	23.00
479543005	Zone 01		1 23.00	23.00
479543006	Zone 01		1 23.00	23.00
479543007	Zone 01		1 23.00	23.00
479543008	Zone 01		1 23.00	23.00
479543009	Zone 01		1 23.00	23.00
479543010	Zone 01		1 23.00	23.00
479543011	Zone 01		1 23.00	23.00
479543012	Zone 01		1 23.00	23.00
479543013	Zone 01		1 23.00	23.00
479543014	Zone 01		1 23.00	23.00
479543015	Zone 01		1 23.00	23.00
479543016	Zone 01		1 23.00	23.00
479543017	Zone 01		1 23.00	23.00
479544001	Zone 01		1 23.00	23.00
479544002	Zone 01		1 23.00	23.00
479544003	Zone 01		1 23.00	23.00
479544004	Zone 01		1 23.00	23.00
479544005	Zone 01		1 23.00	23.00
479544006	Zone 01		1 23.00	23.00
479544007	Zone 01		1 23.00	23.00
479544008	Zone 01		1 23.00	23.00
479544009	Zone 01		1 23.00	23.00
479544010	Zone 01		1 23.00	23.00
479544011	Zone 01		1 23.00	23.00
479544012	Zone 01		1 23.00	23.00
479544013	Zone 01		1 23.00	23.00
479544014	Zone 01		1 23.00	23.00
479544015	Zone 01		1 23.00	23.00
479544016	Zone 01		1 23.00	23.00
479544017	Zone 01		1 23.00	23.00
479544018	Zone 01		1 23.00	23.00
479544019	Zone 01		1 23.00	23.00
479544020	Zone 01		1 23.00	23.00
479544021	Zone 01		1 23.00	23.00
41 JUT 40Z I	20110-01		25.00	25.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
479544022	Zone 01		1 23.00	23.00
479544023	Zone 01		1 23.00	23.00
479544024	Zone 01		1 23.00	23.00
479544025	Zone 01		1 23.00	23.00
479544026	Zone 01		1 23.00	23.00
479544027	Zone 01		1 23.00	23.00
479544028	Zone 01		1 23.00	23.00
479544029	Zone 01		1 23.00	23.00
479544030	Zone 01		1 23.00	23.00
479544031	Zone 01		1 23.00	23.00
479551001	Zone 01		1 23.00	23.00
479551002	Zone 01		1 23.00	23.00
479551003	Zone 01		1 23.00	23.00
479551004	Zone 01		1 23.00	23.00
479551005	Zone 01		1 23.00	23.00
479551006	Zone 01		1 23.00	23.00
479551007	Zone 01		1 23.00	23.00
479552001	Zone 01		1 23.00	23.00
479552002	Zone 01		1 23.00	23.00
479552003	Zone 01		1 23.00	23.00
479552004	Zone 01		1 23.00	23.00
479552005	Zone 01		1 23.00	23.00
479552006	Zone 01		1 23.00	23.00
479552007	Zone 01		1 23.00	23.00
479552008	Zone 01		1 23.00	23.00
479552009	Zone 01		1 23.00	23.00
479552010	Zone 01		1 23.00	23.00
479552011	Zone 01		1 23.00	23.00
479552012	Zone 01		1 23.00	23.00
479552013	Zone 01		1 23.00	23.00
479552015	Zone 01		1 23.00	23.00
479552016	Zone 01		1 23.00	23.00
479552017	Zone 01		1 23.00	23.00
479552018	Zone 01		1 23.00	23.00
479552019	Zone 01		1 23.00	23.00
479552020	Zone 01		1 23.00	23.00
479552021	Zone 01		1 23.00	23.00
479552022	Zone 01		1 23.00	23.00
479552023	Zone 01		1 23.00	23.00
479552024	Zone 01		1 23.00	23.00
479553001	Zone 01		1 23.00	23.00
479553001	Zone 01		1 23.00	23.00
479553002	Zone 01		1 23.00	23.00
479553003	Zone 01		1 23.00	23.00
479553004	Zone 01 Zone 01		1 23.00	23.00
479553005	Zone 01		1 23.00	23.00
	Zone 01 Zone 01		1 23.00	
479553007				23.00
479553008	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assig	ned EBU's FY 17-18 M	lax Assessment	FY 17-18 Assessment
479553009	Zone 01	1	23.00	23.00
479553010	Zone 01	1	23.00	23.00
479553011	Zone 01	1	23.00	23.00
479553012	Zone 01	1	23.00	23.00
479553013	Zone 01	1	23.00	23.00
479553014	Zone 01	1	23.00	23.00
479553015	Zone 01	1	23.00	23.00
479553016	Zone 01	1	23.00	23.00
479553017	Zone 01	1	23.00	23.00
479553018	Zone 01	1	23.00	23.00
479553019	Zone 01	1	23.00	23.00
479553020	Zone 01	1	23.00	23.00
479553021	Zone 01	1	23.00	23.00
479553022	Zone 01	1	23.00	23.00
479553023	Zone 01	1	23.00	23.00
479553024	Zone 01	1	23.00	23.00
479553025	Zone 01	1	23.00	23.00
479553026	Zone 01	1	23.00	23.00
479553027	Zone 01	1	23.00	23.00
479553028	Zone 01	1	23.00	23.00
479554001	Zone 01	1	23.00	23.00
479554002	Zone 01	1	23.00	23.00
479554003	Zone 01	1	23.00	23.00
479554004	Zone 01	1	23.00	23.00
479554005	Zone 01	1	23.00	23.00
479554006	Zone 01	1	23.00	23.00
479554007	Zone 01	1	23.00	23.00
479554008	Zone 01	1	23.00	23.00
479554009	Zone 01	1	23.00	23.00
479554010	Zone 01	1	23.00	23.00
479554011	Zone 01	1	23.00	23.00
479554012	Zone 01	1	23.00	23.00
479554013	Zone 01	1	23.00	23.00
479554014	Zone 01	1	23.00	23.00
479555001	Zone 01	1	23.00	23.00
479555002	Zone 01	1	23.00	23.00
479555003	Zone 01	1	23.00	23.00
479555004	Zone 01	1	23.00	23.00
479555005	Zone 01	1	23.00	23.00
479555006	Zone 01	1	23.00	23.00
479561001	Zone 01	1	23.00	23.00
479561002	Zone 01	1	23.00	23.00
479561003	Zone 01	1	23.00	23.00
479561004	Zone 01	1	23.00	23.00
479561005	Zone 01	1	23.00	23.00
479561006	Zone 01	1	23.00	23.00
479561007	Zone 01	1	23.00	23.00
479561008	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
479561009	Zone 01		1 23.00	23.00
479561010	Zone 01		1 23.00	23.00
479562001	Zone 01		1 23.00	23.00
479562002	Zone 01		1 23.00	23.00
479562003	Zone 01		1 23.00	23.00
479562004	Zone 01		1 23.00	23.00
479562005	Zone 01		1 23.00	23.00
479562006	Zone 01		1 23.00	23.00
479562007	Zone 01		1 23.00	23.00
479562008	Zone 01		1 23.00	23.00
479562009	Zone 01		1 23.00	23.00
479562010	Zone 01		1 23.00	23.00
479562012	Zone 01		1 23.00	23.00
479562013	Zone 01		1 23.00	23.00
479562014	Zone 01		1 23.00	23.00
479562015	Zone 01		1 23.00	23.00
479562016	Zone 01		1 23.00	23.00
479562017	Zone 01		1 23.00	23.00
479562018	Zone 01		1 23.00	23.00
479562019	Zone 01		1 23.00	23.00
479562020	Zone 01		1 23.00	23.00
479562021	Zone 01		1 23.00	23.00
479563003	Zone 01		1 23.00	23.00
479563004	Zone 01		1 23.00	23.00
479563005	Zone 01		1 23.00	23.00
479563006	Zone 01		1 23.00	23.00
479563007	Zone 01		1 23.00	23.00
479563008	Zone 01		1 23.00	23.00
479563009	Zone 01		1 23.00	23.00
479563011	Zone 01		1 23.00	23.00
479563012	Zone 01		1 23.00	23.00
479563013	Zone 01		1 23.00	23.00
479563014	Zone 01		1 23.00	23.00
479563015	Zone 01		1 23.00	23.00
479563016	Zone 01		1 23.00	23.00
479563017	Zone 01		1 23.00	23.00
479564001	Zone 01		1 23.00	23.00
479564002	Zone 01		1 23.00	23.00
479564002	Zone 01		1 23.00	23.00
479564004	Zone 01		1 23.00	23.00
479564005	Zone 01		1 23.00	23.00
479564006	Zone 01		1 23.00	23.00
479564006	Zone 01		1 23.00	23.00
479564007	Zone 01		1 23.00	23.00
479564008	Zone 01		1 23.00	23.00
479564010	Zone 01		1 23.00	23.00
479564010	Zone 01			
			1 23.00	23.00
479564012	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-18 M	lax Assessment	FY 17-18 Assessment
479564013	Zone 01	1	23.00	23.00
479564014	Zone 01	1	23.00	23.00
479564015	Zone 01	1	23.00	23.00
479564016	Zone 01	1	23.00	23.00
479564017	Zone 01	1	23.00	23.00
479564018	Zone 01	1	23.00	23.00
479564019	Zone 01	1	23.00	23.00
479564020	Zone 01	1	23.00	23.00
479564021	Zone 01	1	23.00	23.00
479564022	Zone 01	1	23.00	23.00
479564023	Zone 01	1	23.00	23.00
479564024	Zone 01	1	23.00	23.00
479564025	Zone 01	1	23.00	23.00
479564026	Zone 01	1	23.00	23.00
479564027	Zone 01	1	23.00	23.00
479564028	Zone 01	1	23.00	23.00
479564029	Zone 01	1	23.00	23.00
479564030	Zone 01	1	23.00	23.00
479564031	Zone 01	1	23.00	23.00
479564032	Zone 01	1	23.00	23.00
479564033	Zone 01	1	23.00	23.00
479571001	Zone 01	1	23.00	23.00
479571002	Zone 01	1	23.00	23.00
479571003	Zone 01	1	23.00	23.00
479571004	Zone 01	1	23.00	23.00
479571005	Zone 01	1	23.00	23.00
479571006	Zone 01	1	23.00	23.00
479571007	Zone 01	1	23.00	23.00
479571008	Zone 01	1	23.00	23.00
479571009	Zone 01	1	23.00	23.00
479571011	Zone 01	1	23.00	23.00
479571012	Zone 01	1	23.00	23.00
479571013	Zone 01	1	23.00	23.00
479571014	Zone 01	1	23.00	23.00
479571015	Zone 01	1	23.00	23.00
479571016	Zone 01	1	23.00	23.00
479571017	Zone 01	1	23.00	23.00
479571018	Zone 01	1	23.00	23.00
479571019	Zone 01	1	23.00	23.00
479571020	Zone 01	1	23.00	23.00
479572001	Zone 01	1	23.00	23.00
479572002	Zone 01	1	23.00	23.00
479572003	Zone 01	1	23.00	23.00
479572004	Zone 01	1	23.00	23.00
479572005	Zone 01	1	23.00	23.00
479572006	Zone 01	1	23.00	23.00
479572007	Zone 01	1	23.00	23.00
479572008	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-18	3 Max Assessment	FY 17-18 Assessment
479572009	Zone 01	1	23.00	23.00
479572010	Zone 01	1	23.00	23.00
479572011	Zone 01	1	23.00	23.00
479572012	Zone 01	1	23.00	23.00
479572013	Zone 01	1	23.00	23.00
479572014	Zone 01	1	23.00	23.00
479572015	Zone 01	1	23.00	23.00
479572016	Zone 01	1	23.00	23.00
479572017	Zone 01	1	23.00	23.00
479572018	Zone 01	1	23.00	23.00
479572019	Zone 01	1	23.00	23.00
479572020	Zone 01	1	23.00	23.00
479572021	Zone 01	1	23.00	23.00
479572022	Zone 01	1	23.00	23.00
479572023	Zone 01	1	23.00	23.00
479572024	Zone 01	1	23.00	23.00
479573001	Zone 01	1	23.00	23.00
479573002	Zone 01	1	23.00	23.00
479573003	Zone 01	1	23.00	23.00
479573004	Zone 01	1	23.00	23.00
479573005	Zone 01	1	23.00	23.00
479573006	Zone 01	1	23.00	23.00
479573007	Zone 01	1	23.00	23.00
479573008	Zone 01	1	23.00	23.00
479573009	Zone 01	1	23.00	23.00
479573010	Zone 01	1	23.00	23.00
479573011	Zone 01	1	23.00	23.00
479573012	Zone 01	1	23.00	23.00
479573013	Zone 01	1	23.00	23.00
479573014	Zone 01	1	23.00	23.00
479573015	Zone 01	1	23.00	23.00
479573016	Zone 01	1	23.00	23.00
479573017	Zone 01	1	23.00	23.00
479573018	Zone 01	1	23.00	23.00
479573019	Zone 01	1	23.00	23.00
479573020	Zone 01	1	23.00	23.00
479573021	Zone 01	1	23.00	23.00
479573022	Zone 01	1	23.00	23.00
479573023	Zone 01	1	23.00	23.00
479573024	Zone 01	1	23.00	23.00
479573025	Zone 01	1	23.00	23.00
479573026	Zone 01	1	23.00	23.00
479573027	Zone 01	1	23.00	23.00
479573028	Zone 01	1	23.00	23.00
479573029	Zone 01	1	23.00	23.00
479573030	Zone 01	1	23.00	23.00
479573031	Zone 01	1	23.00	23.00
479573032	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-18 M	lax Assessment	FY 17-18 Assessment
479581001	Zone 01	1	23.00	23.00
479581002	Zone 01	1	23.00	23.00
479581003	Zone 01	1	23.00	23.00
479581004	Zone 01	1	23.00	23.00
479581005	Zone 01	1	23.00	23.00
479581006	Zone 01	1	23.00	23.00
479581007	Zone 01	1	23.00	23.00
479581008	Zone 01	1	23.00	23.00
479581009	Zone 01	1	23.00	23.00
479581010	Zone 01	1	23.00	23.00
479581011	Zone 01	1	23.00	23.00
479581012	Zone 01	1	23.00	23.00
479581013	Zone 01	1	23.00	23.00
479581014	Zone 01	1	23.00	23.00
479581015	Zone 01	1	23.00	23.00
479581016	Zone 01	1	23.00	23.00
479581017	Zone 01	1	23.00	23.00
479581018	Zone 01	1	23.00	23.00
479581019	Zone 01	1	23.00	23.00
479581020	Zone 01	1	23.00	23.00
479581021	Zone 01	1	23.00	23.00
479581022	Zone 01	1	23.00	23.00
479581023	Zone 01	1	23.00	23.00
479581024	Zone 01	1	23.00	23.00
479581025	Zone 01	1	23.00	23.00
479581026	Zone 01	1	23.00	23.00
479581027	Zone 01	1	23.00	23.00
479581028	Zone 01	1	23.00	23.00
479581029	Zone 01	1	23.00	23.00
479581030	Zone 01	1	23.00	23.00
479581031	Zone 01	1	23.00	23.00
479581032	Zone 01	1	23.00	23.00
479582001	Zone 01	1	23.00	23.00
479582002	Zone 01	1	23.00	23.00
479582003	Zone 01	1	23.00	23.00
479582004	Zone 01	1	23.00	23.00
479582005	Zone 01	1	23.00	23.00
479582006	Zone 01	1	23.00	23.00
479582007	Zone 01	1	23.00	23.00
479582008	Zone 01	1	23.00	23.00
479582009	Zone 01	1	23.00	23.00
479582010	Zone 01	1	23.00	23.00
479582011	Zone 01	1	23.00	23.00
479582012	Zone 01	1	23.00	23.00
479582013	Zone 01	1	23.00	23.00
479582014	Zone 01	1	23.00	23.00
479582015	Zone 01	1	23.00	23.00
479582016	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-	18 Max Assessment	FY 17-18 Assessment
479582017	Zone 01	1	23.00	23.00
479582018	Zone 01	1	23.00	23.00
479582019	Zone 01	1	23.00	23.00
479582020	Zone 01	1	23.00	23.00
479582021	Zone 01	1	23.00	23.00
479582022	Zone 01	1	23.00	23.00
479582023	Zone 01	1	23.00	23.00
479582024	Zone 01	1	23.00	23.00
479582025	Zone 01	1	23.00	23.00
479582026	Zone 01	1	23.00	23.00
479582027	Zone 01	1	23.00	23.00
479582028	Zone 01	1	23.00	23.00
479582029	Zone 01	1	23.00	23.00
479582030	Zone 01	1	23.00	23.00
479582031	Zone 01	1	23.00	23.00
479582032	Zone 01	1	23.00	23.00
479582033	Zone 01	1	23.00	23.00
479582034	Zone 01	1	23.00	23.00
479582035	Zone 01	1	23.00	23.00
479582036	Zone 01	1	23.00	23.00
479582037	Zone 01	1	23.00	23.00
479582038	Zone 01	1	23.00	23.00
479582039	Zone 01	1	23.00	23.00
479582040	Zone 01	1	23.00	23.00
479582041	Zone 01	1	23.00	23.00
479582042	Zone 01	1	23.00	23.00
479582043	Zone 01	1	23.00	23.00
479582044	Zone 01	1	23.00	23.00
479582045	Zone 01	1	23.00	23.00
479582046	Zone 01	1	23.00	23.00
479591001	Zone 01	1	23.00	23.00
479591002	Zone 01	1	23.00	23.00
479591003	Zone 01	1	23.00	23.00
479591004	Zone 01	1	23.00	23.00
479591005	Zone 01	1	23.00	23.00
479591006	Zone 01	1	23.00	23.00
479591007	Zone 01	1	23.00	23.00
479591008	Zone 01	1	23.00	23.00
479591009	Zone 01	1	23.00	23.00
479592001	Zone 01	1	23.00	23.00
479592002	Zone 01	1	23.00	23.00
479592003	Zone 01	1	23.00	23.00
479592004	Zone 01	1	23.00	23.00
479592005	Zone 01	1	23.00	23.00
479592006	Zone 01	1	23.00	23.00
479592007	Zone 01	1	23.00	23.00
479592008	Zone 01	1	23.00	23.00
479592009	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
479592010	Zone 01		1 23.00	23.00
479592011	Zone 01		1 23.00	23.00
479592012	Zone 01		1 23.00	23.00
479593001	Zone 01		1 23.00	23.00
479593002	Zone 01		1 23.00	23.00
479593003	Zone 01		1 23.00	23.00
479593004	Zone 01		1 23.00	23.00
479593005	Zone 01		1 23.00	23.00
479593006	Zone 01		1 23.00	23.00
479594001	Zone 01		1 23.00	23.00
479594002	Zone 01		1 23.00	23.00
479594003	Zone 01		1 23.00	23.00
479594004	Zone 01		1 23.00	23.00
479594005	Zone 01		1 23.00	23.00
479594006	Zone 01		1 23.00	23.00
479594007	Zone 01		1 23.00	23.00
479595001	Zone 01		1 23.00	23.00
479595002	Zone 01		1 23.00	23.00
479595003	Zone 01		1 23.00	23.00
479595004	Zone 01		1 23.00	23.00
479595005	Zone 01		1 23.00	23.00
479595006	Zone 01		1 23.00	23.00
479595007	Zone 01		1 23.00	23.00
479595008	Zone 01		1 23.00	23.00
479595009	Zone 01		1 23.00	23.00
479595010	Zone 01		1 23.00	23.00
479595011	Zone 01		1 23.00	23.00
479595012	Zone 01		1 23.00	23.00
479595013	Zone 01		1 23.00	23.00
479595014	Zone 01		1 23.00	23.00
479595015	Zone 01		1 23.00	23.00
479595016	Zone 01		1 23.00	23.00
479595017	Zone 01		1 23.00	23.00
479595018	Zone 01		1 23.00	23.00
479595019	Zone 01		1 23.00	23.00
479595020	Zone 01		1 23.00	23.00
479595021	Zone 01		1 23.00	23.00
479596001	Zone 01		1 23.00	23.00
479596002	Zone 01		1 23.00	23.00
479596003	Zone 01		1 23.00	23.00
479597001	Zone 01		1 23.00	23.00
479597002	Zone 01		1 23.00	23.00
479597003	Zone 01		1 23.00	23.00
479597004	Zone 01		1 23.00	23.00
479597005	Zone 01		1 23.00	23.00
479597006	Zone 01		1 23.00	23.00
479597007	Zone 01		1 23.00	23.00
479597008	Zone 01		1 23.00	23.00
170007000	23110 01		25.00	25.00

APN	LMD 2014-01 Zone LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
479597009	Zone 01	1 23.00	23.00
479597010	Zone 01	1 23.00	23.00
479597011	Zone 01	1 23.00	23.00
479597012	Zone 01	1 23.00	23.00
479597013	Zone 01	1 23.00	23.00
479601001	Zone 01	1 23.00	23.00
479601002	Zone 01	1 23.00	23.00
479601003	Zone 01	1 23.00	23.00
479601004	Zone 01	1 23.00	23.00
479601005	Zone 01	1 23.00	23.00
479601006	Zone 01	1 23.00	23.00
479601007	Zone 01	1 23.00	23.00
479601008	Zone 01	1 23.00	23.00
479601009	Zone 01	1 23.00	23.00
479601010	Zone 01	1 23.00	23.00
479601011	Zone 01	1 23.00	23.00
479601012	Zone 01	1 23.00	23.00
479601013	Zone 01	1 23.00	23.00
479601014	Zone 01	1 23.00	23.00
479601015	Zone 01	1 23.00	23.00
479601016	Zone 01	1 23.00	23.00
479601017	Zone 01	1 23.00	23.00
479601018	Zone 01	1 23.00	23.00
479601019	Zone 01	1 23.00	23.00
479601020	Zone 01	1 23.00	23.00
479601021	Zone 01	1 23.00	23.00
479601022	Zone 01	1 23.00	23.00
479601023	Zone 01	1 23.00	23.00
479601024	Zone 01	1 23.00	23.00
479601025	Zone 01	1 23.00	23.00
479601026	Zone 01	1 23.00	23.00
479601027	Zone 01	1 23.00	23.00
479601028	Zone 01	1 23.00	23.00
479601029	Zone 01	1 23.00	23.00
479602001	Zone 01	1 23.00	23.00
479602002	Zone 01	1 23.00	23.00
479602003	Zone 01	1 23.00	23.00
479602004	Zone 01	1 23.00	23.00
479602005	Zone 01	1 23.00	23.00
479602006	Zone 01	1 23.00	23.00
479602007	Zone 01	1 23.00	23.00
479602008	Zone 01	1 23.00	23.00
479602009	Zone 01	1 23.00	23.00
479602010	Zone 01	1 23.00	23.00
479603001	Zone 01	1 23.00	23.00
479603002	Zone 01	1 23.00	23.00
479603003	Zone 01	1 23.00	23.00
479603004	Zone 01	1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-1	8 Max Assessment	FY 17-18 Assessment
479603005	Zone 01	1	23.00	23.00
479603006	Zone 01	1	23.00	23.00
479603007	Zone 01	1	23.00	23.00
479603008	Zone 01	1	23.00	23.00
479603009	Zone 01	1	23.00	23.00
479603010	Zone 01	1	23.00	23.00
479603011	Zone 01	1	23.00	23.00
479603012	Zone 01	1	23.00	23.00
479603013	Zone 01	1	23.00	23.00
479603014	Zone 01	1	23.00	23.00
479603015	Zone 01	1	23.00	23.00
479603016	Zone 01	1	23.00	23.00
479603017	Zone 01	1	23.00	23.00
479603018	Zone 01	1	23.00	23.00
479603019	Zone 01	1	23.00	23.00
479603020	Zone 01	1	23.00	23.00
479603021	Zone 01	1	23.00	23.00
479611001	Zone 01	1	23.00	23.00
479611002	Zone 01	1	23.00	23.00
479611003	Zone 01	1	23.00	23.00
479611004	Zone 01	1	23.00	23.00
479611005	Zone 01	1	23.00	23.00
479611006	Zone 01	1	23.00	23.00
479611007	Zone 01	1	23.00	23.00
479611008	Zone 01	1	23.00	23.00
479611009	Zone 01	1	23.00	23.00
479611010	Zone 01	1	23.00	23.00
479611011	Zone 01	1	23.00	23.00
479612001	Zone 01	1	23.00	23.00
479612002	Zone 01	1	23.00	23.00
479612003	Zone 01	1	23.00	23.00
479612004	Zone 01	1	23.00	23.00
479612005	Zone 01	1	23.00	23.00
479612006	Zone 01	1	23.00	23.00
479612007	Zone 01	1	23.00	23.00
479613001	Zone 01	1	23.00	23.00
479613002	Zone 01	1	23.00	23.00
479613003	Zone 01	1	23.00	23.00
479613004	Zone 01	1	23.00	23.00
479613005	Zone 01	1	23.00	23.00
479613006	Zone 01	1	23.00	23.00
479613007	Zone 01	1	23.00	23.00
479613008	Zone 01	1	23.00	23.00
479613009	Zone 01	1	23.00	23.00
479613010	Zone 01	1	23.00	23.00
479613011	Zone 01	1	23.00	23.00
479614001	Zone 01	1	23.00	23.00
479614002	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned EB	U's FY 17-18 N	lax Assessment	FY 17-18 Assessment
479614003	Zone 01	1	23.00	23.00
479614004	Zone 01	1	23.00	23.00
479614005	Zone 01	1	23.00	23.00
479614006	Zone 01	1	23.00	23.00
479614007	Zone 01	1	23.00	23.00
479614008	Zone 01	1	23.00	23.00
479614009	Zone 01	1	23.00	23.00
479614010	Zone 01	1	23.00	23.00
479614011	Zone 01	1	23.00	23.00
479615001	Zone 01	1	23.00	23.00
479615002	Zone 01	1	23.00	23.00
479615003	Zone 01	1	23.00	23.00
479615004	Zone 01	1	23.00	23.00
479615005	Zone 01	1	23.00	23.00
479615006	Zone 01	1	23.00	23.00
479615007	Zone 01	1	23.00	23.00
479615008	Zone 01	1	23.00	23.00
479615009	Zone 01	1	23.00	23.00
479615010	Zone 01	1	23.00	23.00
479615011	Zone 01	1	23.00	23.00
479615012	Zone 01	1	23.00	23.00
479615013	Zone 01	1	23.00	23.00
479615014	Zone 01	1	23.00	23.00
479615015	Zone 01	1	23.00	23.00
479615016	Zone 01	1	23.00	23.00
479615017	Zone 01	1	23.00	23.00
479615018	Zone 01	1	23.00	23.00
479615019	Zone 01	1	23.00	23.00
479615020	Zone 01	1	23.00	23.00
479615021	Zone 01	1	23.00	23.00
479615022	Zone 01	1	23.00	23.00
479615023	Zone 01	1	23.00	23.00
479615024	Zone 01	1	23.00	23.00
479615025	Zone 01	1	23.00	23.00
479616001	Zone 01	1	23.00	23.00
479616002	Zone 01	1	23.00	23.00
479616003	Zone 01	1	23.00	23.00
479616004	Zone 01	1	23.00	23.00
479616005	Zone 01	1	23.00	23.00
479616006	Zone 01	1	23.00	23.00
479616007	Zone 01	1	23.00	23.00
479616008	Zone 01	1	23.00	23.00
479616009	Zone 01	1	23.00	23.00
479616010	Zone 01	1	23.00	23.00
479616011	Zone 01	1	23.00	23.00
479616012	Zone 01	1	23.00	23.00
479621001	Zone 01	1	23.00	23.00
479621002	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
479621003	Zone 01		1 23.00	23.00
479621004	Zone 01		1 23.00	23.00
479621005	Zone 01		1 23.00	23.00
479621006	Zone 01		1 23.00	23.00
479621007	Zone 01		1 23.00	23.00
479621008	Zone 01		1 23.00	23.00
479621009	Zone 01		1 23.00	23.00
479621010	Zone 01		1 23.00	23.00
479621011	Zone 01		1 23.00	23.00
479621012	Zone 01		1 23.00	23.00
479621013	Zone 01		1 23.00	23.00
479621014	Zone 01		1 23.00	23.00
479621015	Zone 01		1 23.00	23.00
479621016	Zone 01		1 23.00	23.00
479621017	Zone 01		1 23.00	23.00
479621018	Zone 01		1 23.00	23.00
479621019	Zone 01		1 23.00	23.00
479621020	Zone 01		1 23.00	23.00
479621021	Zone 01		1 23.00	23.00
479621022	Zone 01		1 23.00	23.00
479621023	Zone 01		1 23.00	23.00
479621024	Zone 01		1 23.00	23.00
479621025	Zone 01		1 23.00	23.00
479621026	Zone 01		1 23.00	23.00
479621027	Zone 01		1 23.00	23.00
479621028	Zone 01		1 23.00	23.00
479622001	Zone 01		1 23.00	23.00
479622002	Zone 01		1 23.00	23.00
479622003	Zone 01		1 23.00	23.00
479622004	Zone 01		1 23.00	23.00
479622005	Zone 01		1 23.00	23.00
479622006	Zone 01		1 23.00	23.00
479622007	Zone 01		1 23.00	23.00
479622008	Zone 01		1 23.00	23.00
479622009	Zone 01		1 23.00	23.00
479622010	Zone 01		1 23.00	23.00
479622011	Zone 01		1 23.00	23.00
479622012	Zone 01		1 23.00	23.00
479622013	Zone 01		1 23.00	23.00
479622014	Zone 01		1 23.00	23.00
479622015	Zone 01		1 23.00	23.00
479622016	Zone 01		1 23.00	23.00
479622017	Zone 01		1 23.00	23.00
479622018	Zone 01		1 23.00	23.00
479622019	Zone 01		1 23.00	23.00
479622020	Zone 01		1 23.00	23.00
479622021	Zone 01		1 23.00	23.00
479622022	Zone 01		1 23.00	23.00
				20.30

APN	LMD 2014-01 Zone LMD Assigne	d EBU's FY 17-18 I	Max Assessment	FY 17-18 Assessment
479622023	Zone 01	1	23.00	23.00
479622024	Zone 01	1	23.00	23.00
479622025	Zone 01	1	23.00	23.00
479622026	Zone 01	1	23.00	23.00
479622027	Zone 01	1	23.00	23.00
479622028	Zone 01	1	23.00	23.00
479622029	Zone 01	1	23.00	23.00
479622030	Zone 01	1	23.00	23.00
479622031	Zone 01	1	23.00	23.00
479622032	Zone 01	1	23.00	23.00
479622033	Zone 01	1	23.00	23.00
479622034	Zone 01	1	23.00	23.00
479622035	Zone 01	1	23.00	23.00
479622036	Zone 01	1	23.00	23.00
479622037	Zone 01	1	23.00	23.00
479623001	Zone 01	1	23.00	23.00
479623002	Zone 01	1	23.00	23.00
479623003	Zone 01	1	23.00	23.00
479623004	Zone 01	1	23.00	23.00
479623005	Zone 01	1	23.00	23.00
479623006	Zone 01	1	23.00	23.00
479623007	Zone 01	1	23.00	23.00
479623008	Zone 01	1	23.00	23.00
479623009	Zone 01	1	23.00	23.00
479631001	Zone 01	1	23.00	23.00
479631002	Zone 01	1	23.00	23.00
479631003	Zone 01	1	23.00	23.00
479631004	Zone 01	1	23.00	23.00
479631005	Zone 01	1	23.00	23.00
479631006	Zone 01	1	23.00	23.00
479631007	Zone 01	1	23.00	23.00
479631008	Zone 01	1	23.00	23.00
479632001	Zone 01	1	23.00	23.00
479632002	Zone 01	1	23.00	23.00
479632003	Zone 01	1	23.00	23.00
479632004	Zone 01	1	23.00	23.00
479632005	Zone 01	1	23.00	23.00
479632006	Zone 01	1	23.00	23.00
479632007	Zone 01	1	23.00	23.00
479632008	Zone 01	1	23.00	23.00
479632009	Zone 01	1	23.00	23.00
479632010	Zone 01	1	23.00	23.00
479632011	Zone 01	1	23.00	23.00
479632012	Zone 01	1	23.00	23.00
479632013	Zone 01	1	23.00	23.00
479632014	Zone 01	1	23.00	23.00
479632015	Zone 01	1	23.00	23.00
479632016	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-1	8 Max Assessment	FY 17-18 Assessment
479632017	Zone 01	1	23.00	23.00
479632018	Zone 01	1	23.00	23.00
479632019	Zone 01	1	23.00	23.00
479632020	Zone 01	1	23.00	23.00
479633001	Zone 01	1	23.00	23.00
479633002	Zone 01	1	23.00	23.00
479633003	Zone 01	1	23.00	23.00
479633004	Zone 01	1	23.00	23.00
479633005	Zone 01	1	23.00	23.00
479633006	Zone 01	1	23.00	23.00
479641001	Zone 01	1	23.00	23.00
479641002	Zone 01	1	23.00	23.00
479641003	Zone 01	1	23.00	23.00
479641004	Zone 01	1	23.00	23.00
479641005	Zone 01	1	23.00	23.00
479641006	Zone 01	1	23.00	23.00
479641007	Zone 01	1	23.00	23.00
479641008	Zone 01	1	23.00	23.00
479641009	Zone 01	1	23.00	23.00
479641010	Zone 01	1	23.00	23.00
479641011	Zone 01	1	23.00	23.00
479641012	Zone 01	1	23.00	23.00
479641013	Zone 01	1	23.00	23.00
479641014	Zone 01	1	23.00	23.00
479641015	Zone 01	1	23.00	23.00
479641016	Zone 01	1	23.00	23.00
479641017	Zone 01	1	23.00	23.00
479641018	Zone 01	1	23.00	23.00
479641019	Zone 01	1	23.00	23.00
479641020	Zone 01	1	23.00	23.00
479641021	Zone 01	1	23.00	23.00
479642001	Zone 01	1	23.00	23.00
479642002	Zone 01	1	23.00	23.00
479642003	Zone 01	1	23.00	23.00
479642004	Zone 01	1	23.00	23.00
479642005	Zone 01	1	23.00	23.00
479642006	Zone 01	1	23.00	23.00
479642007	Zone 01	1	23.00	23.00
479642008	Zone 01	1	23.00	23.00
479642009	Zone 01	1	23.00	23.00
479642010	Zone 01	1	23.00	23.00
479642011	Zone 01	1	23.00	23.00
479642012	Zone 01	1	23.00	23.00
479642013	Zone 01	1	23.00	23.00
479642014	Zone 01	1	23.00	23.00
479642015	Zone 01	1	23.00	23.00
479642016	Zone 01	1	23.00	23.00
479642017	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-1	8 Max Assessment	FY 17-18 Assessment
479642018	Zone 01	1	23.00	23.00
479642019	Zone 01	1	23.00	23.00
479642020	Zone 01	1	23.00	23.00
479642021	Zone 01	1	23.00	23.00
479642022	Zone 01	1	23.00	23.00
479642023	Zone 01	1	23.00	23.00
479642024	Zone 01	1	23.00	23.00
479642025	Zone 01	1	23.00	23.00
479642026	Zone 01	1	23.00	23.00
479642027	Zone 01	1	23.00	23.00
479642028	Zone 01	1	23.00	23.00
479642029	Zone 01	1	23.00	23.00
479642030	Zone 01	1	23.00	23.00
479642031	Zone 01	1	23.00	23.00
479642032	Zone 01	1	23.00	23.00
479642033	Zone 01	1	23.00	23.00
479643001	Zone 01	1	23.00	23.00
479643002	Zone 01	1	23.00	23.00
479643003	Zone 01	1	23.00	23.00
479643004	Zone 01	1	23.00	23.00
479643005	Zone 01	1	23.00	23.00
479643006	Zone 01	1	23.00	23.00
479643007	Zone 01	1	23.00	23.00
479643008	Zone 01	1	23.00	23.00
479643009	Zone 01	1	23.00	23.00
479643010	Zone 01	1	23.00	23.00
479644001	Zone 01	1	23.00	23.00
479644002	Zone 01	1	23.00	23.00
479644003	Zone 01	1	23.00	23.00
479644004	Zone 01	1	23.00	23.00
479644005	Zone 01	1	23.00	23.00
479644006	Zone 01	1	23.00	23.00
479644007	Zone 01	1	23.00	23.00
479644008	Zone 01	1	23.00	23.00
479644009	Zone 01	1	23.00	23.00
479644010	Zone 01	1	23.00	23.00
479644011	Zone 01	1	23.00	23.00
479644012	Zone 01	1	23.00	23.00
479644013	Zone 01	1	23.00	23.00
479644014	Zone 01	1	23.00	23.00
479644015	Zone 01	1	23.00	23.00
479644016	Zone 01	1	23.00	23.00
479651001	Zone 01	1	23.00	23.00
479651002	Zone 01	1	23.00	23.00
479651003	Zone 01	1	23.00	23.00
479651004	Zone 01	1	23.00	23.00
479651005	Zone 01	1	23.00	23.00
479651006	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned E	BU's FY 17-	18 Max Assessment	FY 17-18 Assessment
479651007	Zone 01	1	23.00	23.00
479651008	Zone 01	1	23.00	23.00
479651009	Zone 01	1	23.00	23.00
479651010	Zone 01	1	23.00	23.00
479651011	Zone 01	1	23.00	23.00
479651012	Zone 01	1	23.00	23.00
479651013	Zone 01	1	23.00	23.00
479651014	Zone 01	1	23.00	23.00
479651015	Zone 01	1	23.00	23.00
479651016	Zone 01	1	23.00	23.00
479651017	Zone 01	1	23.00	23.00
479651018	Zone 01	1	23.00	23.00
479651019	Zone 01	1	23.00	23.00
479651020	Zone 01	1	23.00	23.00
479651021	Zone 01	1	23.00	23.00
479651022	Zone 01	1	23.00	23.00
479651023	Zone 01	1	23.00	23.00
479651024	Zone 01	1	23.00	23.00
479651025	Zone 01	1	23.00	23.00
479651026	Zone 01	1	23.00	23.00
479651027	Zone 01	1	23.00	23.00
479651028	Zone 01	1	23.00	23.00
479651029	Zone 01	1	23.00	23.00
479651030	Zone 01	1	23.00	23.00
479651031	Zone 01	1	23.00	23.00
479651032	Zone 01	1	23.00	23.00
479651033	Zone 01	1	23.00	23.00
479651034	Zone 01	1	23.00	23.00
479651035	Zone 01	1	23.00	23.00
479651036	Zone 01	1	23.00	23.00
479652001	Zone 01	1	23.00	23.00
479652002	Zone 01	1	23.00	23.00
479652003	Zone 01	1	23.00	23.00
479652004	Zone 01	1	23.00	23.00
479652005	Zone 01	1	23.00	23.00
479652006	Zone 01	1	23.00	23.00
479652007	Zone 01	1	23.00	23.00
479652008	Zone 01	1	23.00	23.00
479652009	Zone 01	1	23.00	23.00
479652010	Zone 01	1	23.00	23.00
479652011	Zone 01	1	23.00	23.00
479652012	Zone 01	1	23.00	23.00
479652013	Zone 01	1	23.00	23.00
479652014	Zone 01	1	23.00	23.00
479652015	Zone 01	1	23.00	23.00
479652016	Zone 01	1	23.00	23.00
479652017	Zone 01	1	23.00	23.00
479652018	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-18	Max Assessment	FY 17-18 Assessment
479652019	Zone 01	1	23.00	23.00
479652020	Zone 01	1	23.00	23.00
479652021	Zone 01	1	23.00	23.00
479652022	Zone 01	1	23.00	23.00
479652023	Zone 01	1	23.00	23.00
479652024	Zone 01	1	23.00	23.00
479652025	Zone 01	1	23.00	23.00
479652026	Zone 01	1	23.00	23.00
479652027	Zone 01	1	23.00	23.00
479653001	Zone 01	1	23.00	23.00
479653002	Zone 01	1	23.00	23.00
479653003	Zone 01	1	23.00	23.00
479653004	Zone 01	1	23.00	23.00
479653005	Zone 01	1	23.00	23.00
479653006	Zone 01	1	23.00	23.00
479653007	Zone 01	1	23.00	23.00
479661001	Zone 01	1	23.00	23.00
479661002	Zone 01	1	23.00	23.00
479661003	Zone 01	1	23.00	23.00
479661004	Zone 01	1	23.00	23.00
479661005	Zone 01	1	23.00	23.00
479661006	Zone 01	1	23.00	23.00
479661007	Zone 01	1	23.00	23.00
479661008	Zone 01	1	23.00	23.00
479661009	Zone 01	1	23.00	23.00
479661010	Zone 01	1	23.00	23.00
479661011	Zone 01	1	23.00	23.00
479661012	Zone 01	1	23.00	23.00
479661013	Zone 01	1	23.00	23.00
479661014	Zone 01	1	23.00	23.00
479661015	Zone 01	1	23.00	23.00
479661016	Zone 01	1	23.00	23.00
479661017	Zone 01	1	23.00	23.00
479661018	Zone 01	1	23.00	23.00
479661019	Zone 01	1	23.00	23.00
479661020	Zone 01	1	23.00	23.00
479661021	Zone 01	1	23.00	23.00
479662001	Zone 01	1	23.00	23.00
479662002	Zone 01	1	23.00	23.00
479662003	Zone 01	1	23.00	23.00
479662004	Zone 01	1	23.00	23.00
479662005	Zone 01	1	23.00	23.00
479662006	Zone 01	1	23.00	23.00
479662007	Zone 01	1	23.00	23.00
479662008	Zone 01	1	23.00	23.00
479662009	Zone 01	1	23.00	23.00
479662010	Zone 01	1	23.00	23.00
479662011	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
479662012	Zone 01		1 23.00	23.00
479662013	Zone 01		1 23.00	23.00
479662014	Zone 01		1 23.00	23.00
479662015	Zone 01		1 23.00	23.00
479662016	Zone 01		1 23.00	23.00
479662017	Zone 01		1 23.00	23.00
479662018	Zone 01		1 23.00	23.00
479662019	Zone 01		1 23.00	23.00
479662020	Zone 01		1 23.00	23.00
479662022	Zone 01		1 23.00	23.00
479662024	Zone 01		1 23.00	23.00
479662025	Zone 01		1 23.00	23.00
479662026	Zone 01		1 23.00	23.00
479662027	Zone 01		1 23.00	23.00
479662028	Zone 01		1 23.00	23.00
479662029	Zone 01		1 23.00	23.00
479662030	Zone 01		1 23.00	23.00
479662031	Zone 01		1 23.00	23.00
479662032	Zone 01		1 23.00	23.00
479662033	Zone 01		1 23.00	23.00
479662034	Zone 01		1 23.00	23.00
479662035	Zone 01		1 23.00	23.00
479662036	Zone 01		1 23.00	23.00
479662037	Zone 01		1 23.00	23.00
479662039	Zone 01		1 23.00	23.00
479662040	Zone 01		1 23.00	23.00
479662041	Zone 01		1 23.00	23.00
479662042	Zone 01		1 23.00	23.00
479662043	Zone 01		1 23.00	23.00
479662044	Zone 01		1 23.00	23.00
479662045	Zone 01		1 23.00	23.00
479662046	Zone 01		1 23.00	23.00
479662047	Zone 01		1 23.00	23.00
479662048	Zone 01		1 23.00	23.00
479663001	Zone 01		1 23.00	23.00
479663002	Zone 01		1 23.00	23.00
479663003	Zone 01		1 23.00	23.00
479663004	Zone 01		1 23.00	23.00
479663005	Zone 01		1 23.00	23.00
479663006	Zone 01		1 23.00	23.00
479663007	Zone 01		1 23.00	23.00
479663008	Zone 01		1 23.00	23.00
479663009	Zone 01		1 23.00	23.00
479663010	Zone 01		1 23.00	23.00
479663011	Zone 01		1 23.00	23.00
479663012	Zone 01		1 23.00	23.00
479663013	Zone 01		1 23.00	23.00
479663014	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone L	_MD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
479663015	Zone 01		1 23.00	23.00
479663016	Zone 01		1 23.00	23.00
479663017	Zone 01		1 23.00	23.00
479663019	Zone 01		1 23.00	23.00
479663020	Zone 01		1 23.00	23.00
479663021	Zone 01		1 23.00	23.00
479663022	Zone 01		1 23.00	23.00
479663023	Zone 01		1 23.00	23.00
479663024	Zone 01		1 23.00	23.00
479663025	Zone 01		1 23.00	23.00
479663026	Zone 01		1 23.00	23.00
479663027	Zone 01		1 23.00	23.00
479663028	Zone 01		1 23.00	23.00
479663029	Zone 01		1 23.00	23.00
479663030	Zone 01		1 23.00	23.00
479663031	Zone 01		1 23.00	23.00
479663032	Zone 01		1 23.00	23.00
479663033	Zone 01		1 23.00	23.00
479663034	Zone 01		1 23.00	23.00
479663035	Zone 01		1 23.00	23.00
479663036	Zone 01		1 23.00	23.00
479663037	Zone 01		1 23.00	23.00
479475001	Zone 01		1 23.00	23.00
481120034	Zone 01		1 23.00	23.00
481130005	Zone 01		1 23.00	23.00
481130006	Zone 01		1 23.00	23.00
481130007	Zone 01		1 23.00	23.00
481130008	Zone 01		1 23.00	23.00
481130009	Zone 01		1 23.00	23.00
481130010	Zone 01		1 23.00	23.00
481130011	Zone 01		1 23.00	23.00
481130012	Zone 01		1 23.00	23.00
481130013	Zone 01		1 23.00	23.00
481130014	Zone 01		1 23.00	23.00
481130015	Zone 01		1 23.00	23.00
481130016	Zone 01		1 23.00	23.00
481130018	Zone 01		1 23.00	23.00
481130019	Zone 01		1 23.00	23.00
481130020	Zone 01		1 23.00	23.00
481130024	Zone 01		1 23.00	23.00
481130025	Zone 01		1 23.00	23.00
481130026	Zone 01		1 23.00	23.00
481130029	Zone 01		1 23.00	23.00
481130030	Zone 01		1 23.00	23.00
481033006	Zone 01		1 23.00	23.00
481033007	Zone 01		1 23.00	23.00
481033008	Zone 01		1 23.00	23.00
481033009	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
481033010	Zone 01		1 23.00	23.00
481033011	Zone 01		1 23.00	23.00
481033012	Zone 01		1 23.00	23.00
481041016	Zone 01		1 23.00	23.00
481041017	Zone 01		1 23.00	23.00
481041018	Zone 01		1 23.00	23.00
481041019	Zone 01		1 23.00	23.00
481041020	Zone 01		1 23.00	23.00
481041021	Zone 01		1 23.00	23.00
481041022	Zone 01		1 23.00	23.00
481041023	Zone 01		1 23.00	23.00
481041024	Zone 01		1 23.00	23.00
481041025	Zone 01		1 23.00	23.00
481041026	Zone 01		1 23.00	23.00
481270063	Zone 01		0	0.00
482451050	Zone 01		1 23.00	23.00
482552006	Zone 01		1 23.00	23.00
481043001	Zone 01		1 23.00	23.00
481043002	Zone 01		1 23.00	23.00
481043003	Zone 01		1 23.00	23.00
481043004	Zone 01		1 23.00	23.00
481043005	Zone 01		1 23.00	23.00
481043006	Zone 01		1 23.00	23.00
481043007	Zone 01		1 23.00	23.00
481043007	Zone 01		1 23.00	23.00
481043009	Zone 01		1 23.00	23.00
481043010	Zone 01		1 23.00	23.00
481062006	Zone 01		1 23.00	
				23.00
481062007	Zone 01		1 23.00	23.00
481062008	Zone 01		1 23.00	23.00
481062009	Zone 01		1 23.00	23.00
481062010	Zone 01		1 23.00	23.00
481062011	Zone 01		1 23.00	23.00
481062012	Zone 01		1 23.00	23.00
481062013	Zone 01		1 23.00	23.00
481062014	Zone 01		1 23.00	23.00
481062015	Zone 01		1 23.00	23.00
481062016	Zone 01		1 23.00	23.00
481062017	Zone 01		1 23.00	23.00
481062018	Zone 01	·	1 23.00	23.00
481062019	Zone 01		1 23.00	23.00
481062020	Zone 01		1 23.00	23.00
481062021	Zone 01		1 23.00	23.00
481063001	Zone 01		1 23.00	23.00
481063002	Zone 01		1 23.00	23.00
481063003	Zone 01		1 23.00	23.00
481063004	Zone 01		1 23.00	23.00
481063005	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
481063006	Zone 01		1 23.00	23.00
481063007	Zone 01		1 23.00	23.00
481063018	Zone 01		1 23.00	23.00
481063019	Zone 01		1 23.00	23.00
481063020	Zone 01		1 23.00	23.00
481063021	Zone 01		1 23.00	23.00
481063022	Zone 01		1 23.00	23.00
481063023	Zone 01		1 23.00	23.00
481063024	Zone 01		1 23.00	23.00
481064015	Zone 01		1 23.00	23.00
481064016	Zone 01		1 23.00	23.00
481064017	Zone 01		1 23.00	23.00
481064018	Zone 01		1 23.00	23.00
481064019	Zone 01		1 23.00	23.00
481064020	Zone 01		1 23.00	23.00
481064021	Zone 01		1 23.00	23.00
481064022	Zone 01		1 23.00	23.00
481064023	Zone 01		1 23.00	23.00
481064024	Zone 01		1 23.00	23.00
481064025	Zone 01		1 23.00	23.00
481064026	Zone 01		1 23.00	23.00
481064027	Zone 01		1 23.00	23.00
481064028	Zone 01		1 23.00	23.00
481140017	Zone 01		1 23.00	23.00
481140020	Zone 01		1 23.00	23.00
481140022	Zone 01		1 23.00	23.00
481140023	Zone 01		1 23.00	23.00
481140024	Zone 01		1 23.00	23.00
481140026	Zone 01		1 23.00	23.00
481130032	Zone 01		1 23.00	23.00
481130033	Zone 01		1 23.00	23.00
481130034	Zone 01		1 23.00	23.00
481130036	Zone 01		1 23.00	23.00
481130037	Zone 01		1 23.00	23.00
481130038	Zone 01		1 23.00	23.00
481031015	Zone 01		1 23.00	23.00
481031016	Zone 01		1 23.00	23.00
481031017	Zone 01		1 23.00	23.00
481031018	Zone 01		1 23.00	23.00
481031019	Zone 01		1 23.00	23.00
481031020	Zone 01		1 23.00	23.00
481031021	Zone 01		1 23.00	23.00
481031022	Zone 01		1 23.00	23.00
481031023	Zone 01		1 23.00	23.00
481031024	Zone 01		1 23.00	23.00
481031025	Zone 01		1 23.00	23.00
481031026	Zone 01		1 23.00	23.00
481033001	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	d EBU's FY 17-18 N	lax Assessment	FY 17-18 Assessment
481033002	Zone 01	1	23.00	23.00
481033003	Zone 01	1	23.00	23.00
481033004	Zone 01	1	23.00	23.00
481033005	Zone 01	1	23.00	23.00
481150003	Zone 01	1	23.00	23.00
481150004	Zone 01	1	23.00	23.00
481150005	Zone 01	1	23.00	23.00
481150006	Zone 01	1	23.00	23.00
481150007	Zone 01	1	23.00	23.00
481150008	Zone 01	1	23.00	23.00
481150009	Zone 01	1	23.00	23.00
481150010	Zone 01	1	23.00	23.00
481150017	Zone 01	1	23.00	23.00
481150020	Zone 01	1	23.00	23.00
481150021	Zone 01	1	23.00	23.00
481150022	Zone 01	1	23.00	23.00
481150023	Zone 01	1	23.00	23.00
481150025	Zone 01	1	23.00	23.00
481150026	Zone 01	1	23.00	23.00
481150027	Zone 01	1	23.00	23.00
481150028	Zone 01	1	23.00	23.00
481150029	Zone 01	1	23.00	23.00
481150030	Zone 01	1	23.00	23.00
481150031	Zone 01	1	23.00	23.00
481150032	Zone 01	1	23.00	23.00
481150033	Zone 01	1	23.00	23.00
481150035	Zone 01	1	23.00	23.00
481150036	Zone 01	1	23.00	23.00
481150039	Zone 01	1	23.00	23.00
481150046	Zone 01	1	23.00	23.00
481161012	Zone 01	1	23.00	23.00
481161013	Zone 01	1	23.00	23.00
481161014	Zone 01	1	23.00	23.00
481161017	Zone 01	1	23.00	23.00
481161018	Zone 01	1	23.00	23.00
481161019	Zone 01	1	23.00	23.00
481161020	Zone 01	1	23.00	23.00
481161021	Zone 01	1	23.00	23.00
481161022	Zone 01	1	23.00	23.00
481161023	Zone 01	1	23.00	23.00
481161024	Zone 01	1	23.00	23.00
481161025	Zone 01	1	23.00	23.00
481161026	Zone 01	1	23.00	23.00
481161027	Zone 01	1	23.00	23.00
481161028	Zone 01	1	23.00	23.00
481161029	Zone 01	1	23.00	23.00
481161030	Zone 01	1	23.00	23.00
481161031	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
481161032	Zone 01		1 23.00	23.00
481161033	Zone 01		1 23.00	23.00
481161034	Zone 01		1 23.00	23.00
481161035	Zone 01		1 23.00	23.00
481161036	Zone 01		1 23.00	23.00
481161037	Zone 01		1 23.00	23.00
481161038	Zone 01		1 23.00	23.00
481162001	Zone 01		1 23.00	23.00
481162002	Zone 01		1 23.00	23.00
481162003	Zone 01		1 23.00	23.00
481162004	Zone 01		1 23.00	23.00
481162005	Zone 01		1 23.00	23.00
481162006	Zone 01		1 23.00	23.00
481162007	Zone 01		1 23.00	23.00
481162008	Zone 01		1 23.00	23.00
481162009	Zone 01		1 23.00	23.00
481162010	Zone 01		1 23.00	23.00
481162011	Zone 01		1 23.00	23.00
481162012	Zone 01		1 23.00	23.00
481162013	Zone 01		1 23.00	23.00
481162014	Zone 01		1 23.00	23.00
481162015	Zone 01		1 23.00	23.00
481162016	Zone 01		1 23.00	23.00
481171001	Zone 01		1 23.00	23.00
481171005	Zone 01		1 23.00	23.00
481171006	Zone 01		1 23.00	23.00
481171007	Zone 01		1 23.00	23.00
481171008	Zone 01		1 23.00	23.00
481171010	Zone 01		1 23.00	23.00
481171011	Zone 01		1 23.00	23.00
481171046	Zone 01		1 23.00	23.00
481171014	Zone 01		1 23.00	23.00
481171015	Zone 01		1 23.00	23.00
481171016	Zone 01		1 23.00	23.00
481171017	Zone 01		1 23.00	23.00
481171018	Zone 01		1 23.00	23.00
481171019	Zone 01		1 23.00	23.00
481171020	Zone 01		1 23.00	23.00
481171021	Zone 01		1 23.00	23.00
481171022	Zone 01		1 23.00	23.00
481171023	Zone 01		1 23.00	23.00
481171024	Zone 01		1 23.00	23.00
481171025	Zone 01		1 23.00	23.00
481171026	Zone 01		1 23.00	23.00
481171027	Zone 01		1 23.00	23.00
481171028	Zone 01		1 23.00	23.00
481171029	Zone 01		1 23.00	23.00
481171030	Zone 01		1 23.00	23.00
.51111000	_3,10 0 1		20.00	20.00

APN	LMD 2014-01 Zone LMD Assigned	! EBU's FY 17-18 N	Max Assessment	FY 17-18 Assessment
481171032	Zone 01	1	23.00	23.00
481171033	Zone 01	1	23.00	23.00
481171034	Zone 01	1	23.00	23.00
481171035	Zone 01	1	23.00	23.00
481171036	Zone 01	1	23.00	23.00
481171037	Zone 01	1	23.00	23.00
481171038	Zone 01	1	23.00	23.00
481171039	Zone 01	1	23.00	23.00
481171040	Zone 01	1	23.00	23.00
481200001	Zone 01	1	23.00	23.00
481200002	Zone 01	1	23.00	23.00
481200003	Zone 01	1	23.00	23.00
481200004	Zone 01	1	23.00	23.00
481200005	Zone 01	1	23.00	23.00
481200006	Zone 01	1	23.00	23.00
481200007	Zone 01	1	23.00	23.00
481200008	Zone 01	1	23.00	23.00
481200009	Zone 01	1	23.00	23.00
481200010	Zone 01	1	23.00	23.00
481200011	Zone 01	1	23.00	23.00
481200013	Zone 01	1	23.00	23.00
481200014	Zone 01	1	23.00	23.00
481200046	Zone 01	1	23.00	23.00
481200025	Zone 01	1	23.00	23.00
481200026	Zone 01	1	23.00	23.00
481200027	Zone 01	1	23.00	23.00
481200028	Zone 01	1	23.00	23.00
481200029	Zone 01	1	23.00	23.00
481200031	Zone 01	1	23.00	23.00
481200032	Zone 01	1	23.00	23.00
481200033	Zone 01	1	23.00	23.00
481200034	Zone 01	1	23.00	23.00
481200035	Zone 01	1	23.00	23.00
481200036	Zone 01	1	23.00	23.00
481200039	Zone 01	1	23.00	23.00
481200040	Zone 01	1	23.00	23.00
481200041	Zone 01	1	23.00	23.00
481200043	Zone 01	1	23.00	23.00
481200044	Zone 01	1	23.00	23.00
481200045	Zone 01	1	23.00	23.00
481210001	Zone 01	1	23.00	23.00
481210002	Zone 01	1	23.00	23.00
481210003	Zone 01	1	23.00	23.00
481210004	Zone 01	1	23.00	23.00
481210005	Zone 01	1	23.00	23.00
481210006	Zone 01	1	23.00	23.00
481210007	Zone 01	1	23.00	23.00
481210008	Zone 01	1	23.00	23.00

## ## ## ## ## ## ## ## ## ## ## ## ##	APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
AB1210011 Zone 01	481210009	Zone 01		1 23.00	23.00
A81210012	481210010	Zone 01		1 23.00	23.00
481210013 Zone 01 1 23.00 23.00 481210014 Zone 01 1 23.00 23.00 481221008 Zone 01 1 23.00 23.00 481221010 Zone 01 1 23.00 23.00 481221010 Zone 01 1 23.00 23.00 481221011 Zone 01 1 23.00 23.00 481221012 Zone 01 1 23.00 23.00 481221013 Zone 01 1 23.00 23.00 481221014 Zone 01 1 23.00 23.00 481221015 Zone 01 1 23.00 23.00 481221016 Zone 01 1 23.00 23.00 481222017 Zone 01 1 23.00 23.00 481222001 Zone 01 1 23.00 23.00 481222002 Zone 01 1 23.00 23.00 481222003 Zone 01 1 23.00 23.00	481210011	Zone 01		1 23.00	23.00
A81210014	481210012	Zone 01		1 23.00	23.00
A81210050 Zone 01	481210013	Zone 01		1 23.00	23.00
A81221001 Zone 01 1 23.00 23	481210014	Zone 01		1 23.00	23.00
A81221018	481210050	Zone 01		1 23.00	23.00
AB1221010 Zone 01	481221001	Zone 01		1 23.00	23.00
AB1221011	481221008	Zone 01		1 23.00	23.00
481221012 Zone 01 1 23.00 23.00 481221013 Zone 01 1 23.00 23.00 481221015 Zone 01 1 23.00 23.00 481221016 Zone 01 1 23.00 23.00 481221017 Zone 01 1 23.00 23.00 481222001 Zone 01 1 23.00 23.00 481222002 Zone 01 1 23.00 23.00 481222003 Zone 01 1 23.00 23.00 481222005 Zone 01 1 23.00 23.00 481222006 Zone 01 1 23.00 23.00 481222007 Zone 01 1 23.00 23.00 481222008 Zone 01 1 23.00 23.00 481222010 Zone 01 1 23.00 23.00 481222010 Zone 01 1 23.00 23.00 481222011 Zone 01 1 23.00 23.00	481221010	Zone 01		1 23.00	23.00
AB1221013 Zone 01	481221011	Zone 01		1 23.00	23.00
481221014 Zone 01 1 23.00 23.00 481221015 Zone 01 1 23.00 23.00 481221017 Zone 01 1 23.00 23.00 48122201 Zone 01 1 23.00 23.00 48122202 Zone 01 1 23.00 23.00 48122203 Zone 01 1 23.00 23.00 481222005 Zone 01 1 23.00 23.00 481222005 Zone 01 1 23.00 23.00 481222006 Zone 01 1 23.00 23.00 481222007 Zone 01 1 23.00 23.00 481222008 Zone 01 1 23.00 23.00 481222009 Zone 01 1 23.00 23.00 481222010 Zone 01 1 23.00 23.00 481222011 Zone 01 1 23.00 23.00 481222012 Zone 01 1 23.00 23.00 <tr< td=""><td>481221012</td><td>Zone 01</td><td></td><td>1 23.00</td><td>23.00</td></tr<>	481221012	Zone 01		1 23.00	23.00
481221015 Zone 01 1 23.00 23.00 481221017 Zone 01 1 23.00 23.00 481221017 Zone 01 1 23.00 23.00 481222001 Zone 01 1 23.00 23.00 481222003 Zone 01 1 23.00 23.00 481222004 Zone 01 1 23.00 23.00 481222005 Zone 01 1 23.00 23.00 481222007 Zone 01 1 23.00 23.00 481222007 Zone 01 1 23.00 23.00 481222008 Zone 01 1 23.00 23.00 481222010 Zone 01 1 23.00 23.00 481222011 Zone 01 1 23.00 23.00 481222012 Zone 01 1 23.00 23.00 481222013 Zone 01 1 23.00 23.00 481222013 Zone 01 1 23.00 23.00	481221013	Zone 01		1 23.00	23.00
481221016 Zone 01 1 23.00 23.00 481221017 Zone 01 1 23.00 23.00 481222002 Zone 01 1 23.00 23.00 481222003 Zone 01 1 23.00 23.00 481222004 Zone 01 1 23.00 23.00 481222005 Zone 01 1 23.00 23.00 481222006 Zone 01 1 23.00 23.00 481222007 Zone 01 1 23.00 23.00 481222008 Zone 01 1 23.00 23.00 481222009 Zone 01 1 23.00 23.00 481222010 Zone 01 1 23.00 23.00 481222011 Zone 01 1 23.00 23.00 481222012 Zone 01 1 23.00 23.00 481222013 Zone 01 1 23.00 23.00 481222015 Zone 01 1 23.00 23.00	481221014	Zone 01		1 23.00	23.00
481221017 Zone 01 1 23.00 23.00 481222002 Zone 01 1 23.00 23.00 481222003 Zone 01 1 23.00 23.00 481222004 Zone 01 1 23.00 23.00 481222005 Zone 01 1 23.00 23.00 481222006 Zone 01 1 23.00 23.00 481222007 Zone 01 1 23.00 23.00 481222008 Zone 01 1 23.00 23.00 481222009 Zone 01 1 23.00 23.00 481222010 Zone 01 1 23.00 23.00 481222011 Zone 01 1 23.00 23.00 481222012 Zone 01 1 23.00 23.00 481222013 Zone 01 1 23.00 23.00 481222014 Zone 01 1 23.00 23.00 481222015 Zone 01 1 23.00 23.00	481221015	Zone 01		1 23.00	23.00
481222001 Zone 01 1 23.00 23.00 481222002 Zone 01 1 23.00 23.00 481222004 Zone 01 1 23.00 23.00 481222005 Zone 01 1 23.00 23.00 481222007 Zone 01 1 23.00 23.00 481222008 Zone 01 1 23.00 23.00 481222009 Zone 01 1 23.00 23.00 481222010 Zone 01 1 23.00 23.00 481222011 Zone 01 1 23.00 23.00 481222012 Zone 01 1 23.00 23.00 481222013 Zone 01 1 23.00 23.00 481222014 Zone 01 1 23.00 23.00 481222015 Zone 01 1 23.00 23.00 481222014 Zone 01 1 23.00 23.00 481222015 Zone 01 1 23.00 23.00 481223010 Zone 01 1 23.00 23.00 <td< td=""><td>481221016</td><td>Zone 01</td><td></td><td>1 23.00</td><td>23.00</td></td<>	481221016	Zone 01		1 23.00	23.00
481222002 Zone 01 1 23.00 23.00 481222003 Zone 01 1 23.00 23.00 481222005 Zone 01 1 23.00 23.00 481222006 Zone 01 1 23.00 23.00 481222007 Zone 01 1 23.00 23.00 481222008 Zone 01 1 23.00 23.00 481222010 Zone 01 1 23.00 23.00 481222011 Zone 01 1 23.00 23.00 481222012 Zone 01 1 23.00 23.00 481222013 Zone 01 1 23.00 23.00 481222014 Zone 01 1 23.00 23.00 481222015 Zone 01 1 23.00 23.00 481222016 Zone 01 1 23.00 23.00 481223010 Zone 01 1 23.00 23.00 481223002 Zone 01 1 23.00 23.00 481223003 Zone 01 1 23.00 23.00 <td< td=""><td>481221017</td><td>Zone 01</td><td></td><td>1 23.00</td><td>23.00</td></td<>	481221017	Zone 01		1 23.00	23.00
481222003 Zone 01 1 23.00 23.00 481222004 Zone 01 1 23.00 23.00 481222005 Zone 01 1 23.00 23.00 481222006 Zone 01 1 23.00 23.00 481222008 Zone 01 1 23.00 23.00 481222010 Zone 01 1 23.00 23.00 481222011 Zone 01 1 23.00 23.00 481222012 Zone 01 1 23.00 23.00 481222013 Zone 01 1 23.00 23.00 481222014 Zone 01 1 23.00 23.00 481222015 Zone 01 1 23.00 23.00 481222016 Zone 01 1 23.00 23.00 481222016 Zone 01 1 23.00 23.00 481223001 Zone 01 1 23.00 23.00 481223001 Zone 01 1 23.00 23.00 481223002 Zone 01 1 23.00 23.00 <td< td=""><td>481222001</td><td>Zone 01</td><td></td><td>1 23.00</td><td>23.00</td></td<>	481222001	Zone 01		1 23.00	23.00
481222004 Zone 01 1 23.00 23.00 481222005 Zone 01 1 23.00 23.00 481222007 Zone 01 1 23.00 23.00 481222008 Zone 01 1 23.00 23.00 481222009 Zone 01 1 23.00 23.00 481222010 Zone 01 1 23.00 23.00 481222011 Zone 01 1 23.00 23.00 481222012 Zone 01 1 23.00 23.00 481222013 Zone 01 1 23.00 23.00 481222014 Zone 01 1 23.00 23.00 481222015 Zone 01 1 23.00 23.00 481222016 Zone 01 1 23.00 23.00 481223001 Zone 01 1 23.00 23.00 481223002 Zone 01 1 23.00 23.00 481223003 Zone 01 1 23.00 23.00	481222002	Zone 01		1 23.00	23.00
481222005 Zone 01 1 23.00 23.00 481222006 Zone 01 1 23.00 23.00 481222007 Zone 01 1 23.00 23.00 481222008 Zone 01 1 23.00 23.00 481222019 Zone 01 1 23.00 23.00 481222011 Zone 01 1 23.00 23.00 481222012 Zone 01 1 23.00 23.00 481222013 Zone 01 1 23.00 23.00 481222014 Zone 01 1 23.00 23.00 481222015 Zone 01 1 23.00 23.00 481222016 Zone 01 1 23.00 23.00 481223001 Zone 01 1 23.00 23.00 481223002 Zone 01 1 23.00 23.00 481223003 Zone 01 1 23.00 23.00 481223005 Zone 01 1 23.00 23.00 481223006 Zone 01 1 23.00 23.00 <td< td=""><td>481222003</td><td>Zone 01</td><td></td><td>1 23.00</td><td>23.00</td></td<>	481222003	Zone 01		1 23.00	23.00
481222005 Zone 01 1 23.00 23.00 481222007 Zone 01 1 23.00 23.00 481222008 Zone 01 1 23.00 23.00 481222009 Zone 01 1 23.00 23.00 481222010 Zone 01 1 23.00 23.00 481222011 Zone 01 1 23.00 23.00 481222012 Zone 01 1 23.00 23.00 481222013 Zone 01 1 23.00 23.00 481222014 Zone 01 1 23.00 23.00 481222015 Zone 01 1 23.00 23.00 481222016 Zone 01 1 23.00 23.00 481223001 Zone 01 1 23.00 23.00 481223002 Zone 01 1 23.00 23.00 481223003 Zone 01 1 23.00 23.00 481223005 Zone 01 1 23.00 23.00 481223006 Zone 01 1 23.00 23.00 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
481222006 Zone 01 1 23.00 23.00 481222007 Zone 01 1 23.00 23.00 481222008 Zone 01 1 23.00 23.00 481222010 Zone 01 1 23.00 23.00 481222011 Zone 01 1 23.00 23.00 481222012 Zone 01 1 23.00 23.00 481222013 Zone 01 1 23.00 23.00 481222014 Zone 01 1 23.00 23.00 481222015 Zone 01 1 23.00 23.00 481222016 Zone 01 1 23.00 23.00 481223001 Zone 01 1 23.00 23.00 481223002 Zone 01 1 23.00 23.00 481223003 Zone 01 1 23.00 23.00 481223004 Zone 01 1 23.00 23.00 481223005 Zone 01 1 23.00 23.00 481223008 Zone 01 1 23.00 23.00 <td< td=""><td>481222005</td><td>Zone 01</td><td></td><td></td><td></td></td<>	481222005	Zone 01			
481222007 Zone 01 1 23.00 23.00 481222008 Zone 01 1 23.00 23.00 481222010 Zone 01 1 23.00 23.00 481222011 Zone 01 1 23.00 23.00 481222012 Zone 01 1 23.00 23.00 481222013 Zone 01 1 23.00 23.00 481222014 Zone 01 1 23.00 23.00 481222015 Zone 01 1 23.00 23.00 481222016 Zone 01 1 23.00 23.00 481223001 Zone 01 1 23.00 23.00 481223002 Zone 01 1 23.00 23.00 481223004 Zone 01 1 23.00 23.00 481223005 Zone 01 1 23.00 23.00 481223006 Zone 01 1 23.00 23.00 481223010 Zone 01 1 23.00 23.00 481223010 Zone 01 1 23.00 23.00 <td< td=""><td>481222006</td><td></td><td></td><td></td><td></td></td<>	481222006				
481222008 Zone 01 1 23.00 23.00 481222010 Zone 01 1 23.00 23.00 481222011 Zone 01 1 23.00 23.00 481222012 Zone 01 1 23.00 23.00 481222013 Zone 01 1 23.00 23.00 481222014 Zone 01 1 23.00 23.00 481222015 Zone 01 1 23.00 23.00 481222016 Zone 01 1 23.00 23.00 481223001 Zone 01 1 23.00 23.00 481223002 Zone 01 1 23.00 23.00 481223002 Zone 01 1 23.00 23.00 481223005 Zone 01 1 23.00 23.00 481223006 Zone 01 1 23.00 23.00 481223007 Zone 01 1 23.00 23.00 481223010 Zone 01 1 23.00 23.00 481223011 Zone 01 1 23.00 23.00 <td< td=""><td>481222007</td><td></td><td></td><td></td><td></td></td<>	481222007				
481222009 Zone 01 1 23.00 23.00 481222011 Zone 01 1 23.00 23.00 481222012 Zone 01 1 23.00 23.00 481222013 Zone 01 1 23.00 23.00 481222014 Zone 01 1 23.00 23.00 481222015 Zone 01 1 23.00 23.00 481223016 Zone 01 1 23.00 23.00 481223001 Zone 01 1 23.00 23.00 481223002 Zone 01 1 23.00 23.00 481223004 Zone 01 1 23.00 23.00 481223005 Zone 01 1 23.00 23.00 481223006 Zone 01 1 23.00 23.00 481223007 Zone 01 1 23.00 23.00 481223010 Zone 01 1 23.00 23.00 481223011 Zone 01 1 23.00 23.00 481223012 Zone 01 1 23.00 23.00 <td< td=""><td>481222008</td><td></td><td></td><td></td><td></td></td<>	481222008				
481222010 Zone 01 1 23.00 23.00 481222011 Zone 01 1 23.00 23.00 481222012 Zone 01 1 23.00 23.00 481222013 Zone 01 1 23.00 23.00 481222014 Zone 01 1 23.00 23.00 481222015 Zone 01 1 23.00 23.00 481223016 Zone 01 1 23.00 23.00 481223001 Zone 01 1 23.00 23.00 481223002 Zone 01 1 23.00 23.00 481223004 Zone 01 1 23.00 23.00 481223005 Zone 01 1 23.00 23.00 481223006 Zone 01 1 23.00 23.00 481223007 Zone 01 1 23.00 23.00 481223010 Zone 01 1 23.00 23.00 481223011 Zone 01 1 23.00 23.00 481223012 Zone 01 1 23.00 23.00 <td< td=""><td>481222009</td><td></td><td></td><td></td><td></td></td<>	481222009				
481222011 Zone 01 1 23.00 23.00 481222012 Zone 01 1 23.00 23.00 481222013 Zone 01 1 23.00 23.00 481222014 Zone 01 1 23.00 23.00 481222015 Zone 01 1 23.00 23.00 481223016 Zone 01 1 23.00 23.00 481223001 Zone 01 1 23.00 23.00 481223002 Zone 01 1 23.00 23.00 481223004 Zone 01 1 23.00 23.00 481223005 Zone 01 1 23.00 23.00 481223006 Zone 01 1 23.00 23.00 481223007 Zone 01 1 23.00 23.00 481223010 Zone 01 1 23.00 23.00 481223011 Zone 01 1 23.00 23.00 481223012 Zone 01 1 23.00 23.00 481223013 Zone 01 1 23.00 23.00 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
481222012 Zone 01 1 23.00 23.00 481222013 Zone 01 1 23.00 23.00 481222014 Zone 01 1 23.00 23.00 481222015 Zone 01 1 23.00 23.00 481222016 Zone 01 1 23.00 23.00 481223001 Zone 01 1 23.00 23.00 481223002 Zone 01 1 23.00 23.00 481223004 Zone 01 1 23.00 23.00 481223005 Zone 01 1 23.00 23.00 481223006 Zone 01 1 23.00 23.00 481223007 Zone 01 1 23.00 23.00 481223010 Zone 01 1 23.00 23.00 481223011 Zone 01 1 23.00 23.00 481223012 Zone 01 1 23.00 23.00 481223013 Zone 01 1 23.00 23.00 481223014 Zone 01 1 23.00 23.00 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
481222013 Zone 01 1 23.00 23.00 481222014 Zone 01 1 23.00 23.00 481222015 Zone 01 1 23.00 23.00 481222016 Zone 01 1 23.00 23.00 481223001 Zone 01 1 23.00 23.00 481223002 Zone 01 1 23.00 23.00 481223004 Zone 01 1 23.00 23.00 481223005 Zone 01 1 23.00 23.00 481223006 Zone 01 1 23.00 23.00 481223007 Zone 01 1 23.00 23.00 481223010 Zone 01 1 23.00 23.00 481223011 Zone 01 1 23.00 23.00 481223012 Zone 01 1 23.00 23.00 481223013 Zone 01 1 23.00 23.00 481223014 Zone 01 1 23.00 23.00 481223017 Zone 01 1 23.00 23.00 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
481222014 Zone 01 1 23.00 23.00 481222015 Zone 01 1 23.00 23.00 481222016 Zone 01 1 23.00 23.00 481223001 Zone 01 1 23.00 23.00 481223002 Zone 01 1 23.00 23.00 481223004 Zone 01 1 23.00 23.00 481223005 Zone 01 1 23.00 23.00 481223006 Zone 01 1 23.00 23.00 481223007 Zone 01 1 23.00 23.00 481223010 Zone 01 1 23.00 23.00 481223011 Zone 01 1 23.00 23.00 481223012 Zone 01 1 23.00 23.00 481223013 Zone 01 1 23.00 23.00 481223017 Zone 01 1 23.00 23.00 481223018 Zone 01 1 23.00 23.00					
481222015 Zone 01 1 23.00 23.00 481222016 Zone 01 1 23.00 23.00 481223001 Zone 01 1 23.00 23.00 481223002 Zone 01 1 23.00 23.00 481223004 Zone 01 1 23.00 23.00 481223005 Zone 01 1 23.00 23.00 481223006 Zone 01 1 23.00 23.00 481223007 Zone 01 1 23.00 23.00 481223008 Zone 01 1 23.00 23.00 481223010 Zone 01 1 23.00 23.00 481223011 Zone 01 1 23.00 23.00 481223012 Zone 01 1 23.00 23.00 481223013 Zone 01 1 23.00 23.00 481223017 Zone 01 1 23.00 23.00 481223018 Zone 01 1 23.00 23.00	481222014	Zone 01			
481222016 Zone 01 1 23.00 23.00 481223001 Zone 01 1 23.00 23.00 481223002 Zone 01 1 23.00 23.00 481223004 Zone 01 1 23.00 23.00 481223005 Zone 01 1 23.00 23.00 481223006 Zone 01 1 23.00 23.00 481223007 Zone 01 1 23.00 23.00 481223010 Zone 01 1 23.00 23.00 481223011 Zone 01 1 23.00 23.00 481223012 Zone 01 1 23.00 23.00 481223013 Zone 01 1 23.00 23.00 481223014 Zone 01 1 23.00 23.00 481223017 Zone 01 1 23.00 23.00 481223018 Zone 01 1 23.00 23.00	481222015				
481223001 Zone 01 1 23.00 23.00 481223002 Zone 01 1 23.00 23.00 481223004 Zone 01 1 23.00 23.00 481223005 Zone 01 1 23.00 23.00 481223006 Zone 01 1 23.00 23.00 481223007 Zone 01 1 23.00 23.00 481223010 Zone 01 1 23.00 23.00 481223011 Zone 01 1 23.00 23.00 481223012 Zone 01 1 23.00 23.00 481223013 Zone 01 1 23.00 23.00 481223014 Zone 01 1 23.00 23.00 481223017 Zone 01 1 23.00 23.00 481223018 Zone 01 1 23.00 23.00	481222016				23.00
481223002 Zone 01 1 23.00 23.00 481223004 Zone 01 1 23.00 23.00 481223005 Zone 01 1 23.00 23.00 481223006 Zone 01 1 23.00 23.00 481223007 Zone 01 1 23.00 23.00 481223010 Zone 01 1 23.00 23.00 481223011 Zone 01 1 23.00 23.00 481223012 Zone 01 1 23.00 23.00 481223013 Zone 01 1 23.00 23.00 481223014 Zone 01 1 23.00 23.00 481223017 Zone 01 1 23.00 23.00 481223018 Zone 01 1 23.00 23.00					
481223004 Zone 01 1 23.00 23.00 481223005 Zone 01 1 23.00 23.00 481223006 Zone 01 1 23.00 23.00 481223007 Zone 01 1 23.00 23.00 481223008 Zone 01 1 23.00 23.00 481223010 Zone 01 1 23.00 23.00 481223011 Zone 01 1 23.00 23.00 481223012 Zone 01 1 23.00 23.00 481223013 Zone 01 1 23.00 23.00 481223017 Zone 01 1 23.00 23.00 481223018 Zone 01 1 23.00 23.00	481223002				
481223005 Zone 01 1 23.00 23.00 481223006 Zone 01 1 23.00 23.00 481223007 Zone 01 1 23.00 23.00 481223008 Zone 01 1 23.00 23.00 481223010 Zone 01 1 23.00 23.00 481223011 Zone 01 1 23.00 23.00 481223012 Zone 01 1 23.00 23.00 481223013 Zone 01 1 23.00 23.00 481223014 Zone 01 1 23.00 23.00 481223017 Zone 01 1 23.00 23.00 481223018 Zone 01 1 23.00 23.00					23.00
481223007 Zone 01 1 23.00 23.00 481223008 Zone 01 1 23.00 23.00 481223010 Zone 01 1 23.00 23.00 481223011 Zone 01 1 23.00 23.00 481223012 Zone 01 1 23.00 23.00 481223013 Zone 01 1 23.00 23.00 481223014 Zone 01 1 23.00 23.00 481223017 Zone 01 1 23.00 23.00 481223018 Zone 01 1 23.00 23.00	481223005				
481223008 Zone 01 1 23.00 23.00 481223010 Zone 01 1 23.00 23.00 481223011 Zone 01 1 23.00 23.00 481223012 Zone 01 1 23.00 23.00 481223013 Zone 01 1 23.00 23.00 481223014 Zone 01 1 23.00 23.00 481223017 Zone 01 1 23.00 23.00 481223018 Zone 01 1 23.00 23.00	481223006	Zone 01		1 23.00	23.00
481223008 Zone 01 1 23.00 23.00 481223010 Zone 01 1 23.00 23.00 481223011 Zone 01 1 23.00 23.00 481223012 Zone 01 1 23.00 23.00 481223013 Zone 01 1 23.00 23.00 481223014 Zone 01 1 23.00 23.00 481223017 Zone 01 1 23.00 23.00 481223018 Zone 01 1 23.00 23.00	481223007	Zone 01		1 23.00	23.00
481223010 Zone 01 1 23.00 23.00 481223011 Zone 01 1 23.00 23.00 481223012 Zone 01 1 23.00 23.00 481223013 Zone 01 1 23.00 23.00 481223014 Zone 01 1 23.00 23.00 481223017 Zone 01 1 23.00 23.00 481223018 Zone 01 1 23.00 23.00	481223008	Zone 01		1 23.00	
481223011 Zone 01 1 23.00 23.00 481223012 Zone 01 1 23.00 23.00 481223013 Zone 01 1 23.00 23.00 481223014 Zone 01 1 23.00 23.00 481223017 Zone 01 1 23.00 23.00 481223018 Zone 01 1 23.00 23.00	481223010				
481223012 Zone 01 1 23.00 23.00 481223013 Zone 01 1 23.00 23.00 481223014 Zone 01 1 23.00 23.00 481223017 Zone 01 1 23.00 23.00 481223018 Zone 01 1 23.00 23.00					
481223013 Zone 01 1 23.00 23.00 481223014 Zone 01 1 23.00 23.00 481223017 Zone 01 1 23.00 23.00 481223018 Zone 01 1 23.00 23.00					
481223014 Zone 01 1 23.00 23.00 481223017 Zone 01 1 23.00 23.00 481223018 Zone 01 1 23.00 23.00					
481223017 Zone 01 1 23.00 23.00 481223018 Zone 01 1 23.00 23.00					
481223018 Zone 01 1 23.00 23.00					
481223019 Zone 01 1 23.00 23.00	481223019	Zone 01		1 23.00	23.00

A81223021 Zone 01	APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
881223022 Zone 01 1 23.00 23.00 481223023 Zone 01 1 23.00 23.00 481223026 Zone 01 1 23.00 23.00 481223027 Zone 01 1 23.00 23.00 481223029 Zone 01 1 23.00 23.00 481223032 Zone 01 1 23.00 23.00 481223033 Zone 01 1 23.00 23.00 481223037 Zone 01 1 23.00 23.00 481230001 Zone 01 1 23.00 23.00 481230007 Zone 01 1 23.00 23.00 481230007 Zone 01 1 23.00 23.00 481230007 Zone 01 1 23.00 23.00 481230011 Zone 01 1 23.00 23.00 481230011 Zone 01 1 23.00 23.00 481230014 Zone 01 1 23.00 23.00	481223020	Zone 01		1 23.00	23.00
AB1223023	481223021	Zone 01		0	0.00
A81223024	481223022	Zone 01		1 23.00	23.00
881223026 Zone 01 1 23.00 23.00 481223027 Zone 01 1 23.00 23.00 481223032 Zone 01 1 23.00 23.00 481223033 Zone 01 1 23.00 23.00 481223037 Zone 01 1 23.00 23.00 481230006 Zone 01 1 23.00 23.00 481230007 Zone 01 1 23.00 23.00 481230008 Zone 01 1 23.00 23.00 481230009 Zone 01 1 23.00 23.00 481230010 Zone 01 1 23.00 23.00 481230011 Zone 01 1 23.00 23.00 481230012 Zone 01 1 23.00 23.00 481230015 Zone 01 1 23.00 23.00 481230016 Zone 01 1 23.00 23.00 481230017 Zone 01 1 23.00 23.00	481223023	Zone 01		1 23.00	23.00
A81223027 Zone 01	481223024	Zone 01		1 23.00	23.00
A8123029 Zone 01	481223026	Zone 01		1 23.00	23.00
481223032 Zone 01 1 23.00 23.00 481223037 Zone 01 1 23.00 23.00 481230001 Zone 01 1 23.00 23.00 481230006 Zone 01 1 23.00 23.00 481230007 Zone 01 1 23.00 23.00 481230008 Zone 01 1 23.00 23.00 481230011 Zone 01 1 23.00 23.00 481230012 Zone 01 1 23.00 23.00 481230014 Zone 01 1 23.00 23.00 481230015 Zone 01 1 23.00 23.00 481230016 Zone 01 1 23.00 23.00 481230017 Zone 01 1 23.00 23.00 481230018 Zone 01 1 23.00 23.00 481230018 Zone 01 1 23.00 23.00 481230038 Zone 01 1 23.00 23.00	481223027	Zone 01		1 23.00	23.00
A8123033 Zone 01	481223029	Zone 01		1 23.00	23.00
A8123007	481223032	Zone 01		1 23.00	23.00
AB1230001 Zone 01	481223033	Zone 01		1 23.00	23.00
48123006 Zone 01 1 23.00 23.00 48123007 Zone 01 1 23.00 23.00 481230098 Zone 01 1 23.00 23.00 481230011 Zone 01 1 23.00 23.00 481230012 Zone 01 1 23.00 23.00 481230014 Zone 01 1 23.00 23.00 481230015 Zone 01 1 23.00 23.00 481230016 Zone 01 1 23.00 23.00 481230017 Zone 01 1 23.00 23.00 481230018 Zone 01 1 23.00 23.00 481230018 Zone 01 1 23.00 23.00 481230038 Zone 01 1 23.00 23.00 481230040 Zone 01 1 23.00 23.00 481230041 Zone 01 1 23.00 23.00 481240001 Zone 01 1 23.00 23.00 <t< td=""><td>481223037</td><td>Zone 01</td><td></td><td>1 23.00</td><td>23.00</td></t<>	481223037	Zone 01		1 23.00	23.00
481230007 Zone 01 1 23.00 23.00 481230008 Zone 01 1 23.00 23.00 481230011 Zone 01 1 23.00 23.00 481230012 Zone 01 1 23.00 23.00 481230014 Zone 01 1 23.00 23.00 481230015 Zone 01 1 23.00 23.00 481230016 Zone 01 1 23.00 23.00 481230017 Zone 01 1 23.00 23.00 481230018 Zone 01 1 23.00 23.00 481230038 Zone 01 1 23.00 23.00 481230039 Zone 01 1 23.00 23.00 481230040 Zone 01 1 23.00 23.00 481230041 Zone 01 1 23.00 23.00 481240001 Zone 01 1 23.00 23.00 481240001 Zone 01 1 23.00 23.00	481230001	Zone 01		1 23.00	23.00
481230008 Zone 01 1 23.00 23.00 481230011 Zone 01 1 23.00 23.00 481230012 Zone 01 1 23.00 23.00 481230014 Zone 01 1 23.00 23.00 481230015 Zone 01 1 23.00 23.00 481230016 Zone 01 1 23.00 23.00 481230017 Zone 01 1 23.00 23.00 481230018 Zone 01 1 23.00 23.00 481230038 Zone 01 1 23.00 23.00 481230040 Zone 01 1 23.00 23.00 481230041 Zone 01 1 23.00 23.00 481230042 Zone 01 1 23.00 23.00 481240001 Zone 01 1 23.00 23.00 481240004 Zone 01 1 23.00 23.00 481240005 Zone 01 1 23.00 23.00	481230006	Zone 01		1 23.00	23.00
481230009 Zone 01 1 23.00 23.00 481230011 Zone 01 1 23.00 23.00 481230012 Zone 01 1 23.00 23.00 481230014 Zone 01 1 23.00 23.00 481230015 Zone 01 1 23.00 23.00 481230017 Zone 01 1 23.00 23.00 481230018 Zone 01 1 23.00 23.00 481230038 Zone 01 1 23.00 23.00 481230049 Zone 01 1 23.00 23.00 481230040 Zone 01 1 23.00 23.00 481240041 Zone 01 1 23.00 23.00 481240004 Zone 01 1 23.00 23.00 481240001 Zone 01 1 23.00 23.00 481240001 Zone 01 1 23.00 23.00 481240005 Zone 01 1 23.00 23.00	481230007	Zone 01		1 23.00	23.00
481230011 Zone 01 1 23.00 23.00 481230012 Zone 01 1 23.00 23.00 481230014 Zone 01 1 23.00 23.00 481230015 Zone 01 1 23.00 23.00 481230016 Zone 01 1 23.00 23.00 481230017 Zone 01 1 23.00 23.00 481230038 Zone 01 1 23.00 23.00 481230039 Zone 01 1 23.00 23.00 481230040 Zone 01 1 23.00 23.00 481230041 Zone 01 1 23.00 23.00 481230042 Zone 01 1 23.00 23.00 481240001 Zone 01 1 23.00 23.00 481240001 Zone 01 1 23.00 23.00 481240005 Zone 01 1 23.00 23.00 481240006 Zone 01 1 23.00 23.00	481230008	Zone 01		1 23.00	23.00
481230012 Zone 01 1 23.00 23.00 481230014 Zone 01 1 23.00 23.00 481230015 Zone 01 1 23.00 23.00 481230016 Zone 01 1 23.00 23.00 481230017 Zone 01 1 23.00 23.00 481230038 Zone 01 1 23.00 23.00 481230040 Zone 01 1 23.00 23.00 481230040 Zone 01 1 23.00 23.00 481230041 Zone 01 1 23.00 23.00 481240041 Zone 01 1 23.00 23.00 481240004 Zone 01 1 23.00 23.00 481240004 Zone 01 1 23.00 23.00 481240005 Zone 01 1 23.00 23.00 481240006 Zone 01 1 23.00 23.00 481240007 Zone 01 1 23.00 23.00	481230009	Zone 01		1 23.00	23.00
481230014 Zone 01 1 23.00 23.00 481230015 Zone 01 1 23.00 23.00 481230016 Zone 01 1 23.00 23.00 481230017 Zone 01 1 23.00 23.00 481230018 Zone 01 1 23.00 23.00 481230039 Zone 01 1 23.00 23.00 481230040 Zone 01 1 23.00 23.00 481230041 Zone 01 1 23.00 23.00 481230042 Zone 01 1 23.00 23.00 481240001 Zone 01 1 23.00 23.00 481240004 Zone 01 1 23.00 23.00 481240005 Zone 01 1 23.00 23.00 481240006 Zone 01 1 23.00 23.00 481240007 Zone 01 1 23.00 23.00 481240010 Zone 01 1 23.00 23.00	481230011	Zone 01		1 23.00	23.00
481230015 Zone 01 1 23.00 23.00 481230016 Zone 01 1 23.00 23.00 481230017 Zone 01 1 23.00 23.00 481230038 Zone 01 1 23.00 23.00 481230039 Zone 01 1 23.00 23.00 481230040 Zone 01 1 23.00 23.00 481230041 Zone 01 1 23.00 23.00 481230042 Zone 01 1 23.00 23.00 481240001 Zone 01 1 23.00 23.00 481240004 Zone 01 1 23.00 23.00 481240005 Zone 01 1 23.00 23.00 481240006 Zone 01 1 23.00 23.00 481240007 Zone 01 1 23.00 23.00 481240008 Zone 01 1 23.00 23.00 481240010 Zone 01 1 23.00 23.00	481230012	Zone 01		1 23.00	23.00
481230016 Zone 01 1 23.00 23.00 481230017 Zone 01 1 23.00 23.00 481230018 Zone 01 1 23.00 23.00 481230038 Zone 01 1 23.00 23.00 481230040 Zone 01 1 23.00 23.00 481230041 Zone 01 1 23.00 23.00 481230042 Zone 01 1 23.00 23.00 481240001 Zone 01 1 23.00 23.00 481240004 Zone 01 1 23.00 23.00 481240005 Zone 01 1 23.00 23.00 481240006 Zone 01 1 23.00 23.00 481240007 Zone 01 1 23.00 23.00 481240008 Zone 01 1 23.00 23.00 481240010 Zone 01 1 23.00 23.00 481240011 Zone 01 1 23.00 23.00	481230014	Zone 01		1 23.00	23.00
481230017 Zone 01 1 23.00 23.00 481230018 Zone 01 1 23.00 23.00 481230038 Zone 01 1 23.00 23.00 481230040 Zone 01 1 23.00 23.00 481230041 Zone 01 1 23.00 23.00 481230042 Zone 01 1 23.00 23.00 481240001 Zone 01 1 23.00 23.00 481240004 Zone 01 1 23.00 23.00 481240005 Zone 01 1 23.00 23.00 481240006 Zone 01 1 23.00 23.00 481240007 Zone 01 1 23.00 23.00 481240008 Zone 01 1 23.00 23.00 481240010 Zone 01 1 23.00 23.00 481240011 Zone 01 1 23.00 23.00 481240012 Zone 01 1 23.00 23.00 481240013 Zone 01 1 23.00 23.00 <td< td=""><td>481230015</td><td>Zone 01</td><td></td><td>1 23.00</td><td>23.00</td></td<>	481230015	Zone 01		1 23.00	23.00
481230018 Zone 01 1 23.00 23.00 481230038 Zone 01 1 23.00 23.00 481230040 Zone 01 1 23.00 23.00 481230041 Zone 01 1 23.00 23.00 481230042 Zone 01 1 23.00 23.00 481240001 Zone 01 1 23.00 23.00 481240004 Zone 01 1 23.00 23.00 481240005 Zone 01 1 23.00 23.00 481240006 Zone 01 1 23.00 23.00 481240007 Zone 01 1 23.00 23.00 481240008 Zone 01 1 23.00 23.00 481240010 Zone 01 1 23.00 23.00 481240011 Zone 01 1 23.00 23.00 481240011 Zone 01 1 23.00 23.00 481240012 Zone 01 1 23.00 23.00 481240023 Zone 01 1 23.00 23.00 <td< td=""><td>481230016</td><td>Zone 01</td><td></td><td>1 23.00</td><td>23.00</td></td<>	481230016	Zone 01		1 23.00	23.00
481230038 Zone 01 1 23.00 23.00 481230039 Zone 01 1 23.00 23.00 481230040 Zone 01 1 23.00 23.00 481230041 Zone 01 1 23.00 23.00 481230042 Zone 01 1 23.00 23.00 481240001 Zone 01 1 23.00 23.00 481240005 Zone 01 1 23.00 23.00 481240006 Zone 01 1 23.00 23.00 481240007 Zone 01 1 23.00 23.00 481240008 Zone 01 1 23.00 23.00 481240010 Zone 01 1 23.00 23.00 481240010 Zone 01 1 23.00 23.00 481240011 Zone 01 1 23.00 23.00 481240012 Zone 01 1 23.00 23.00 481240023 Zone 01 1 23.00 23.00 481240024 Zone 01 1 23.00 23.00 <td< td=""><td>481230017</td><td>Zone 01</td><td></td><td>1 23.00</td><td>23.00</td></td<>	481230017	Zone 01		1 23.00	23.00
481230039 Zone 01 1 23.00 23.00 481230040 Zone 01 1 23.00 23.00 481230041 Zone 01 1 23.00 23.00 481230042 Zone 01 1 23.00 23.00 481240001 Zone 01 1 23.00 23.00 481240004 Zone 01 1 23.00 23.00 481240005 Zone 01 1 23.00 23.00 481240006 Zone 01 1 23.00 23.00 481240007 Zone 01 1 23.00 23.00 481240008 Zone 01 1 23.00 23.00 481240009 Zone 01 1 23.00 23.00 481240010 Zone 01 1 23.00 23.00 481240011 Zone 01 1 23.00 23.00 481240012 Zone 01 1 23.00 23.00 481240023 Zone 01 1 23.00 23.00 481240024 Zone 01 1 23.00 23.00 <td< td=""><td>481230018</td><td>Zone 01</td><td></td><td>1 23.00</td><td>23.00</td></td<>	481230018	Zone 01		1 23.00	23.00
481230040 Zone 01 1 23.00 23.00 481230041 Zone 01 1 23.00 23.00 481230042 Zone 01 1 23.00 23.00 481240001 Zone 01 1 23.00 23.00 481240004 Zone 01 1 23.00 23.00 481240005 Zone 01 1 23.00 23.00 481240007 Zone 01 1 23.00 23.00 481240008 Zone 01 1 23.00 23.00 481240009 Zone 01 1 23.00 23.00 481240010 Zone 01 1 23.00 23.00 481240011 Zone 01 1 23.00 23.00 481240012 Zone 01 1 23.00 23.00 481240023 Zone 01 1 23.00 23.00 481240024 Zone 01 1 23.00 23.00 481240025 Zone 01 1 23.00 23.00 481240026 Zone 01 1 23.00 23.00 <td< td=""><td>481230038</td><td>Zone 01</td><td></td><td>1 23.00</td><td>23.00</td></td<>	481230038	Zone 01		1 23.00	23.00
481230041 Zone 01 1 23.00 23.00 481230042 Zone 01 1 23.00 23.00 481240001 Zone 01 1 23.00 23.00 481240005 Zone 01 1 23.00 23.00 481240006 Zone 01 1 23.00 23.00 481240007 Zone 01 1 23.00 23.00 481240008 Zone 01 1 23.00 23.00 481240010 Zone 01 1 23.00 23.00 481240011 Zone 01 1 23.00 23.00 481240012 Zone 01 1 23.00 23.00 481240013 Zone 01 1 23.00 23.00 481240023 Zone 01 1 23.00 23.00 481240024 Zone 01 1 23.00 23.00 481240025 Zone 01 1 23.00 23.00 481240026 Zone 01 1 23.00 23.00 481240027 Zone 01 1 23.00 23.00 <td< td=""><td>481230039</td><td>Zone 01</td><td></td><td>1 23.00</td><td>23.00</td></td<>	481230039	Zone 01		1 23.00	23.00
481230042 Zone 01 1 23.00 23.00 481240001 Zone 01 1 23.00 23.00 481240004 Zone 01 1 23.00 23.00 481240005 Zone 01 1 23.00 23.00 481240006 Zone 01 1 23.00 23.00 481240007 Zone 01 1 23.00 23.00 481240008 Zone 01 1 23.00 23.00 481240019 Zone 01 1 23.00 23.00 481240010 Zone 01 1 23.00 23.00 481240011 Zone 01 1 23.00 23.00 481240012 Zone 01 1 23.00 23.00 481240023 Zone 01 1 23.00 23.00 481240024 Zone 01 1 23.00 23.00 481240025 Zone 01 1 23.00 23.00 481240027 Zone 01 1 23.00 23.00 481240028 Zone 01 1 23.00 23.00 <td< td=""><td>481230040</td><td>Zone 01</td><td></td><td>1 23.00</td><td>23.00</td></td<>	481230040	Zone 01		1 23.00	23.00
481240001 Zone 01 1 23.00 23.00 481240004 Zone 01 1 23.00 23.00 481240005 Zone 01 1 23.00 23.00 481240006 Zone 01 1 23.00 23.00 481240007 Zone 01 1 23.00 23.00 481240008 Zone 01 1 23.00 23.00 481240010 Zone 01 1 23.00 23.00 481240011 Zone 01 1 23.00 23.00 481240012 Zone 01 1 23.00 23.00 481240013 Zone 01 1 23.00 23.00 481240023 Zone 01 1 23.00 23.00 481240024 Zone 01 1 23.00 23.00 481240025 Zone 01 1 23.00 23.00 481240026 Zone 01 1 23.00 23.00 481240027 Zone 01 1 23.00 23.00 481240028 Zone 01 1 23.00 23.00 <td< td=""><td>481230041</td><td>Zone 01</td><td></td><td>1 23.00</td><td>23.00</td></td<>	481230041	Zone 01		1 23.00	23.00
481240004 Zone 01 1 23.00 23.00 481240005 Zone 01 1 23.00 23.00 481240006 Zone 01 1 23.00 23.00 481240007 Zone 01 1 23.00 23.00 481240008 Zone 01 1 23.00 23.00 481240019 Zone 01 1 23.00 23.00 481240011 Zone 01 1 23.00 23.00 481240012 Zone 01 1 23.00 23.00 481240013 Zone 01 1 23.00 23.00 481240023 Zone 01 1 23.00 23.00 481240024 Zone 01 1 23.00 23.00 481240025 Zone 01 1 23.00 23.00 481240026 Zone 01 1 23.00 23.00 481240027 Zone 01 1 23.00 23.00 481240028 Zone 01 1 23.00 23.00 481240029 Zone 01 1 23.00 23.00 <td< td=""><td>481230042</td><td>Zone 01</td><td></td><td>1 23.00</td><td>23.00</td></td<>	481230042	Zone 01		1 23.00	23.00
481240005 Zone 01 1 23.00 23.00 481240006 Zone 01 1 23.00 23.00 481240007 Zone 01 1 23.00 23.00 481240008 Zone 01 1 23.00 23.00 481240010 Zone 01 1 23.00 23.00 481240011 Zone 01 1 23.00 23.00 481240012 Zone 01 1 23.00 23.00 481240013 Zone 01 1 23.00 23.00 481240023 Zone 01 1 23.00 23.00 481240024 Zone 01 1 23.00 23.00 481240025 Zone 01 1 23.00 23.00 481240026 Zone 01 1 23.00 23.00 481240027 Zone 01 1 23.00 23.00 481240028 Zone 01 1 23.00 23.00 481240029 Zone 01 1 23.00 23.00 481240029 Zone 01 1 23.00 23.00 <td>481240001</td> <td>Zone 01</td> <td></td> <td>1 23.00</td> <td>23.00</td>	481240001	Zone 01		1 23.00	23.00
481240006 Zone 01 1 23.00 23.00 481240007 Zone 01 1 23.00 23.00 481240008 Zone 01 1 23.00 23.00 481240009 Zone 01 1 23.00 23.00 481240010 Zone 01 1 23.00 23.00 481240011 Zone 01 1 23.00 23.00 481240012 Zone 01 1 23.00 23.00 481240013 Zone 01 1 23.00 23.00 481240023 Zone 01 1 23.00 23.00 481240024 Zone 01 1 23.00 23.00 481240025 Zone 01 1 23.00 23.00 481240026 Zone 01 1 23.00 23.00 481240028 Zone 01 1 23.00 23.00 481240029 Zone 01 1 23.00 23.00 481240030 Zone 01 1 23.00 23.00	481240004	Zone 01		1 23.00	23.00
481240007 Zone 01 1 23.00 23.00 481240008 Zone 01 1 23.00 23.00 481240009 Zone 01 1 23.00 23.00 481240010 Zone 01 1 23.00 23.00 481240011 Zone 01 1 23.00 23.00 481240012 Zone 01 1 23.00 23.00 481240023 Zone 01 1 23.00 23.00 481240024 Zone 01 1 23.00 23.00 481240025 Zone 01 1 23.00 23.00 481240026 Zone 01 1 23.00 23.00 481240027 Zone 01 1 23.00 23.00 481240028 Zone 01 1 23.00 23.00 481240029 Zone 01 1 23.00 23.00 481240030 Zone 01 1 23.00 23.00	481240005	Zone 01		1 23.00	23.00
481240008 Zone 01 1 23.00 23.00 481240009 Zone 01 1 23.00 23.00 481240010 Zone 01 1 23.00 23.00 481240011 Zone 01 1 23.00 23.00 481240012 Zone 01 1 23.00 23.00 481240023 Zone 01 1 23.00 23.00 481240024 Zone 01 1 23.00 23.00 481240025 Zone 01 1 23.00 23.00 481240026 Zone 01 1 23.00 23.00 481240027 Zone 01 1 23.00 23.00 481240028 Zone 01 1 23.00 23.00 481240029 Zone 01 1 23.00 23.00 481240030 Zone 01 1 23.00 23.00	481240006	Zone 01		1 23.00	23.00
481240009 Zone 01 1 23.00 23.00 481240010 Zone 01 1 23.00 23.00 481240011 Zone 01 1 23.00 23.00 481240012 Zone 01 1 23.00 23.00 481240023 Zone 01 1 23.00 23.00 481240024 Zone 01 1 23.00 23.00 481240025 Zone 01 1 23.00 23.00 481240026 Zone 01 1 23.00 23.00 481240027 Zone 01 1 23.00 23.00 481240028 Zone 01 1 23.00 23.00 481240029 Zone 01 1 23.00 23.00 481240030 Zone 01 1 23.00 23.00	481240007	Zone 01		1 23.00	23.00
481240010 Zone 01 1 23.00 23.00 481240011 Zone 01 1 23.00 23.00 481240012 Zone 01 1 23.00 23.00 481240013 Zone 01 1 23.00 23.00 481240023 Zone 01 1 23.00 23.00 481240024 Zone 01 1 23.00 23.00 481240025 Zone 01 1 23.00 23.00 481240026 Zone 01 1 23.00 23.00 481240027 Zone 01 1 23.00 23.00 481240028 Zone 01 1 23.00 23.00 481240029 Zone 01 1 23.00 23.00 481240030 Zone 01 1 23.00 23.00	481240008	Zone 01		1 23.00	23.00
481240011 Zone 01 1 23.00 23.00 481240012 Zone 01 1 23.00 23.00 481240013 Zone 01 1 23.00 23.00 481240023 Zone 01 1 23.00 23.00 481240024 Zone 01 1 23.00 23.00 481240025 Zone 01 1 23.00 23.00 481240026 Zone 01 1 23.00 23.00 481240027 Zone 01 1 23.00 23.00 481240028 Zone 01 1 23.00 23.00 481240029 Zone 01 1 23.00 23.00 481240030 Zone 01 1 23.00 23.00	481240009	Zone 01		1 23.00	23.00
481240012 Zone 01 1 23.00 23.00 481240013 Zone 01 1 23.00 23.00 481240023 Zone 01 1 23.00 23.00 481240024 Zone 01 1 23.00 23.00 481240025 Zone 01 1 23.00 23.00 481240026 Zone 01 1 23.00 23.00 481240027 Zone 01 1 23.00 23.00 481240028 Zone 01 1 23.00 23.00 481240029 Zone 01 1 23.00 23.00 481240030 Zone 01 1 23.00 23.00	481240010	Zone 01		1 23.00	23.00
481240013 Zone 01 1 23.00 23.00 481240023 Zone 01 1 23.00 23.00 481240024 Zone 01 1 23.00 23.00 481240025 Zone 01 1 23.00 23.00 481240026 Zone 01 1 23.00 23.00 481240027 Zone 01 1 23.00 23.00 481240028 Zone 01 1 23.00 23.00 481240029 Zone 01 1 23.00 23.00 481240030 Zone 01 1 23.00 23.00	481240011	Zone 01		1 23.00	23.00
481240023 Zone 01 1 23.00 23.00 481240024 Zone 01 1 23.00 23.00 481240025 Zone 01 1 23.00 23.00 481240026 Zone 01 1 23.00 23.00 481240027 Zone 01 1 23.00 23.00 481240028 Zone 01 1 23.00 23.00 481240029 Zone 01 1 23.00 23.00 481240030 Zone 01 1 23.00 23.00	481240012	Zone 01		1 23.00	23.00
481240024 Zone 01 1 23.00 23.00 481240025 Zone 01 1 23.00 23.00 481240026 Zone 01 1 23.00 23.00 481240027 Zone 01 1 23.00 23.00 481240028 Zone 01 1 23.00 23.00 481240029 Zone 01 1 23.00 23.00 481240030 Zone 01 1 23.00 23.00	481240013	Zone 01		1 23.00	23.00
481240025 Zone 01 1 23.00 23.00 481240026 Zone 01 1 23.00 23.00 481240027 Zone 01 1 23.00 23.00 481240028 Zone 01 1 23.00 23.00 481240029 Zone 01 1 23.00 23.00 481240030 Zone 01 1 23.00 23.00	481240023	Zone 01		1 23.00	23.00
481240026 Zone 01 1 23.00 23.00 481240027 Zone 01 1 23.00 23.00 481240028 Zone 01 1 23.00 23.00 481240029 Zone 01 1 23.00 23.00 481240030 Zone 01 1 23.00 23.00	481240024	Zone 01		1 23.00	23.00
481240027 Zone 01 1 23.00 23.00 481240028 Zone 01 1 23.00 23.00 481240029 Zone 01 1 23.00 23.00 481240030 Zone 01 1 23.00 23.00	481240025			1 23.00	23.00
481240027 Zone 01 1 23.00 23.00 481240028 Zone 01 1 23.00 23.00 481240029 Zone 01 1 23.00 23.00 481240030 Zone 01 1 23.00 23.00	481240026	Zone 01			
481240028 Zone 01 1 23.00 23.00 481240029 Zone 01 1 23.00 23.00 481240030 Zone 01 1 23.00 23.00	481240027				
481240030 Zone 01 1 23.00 23.00	481240028				
	481240029	Zone 01		1 23.00	23.00
481240031 Zone 01 1 23.00 23.00	481240030	Zone 01		1 23.00	23.00
	481240031	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	I EBU's FY 17-18 I	Max Assessment	FY 17-18 Assessment
481240032	Zone 01	1	23.00	23.00
481240033	Zone 01	1	23.00	23.00
481240034	Zone 01	1	23.00	23.00
481240035	Zone 01	1	23.00	23.00
481240036	Zone 01	1	23.00	23.00
481240037	Zone 01	1	23.00	23.00
481240038	Zone 01	1	23.00	23.00
481240044	Zone 01	1	23.00	23.00
481240045	Zone 01	1	23.00	23.00
481250001	Zone 01	1	23.00	23.00
481250004	Zone 01	1	23.00	23.00
481250005	Zone 01	1	23.00	23.00
481250006	Zone 01	1	23.00	23.00
481250042	Zone 01	1	23.00	23.00
481250008	Zone 01	1	23.00	23.00
481250009	Zone 01	1	23.00	23.00
481250010	Zone 01	1	23.00	23.00
481250012	Zone 01	1	23.00	23.00
481250013	Zone 01	1	23.00	23.00
481250014	Zone 01	1	23.00	23.00
481250015	Zone 01	1	23.00	23.00
481250016	Zone 01	1	23.00	23.00
481250039	Zone 01	1	23.00	23.00
481250040	Zone 01	1	23.00	23.00
481250041	Zone 01	1	23.00	23.00
481260004	Zone 01	1	23.00	23.00
481260005	Zone 01	1	23.00	23.00
481260006	Zone 01	1	23.00	23.00
481260010	Zone 01	1	23.00	23.00
481260011	Zone 01	1	23.00	23.00
481260012	Zone 01	1	23.00	23.00
481260013	Zone 01	1	23.00	23.00
481260015	Zone 01	1	23.00	23.00
481260016	Zone 01	1	23.00	23.00
481260017	Zone 01	1	23.00	23.00
481260018	Zone 01	1	23.00	23.00
481260019	Zone 01	1	23.00	23.00
481260020	Zone 01	1	23.00	23.00
481260021	Zone 01	1	23.00	23.00
481260022	Zone 01	1	23.00	23.00
481260023	Zone 01	1	23.00	23.00
481260024	Zone 01	1	23.00	23.00
481260025	Zone 01	1	23.00	23.00
481260026	Zone 01	1	23.00	23.00
481260027	Zone 01	1	23.00	23.00
481260028	Zone 01	1	23.00	23.00
481260029	Zone 01	1	23.00	23.00
481260030	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
481260031	Zone 01		1 23.00	23.00
481260054	Zone 01		1 23.00	23.00
481260041	Zone 01		1 23.00	23.00
481260043	Zone 01		1 23.00	23.00
481260051	Zone 01		1 23.00	23.00
481260052	Zone 01		0	0.00
481270064	Zone 01		1 23.00	23.00
481270004	Zone 01		1 23.00	23.00
481270008	Zone 01		1 23.00	23.00
481270009	Zone 01		1 23.00	23.00
481270010	Zone 01		1 23.00	23.00
481270011	Zone 01		1 23.00	23.00
481270012	Zone 01		1 23.00	23.00
481270013	Zone 01		1 23.00	23.00
481270014	Zone 01		1 23.00	23.00
481270015	Zone 01		1 23.00	23.00
481270019	Zone 01		1 23.00	23.00
481270020	Zone 01		1 23.00	23.00
481270050	Zone 01		1 23.00	23.00
481270051	Zone 01		1 23.00	23.00
481270052	Zone 01		1 23.00	23.00
481270053	Zone 01		1 23.00	23.00
481270055	Zone 01		1 23.00	23.00
481270056	Zone 01		1 23.00	23.00
481270057	Zone 01		1 23.00	23.00
481291001	Zone 01		1 23.00	23.00
481291002	Zone 01		1 23.00	23.00
481291003	Zone 01		1 23.00	23.00
481291004	Zone 01		1 23.00	23.00
481291005	Zone 01		1 23.00	23.00
481291006	Zone 01		1 23.00	23.00
481291007	Zone 01		1 23.00	23.00
481291008	Zone 01		1 23.00	23.00
481291009	Zone 01		1 23.00	23.00
481291010	Zone 01		1 23.00	23.00
481291011	Zone 01		1 23.00	23.00
481291012	Zone 01		1 23.00	23.00
481291013	Zone 01		1 23.00	23.00
481291014	Zone 01		1 23.00	23.00
481291015	Zone 01		1 23.00	23.00
481291016	Zone 01		1 23.00	23.00
481291017	Zone 01		1 23.00	23.00
481291018	Zone 01		1 23.00	23.00
481291019	Zone 01		1 23.00	23.00
481291020	Zone 01		1 23.00	23.00
481291021	Zone 01		1 23.00	23.00
481291022	Zone 01		1 23.00	23.00
481291023	Zone 01		1 23.00	23.00
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			20.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
481291024	Zone 01		1 23.00	23.00
481292001	Zone 01		1 23.00	23.00
481292002	Zone 01		1 23.00	23.00
481292003	Zone 01		1 23.00	23.00
481292004	Zone 01		1 23.00	23.00
481292005	Zone 01		1 23.00	23.00
481292006	Zone 01		1 23.00	23.00
481292007	Zone 01		1 23.00	23.00
481292008	Zone 01		1 23.00	23.00
481292009	Zone 01		1 23.00	23.00
481292010	Zone 01		1 23.00	23.00
481292011	Zone 01		1 23.00	23.00
481292012	Zone 01		1 23.00	23.00
481292013	Zone 01		1 23.00	23.00
481292014	Zone 01		1 23.00	23.00
481292015	Zone 01		1 23.00	23.00
481292016	Zone 01		1 23.00	23.00
481292017	Zone 01		1 23.00	23.00
481292018	Zone 01		1 23.00	23.00
481292019	Zone 01		1 23.00	23.00
481292020	Zone 01		1 23.00	23.00
481292021	Zone 01		1 23.00	23.00
481292022	Zone 01		1 23.00	23.00
481292023	Zone 01		1 23.00	23.00
481292024	Zone 01		1 23.00	23.00
481292025	Zone 01		1 23.00	23.00
481292026	Zone 01		1 23.00	23.00
481292027	Zone 01		1 23.00	23.00
481292028	Zone 01		1 23.00	23.00
481292029	Zone 01		1 23.00	23.00
481292030	Zone 01		1 23.00	23.00
481292031	Zone 01		1 23.00	23.00
481293001	Zone 01		1 23.00	23.00
481293002	Zone 01		1 23.00	23.00
481293003	Zone 01		1 23.00	23.00
481293004	Zone 01		1 23.00	23.00
481293005	Zone 01		1 23.00	23.00
481293006	Zone 01		1 23.00	23.00
481293007	Zone 01		1 23.00	23.00
481293008	Zone 01		1 23.00	23.00
481293009	Zone 01		1 23.00	23.00
481301001	Zone 01		1 23.00	23.00
481301002	Zone 01		1 23.00	23.00
481301003	Zone 01		1 23.00	23.00
481301004	Zone 01		1 23.00	23.00
481301005	Zone 01		1 23.00	23.00
481301006	Zone 01		1 23.00	23.00
481301007	Zone 01		1 23.00	23.00
.01001001			20.00	20.00

APN	LMD 2014-01 Zone LMD Ass	signed EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
481301008	Zone 01	1	23.00	23.00
481301009	Zone 01	1	23.00	23.00
481301010	Zone 01	1	23.00	23.00
481301011	Zone 01	1	23.00	23.00
481301012	Zone 01	1	23.00	23.00
481301013	Zone 01	1	23.00	23.00
481301014	Zone 01	1	23.00	23.00
481301015	Zone 01	1	23.00	23.00
481301016	Zone 01	1	23.00	23.00
481301017	Zone 01	1	23.00	23.00
481301018	Zone 01	1	23.00	23.00
481301019	Zone 01	1	23.00	23.00
481301020	Zone 01	1	23.00	23.00
481301021	Zone 01	1	23.00	23.00
481301022	Zone 01	1	23.00	23.00
481301023	Zone 01	1	23.00	23.00
481301024	Zone 01	1	23.00	23.00
481301025	Zone 01	1	23.00	23.00
481301026	Zone 01	1	23.00	23.00
481301027	Zone 01	1	23.00	23.00
481302001	Zone 01	1	23.00	23.00
481302002	Zone 01	1	23.00	23.00
481302003	Zone 01	1	23.00	23.00
481302004	Zone 01	1	23.00	23.00
481302005	Zone 01	1	23.00	23.00
481302006	Zone 01	1	23.00	23.00
481302007	Zone 01	1	23.00	23.00
481302008	Zone 01	1	23.00	23.00
481302009	Zone 01	1	23.00	23.00
481302010	Zone 01	1	23.00	23.00
481302011	Zone 01	1	23.00	23.00
481302012	Zone 01	1	23.00	23.00
481302013	Zone 01	1	23.00	23.00
481302014	Zone 01	1	23.00	23.00
481302015	Zone 01	1	23.00	23.00
481302016	Zone 01	1	23.00	23.00
481302017	Zone 01	1	23.00	23.00
481302018	Zone 01	1	23.00	23.00
481302019	Zone 01	1	23.00	23.00
481302020	Zone 01	1	23.00	23.00
481302021	Zone 01	1	23.00	23.00
481302022	Zone 01	1	23.00	23.00
481302023	Zone 01	1	23.00	23.00
481302024	Zone 01	1	23.00	23.00
481302025	Zone 01	1	23.00	23.00
481302026	Zone 01	1	23.00	23.00
481310001	Zone 01	1	23.00	23.00
481310002	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assig	ned EBU's FY 1	7-18 Max Assessment	FY 17-18 Assessment
481310003	Zone 01	1	23.00	23.00
481310004	Zone 01	1	23.00	23.00
481310005	Zone 01	1	23.00	23.00
481310006	Zone 01	1	23.00	23.00
481311001	Zone 01	1	23.00	23.00
481311002	Zone 01	1	23.00	23.00
481311003	Zone 01	1	23.00	23.00
481311004	Zone 01	1	23.00	23.00
481311005	Zone 01	1	23.00	23.00
481311006	Zone 01	1	23.00	23.00
481311007	Zone 01	1	23.00	23.00
481311008	Zone 01	1	23.00	23.00
481311009	Zone 01	1	23.00	23.00
481311010	Zone 01	1	23.00	23.00
481311011	Zone 01	1	23.00	23.00
481311012	Zone 01	1	23.00	23.00
481311013	Zone 01	1	23.00	23.00
481311014	Zone 01	1	23.00	23.00
481311015	Zone 01	1	23.00	23.00
481311016	Zone 01	1	23.00	23.00
481311017	Zone 01	1	23.00	23.00
481311018	Zone 01	1	23.00	23.00
481311019	Zone 01	1	23.00	23.00
481312036	Zone 01	1	23.00	23.00
481312037	Zone 01	1	23.00	23.00
481312038	Zone 01	1	23.00	23.00
481312039	Zone 01	1	23.00	23.00
		1		
481312040	Zone 01	1	23.00	23.00
481312041	Zone 01 Zone 01	1	23.00	23.00
481312042		1	23.00	23.00
481312043	Zone 01	1	23.00	23.00
481312044	Zone 01	1	23.00	23.00
481312045	Zone 01	1	23.00	23.00
481312046	Zone 01	1	23.00	23.00
481312054	Zone 01	1	23.00	23.00
481312047	Zone 01	1	23.00	23.00
481312048	Zone 01	1	23.00	23.00
481312049	Zone 01	1	23.00	23.00
481312050	Zone 01	1	23.00	23.00
481312051	Zone 01	1	23.00	23.00
481312052	Zone 01	1	23.00	23.00
481312053	Zone 01	1	23.00	23.00
481312020	Zone 01	1	23.00	23.00
481312021	Zone 01	1	23.00	23.00
481312022	Zone 01	1	23.00	23.00
481312023	Zone 01	1	23.00	23.00
481312024	Zone 01	1	23.00	23.00
481312025	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone L	MD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
481312026	Zone 01		1 23.00	23.00
481312027	Zone 01		1 23.00	23.00
481312028	Zone 01		1 23.00	23.00
481312029	Zone 01		1 23.00	23.00
481312030	Zone 01		1 23.00	23.00
481312031	Zone 01		1 23.00	23.00
481312032	Zone 01		1 23.00	23.00
481312033	Zone 01		1 23.00	23.00
481312034	Zone 01		1 23.00	23.00
481312035	Zone 01		1 23.00	23.00
481322047	Zone 01		1 23.00	23.00
481322048	Zone 01		1 23.00	23.00
481322049	Zone 01		1 23.00	23.00
481322050	Zone 01		1 23.00	23.00
481322006	Zone 01		1 23.00	23.00
481322007	Zone 01		1 23.00	23.00
481322008	Zone 01		1 23.00	23.00
481322009	Zone 01		1 23.00	23.00
481330001	Zone 01		1 23.00	23.00
481330002	Zone 01		1 23.00	23.00
481330003	Zone 01		1 23.00	23.00
481330004	Zone 01		1 23.00	23.00
481330005	Zone 01		1 23.00	23.00
481330006	Zone 01		1 23.00	23.00
481330007	Zone 01		1 23.00	23.00
481330008	Zone 01		1 23.00	23.00
481330009	Zone 01		1 23.00	23.00
481330010	Zone 01		1 23.00	23.00
481330011	Zone 01		1 23.00	23.00
481330012	Zone 01		1 23.00	23.00
481330013	Zone 01		1 23.00	23.00
481330014	Zone 01		1 23.00	23.00
481330015	Zone 01		1 23.00	23.00
481330016	Zone 01		1 23.00	23.00
481330017	Zone 01		1 23.00	23.00
481330018	Zone 01		1 23.00	23.00
481330019	Zone 01		1 23.00	23.00
481330020	Zone 01		1 23.00	23.00
481330021	Zone 01		1 23.00	23.00
481330022	Zone 01		1 23.00	23.00
481330023	Zone 01		1 23.00	23.00
481330024	Zone 01		1 23.00	23.00
481330025	Zone 01		1 23.00	23.00
481330026	Zone 01		1 23.00	23.00
481330027	Zone 01		1 23.00	23.00
481330028	Zone 01		1 23.00	23.00
481330029	Zone 01		1 23.00	23.00
481330030	Zone 01		1 23.00	23.00
.3100000			20.00	20.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
481330031	Zone 01		1 23.00	23.00
481330032	Zone 01		1 23.00	23.00
481330033	Zone 01		1 23.00	23.00
481330034	Zone 01		1 23.00	23.00
481330035	Zone 01		1 23.00	23.00
481330036	Zone 01		1 23.00	23.00
481330037	Zone 01		1 23.00	23.00
481330038	Zone 01		1 23.00	23.00
481330039	Zone 01		1 23.00	23.00
481330040	Zone 01		1 23.00	23.00
481341001	Zone 01		1 23.00	23.00
481341002	Zone 01		1 23.00	23.00
481341003	Zone 01		1 23.00	23.00
481341004	Zone 01		1 23.00	23.00
481341005	Zone 01		1 23.00	23.00
481341006	Zone 01		1 23.00	23.00
481341007	Zone 01		1 23.00	23.00
481341008	Zone 01		1 23.00	23.00
481341009	Zone 01		1 23.00	23.00
481341010	Zone 01		1 23.00	23.00
481341011	Zone 01		1 23.00	23.00
481341012	Zone 01		1 23.00	23.00
481341013	Zone 01		1 23.00	23.00
481341016	Zone 01		1 23.00	23.00
481341017	Zone 01		1 23.00	23.00
481341018	Zone 01		1 23.00	23.00
481341019	Zone 01		1 23.00	23.00
481341022	Zone 01		1 23.00	23.00
481341023	Zone 01		1 23.00	23.00
481341024	Zone 01		1 23.00	23.00
481341025	Zone 01		1 23.00	23.00
481341026	Zone 01		1 23.00	23.00
481341027	Zone 01		1 23.00	23.00
481341028	Zone 01		1 23.00	23.00
481341029	Zone 01		1 23.00	23.00
481341030	Zone 01		1 23.00	23.00
481341031	Zone 01		1 23.00	23.00
481341032	Zone 01		1 23.00	23.00
481341034	Zone 01		1 23.00	23.00
481342001	Zone 01		1 23.00	23.00
481342002	Zone 01		1 23.00	23.00
481342003	Zone 01		1 23.00	23.00
481342004	Zone 01		1 23.00	23.00
481342009	Zone 01		1 23.00	23.00
481342010	Zone 01		1 23.00	23.00
481342011	Zone 01		1 23.00	23.00
481342012	Zone 01		1 23.00	23.00
481342013	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-1	8 Max Assessment	FY 17-18 Assessment
481342014	Zone 01	1	23.00	23.00
481342015	Zone 01	1	23.00	23.00
481342016	Zone 01	1	23.00	23.00
481342017	Zone 01	1	23.00	23.00
481342018	Zone 01	1	23.00	23.00
481342019	Zone 01	1	23.00	23.00
481342029	Zone 01	1	23.00	23.00
481342030	Zone 01	1	23.00	23.00
481342031	Zone 01	1	23.00	23.00
481342032	Zone 01	1	23.00	23.00
481342033	Zone 01	1	23.00	23.00
481342034	Zone 01	1	23.00	23.00
481342035	Zone 01	1	23.00	23.00
482020001	Zone 01	1	23.00	23.00
482020002	Zone 01	1	23.00	23.00
482020004	Zone 01	1	23.00	23.00
482020061	Zone 01	1	23.00	23.00
482020008	Zone 01	1	23.00	23.00
482020010	Zone 01	1	23.00	23.00
482020011	Zone 01	1	23.00	23.00
482020012	Zone 01	1	23.00	23.00
482020013	Zone 01	1	23.00	23.00
482020014	Zone 01	1	23.00	23.00
482020015	Zone 01	1	23.00	23.00
482020016	Zone 01	1	23.00	23.00
482020017	Zone 01	1	23.00	23.00
482020018	Zone 01	1	23.00	23.00
482020019	Zone 01	1	23.00	23.00
482020020	Zone 01	1	23.00	23.00
482020021	Zone 01	1	23.00	23.00
482020044	Zone 01	1	23.00	23.00
482030021	Zone 01	1	23.00	23.00
482030022	Zone 01	1	23.00	23.00
482030025	Zone 01	1	23.00	23.00
482030026	Zone 01	1	23.00	23.00
482030027	Zone 01	1	23.00	23.00
482030028	Zone 01	1	23.00	23.00
482030029	Zone 01	1	23.00	23.00
482030030	Zone 01	1	23.00	23.00
482030031	Zone 01	1	23.00	23.00
482030032	Zone 01	1	23.00	23.00
482030033	Zone 01	1	23.00	23.00
482030035	Zone 01	1	23.00	23.00
482030038	Zone 01	1	23.00	23.00
482030040	Zone 01	1	23.00	23.00
482030044	Zone 01	1	23.00	23.00
482040022	Zone 01	1	23.00	23.00
482040023	Zone 01	1	23.00	23.00
				_5100

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
482040026	Zone 01		1 23.00	23.00
482040027	Zone 01		1 23.00	23.00
482040028	Zone 01		1 23.00	23.00
482040029	Zone 01		1 23.00	23.00
482040030	Zone 01		1 23.00	23.00
482040031	Zone 01		1 23.00	23.00
482040032	Zone 01		1 23.00	23.00
482040033	Zone 01		1 23.00	23.00
482040035	Zone 01		1 23.00	23.00
482040036	Zone 01		1 23.00	23.00
482040038	Zone 01		1 23.00	23.00
482040039	Zone 01		1 23.00	23.00
482040040	Zone 01		1 23.00	23.00
482040041	Zone 01		1 23.00	23.00
482040042	Zone 01		1 23.00	23.00
482040043	Zone 01		1 23.00	23.00
482050017	Zone 01		1 23.00	23.00
482050018	Zone 01		1 23.00	23.00
482050020	Zone 01		1 23.00	23.00
482050021	Zone 01		1 23.00	23.00
482050021	Zone 01		1 23.00	23.00
482050023	Zone 01		1 23.00	23.00
482050024	Zone 01		1 23.00	23.00
482050025	Zone 01		1 23.00	23.00
482050028	Zone 01		1 23.00	23.00
482050029	Zone 01		1 23.00	23.00
482050030	Zone 01		1 23.00	23.00
482050031	Zone 01		1 23.00	23.00
482050031	Zone 01		1 23.00	23.00
482050032	Zone 01		1 23.00	23.00
482060001	Zone 01		1 23.00	23.00
4820600001	Zone 01		1 23.00	23.00
482060003	Zone 01		1 23.00	23.00
482060004	Zone 01		1 23.00	23.00
482060005	Zone 01		1 23.00	23.00
482060006	Zone 01		1 23.00	23.00
482060007	Zone 01		1 23.00	23.00
482060008	Zone 01		1 23.00	23.00
482060009	Zone 01		1 23.00	23.00
4820600003	Zone 01		1 23.00	23.00
482060010	Zone 01		1 23.00	23.00
482060011	Zone 01		1 23.00	23.00
482060012	Zone 01		1 23.00	23.00
482060013	Zone 01		1 23.00	23.00
482060014	Zone 01		1 23.00	23.00
482060016	Zone 01		1 23.00	23.00
482060016	Zone 01		1 23.00	23.00
482060025	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
482060026	Zone 01		1 23.00	23.00
482060027	Zone 01		1 23.00	23.00
482060028	Zone 01		1 23.00	23.00
482060029	Zone 01		1 23.00	23.00
482060030	Zone 01		1 23.00	23.00
482060031	Zone 01		1 23.00	23.00
482060032	Zone 01		1 23.00	23.00
482060033	Zone 01		1 23.00	23.00
482060034	Zone 01		1 23.00	23.00
482060035	Zone 01		1 23.00	23.00
482060036	Zone 01		1 23.00	23.00
482060037	Zone 01		1 23.00	23.00
482060038	Zone 01		1 23.00	23.00
482060039	Zone 01		1 23.00	23.00
482060040	Zone 01		1 23.00	23.00
482060041	Zone 01		1 23.00	23.00
482060046	Zone 01		1 23.00	23.00
482060047	Zone 01		1 23.00	23.00
482060048	Zone 01		1 23.00	23.00
482060050	Zone 01		1 23.00	23.00
482060051	Zone 01		1 23.00	23.00
482060052	Zone 01		1 23.00	23.00
482070002	Zone 01		1 23.00	23.00
482070003	Zone 01		1 23.00	23.00
482070004	Zone 01		1 23.00	23.00
482070005	Zone 01		1 23.00	23.00
482070006	Zone 01		1 23.00	23.00
482070007	Zone 01		1 23.00	23.00
482070008	Zone 01		1 23.00	23.00
482070009	Zone 01		1 23.00	23.00
482070010	Zone 01		1 23.00	23.00
482070042	Zone 01		1 23.00	23.00
482070012	Zone 01		1 23.00	23.00
482070013	Zone 01		1 23.00	23.00
482070014	Zone 01		1 23.00	23.00
482070030	Zone 01		1 23.00	23.00
482070031	Zone 01		1 23.00	23.00
482070040	Zone 01		1 23.00	23.00
482080002	Zone 01		1 23.00	23.00
482080003	Zone 01		1 23.00	23.00
482080003	Zone 01		1 23.00	23.00
482080005	Zone 01		1 23.00	23.00
482080006	Zone 01		1 23.00	23.00
482080006	Zone 01		1 23.00	23.00
482080007	Zone 01		1 23.00	23.00
482080008	Zone 01		1 23.00	23.00
	Zone 01			
482080011			1 23.00	23.00
482080012	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	d EBU's FY 17-18 M	lax Assessment	FY 17-18 Assessment
482080013	Zone 01	1	23.00	23.00
482080014	Zone 01	1	23.00	23.00
482080017	Zone 01	1	23.00	23.00
482080021	Zone 01	1	23.00	23.00
482080022	Zone 01	1	23.00	23.00
482080038	Zone 01	1	23.00	23.00
482080039	Zone 01	1	23.00	23.00
482080041	Zone 01	1	23.00	23.00
482080042	Zone 01	1	23.00	23.00
482080043	Zone 01	1	23.00	23.00
482080044	Zone 01	1	23.00	23.00
482080045	Zone 01	1	23.00	23.00
482080051	Zone 01	1	23.00	23.00
482080061	Zone 01	1	23.00	23.00
482080062	Zone 01	1	23.00	23.00
482090016	Zone 01	1	23.00	23.00
482090017	Zone 01	1	23.00	23.00
482090018	Zone 01	1	23.00	23.00
482090020	Zone 01	1	23.00	23.00
482090021	Zone 01	1	23.00	23.00
482090024	Zone 01	1	23.00	23.00
482090028	Zone 01	1	23.00	23.00
482090032	Zone 01	1	23.00	23.00
482111001	Zone 01	1	23.00	23.00
482111002	Zone 01	1	23.00	23.00
482111003	Zone 01	1	23.00	23.00
482111004	Zone 01	1	23.00	23.00
482111005	Zone 01	1	23.00	23.00
482111006	Zone 01	1	23.00	23.00
482111007	Zone 01	1	23.00	23.00
482111008	Zone 01	1	23.00	23.00
482111009	Zone 01	1	23.00	23.00
482111010	Zone 01	1	23.00	23.00
482111011	Zone 01	1	23.00	23.00
482111012	Zone 01	1	23.00	23.00
482111013	Zone 01	1	23.00	23.00
482111014	Zone 01	1	23.00	23.00
482111015	Zone 01	1	23.00	23.00
482111016	Zone 01	1	23.00	23.00
482111017	Zone 01	1	23.00	23.00
482111018	Zone 01	1	23.00	23.00
482111019	Zone 01	1	23.00	23.00
482111020	Zone 01	1	23.00	23.00
482111021	Zone 01	1	23.00	23.00
482111022	Zone 01	1	23.00	23.00
482111023	Zone 01	1	23.00	23.00
482112001	Zone 01	1	23.00	23.00
482112002	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
482112003	Zone 01		1 23.00	23.00
482112004	Zone 01		1 23.00	23.00
482112005	Zone 01		1 23.00	23.00
482112006	Zone 01		1 23.00	23.00
482112007	Zone 01		1 23.00	23.00
482112008	Zone 01		1 23.00	23.00
482112009	Zone 01		1 23.00	23.00
482112010	Zone 01		1 23.00	23.00
482112011	Zone 01		1 23.00	23.00
482112012	Zone 01		1 23.00	23.00
482112013	Zone 01		1 23.00	23.00
482112014	Zone 01		1 23.00	23.00
482112015	Zone 01		1 23.00	23.00
482112016	Zone 01		1 23.00	23.00
482113001	Zone 01		1 23.00	23.00
482113002	Zone 01		1 23.00	23.00
482113003	Zone 01		1 23.00	23.00
482113004	Zone 01		1 23.00	23.00
482113005	Zone 01		1 23.00	23.00
482113006	Zone 01		1 23.00	23.00
482113007	Zone 01		1 23.00	23.00
482113010	Zone 01		1 23.00	23.00
482113011	Zone 01		1 23.00	23.00
482113012	Zone 01		1 23.00	23.00
482113013	Zone 01		1 23.00	23.00
482113014	Zone 01		1 23.00	23.00
482113015	Zone 01		1 23.00	23.00
482113016	Zone 01		1 23.00	23.00
482113018	Zone 01		1 23.00	23.00
482113020	Zone 01		1 23.00	23.00
482122012	Zone 01		1 23.00	23.00
482122013	Zone 01		1 23.00	23.00
482122014	Zone 01		1 23.00 1 23.00	23.00
482122015	Zone 01			23.00
482122016	Zone 01		1 23.00	23.00
482122017	Zone 01		1 23.00	23.00
482122018	Zone 01		1 23.00	23.00
482122019	Zone 01		1 23.00	23.00
482122020	Zone 01		1 23.00	23.00
482122021	Zone 01		1 23.00	23.00
482122022	Zone 01		1 23.00	23.00
482122023	Zone 01		1 23.00	23.00
482122024	Zone 01		1 23.00	23.00
482122025	Zone 01		1 23.00	23.00
482122026	Zone 01		1 23.00	23.00
482122027	Zone 01		1 23.00	23.00
482122028	Zone 01		1 23.00	23.00
482122029	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-1	8 Max Assessment	FY 17-18 Assessment
482122030	Zone 01	1	23.00	23.00
482122031	Zone 01	1	23.00	23.00
482122032	Zone 01	1	23.00	23.00
482123004	Zone 01	1	23.00	23.00
482123005	Zone 01	1	23.00	23.00
482123006	Zone 01	1	23.00	23.00
482123007	Zone 01	1	23.00	23.00
482123008	Zone 01	1	23.00	23.00
482123009	Zone 01	1	23.00	23.00
482123010	Zone 01	1	23.00	23.00
482123011	Zone 01	1	23.00	23.00
482123012	Zone 01	1	23.00	23.00
482123013	Zone 01	1	23.00	23.00
482123014	Zone 01	1	23.00	23.00
482123015	Zone 01	1	23.00	23.00
482123016	Zone 01	1	23.00	23.00
482123017	Zone 01	1	23.00	23.00
482141016	Zone 01	1	23.00	23.00
482141017	Zone 01	1	23.00	23.00
482141018	Zone 01	1	23.00	23.00
482141019	Zone 01	1	23.00	23.00
482141020	Zone 01	1	23.00	23.00
482141023	Zone 01	1	23.00	23.00
482141024	Zone 01	1	23.00	23.00
482141025	Zone 01	1	23.00	23.00
482141026	Zone 01	1	23.00	23.00
482141031	Zone 01	0		0.00
482141035	Zone 01	1	23.00	23.00
482141036	Zone 01	1	23.00	23.00
482141037	Zone 01	1	23.00	23.00
482151001	Zone 01	1	23.00	23.00
482151002	Zone 01	1	23.00	23.00
482151003	Zone 01	1	23.00	23.00
482151004	Zone 01	1	23.00	23.00
482151005	Zone 01	1	23.00	23.00
482151006	Zone 01	1	23.00	23.00
482151007	Zone 01	1	23.00	23.00
482152023	Zone 01	1	23.00	23.00
482152024	Zone 01	1	23.00	23.00
482152025	Zone 01	1	23.00	23.00
482152026	Zone 01	1	23.00	23.00
482152027	Zone 01	1	23.00	23.00
482152028	Zone 01	1	23.00	23.00
482152029	Zone 01	1	23.00	23.00
482152030	Zone 01	1	23.00	23.00
482152031	Zone 01	1	23.00	23.00
482152032	Zone 01	1	23.00	23.00
482152033	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assig	ned EBU's FY 17-18	Max Assessment	FY 17-18 Assessment
482152034	Zone 01	1	23.00	23.00
482152035	Zone 01	1	23.00	23.00
482152036	Zone 01	1	23.00	23.00
482152037	Zone 01	1	23.00	23.00
482152038	Zone 01	1	23.00	23.00
482152039	Zone 01	1	23.00	23.00
482152040	Zone 01	1	23.00	23.00
482161003	Zone 01	1	23.00	23.00
482161004	Zone 01	1	23.00	23.00
482161005	Zone 01	1	23.00	23.00
482161006	Zone 01	1	23.00	23.00
482161007	Zone 01	1	23.00	23.00
482161008	Zone 01	1	23.00	23.00
482161009	Zone 01	1	23.00	23.00
482161010	Zone 01	1	23.00	23.00
482161011	Zone 01	1	23.00	23.00
482161012	Zone 01	1	23.00	23.00
482161013	Zone 01	1	23.00	23.00
482161014	Zone 01	1	23.00	23.00
482161015	Zone 01	1	23.00	23.00
482161016	Zone 01	1	23.00	23.00
482161017	Zone 01	1	23.00	23.00
482161018	Zone 01	1	23.00	23.00
482161019	Zone 01	1	23.00	23.00
482162001	Zone 01	1	23.00	23.00
482162002	Zone 01	1	23.00	23.00
482162003	Zone 01	1	23.00	23.00
482162004	Zone 01	1	23.00	23.00
482162005	Zone 01	1	23.00	23.00
482162006	Zone 01	1	23.00	23.00
482162007	Zone 01	1	23.00	23.00
482162008	Zone 01	1	23.00	23.00
482162009	Zone 01	1	23.00	23.00
482162010	Zone 01	1	23.00	23.00
482162011	Zone 01	1	23.00	23.00
482162012	Zone 01	1	23.00	23.00
482162013	Zone 01	1	23.00	23.00
482162014	Zone 01	1	23.00	23.00
		1		
482162015	Zone 01	1	23.00	23.00
482162016	Zone 01	1	23.00	23.00
482162017	Zone 01	1	23.00	23.00
482162018	Zone 01	1	23.00	23.00
482162019	Zone 01	1	23.00	23.00
482162020	Zone 01	1	23.00	23.00
482162021	Zone 01	1	23.00	23.00
482162022	Zone 01	1	23.00	23.00
482162023	Zone 01	1	23.00	23.00
482162024	Zone 01		23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
482162025	Zone 01		1 23.00	23.00
482162026	Zone 01		1 23.00	23.00
482162027	Zone 01		1 23.00	23.00
482162028	Zone 01		1 23.00	23.00
482162029	Zone 01		1 23.00	23.00
482162030	Zone 01		1 23.00	23.00
482170019	Zone 01		1 23.00	23.00
482170020	Zone 01		1 23.00	23.00
482170021	Zone 01		1 23.00	23.00
482170022	Zone 01		1 23.00	23.00
482170023	Zone 01		1 23.00	23.00
482170024	Zone 01		1 23.00	23.00
482170025	Zone 01		1 23.00	23.00
482170026	Zone 01		1 23.00	23.00
482170027	Zone 01		1 23.00	23.00
482170028	Zone 01		1 23.00	23.00
482170029	Zone 01		1 23.00	23.00
482170030	Zone 01		1 23.00	23.00
482170031	Zone 01		1 23.00	23.00
482170032	Zone 01		1 23.00	23.00
482170033	Zone 01		1 23.00	23.00
482170034	Zone 01		1 23.00	23.00
482170035	Zone 01		1 23.00	23.00
482170036	Zone 01		1 23.00	23.00
482170037	Zone 01		1 23.00	23.00
482170038	Zone 01		1 23.00	23.00
482241001	Zone 01		1 23.00	23.00
482241002	Zone 01		1 23.00	23.00
482241003	Zone 01		1 23.00	23.00
482241004	Zone 01		1 23.00	23.00
482241005	Zone 01		1 23.00	23.00
482241006	Zone 01		1 23.00	23.00
482241007	Zone 01		1 23.00	23.00
482241008	Zone 01		1 23.00	23.00
482241009	Zone 01		1 23.00	23.00
482241010	Zone 01		1 23.00	23.00
482241011	Zone 01		1 23.00	23.00
482241012	Zone 01		1 23.00	23.00
482241013	Zone 01		1 23.00	23.00
482241014	Zone 01		1 23.00	23.00
482241015	Zone 01		1 23.00	23.00
482241016	Zone 01		1 23.00	23.00
482241017	Zone 01		1 23.00	23.00
482241018	Zone 01		1 23.00	23.00
482242001	Zone 01		1 23.00	23.00
482242002	Zone 01		1 23.00	23.00
482242003	Zone 01		1 23.00	23.00
482242004	Zone 01		1 23.00	23.00
,				

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-18 M	lax Assessment	FY 17-18 Assessment
482242005	Zone 01	1	23.00	23.00
482242006	Zone 01	1	23.00	23.00
482242007	Zone 01	1	23.00	23.00
482242008	Zone 01	1	23.00	23.00
482242009	Zone 01	1	23.00	23.00
482242010	Zone 01	1	23.00	23.00
482242011	Zone 01	1	23.00	23.00
482242012	Zone 01	1	23.00	23.00
482242013	Zone 01	1	23.00	23.00
482242014	Zone 01	1	23.00	23.00
482242015	Zone 01	1	23.00	23.00
482242016	Zone 01	1	23.00	23.00
482242017	Zone 01	1	23.00	23.00
482242018	Zone 01	1	23.00	23.00
482242019	Zone 01	1	23.00	23.00
482242020	Zone 01	1	23.00	23.00
482242021	Zone 01	1	23.00	23.00
482242022	Zone 01	1	23.00	23.00
482242023	Zone 01	1	23.00	23.00
482242024	Zone 01	1	23.00	23.00
482243001	Zone 01	1	23.00	23.00
482243002	Zone 01	1	23.00	23.00
482243003	Zone 01	1	23.00	23.00
482243004	Zone 01	1	23.00	23.00
482243005	Zone 01	1	23.00	23.00
482243006	Zone 01	1	23.00	23.00
482243007	Zone 01	1	23.00	23.00
482243008	Zone 01	1	23.00	23.00
482243009	Zone 01	1	23.00	23.00
482243010	Zone 01	1	23.00	23.00
482243011	Zone 01	1	23.00	23.00
482243012	Zone 01	1	23.00	23.00
482243013	Zone 01	1	23.00	23.00
482251001	Zone 01	1	23.00	23.00
482251002	Zone 01	1	23.00	23.00
482251003	Zone 01	1	23.00	23.00
482251004	Zone 01	1	23.00	23.00
482251005	Zone 01	1	23.00	23.00
482251006	Zone 01	1	23.00	23.00
482251007	Zone 01	1	23.00	23.00
482251008	Zone 01	1	23.00	23.00
482251009	Zone 01	1	23.00	23.00
482251010	Zone 01	1	23.00	23.00
482251011	Zone 01	1	23.00	23.00
482251012	Zone 01	1	23.00	23.00
482251013	Zone 01	1	23.00	23.00
482251014	Zone 01	1	23.00	23.00
482251015	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-18	Max Assessment	FY 17-18 Assessment
482251016	Zone 01	1	23.00	23.00
482251017	Zone 01	1	23.00	23.00
482251018	Zone 01	1	23.00	23.00
482251019	Zone 01	1	23.00	23.00
482251020	Zone 01	1	23.00	23.00
482251021	Zone 01	1	23.00	23.00
482251022	Zone 01	1	23.00	23.00
482251023	Zone 01	1	23.00	23.00
482251024	Zone 01	1	23.00	23.00
482251025	Zone 01	1	23.00	23.00
482251026	Zone 01	1	23.00	23.00
482251027	Zone 01	1	23.00	23.00
482251028	Zone 01	1	23.00	23.00
482251029	Zone 01	1	23.00	23.00
482251030	Zone 01	1	23.00	23.00
482251031	Zone 01	1	23.00	23.00
482251032	Zone 01	1	23.00	23.00
482251033	Zone 01	1	23.00	23.00
482252001	Zone 01	1	23.00	23.00
482252002	Zone 01	1	23.00	23.00
482252003	Zone 01	1	23.00	23.00
482252004	Zone 01	1	23.00	23.00
482252005	Zone 01	1	23.00	23.00
482252006	Zone 01	1	23.00	23.00
482252007	Zone 01	1	23.00	23.00
482252008	Zone 01	1	23.00	23.00
482252009	Zone 01	1	23.00	23.00
482252010	Zone 01	1	23.00	23.00
482252011	Zone 01	1	23.00	23.00
482252012	Zone 01	1	23.00	23.00
482252013	Zone 01	1	23.00	23.00
482252014	Zone 01	1	23.00	23.00
482252015	Zone 01	1	23.00	23.00
482252016	Zone 01	1	23.00	23.00
482252017	Zone 01	1	23.00	23.00
482252018	Zone 01	1	23.00	23.00
482253001	Zone 01	1	23.00	23.00
482253002	Zone 01	1	23.00	23.00
482253003	Zone 01	1	23.00	23.00
482253004	Zone 01	1	23.00	23.00
482253005	Zone 01	1	23.00	23.00
482253006	Zone 01	1	23.00	23.00
482253007	Zone 01	1	23.00	23.00
482253008	Zone 01	1	23.00	23.00
482253009	Zone 01	1	23.00	23.00
482253010	Zone 01	1	23.00	23.00
482253011	Zone 01	1	23.00	23.00
482253012	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone L	_MD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
482253013	Zone 01		1 23.00	23.00
482253014	Zone 01		1 23.00	23.00
482253015	Zone 01		1 23.00	23.00
482253016	Zone 01		1 23.00	23.00
482253017	Zone 01		1 23.00	23.00
482253018	Zone 01		1 23.00	23.00
482253019	Zone 01		1 23.00	23.00
482253020	Zone 01		1 23.00	23.00
482253021	Zone 01		1 23.00	23.00
482253022	Zone 01		1 23.00	23.00
482253023	Zone 01		1 23.00	23.00
482253024	Zone 01		1 23.00	23.00
482253025	Zone 01		1 23.00	23.00
482253026	Zone 01		1 23.00	23.00
482253027	Zone 01		1 23.00	23.00
482253028	Zone 01		1 23.00	23.00
482253029	Zone 01		1 23.00	23.00
482253030	Zone 01		1 23.00	23.00
482253031	Zone 01		1 23.00	23.00
482253032	Zone 01		1 23.00	23.00
482253033	Zone 01		1 23.00	23.00
482253034	Zone 01		1 23.00	23.00
482253035	Zone 01		1 23.00	23.00
482253036	Zone 01		1 23.00	23.00
482253037	Zone 01		1 23.00	23.00
482253038	Zone 01		1 23.00	23.00
482253039	Zone 01		1 23.00	23.00
482253040	Zone 01		1 23.00	23.00
482253041	Zone 01		1 23.00	23.00
482253042	Zone 01		1 23.00	23.00
482253043	Zone 01		1 23.00	23.00
482253044	Zone 01		1 23.00	23.00
482253045	Zone 01		1 23.00	23.00
482254001	Zone 01		1 23.00	23.00
482254002	Zone 01		1 23.00	23.00
482254003	Zone 01		1 23.00	23.00
482254004	Zone 01		1 23.00	23.00
482254005	Zone 01		1 23.00	23.00
482254006	Zone 01		1 23.00	23.00
482254007	Zone 01		1 23.00	23.00
482254007	Zone 01		1 23.00	23.00
482254009	Zone 01		1 23.00	23.00
482254009	Zone 01		1 23.00	23.00
482254010	Zone 01		1 23.00	23.00
482254011	Zone 01		1 23.00	23.00
482254013	Zone 01		1 23.00	23.00
482254013	Zone 01			
			1 23.00	23.00
482254015	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
482254016	Zone 01		1 23.00	23.00
482254017	Zone 01		1 23.00	23.00
482254018	Zone 01		1 23.00	23.00
482254019	Zone 01		1 23.00	23.00
482254020	Zone 01		1 23.00	23.00
482254021	Zone 01		1 23.00	23.00
482254022	Zone 01		1 23.00	23.00
482254023	Zone 01		1 23.00	23.00
482254024	Zone 01		1 23.00	23.00
482261001	Zone 01		1 23.00	23.00
482261002	Zone 01		1 23.00	23.00
482261003	Zone 01		1 23.00	23.00
482261004	Zone 01		1 23.00	23.00
482261005	Zone 01		1 23.00	23.00
482261006	Zone 01		1 23.00	23.00
482261007	Zone 01		1 23.00	23.00
482261008	Zone 01		1 23.00	23.00
482261009	Zone 01		1 23.00	23.00
482261010	Zone 01		1 23.00	23.00
482261011	Zone 01		1 23.00	23.00
482261012	Zone 01		1 23.00	23.00
482261013	Zone 01		1 23.00	23.00
482261014	Zone 01		1 23.00	23.00
482261015	Zone 01		1 23.00	23.00
482261016	Zone 01		1 23.00	23.00
482261017	Zone 01		1 23.00	23.00
482261018	Zone 01		1 23.00	23.00
482261019	Zone 01		1 23.00	23.00
482261020	Zone 01		1 23.00	23.00
482261021	Zone 01		1 23.00	23.00
482261022	Zone 01		1 23.00	23.00
482261023	Zone 01		1 23.00	23.00
482261024	Zone 01		1 23.00	23.00
482261025	Zone 01		1 23.00	23.00
482261026	Zone 01		1 23.00	23.00
482261027	Zone 01		1 23.00	23.00
482262001	Zone 01		1 23.00	23.00
482262002	Zone 01		1 23.00	23.00
482262003	Zone 01		1 23.00	23.00
482262004	Zone 01		1 23.00	23.00
482262005	Zone 01		1 23.00	23.00
482262006	Zone 01		1 23.00	23.00
482262007	Zone 01		1 23.00	23.00
482262008	Zone 01		1 23.00	23.00
482262009	Zone 01		1 23.00	23.00
482262010	Zone 01		1 23.00	23.00
482263001	Zone 01		1 23.00	23.00
482263002	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
482263003	Zone 01		1 23.00	23.00
482263004	Zone 01		1 23.00	23.00
482263005	Zone 01		1 23.00	23.00
482263006	Zone 01		1 23.00	23.00
482263007	Zone 01		1 23.00	23.00
482263008	Zone 01		1 23.00	23.00
482263009	Zone 01		1 23.00	23.00
482263010	Zone 01		1 23.00	23.00
482263011	Zone 01		1 23.00	23.00
482263012	Zone 01		1 23.00	23.00
482263013	Zone 01		1 23.00	23.00
482263014	Zone 01		1 23.00	23.00
482263015	Zone 01		1 23.00	23.00
482264001	Zone 01		1 23.00	23.00
482264002	Zone 01		1 23.00	23.00
482264003	Zone 01		1 23.00	23.00
482264004	Zone 01		1 23.00	23.00
482264005	Zone 01		1 23.00	23.00
482264006	Zone 01		1 23.00	23.00
482264007	Zone 01		1 23.00	23.00
482264008	Zone 01		1 23.00	23.00
482264009	Zone 01		1 23.00	23.00
482264010	Zone 01		1 23.00	23.00
482264011	Zone 01		1 23.00	23.00
482264012	Zone 01		1 23.00	23.00
482264013	Zone 01		1 23.00	23.00
482264014	Zone 01		1 23.00	23.00
482264015	Zone 01		1 23.00	23.00
482264016	Zone 01		1 23.00	23.00
482264017	Zone 01		1 23.00	23.00
482264018	Zone 01		1 23.00	23.00
482264019	Zone 01		1 23.00	23.00
482264020	Zone 01		1 23.00	23.00
482265001	Zone 01		1 23.00	23.00
482265001			1 23.00	23.00
482265002	Zone 01 Zone 01			
482265004			1 23.00	23.00 23.00
	Zone 01		1 23.00	
482265005	Zone 01		1 23.00	23.00
482265006	Zone 01		1 23.00	23.00
482265007	Zone 01		1 23.00	23.00
482265008	Zone 01		1 23.00	23.00
482265009	Zone 01		1 23.00	23.00
482265010	Zone 01		1 23.00	23.00
482265011	Zone 01		1 23.00	23.00
482265012	Zone 01		1 23.00	23.00
482265013	Zone 01		1 23.00	23.00
482265014	Zone 01		1 23.00	23.00
482265015	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigne	ed EBU's FY 17-18 Ma	x Assessment	FY 17-18 Assessment
482265016	Zone 01	1	23.00	23.00
482265017	Zone 01	1	23.00	23.00
482265018	Zone 01	1	23.00	23.00
482265019	Zone 01	1	23.00	23.00
482265020	Zone 01	1	23.00	23.00
482265021	Zone 01	1	23.00	23.00
482265022	Zone 01	1	23.00	23.00
482265023	Zone 01	1	23.00	23.00
482265024	Zone 01	1	23.00	23.00
482266001	Zone 01	1	23.00	23.00
482266002	Zone 01	1	23.00	23.00
482266003	Zone 01	1	23.00	23.00
482266004	Zone 01	1	23.00	23.00
482266005	Zone 01	1	23.00	23.00
482266006	Zone 01	1	23.00	23.00
482266007	Zone 01	1	23.00	23.00
482266008	Zone 01	1	23.00	23.00
482266009	Zone 01	1	23.00	23.00
482266010	Zone 01	1	23.00	23.00
482266011	Zone 01	1	23.00	23.00
482266012	Zone 01	1	23.00	23.00
482266013	Zone 01	1	23.00	23.00
482266014	Zone 01	1	23.00	23.00
482266015	Zone 01	1	23.00	23.00
482266016	Zone 01	1	23.00	23.00
482266017	Zone 01	1	23.00	23.00
482266018	Zone 01	1	23.00	23.00
482271001	Zone 01	1	23.00	23.00
482271002	Zone 01	1	23.00	23.00
482271003	Zone 01	1	23.00	23.00
482271004	Zone 01	1	23.00	23.00
482271005	Zone 01	1	23.00	23.00
482271006	Zone 01	1	23.00	23.00
482271007	Zone 01	1	23.00	23.00
482271008	Zone 01	1	23.00	23.00
482271009	Zone 01	1	23.00	23.00
482271010	Zone 01	1	23.00	23.00
482271011	Zone 01	1	23.00	23.00
482271012	Zone 01	1	23.00	23.00
482272001	Zone 01	1	23.00	23.00
482272002	Zone 01	1	23.00	23.00
482272003	Zone 01	1	23.00	23.00
482272004	Zone 01	1	23.00	23.00
482272005	Zone 01	1	23.00	23.00
482272006	Zone 01	1	23.00	23.00
482272007	Zone 01	1	23.00	23.00
482272008	Zone 01	1	23.00	23.00
482272009	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
482272010	Zone 01		1 23.00	23.00
482272011	Zone 01		1 23.00	23.00
482272012	Zone 01		1 23.00	23.00
482272013	Zone 01		1 23.00	23.00
482272014	Zone 01		1 23.00	23.00
482272016	Zone 01		1 23.00	23.00
482272017	Zone 01		1 23.00	23.00
482272018	Zone 01		1 23.00	23.00
482272019	Zone 01		1 23.00	23.00
482272020	Zone 01		1 23.00	23.00
482272021	Zone 01		1 23.00	23.00
482272022	Zone 01		1 23.00	23.00
482272023	Zone 01		1 23.00	23.00
482272024	Zone 01		1 23.00	23.00
482272025	Zone 01		1 23.00	23.00
482272026	Zone 01		1 23.00	23.00
482272027	Zone 01		1 23.00	23.00
482272028	Zone 01		1 23.00	23.00
482272029	Zone 01		1 23.00	23.00
482272030	Zone 01		1 23.00	23.00
482272031	Zone 01		1 23.00	23.00
482272032	Zone 01		1 23.00	23.00
482272033	Zone 01		1 23.00	23.00
482272034	Zone 01		1 23.00	23.00
482272035	Zone 01		1 23.00	23.00
482272036	Zone 01		1 23.00	23.00
482272037	Zone 01		1 23.00	23.00
482272038	Zone 01		1 23.00	23.00
482272039	Zone 01		1 23.00	23.00
482272040	Zone 01		1 23.00	23.00
482272041	Zone 01		1 23.00	23.00
482272042	Zone 01		1 23.00	23.00
482272043	Zone 01		1 23.00	23.00
482272044	Zone 01		1 23.00	23.00
482272045	Zone 01		1 23.00	23.00
482272046	Zone 01		1 23.00	23.00
482272047	Zone 01		1 23.00	23.00
482272058	Zone 01		0	0.00
482272050	Zone 01		1 23.00	23.00
482273001	Zone 01		1 23.00	23.00
482273002	Zone 01		1 23.00	23.00
482273003	Zone 01		1 23.00	23.00
482273004	Zone 01		1 23.00	23.00
482273005	Zone 01		1 23.00	23.00
482273006	Zone 01		1 23.00	23.00
482273007	Zone 01		1 23.00	23.00
482274001	Zone 01		1 23.00	23.00
482274002	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-18	Max Assessment	FY 17-18 Assessment
482274003	Zone 01	1	23.00	23.00
482274004	Zone 01	1	23.00	23.00
482274005	Zone 01	1	23.00	23.00
482274006	Zone 01	1	23.00	23.00
482274007	Zone 01	1	23.00	23.00
482274008	Zone 01	1	23.00	23.00
482274009	Zone 01	1	23.00	23.00
482274010	Zone 01	1	23.00	23.00
482274011	Zone 01	1	23.00	23.00
482274012	Zone 01	1	23.00	23.00
482281001	Zone 01	1	23.00	23.00
482281002	Zone 01	1	23.00	23.00
482281003	Zone 01	1	23.00	23.00
482281004	Zone 01	1	23.00	23.00
482281005	Zone 01	1	23.00	23.00
482281006	Zone 01	1	23.00	23.00
482281007	Zone 01	1	23.00	23.00
482281008	Zone 01	1	23.00	23.00
482281009	Zone 01	1	23.00	23.00
482281010	Zone 01	1	23.00	23.00
482282001	Zone 01	1	23.00	23.00
482282002	Zone 01	1	23.00	23.00
482282003	Zone 01	1	23.00	23.00
482282004	Zone 01	1	23.00	23.00
482282005	Zone 01	1	23.00	23.00
482282006	Zone 01	1	23.00	23.00
482282007	Zone 01	1	23.00	23.00
482282008	Zone 01	1	23.00	23.00
482282009	Zone 01	1	23.00	23.00
482282010	Zone 01	1	23.00	23.00
482282011	Zone 01	1	23.00	23.00
482282012	Zone 01	1	23.00	23.00
482282013	Zone 01	1	23.00	23.00
482282014	Zone 01	1	23.00	23.00
482282015	Zone 01	1	23.00	23.00
482282016	Zone 01	1	23.00	23.00
482282017	Zone 01	1	23.00	23.00
482282018	Zone 01	1	23.00	23.00
482283001	Zone 01	1	23.00	23.00
482283002	Zone 01	1	23.00	23.00
482283003	Zone 01	1	23.00	23.00
482283004	Zone 01	1	23.00	23.00
482283005	Zone 01	1	23.00	23.00
482283006	Zone 01	1	23.00	23.00
482283007	Zone 01	1	23.00	23.00
482283008	Zone 01	1	23.00	23.00
482283009	Zone 01	1	23.00	23.00
482283010	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-18 M	lax Assessment	FY 17-18 Assessment
482283011	Zone 01	1	23.00	23.00
482283012	Zone 01	1	23.00	23.00
482283013	Zone 01	1	23.00	23.00
482283014	Zone 01	1	23.00	23.00
482283015	Zone 01	1	23.00	23.00
482283016	Zone 01	1	23.00	23.00
482283017	Zone 01	1	23.00	23.00
482283018	Zone 01	1	23.00	23.00
482283019	Zone 01	1	23.00	23.00
482283020	Zone 01	1	23.00	23.00
482283021	Zone 01	1	23.00	23.00
482283022	Zone 01	1	23.00	23.00
482283023	Zone 01	1	23.00	23.00
482283024	Zone 01	1	23.00	23.00
482283025	Zone 01	1	23.00	23.00
482283026	Zone 01	1	23.00	23.00
482283027	Zone 01	1	23.00	23.00
482283028	Zone 01	1	23.00	23.00
482283029	Zone 01	1	23.00	23.00
482283030	Zone 01	1	23.00	23.00
482284001	Zone 01	1	23.00	23.00
482284002	Zone 01	1	23.00	23.00
482284003	Zone 01	1	23.00	23.00
482284004	Zone 01	1	23.00	23.00
482284005	Zone 01	1	23.00	23.00
482284006	Zone 01	1	23.00	23.00
482284007	Zone 01	1	23.00	23.00
482284008	Zone 01	1	23.00	23.00
482284009	Zone 01	1	23.00	23.00
482284010	Zone 01	1	23.00	23.00
482284011	Zone 01	1	23.00	23.00
482284012	Zone 01	1	23.00	23.00
482284013	Zone 01	1	23.00	23.00
482284014	Zone 01	1	23.00	23.00
482284015	Zone 01	1	23.00	23.00
482284016	Zone 01	1	23.00	23.00
482284017	Zone 01	1	23.00	23.00
482284018	Zone 01	1	23.00	23.00
482284019	Zone 01	1	23.00	23.00
482284020	Zone 01	1	23.00	23.00
482284021	Zone 01	1	23.00	23.00
482284022	Zone 01	1	23.00	23.00
482291001	Zone 01	1	23.00	23.00
482291002	Zone 01	1	23.00	23.00
482291003	Zone 01	1	23.00	23.00
482291004	Zone 01	1	23.00	23.00
482291005	Zone 01	1	23.00	23.00
482291006	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assign	ned EBU's FY 17-18	Max Assessment	FY 17-18 Assessment
482291007	Zone 01	1	23.00	23.00
482291008	Zone 01	1	23.00	23.00
482291009	Zone 01	1	23.00	23.00
482291010	Zone 01	1	23.00	23.00
482292001	Zone 01	1	23.00	23.00
482292002	Zone 01	1	23.00	23.00
482292003	Zone 01	1	23.00	23.00
482292004	Zone 01	1	23.00	23.00
482292005	Zone 01	1	23.00	23.00
482292006	Zone 01	1	23.00	23.00
482292007	Zone 01	1	23.00	23.00
482292008	Zone 01	1	23.00	23.00
482292009	Zone 01	1	23.00	23.00
482292010	Zone 01	1	23.00	23.00
482292011	Zone 01	1	23.00	23.00
482292012	Zone 01	1	23.00	23.00
482292013	Zone 01	1	23.00	23.00
482292014	Zone 01	1	23.00	23.00
482292015	Zone 01	1	23.00	23.00
482292016	Zone 01	1	23.00	23.00
482292017	Zone 01	1	23.00	23.00
482292018	Zone 01	1	23.00	23.00
482292019	Zone 01	1	23.00	23.00
482292020	Zone 01	1	23.00	23.00
482292021	Zone 01	1	23.00	23.00
482292022	Zone 01	1	23.00	23.00
482292023	Zone 01	1	23.00	23.00
482292024	Zone 01	1	23.00	23.00
482292025	Zone 01	1	23.00	23.00
482293001	Zone 01	1	23.00	23.00
482293002	Zone 01	1	23.00	23.00
482293003	Zone 01	1	23.00	23.00
482293004	Zone 01	1	23.00	23.00
482293005	Zone 01	1	23.00	23.00
482293006	Zone 01	1	23.00	23.00
482293007	Zone 01	1	23.00	23.00
482293008	Zone 01	1	23.00	23.00
482293009	Zone 01	1	23.00	23.00
482293010	Zone 01	1	23.00	23.00
482293011	Zone 01	1	23.00	23.00
482293012	Zone 01	1	23.00	23.00
482293013	Zone 01	1	23.00	23.00
482293014	Zone 01	1	23.00	23.00
482293015	Zone 01	1	23.00	23.00
482293016	Zone 01	1	23.00	23.00
482293017	Zone 01	1	23.00	23.00
482293018	Zone 01	1	23.00	23.00
482293019	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	I EBU's FY 17-18 N	lax Assessment	FY 17-18 Assessment
482293020	Zone 01	1	23.00	23.00
482293021	Zone 01	1	23.00	23.00
482293022	Zone 01	1	23.00	23.00
482294001	Zone 01	1	23.00	23.00
482294002	Zone 01	1	23.00	23.00
482294003	Zone 01	1	23.00	23.00
482294004	Zone 01	1	23.00	23.00
482294005	Zone 01	1	23.00	23.00
482294006	Zone 01	1	23.00	23.00
482294007	Zone 01	1	23.00	23.00
482294008	Zone 01	1	23.00	23.00
482294009	Zone 01	1	23.00	23.00
482294010	Zone 01	1	23.00	23.00
482294011	Zone 01	1	23.00	23.00
482301001	Zone 01	1	23.00	23.00
482301002	Zone 01	1	23.00	23.00
482301003	Zone 01	1	23.00	23.00
482301004	Zone 01	1	23.00	23.00
482301005	Zone 01	1	23.00	23.00
482301006	Zone 01	1	23.00	23.00
482301007	Zone 01	1	23.00	23.00
482302001	Zone 01	1	23.00	23.00
482302002	Zone 01	1	23.00	23.00
482302003	Zone 01	1	23.00	23.00
482302004	Zone 01	1	23.00	23.00
482302005	Zone 01	1	23.00	23.00
482302006	Zone 01	1	23.00	23.00
482302007	Zone 01	1	23.00	23.00
482302008	Zone 01	1	23.00	23.00
482302009	Zone 01	1	23.00	23.00
482302010	Zone 01	1	23.00	23.00
482302011	Zone 01	1	23.00	23.00
482302012	Zone 01	1	23.00	23.00
482303001	Zone 01	1	23.00	23.00
482303002	Zone 01	1	23.00	23.00
482303003	Zone 01	1	23.00	23.00
482303004	Zone 01	1	23.00	23.00
482303005	Zone 01	1	23.00	23.00
482303006	Zone 01	1	23.00	23.00
482303007	Zone 01	1	23.00	23.00
482303008	Zone 01	1	23.00	23.00
482303009	Zone 01	1	23.00	23.00
482303010	Zone 01	1	23.00	23.00
482303011	Zone 01	1	23.00	23.00
482303012	Zone 01	1	23.00	23.00
482303013	Zone 01	1	23.00	23.00
482303014	Zone 01	1	23.00	23.00
482303015	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-18	Max Assessment	FY 17-18 Assessment
482303016	Zone 01	1	23.00	23.00
482304003	Zone 01	1	23.00	23.00
482304004	Zone 01	1	23.00	23.00
482304005	Zone 01	1	23.00	23.00
482304006	Zone 01	1	23.00	23.00
482304007	Zone 01	1	23.00	23.00
482304008	Zone 01	1	23.00	23.00
482304009	Zone 01	1	23.00	23.00
482304010	Zone 01	1	23.00	23.00
482304011	Zone 01	1	23.00	23.00
482304012	Zone 01	1	23.00	23.00
482304013	Zone 01	1	23.00	23.00
482304014	Zone 01	1	23.00	23.00
482304015	Zone 01	1	23.00	23.00
482304016	Zone 01	1	23.00	23.00
482304017	Zone 01	1	23.00	23.00
482304018	Zone 01	1	23.00	23.00
482304019	Zone 01	1	23.00	23.00
482304025	Zone 01	1	23.00	23.00
482304026	Zone 01	1	23.00	23.00
482304027	Zone 01	1	23.00	23.00
482304028	Zone 01	1	23.00	23.00
482304029	Zone 01	1	23.00	23.00
482304030	Zone 01	1	23.00	23.00
482304031	Zone 01	1	23.00	23.00
482304032	Zone 01	1	23.00	23.00
482304033	Zone 01	1	23.00	23.00
482304034	Zone 01	1	23.00	23.00
482305001	Zone 01	1	23.00	23.00
482305002	Zone 01	1	23.00	23.00
482305003	Zone 01	1	23.00	23.00
482305004	Zone 01	1	23.00	23.00
482305005	Zone 01	1	23.00	23.00
482305006	Zone 01	1	23.00	23.00
482305007	Zone 01	1	23.00	23.00
482305008	Zone 01	1	23.00	23.00
482305009	Zone 01	1	23.00	23.00
482305010	Zone 01	1	23.00	23.00
482305011	Zone 01	1	23.00	23.00
482305012	Zone 01	1	23.00	23.00
482305013	Zone 01	1	23.00	23.00
482305014	Zone 01	1	23.00	23.00
482305015	Zone 01	1	23.00	23.00
482305016	Zone 01	1	23.00	23.00
482306001	Zone 01	1	23.00	23.00
482306002	Zone 01	1	23.00	23.00
482306003	Zone 01	1	23.00	23.00
482306004	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned E	BU's FY 17-	18 Max Assessment	FY 17-18 Assessment
482306005	Zone 01	1	23.00	23.00
482306006	Zone 01	1	23.00	23.00
482306007	Zone 01	1	23.00	23.00
482306008	Zone 01	1	23.00	23.00
482306009	Zone 01	1	23.00	23.00
482306010	Zone 01	1	23.00	23.00
482306011	Zone 01	1	23.00	23.00
482306012	Zone 01	1	23.00	23.00
482306013	Zone 01	1	23.00	23.00
482306014	Zone 01	1	23.00	23.00
482306015	Zone 01	1	23.00	23.00
482306016	Zone 01	1	23.00	23.00
482306017	Zone 01	1	23.00	23.00
482306018	Zone 01	1	23.00	23.00
482306019	Zone 01	1	23.00	23.00
482306020	Zone 01	1	23.00	23.00
482311001	Zone 01	1	23.00	23.00
482311002	Zone 01	1	23.00	23.00
482311003	Zone 01	1	23.00	23.00
482311004	Zone 01	1	23.00	23.00
482311005	Zone 01	1	23.00	23.00
482311006	Zone 01	1	23.00	23.00
482311007	Zone 01	1	23.00	23.00
482311008	Zone 01	1	23.00	23.00
482311009	Zone 01	1	23.00	23.00
482311010	Zone 01	1	23.00	23.00
482311011	Zone 01	1	23.00	23.00
482311012	Zone 01	1	23.00	23.00
482311013	Zone 01	1	23.00	23.00
482311014	Zone 01	1	23.00	23.00
482311015	Zone 01	1	23.00	23.00
482311016	Zone 01	1	23.00	23.00
482311017	Zone 01	1	23.00	23.00
482311018	Zone 01	1	23.00	23.00
482311019	Zone 01	1	23.00	23.00
482311020	Zone 01	1	23.00	23.00
482311021	Zone 01	1	23.00	23.00
482311022	Zone 01	1	23.00	23.00
482311023	Zone 01	1	23.00	23.00
482311024	Zone 01	1	23.00	23.00
482311025	Zone 01	1	23.00	23.00
482311026	Zone 01	1	23.00	23.00
482311027	Zone 01	1	23.00	23.00
482311028	Zone 01	1	23.00	23.00
482311029	Zone 01	1	23.00	23.00
482311030	Zone 01	1	23.00	23.00
482311031	Zone 01	1	23.00	23.00
482311032	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned E	BU's FY 17-1	8 Max Assessment	FY 17-18 Assessment
482311033	Zone 01	1	23.00	23.00
482311034	Zone 01	1	23.00	23.00
482311035	Zone 01	1	23.00	23.00
482311036	Zone 01	1	23.00	23.00
482311037	Zone 01	1	23.00	23.00
482311038	Zone 01	1	23.00	23.00
482311039	Zone 01	1	23.00	23.00
482312001	Zone 01	1	23.00	23.00
482312002	Zone 01	1	23.00	23.00
482312003	Zone 01	1	23.00	23.00
482312004	Zone 01	1	23.00	23.00
482312005	Zone 01	1	23.00	23.00
482313001	Zone 01	1	23.00	23.00
482313002	Zone 01	1	23.00	23.00
482313003	Zone 01	1	23.00	23.00
482313004	Zone 01	1	23.00	23.00
482313005	Zone 01	1	23.00	23.00
482313006	Zone 01	1	23.00	23.00
482313007	Zone 01	1	23.00	23.00
482313008	Zone 01	1	23.00	23.00
482313009	Zone 01	1	23.00	23.00
482313010	Zone 01	1	23.00	23.00
482313011	Zone 01	1	23.00	23.00
482313012	Zone 01	1	23.00	23.00
482313013	Zone 01	1	23.00	23.00
482313014	Zone 01	1	23.00	23.00
482313015	Zone 01	1	23.00	23.00
482313016	Zone 01	1	23.00	23.00
482313017	Zone 01	1	23.00	23.00
482313018	Zone 01	1	23.00	23.00
482313019	Zone 01	1	23.00	23.00
482313020	Zone 01	1	23.00	23.00
482313021	Zone 01	1	23.00	23.00
482313022	Zone 01	1	23.00	23.00
482313023	Zone 01	1	23.00	23.00
482313024	Zone 01	1	23.00	23.00
482314001	Zone 01	1	23.00	23.00
482314002	Zone 01	1	23.00	23.00
482314003	Zone 01	1	23.00	23.00
482314004	Zone 01	1	23.00	23.00
482314005	Zone 01	1	23.00	23.00
482314006	Zone 01	1	23.00	23.00
482314007	Zone 01	1	23.00	23.00
482314008	Zone 01	1	23.00	23.00
482314009	Zone 01	1	23.00	23.00
482314010	Zone 01	1	23.00	23.00
482314011	Zone 01	1	23.00	23.00
482314012	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	! EBU's FY 17-18 N	Max Assessment	FY 17-18 Assessment
482314013	Zone 01	1	23.00	23.00
482314014	Zone 01	1	23.00	23.00
482320001	Zone 01	1	23.00	23.00
482320002	Zone 01	1	23.00	23.00
482320003	Zone 01	1	23.00	23.00
482320004	Zone 01	1	23.00	23.00
482320005	Zone 01	1	23.00	23.00
482320006	Zone 01	1	23.00	23.00
482320007	Zone 01	1	23.00	23.00
482320008	Zone 01	1	23.00	23.00
482320011	Zone 01	1	23.00	23.00
482320012	Zone 01	1	23.00	23.00
482320013	Zone 01	1	23.00	23.00
482320014	Zone 01	1	23.00	23.00
482320015	Zone 01	1	23.00	23.00
482320016	Zone 01	1	23.00	23.00
482320017	Zone 01	1	23.00	23.00
482320018	Zone 01	1	23.00	23.00
482321001	Zone 01	1	23.00	23.00
482321002	Zone 01	1	23.00	23.00
482321003	Zone 01	1	23.00	23.00
482321004	Zone 01	1	23.00	23.00
482321005	Zone 01	1	23.00	23.00
482321006	Zone 01	1	23.00	23.00
482321007	Zone 01	1	23.00	23.00
482321008	Zone 01	1	23.00	23.00
482321009	Zone 01	1	23.00	23.00
482321010	Zone 01	1	23.00	23.00
482321011	Zone 01	1	23.00	23.00
482321012	Zone 01	1	23.00	23.00
482321013	Zone 01	1	23.00	23.00
482321014	Zone 01	1	23.00	23.00
482322001	Zone 01	1	23.00	23.00
482322002	Zone 01	1	23.00	23.00
482322003	Zone 01	1	23.00	23.00
482322004	Zone 01	1	23.00	23.00
482322005	Zone 01	1	23.00	23.00
482322006	Zone 01	1	23.00	23.00
482322007	Zone 01	1	23.00	23.00
482322008	Zone 01	1	23.00	23.00
482322009	Zone 01	1	23.00	23.00
482322010	Zone 01	1	23.00	23.00
482322011	Zone 01	1	23.00	23.00
482322012	Zone 01	1	23.00	23.00
482322013	Zone 01	1	23.00	23.00
482322014	Zone 01	1	23.00	23.00
482331001	Zone 01	1	23.00	23.00
482331002	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigne	d EBU's FY 17-18	Max Assessment	FY 17-18 Assessment
482331003	Zone 01	1	23.00	23.00
482331004	Zone 01	1	23.00	23.00
482331005	Zone 01	1	23.00	23.00
482331006	Zone 01	1	23.00	23.00
482331007	Zone 01	1	23.00	23.00
482331008	Zone 01	1	23.00	23.00
482331009	Zone 01	1	23.00	23.00
482331010	Zone 01	1	23.00	23.00
482331011	Zone 01	1	23.00	23.00
482331012	Zone 01	1	23.00	23.00
482331013	Zone 01	1	23.00	23.00
482331014	Zone 01	1	23.00	23.00
482331015	Zone 01	1	23.00	23.00
482331016	Zone 01	1	23.00	23.00
482331017	Zone 01	1	23.00	23.00
482331018	Zone 01	1	23.00	23.00
482331019	Zone 01	1	23.00	23.00
482331020	Zone 01	1	23.00	23.00
482331021	Zone 01	1	23.00	23.00
482331022	Zone 01	1	23.00	23.00
482331023	Zone 01	1	23.00	23.00
482331024	Zone 01	1	23.00	23.00
482331025	Zone 01	1	23.00	23.00
482331026	Zone 01	1	23.00	23.00
482331027	Zone 01	1	23.00	23.00
482331028	Zone 01	1	23.00	23.00
482331029	Zone 01	1	23.00	23.00
482331030	Zone 01	1	23.00	23.00
482331031	Zone 01	1	23.00	23.00
482331032	Zone 01	1	23.00	23.00
482331033	Zone 01	1	23.00	23.00
482331034	Zone 01	1	23.00	23.00
482331035	Zone 01	1	23.00	23.00
482331036	Zone 01	1	23.00	23.00
482331037	Zone 01	1	23.00	23.00
482331038	Zone 01	1	23.00	23.00
482332001	Zone 01	1	23.00	23.00
482332002	Zone 01	1	23.00	23.00
482332003	Zone 01	1	23.00	23.00
482332004	Zone 01	1	23.00	23.00
482332005	Zone 01	1	23.00	23.00
482332006	Zone 01	1	23.00	23.00
482332007	Zone 01	1	23.00	23.00
482332008	Zone 01	1	23.00	23.00
482332009	Zone 01	1	23.00	23.00
482332010	Zone 01	1	23.00	23.00
482333001	Zone 01	1	23.00	23.00
482333002	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
482333003	Zone 01		1 23.00	23.00
482333004	Zone 01		1 23.00	23.00
482341001	Zone 01		1 23.00	23.00
482341002	Zone 01		1 23.00	23.00
482341003	Zone 01		1 23.00	23.00
482341004	Zone 01		1 23.00	23.00
482341005	Zone 01		1 23.00	23.00
482341006	Zone 01		1 23.00	23.00
482341007	Zone 01		1 23.00	23.00
482341008	Zone 01		1 23.00	23.00
482341009	Zone 01		1 23.00	23.00
482341010	Zone 01		1 23.00	23.00
482341011	Zone 01		1 23.00	23.00
482341012	Zone 01		1 23.00	23.00
482341013	Zone 01		1 23.00	23.00
482341014	Zone 01		1 23.00	23.00
482341015	Zone 01		1 23.00	23.00
482341016	Zone 01		1 23.00	23.00
482341017	Zone 01		1 23.00	23.00
482341018	Zone 01		1 23.00	23.00
482341019	Zone 01		1 23.00	23.00
482341020	Zone 01		1 23.00	23.00
482341021	Zone 01		1 23.00	23.00
482341022	Zone 01		1 23.00	23.00
482342001	Zone 01		1 23.00	23.00
482342001	Zone 01		1 23.00	23.00
482342002	Zone 01		1 23.00	23.00
482342004	Zone 01		1 23.00	
				23.00
482342005	Zone 01		1 23.00	23.00
482342006	Zone 01		1 23.00	23.00
482342007	Zone 01		1 23.00	23.00
482342008	Zone 01		1 23.00	23.00
482342009	Zone 01		1 23.00	23.00
482342010	Zone 01		1 23.00	23.00
482342011	Zone 01		1 23.00	23.00
482342012	Zone 01		1 23.00	23.00
482342013	Zone 01		1 23.00	23.00
482342014	Zone 01	•	1 23.00	23.00
482342015	Zone 01		1 23.00	23.00
482342016	Zone 01	·	1 23.00	23.00
482342017	Zone 01		1 23.00	23.00
482342018	Zone 01		1 23.00	23.00
482342019	Zone 01		1 23.00	23.00
482342020	Zone 01		1 23.00	23.00
482342021	Zone 01		1 23.00	23.00
482342022	Zone 01		1 23.00	23.00
482342023	Zone 01		1 23.00	23.00
482342024	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
482342025	Zone 01		1 23.00	23.00
482342026	Zone 01		1 23.00	23.00
482342027	Zone 01		1 23.00	23.00
482342028	Zone 01		1 23.00	23.00
482343001	Zone 01		1 23.00	23.00
482343002	Zone 01		1 23.00	23.00
482343003	Zone 01		1 23.00	23.00
482343004	Zone 01		1 23.00	23.00
482343005	Zone 01		1 23.00	23.00
482343006	Zone 01		1 23.00	23.00
482343007	Zone 01		1 23.00	23.00
482343008	Zone 01		1 23.00	23.00
482343009	Zone 01		1 23.00	23.00
482343010	Zone 01		1 23.00	23.00
482343011	Zone 01		1 23.00	23.00
482343012	Zone 01		1 23.00	23.00
482343013	Zone 01		1 23.00	23.00
482343014	Zone 01		1 23.00	23.00
482343015	Zone 01		1 23.00	23.00
482343016	Zone 01		1 23.00	23.00
482343017	Zone 01		1 23.00	23.00
482343018	Zone 01		1 23.00	23.00
482343019	Zone 01		1 23.00	23.00
482343020	Zone 01		1 23.00	23.00
482343021	Zone 01		1 23.00	23.00
482343022	Zone 01		1 23.00	23.00
482343023	Zone 01		1 23.00	23.00
482343024	Zone 01		1 23.00	23.00
482343025	Zone 01		1 23.00	23.00
482343026	Zone 01		1 23.00	23.00
482343027	Zone 01		1 23.00	23.00
482343028	Zone 01		1 23.00	23.00
482343029	Zone 01		1 23.00	23.00
482343030	Zone 01		1 23.00	23.00
482343031	Zone 01		1 23.00	23.00
482343032	Zone 01		1 23.00	23.00
482351001	Zone 01		1 23.00	23.00
482351002	Zone 01		1 23.00	23.00
482351003	Zone 01		1 23.00	23.00
482351004	Zone 01		1 23.00	23.00
482351005	Zone 01		1 23.00	23.00
482351006	Zone 01		1 23.00	23.00
482351007	Zone 01		1 23.00	23.00
482351008	Zone 01		1 23.00	23.00
482351009	Zone 01		1 23.00	23.00
482352001	Zone 01		1 23.00	23.00
482352002	Zone 01		1 23.00	23.00
482352003	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	I EBU's FY 17-18 M	ax Assessment	FY 17-18 Assessment
482352004	Zone 01	1	23.00	23.00
482352005	Zone 01	1	23.00	23.00
482352006	Zone 01	1	23.00	23.00
482352007	Zone 01	1	23.00	23.00
482352008	Zone 01	1	23.00	23.00
482352009	Zone 01	1	23.00	23.00
482352010	Zone 01	1	23.00	23.00
482352011	Zone 01	1	23.00	23.00
482352012	Zone 01	1	23.00	23.00
482352013	Zone 01	1	23.00	23.00
482352014	Zone 01	1	23.00	23.00
482352015	Zone 01	1	23.00	23.00
482352016	Zone 01	1	23.00	23.00
482353001	Zone 01	1	23.00	23.00
482353002	Zone 01	1	23.00	23.00
482353003	Zone 01	1	23.00	23.00
482353004	Zone 01	1	23.00	23.00
482353005	Zone 01	1	23.00	23.00
482353006	Zone 01	1	23.00	23.00
482353007	Zone 01	1	23.00	23.00
482353008	Zone 01	1	23.00	23.00
482353009	Zone 01	1	23.00	23.00
482353010	Zone 01	1	23.00	23.00
482353011	Zone 01	1	23.00	23.00
482353012	Zone 01	1	23.00	23.00
482353013	Zone 01	1	23.00	23.00
482353014	Zone 01	1	23.00	23.00
482353015	Zone 01	1	23.00	23.00
482361001	Zone 01	1	23.00	23.00
482361002	Zone 01	1	23.00	23.00
482361003	Zone 01	1	23.00	23.00
482361004	Zone 01	1	23.00	23.00
482361005	Zone 01	1	23.00	23.00
482361006	Zone 01	1	23.00	23.00
482361007	Zone 01	1	23.00	23.00
482361008	Zone 01	1	23.00	23.00
482362001	Zone 01	1	23.00	23.00
482362002	Zone 01	1	23.00	23.00
482362003	Zone 01	1	23.00	23.00
482362004	Zone 01	1	23.00	23.00
482362005	Zone 01	1	23.00	23.00
482362006	Zone 01	1	23.00	23.00
482362007	Zone 01	1	23.00	23.00
482362008	Zone 01	1	23.00	23.00
482362009	Zone 01	1	23.00	23.00
482362010	Zone 01	1	23.00	23.00
482362011	Zone 01	1	23.00	23.00
482362012	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-1	8 Max Assessment	FY 17-18 Assessment
482362013	Zone 01	1	23.00	23.00
482362014	Zone 01	1	23.00	23.00
482362015	Zone 01	1	23.00	23.00
482362016	Zone 01	1	23.00	23.00
482362017	Zone 01	1	23.00	23.00
482362018	Zone 01	1	23.00	23.00
482363001	Zone 01	1	23.00	23.00
482363002	Zone 01	1	23.00	23.00
482363003	Zone 01	1	23.00	23.00
482363004	Zone 01	1	23.00	23.00
482363005	Zone 01	1	23.00	23.00
482363006	Zone 01	1	23.00	23.00
482363007	Zone 01	1	23.00	23.00
482363008	Zone 01	1	23.00	23.00
482363009	Zone 01	1	23.00	23.00
482363010	Zone 01	1	23.00	23.00
482363011	Zone 01	1	23.00	23.00
482363012	Zone 01	1	23.00	23.00
482363013	Zone 01	1	23.00	23.00
482363014	Zone 01	1	23.00	23.00
482363015	Zone 01	1	23.00	23.00
482363016	Zone 01	1	23.00	23.00
482363017	Zone 01	1	23.00	23.00
482363018	Zone 01	1	23.00	23.00
482364001	Zone 01	1	23.00	23.00
482364002	Zone 01	1	23.00	23.00
482364003	Zone 01	1	23.00	23.00
482364004	Zone 01	1	23.00	23.00
482364005	Zone 01	1	23.00	23.00
482364006	Zone 01	1	23.00	23.00
482364007	Zone 01	1	23.00	23.00
482364008	Zone 01	1	23.00	23.00
482364009	Zone 01	1	23.00	23.00
482364010	Zone 01	1	23.00	23.00
482364011	Zone 01	1	23.00	23.00
482364012	Zone 01	1	23.00	23.00
482364013	Zone 01	1	23.00	23.00
482364014	Zone 01	1	23.00	23.00
482364015	Zone 01	1	23.00	23.00
482364016	Zone 01	1	23.00	23.00
482364017	Zone 01	1	23.00	23.00
482364018	Zone 01	1	23.00	23.00
482365001	Zone 01	1	23.00	23.00
482365002	Zone 01	1	23.00	23.00
482365003	Zone 01	1	23.00	23.00
482365004	Zone 01	1	23.00	23.00
482365005	Zone 01	1	23.00	23.00
482365006	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-1	18 Max Assessment	FY 17-18 Assessment
482365007	Zone 01	1	23.00	23.00
482365008	Zone 01	1	23.00	23.00
482365009	Zone 01	1	23.00	23.00
482370001	Zone 01	1	23.00	23.00
482370002	Zone 01	1	23.00	23.00
482370003	Zone 01	1	23.00	23.00
482370004	Zone 01	1	23.00	23.00
482370005	Zone 01	1	23.00	23.00
482370006	Zone 01	1	23.00	23.00
482370007	Zone 01	1	23.00	23.00
482370008	Zone 01	1	23.00	23.00
482370009	Zone 01	1	23.00	23.00
482370010	Zone 01	1	23.00	23.00
482370011	Zone 01	1	23.00	23.00
482370012	Zone 01	1	23.00	23.00
482370013	Zone 01	1	23.00	23.00
482370014	Zone 01	1	23.00	23.00
482370015	Zone 01	1	23.00	23.00
482370016	Zone 01	1	23.00	23.00
482371001	Zone 01	1	23.00	23.00
482371002	Zone 01	1	23.00	23.00
482371003	Zone 01	1	23.00	23.00
482371004	Zone 01	1	23.00	23.00
482371005	Zone 01	1	23.00	23.00
482371006	Zone 01	1	23.00	23.00
482371014	Zone 01	1	23.00	23.00
482371015	Zone 01	1	23.00	23.00
482371016	Zone 01	1	23.00	23.00
482371017	Zone 01	1	23.00	23.00
482371018	Zone 01	1	23.00	23.00
482372001	Zone 01	1	23.00	23.00
482372002	Zone 01	1	23.00	23.00
482372003	Zone 01	1	23.00	23.00
482372004	Zone 01	1	23.00	23.00
482372005	Zone 01	1	23.00	23.00
482372006	Zone 01	1	23.00	23.00
482372007	Zone 01	1	23.00	23.00
482372008	Zone 01	1	23.00	23.00
482372009	Zone 01	1	23.00	23.00
482372010	Zone 01	1	23.00	23.00
482372011	Zone 01	1	23.00	23.00
482372012	Zone 01	1	23.00	23.00
482372013	Zone 01	1	23.00	23.00
482372014	Zone 01	1	23.00	23.00
482372015	Zone 01	1	23.00	23.00
482372016	Zone 01	1	23.00	23.00
482372017	Zone 01	1	23.00	23.00
482372018	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assign	ed EBU's FY 17-18 Max	x Assessment	FY 17-18 Assessment
482372019	Zone 01	1	23.00	23.00
482372020	Zone 01	1	23.00	23.00
482372021	Zone 01	1	23.00	23.00
482372022	Zone 01	1	23.00	23.00
482372023	Zone 01	1	23.00	23.00
482372024	Zone 01	1	23.00	23.00
482372025	Zone 01	1	23.00	23.00
482372026	Zone 01	1	23.00	23.00
482372027	Zone 01	1	23.00	23.00
482372028	Zone 01	1	23.00	23.00
482372029	Zone 01	1	23.00	23.00
482372030	Zone 01	1	23.00	23.00
482372031	Zone 01	1	23.00	23.00
482372032	Zone 01	1	23.00	23.00
482372033	Zone 01	1	23.00	23.00
482372034	Zone 01	1	23.00	23.00
482372035	Zone 01	1	23.00	23.00
482372036	Zone 01	1	23.00	23.00
482372037	Zone 01	1	23.00	23.00
482372038	Zone 01	1	23.00	23.00
482372039	Zone 01	1	23.00	23.00
482372040	Zone 01	1	23.00	23.00
482372041	Zone 01	1	23.00	23.00
482372042	Zone 01	1	23.00	23.00
482372043	Zone 01	1	23.00	23.00
482372044	Zone 01	1	23.00	23.00
482372045	Zone 01	1	23.00	23.00
482372046	Zone 01	1	23.00	23.00
482372047	Zone 01	1	23.00	23.00
482372048	Zone 01	1	23.00	23.00
482372049	Zone 01	1	23.00	23.00
482372050	Zone 01	1	23.00	23.00
482372051	Zone 01	1	23.00	23.00
482372052	Zone 01	1	23.00	23.00
482373001	Zone 01	1	23.00	23.00
482373002	Zone 01	1	23.00	23.00
482373003	Zone 01	1	23.00	23.00
482373004	Zone 01	1	23.00	23.00
482373005	Zone 01	1	23.00	23.00
482373006	Zone 01	1	23.00	23.00
482373007	Zone 01	1	23.00	23.00
482373008	Zone 01	1	23.00	23.00
482373009	Zone 01	1	23.00	23.00
482373010	Zone 01	1	23.00	23.00
482373011	Zone 01	1	23.00	23.00
482373012	Zone 01	1	23.00	23.00
482381001	Zone 01	1	23.00	23.00
482381002	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-18 M	ax Assessment	FY 17-18 Assessment
482381003	Zone 01	1	23.00	23.00
482381004	Zone 01	1	23.00	23.00
482381005	Zone 01	1	23.00	23.00
482381006	Zone 01	1	23.00	23.00
482381007	Zone 01	1	23.00	23.00
482381008	Zone 01	1	23.00	23.00
482381009	Zone 01	1	23.00	23.00
482381010	Zone 01	1	23.00	23.00
482382001	Zone 01	1	23.00	23.00
482382002	Zone 01	1	23.00	23.00
482382003	Zone 01	1	23.00	23.00
482382004	Zone 01	1	23.00	23.00
482382005	Zone 01	1	23.00	23.00
482382006	Zone 01	1	23.00	23.00
482382007	Zone 01	1	23.00	23.00
482382008	Zone 01	1	23.00	23.00
482382009	Zone 01	1	23.00	23.00
482382010	Zone 01	1	23.00	23.00
482382011	Zone 01	1	23.00	23.00
482382012	Zone 01	1	23.00	23.00
482382013	Zone 01	1	23.00	23.00
482382014	Zone 01	1	23.00	23.00
482382015	Zone 01	1	23.00	23.00
482382016	Zone 01	1	23.00	23.00
482382017	Zone 01	1	23.00	23.00
482382018	Zone 01	1	23.00	23.00
482382019	Zone 01	1	23.00	23.00
482382020	Zone 01	1	23.00	23.00
482382021	Zone 01	1	23.00	23.00
482383001	Zone 01	1	23.00	23.00
482383002	Zone 01	1	23.00	23.00
482383003	Zone 01	1	23.00	23.00
482383004	Zone 01	1	23.00	23.00
482384001	Zone 01	1	23.00	23.00
482384002	Zone 01	1	23.00	23.00
482384003	Zone 01	1	23.00	23.00
482384004	Zone 01	1	23.00	23.00
482384005	Zone 01	1	23.00	23.00
482384006	Zone 01	1	23.00	23.00
482384007	Zone 01	1	23.00	23.00
482384008	Zone 01	1	23.00	23.00
482384009	Zone 01	1	23.00	23.00
482384010	Zone 01	1	23.00	23.00
482384011	Zone 01	1	23.00	23.00
482384012	Zone 01	1	23.00	23.00
482384013	Zone 01	1	23.00	23.00
482384014	Zone 01	1	23.00	23.00
482384015	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
482384016	Zone 01		1 23.00	23.00
482384017	Zone 01		1 23.00	23.00
482384018	Zone 01		1 23.00	23.00
482384019	Zone 01		1 23.00	23.00
482384020	Zone 01		1 23.00	23.00
482384021	Zone 01		1 23.00	23.00
482384022	Zone 01		1 23.00	23.00
482384023	Zone 01		1 23.00	23.00
482384024	Zone 01		1 23.00	23.00
482384025	Zone 01		1 23.00	23.00
482384026	Zone 01		1 23.00	23.00
482384027	Zone 01		1 23.00	23.00
482384028	Zone 01		1 23.00	23.00
482384029	Zone 01		1 23.00	23.00
482384030	Zone 01		1 23.00	23.00
482384031	Zone 01		1 23.00	23.00
482384032	Zone 01		1 23.00	23.00
482384033	Zone 01		1 23.00	23.00
482384034	Zone 01		1 23.00	23.00
482384035	Zone 01		1 23.00	23.00
482384036	Zone 01		1 23.00	23.00
482384037	Zone 01		1 23.00	23.00
482384038	Zone 01		1 23.00	23.00
482391001	Zone 01		1 23.00	23.00
482391002	Zone 01		1 23.00	23.00
482391003	Zone 01		1 23.00	23.00
482391004	Zone 01		1 23.00	23.00
482391005	Zone 01		1 23.00	23.00
482391006	Zone 01		1 23.00	23.00
482391007	Zone 01		1 23.00	23.00
482391008	Zone 01		1 23.00	23.00
482391009	Zone 01		1 23.00	23.00
482391010	Zone 01		1 23.00	23.00
482391011	Zone 01		1 23.00	23.00
482391012	Zone 01		1 23.00	23.00
482391013	Zone 01		1 23.00	23.00
482391014	Zone 01		1 23.00	23.00
482392001	Zone 01		1 23.00	23.00
482392002	Zone 01		1 23.00	23.00
482392003	Zone 01		1 23.00	23.00
482392004	Zone 01		1 23.00	23.00
482392005	Zone 01		1 23.00	23.00
482392006	Zone 01		1 23.00	23.00
482392007	Zone 01		1 23.00	23.00
482392008	Zone 01		1 23.00	23.00
482392009	Zone 01		1 23.00	23.00
482392010	Zone 01		1 23.00	23.00
482392011	Zone 01		1 23.00	23.00
. 32002011	_3110 01		20.00	20.00

APN	LMD 2014-01 Zone LMD Assigno	ed EBU's FY 17-18 Ma	x Assessment	FY 17-18 Assessment
482392012	Zone 01	1	23.00	23.00
482392013	Zone 01	1	23.00	23.00
482392014	Zone 01	1	23.00	23.00
482392015	Zone 01	1	23.00	23.00
482392016	Zone 01	1	23.00	23.00
482393001	Zone 01	1	23.00	23.00
482393002	Zone 01	1	23.00	23.00
482393003	Zone 01	1	23.00	23.00
482393004	Zone 01	1	23.00	23.00
482393005	Zone 01	1	23.00	23.00
482393006	Zone 01	1	23.00	23.00
482393007	Zone 01	1	23.00	23.00
482394001	Zone 01	1	23.00	23.00
482394002	Zone 01	1	23.00	23.00
482394003	Zone 01	1	23.00	23.00
482394004	Zone 01	1	23.00	23.00
482394005	Zone 01	1	23.00	23.00
482394006	Zone 01	1	23.00	23.00
482394007	Zone 01	1	23.00	23.00
482394008	Zone 01	1	23.00	23.00
482394009	Zone 01	1	23.00	23.00
482394010	Zone 01	1	23.00	23.00
482394011	Zone 01	1	23.00	23.00
482394012	Zone 01	1	23.00	23.00
482394013	Zone 01	1	23.00	23.00
482394014	Zone 01	1	23.00	23.00
482394015	Zone 01	1	23.00	23.00
482395001	Zone 01	1	23.00	23.00
482395002	Zone 01	1	23.00	23.00
482395003	Zone 01	1	23.00	23.00
482395004	Zone 01	1	23.00	23.00
482395005	Zone 01	1	23.00	23.00
482395006	Zone 01	1	23.00	23.00
482395007	Zone 01	1	23.00	23.00
482395008	Zone 01	1	23.00	23.00
482395009	Zone 01	1	23.00	23.00
482395010	Zone 01	1	23.00	23.00
482395011	Zone 01	1	23.00	23.00
482395012	Zone 01	1	23.00	23.00
482395013	Zone 01	1	23.00	23.00
482395014	Zone 01	1	23.00	23.00
482395015	Zone 01	1	23.00	23.00
482395016	Zone 01	1	23.00	23.00
482395017	Zone 01	1	23.00	23.00
482395018	Zone 01	1	23.00	23.00
482396001	Zone 01	1	23.00	23.00
482396002	Zone 01	1	23.00	23.00
482396003	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned E	BU's FY 17-	18 Max Assessment	FY 17-18 Assessment
482396004	Zone 01	1	23.00	23.00
482396005	Zone 01	1	23.00	23.00
482396006	Zone 01	1	23.00	23.00
482396007	Zone 01	1	23.00	23.00
482396008	Zone 01	1	23.00	23.00
482396009	Zone 01	1	23.00	23.00
482396010	Zone 01	1	23.00	23.00
482396011	Zone 01	1	23.00	23.00
482411001	Zone 01	1	23.00	23.00
482411002	Zone 01	1	23.00	23.00
482412001	Zone 01	1	23.00	23.00
482412002	Zone 01	1	23.00	23.00
482412003	Zone 01	1	23.00	23.00
482412004	Zone 01	1	23.00	23.00
482412005	Zone 01	1	23.00	23.00
482412006	Zone 01	1	23.00	23.00
482412007	Zone 01	1	23.00	23.00
482412008	Zone 01	1	23.00	23.00
482412009	Zone 01	1	23.00	23.00
482412010	Zone 01	1	23.00	23.00
482412011	Zone 01	1	23.00	23.00
482412012	Zone 01	1	23.00	23.00
482412013	Zone 01	1	23.00	23.00
482412014	Zone 01	1	23.00	23.00
482412015	Zone 01	1	23.00	23.00
482412016	Zone 01	1	23.00	23.00
482412017	Zone 01	1	23.00	23.00
482413001	Zone 01	1	23.00	23.00
482413002	Zone 01	1	23.00	23.00
482413003	Zone 01	1	23.00	23.00
482413004	Zone 01	1	23.00	23.00
482413005	Zone 01	1	23.00	23.00
482413006	Zone 01	1	23.00	23.00
482413007	Zone 01	1	23.00	23.00
482413008	Zone 01	1	23.00	23.00
482413009	Zone 01	1	23.00	23.00
482413010	Zone 01	1	23.00	23.00
482413011	Zone 01	1	23.00	23.00
482413012	Zone 01	1	23.00	23.00
482413013	Zone 01	1	23.00	23.00
482413014	Zone 01	1	23.00	23.00
482413015	Zone 01	1	23.00	23.00
482413016	Zone 01	1	23.00	23.00
482413017	Zone 01	1	23.00	23.00
482413018	Zone 01	1	23.00	23.00
482413019	Zone 01	1	23.00	23.00
482413020	Zone 01	1	23.00	23.00
482413021	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-18	8 Max Assessment	FY 17-18 Assessment
482413022	Zone 01	1	23.00	23.00
482413023	Zone 01	1	23.00	23.00
482413024	Zone 01	1	23.00	23.00
482413025	Zone 01	1	23.00	23.00
482413026	Zone 01	1	23.00	23.00
482413027	Zone 01	1	23.00	23.00
482413028	Zone 01	1	23.00	23.00
482413029	Zone 01	1	23.00	23.00
482414001	Zone 01	1	23.00	23.00
482414002	Zone 01	1	23.00	23.00
482414003	Zone 01	1	23.00	23.00
482414004	Zone 01	1	23.00	23.00
482414005	Zone 01	1	23.00	23.00
482414006	Zone 01	1	23.00	23.00
482414007	Zone 01	1	23.00	23.00
482414008	Zone 01	1	23.00	23.00
482414009	Zone 01	1	23.00	23.00
482414010	Zone 01	1	23.00	23.00
482414011	Zone 01	1	23.00	23.00
482414012	Zone 01	1	23.00	23.00
482414013	Zone 01	1	23.00	23.00
482414014	Zone 01	1	23.00	23.00
482414015	Zone 01	1	23.00	23.00
482414016	Zone 01	1	23.00	23.00
482421001	Zone 01	1	23.00	23.00
482421002	Zone 01	1	23.00	23.00
482421003	Zone 01	1	23.00	23.00
482421004	Zone 01	1	23.00	23.00
482421005	Zone 01	1	23.00	23.00
482421006	Zone 01	1	23.00	23.00
482421007	Zone 01	1	23.00	23.00
482421008	Zone 01	1	23.00	23.00
482421009	Zone 01	1	23.00	23.00
482421010	Zone 01	1	23.00	23.00
482421011	Zone 01	1	23.00	23.00
482421012	Zone 01	1	23.00	23.00
482421013	Zone 01	1	23.00	23.00
482421014	Zone 01	1	23.00	23.00
482421015	Zone 01	1	23.00	23.00
482421016	Zone 01	1	23.00	23.00
482421017	Zone 01	1	23.00	23.00
482421018	Zone 01	1	23.00	23.00
482421019	Zone 01	1	23.00	23.00
482422005	Zone 01	1	23.00	23.00
482422006	Zone 01	1	23.00	23.00
482422007	Zone 01	1	23.00	23.00
482422008	Zone 01	1	23.00	23.00
482422009	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-1	8 Max Assessment	FY 17-18 Assessment
482422010	Zone 01	1	23.00	23.00
482422011	Zone 01	1	23.00	23.00
482422012	Zone 01	1	23.00	23.00
482422013	Zone 01	1	23.00	23.00
482422014	Zone 01	1	23.00	23.00
482422015	Zone 01	1	23.00	23.00
482422016	Zone 01	1	23.00	23.00
482422017	Zone 01	1	23.00	23.00
482422018	Zone 01	1	23.00	23.00
482423001	Zone 01	1	23.00	23.00
482423002	Zone 01	1	23.00	23.00
482423003	Zone 01	1	23.00	23.00
482423004	Zone 01	1	23.00	23.00
482423005	Zone 01	1	23.00	23.00
482423006	Zone 01	1	23.00	23.00
482423007	Zone 01	1	23.00	23.00
482423008	Zone 01	1	23.00	23.00
482423009	Zone 01	1	23.00	23.00
482423010	Zone 01	1	23.00	23.00
482423011	Zone 01	1	23.00	23.00
482423012	Zone 01	1	23.00	23.00
482423013	Zone 01	1	23.00	23.00
482423014	Zone 01	1	23.00	23.00
482423015	Zone 01	1	23.00	23.00
482423016	Zone 01	1	23.00	23.00
482423017	Zone 01	1	23.00	23.00
482423018	Zone 01	1	23.00	23.00
482423019	Zone 01	1	23.00	23.00
482423020	Zone 01	1	23.00	23.00
482423021	Zone 01	1	23.00	23.00
482423022	Zone 01	1	23.00	23.00
482423023	Zone 01	1	23.00	23.00
482423024	Zone 01	1	23.00	23.00
482423025	Zone 01	1	23.00	23.00
482423026	Zone 01	1	23.00	23.00
482423027	Zone 01	1	23.00	23.00
482423028	Zone 01	1	23.00	23.00
482423029	Zone 01	1	23.00	23.00
482423030	Zone 01	1	23.00	23.00
482423031	Zone 01	1	23.00	23.00
482423032	Zone 01	1	23.00	23.00
482424001	Zone 01	1	23.00	23.00
482424002	Zone 01	1	23.00	23.00
482424003	Zone 01	1	23.00	23.00
482424004	Zone 01	1	23.00	23.00
482424005	Zone 01	1	23.00	23.00
482424006	Zone 01	1	23.00	23.00
482424007	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone I	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
482424008	Zone 01		1 23.00	23.00
482424009	Zone 01		1 23.00	23.00
482424010	Zone 01		1 23.00	23.00
482424011	Zone 01		1 23.00	23.00
482424012	Zone 01		1 23.00	23.00
482424013	Zone 01		1 23.00	23.00
482424014	Zone 01		1 23.00	23.00
482424015	Zone 01		1 23.00	23.00
482424016	Zone 01		1 23.00	23.00
482424017	Zone 01		1 23.00	23.00
482424018	Zone 01		1 23.00	23.00
482424019	Zone 01		1 23.00	23.00
482424020	Zone 01		1 23.00	23.00
482424021	Zone 01		1 23.00	23.00
482424022	Zone 01		1 23.00	23.00
482424023	Zone 01		1 23.00	23.00
482424024	Zone 01		1 23.00	23.00
482424025	Zone 01		1 23.00	23.00
482424026	Zone 01		1 23.00	23.00
482441004	Zone 01		1 23.00	23.00
482441005	Zone 01		1 23.00	23.00
482441006	Zone 01		1 23.00	23.00
482441007	Zone 01		1 23.00	23.00
482441008	Zone 01		1 23.00	23.00
482441009	Zone 01		1 23.00	23.00
482441010	Zone 01		1 23.00	23.00
482441011	Zone 01		1 23.00	23.00
482441012	Zone 01		1 23.00	23.00
482441013	Zone 01		1 23.00	23.00
482441014	Zone 01		1 23.00	23.00
482441015	Zone 01		1 23.00	23.00
482441016	Zone 01		1 23.00	23.00
482441017	Zone 01		1 23.00	23.00
482441018	Zone 01		1 23.00	23.00
482441019			1 23.00	23.00
482441019	Zone 01 Zone 01		1 23.00	23.00
482441021			1 23.00	23.00
	Zone 01			
482441022	Zone 01		1 23.00	23.00
482441023	Zone 01		1 23.00	23.00
482441024	Zone 01		1 23.00	23.00
482441025	Zone 01		1 23.00	23.00
482441026	Zone 01		1 23.00	23.00
482442001	Zone 01		1 23.00	23.00
482442002	Zone 01		1 23.00	23.00
482442003	Zone 01		1 23.00	23.00
482442004	Zone 01		1 23.00	23.00
482442005	Zone 01		1 23.00	23.00
482442006	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
482442007	Zone 01		1 23.00	23.00
482442008	Zone 01		1 23.00	23.00
482442009	Zone 01		1 23.00	23.00
482442010	Zone 01		1 23.00	23.00
482442011	Zone 01		1 23.00	23.00
482442012	Zone 01		1 23.00	23.00
482442013	Zone 01		1 23.00	23.00
482442014	Zone 01		1 23.00	23.00
482442015	Zone 01		1 23.00	23.00
482442016	Zone 01		1 23.00	23.00
482442017	Zone 01		1 23.00	23.00
482442018	Zone 01		1 23.00	23.00
482443001	Zone 01		1 23.00	23.00
482443002	Zone 01		1 23.00	23.00
482443003	Zone 01		1 23.00	23.00
482443004	Zone 01		1 23.00	23.00
482443005	Zone 01		1 23.00	23.00
482443006	Zone 01		1 23.00	23.00
482443007	Zone 01		1 23.00	23.00
482443008	Zone 01		1 23.00	23.00
482443009	Zone 01		1 23.00	23.00
482443010	Zone 01		1 23.00	23.00
482443011	Zone 01		1 23.00	23.00
482443012	Zone 01		1 23.00	23.00
482443013	Zone 01		1 23.00	23.00
482443014	Zone 01		1 23.00	23.00
482443015	Zone 01		1 23.00	23.00
482443016	Zone 01		1 23.00	23.00
482443017	Zone 01		1 23.00	23.00
482443018	Zone 01		1 23.00	23.00
482443019	Zone 01		1 23.00	23.00
482443020	Zone 01		1 23.00	23.00
482443021	Zone 01		1 23.00	23.00
482443022	Zone 01		1 23.00	23.00
482443023			1 23.00	23.00
482443024	Zone 01 Zone 01		1 23.00	23.00
482443025			1 23.00	23.00
	Zone 01			
482443026	Zone 01		1 23.00	23.00
482443027	Zone 01		1 23.00	23.00
482443028	Zone 01		1 23.00	23.00
482443029	Zone 01		1 23.00	23.00
482443030	Zone 01		1 23.00	23.00
482444001	Zone 01		1 23.00	23.00
482444002	Zone 01		1 23.00	23.00
482444003	Zone 01		1 23.00	23.00
482444004	Zone 01		1 23.00	23.00
482444005	Zone 01		1 23.00	23.00
482444006	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD As	signed EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
482444007	Zone 01	•	1 23.00	23.00
482451001	Zone 01	•	1 23.00	23.00
482451002	Zone 01	•	1 23.00	23.00
482451003	Zone 01	•	1 23.00	23.00
482451004	Zone 01	•	1 23.00	23.00
482451005	Zone 01		1 23.00	23.00
482451006	Zone 01		1 23.00	23.00
482451007	Zone 01		1 23.00	23.00
482451008	Zone 01		1 23.00	23.00
482451009	Zone 01		1 23.00	23.00
482451010	Zone 01		1 23.00	23.00
482451011	Zone 01		1 23.00	23.00
482451012	Zone 01		1 23.00	23.00
482451013	Zone 01		1 23.00	23.00
482451014	Zone 01		1 23.00	23.00
482451015	Zone 01		1 23.00	23.00
482451016	Zone 01		1 23.00	23.00
482451017	Zone 01		1 23.00	23.00
482451018	Zone 01		1 23.00	23.00
482451019	Zone 01		1 23.00	23.00
482451020	Zone 01		1 23.00	23.00
482451031	Zone 01		1 23.00	23.00
482451032	Zone 01		1 23.00	23.00
482451033	Zone 01		1 23.00	23.00
482451034	Zone 01		1 23.00	23.00
482451035	Zone 01		1 23.00	23.00
482451036	Zone 01		1 23.00	23.00
482451037	Zone 01		1 23.00	23.00
482451038	Zone 01		1 23.00	23.00
482451039	Zone 01		1 23.00	23.00
482451040	Zone 01		1 23.00	23.00
482451041	Zone 01		1 23.00	23.00
482451042	Zone 01		1 23.00	23.00
482451043	Zone 01		1 23.00	23.00
482451044	Zone 01		1 23.00	23.00
482451045	Zone 01		1 23.00	23.00
482451046	Zone 01		1 23.00	23.00
482451047	Zone 01		1 23.00	23.00
482451048	Zone 01		1 23.00	23.00
482451049	Zone 01		1 23.00	23.00
482451051	Zone 01		1 23.00	23.00
482451052	Zone 01		1 23.00	23.00
482451053	Zone 01		1 23.00	23.00
482451054	Zone 01		1 23.00	23.00
482452027	Zone 01		1 23.00	23.00
482452028	Zone 01		1 23.00	23.00
482452029	Zone 01		1 23.00	23.00
482452030	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD	Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
482452031	Zone 01		1 23.00	23.00
482452032	Zone 01		1 23.00	23.00
482452033	Zone 01		1 23.00	23.00
482452034	Zone 01		1 23.00	23.00
482452035	Zone 01		1 23.00	23.00
482452036	Zone 01		1 23.00	23.00
482452037	Zone 01		1 23.00	23.00
482452038	Zone 01		1 23.00	23.00
482452039	Zone 01		1 23.00	23.00
482452040	Zone 01		1 23.00	23.00
482452041	Zone 01		1 23.00	23.00
482452042	Zone 01		1 23.00	23.00
482452043	Zone 01		1 23.00	23.00
482452044	Zone 01		1 23.00	23.00
482452045	Zone 01		1 23.00	23.00
482452046	Zone 01		1 23.00	23.00
482452047	Zone 01		1 23.00	23.00
482452048	Zone 01		1 23.00	23.00
482452049	Zone 01		1 23.00	23.00
482452050	Zone 01		1 23.00	23.00
482453001	Zone 01		1 23.00	23.00
482453002	Zone 01		1 23.00	23.00
482453003	Zone 01		1 23.00	23.00
482453004	Zone 01		1 23.00	23.00
482453005	Zone 01		1 23.00	23.00
482453006	Zone 01		1 23.00	23.00
482453007	Zone 01		1 23.00	23.00
482453008	Zone 01		1 23.00	23.00
482453009	Zone 01		1 23.00	23.00
482453010	Zone 01		1 23.00	23.00
482453011	Zone 01		1 23.00	23.00
482453012	Zone 01		1 23.00	23.00
482453013	Zone 01		1 23.00	23.00
482453014	Zone 01		1 23.00	23.00
482461001	Zone 01		1 23.00	23.00
482461002	Zone 01		1 23.00	23.00
482461003	Zone 01		1 23.00	23.00
482461004	Zone 01		1 23.00	23.00
482461005	Zone 01		1 23.00	23.00
482461006	Zone 01		1 23.00	23.00
482461007	Zone 01		1 23.00	23.00
482461008	Zone 01		1 23.00	23.00
482461009	Zone 01		1 23.00	23.00
482461010	Zone 01		1 23.00	23.00
482461011	Zone 01		1 23.00	23.00
482461012	Zone 01		1 23.00	23.00
482461013	Zone 01		1 23.00	23.00
482461014	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone I	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
482461015	Zone 01		1 23.00	23.00
482461016	Zone 01		1 23.00	23.00
482461017	Zone 01		1 23.00	23.00
482461018	Zone 01		1 23.00	23.00
482461019	Zone 01		1 23.00	23.00
482461020	Zone 01		1 23.00	23.00
482461021	Zone 01		1 23.00	23.00
482461022	Zone 01		1 23.00	23.00
482461023	Zone 01		1 23.00	23.00
482461024	Zone 01		1 23.00	23.00
482461025	Zone 01		1 23.00	23.00
482461026	Zone 01		1 23.00	23.00
482461027	Zone 01		1 23.00	23.00
482461028	Zone 01		1 23.00	23.00
482462001	Zone 01		1 23.00	23.00
482462002	Zone 01		1 23.00	23.00
482462003	Zone 01		1 23.00	23.00
482462004	Zone 01		1 23.00	23.00
482462005	Zone 01		1 23.00	23.00
482462006	Zone 01		1 23.00	23.00
482462007	Zone 01		1 23.00	23.00
482462008	Zone 01		1 23.00	23.00
482462009	Zone 01		1 23.00	23.00
482462010	Zone 01		1 23.00	23.00
482462011	Zone 01		1 23.00	23.00
482462012	Zone 01		1 23.00	23.00
482462013	Zone 01		1 23.00	23.00
482462014	Zone 01		1 23.00	23.00
482462015	Zone 01		1 23.00	23.00
482462016	Zone 01		1 23.00	23.00
482462017	Zone 01		1 23.00	23.00
482462018	Zone 01		1 23.00	23.00
482462019	Zone 01		1 23.00	23.00
482462020	Zone 01		1 23.00	23.00
482462021			1 23.00	23.00
482462021	Zone 01		1 23.00	23.00
482462023	Zone 01			23.00
	Zone 01		1 23.00	
482462024	Zone 01		1 23.00	23.00
482462025	Zone 01		1 23.00	23.00
482462026	Zone 01		1 23.00	23.00
482462027	Zone 01		1 23.00	23.00
482462028	Zone 01		1 23.00	23.00
482462029	Zone 01		1 23.00	23.00
482462030	Zone 01		1 23.00	23.00
482462031	Zone 01		1 23.00	23.00
482462032	Zone 01		1 23.00	23.00
482462033	Zone 01		1 23.00	23.00
482462034	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned I	BU's FY 17-1	8 Max Assessment	FY 17-18 Assessment
482462035	Zone 01	1	23.00	23.00
482462036	Zone 01	1	23.00	23.00
482462037	Zone 01	1	23.00	23.00
482462038	Zone 01	1	23.00	23.00
482462039	Zone 01	1	23.00	23.00
482462040	Zone 01	1	23.00	23.00
482462042	Zone 01	1	23.00	23.00
482462043	Zone 01	1	23.00	23.00
482462044	Zone 01	1	23.00	23.00
482462045	Zone 01	1	23.00	23.00
482462046	Zone 01	1	23.00	23.00
482462047	Zone 01	1	23.00	23.00
482471001	Zone 01	1	23.00	23.00
482471002	Zone 01	1	23.00	23.00
482471003	Zone 01	1	23.00	23.00
482471004	Zone 01	1	23.00	23.00
482471005	Zone 01	1	23.00	23.00
482471006	Zone 01	1	23.00	23.00
482471007	Zone 01	1	23.00	23.00
482471008	Zone 01	1	23.00	23.00
482471009	Zone 01	1	23.00	23.00
482471010	Zone 01	1	23.00	23.00
482471011	Zone 01	1	23.00	23.00
482471012	Zone 01	1	23.00	23.00
482471013	Zone 01	1	23.00	23.00
482471014	Zone 01	1	23.00	23.00
482471015	Zone 01	1	23.00	23.00
482471016	Zone 01	1	23.00	23.00
482471017	Zone 01	1	23.00	23.00
482471018	Zone 01	1	23.00	23.00
482471019	Zone 01	1	23.00	23.00
482471020	Zone 01	1	23.00	23.00
482471021	Zone 01	1	23.00	23.00
482471022	Zone 01	1	23.00	23.00
482471023	Zone 01	1	23.00	23.00
482471024	Zone 01	1	23.00	23.00
482471025	Zone 01	1	23.00	23.00
482471026	Zone 01	1	23.00	23.00
482471027	Zone 01	1	23.00	23.00
482471028	Zone 01	1	23.00	23.00
482472001	Zone 01	1	23.00	23.00
482472002	Zone 01	1	23.00	23.00
482472003	Zone 01	1	23.00	23.00
482472004	Zone 01	1	23.00	23.00
482472005	Zone 01	1	23.00	23.00
482472006	Zone 01	1	23.00	23.00
482472007	Zone 01	1	23.00	23.00
482472008	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-1	8 Max Assessment	FY 17-18 Assessment
482472009	Zone 01	1	23.00	23.00
482472010	Zone 01	1	23.00	23.00
482472011	Zone 01	1	23.00	23.00
482472012	Zone 01	1	23.00	23.00
482472013	Zone 01	1	23.00	23.00
482472014	Zone 01	1	23.00	23.00
482472015	Zone 01	1	23.00	23.00
482472016	Zone 01	1	23.00	23.00
482472017	Zone 01	1	23.00	23.00
482472018	Zone 01	1	23.00	23.00
482472019	Zone 01	1	23.00	23.00
482472020	Zone 01	1	23.00	23.00
482473001	Zone 01	1	23.00	23.00
482473002	Zone 01	1	23.00	23.00
482473003	Zone 01	1	23.00	23.00
482473004	Zone 01	1	23.00	23.00
482473005	Zone 01	1	23.00	23.00
482473006	Zone 01	1	23.00	23.00
482473007	Zone 01	1	23.00	23.00
482473008	Zone 01	1	23.00	23.00
482473009	Zone 01	1	23.00	23.00
482473010	Zone 01	1	23.00	23.00
482473011	Zone 01	1	23.00	23.00
482473012	Zone 01	1	23.00	23.00
482473013	Zone 01	1	23.00	23.00
482473014	Zone 01	1	23.00	23.00
482473015	Zone 01	1	23.00	23.00
482473016	Zone 01	1	23.00	23.00
482473017	Zone 01	1	23.00	23.00
482473018	Zone 01	1	23.00	23.00
482473019	Zone 01	1	23.00	23.00
482473020	Zone 01	1	23.00	23.00
482473021	Zone 01	1	23.00	23.00
482473022	Zone 01	1	23.00	23.00
482473023	Zone 01	1	23.00	23.00
482473024	Zone 01	1	23.00	23.00
482473025	Zone 01	1	23.00	23.00
482473026	Zone 01	1	23.00	23.00
482481001	Zone 01	1	23.00	23.00
482481002	Zone 01	1	23.00	23.00
482481003	Zone 01	1	23.00	23.00
482481004	Zone 01	1	23.00	23.00
482481006	Zone 01	1	23.00	23.00
482481007	Zone 01	1	23.00	23.00
482481008	Zone 01	1	23.00	23.00
482481009	Zone 01	1	23.00	23.00
482481010	Zone 01	1	23.00	23.00
482481011	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD As	ssigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
482481012	Zone 01	•	1 23.00	23.00
482481013	Zone 01	•	1 23.00	23.00
482481014	Zone 01	•	1 23.00	23.00
482481015	Zone 01	•	1 23.00	23.00
482481016	Zone 01	•	1 23.00	23.00
482481017	Zone 01	•	1 23.00	23.00
482481018	Zone 01		1 23.00	23.00
482481019	Zone 01	•	1 23.00	23.00
482481020	Zone 01	•	1 23.00	23.00
482481021	Zone 01		1 23.00	23.00
482481022	Zone 01		1 23.00	23.00
482481023	Zone 01	•	1 23.00	23.00
482481024	Zone 01		1 23.00	23.00
482481025	Zone 01	•	1 23.00	23.00
482481026	Zone 01	•	1 23.00	23.00
482481027	Zone 01		1 23.00	23.00
482481028	Zone 01		1 23.00	23.00
482481029	Zone 01		1 23.00	23.00
482481030	Zone 01		1 23.00	23.00
482481031	Zone 01		1 23.00	23.00
482481032	Zone 01		1 23.00	23.00
482481033	Zone 01		1 23.00	23.00
482482001	Zone 01		1 23.00	23.00
482482002	Zone 01		1 23.00	23.00
482482003	Zone 01		1 23.00	23.00
482482004	Zone 01		1 23.00	23.00
482482005	Zone 01		1 23.00	23.00
482482006	Zone 01		1 23.00	23.00
482482007	Zone 01		1 23.00	23.00
482482008	Zone 01		1 23.00	23.00
482482009	Zone 01		1 23.00	23.00
482482010	Zone 01		1 23.00	23.00
482482011	Zone 01		1 23.00	23.00
482482012	Zone 01		1 23.00	23.00
482482013	Zone 01		1 23.00	23.00
482482014	Zone 01		1 23.00	23.00
482482015	Zone 01		1 23.00	23.00
482482016	Zone 01		1 23.00	23.00
482482017	Zone 01		1 23.00	23.00
482482018	Zone 01		1 23.00	23.00
482482019	Zone 01		1 23.00	23.00
482482020	Zone 01		1 23.00	23.00
482482021	Zone 01		1 23.00	23.00
482482022	Zone 01		1 23.00	23.00
482482023	Zone 01		1 23.00	23.00
482491001	Zone 01		1 23.00	23.00
482491002	Zone 01		1 23.00	23.00
482491003	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
482491004	Zone 01		1 23.00	23.00
482491005	Zone 01		1 23.00	23.00
482491006	Zone 01		1 23.00	23.00
482491007	Zone 01		1 23.00	23.00
482491008	Zone 01		1 23.00	23.00
482491009	Zone 01		1 23.00	23.00
482492001	Zone 01		1 23.00	23.00
482492002	Zone 01		1 23.00	23.00
482492003	Zone 01		1 23.00	23.00
482492004	Zone 01		1 23.00	23.00
482492005	Zone 01		1 23.00	23.00
482492006	Zone 01		1 23.00	23.00
482492007	Zone 01		1 23.00	23.00
482492008	Zone 01		1 23.00	23.00
482492009	Zone 01		1 23.00	23.00
482492010	Zone 01		1 23.00	23.00
482492011	Zone 01		1 23.00	23.00
482492012	Zone 01		1 23.00	23.00
482492013	Zone 01		1 23.00	23.00
482492014	Zone 01		1 23.00	23.00
482492015	Zone 01		1 23.00	23.00
482492016	Zone 01		1 23.00	23.00
482492017	Zone 01		1 23.00	23.00
482492018	Zone 01		1 23.00	23.00
482492019	Zone 01		1 23.00	23.00
482492019	Zone 01		1 23.00	23.00
482492021	Zone 01		1 23.00	23.00
482492022	Zone 01		1 23.00	23.00
482492023	Zone 01		1 23.00	23.00
482492024	Zone 01		1 23.00	23.00
482492025	Zone 01		1 23.00	23.00
482492026	Zone 01		1 23.00	23.00
482492027	Zone 01		1 23.00	23.00
482492028	Zone 01		1 23.00	23.00
482492029			1 23.00	23.00
482492030	Zone 01 Zone 01		1 23.00	23.00
482492031			1 23.00	23.00
	Zone 01			
482492032	Zone 01		1 23.00	23.00
482492033	Zone 01		1 23.00	23.00
482492034	Zone 01		1 23.00	23.00
482492035	Zone 01		1 23.00	23.00
482492036	Zone 01		1 23.00	23.00
482492037	Zone 01		1 23.00	23.00
482492038	Zone 01		1 23.00	23.00
482492039	Zone 01		1 23.00	23.00
482492040	Zone 01		1 23.00	23.00
482492041	Zone 01		1 23.00	23.00
482492042	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-1	8 Max Assessment	FY 17-18 Assessment
482492043	Zone 01	1	23.00	23.00
482492044	Zone 01	1	23.00	23.00
482492045	Zone 01	1	23.00	23.00
482492046	Zone 01	1	23.00	23.00
482492047	Zone 01	1	23.00	23.00
482492048	Zone 01	1	23.00	23.00
482492049	Zone 01	1	23.00	23.00
482492050	Zone 01	1	23.00	23.00
482492051	Zone 01	1	23.00	23.00
482492052	Zone 01	1	23.00	23.00
482492053	Zone 01	1	23.00	23.00
482492054	Zone 01	1	23.00	23.00
482492055	Zone 01	1	23.00	23.00
482492056	Zone 01	1	23.00	23.00
482492057	Zone 01	1	23.00	23.00
482492058	Zone 01	1	23.00	23.00
482492059	Zone 01	1	23.00	23.00
482492060	Zone 01	1	23.00	23.00
482492061	Zone 01	1	23.00	23.00
482492062	Zone 01	1	23.00	23.00
482492063	Zone 01	1	23.00	23.00
482492064	Zone 01	1	23.00	23.00
482492065	Zone 01	1	23.00	23.00
482492066	Zone 01	1	23.00	23.00
482500001	Zone 01	1	23.00	23.00
482500002	Zone 01	1	23.00	23.00
482500003	Zone 01	1	23.00	23.00
482500004	Zone 01	1	23.00	23.00
482500005	Zone 01	1	23.00	23.00
482500007	Zone 01	1	23.00	23.00
482500008	Zone 01	1	23.00	23.00
482500009	Zone 01	1	23.00	23.00
482500010	Zone 01	1	23.00	23.00
482500011	Zone 01	1	23.00	23.00
482500012	Zone 01	1	23.00	23.00
482501003	Zone 01	1	23.00	23.00
482501004	Zone 01	1	23.00	23.00
482501005	Zone 01	1	23.00	23.00
482501006	Zone 01	1	23.00	23.00
482501007	Zone 01	1	23.00	23.00
482501008	Zone 01	1	23.00	23.00
482501009	Zone 01	1	23.00	23.00
482501010	Zone 01	1	23.00	23.00
482501011	Zone 01	1	23.00	23.00
482501012	Zone 01	1	23.00	23.00
482501013	Zone 01	1	23.00	23.00
482501014	Zone 01	1	23.00	23.00
482501015	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-18	8 Max Assessment	FY 17-18 Assessment
482501016	Zone 01	1	23.00	23.00
482501017	Zone 01	1	23.00	23.00
482501018	Zone 01	1	23.00	23.00
482501019	Zone 01	1	23.00	23.00
482501020	Zone 01	1	23.00	23.00
482501021	Zone 01	1	23.00	23.00
482501022	Zone 01	1	23.00	23.00
482501023	Zone 01	1	23.00	23.00
482501024	Zone 01	1	23.00	23.00
482501025	Zone 01	1	23.00	23.00
482501026	Zone 01	1	23.00	23.00
482501027	Zone 01	1	23.00	23.00
482501028	Zone 01	1	23.00	23.00
482511001	Zone 01	1	23.00	23.00
482511002	Zone 01	1	23.00	23.00
482511003	Zone 01	1	23.00	23.00
482511004	Zone 01	1	23.00	23.00
482511005	Zone 01	1	23.00	23.00
482511006	Zone 01	1	23.00	23.00
482511007	Zone 01	1	23.00	23.00
482511008	Zone 01	1	23.00	23.00
482511009	Zone 01	1	23.00	23.00
482511010	Zone 01	1	23.00	23.00
482512001	Zone 01	1	23.00	23.00
482512002	Zone 01	1	23.00	23.00
482512003	Zone 01	1	23.00	23.00
482512004	Zone 01	1	23.00	23.00
482512005	Zone 01	1	23.00	23.00
482512006	Zone 01	1	23.00	23.00
482512007	Zone 01	1	23.00	23.00
482512008	Zone 01	1	23.00	23.00
482512009	Zone 01	1	23.00	23.00
482512010	Zone 01	1	23.00	23.00
482512011	Zone 01	1	23.00	23.00
482512012	Zone 01	1	23.00	23.00
482512013	Zone 01	1	23.00	23.00
482531001	Zone 01	1	23.00	23.00
482531002	Zone 01	1	23.00	23.00
482531003	Zone 01	1	23.00	23.00
482531004	Zone 01	1	23.00	23.00
482531005	Zone 01	1	23.00	23.00
482531006	Zone 01	1	23.00	23.00
482531007	Zone 01	1	23.00	23.00
482531008	Zone 01	1	23.00	23.00
482531009	Zone 01	1	23.00	23.00
482531010	Zone 01	1	23.00	23.00
482531011	Zone 01	1	23.00	23.00
482531012	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigne	ed EBU's FY 17-18 Ma	x Assessment	FY 17-18 Assessment
482532001	Zone 01	1	23.00	23.00
482532002	Zone 01	1	23.00	23.00
482532003	Zone 01	1	23.00	23.00
482532004	Zone 01	1	23.00	23.00
482533009	Zone 01	1	23.00	23.00
482533010	Zone 01	1	23.00	23.00
482533011	Zone 01	1	23.00	23.00
482533012	Zone 01	1	23.00	23.00
482533013	Zone 01	1	23.00	23.00
482533014	Zone 01	1	23.00	23.00
482533017	Zone 01	1	23.00	23.00
482533018	Zone 01	1	23.00	23.00
482533019	Zone 01	1	23.00	23.00
482533020	Zone 01	1	23.00	23.00
482533021	Zone 01	1	23.00	23.00
482533022	Zone 01	1	23.00	23.00
482533024	Zone 01	1	23.00	23.00
482533025	Zone 01	1	23.00	23.00
482533026	Zone 01	1	23.00	23.00
482533027	Zone 01	1	23.00	23.00
482533028	Zone 01	1	23.00	23.00
482533029	Zone 01	1	23.00	23.00
482533030	Zone 01	1	23.00	23.00
482533031	Zone 01	1	23.00	23.00
482533032	Zone 01	1	23.00	23.00
482534001	Zone 01	1	23.00	23.00
482534002	Zone 01	1	23.00	23.00
482534003	Zone 01	1	23.00	23.00
482534004	Zone 01	1	23.00	23.00
482534005	Zone 01	1	23.00	23.00
482534006	Zone 01	1	23.00	23.00
482534007	Zone 01	1	23.00	23.00
482534008	Zone 01	1	23.00	23.00
482534009	Zone 01	1	23.00	23.00
482534010	Zone 01	1	23.00	23.00
482534011	Zone 01	1	23.00	23.00
482534012	Zone 01	1	23.00	23.00
482535001	Zone 01	1	23.00	23.00
482535002	Zone 01	1	23.00	23.00
482535003	Zone 01	1	23.00	23.00
482535004	Zone 01	1	23.00	23.00
482535005	Zone 01	1	23.00	23.00
482535006	Zone 01	1	23.00	23.00
482535007	Zone 01	1	23.00	23.00
482536001	Zone 01	1	23.00	23.00
482536002	Zone 01	1	23.00	23.00
482536003	Zone 01	1	23.00	23.00
482536004	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned I	EBU's FY 17-18	3 Max Assessment	FY 17-18 Assessment
482536005	Zone 01	1	23.00	23.00
482536006	Zone 01	1	23.00	23.00
482536007	Zone 01	1	23.00	23.00
482536008	Zone 01	1	23.00	23.00
482536009	Zone 01	1	23.00	23.00
482536010	Zone 01	1	23.00	23.00
482536011	Zone 01	1	23.00	23.00
482536012	Zone 01	1	23.00	23.00
482536013	Zone 01	1	23.00	23.00
482536014	Zone 01	1	23.00	23.00
482536015	Zone 01	1	23.00	23.00
482536016	Zone 01	1	23.00	23.00
482536017	Zone 01	1	23.00	23.00
482536018	Zone 01	1	23.00	23.00
482536019	Zone 01	1	23.00	23.00
482536020	Zone 01	1	23.00	23.00
482536021	Zone 01	1	23.00	23.00
482536022	Zone 01	1	23.00	23.00
482551001	Zone 01	1	23.00	23.00
482551002	Zone 01	1	23.00	23.00
482551003	Zone 01	1	23.00	23.00
482551004	Zone 01	1	23.00	23.00
482551005	Zone 01	1	23.00	23.00
482551006	Zone 01	1	23.00	23.00
482551007	Zone 01	1	23.00	23.00
482551008	Zone 01	1	23.00	23.00
482551009	Zone 01	1	23.00	23.00
482551010	Zone 01	1	23.00	23.00
482551011	Zone 01	1	23.00	23.00
482551012	Zone 01	1	23.00	23.00
482551013	Zone 01	1	23.00	23.00
482551014	Zone 01	1	23.00	23.00
482551015	Zone 01	1	23.00	23.00
482551016	Zone 01	1	23.00	23.00
482551017	Zone 01	1	23.00	23.00
482552001	Zone 01	1	23.00	23.00
482552002	Zone 01	1	23.00	23.00
482552003	Zone 01	1	23.00	23.00
482552004	Zone 01	1	23.00	23.00
482552005	Zone 01	1	23.00	23.00
482552007	Zone 01	1	23.00	23.00
482552008	Zone 01	1	23.00	23.00
482552009	Zone 01	1	23.00	23.00
482552010	Zone 01	1	23.00	23.00
482552011	Zone 01	1	23.00	23.00
482552012	Zone 01	1	23.00	23.00
482552013	Zone 01	1	23.00	23.00
482552014	Zone 01	1	23.00	23.00
			20,000	

APN	LMD 2014-01 Zone LMD Assigned E	BU's FY 17-18	Max Assessment	FY 17-18 Assessment
482552015	Zone 01	1	23.00	23.00
482552016	Zone 01	1	23.00	23.00
482552017	Zone 01	1	23.00	23.00
482552018	Zone 01	1	23.00	23.00
482552019	Zone 01	1	23.00	23.00
482552020	Zone 01	1	23.00	23.00
482552021	Zone 01	1	23.00	23.00
482552022	Zone 01	1	23.00	23.00
482552023	Zone 01	1	23.00	23.00
482552024	Zone 01	1	23.00	23.00
482552025	Zone 01	1	23.00	23.00
482552026	Zone 01	1	23.00	23.00
482552027	Zone 01	1	23.00	23.00
482552028	Zone 01	1	23.00	23.00
482552029	Zone 01	1	23.00	23.00
482552030	Zone 01	1	23.00	23.00
482552031	Zone 01	1	23.00	23.00
482552032	Zone 01	1	23.00	23.00
482552033	Zone 01	1	23.00	23.00
482552034	Zone 01	1	23.00	23.00
482552035	Zone 01	1	23.00	23.00
482552036	Zone 01	1	23.00	23.00
482552037	Zone 01	1	23.00	23.00
482552038	Zone 01	1	23.00	23.00
482552039	Zone 01	1	23.00	23.00
482552040	Zone 01	1	23.00	23.00
482552041	Zone 01	1	23.00	23.00
482553001	Zone 01	1	23.00	23.00
482553002	Zone 01	1	23.00	23.00
482553003	Zone 01	1	23.00	23.00
482553004	Zone 01	1	23.00	23.00
482553005	Zone 01	1	23.00	23.00
482553006	Zone 01	1	23.00	23.00
482553007	Zone 01	1	23.00	23.00
482553008	Zone 01	1	23.00	23.00
482553009	Zone 01	1	23.00	23.00
482553010	Zone 01	1	23.00	23.00
482553011	Zone 01	1	23.00	23.00
482553012	Zone 01	1	23.00	23.00
482553013	Zone 01	1	23.00	23.00
482553014	Zone 01	1	23.00	23.00
482553015	Zone 01	1	23.00	23.00
482553016	Zone 01	1	23.00	23.00
482553017	Zone 01	1	23.00	23.00
482553018	Zone 01	1	23.00	23.00
482553019	Zone 01	1	23.00	23.00
482553020	Zone 01	1	23.00	23.00
482553021	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assign	ned EBU's FY 17-18 Ma	ax Assessment	FY 17-18 Assessment
482553022	Zone 01	1	23.00	23.00
482553023	Zone 01	1	23.00	23.00
482553024	Zone 01	1	23.00	23.00
482553025	Zone 01	1	23.00	23.00
482553026	Zone 01	1	23.00	23.00
482553027	Zone 01	1	23.00	23.00
482553028	Zone 01	1	23.00	23.00
482553029	Zone 01	1	23.00	23.00
482553030	Zone 01	1	23.00	23.00
482553031	Zone 01	1	23.00	23.00
482553032	Zone 01	1	23.00	23.00
482553033	Zone 01	1	23.00	23.00
482553034	Zone 01	1	23.00	23.00
482553035	Zone 01	1	23.00	23.00
482553036	Zone 01	1	23.00	23.00
482553037	Zone 01	1	23.00	23.00
482553038	Zone 01	1	23.00	23.00
482553039	Zone 01	1	23.00	23.00
482553040	Zone 01	1	23.00	23.00
482553041	Zone 01	1	23.00	23.00
482553042	Zone 01	1	23.00	23.00
482553043	Zone 01	1	23.00	23.00
482553044	Zone 01	1	23.00	23.00
482553045	Zone 01	1	23.00	23.00
482554001	Zone 01	1	23.00	23.00
482554002	Zone 01	1	23.00	23.00
482554003	Zone 01	1	23.00	23.00
482554004	Zone 01	1	23.00	23.00
482554005	Zone 01	1	23.00	23.00
482554006	Zone 01	1	23.00	23.00
482554007	Zone 01	1	23.00	23.00
482554008	Zone 01	1	23.00	23.00
482554009	Zone 01	1	23.00	23.00
482554010	Zone 01	1	23.00	23.00
482554011	Zone 01	1	23.00	23.00
482554012	Zone 01	1	23.00	23.00
482554013	Zone 01	1	23.00	23.00
482554014	Zone 01	1	23.00	23.00
482554015	Zone 01	1	23.00	23.00
482554016	Zone 01	1	23.00	23.00
482554017	Zone 01	1	23.00	23.00
482554018	Zone 01	1	23.00	23.00
482554019	Zone 01	1	23.00	23.00
482554020	Zone 01	1	23.00	23.00
482554021	Zone 01	1	23.00	23.00
482554022	Zone 01	1	23.00	23.00
482554023	Zone 01	1	23.00	23.00
482554024	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	d EBU's FY 17-18 Ma	ax Assessment	FY 17-18 Assessment
482554025	Zone 01	1	23.00	23.00
482554026	Zone 01	1	23.00	23.00
482554027	Zone 01	1	23.00	23.00
482554028	Zone 01	1	23.00	23.00
482561001	Zone 01	1	23.00	23.00
482561002	Zone 01	1	23.00	23.00
482561003	Zone 01	1	23.00	23.00
482561004	Zone 01	1	23.00	23.00
482561005	Zone 01	1	23.00	23.00
482561006	Zone 01	1	23.00	23.00
482561007	Zone 01	1	23.00	23.00
482561008	Zone 01	1	23.00	23.00
482561009	Zone 01	1	23.00	23.00
482561010	Zone 01	1	23.00	23.00
482561011	Zone 01	1	23.00	23.00
482561012	Zone 01	1	23.00	23.00
482561013	Zone 01	1	23.00	23.00
482561014	Zone 01	1	23.00	23.00
482561015	Zone 01	1	23.00	23.00
482561016	Zone 01	1	23.00	23.00
482561017	Zone 01	1	23.00	23.00
482561018	Zone 01	1	23.00	23.00
482561019	Zone 01	1	23.00	23.00
482561020	Zone 01	1	23.00	23.00
482561021	Zone 01	1	23.00	23.00
482561022	Zone 01	1	23.00	23.00
482561023	Zone 01	1	23.00	23.00
482561024	Zone 01	1	23.00	23.00
482561025	Zone 01	1	23.00	23.00
482561026	Zone 01	1	23.00	23.00
482561027	Zone 01	1	23.00	23.00
482561028	Zone 01	1	23.00	23.00
482561029	Zone 01	1	23.00	23.00
482561030	Zone 01	1	23.00	23.00
482561031	Zone 01	1	23.00	23.00
482561032	Zone 01	1	23.00	23.00
482561033	Zone 01	1	23.00	23.00
482561034	Zone 01	1	23.00	23.00
482561035	Zone 01	1	23.00	23.00
482561036	Zone 01	1	23.00	23.00
482561037	Zone 01	1	23.00	23.00
482561038	Zone 01	1	23.00	23.00
482561039	Zone 01	1	23.00	23.00
482561040	Zone 01	1	23.00	23.00
482561041	Zone 01	1	23.00	23.00
482561042	Zone 01	1	23.00	23.00
482561043	Zone 01	1	23.00	23.00
482561044	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
482561045	Zone 01		1 23.00	23.00
482561046	Zone 01		1 23.00	23.00
482561047	Zone 01		1 23.00	23.00
482561048	Zone 01		1 23.00	23.00
482561049	Zone 01		1 23.00	23.00
482561050	Zone 01		1 23.00	23.00
482561051	Zone 01		1 23.00	23.00
482561052	Zone 01		1 23.00	23.00
482561053	Zone 01		1 23.00	23.00
482561054	Zone 01		1 23.00	23.00
482561055	Zone 01		1 23.00	23.00
482561056	Zone 01		1 23.00	23.00
482561057	Zone 01		1 23.00	23.00
482562001	Zone 01		1 23.00	23.00
482562002	Zone 01		1 23.00	23.00
482562003	Zone 01		1 23.00	23.00
482562004	Zone 01		1 23.00	23.00
482562006	Zone 01		1 23.00	23.00
482562007	Zone 01		1 23.00	23.00
482562008	Zone 01		1 23.00	23.00
482562009	Zone 01		1 23.00	23.00
482562010	Zone 01		1 23.00	23.00
482562011	Zone 01		1 23.00	23.00
482562012	Zone 01		1 23.00	23.00
482562013	Zone 01		1 23.00	23.00
482571001	Zone 01		1 23.00	23.00
482571002	Zone 01		1 23.00	23.00
482571003	Zone 01		1 23.00	23.00
482571004	Zone 01		1 23.00	23.00
482571005	Zone 01		1 23.00	23.00
482571006	Zone 01		1 23.00	23.00
482571007	Zone 01		1 23.00	23.00
482571008	Zone 01		1 23.00	23.00
482571009	Zone 01		1 23.00	23.00
482571010	Zone 01		1 23.00	23.00
482571011	Zone 01		1 23.00	23.00
482571012	Zone 01		1 23.00	23.00
482571013	Zone 01		1 23.00	23.00
482571014	Zone 01		1 23.00	23.00
482571015	Zone 01		1 23.00	23.00
482571016	Zone 01		1 23.00	23.00
482571017	Zone 01		1 23.00	23.00
482571018	Zone 01		1 23.00	23.00
482571019	Zone 01		1 23.00	23.00
482571020	Zone 01		1 23.00	23.00
482571021	Zone 01		1 23.00	23.00
482571022	Zone 01		1 23.00	23.00
482571023	Zone 01		1 23.00	23.00
10201 1020	2010-01		25.00	25.00

APN	LMD 2014-01 Zone LMD Assigne	d EBU's FY 17-18 N	Max Assessment	FY 17-18 Assessment
482571024	Zone 01	1	23.00	23.00
482571025	Zone 01	1	23.00	23.00
482571026	Zone 01	1	23.00	23.00
482571027	Zone 01	1	23.00	23.00
482571028	Zone 01	1	23.00	23.00
482571029	Zone 01	1	23.00	23.00
482571030	Zone 01	1	23.00	23.00
482571031	Zone 01	1	23.00	23.00
482571032	Zone 01	1	23.00	23.00
482571033	Zone 01	1	23.00	23.00
482571034	Zone 01	1	23.00	23.00
482571035	Zone 01	1	23.00	23.00
482571036	Zone 01	1	23.00	23.00
482571037	Zone 01	1	23.00	23.00
482571038	Zone 01	1	23.00	23.00
482571039	Zone 01	1	23.00	23.00
482571040	Zone 01	1	23.00	23.00
482571041	Zone 01	1	23.00	23.00
482571042	Zone 01	1	23.00	23.00
482571043	Zone 01	1	23.00	23.00
482571044	Zone 01	1	23.00	23.00
482571045	Zone 01	1	23.00	23.00
482571046	Zone 01	1	23.00	23.00
482571047	Zone 01	1	23.00	23.00
482571048	Zone 01	1	23.00	23.00
482571049	Zone 01	1	23.00	23.00
482571050	Zone 01	1	23.00	23.00
482571051	Zone 01	1	23.00	23.00
482571052	Zone 01	1	23.00	23.00
482571053	Zone 01	1	23.00	23.00
482571054	Zone 01	1	23.00	23.00
482572001	Zone 01	1	23.00	23.00
482572002	Zone 01	1	23.00	23.00
482572003	Zone 01	1	23.00	23.00
482572004	Zone 01	1	23.00	23.00
482572005	Zone 01	1	23.00	23.00
482572006	Zone 01	1	23.00	23.00
482572007	Zone 01	1	23.00	23.00
482572008	Zone 01	1	23.00	23.00
482572009	Zone 01	1	23.00	23.00
482572010	Zone 01	1	23.00	23.00
482572011	Zone 01	1	23.00	23.00
482572012	Zone 01	1	23.00	23.00
482572013	Zone 01	1	23.00	23.00
482572014	Zone 01	1	23.00	23.00
482572015	Zone 01	1	23.00	23.00
482572016	Zone 01	1	23.00	23.00
482572017	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-18	8 Max Assessment	FY 17-18 Assessment
482572018	Zone 01	1	23.00	23.00
482572019	Zone 01	1	23.00	23.00
482572020	Zone 01	1	23.00	23.00
482572021	Zone 01	1	23.00	23.00
482572022	Zone 01	1	23.00	23.00
482572023	Zone 01	1	23.00	23.00
482572024	Zone 01	1	23.00	23.00
482572025	Zone 01	1	23.00	23.00
482572026	Zone 01	1	23.00	23.00
482572027	Zone 01	1	23.00	23.00
482572028	Zone 01	1	23.00	23.00
482572029	Zone 01	1	23.00	23.00
482572030	Zone 01	1	23.00	23.00
482572031	Zone 01	1	23.00	23.00
482572032	Zone 01	1	23.00	23.00
482572033	Zone 01	1	23.00	23.00
482572034	Zone 01	1	23.00	23.00
482572035	Zone 01	1	23.00	23.00
482572036	Zone 01	1	23.00	23.00
482572037	Zone 01	1	23.00	23.00
482572038	Zone 01	1	23.00	23.00
482572039	Zone 01	1	23.00	23.00
482572040	Zone 01	1	23.00	23.00
482572041	Zone 01	1	23.00	23.00
482572042	Zone 01	1	23.00	23.00
482572043	Zone 01	1	23.00	23.00
482572044	Zone 01	1	23.00	23.00
482581001	Zone 01	1	23.00	23.00
482581002	Zone 01	1	23.00	23.00
482581003	Zone 01	1	23.00	23.00
482581004	Zone 01	1	23.00	23.00
482581005	Zone 01	1	23.00	23.00
482581006	Zone 01	1	23.00	23.00
482581007	Zone 01	1	23.00	23.00
482581008	Zone 01	1	23.00	23.00
482581009	Zone 01	1	23.00	23.00
482581010	Zone 01	1	23.00	23.00
482582001	Zone 01	1	23.00	23.00
482582002	Zone 01	1	23.00	23.00
482582003	Zone 01	1	23.00	23.00
482582004	Zone 01	1	23.00	23.00
482582005	Zone 01	1	23.00	23.00
482582006	Zone 01	1	23.00	23.00
482582007	Zone 01	1	23.00	23.00
482582008	Zone 01	1	23.00	23.00
482582009	Zone 01	1	23.00	23.00
482582010	Zone 01	1	23.00	23.00
482582011	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned I	BU's FY 17-18	Max Assessment	FY 17-18 Assessment
482582012	Zone 01	1	23.00	23.00
482582013	Zone 01	1	23.00	23.00
482582014	Zone 01	1	23.00	23.00
482582015	Zone 01	1	23.00	23.00
482582016	Zone 01	1	23.00	23.00
482582017	Zone 01	1	23.00	23.00
482582018	Zone 01	1	23.00	23.00
482582019	Zone 01	1	23.00	23.00
482582020	Zone 01	1	23.00	23.00
482582021	Zone 01	1	23.00	23.00
482582022	Zone 01	1	23.00	23.00
482582023	Zone 01	1	23.00	23.00
482582024	Zone 01	1	23.00	23.00
482582025	Zone 01	1	23.00	23.00
482582026	Zone 01	1	23.00	23.00
482582027	Zone 01	1	23.00	23.00
482582028	Zone 01	1	23.00	23.00
482582029	Zone 01	1	23.00	23.00
482582030	Zone 01	1	23.00	23.00
482582031	Zone 01	1	23.00	23.00
482582032	Zone 01	1	23.00	23.00
482591001	Zone 01	1	23.00	23.00
482591002	Zone 01	1	23.00	23.00
482591003	Zone 01	1	23.00	23.00
482591004	Zone 01	1	23.00	23.00
482591005	Zone 01	1	23.00	23.00
482591006	Zone 01	1	23.00	23.00
482591007	Zone 01	1	23.00	23.00
482591009	Zone 01	1	23.00	23.00
482591010	Zone 01	1	23.00	23.00
482591011	Zone 01	1	23.00	23.00
482591012	Zone 01	1	23.00	23.00
482591013	Zone 01	1	23.00	23.00
482591014	Zone 01	1	23.00	23.00
482592001	Zone 01	1	23.00	23.00
482592002	Zone 01	1	23.00	23.00
482592003	Zone 01	1	23.00	23.00
482592004	Zone 01	1	23.00	23.00
482592005	Zone 01	1	23.00	23.00
482592006	Zone 01	1	23.00	23.00
482592007	Zone 01	1	23.00	23.00
482592008	Zone 01	1	23.00	23.00
482592009	Zone 01	1	23.00	23.00
482592010	Zone 01	1	23.00	23.00
482592011	Zone 01	1	23.00	23.00
482592012	Zone 01	1	23.00	23.00
482592013	Zone 01	1	23.00	23.00
482592014	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-1	8 Max Assessment	FY 17-18 Assessment
482592015	Zone 01	1	23.00	23.00
482592016	Zone 01	1	23.00	23.00
482592017	Zone 01	1	23.00	23.00
482592018	Zone 01	1	23.00	23.00
482592019	Zone 01	1	23.00	23.00
482592020	Zone 01	1	23.00	23.00
482592021	Zone 01	1	23.00	23.00
482592022	Zone 01	1	23.00	23.00
482592023	Zone 01	1	23.00	23.00
482592024	Zone 01	1	23.00	23.00
482592025	Zone 01	1	23.00	23.00
482592026	Zone 01	1	23.00	23.00
482593001	Zone 01	1	23.00	23.00
482593002	Zone 01	1	23.00	23.00
482593003	Zone 01	1	23.00	23.00
482593004	Zone 01	1	23.00	23.00
482593005	Zone 01	1	23.00	23.00
482593006	Zone 01	1	23.00	23.00
482593007	Zone 01	1	23.00	23.00
482593008	Zone 01	1	23.00	23.00
482593009	Zone 01	1	23.00	23.00
482593010	Zone 01	1	23.00	23.00
482593011	Zone 01	1	23.00	23.00
482593012	Zone 01	1	23.00	23.00
482593013	Zone 01	1	23.00	23.00
482593014	Zone 01	1	23.00	23.00
482593015	Zone 01	1	23.00	23.00
482593016	Zone 01	1	23.00	23.00
482594001	Zone 01	1	23.00	23.00
482594002	Zone 01	1	23.00	23.00
482594003	Zone 01	1	23.00	23.00
482594004	Zone 01	1	23.00	23.00
482594005	Zone 01	1	23.00	23.00
482594006	Zone 01	1	23.00	23.00
482594007	Zone 01	1	23.00	23.00
482594008	Zone 01	1	23.00	23.00
482595001	Zone 01	1	23.00	23.00
482596001	Zone 01	1	23.00	23.00
482596002	Zone 01	1	23.00	23.00
482596003	Zone 01	1	23.00	23.00
482596004	Zone 01	1	23.00	23.00
482596005	Zone 01	1	23.00	23.00
482596006	Zone 01	1	23.00	23.00
482596007	Zone 01	1	23.00	23.00
482596008	Zone 01	1	23.00	23.00
482596009	Zone 01	1	23.00	23.00
482596010	Zone 01	1	23.00	23.00
482596011	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-1	8 Max Assessment	FY 17-18 Assessment
482596012	Zone 01	1	23.00	23.00
482596013	Zone 01	1	23.00	23.00
482596014	Zone 01	1	23.00	23.00
482600001	Zone 01	1	23.00	23.00
482600002	Zone 01	1	23.00	23.00
482600003	Zone 01	1	23.00	23.00
482600004	Zone 01	1	23.00	23.00
482600005	Zone 01	1	23.00	23.00
482600006	Zone 01	1	23.00	23.00
482600007	Zone 01	1	23.00	23.00
482600008	Zone 01	1	23.00	23.00
482600009	Zone 01	1	23.00	23.00
482600010	Zone 01	1	23.00	23.00
482600011	Zone 01	1	23.00	23.00
482600012	Zone 01	1	23.00	23.00
482600013	Zone 01	1	23.00	23.00
482600014	Zone 01	1	23.00	23.00
482600015	Zone 01	1	23.00	23.00
482600016	Zone 01	1	23.00	23.00
482600017	Zone 01	1	23.00	23.00
482600018	Zone 01	1	23.00	23.00
482600019	Zone 01	1	23.00	23.00
482600020	Zone 01	1	23.00	23.00
482600021	Zone 01	1	23.00	23.00
482600022	Zone 01	1	23.00	23.00
482600023	Zone 01	1	23.00	23.00
482600024	Zone 01	1	23.00	23.00
482600025	Zone 01	1	23.00	23.00
482600026	Zone 01	1	23.00	23.00
482600027	Zone 01	1	23.00	23.00
482600028	Zone 01	1	23.00	23.00
482600029	Zone 01	1	23.00	23.00
482600030	Zone 01	1	23.00	23.00
482600031	Zone 01	1	23.00	23.00
482600032	Zone 01	1	23.00	23.00
482600033	Zone 01	1	23.00	23.00
482600034	Zone 01	1	23.00	23.00
482600035	Zone 01	1	23.00	23.00
482600036	Zone 01	1	23.00	23.00
482600037	Zone 01	1	23.00	23.00
482600038	Zone 01	1	23.00	23.00
482600039	Zone 01	1	23.00	23.00
482600040	Zone 01	1	23.00	23.00
482600041	Zone 01	1	23.00	23.00
482600042	Zone 01	1	23.00	23.00
482600043	Zone 01	1	23.00	23.00
482600044	Zone 01	1	23.00	23.00
482600045	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone I	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
482600046	Zone 01		1 23.00	23.00
482600047	Zone 01		1 23.00	23.00
482600048	Zone 01		1 23.00	23.00
482600049	Zone 01		1 23.00	23.00
482600050	Zone 01		1 23.00	23.00
482600051	Zone 01		1 23.00	23.00
482600052	Zone 01		1 23.00	23.00
482600053	Zone 01		1 23.00	23.00
482600054	Zone 01		1 23.00	23.00
482600055	Zone 01		1 23.00	23.00
482600056	Zone 01		1 23.00	23.00
482600057	Zone 01		1 23.00	23.00
482600058	Zone 01		1 23.00	23.00
482611001	Zone 01		1 23.00	23.00
482611002	Zone 01		1 23.00	23.00
482611003	Zone 01		1 23.00	23.00
482611004	Zone 01		1 23.00	23.00
482611005	Zone 01		1 23.00	23.00
482611006	Zone 01		1 23.00	23.00
482611007	Zone 01		1 23.00	23.00
482611008	Zone 01		1 23.00	23.00
482611009	Zone 01		1 23.00	23.00
482611010	Zone 01		1 23.00	23.00
482611011	Zone 01		1 23.00	23.00
482611012	Zone 01		1 23.00	23.00
482611013	Zone 01		1 23.00	23.00
482611014	Zone 01		1 23.00	23.00
482611015	Zone 01		1 23.00	23.00
482611016	Zone 01		1 23.00	23.00
482611017	Zone 01		1 23.00	23.00
482611018	Zone 01		1 23.00	23.00
482611019	Zone 01		1 23.00	23.00
482611020	Zone 01			23.00
			1 23.00	
482611021	Zone 01		1 23.00	23.00
482611022	Zone 01		1 23.00	23.00
482612001	Zone 01		1 23.00	23.00
482612002	Zone 01		1 23.00	23.00
482612003	Zone 01		1 23.00	23.00
482612004	Zone 01		1 23.00	23.00
482612005	Zone 01		1 23.00	23.00
482612006	Zone 01	•	1 23.00	23.00
482612007	Zone 01		1 23.00	23.00
482612008	Zone 01		1 23.00	23.00
482612009	Zone 01		1 23.00	23.00
482612010	Zone 01		1 23.00	23.00
482612011	Zone 01		1 23.00	23.00
482612012	Zone 01		1 23.00	23.00
482612013	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-1	8 Max Assessment	FY 17-18 Assessment
482612014	Zone 01	1	23.00	23.00
482612015	Zone 01	1	23.00	23.00
482612016	Zone 01	1	23.00	23.00
482612017	Zone 01	1	23.00	23.00
482612018	Zone 01	1	23.00	23.00
482612019	Zone 01	1	23.00	23.00
482612020	Zone 01	1	23.00	23.00
482612021	Zone 01	1	23.00	23.00
482612022	Zone 01	1	23.00	23.00
482612023	Zone 01	1	23.00	23.00
482613001	Zone 01	1	23.00	23.00
482613002	Zone 01	1	23.00	23.00
482613003	Zone 01	1	23.00	23.00
482613004	Zone 01	1	23.00	23.00
482613005	Zone 01	1	23.00	23.00
482613006	Zone 01	1	23.00	23.00
482613007	Zone 01	1	23.00	23.00
482613008	Zone 01	1	23.00	23.00
482613009	Zone 01	1	23.00	23.00
482613010	Zone 01	1	23.00	23.00
482613011	Zone 01	1	23.00	23.00
482614001	Zone 01	1	23.00	23.00
482614002	Zone 01	1	23.00	23.00
482614003	Zone 01	1	23.00	23.00
482614004	Zone 01	1	23.00	23.00
482614005	Zone 01	1	23.00	23.00
482614006	Zone 01	1	23.00	23.00
482614007	Zone 01	1	23.00	23.00
482614008	Zone 01	1	23.00	23.00
482614009	Zone 01	1	23.00	23.00
482614010	Zone 01	1	23.00	23.00
482614011	Zone 01	1	23.00	23.00
482614012	Zone 01	1	23.00	23.00
482614013	Zone 01	1	23.00	23.00
482614014	Zone 01	1	23.00	23.00
482614015	Zone 01	1	23.00	23.00
482614016	Zone 01	1	23.00	23.00
482614017	Zone 01	1	23.00	23.00
482614018	Zone 01	1	23.00	23.00
482614019	Zone 01	1	23.00	23.00
482614020	Zone 01	1	23.00	23.00
482614021	Zone 01	1	23.00	23.00
482614022	Zone 01	1	23.00	23.00
482614023	Zone 01	1	23.00	23.00
482614024	Zone 01	1	23.00	23.00
482622001	Zone 01	1	23.00	23.00
482622002	Zone 01	1	23.00	23.00
482622003	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigne	ed EBU's FY 17-18 Max	x Assessment	FY 17-18 Assessment
482622004	Zone 01	1	23.00	23.00
482622005	Zone 01	1	23.00	23.00
482622006	Zone 01	1	23.00	23.00
482622007	Zone 01	1	23.00	23.00
482622008	Zone 01	1	23.00	23.00
482622009	Zone 01	1	23.00	23.00
482622010	Zone 01	1	23.00	23.00
482622011	Zone 01	1	23.00	23.00
482622012	Zone 01	1	23.00	23.00
482622013	Zone 01	1	23.00	23.00
482622014	Zone 01	1	23.00	23.00
482622015	Zone 01	1	23.00	23.00
482622016	Zone 01	1	23.00	23.00
482622017	Zone 01	1	23.00	23.00
482622018	Zone 01	1	23.00	23.00
482622019	Zone 01	1	23.00	23.00
482622020	Zone 01	1	23.00	23.00
482622021	Zone 01	1	23.00	23.00
482622022	Zone 01	1	23.00	23.00
482622023	Zone 01	1	23.00	23.00
482622024	Zone 01	1	23.00	23.00
482622025	Zone 01	1	23.00	23.00
482622026	Zone 01	1	23.00	23.00
482622027	Zone 01	1	23.00	23.00
482622028	Zone 01	1	23.00	23.00
482622029	Zone 01	1	23.00	23.00
482622030	Zone 01	1	23.00	23.00
482622031	Zone 01	1	23.00	23.00
482622032	Zone 01	1	23.00	23.00
482623024	Zone 01	1	23.00	23.00
482623025	Zone 01	1	23.00	23.00
482623026	Zone 01	1	23.00	23.00
482623027	Zone 01	1	23.00	23.00
482623028	Zone 01	1	23.00	23.00
482623029	Zone 01	1	23.00	23.00
482623030	Zone 01	1	23.00	23.00
482623031	Zone 01	1	23.00	23.00
482623032	Zone 01	1	23.00	23.00
482623033	Zone 01	1	23.00	23.00
482631001	Zone 01	1	23.00	23.00
482631002	Zone 01	1	23.00	23.00
482631003	Zone 01	1	23.00	23.00
482631004	Zone 01	1	23.00	23.00
482631005	Zone 01	1	23.00	23.00
482631006	Zone 01	1	23.00	23.00
482631007	Zone 01	1	23.00	23.00
482631008	Zone 01	1	23.00	23.00
482631009	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
482631010	Zone 01		1 23.00	23.00
482631011	Zone 01		1 23.00	23.00
482631012	Zone 01		1 23.00	23.00
482631013	Zone 01		1 23.00	23.00
482631014	Zone 01		1 23.00	23.00
482631015	Zone 01		1 23.00	23.00
482631016	Zone 01		1 23.00	23.00
482631017	Zone 01		1 23.00	23.00
482631018	Zone 01		1 23.00	23.00
482631019	Zone 01		1 23.00	23.00
482631020	Zone 01		1 23.00	23.00
482631021	Zone 01		1 23.00	23.00
482631022	Zone 01		1 23.00	23.00
482631023	Zone 01		1 23.00	23.00
482631024	Zone 01		1 23.00	23.00
482631025	Zone 01		1 23.00	23.00
482631026	Zone 01		1 23.00	23.00
482631027	Zone 01		1 23.00	23.00
482631028	Zone 01		1 23.00	23.00
482631029	Zone 01		1 23.00	23.00
482631030	Zone 01		1 23.00	23.00
482631031	Zone 01		1 23.00	23.00
482631032	Zone 01		1 23.00	23.00
482631033	Zone 01		1 23.00	23.00
482632001	Zone 01		1 23.00	23.00
482632002	Zone 01		1 23.00	23.00
482632002	Zone 01		1 23.00	23.00
482632004	Zone 01		1 23.00	23.00
482632004	Zone 01		1 23.00	23.00
482632006	Zone 01		1 23.00	23.00
482632007	Zone 01		1 23.00	23.00
				23.00
482632008	Zone 01 Zone 01		1 23.00	
482632009			1 23.00 1 23.00	23.00
482632010	Zone 01			23.00
482632011	Zone 01		1 23.00	23.00
482632012	Zone 01		1 23.00	23.00
482632013	Zone 01		1 23.00	23.00
482632014	Zone 01		1 23.00	23.00
482632015	Zone 01		1 23.00	23.00
482632016	Zone 01		1 23.00	23.00
482632017	Zone 01		1 23.00	23.00
482632018	Zone 01		1 23.00	23.00
482632019	Zone 01		1 23.00	23.00
482632020	Zone 01		1 23.00	23.00
482632021	Zone 01		1 23.00	23.00
482632022	Zone 01		1 23.00	23.00
482632023	Zone 01		1 23.00	23.00
482632024	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-18	Max Assessment	FY 17-18 Assessment
482632025	Zone 01	1	23.00	23.00
482632026	Zone 01	1	23.00	23.00
482632027	Zone 01	1	23.00	23.00
482632028	Zone 01	1	23.00	23.00
482632029	Zone 01	1	23.00	23.00
482632030	Zone 01	1	23.00	23.00
482632031	Zone 01	1	23.00	23.00
482632032	Zone 01	1	23.00	23.00
482632033	Zone 01	1	23.00	23.00
482632034	Zone 01	1	23.00	23.00
482632035	Zone 01	1	23.00	23.00
482633001	Zone 01	1	23.00	23.00
482633002	Zone 01	1	23.00	23.00
482633003	Zone 01	1	23.00	23.00
482633004	Zone 01	1	23.00	23.00
482633005	Zone 01	1	23.00	23.00
482633006	Zone 01	1	23.00	23.00
482633007	Zone 01	1	23.00	23.00
482633008	Zone 01	1	23.00	23.00
482633009	Zone 01	1	23.00	23.00
482633010	Zone 01	1	23.00	23.00
482633011	Zone 01	1	23.00	23.00
482633012	Zone 01	1	23.00	23.00
482633013	Zone 01	1	23.00	23.00
482633014	Zone 01	1	23.00	23.00
482633015	Zone 01	1	23.00	23.00
482633016	Zone 01	1	23.00	23.00
482633017	Zone 01	1	23.00	23.00
482633018	Zone 01	1	23.00	23.00
482633019	Zone 01	1	23.00	23.00
482633020	Zone 01	1	23.00	23.00
482633021	Zone 01	1	23.00	23.00
482633022	Zone 01	1	23.00	23.00
482633023	Zone 01	1	23.00	23.00
482633024	Zone 01	1	23.00	23.00
482633025	Zone 01	1	23.00	23.00
482633026	Zone 01	1	23.00	23.00
482633027	Zone 01	1	23.00	23.00
482633028	Zone 01	1	23.00	23.00
482633029	Zone 01	1	23.00	23.00
482633030	Zone 01	1	23.00	23.00
482633031	Zone 01	1	23.00	23.00
482633032	Zone 01	1	23.00	23.00
482633033	Zone 01	1	23.00	23.00
482633034	Zone 01	1	23.00	23.00
482633035	Zone 01	1	23.00	23.00
482633036	Zone 01	1	23.00	23.00
482633037	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned E	BU's FY 17-	18 Max Assessment	FY 17-18 Assessment
482633038	Zone 01	1	23.00	23.00
482633039	Zone 01	1	23.00	23.00
482633040	Zone 01	1	23.00	23.00
482633041	Zone 01	1	23.00	23.00
482633042	Zone 01	1	23.00	23.00
482633043	Zone 01	1	23.00	23.00
482633044	Zone 01	1	23.00	23.00
482633045	Zone 01	1	23.00	23.00
482633046	Zone 01	1	23.00	23.00
482633047	Zone 01	1	23.00	23.00
482633048	Zone 01	1	23.00	23.00
482633049	Zone 01	1	23.00	23.00
482633050	Zone 01	1	23.00	23.00
482633051	Zone 01	1	23.00	23.00
482633052	Zone 01	1	23.00	23.00
482641001	Zone 01	1	23.00	23.00
482641002	Zone 01	1	23.00	23.00
482641003	Zone 01	1	23.00	23.00
482641004	Zone 01	1	23.00	23.00
482641005	Zone 01	1	23.00	23.00
482641006	Zone 01	1	23.00	23.00
482641007	Zone 01	1	23.00	23.00
482641008	Zone 01	1	23.00	23.00
482641009	Zone 01	1	23.00	23.00
482641010	Zone 01	1	23.00	23.00
482641011	Zone 01	1	23.00	23.00
482641012	Zone 01	1	23.00	23.00
482641013	Zone 01	1	23.00	23.00
482641014	Zone 01	1	23.00	23.00
482641015	Zone 01	1	23.00	23.00
482641016	Zone 01	1	23.00	23.00
482641017	Zone 01	1	23.00	23.00
482641018	Zone 01	1	23.00	23.00
482641019	Zone 01	1	23.00	23.00
482641020	Zone 01	1	23.00	23.00
482641021	Zone 01	1	23.00	23.00
482641022	Zone 01	1	23.00	23.00
482641023	Zone 01	1	23.00	23.00
482641024	Zone 01	1	23.00	23.00
482641025	Zone 01	1	23.00	23.00
482642001	Zone 01	1	23.00	23.00
482642002	Zone 01	1	23.00	23.00
482642003	Zone 01	1	23.00	23.00
482642004	Zone 01	1	23.00	23.00
482642005	Zone 01	1	23.00	23.00
482642006	Zone 01	1	23.00	23.00
482642007	Zone 01	1	23.00	23.00
482642008	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-1	8 Max Assessment	FY 17-18 Assessment
482642009	Zone 01	1	23.00	23.00
482642010	Zone 01	1	23.00	23.00
482642011	Zone 01	1	23.00	23.00
482642012	Zone 01	1	23.00	23.00
482642013	Zone 01	1	23.00	23.00
482642014	Zone 01	1	23.00	23.00
482642015	Zone 01	1	23.00	23.00
482642016	Zone 01	1	23.00	23.00
482642017	Zone 01	1	23.00	23.00
482642018	Zone 01	1	23.00	23.00
482642019	Zone 01	1	23.00	23.00
482642020	Zone 01	1	23.00	23.00
482642021	Zone 01	1	23.00	23.00
482642022	Zone 01	1	23.00	23.00
482642023	Zone 01	1	23.00	23.00
482642024	Zone 01	1	23.00	23.00
482642025	Zone 01	1	23.00	23.00
482642026	Zone 01	1	23.00	23.00
482642027	Zone 01	1	23.00	23.00
482642028	Zone 01	1	23.00	23.00
482642029	Zone 01	1	23.00	23.00
482642030	Zone 01	1	23.00	23.00
482642031	Zone 01	1	23.00	23.00
482642032	Zone 01	1	23.00	23.00
482642033	Zone 01	1	23.00	23.00
482642034	Zone 01	1	23.00	23.00
482642035	Zone 01	1	23.00	23.00
482642036	Zone 01	1	23.00	23.00
482642037	Zone 01	1	23.00	23.00
482642038	Zone 01	1	23.00	23.00
482642039	Zone 01	1	23.00	23.00
482642040	Zone 01	1	23.00	23.00
482642041	Zone 01	1	23.00	23.00
482642042	Zone 01	1	23.00	23.00
482642043	Zone 01	1	23.00	23.00
482642044	Zone 01	1	23.00	23.00
482643001	Zone 01	1	23.00	23.00
482643002	Zone 01	1	23.00	23.00
482643003	Zone 01	1	23.00	23.00
482643004	Zone 01	1	23.00	23.00
482643005	Zone 01	1	23.00	23.00
482643006	Zone 01	1	23.00	23.00
482643007	Zone 01	1	23.00	23.00
482643008	Zone 01	1	23.00	23.00
482643009	Zone 01	1	23.00	23.00
482651001	Zone 01	1	23.00	23.00
482651002	Zone 01	1	23.00	23.00
482651003	Zone 01	1	23.00	23.00
			==.00	

APN	LMD 2014-01 Zone LMD Assigned	I EBU's FY 17-18 N	lax Assessment	FY 17-18 Assessment
482651004	Zone 01	1	23.00	23.00
482651005	Zone 01	1	23.00	23.00
482651006	Zone 01	1	23.00	23.00
482651007	Zone 01	1	23.00	23.00
482651008	Zone 01	1	23.00	23.00
482651009	Zone 01	1	23.00	23.00
482651010	Zone 01	1	23.00	23.00
482651011	Zone 01	1	23.00	23.00
482652001	Zone 01	1	23.00	23.00
482652002	Zone 01	1	23.00	23.00
482652003	Zone 01	1	23.00	23.00
482652004	Zone 01	1	23.00	23.00
482652005	Zone 01	1	23.00	23.00
482652006	Zone 01	1	23.00	23.00
482652007	Zone 01	1	23.00	23.00
482652008	Zone 01	1	23.00	23.00
482652009	Zone 01	1	23.00	23.00
482652010	Zone 01	1	23.00	23.00
482652011	Zone 01	1	23.00	23.00
482652012	Zone 01	1	23.00	23.00
482652013	Zone 01	1	23.00	23.00
482652014	Zone 01	1	23.00	23.00
482652015	Zone 01	1	23.00	23.00
482652016	Zone 01	1	23.00	23.00
482652017	Zone 01	1	23.00	23.00
482652018	Zone 01	1	23.00	23.00
482652019	Zone 01	1	23.00	23.00
482652020	Zone 01	1	23.00	23.00
482652021	Zone 01	1	23.00	23.00
482652022	Zone 01	1	23.00	23.00
482652023	Zone 01	1	23.00	23.00
482652024	Zone 01	1	23.00	23.00
482652025	Zone 01	1	23.00	23.00
482652026	Zone 01	1	23.00	23.00
482652027	Zone 01	1	23.00	23.00
482652028	Zone 01	1	23.00	23.00
482653001	Zone 01	1	23.00	23.00
482653002	Zone 01	1	23.00	23.00
482653003	Zone 01	1	23.00	23.00
482653004	Zone 01	1	23.00	23.00
482653005	Zone 01	1	23.00	23.00
482653006	Zone 01	1	23.00	23.00
482653007	Zone 01	1	23.00	23.00
482653008	Zone 01	1	23.00	23.00
482653009	Zone 01	1	23.00	23.00
482653010	Zone 01	1	23.00	23.00
482653011	Zone 01	1	23.00	23.00
482653012	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-1	8 Max Assessment	FY 17-18 Assessment
482653013	Zone 01	1	23.00	23.00
482653014	Zone 01	1	23.00	23.00
482653015	Zone 01	1	23.00	23.00
482653016	Zone 01	1	23.00	23.00
482653017	Zone 01	1	23.00	23.00
482653018	Zone 01	1	23.00	23.00
482653019	Zone 01	1	23.00	23.00
482653020	Zone 01	1	23.00	23.00
482653021	Zone 01	1	23.00	23.00
482653022	Zone 01	1	23.00	23.00
482653023	Zone 01	1	23.00	23.00
482653024	Zone 01	1	23.00	23.00
482653025	Zone 01	1	23.00	23.00
482653026	Zone 01	1	23.00	23.00
482653027	Zone 01	1	23.00	23.00
482653028	Zone 01	1	23.00	23.00
482653029	Zone 01	1	23.00	23.00
482653030	Zone 01	1	23.00	23.00
482653031	Zone 01	1	23.00	23.00
482653032	Zone 01	1	23.00	23.00
482653033	Zone 01	1	23.00	23.00
482653034	Zone 01	1	23.00	23.00
482653035	Zone 01	1	23.00	23.00
482653036	Zone 01	1	23.00	23.00
482653037	Zone 01	1	23.00	23.00
482653038	Zone 01	1	23.00	23.00
482653039	Zone 01	1	23.00	23.00
482653040	Zone 01	1	23.00	23.00
482653041	Zone 01	1	23.00	23.00
482653042	Zone 01	1	23.00	23.00
482653043	Zone 01	1	23.00	23.00
482654001	Zone 01	1	23.00	23.00
482654002	Zone 01	1	23.00	23.00
482654003	Zone 01	1	23.00	23.00
482654004	Zone 01	1	23.00	23.00
482654005	Zone 01	1	23.00	23.00
482654006	Zone 01	1	23.00	23.00
482654007	Zone 01	1	23.00	23.00
482654008	Zone 01	1	23.00	23.00
482654009	Zone 01	1	23.00	23.00
482654010	Zone 01	1	23.00	23.00
482654011	Zone 01	1	23.00	23.00
482661001	Zone 01	1	23.00	23.00
482661002	Zone 01	1	23.00	23.00
482661003	Zone 01	1	23.00	23.00
482661004	Zone 01	1	23.00	23.00
482661005	Zone 01	1	23.00	23.00
482661006	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assi	gned EBU's FY 17-	18 Max Assessment	FY 17-18 Assessment
482661007	Zone 01	1	23.00	23.00
482661008	Zone 01	1	23.00	23.00
482661009	Zone 01	1	23.00	23.00
482661010	Zone 01	1	23.00	23.00
482661011	Zone 01	1	23.00	23.00
482661012	Zone 01	1	23.00	23.00
482661013	Zone 01	1	23.00	23.00
482661014	Zone 01	1	23.00	23.00
482661015	Zone 01	1	23.00	23.00
482661016	Zone 01	1	23.00	23.00
482661017	Zone 01	1	23.00	23.00
482662001	Zone 01	1	23.00	23.00
482662002	Zone 01	1	23.00	23.00
482662003	Zone 01	1	23.00	23.00
482662004	Zone 01	1	23.00	23.00
482662005	Zone 01	1	23.00	23.00
482662006	Zone 01	1	23.00	23.00
482662007	Zone 01	1	23.00	23.00
482662008	Zone 01	1	23.00	23.00
482662009	Zone 01	1	23.00	23.00
482662010	Zone 01	1	23.00	23.00
482662011	Zone 01	1	23.00	23.00
482662012	Zone 01	1	23.00	23.00
482662013	Zone 01	1	23.00	23.00
482662014	Zone 01	1	23.00	23.00
482662015	Zone 01	1	23.00	23.00
482662016	Zone 01	1	23.00	23.00
482662017	Zone 01	1	23.00	23.00
482662018	Zone 01	1	23.00	23.00
482662019	Zone 01	1	23.00	23.00
482662020	Zone 01	1	23.00	23.00
482662021	Zone 01	1	23.00	23.00
482662022	Zone 01	1	23.00	23.00
482662023	Zone 01	1	23.00	23.00
482662024	Zone 01	1	23.00	23.00
482662025	Zone 01	1	23.00	23.00
482662026	Zone 01	1	23.00	23.00
482662027	Zone 01	1	23.00	23.00
482662028	Zone 01	1	23.00	23.00
482662029	Zone 01	1	23.00	23.00
482662030	Zone 01	1	23.00	23.00
482662031	Zone 01	1	23.00	23.00
482662032	Zone 01	1	23.00	23.00
482662033	Zone 01	1	23.00	23.00
482662034	Zone 01	1	23.00	23.00
482662035	Zone 01	1	23.00	23.00
482662036	Zone 01	1	23.00	23.00
482662037	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
482662038	Zone 01		1 23.00	23.00
482662039	Zone 01		1 23.00	23.00
482662040	Zone 01		1 23.00	23.00
482662041	Zone 01		1 23.00	23.00
482662042	Zone 01		1 23.00	23.00
482662043	Zone 01		1 23.00	23.00
482662044	Zone 01		1 23.00	23.00
482662045	Zone 01		1 23.00	23.00
482663001	Zone 01		1 23.00	23.00
482663002	Zone 01		1 23.00	23.00
482663003	Zone 01		1 23.00	23.00
482663004	Zone 01		1 23.00	23.00
482663005	Zone 01		1 23.00	23.00
482663006	Zone 01		1 23.00	23.00
482663007	Zone 01		1 23.00	23.00
482663008	Zone 01		1 23.00	23.00
482663009	Zone 01		1 23.00	23.00
482663010	Zone 01		1 23.00	23.00
482663011	Zone 01		1 23.00	23.00
482663012	Zone 01		1 23.00	23.00
482663013	Zone 01		1 23.00	23.00
482663014	Zone 01		1 23.00	23.00
482663015	Zone 01		1 23.00	23.00
482671001	Zone 01		1 23.00	23.00
482671001	Zone 01		1 23.00	23.00
482671002	Zone 01		1 23.00	23.00
482671003	Zone 01		1 23.00	23.00
482671005	Zone 01		1 23.00	23.00
482671006	Zone 01		1 23.00	23.00
482671007	Zone 01		1 23.00	23.00
482671008	Zone 01		1 23.00	23.00
482671009	Zone 01		1 23.00	23.00
482672001	Zone 01		1 23.00	23.00
482672002	Zone 01		1 23.00	23.00
482672002			1 23.00	23.00
482672004	Zone 01 Zone 01		1 23.00	23.00
			1 23.00	23.00
482672005	Zone 01			
482672006	Zone 01		1 23.00	23.00
482672007	Zone 01		1 23.00	23.00
482672008	Zone 01		1 23.00	23.00
482672009	Zone 01		1 23.00	23.00
482672010	Zone 01		1 23.00	23.00
482672011	Zone 01		1 23.00	23.00
482672012	Zone 01		1 23.00	23.00
482672013	Zone 01		1 23.00	23.00
482672014	Zone 01		1 23.00	23.00
482672015	Zone 01		1 23.00	23.00
482672016	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-1	8 Max Assessment	FY 17-18 Assessment
482672017	Zone 01	1	23.00	23.00
482672018	Zone 01	1	23.00	23.00
482672019	Zone 01	1	23.00	23.00
482672020	Zone 01	1	23.00	23.00
482672021	Zone 01	1	23.00	23.00
482673001	Zone 01	1	23.00	23.00
482673002	Zone 01	1	23.00	23.00
482673003	Zone 01	1	23.00	23.00
482673004	Zone 01	1	23.00	23.00
482673005	Zone 01	1	23.00	23.00
482673006	Zone 01	1	23.00	23.00
482673007	Zone 01	1	23.00	23.00
482673008	Zone 01	1	23.00	23.00
482673009	Zone 01	1	23.00	23.00
482674001	Zone 01	1	23.00	23.00
482674002	Zone 01	1	23.00	23.00
482674003	Zone 01	1	23.00	23.00
482674004	Zone 01	1	23.00	23.00
482674005	Zone 01	1	23.00	23.00
482674006	Zone 01	1	23.00	23.00
482674007	Zone 01	1	23.00	23.00
482674008	Zone 01	1	23.00	23.00
482674009	Zone 01	1	23.00	23.00
482674010	Zone 01	1	23.00	23.00
482674011	Zone 01	1	23.00	23.00
482674012	Zone 01	1	23.00	23.00
482674013	Zone 01	1	23.00	23.00
482674014	Zone 01	1	23.00	23.00
482674015	Zone 01	1	23.00	23.00
482674016	Zone 01	1	23.00	23.00
482674017	Zone 01	1	23.00	23.00
482674018	Zone 01	1	23.00	23.00
482674019	Zone 01	1	23.00	23.00
482674020	Zone 01	1	23.00	23.00
482674021	Zone 01	1	23.00	23.00
482674022	Zone 01	1	23.00	23.00
482674023	Zone 01	1	23.00	23.00
482674024	Zone 01	1	23.00	23.00
482674025	Zone 01	1	23.00	23.00
482674026	Zone 01	1	23.00	23.00
482674027	Zone 01	1	23.00	23.00
482674028	Zone 01	1	23.00	23.00
482674029	Zone 01	1	23.00	23.00
482674030	Zone 01	1	23.00	23.00
482674031	Zone 01	1	23.00	23.00
482674032	Zone 01	1	23.00	23.00
482674033	Zone 01	1	23.00	23.00
482681001	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
482681002	Zone 01		1 23.00	23.00
482681003	Zone 01		1 23.00	23.00
482681004	Zone 01		1 23.00	23.00
482681005	Zone 01		1 23.00	23.00
482681006	Zone 01		1 23.00	23.00
482681007	Zone 01		1 23.00	23.00
482681008	Zone 01		1 23.00	23.00
482681009	Zone 01		1 23.00	23.00
482681010	Zone 01		1 23.00	23.00
482681011	Zone 01		1 23.00	23.00
482681012	Zone 01		1 23.00	23.00
482681013	Zone 01		1 23.00	23.00
482681014	Zone 01		1 23.00	23.00
482681015	Zone 01		1 23.00	23.00
482682001	Zone 01		1 23.00	23.00
482682002	Zone 01		1 23.00	23.00
482682003	Zone 01		1 23.00	23.00
482682004	Zone 01		1 23.00	23.00
482682005	Zone 01		1 23.00	23.00
482682006	Zone 01		1 23.00	23.00
482682007	Zone 01		1 23.00	23.00
482682008	Zone 01		1 23.00	23.00
482682009	Zone 01		1 23.00	23.00
482682010	Zone 01		1 23.00	23.00
482682011	Zone 01		1 23.00	23.00
482682012	Zone 01		1 23.00	23.00
482682013	Zone 01		1 23.00	23.00
482682014	Zone 01		1 23.00	23.00
482682015	Zone 01		1 23.00	23.00
482682016	Zone 01		1 23.00	23.00
482682017	Zone 01		1 23.00	23.00
482682018	Zone 01		1 23.00	23.00
482682019	Zone 01		1 23.00	23.00
482682020	Zone 01		1 23.00	23.00
482682021			1 23.00	23.00
482682022	Zone 01		1 23.00	23.00
482682023	Zone 01			23.00
	Zone 01		1 23.00	
482682024	Zone 01		1 23.00	23.00
482682025	Zone 01		1 23.00	23.00
482682026	Zone 01		1 23.00	23.00
482682027	Zone 01		1 23.00	23.00
482682028	Zone 01		1 23.00	23.00
482682029	Zone 01		1 23.00	23.00
482682030	Zone 01		1 23.00	23.00
482682031	Zone 01		1 23.00	23.00
482682032	Zone 01		1 23.00	23.00
482682033	Zone 01		1 23.00	23.00
482682034	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
482682035	Zone 01		1 23.00	23.00
482682036	Zone 01		1 23.00	23.00
482682037	Zone 01		1 23.00	23.00
482682038	Zone 01		1 23.00	23.00
482682039	Zone 01		1 23.00	23.00
482682040	Zone 01		1 23.00	23.00
482682041	Zone 01		1 23.00	23.00
482682042	Zone 01		1 23.00	23.00
482682043	Zone 01		1 23.00	23.00
482682044	Zone 01		1 23.00	23.00
482682045	Zone 01		1 23.00	23.00
482682046	Zone 01		1 23.00	23.00
482682047	Zone 01		1 23.00	23.00
482682048	Zone 01		1 23.00	23.00
482682049	Zone 01		1 23.00	23.00
482682050	Zone 01		1 23.00	23.00
482682051	Zone 01		1 23.00	23.00
482682052	Zone 01		1 23.00	23.00
482682053	Zone 01		1 23.00	23.00
482682054	Zone 01		1 23.00	23.00
482682055	Zone 01		1 23.00	23.00
482682056	Zone 01		1 23.00	23.00
482682057	Zone 01		1 23.00	23.00
482682058	Zone 01		1 23.00	23.00
482682059	Zone 01		1 23.00	23.00
482682060	Zone 01		1 23.00	23.00
482682061	Zone 01		1 23.00	23.00
482682062	Zone 01		1 23.00	23.00
482682063	Zone 01		1 23.00	23.00
482682064	Zone 01		1 23.00	23.00
482682065	Zone 01		1 23.00	23.00
482682066	Zone 01		1 23.00	23.00
482682067	Zone 01		1 23.00	23.00
482682068	Zone 01		1 23.00	23.00
482682069			1 23.00	23.00
482682070	Zone 01 Zone 01		1 23.00	23.00
			1 23.00	23.00
482682071	Zone 01			
482682072	Zone 01		1 23.00	23.00
482682073	Zone 01		1 23.00	23.00
482682074	Zone 01		1 23.00	23.00
482682075	Zone 01		1 23.00	23.00
482682076	Zone 01		1 23.00	23.00
482682077	Zone 01		1 23.00	23.00
482682078	Zone 01		1 23.00	23.00
482682079	Zone 01		1 23.00	23.00
482682080	Zone 01		1 23.00	23.00
482683001	Zone 01		1 23.00	23.00
482683002	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
482683003	Zone 01		1 23.00	23.00
482683004	Zone 01		1 23.00	23.00
482683005	Zone 01		1 23.00	23.00
482683006	Zone 01		1 23.00	23.00
482683007	Zone 01		1 23.00	23.00
482683008	Zone 01		1 23.00	23.00
482683009	Zone 01		1 23.00	23.00
482683010	Zone 01		1 23.00	23.00
482683011	Zone 01		1 23.00	23.00
482683012	Zone 01		1 23.00	23.00
482683013	Zone 01		1 23.00	23.00
482683014	Zone 01		1 23.00	23.00
482683015	Zone 01		1 23.00	23.00
482683016	Zone 01		1 23.00	23.00
482683017	Zone 01		1 23.00	23.00
482683018	Zone 01		1 23.00	23.00
482683019	Zone 01		1 23.00	23.00
482690001	Zone 01		1 23.00	23.00
482690002	Zone 01		1 23.00	23.00
482690003	Zone 01		1 23.00	23.00
482690004	Zone 01		1 23.00	23.00
482690005	Zone 01		1 23.00	23.00
482690006	Zone 01		1 23.00	23.00
482690007	Zone 01		1 23.00	23.00
482690008	Zone 01		1 23.00	23.00
482690009	Zone 01		1 23.00	23.00
482690010	Zone 01		1 23.00	23.00
482690011	Zone 01		1 23.00	23.00
482690012	Zone 01		1 23.00	23.00
482690013	Zone 01		1 23.00	23.00
482690014	Zone 01		1 23.00	23.00
482690015	Zone 01		1 23.00	23.00
482690016	Zone 01		1 23.00	23.00
482690017	Zone 01		1 23.00	23.00
482690018	Zone 01		1 23.00	23.00
482690019	Zone 01		1 23.00	23.00
482690019	Zone 01		1 23.00	23.00
482690020	Zone 01		1 23.00	23.00
482690021	Zone 01		1 23.00	23.00
482690023	Zone 01		1 23.00	23.00
482690024	Zone 01		1 23.00	23.00
482690025	Zone 01		1 23.00	23.00
482690026	Zone 01		1 23.00	23.00
482690027	Zone 01		1 23.00	23.00
482690028	Zone 01		1 23.00	23.00
482690029	Zone 01		1 23.00	23.00
482690030	Zone 01		1 23.00	23.00
482690031	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone I	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
482690032	Zone 01		1 23.00	23.00
482690033	Zone 01		1 23.00	23.00
482690034	Zone 01		1 23.00	23.00
482690035	Zone 01		1 23.00	23.00
482690036	Zone 01		1 23.00	23.00
482690037	Zone 01		1 23.00	23.00
482690038	Zone 01		1 23.00	23.00
481250043	Zone 01		1 23.00	23.00
482070043	Zone 01		1 23.00	23.00
482462041	Zone 01		1 23.00	23.00
482500006	Zone 01		1 23.00	23.00
482562005	Zone 01		1 23.00	23.00
487281007	Zone 01		1 23.00	23.00
487283001	Zone 01		1 23.00	23.00
487292020	Zone 01		1 23.00	23.00
487292021	Zone 01		1 23.00	23.00
487300001	Zone 01		1 23.00	23.00
487300002	Zone 01		1 23.00	23.00
487300003	Zone 01		1 23.00	23.00
487361054	Zone 01		1 23.00	23.00
487362017	Zone 01		1 23.00	23.00
488290013	Zone 01		1 23.00	23.00
488290014	Zone 01		1 23.00	23.00
488290015	Zone 01		1 23.00	23.00
484201038	Zone 01		1 23.00	23.00
486542011	Zone 01		1 23.00	23.00
486542012	Zone 01		1 23.00	23.00
486550001	Zone 01		1 23.00	23.00
486550002	Zone 01		1 23.00	23.00
486550012	Zone 01		1 23.00	23.00
486550013	Zone 01		1 23.00	23.00
486550014	Zone 01		1 23.00	23.00
486550015	Zone 01		1 23.00	23.00
486550016	Zone 01		1 23.00	23.00
486550017			1 23.00	23.00
486551001	Zone 01 Zone 01		1 23.00	23.00
486551002			1 23.00	23.00
	Zone 01			
486551003	Zone 01		1 23.00	23.00
486551004	Zone 01		1 23.00	23.00
486551005	Zone 01		1 23.00	23.00
486551006	Zone 01		1 23.00	23.00
486551007	Zone 01		1 23.00	23.00
486551008	Zone 01		1 23.00	23.00
486551009	Zone 01		1 23.00	23.00
486540007	Zone 01		1 23.00	23.00
486540008	Zone 01		1 23.00	23.00
486540009	Zone 01		1 23.00	23.00
486541001	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
486541002	Zone 01		1 23.00	23.00
486541003	Zone 01		1 23.00	23.00
486541004	Zone 01		1 23.00	23.00
486541005	Zone 01		1 23.00	23.00
486541006	Zone 01		1 23.00	23.00
486541007	Zone 01		1 23.00	23.00
486541008	Zone 01		1 23.00	23.00
486541009	Zone 01		1 23.00	23.00
486541010	Zone 01		1 23.00	23.00
486541011	Zone 01		1 23.00	23.00
486541012	Zone 01		1 23.00	23.00
486541013	Zone 01		1 23.00	23.00
486541014	Zone 01		1 23.00	23.00
486541015	Zone 01		1 23.00	23.00
486541016	Zone 01		1 23.00	23.00
486541017	Zone 01		1 23.00	23.00
486551010	Zone 01		1 23.00	23.00
486551011	Zone 01		1 23.00	23.00
486551012	Zone 01		1 23.00	23.00
486552001	Zone 01		1 23.00	23.00
486552002	Zone 01		1 23.00	23.00
486552003	Zone 01		1 23.00	23.00
486552004	Zone 01		1 23.00	23.00
486552005	Zone 01		1 23.00	23.00
486552006	Zone 01		1 23.00	23.00
486552007	Zone 01		1 23.00	23.00
486552008	Zone 01		1 23.00	23.00
486552009	Zone 01		1 23.00	23.00
486552010	Zone 01		1 23.00	23.00
486552011	Zone 01		1 23.00	23.00
486552012	Zone 01		1 23.00	23.00
				23.00
486552013	Zone 01		1 23.00	
486552014	Zone 01		1 23.00 1 23.00	23.00
486552015	Zone 01			23.00
486552016	Zone 01		1 23.00	23.00
486552017	Zone 01		1 23.00	23.00
486552018	Zone 01		1 23.00	23.00
486552019	Zone 01		1 23.00	23.00
486552020	Zone 01		1 23.00	23.00
486552021	Zone 01		1 23.00	23.00
486552022	Zone 01		1 23.00	23.00
486552023	Zone 01		1 23.00	23.00
486552024	Zone 01		1 23.00	23.00
486552025	Zone 01		1 23.00	23.00
486552026	Zone 01		1 23.00	23.00
486552027	Zone 01		1 23.00	23.00
486552028	Zone 01		1 23.00	23.00
486552029	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone I	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
486552030	Zone 01		1 23.00	23.00
486552031	Zone 01		1 23.00	23.00
486552032	Zone 01		1 23.00	23.00
486552033	Zone 01		1 23.00	23.00
486552034	Zone 01		1 23.00	23.00
486552035	Zone 01		1 23.00	23.00
486553001	Zone 01		1 23.00	23.00
486553002	Zone 01		1 23.00	23.00
486553003	Zone 01		1 23.00	23.00
486553004	Zone 01		1 23.00	23.00
486553005	Zone 01		1 23.00	23.00
486553006	Zone 01		1 23.00	23.00
486553007	Zone 01		1 23.00	23.00
486553008	Zone 01		1 23.00	23.00
486554001	Zone 01		1 23.00	23.00
486554002	Zone 01		1 23.00	23.00
487500001	Zone 01		1 23.00	23.00
487500002	Zone 01		1 23.00	23.00
487500003	Zone 01		1 23.00	23.00
487500004	Zone 01		1 23.00	23.00
487500005	Zone 01		1 23.00	23.00
487042009	Zone 01		1 23.00	23.00
487500006	Zone 01		1 23.00	23.00
487500007	Zone 01		1 23.00	23.00
487500007	Zone 01		1 23.00	23.00
487500009	Zone 01		1 23.00	23.00
487500010	Zone 01		1 23.00	23.00
487500010	Zone 01		1 23.00	23.00
487500011	Zone 01		1 23.00	23.00
487500012	Zone 01		1 23.00	23.00
487500013	Zone 01		1 23.00	23.00
487500015	Zone 01		1 23.00	23.00
487500015	Zone 01		1 23.00	23.00
487500017	Zone 01		1 23.00	23.00
487500017	Zone 01		1 23.00	23.00
487500019	Zone 01		1 23.00	23.00
487500019	Zone 01		1 23.00	23.00
487500020	Zone 01		1 23.00	23.00
487500021	Zone 01		1 23.00	23.00
487500022	Zone 01		1 23.00	23.00
487500024	Zone 01		1 23.00	23.00
487500025 487500026	Zone 01		1 23.00	23.00
487500026	Zone 01		1 23.00	23.00
	Zone 01		1 23.00	23.00
487500028	Zone 01		1 23.00	23.00
487500029	Zone 01		1 23.00	23.00
487500030	Zone 01		1 23.00	23.00
487500031	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
487500032	Zone 01		1 23.00	23.00
487500033	Zone 01		1 23.00	23.00
487500034	Zone 01		1 23.00	23.00
487500035	Zone 01		1 23.00	23.00
487500036	Zone 01		1 23.00	23.00
487500037	Zone 01		1 23.00	23.00
487500038	Zone 01		1 23.00	23.00
487500039	Zone 01		1 23.00	23.00
487500040	Zone 01		1 23.00	23.00
487500041	Zone 01		1 23.00	23.00
487500042	Zone 01		1 23.00	23.00
487500043	Zone 01		1 23.00	23.00
487500044	Zone 01		1 23.00	23.00
487500045	Zone 01		1 23.00	23.00
487500046	Zone 01		1 23.00	23.00
487500047	Zone 01		1 23.00	23.00
487500048	Zone 01		1 23.00	23.00
487500049	Zone 01		1 23.00	23.00
487500050	Zone 01		1 23.00	23.00
487500051	Zone 01		1 23.00	23.00
487500052	Zone 01		1 23.00	23.00
487500053	Zone 01		1 23.00	23.00
487500054	Zone 01		1 23.00	23.00
487500055	Zone 01		1 23.00	23.00
487501001	Zone 01		1 23.00	23.00
487501002	Zone 01		1 23.00	23.00
487501003	Zone 01		1 23.00	23.00
487501004	Zone 01		1 23.00	23.00
487501005	Zone 01		1 23.00	23.00
487501006	Zone 01		1 23.00	23.00
487501007	Zone 01		1 23.00	23.00
487501008	Zone 01		1 23.00	23.00
487502001	Zone 01		1 23.00	23.00
487502002	Zone 01		1 23.00	23.00
487502003	Zone 01		1 23.00	23.00
487502004	Zone 01		1 23.00	23.00
487502005	Zone 01		1 23.00	23.00
487502006	Zone 01		1 23.00	23.00
487502007	Zone 01		1 23.00	23.00
487502008	Zone 01		1 23.00	23.00
487502009	Zone 01		1 23.00	23.00
487502010	Zone 01		1 23.00	23.00
487502011	Zone 01		1 23.00	23.00
487502012	Zone 01		1 23.00	23.00
487502013	Zone 01		1 23.00	23.00
487502014	Zone 01		1 23.00	23.00
487520010	Zone 01		1 23.00	23.00
487520010	Zone 01		1 23.00	23.00
707020011	20116-01		23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
487520012	Zone 01		1 23.00	23.00
487520013	Zone 01		1 23.00	23.00
487520014	Zone 01		1 23.00	23.00
487520015	Zone 01		1 23.00	23.00
487520016	Zone 01		1 23.00	23.00
487520017	Zone 01		1 23.00	23.00
487520018	Zone 01		1 23.00	23.00
487520019	Zone 01		1 23.00	23.00
487520020	Zone 01		1 23.00	23.00
487520021	Zone 01		1 23.00	23.00
487520022	Zone 01		1 23.00	23.00
487520023	Zone 01		1 23.00	23.00
487520024	Zone 01		1 23.00	23.00
487520025	Zone 01		1 23.00	23.00
487520026	Zone 01		1 23.00	23.00
487520027	Zone 01		1 23.00	23.00
487520028	Zone 01		1 23.00	23.00
487520029	Zone 01		1 23.00	23.00
487520030	Zone 01		1 23.00	23.00
487520031	Zone 01		1 23.00	23.00
487520031	Zone 01		1 23.00	23.00
487520032	Zone 01		1 23.00	23.00
487520034	Zone 01		1 23.00	23.00
487521001	Zone 01		1 23.00	23.00
487521001	Zone 01		1 23.00	23.00
487521002	Zone 01		1 23.00	23.00
487521003	Zone 01		1 23.00	23.00
487521004	Zone 01		1 23.00	
			1 23.00	23.00
487521006	Zone 01			23.00
487521007 487522001	Zone 01		1 23.00	23.00
	Zone 01		1 23.00	23.00
487522002	Zone 01		1 23.00	23.00
487522003	Zone 01		1 23.00	23.00
487522004	Zone 01		1 23.00	23.00
487522005	Zone 01		1 23.00	23.00
487522006	Zone 01		1 23.00	23.00
487522007	Zone 01		1 23.00	23.00
487522008	Zone 01	•	1 23.00	23.00
487522009	Zone 01		1 23.00	23.00
487522010	Zone 01	•	1 23.00	23.00
487522011	Zone 01		1 23.00	23.00
487522012	Zone 01		1 23.00	23.00
487522013	Zone 01		1 23.00	23.00
487522014	Zone 01		1 23.00	23.00
487522015	Zone 01		1 23.00	23.00
487522016	Zone 01		1 23.00	23.00
487522017	Zone 01		1 23.00	23.00
487522018	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-1	8 Max Assessment	FY 17-18 Assessment
487522019	Zone 01	1	23.00	23.00
487522020	Zone 01	1	23.00	23.00
487522021	Zone 01	1	23.00	23.00
487523001	Zone 01	1	23.00	23.00
487520001	Zone 01	1	23.00	23.00
487520002	Zone 01	1	23.00	23.00
487520003	Zone 01	1	23.00	23.00
487520004	Zone 01	1	23.00	23.00
487520005	Zone 01	1	23.00	23.00
487520006	Zone 01	1	23.00	23.00
487520007	Zone 01	1	23.00	23.00
487520008	Zone 01	1	23.00	23.00
487032005	Zone 01	1	23.00	23.00
487032004	Zone 01	1	23.00	23.00
487072001	Zone 01	1	23.00	23.00
487072002	Zone 01	1	23.00	23.00
487072003	Zone 01	1	23.00	23.00
487090003	Zone 01	1	23.00	23.00
487090004	Zone 01	1	23.00	23.00
487090005	Zone 01	1	23.00	23.00
487090006	Zone 01	1	23.00	23.00
487032006	Zone 01	1	23.00	23.00
487090007	Zone 01	1	23.00	23.00
487090008	Zone 01	1	23.00	23.00
487090009	Zone 01	1	23.00	23.00
487090010	Zone 01	1	23.00	23.00
487090001	Zone 01	1	23.00	23.00
487090002	Zone 01	1	23.00	23.00
487091001	Zone 01	1	23.00	23.00
487091002	Zone 01	1	23.00	23.00
487091003	Zone 01	1	23.00	23.00
487091005	Zone 01	1	23.00	23.00
487091006	Zone 01	1	23.00	23.00
487091007	Zone 01	1	23.00	23.00
487091008	Zone 01	1	23.00	23.00
487091004	Zone 01	1	23.00	23.00
487091009	Zone 01	1	23.00	23.00
487091010	Zone 01	1	23.00	23.00
487092003	Zone 01	1	23.00	23.00
487092004	Zone 01	1	23.00	23.00
487092005	Zone 01	1	23.00	23.00
488230001	Zone 01	1	23.00	23.00
488230002	Zone 01	1	23.00	23.00
488230003	Zone 01	1	23.00	23.00
488230004	Zone 01	1	23.00	23.00
488230005	Zone 01	1	23.00	23.00
488230006	Zone 01	1	23.00	23.00
488230007	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-18 M	ax Assessment	FY 17-18 Assessment
488230008	Zone 01	1	23.00	23.00
488230009	Zone 01	1	23.00	23.00
488230010	Zone 01	1	23.00	23.00
488230011	Zone 01	1	23.00	23.00
488230012	Zone 01	1	23.00	23.00
488231001	Zone 01	1	23.00	23.00
488231002	Zone 01	1	23.00	23.00
488231003	Zone 01	1	23.00	23.00
488231004	Zone 01	1	23.00	23.00
488231005	Zone 01	1	23.00	23.00
488231006	Zone 01	1	23.00	23.00
488231007	Zone 01	1	23.00	23.00
488231008	Zone 01	1	23.00	23.00
488231009	Zone 01	1	23.00	23.00
488231010	Zone 01	1	23.00	23.00
488231011	Zone 01	1	23.00	23.00
488231012	Zone 01	1	23.00	23.00
488232001	Zone 01	1	23.00	23.00
488232002	Zone 01	1	23.00	23.00
488232003	Zone 01	1	23.00	23.00
488232004	Zone 01	1	23.00	23.00
488232005	Zone 01	1	23.00	23.00
488232006	Zone 01	1	23.00	23.00
488232007	Zone 01	1	23.00	23.00
488232008	Zone 01	1	23.00	23.00
488232009	Zone 01	1	23.00	23.00
488232010	Zone 01	1	23.00	23.00
488240001	Zone 01	1	23.00	23.00
488240002	Zone 01	1	23.00	23.00
488240003	Zone 01	1	23.00	23.00
488240004	Zone 01	1	23.00	23.00
488240005	Zone 01	1	23.00	23.00
488240006	Zone 01	1	23.00	23.00
488240007	Zone 01	1	23.00	23.00
488240008	Zone 01	1	23.00	23.00
488240009	Zone 01	1	23.00	23.00
488240010	Zone 01	1	23.00	23.00
488240011	Zone 01	1	23.00	23.00
488240012	Zone 01	1	23.00	23.00
488241001	Zone 01	1	23.00	23.00
488241002	Zone 01	1	23.00	23.00
488241003	Zone 01	1	23.00	23.00
488241004	Zone 01	1	23.00	23.00
488241005	Zone 01	1	23.00	23.00
488241006	Zone 01	1	23.00	23.00
488241007	Zone 01	1	23.00	23.00
488241008	Zone 01	1	23.00	23.00
488241009	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assi	gned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
488241010	Zone 01	1	23.00	23.00
488241011	Zone 01	1	23.00	23.00
488241012	Zone 01	1	23.00	23.00
488241013	Zone 01	1	23.00	23.00
488241014	Zone 01	1	23.00	23.00
488241015	Zone 01	1	23.00	23.00
488241016	Zone 01	1	23.00	23.00
488242001	Zone 01	1	23.00	23.00
488242002	Zone 01	1	23.00	23.00
488242003	Zone 01	1	23.00	23.00
488242004	Zone 01	1	23.00	23.00
488242005	Zone 01	1	23.00	23.00
488242006	Zone 01	1	23.00	23.00
487010001	Zone 01	1	23.00	23.00
487010002	Zone 01	1	23.00	23.00
487010003	Zone 01	1	23.00	23.00
487010004	Zone 01	1	23.00	23.00
487010005	Zone 01	1	23.00	23.00
487010006	Zone 01	1	23.00	23.00
487010007	Zone 01	1	23.00	23.00
487011001	Zone 01	1	23.00	23.00
487011002	Zone 01	1	23.00	23.00
487011003	Zone 01	1	23.00	23.00
487011004	Zone 01	1	23.00	23.00
487011005	Zone 01	1	23.00	23.00
487012001	Zone 01	1	23.00	23.00
487012002	Zone 01	1	23.00	23.00
487012003	Zone 01	1	23.00	23.00
487012004	Zone 01	1	23.00	23.00
487012005	Zone 01	1	23.00	23.00
487012006	Zone 01	1	23.00	23.00
487012007	Zone 01	1	23.00	23.00
487013001	Zone 01	1	23.00	23.00
487013002	Zone 01	1	23.00	23.00
487013003	Zone 01	1	23.00	23.00
487013004	Zone 01	1	23.00	23.00
487013005	Zone 01	1	23.00	23.00
487013006	Zone 01	1	23.00	23.00
487013007	Zone 01	1	23.00	23.00
487013008	Zone 01	1	23.00	23.00
487013009	Zone 01	1	23.00	23.00
487013010	Zone 01	1	23.00	23.00
487013011	Zone 01	1	23.00	23.00
487013012	Zone 01	1	23.00	23.00
487013013	Zone 01	1	23.00	23.00
487013014	Zone 01	1	23.00	23.00
487013015	Zone 01	1	23.00	23.00
487013016	Zone 01	1	23.00	23.00

APN	I MD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
487013017	Zone 01	LIND Assigned EDG 3	1 23.00	23.00
487013018	Zone 01		1 23.00	23.00
487013019	Zone 01		1 23.00	23.00
487014001	Zone 01		1 23.00	23.00
487014002	Zone 01		1 23.00	23.00
487014003	Zone 01		1 23.00	23.00
487014004	Zone 01		1 23.00	23.00
487014005	Zone 01		1 23.00	23.00
487014006	Zone 01		1 23.00	23.00
487014007	Zone 01		1 23.00	23.00
487014008	Zone 01		1 23.00	23.00
487014009	Zone 01		1 23.00	23.00
487014010	Zone 01		1 23.00	23.00
487014011	Zone 01		1 23.00	23.00
487014012	Zone 01		1 23.00	23.00
487014013	Zone 01		1 23.00	23.00
487014014	Zone 01		1 23.00	23.00
487014015	Zone 01		1 23.00	23.00
487014016	Zone 01		1 23.00	23.00
487014017	Zone 01		1 23.00	23.00
487014018	Zone 01		1 23.00	23.00
487014019	Zone 01		1 23.00	23.00
487014019	Zone 01		1 23.00	23.00
487014021	Zone 01		1 23.00	23.00
487014021	Zone 01		1 23.00	23.00
487015001	Zone 01		1 23.00	23.00
487015001	Zone 01		1 23.00	23.00
487015002	Zone 01		1 23.00	23.00
				23.00
487015004 487015005	Zone 01 Zone 01		1 23.00 1 23.00	23.00
487015005	Zone 01		1 23.00	23.00
487015007			1 23.00	23.00
487015007	Zone 01 Zone 01		1 23.00	23.00
			1 23.00	23.00
487015009	Zone 01		1 23.00	
487015010 487015011	Zone 01 Zone 01		1 23.00	23.00 23.00
487015011				23.00
487015012	Zone 01 Zone 01		1 23.00	
			1 23.00	23.00
487015014	Zone 01		1 23.00	23.00
487015015	Zone 01		1 23.00	23.00
487015016	Zone 01		1 23.00	23.00
487015017	Zone 01		1 23.00	23.00
487015018	Zone 01		1 23.00	23.00
487015019	Zone 01		1 23.00	23.00
487015020	Zone 01		1 23.00	23.00
487015021	Zone 01		1 23.00	23.00
487015022	Zone 01		1 23.00	23.00
487015023	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
487015024	Zone 01	LIND Assigned ED0 3	1 23.00	23.00
487015025	Zone 01		1 23.00	23.00
487015026	Zone 01		1 23.00	23.00
487015027	Zone 01		1 23.00	23.00
487016001	Zone 01		1 23.00	23.00
487016002	Zone 01		1 23.00	23.00
487016002	Zone 01		1 23.00	23.00
487016004	Zone 01		1 23.00	23.00
487020001	Zone 01		1 23.00	23.00
487020001	Zone 01		1 23.00	23.00
487020003	Zone 01		1 23.00	23.00
487020004	Zone 01		1 23.00	23.00
487020005	Zone 01		1 23.00	23.00
487020006	Zone 01		1 23.00	23.00
487020007	Zone 01		1 23.00	23.00
487020008	Zone 01		1 23.00	23.00
487020009	Zone 01		1 23.00	23.00
487021001	Zone 01		1 23.00	23.00
487021002	Zone 01		1 23.00	23.00
487021003	Zone 01		1 23.00	23.00
487021004	Zone 01		1 23.00	23.00
487021005	Zone 01		1 23.00	23.00
487021005	Zone 01		1 23.00	23.00
487021007	Zone 01		1 23.00	23.00
487022001	Zone 01		1 23.00	23.00
487022001	Zone 01		1 23.00	23.00
487022002	Zone 01		1 23.00	23.00
487022004	Zone 01		1 23.00	23.00
487022005	Zone 01		1 23.00	23.00
487022006	Zone 01		1 23.00	23.00
487022007	Zone 01		1 23.00	23.00
487022008	Zone 01		1 23.00	23.00
487022009	Zone 01		1 23.00	23.00
487022010	Zone 01		1 23.00	23.00
487022011	Zone 01		1 23.00	23.00
487022012	Zone 01		1 23.00	23.00
487022013	Zone 01		1 23.00	23.00
487022014	Zone 01		1 23.00	23.00
487023001	Zone 01		1 23.00	23.00
487023002	Zone 01		1 23.00	23.00
487023002	Zone 01		1 23.00	23.00
487023004	Zone 01		1 23.00	23.00
487023005	Zone 01		1 23.00	23.00
487023006	Zone 01		1 23.00	23.00
487023007	Zone 01		1 23.00	23.00
487023007	Zone 01		1 23.00	23.00
487023009	Zone 01		1 23.00	23.00
487023009	Zone 01		1 23.00	23.00
70/0230/10	20116 01		23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
487023011	Zone 01		1 23.00	23.00
487023012	Zone 01		1 23.00	23.00
487023013	Zone 01		1 23.00	23.00
487023014	Zone 01		1 23.00	23.00
487023015	Zone 01		1 23.00	23.00
487023016	Zone 01		1 23.00	23.00
487023017	Zone 01		1 23.00	23.00
487023018	Zone 01		1 23.00	23.00
487023019	Zone 01		1 23.00	23.00
487023020	Zone 01		1 23.00	23.00
487023021	Zone 01		1 23.00	23.00
487024001	Zone 01		1 23.00	23.00
487024002	Zone 01		1 23.00	23.00
487024003	Zone 01		1 23.00	23.00
487024004	Zone 01		1 23.00	23.00
487024005	Zone 01		1 23.00	23.00
487024006	Zone 01		1 23.00	23.00
487024007	Zone 01		1 23.00	23.00
487040001	Zone 01		1 23.00	23.00
487040001	Zone 01		1 23.00	23.00
487040002	Zone 01		1 23.00	23.00
487040003	Zone 01		1 23.00	23.00
487040004	Zone 01		1 23.00	23.00
487040005	Zone 01		1 23.00	23.00
487040007	Zone 01		1 23.00	23.00
487040007	Zone 01		1 23.00	23.00
487040009	Zone 01		1 23.00	23.00
				23.00
487040010	Zone 01		1 23.00	
487040011 487040012	Zone 01		1 23.00	23.00 23.00
	Zone 01		1 23.00	23.00
487040013	Zone 01		1 23.00	
487040014 487040015	Zone 01		1 23.00	23.00
	Zone 01		1 23.00	23.00
487040016	Zone 01		1 23.00	23.00
487040017	Zone 01		1 23.00	23.00
487040018	Zone 01		1 23.00	23.00
487040019	Zone 01		1 23.00	23.00
487040020	Zone 01		1 23.00	23.00
487041001	Zone 01		1 23.00	23.00
487041002	Zone 01		1 23.00	23.00
487041003	Zone 01		1 23.00	23.00
487041004	Zone 01		1 23.00	23.00
487041005	Zone 01		1 23.00	23.00
487041006	Zone 01		1 23.00	23.00
487041007	Zone 01		1 23.00	23.00
487041008	Zone 01		1 23.00	23.00
487041009	Zone 01		1 23.00	23.00
487041010	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
487041011	Zone 01		1 23.00	23.00
487041012	Zone 01		1 23.00	23.00
487041013	Zone 01		1 23.00	23.00
487041014	Zone 01		1 23.00	23.00
487041015	Zone 01		1 23.00	23.00
487041016	Zone 01		1 23.00	23.00
487041017	Zone 01		1 23.00	23.00
487041018	Zone 01		1 23.00	23.00
487041019	Zone 01		1 23.00	23.00
487041020	Zone 01		1 23.00	23.00
487041021	Zone 01		1 23.00	23.00
487041022	Zone 01		1 23.00	23.00
487041023	Zone 01		1 23.00	23.00
487041024	Zone 01		1 23.00	23.00
487041025	Zone 01		1 23.00	23.00
487041026	Zone 01		1 23.00	23.00
487041027	Zone 01		1 23.00	23.00
487041028	Zone 01		1 23.00	23.00
487041029	Zone 01		1 23.00	23.00
487041030	Zone 01		1 23.00	23.00
487041031	Zone 01		1 23.00	23.00
487041032	Zone 01		1 23.00	23.00
487041033	Zone 01		1 23.00	23.00
487041034	Zone 01		1 23.00	23.00
487041035	Zone 01		1 23.00	23.00
487041036	Zone 01		1 23.00	23.00
487041037	Zone 01		1 23.00	23.00
487041038	Zone 01		1 23.00	23.00
487041039	Zone 01		1 23.00	23.00
487041040	Zone 01		1 23.00	23.00
487041041	Zone 01		1 23.00	23.00
487041042				23.00
	Zone 01 Zone 01		1 23.00	
487042001			1 23.00 1 23.00	23.00
487042002	Zone 01			23.00
487042003	Zone 01		1 23.00	23.00
487042004	Zone 01		1 23.00	23.00
487042005	Zone 01		1 23.00	23.00
487042006	Zone 01		1 23.00	23.00
487042007	Zone 01		1 23.00	23.00
487042008	Zone 01		1 23.00	23.00
487042013	Zone 01	•	1 23.00	23.00
487042014	Zone 01		1 23.00	23.00
487042015	Zone 01		1 23.00	23.00
487042016	Zone 01		1 23.00	23.00
487042010	Zone 01		1 23.00	23.00
487042011	Zone 01		1 23.00	23.00
487042012	Zone 01		1 23.00	23.00
487043001	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
487043002	Zone 01		1 23.00	23.00
487043003	Zone 01		1 23.00	23.00
487043004	Zone 01		1 23.00	23.00
487043005	Zone 01		1 23.00	23.00
487043006	Zone 01		1 23.00	23.00
487043007	Zone 01		1 23.00	23.00
487043008	Zone 01		1 23.00	23.00
487043009	Zone 01		1 23.00	23.00
487043010	Zone 01		1 23.00	23.00
487043011	Zone 01		1 23.00	23.00
487043012	Zone 01		1 23.00	23.00
487043013	Zone 01		1 23.00	23.00
487043014	Zone 01		1 23.00	23.00
487043015	Zone 01		1 23.00	23.00
487043016	Zone 01		1 23.00	23.00
487044001	Zone 01		1 23.00	23.00
487044002	Zone 01		1 23.00	23.00
487044003	Zone 01		1 23.00	23.00
487044004	Zone 01		1 23.00	23.00
487044005	Zone 01		1 23.00	23.00
487044006	Zone 01		1 23.00	23.00
487044007	Zone 01		1 23.00	23.00
487044008	Zone 01		1 23.00	23.00
487044009	Zone 01		1 23.00	23.00
487044010	Zone 01		1 23.00	23.00
487044011	Zone 01		1 23.00	23.00
487050001	Zone 01		1 23.00	23.00
			1 23.00	23.00
487050002	Zone 01			
487050003	Zone 01		1 23.00	23.00 23.00
487050004 487050005	Zone 01		1 23.00	23.00
	Zone 01		1 23.00	
487050006	Zone 01		1 23.00	23.00
487050007	Zone 01		1 23.00	23.00
487050008	Zone 01		1 23.00	23.00
487050009	Zone 01		1 23.00	23.00
487050010	Zone 01		1 23.00	23.00
487050011	Zone 01		1 23.00	23.00
487050012	Zone 01		1 23.00	23.00
487050013	Zone 01		1 23.00	23.00
487050014	Zone 01		1 23.00	23.00
487050015	Zone 01		1 23.00	23.00
487050016	Zone 01		1 23.00	23.00
487050017	Zone 01		1 23.00	23.00
487050018	Zone 01		1 23.00	23.00
487050019	Zone 01		1 23.00	23.00
487050020	Zone 01		1 23.00	23.00
487050021	Zone 01		1 23.00	23.00
487050022	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigne	ed EBU's FY 17-18 Ma	x Assessment	FY 17-18 Assessment
487050023	Zone 01	1	23.00	23.00
487050024	Zone 01	1	23.00	23.00
487051001	Zone 01	1	23.00	23.00
487051002	Zone 01	1	23.00	23.00
487051003	Zone 01	1	23.00	23.00
487051004	Zone 01	1	23.00	23.00
487051005	Zone 01	1	23.00	23.00
487051006	Zone 01	1	23.00	23.00
487051007	Zone 01	1	23.00	23.00
487051008	Zone 01	1	23.00	23.00
487051009	Zone 01	1	23.00	23.00
487051010	Zone 01	1	23.00	23.00
487051011	Zone 01	1	23.00	23.00
487051012	Zone 01	1	23.00	23.00
487052001	Zone 01	1	23.00	23.00
487052002	Zone 01	1	23.00	23.00
487052003	Zone 01	1	23.00	23.00
487052004	Zone 01	1	23.00	23.00
487052005	Zone 01	1	23.00	23.00
487052006	Zone 01	1	23.00	23.00
487052007	Zone 01	1	23.00	23.00
487052008	Zone 01	1	23.00	23.00
487053002	Zone 01	1	23.00	23.00
487053003	Zone 01	1	23.00	23.00
487053004	Zone 01	1	23.00	23.00
487053005	Zone 01	1	23.00	23.00
487053006	Zone 01	1	23.00	23.00
487053007	Zone 01	1	23.00	23.00
487053008	Zone 01	1	23.00	23.00
487053009	Zone 01	1	23.00	23.00
487053010	Zone 01	1	23.00	23.00
487120009	Zone 01	1	23.00	23.00
487120008	Zone 01	1	23.00	23.00
487120007	Zone 01	1	23.00	23.00
487120006	Zone 01	1	23.00	23.00
487120005	Zone 01	1	23.00	23.00
487120004	Zone 01	1	23.00	23.00
487120003	Zone 01	1	23.00	23.00
487120002	Zone 01	1	23.00	23.00
487120001	Zone 01	1	23.00	23.00
487121005	Zone 01	1	23.00	23.00
487121002	Zone 01	1	23.00	23.00
487121003	Zone 01	1	23.00	23.00
487121004	Zone 01	1	23.00	23.00
487121008	Zone 01	1	23.00	23.00
487121007	Zone 01	1	23.00	23.00
487121001	Zone 01	1	23.00	23.00
487121006	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
487122001	Zone 01		1 23.00	23.00
487122002	Zone 01		1 23.00	23.00
487122003	Zone 01		1 23.00	23.00
487122004	Zone 01		1 23.00	23.00
487122005	Zone 01		1 23.00	23.00
487122006	Zone 01		1 23.00	23.00
487122007	Zone 01		1 23.00	23.00
487122008	Zone 01		1 23.00	23.00
487122009	Zone 01		1 23.00	23.00
487122010	Zone 01		1 23.00	23.00
487122011	Zone 01		1 23.00	23.00
487351001	Zone 01		1 23.00	23.00
487351002	Zone 01		1 23.00	23.00
487351003	Zone 01		1 23.00	23.00
487351004	Zone 01		1 23.00	23.00
487351005	Zone 01		1 23.00	23.00
487351006	Zone 01		1 23.00	23.00
487351007	Zone 01		1 23.00	23.00
487351008	Zone 01		1 23.00	23.00
487351009	Zone 01		1 23.00	23.00
487351010	Zone 01		1 23.00	23.00
487351011	Zone 01		1 23.00	23.00
487351012	Zone 01		1 23.00	23.00
487351013	Zone 01		1 23.00	23.00
487351014	Zone 01		1 23.00	23.00
487351014	Zone 01		1 23.00	23.00
487351015	Zone 01		1 23.00	23.00
487351017	Zone 01		1 23.00	
				23.00
487351018	Zone 01		1 23.00	23.00
487351019	Zone 01		1 23.00	23.00
487351020	Zone 01		1 23.00	23.00
487351021	Zone 01		1 23.00	23.00
487352001	Zone 01		1 23.00	23.00
487352002	Zone 01		1 23.00	23.00
487352003	Zone 01		1 23.00	23.00
487352004	Zone 01		1 23.00	23.00
487352005	Zone 01		1 23.00	23.00
487352006	Zone 01	•	1 23.00	23.00
487352007	Zone 01		1 23.00	23.00
487352008	Zone 01	•	1 23.00	23.00
487352009	Zone 01		1 23.00	23.00
487352010	Zone 01		1 23.00	23.00
487352011	Zone 01		1 23.00	23.00
487352012	Zone 01		1 23.00	23.00
487352013	Zone 01		1 23.00	23.00
487352014	Zone 01		1 23.00	23.00
487352015	Zone 01		1 23.00	23.00
487352016	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
487352017	Zone 01		1 23.00	23.00
487352018	Zone 01		1 23.00	23.00
487352019	Zone 01		1 23.00	23.00
487352020	Zone 01		1 23.00	23.00
487352021	Zone 01		1 23.00	23.00
487352022	Zone 01		1 23.00	23.00
487352023	Zone 01		1 23.00	23.00
487352024	Zone 01		1 23.00	23.00
487352025	Zone 01		1 23.00	23.00
487352026	Zone 01		1 23.00	23.00
487352027	Zone 01		1 23.00	23.00
487352028	Zone 01		1 23.00	23.00
487352029	Zone 01		1 23.00	23.00
487352030	Zone 01		1 23.00	23.00
487352031	Zone 01		1 23.00	23.00
487352032	Zone 01		1 23.00	23.00
487352033	Zone 01		1 23.00	23.00
487352034	Zone 01		1 23.00	23.00
487352035	Zone 01		1 23.00	23.00
487352036	Zone 01		1 23.00	23.00
487352037	Zone 01		1 23.00	23.00
487352038	Zone 01		1 23.00	23.00
487352039	Zone 01		1 23.00	23.00
487352040	Zone 01		1 23.00	23.00
487353001	Zone 01		1 23.00	23.00
487353002	Zone 01		1 23.00	23.00
487353003	Zone 01		1 23.00	23.00
487353004	Zone 01		1 23.00	23.00
487353005	Zone 01		1 23.00	23.00
487353006	Zone 01		1 23.00	23.00
487353007	Zone 01		1 23.00	23.00
487353008	Zone 01		1 23.00	23.00
487353009	Zone 01		1 23.00	23.00
487353010	Zone 01		1 23.00	23.00
487353011	Zone 01		1 23.00	23.00
487353012	Zone 01		1 23.00	23.00
487353013	Zone 01		1 23.00	23.00
487353014	Zone 01		1 23.00	23.00
487353015	Zone 01		1 23.00	23.00
487353016	Zone 01		1 23.00	23.00
487353017	Zone 01		1 23.00	23.00
487353018	Zone 01		1 23.00	23.00
487353019	Zone 01		1 23.00	23.00
487353020	Zone 01		1 23.00	23.00
487354001	Zone 01		1 23.00	23.00
487354002	Zone 01		1 23.00	23.00
487354003	Zone 01		1 23.00	23.00
487354004	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-18	8 Max Assessment	FY 17-18 Assessment
487354005	Zone 01	1	23.00	23.00
487354006	Zone 01	1	23.00	23.00
487354007	Zone 01	1	23.00	23.00
487354008	Zone 01	1	23.00	23.00
487360001	Zone 01	1	23.00	23.00
487360002	Zone 01	1	23.00	23.00
487360003	Zone 01	1	23.00	23.00
487360004	Zone 01	1	23.00	23.00
487360005	Zone 01	1	23.00	23.00
487360006	Zone 01	1	23.00	23.00
487360007	Zone 01	1	23.00	23.00
487360008	Zone 01	1	23.00	23.00
487360009	Zone 01	1	23.00	23.00
487360010	Zone 01	1	23.00	23.00
487360011	Zone 01	1	23.00	23.00
487360012	Zone 01	1	23.00	23.00
487360023	Zone 01	1	23.00	23.00
487360024	Zone 01	1	23.00	23.00
487360025	Zone 01	1	23.00	23.00
487360026	Zone 01	1	23.00	23.00
487360027	Zone 01	1	23.00	23.00
487360028	Zone 01	1	23.00	23.00
487360029	Zone 01	1	23.00	23.00
487360030	Zone 01	1	23.00	23.00
487360031	Zone 01	1	23.00	23.00
487360032	Zone 01	1	23.00	23.00
487360033	Zone 01	1	23.00	23.00
487360034	Zone 01	1	23.00	23.00
487360035	Zone 01	1	23.00	23.00
487360036	Zone 01	1	23.00	23.00
487360037	Zone 01	1	23.00	23.00
487360038	Zone 01	1	23.00	23.00
487360039	Zone 01	1	23.00	23.00
487360040	Zone 01	1	23.00	23.00
487360041	Zone 01	1	23.00	23.00
487360042	Zone 01	1	23.00	23.00
487360043	Zone 01	1	23.00	23.00
487360044	Zone 01	1	23.00	23.00
487360045	Zone 01	1	23.00	23.00
487360046	Zone 01	1	23.00	23.00
487360047	Zone 01	1	23.00	23.00
487360048	Zone 01	1	23.00	23.00
487361001	Zone 01	1	23.00	23.00
487361002	Zone 01	1	23.00	23.00
487361003	Zone 01	1	23.00	23.00
487361004	Zone 01	1	23.00	23.00
487361005	Zone 01	1	23.00	23.00
487361006	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
487361007	Zone 01		1 23.00	23.00
487361008	Zone 01		1 23.00	23.00
487361009	Zone 01		1 23.00	23.00
487361010	Zone 01		1 23.00	23.00
487361011	Zone 01		1 23.00	23.00
487361012	Zone 01		1 23.00	23.00
487361013	Zone 01		1 23.00	23.00
487361014	Zone 01		1 23.00	23.00
487361015	Zone 01		1 23.00	23.00
487361016	Zone 01		1 23.00	23.00
487361017	Zone 01		1 23.00	23.00
487361018	Zone 01		1 23.00	23.00
487361019	Zone 01		1 23.00	23.00
487361020	Zone 01		1 23.00	23.00
487361021	Zone 01		1 23.00	23.00
487361022	Zone 01		1 23.00	23.00
487361023	Zone 01		1 23.00	23.00
487361024	Zone 01		1 23.00	23.00
487361025	Zone 01		1 23.00	23.00
487361026	Zone 01		1 23.00	23.00
487361027	Zone 01		1 23.00	23.00
487361028	Zone 01		1 23.00	23.00
487361029	Zone 01		1 23.00	23.00
487361030	Zone 01		1 23.00	23.00
487361031	Zone 01		1 23.00	23.00
487361032	Zone 01		1 23.00	23.00
487361033	Zone 01		1 23.00	23.00
487361034	Zone 01		1 23.00	23.00
487361035	Zone 01		1 23.00	23.00
487361036	Zone 01		1 23.00	23.00
487361037	Zone 01		1 23.00	23.00
487361038	Zone 01		1 23.00	23.00
487361039	Zone 01		1 23.00	23.00
487361040	Zone 01		1 23.00	23.00
487361041	Zone 01		1 23.00	23.00
487361042	Zone 01		1 23.00	23.00
487361043	Zone 01		1 23.00	23.00
487361044	Zone 01		1 23.00	23.00
487361045	Zone 01		1 23.00	23.00
487361046	Zone 01		1 23.00	23.00
487361047	Zone 01		1 23.00	23.00
487361048	Zone 01		1 23.00	23.00
487361049	Zone 01		1 23.00	23.00
487361050	Zone 01		1 23.00	23.00
487361051	Zone 01		1 23.00	23.00
487361052	Zone 01		1 23.00	23.00
487361053	Zone 01		1 23.00	23.00
487361055	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
487361056	Zone 01		1 23.00	23.00
487361057	Zone 01		1 23.00	23.00
487361058	Zone 01		1 23.00	23.00
487361059	Zone 01		1 23.00	23.00
487361060	Zone 01		1 23.00	23.00
487361061	Zone 01		1 23.00	23.00
487361062	Zone 01		1 23.00	23.00
487361063	Zone 01		1 23.00	23.00
487361064	Zone 01		1 23.00	23.00
487361065	Zone 01		1 23.00	23.00
487361066	Zone 01		1 23.00	23.00
487361067	Zone 01		1 23.00	23.00
487361068	Zone 01		1 23.00	23.00
487361069	Zone 01		1 23.00	23.00
487362001	Zone 01		1 23.00	23.00
487362002	Zone 01		1 23.00	23.00
487362003	Zone 01		1 23.00	23.00
487362004	Zone 01		1 23.00	23.00
487362005	Zone 01		1 23.00	23.00
487362006	Zone 01		1 23.00	23.00
487362007	Zone 01		1 23.00	23.00
487362008	Zone 01		1 23.00	23.00
487362009	Zone 01		1 23.00	23.00
487362010	Zone 01		1 23.00	23.00
487362011	Zone 01		1 23.00	23.00
487362011	Zone 01		1 23.00	23.00
487362013	Zone 01		1 23.00	23.00
487362014	Zone 01		1 23.00	23.00
487362015	Zone 01		1 23.00	23.00
487362016	Zone 01		1 23.00	23.00
487362018	Zone 01		1 23.00	23.00
487362019	Zone 01		1 23.00	23.00
487362019	Zone 01		1 23.00	23.00
487380001	Zone 01		1 23.00	23.00
			1 23.00	23.00
487380002 487380003	Zone 01			
487380003	Zone 01		1 23.00	23.00 23.00
	Zone 01		1 23.00	
487380005	Zone 01		1 23.00	23.00
487380006	Zone 01		1 23.00	23.00
487380007	Zone 01		1 23.00	23.00
487380008	Zone 01		1 23.00	23.00
487380009	Zone 01		1 23.00	23.00
487380010	Zone 01		1 23.00	23.00
487380011	Zone 01		1 23.00	23.00
487380012	Zone 01		1 23.00	23.00
487380013	Zone 01		1 23.00	23.00
487380014	Zone 01		1 23.00	23.00
487380015	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone L	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
487380016	Zone 01		1 23.00	23.00
487380017	Zone 01		1 23.00	23.00
487380018	Zone 01		1 23.00	23.00
487380019	Zone 01		1 23.00	23.00
487380020	Zone 01		1 23.00	23.00
487380021	Zone 01		1 23.00	23.00
487380022	Zone 01		1 23.00	23.00
487380023	Zone 01		1 23.00	23.00
487380024	Zone 01		1 23.00	23.00
487380025	Zone 01		1 23.00	23.00
487380026	Zone 01		1 23.00	23.00
487380027	Zone 01		1 23.00	23.00
487380028	Zone 01		1 23.00	23.00
487380029	Zone 01		1 23.00	23.00
487380030	Zone 01		1 23.00	23.00
487380031	Zone 01		1 23.00	23.00
487380032	Zone 01		1 23.00	23.00
487380033	Zone 01		1 23.00	23.00
487380034	Zone 01		1 23.00	23.00
487380035	Zone 01		1 23.00	23.00
487380036	Zone 01		1 23.00	23.00
487380037	Zone 01		1 23.00	23.00
487380038	Zone 01		1 23.00	23.00
487381001	Zone 01		1 23.00	23.00
487381002	Zone 01		1 23.00	23.00
487381003	Zone 01		1 23.00	23.00
487381004	Zone 01		1 23.00	23.00
487381005	Zone 01		1 23.00	23.00
487381006	Zone 01		1 23.00	23.00
487381007	Zone 01		1 23.00	23.00
487381008	Zone 01		1 23.00	23.00
487381009	Zone 01		1 23.00	23.00
487381010	Zone 01		1 23.00	23.00
487381011	Zone 01		1 23.00	23.00
487381012	Zone 01		1 23.00	23.00
487381013	Zone 01		1 23.00	23.00
487381014	Zone 01		1 23.00	23.00
487381015	Zone 01		1 23.00	23.00
487381016	Zone 01		1 23.00	23.00
487381017	Zone 01		1 23.00	23.00
487381018	Zone 01		1 23.00	23.00
487381019	Zone 01		1 23.00	23.00
487381020	Zone 01		1 23.00	23.00
487381021	Zone 01		1 23.00	23.00
487381021	Zone 01		1 23.00	23.00
487381023	Zone 01		1 23.00	23.00
487381024	Zone 01			
			1 23.00	23.00
487381025	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone L	MD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
487381026	Zone 01		1 23.00	23.00
487381027	Zone 01		1 23.00	23.00
487381028	Zone 01		1 23.00	23.00
487381029	Zone 01		1 23.00	23.00
487381030	Zone 01		1 23.00	23.00
487381031	Zone 01		1 23.00	23.00
487381032	Zone 01		1 23.00	23.00
487381033	Zone 01		1 23.00	23.00
487381034	Zone 01		1 23.00	23.00
487381035	Zone 01		1 23.00	23.00
487381036	Zone 01		1 23.00	23.00
487381037	Zone 01		1 23.00	23.00
487381038	Zone 01		1 23.00	23.00
487381039	Zone 01		1 23.00	23.00
487381040	Zone 01		1 23.00	23.00
487381041	Zone 01		1 23.00	23.00
487381042	Zone 01		1 23.00	23.00
487381043	Zone 01		1 23.00	23.00
487420001	Zone 01		1 23.00	23.00
487420002	Zone 01		1 23.00	23.00
487420003	Zone 01		1 23.00	23.00
487420004	Zone 01		1 23.00	23.00
487420005	Zone 01		1 23.00	23.00
487420006	Zone 01		1 23.00	23.00
487420007	Zone 01		1 23.00	23.00
487420008	Zone 01		1 23.00	23.00
487421001	Zone 01		1 23.00	23.00
487421002	Zone 01		1 23.00	23.00
487421003	Zone 01		1 23.00	23.00
487421004	Zone 01		1 23.00	23.00
487421005	Zone 01		1 23.00	23.00
487421006	Zone 01		1 23.00	23.00
487421007	Zone 01		1 23.00	23.00
487421008	Zone 01		1 23.00	23.00
487421009	Zone 01		1 23.00	23.00
487421010	Zone 01		1 23.00	23.00
487421011	Zone 01		1 23.00	23.00
487421012	Zone 01		1 23.00	23.00
487421013	Zone 01		1 23.00	23.00
487421014	Zone 01		1 23.00	23.00
487421015	Zone 01		1 23.00	23.00
487421016	Zone 01		1 23.00	23.00
487421017	Zone 01		1 23.00	23.00
487421018	Zone 01		1 23.00	23.00
487421019	Zone 01		1 23.00	23.00
487421020	Zone 01		1 23.00	23.00
487421021	Zone 01		1 23.00	23.00
487421022	Zone 01		1 23.00	23.00
.51 12 1022			20.00	20.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
487421023	Zone 01		1 23.00	23.00
487421024	Zone 01		1 23.00	23.00
487421025	Zone 01		1 23.00	23.00
487421026	Zone 01		1 23.00	23.00
487421027	Zone 01		1 23.00	23.00
487421028	Zone 01		1 23.00	23.00
487422001	Zone 01		1 23.00	23.00
487422002	Zone 01		1 23.00	23.00
487422003	Zone 01		1 23.00	23.00
487422004	Zone 01		1 23.00	23.00
487422005	Zone 01		1 23.00	23.00
487422006	Zone 01		1 23.00	23.00
487422007	Zone 01		1 23.00	23.00
487422008	Zone 01		1 23.00	23.00
487422009	Zone 01		1 23.00	23.00
487422010	Zone 01		1 23.00	23.00
487422011	Zone 01		1 23.00	23.00
487422012	Zone 01		1 23.00	23.00
487422013	Zone 01		1 23.00	23.00
487422014	Zone 01		1 23.00	23.00
487422015	Zone 01		1 23.00	23.00
487422016	Zone 01		1 23.00	23.00
487422017	Zone 01		1 23.00	23.00
487422018	Zone 01		1 23.00	23.00
487422019	Zone 01		1 23.00	23.00
487422020	Zone 01		1 23.00	23.00
487422021	Zone 01		1 23.00	23.00
487422022	Zone 01		1 23.00	23.00
487422023	Zone 01		1 23.00	23.00
487422024	Zone 01		1 23.00	23.00
487422025	Zone 01		1 23.00	23.00
487422026	Zone 01		1 23.00	23.00
487422027	Zone 01		1 23.00	23.00
487422028	Zone 01		1 23.00	23.00
487422029	Zone 01		1 23.00	23.00
487422030	Zone 01		1 23.00	23.00
487422031	Zone 01		1 23.00	23.00
487422032	Zone 01		1 23.00	23.00
487422033	Zone 01		1 23.00	23.00
487422034	Zone 01		1 23.00	23.00
487422035	Zone 01		1 23.00	23.00
487422036	Zone 01		1 23.00	23.00
487422037	Zone 01		1 23.00	23.00
487422038	Zone 01		1 23.00	23.00
487422039	Zone 01		1 23.00	23.00
487430001	Zone 01		1 23.00	23.00
487430001	Zone 01			
			1 23.00	23.00
487430003	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
487430004	Zone 01		1 23.00	23.00
487430005	Zone 01		1 23.00	23.00
487430006	Zone 01		1 23.00	23.00
487430007	Zone 01		1 23.00	23.00
487430008	Zone 01		1 23.00	23.00
487430009	Zone 01		1 23.00	23.00
487430010	Zone 01		1 23.00	23.00
487430011	Zone 01		1 23.00	23.00
487431001	Zone 01		1 23.00	23.00
487431002	Zone 01		1 23.00	23.00
487431003	Zone 01		1 23.00	23.00
487431004	Zone 01		1 23.00	23.00
487431005	Zone 01		1 23.00	23.00
487431006	Zone 01		1 23.00	23.00
487431007	Zone 01		1 23.00	23.00
487431008	Zone 01		1 23.00	23.00
487431009	Zone 01		1 23.00	23.00
487431011	Zone 01		1 23.00	23.00
487431012	Zone 01		1 23.00	23.00
487431013	Zone 01		1 23.00	23.00
487431014	Zone 01		1 23.00	23.00
487431015	Zone 01		1 23.00	23.00
487431016	Zone 01		1 23.00	23.00
487431017	Zone 01		1 23.00	23.00
487431018	Zone 01		1 23.00	23.00
487431019	Zone 01		1 23.00	23.00
487431020	Zone 01		1 23.00	23.00
487431021	Zone 01		1 23.00	23.00
487431021	Zone 01		1 23.00	23.00
487431023	Zone 01		1 23.00	23.00
487431024	Zone 01		1 23.00	23.00
487431025	Zone 01		1 23.00	23.00
487431026	Zone 01		1 23.00	23.00
487431027	Zone 01		1 23.00	23.00
487431028			1 23.00	23.00
487431029	Zone 01 Zone 01		1 23.00	23.00
487431030	Zone 01		1 23.00	23.00
487431031	Zone 01		1 23.00	23.00
487431032	Zone 01		1 23.00	23.00
487431033	Zone 01		1 23.00	23.00
487431034	Zone 01		1 23.00	23.00
487431010	Zone 01		1 23.00	23.00
487431035	Zone 01		1 23.00	23.00
487431036	Zone 01		1 23.00	23.00
487431037	Zone 01		1 23.00	23.00
487431038	Zone 01		1 23.00	23.00
487431039	Zone 01		1 23.00	23.00
487431040	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
487431041	Zone 01		1 23.00	23.00
487431042	Zone 01		1 23.00	23.00
487431043	Zone 01		1 23.00	23.00
487431044	Zone 01		1 23.00	23.00
487431045	Zone 01		1 23.00	23.00
487431046	Zone 01		1 23.00	23.00
487431047	Zone 01		1 23.00	23.00
487431048	Zone 01		1 23.00	23.00
487431049	Zone 01		1 23.00	23.00
487431050	Zone 01		1 23.00	23.00
487431051	Zone 01		1 23.00	23.00
487431052	Zone 01		1 23.00	23.00
487431053	Zone 01		1 23.00	23.00
487431054	Zone 01		1 23.00	23.00
487431055	Zone 01		1 23.00	23.00
487431056	Zone 01		1 23.00	23.00
487431057	Zone 01		1 23.00	23.00
487431058	Zone 01		1 23.00	23.00
487431059	Zone 01		1 23.00	23.00
487431060	Zone 01		1 23.00	23.00
487432001	Zone 01		1 23.00	23.00
487432002	Zone 01		1 23.00	23.00
487432003	Zone 01		1 23.00	23.00
487432004	Zone 01		1 23.00	23.00
487432005	Zone 01		1 23.00	23.00
487432006	Zone 01		1 23.00	23.00
487432007	Zone 01		1 23.00	23.00
487432008	Zone 01		1 23.00	23.00
487432009	Zone 01		1 23.00	23.00
487432010	Zone 01		1 23.00	23.00
487432011	Zone 01		1 23.00	23.00
487432012	Zone 01		1 23.00	23.00
487432013	Zone 01		1 23.00	23.00
487432014	Zone 01		1 23.00	23.00
487432015	Zone 01		1 23.00	23.00
487432016	Zone 01		1 23.00	23.00
487432017	Zone 01		1 23.00	23.00
487432018	Zone 01		1 23.00	23.00
487432019	Zone 01		1 23.00	23.00
487432020	Zone 01		1 23.00	23.00
487432021	Zone 01		1 23.00	23.00
487432022	Zone 01		1 23.00	23.00
487432023	Zone 01		1 23.00	23.00
487410001	Zone 01		1 23.00	23.00
487410002	Zone 01		1 23.00	23.00
487410003	Zone 01		1 23.00	23.00
487410004	Zone 01		1 23.00	23.00
487410005	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned EE	BU's FY 17-18	Max Assessment	FY 17-18 Assessment
487410006	Zone 01	1	23.00	23.00
487410007	Zone 01	1	23.00	23.00
487410008	Zone 01	1	23.00	23.00
487410009	Zone 01	1	23.00	23.00
487410010	Zone 01	1	23.00	23.00
487411003	Zone 01	1	23.00	23.00
487411004	Zone 01	1	23.00	23.00
487411005	Zone 01	1	23.00	23.00
487411006	Zone 01	1	23.00	23.00
487411007	Zone 01	1	23.00	23.00
487411008	Zone 01	1	23.00	23.00
487411009	Zone 01	1	23.00	23.00
487411010	Zone 01	1	23.00	23.00
487411011	Zone 01	1	23.00	23.00
487411012	Zone 01	1	23.00	23.00
487411013	Zone 01	1	23.00	23.00
487411014	Zone 01	1	23.00	23.00
487411015	Zone 01	1	23.00	23.00
487411016	Zone 01	1	23.00	23.00
487411017	Zone 01	1	23.00	23.00
487411018	Zone 01	1	23.00	23.00
487411019	Zone 01	1	23.00	23.00
487411020	Zone 01	1	23.00	23.00
487411021	Zone 01	1	23.00	23.00
487411022	Zone 01	1	23.00	23.00
487411023	Zone 01	1	23.00	23.00
487411024	Zone 01	1	23.00	23.00
487411025	Zone 01	1	23.00	23.00
487411026	Zone 01	1	23.00	23.00
487411027	Zone 01	1	23.00	23.00
487411028	Zone 01	1	23.00	23.00
487411029	Zone 01	1	23.00	23.00
487411030	Zone 01	1	23.00	23.00
487411031	Zone 01	1	23.00	23.00
487411032	Zone 01	1	23.00	23.00
488270001	Zone 01	1	23.00	23.00
488270002	Zone 01	1	23.00	23.00
488270003	Zone 01	1	23.00	23.00
488270004	Zone 01	1	23.00	23.00
488270005	Zone 01	1	23.00	23.00
488270006	Zone 01	1	23.00	23.00
488270007	Zone 01	1	23.00	23.00
488270008	Zone 01	1	23.00	23.00
488270009	Zone 01	1	23.00	23.00
488270010	Zone 01	1	23.00	23.00
488270011	Zone 01	1	23.00	23.00
488270012	Zone 01	1	23.00	23.00
488270013	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned EE	BU's FY 17-18 Ma	x Assessment	FY 17-18 Assessment
488270014	Zone 01	1	23.00	23.00
488270015	Zone 01	1	23.00	23.00
488270016	Zone 01	1	23.00	23.00
488270017	Zone 01	1	23.00	23.00
488270018	Zone 01	1	23.00	23.00
488290001	Zone 01	1	23.00	23.00
488290002	Zone 01	1	23.00	23.00
488290003	Zone 01	1	23.00	23.00
488290004	Zone 01	1	23.00	23.00
488290005	Zone 01	1	23.00	23.00
488290006	Zone 01	1	23.00	23.00
488290007	Zone 01	1	23.00	23.00
488290008	Zone 01	1	23.00	23.00
488290009	Zone 01	1	23.00	23.00
488290010	Zone 01	1	23.00	23.00
488290011	Zone 01	1	23.00	23.00
488290012	Zone 01	1	23.00	23.00
488290016	Zone 01	1	23.00	23.00
488290017	Zone 01	1	23.00	23.00
488290018	Zone 01	1	23.00	23.00
488290019	Zone 01	1	23.00	23.00
488291001	Zone 01	1	23.00	23.00
488291002	Zone 01	1	23.00	23.00
488291003	Zone 01	1	23.00	23.00
488291004	Zone 01	1	23.00	23.00
488291005	Zone 01	1	23.00	23.00
488291006	Zone 01	1	23.00	23.00
488291007	Zone 01	1	23.00	23.00
488291008	Zone 01	1	23.00	23.00
488292001	Zone 01	1	23.00	23.00
488292002	Zone 01	1	23.00	23.00
488292003	Zone 01	1	23.00	23.00
488292004	Zone 01	1	23.00	23.00
488292005	Zone 01	1	23.00	23.00
488292006	Zone 01	1	23.00	23.00
488292007	Zone 01	1	23.00	23.00
488292008	Zone 01	1	23.00	23.00
488280001	Zone 01	1	23.00	23.00
488280002	Zone 01	1	23.00	23.00
488280003	Zone 01	1	23.00	23.00
488280004	Zone 01	1	23.00	23.00
488281001	Zone 01	1	23.00	23.00
488281002	Zone 01	1	23.00	23.00
488281003	Zone 01	1	23.00	23.00
488281004	Zone 01	1	23.00	23.00
488281005	Zone 01	1	23.00	23.00
488281006	Zone 01	1	23.00	23.00
488281007	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
488281008	Zone 01		1 23.00	23.00
488281009	Zone 01		1 23.00	23.00
488281010	Zone 01		1 23.00	23.00
488281011	Zone 01		1 23.00	23.00
488281012	Zone 01		1 23.00	23.00
488281013	Zone 01		1 23.00	23.00
488281014	Zone 01		1 23.00	23.00
488281015	Zone 01		1 23.00	23.00
488281016	Zone 01		1 23.00	23.00
488281017	Zone 01		1 23.00	23.00
488281018	Zone 01		1 23.00	23.00
488281019	Zone 01		1 23.00	23.00
488281020	Zone 01		1 23.00	23.00
488282001	Zone 01		1 23.00	23.00
488282002	Zone 01		1 23.00	23.00
488282003	Zone 01		1 23.00	23.00
488282004	Zone 01		1 23.00	23.00
487490001	Zone 01		1 23.00	23.00
487490002	Zone 01		1 23.00	23.00
487490003	Zone 01		1 23.00	23.00
487490004	Zone 01		1 23.00	23.00
487490005	Zone 01		1 23.00	23.00
487490006	Zone 01		1 23.00	23.00
487491001	Zone 01		1 23.00	23.00
487491001	Zone 01		1 23.00	23.00
487491002	Zone 01		1 23.00	23.00
487492001	Zone 01		1 23.00	23.00
487492001	Zone 01		1 23.00	23.00
487492002	Zone 01		1 23.00	23.00
487492004	Zone 01		1 23.00	23.00
487492005	Zone 01		1 23.00	23.00
487492006	Zone 01		1 23.00	23.00
487492007	Zone 01		1 23.00	23.00
487492008	Zone 01		1 23.00	23.00
487492009			1 23.00	23.00
487492010	Zone 01 Zone 01		1 23.00	23.00
			1 23.00	23.00
487492011	Zone 01			
487492012	Zone 01		1 23.00	23.00
487493001	Zone 01		1 23.00	23.00
487493002	Zone 01		1 23.00	23.00
487493003	Zone 01		1 23.00	23.00
487493004	Zone 01		1 23.00	23.00
487493005	Zone 01		1 23.00	23.00
487493006	Zone 01		1 23.00	23.00
487493007	Zone 01		1 23.00	23.00
487493008	Zone 01		1 23.00	23.00
487493009	Zone 01		1 23.00	23.00
487493010	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone L	.MD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
487493011	Zone 01		1 23.00	23.00
487493012	Zone 01		1 23.00	23.00
487493013	Zone 01		1 23.00	23.00
487493014	Zone 01		1 23.00	23.00
487493015	Zone 01		1 23.00	23.00
487493016	Zone 01		1 23.00	23.00
487493017	Zone 01		1 23.00	23.00
487493018	Zone 01		1 23.00	23.00
487493019	Zone 01		1 23.00	23.00
487493020	Zone 01		1 23.00	23.00
487493021	Zone 01		1 23.00	23.00
487493022	Zone 01		1 23.00	23.00
487493023	Zone 01		1 23.00	23.00
487493024	Zone 01		1 23.00	23.00
487493025	Zone 01		1 23.00	23.00
487494001	Zone 01		1 23.00	23.00
487494002	Zone 01		1 23.00	23.00
487494003	Zone 01		1 23.00	23.00
487494004	Zone 01		1 23.00	23.00
487494005	Zone 01		1 23.00	23.00
487494006	Zone 01		1 23.00	23.00
487494007	Zone 01		1 23.00	23.00
487494008	Zone 01		1 23.00	23.00
487494009	Zone 01		1 23.00	23.00
487494010	Zone 01		1 23.00	23.00
487494011	Zone 01		1 23.00	23.00
487494012	Zone 01		1 23.00	23.00
487494013	Zone 01		1 23.00	23.00
487494014	Zone 01		1 23.00	23.00
487494015	Zone 01		1 23.00	23.00
487494016	Zone 01		1 23.00	23.00
487494017	Zone 01		1 23.00	23.00
487494018	Zone 01		1 23.00	23.00
487494019	Zone 01		1 23.00	23.00
487494020	Zone 01		1 23.00	23.00
487494021	Zone 01		1 23.00	23.00
487494022	Zone 01		1 23.00	23.00
487494023	Zone 01		1 23.00	23.00
487494024	Zone 01		1 23.00	23.00
487494025	Zone 01		1 23.00	23.00
487494026	Zone 01		1 23.00	23.00
487494027	Zone 01		1 23.00	23.00
487494028	Zone 01		1 23.00	23.00
487494029	Zone 01		1 23.00	23.00
487494030	Zone 01		1 23.00	23.00
487270001	Zone 01		1 23.00	23.00
487270001	Zone 01		1 23.00	23.00
487270002	Zone 01		1 23.00	23.00
101210004	20110 01		23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
487270005	Zone 01		1 23.00	23.00
487270006	Zone 01		1 23.00	23.00
487270007	Zone 01		1 23.00	23.00
487270008	Zone 01		1 23.00	23.00
487270009	Zone 01		1 23.00	23.00
487270010	Zone 01		1 23.00	23.00
487270011	Zone 01		1 23.00	23.00
487270012	Zone 01		1 23.00	23.00
487270013	Zone 01		1 23.00	23.00
487270014	Zone 01		1 23.00	23.00
487270015	Zone 01		1 23.00	23.00
487270016	Zone 01		1 23.00	23.00
487270017	Zone 01		1 23.00	23.00
487270018	Zone 01		1 23.00	23.00
487270020	Zone 01		1 23.00	23.00
487270021	Zone 01		1 23.00	23.00
487270021	Zone 01		1 23.00	23.00
487270023	Zone 01		1 23.00	23.00
487270024	Zone 01		1 23.00	23.00
487270025	Zone 01		1 23.00	23.00
487270025	Zone 01		1 23.00	23.00
				23.00
487270027	Zone 01		1 23.00	
487270028	Zone 01		1 23.00	23.00
487270029	Zone 01		1 23.00	23.00
487270030	Zone 01		1 23.00	23.00
487270031	Zone 01		1 23.00	23.00
487270032	Zone 01		1 23.00	23.00
487270033	Zone 01		1 23.00	23.00
487270034	Zone 01		1 23.00	23.00
487270035	Zone 01		1 23.00	23.00
487270036	Zone 01		1 23.00	23.00
487270037	Zone 01		1 23.00	23.00
487270038	Zone 01		1 23.00	23.00
487270039	Zone 01		1 23.00	23.00
487270040	Zone 01		1 23.00	23.00
487270041	Zone 01		1 23.00	23.00
487270042	Zone 01		1 23.00	23.00
487270043	Zone 01		1 23.00	23.00
487270044	Zone 01		1 23.00	23.00
487271001	Zone 01		1 23.00	23.00
487271002	Zone 01		1 23.00	23.00
487271003	Zone 01		1 23.00	23.00
487271004	Zone 01		1 23.00	23.00
487271005	Zone 01		1 23.00	23.00
487271006	Zone 01		1 23.00	23.00
487271007	Zone 01		1 23.00	23.00
487271008	Zone 01		1 23.00	23.00
487270019	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
487271009	Zone 01		1 23.00	23.00
487030001	Zone 01		1 23.00	23.00
487030002	Zone 01		1 23.00	23.00
487030003	Zone 01		1 23.00	23.00
487030004	Zone 01		1 23.00	23.00
487030005	Zone 01		1 23.00	23.00
487030006	Zone 01		1 23.00	23.00
487030007	Zone 01		1 23.00	23.00
487030008	Zone 01		1 23.00	23.00
487030009	Zone 01		1 23.00	23.00
487030010	Zone 01		1 23.00	23.00
487030010	Zone 01		1 23.00	23.00
487030011	Zone 01		1 23.00	23.00
487030012	Zone 01		1 23.00	23.00
487030014	Zone 01		1 23.00	23.00
487030014	Zone 01		1 23.00	23.00
487030016	Zone 01		1 23.00	23.00
487030017	Zone 01		1 23.00	23.00
487030017	Zone 01		1 23.00	23.00
487030019	Zone 01		1 23.00	23.00
487031001	Zone 01		1 23.00	23.00
				23.00
487031002	Zone 01 Zone 01		1 23.00	
487031003			1 23.00	23.00
487031004	Zone 01		1 23.00	23.00
487031005	Zone 01		1 23.00	23.00
487031006	Zone 01		1 23.00	23.00
487031007	Zone 01		1 23.00	23.00
487031008	Zone 01		1 23.00	23.00
487031009	Zone 01		1 23.00	23.00
487031010	Zone 01		1 23.00	23.00
487031011	Zone 01		1 23.00	23.00
487031012	Zone 01		1 23.00	23.00
487031013	Zone 01		1 23.00	23.00
487032001	Zone 01		1 23.00	23.00
487032002	Zone 01		1 23.00	23.00
487032003	Zone 01		1 23.00	23.00
487032009	Zone 01		1 23.00	23.00
487032010	Zone 01		1 23.00	23.00
487032011	Zone 01		1 23.00	23.00
487032008	Zone 01		1 23.00	23.00
487032007	Zone 01		1 23.00	23.00
487280001	Zone 01		1 23.00	23.00
487280002	Zone 01		1 23.00	23.00
487280003	Zone 01		1 23.00	23.00
487280004	Zone 01		1 23.00	23.00
487280005	Zone 01		1 23.00	23.00
487280006	Zone 01		1 23.00	23.00
487280007	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
487280008	Zone 01	EIIID ASSIGNED 5	1 23.00	23.00
487280009	Zone 01		1 23.00	23.00
487280010	Zone 01		1 23.00	23.00
487280011	Zone 01		1 23.00	23.00
487280012	Zone 01		1 23.00	23.00
487280013	Zone 01		1 23.00	23.00
487280014	Zone 01		1 23.00	23.00
487280015	Zone 01		1 23.00	23.00
487280016	Zone 01		1 23.00	23.00
487280017	Zone 01		1 23.00	23.00
487280017	Zone 01		1 23.00	23.00
487280019	Zone 01		1 23.00	23.00
487280020	Zone 01		1 23.00	23.00
487280021	Zone 01		1 23.00	23.00
487280022	Zone 01		1 23.00	23.00
487280022	Zone 01		1 23.00	23.00
487280024	Zone 01		1 23.00	23.00
487280024	Zone 01		1 23.00	23.00
487280025	Zone 01		1 23.00	23.00
487280027	Zone 01		1 23.00	23.00
487280027	Zone 01		1 23.00	23.00
487280029	Zone 01		1 23.00	23.00
487280029	Zone 01		1 23.00	23.00
487280030	Zone 01		1 23.00	23.00
487280031	Zone 01		1 23.00	23.00
487281001	Zone 01		1 23.00	23.00
487281001	Zone 01		1 23.00	23.00
487281002	Zone 01		1 23.00	23.00
487281003	Zone 01		1 23.00	23.00
487281004	Zone 01		1 23.00	23.00
487281005	Zone 01		1 23.00	23.00
487281008	Zone 01		1 23.00	23.00
487281009	Zone 01		1 23.00	23.00
			1 23.00	23.00
487281010	Zone 01			23.00
487281011 487281012	Zone 01		1 23.00	
	Zone 01		1 23.00	23.00
487281013	Zone 01		1 23.00	23.00
487281014	Zone 01		1 23.00	23.00
487281015	Zone 01		1 23.00	23.00
487281016	Zone 01		1 23.00	23.00
487282001	Zone 01		1 23.00	23.00
487282002	Zone 01		1 23.00	23.00
487282003	Zone 01		1 23.00	23.00
487282004	Zone 01		1 23.00	23.00
487282005	Zone 01		1 23.00	23.00
487282006	Zone 01		1 23.00	23.00
487282007	Zone 01		1 23.00	23.00
487283002	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD	Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
487283003	Zone 01		1 23.00	23.00
487283004	Zone 01		1 23.00	23.00
487283005	Zone 01		1 23.00	23.00
487283006	Zone 01		1 23.00	23.00
487283007	Zone 01		1 23.00	23.00
487283008	Zone 01		1 23.00	23.00
487283009	Zone 01		1 23.00	23.00
487283010	Zone 01		1 23.00	23.00
487283011	Zone 01		1 23.00	23.00
487283012	Zone 01		1 23.00	23.00
487283013	Zone 01		1 23.00	23.00
487283014	Zone 01		1 23.00	23.00
487283015	Zone 01		1 23.00	23.00
487283016	Zone 01		1 23.00	23.00
487283017	Zone 01		1 23.00	23.00
487283018	Zone 01		1 23.00	23.00
487283019	Zone 01		1 23.00	23.00
487283020	Zone 01		1 23.00	23.00
487283021	Zone 01		1 23.00	23.00
487283022	Zone 01		1 23.00	23.00
487283023	Zone 01		1 23.00	23.00
487283024	Zone 01		1 23.00	23.00
487283025	Zone 01		1 23.00	23.00
487283026	Zone 01		1 23.00	23.00
487283027	Zone 01		1 23.00	23.00
487283028	Zone 01		1 23.00	23.00
487283029	Zone 01		1 23.00	23.00
487283030	Zone 01		1 23.00	23.00
487283031	Zone 01		1 23.00	23.00
487283032	Zone 01		1 23.00	23.00
487283033	Zone 01		1 23.00	23.00
487283034	Zone 01		1 23.00	23.00
487283035	Zone 01		1 23.00	23.00
487283036	Zone 01		1 23.00	23.00
487283037	Zone 01		1 23.00	23.00
487283038	Zone 01		1 23.00	23.00
487283039	Zone 01		1 23.00	23.00
487284001	Zone 01		1 23.00	23.00
487284002	Zone 01		1 23.00	23.00
487284003	Zone 01		1 23.00	23.00
487284004	Zone 01		1 23.00	23.00
487284005	Zone 01		1 23.00	23.00
487284006	Zone 01		1 23.00	23.00
487284007	Zone 01		1 23.00	23.00
487284008	Zone 01		1 23.00	23.00
487284009	Zone 01		1 23.00	23.00
487284010	Zone 01		1 23.00	23.00
487284011	Zone 01		1 23.00	23.00
401204011	2016-01		23.00	23.00

487284013 Zone 01 1 23.00 23. 487284014 Zone 01 1 23.00 23. 487284015 Zone 01 1 23.00 23. 487290001 Zone 01 1 23.00 23. 487290002 Zone 01 1 23.00 23. 487290003 Zone 01 1 23.00 23. 487290004 Zone 01 1 23.00 23. 487290005 Zone 01 1 23.00 23. 487290006 Zone 01 1 23.00 23. 487290008 Zone 01 1 23.00 23. 487290009 Zone 01 1 23.00 23. 487290010 Zone 01 1 23.00 23. 487290011 Zone 01 1 23.00 23. 487290012 Zone 01 1 23.00 23. 487291001 Zone 01 1 23.00 23. 487291002 Zone 01 1 23.00 23. 487291003 Zone 0	APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
487284014 Zone 01 1 23.00 23. 487284015 Zone 01 1 23.00 23. 487290001 Zone 01 1 23.00 23. 487290002 Zone 01 1 23.00 23. 487290003 Zone 01 1 23.00 23. 487290004 Zone 01 1 23.00 23. 487290005 Zone 01 1 23.00 23. 487290006 Zone 01 1 23.00 23. 487290007 Zone 01 1 23.00 23. 487290008 Zone 01 1 23.00 23. 487290010 Zone 01 1 23.00 23. 487290011 Zone 01 1 23.00 23. 487291001 Zone 01 1 23.00 23. 487291002 Zone 01 1 23.00 23. 487291003 Zone 01 1 23.00 23. 487291003 Zone 01 1 23.00 23. 487291003 Zone 0	487284012	Zone 01		1 23.00	23.00
487284015 Zone 01 1 23.00 23. 487290001 Zone 01 1 23.00 23. 487290002 Zone 01 1 23.00 23. 487290003 Zone 01 1 23.00 23. 487290004 Zone 01 1 23.00 23. 487290005 Zone 01 1 23.00 23. 487290006 Zone 01 1 23.00 23. 487290007 Zone 01 1 23.00 23. 487290008 Zone 01 1 23.00 23. 487290010 Zone 01 1 23.00 23. 487290011 Zone 01 1 23.00 23. 487290012 Zone 01 1 23.00 23. 487291001 Zone 01 1 23.00 23. 487291002 Zone 01 1 23.00 23. 487291003 Zone 01 1 23.00 23. 487291003 Zone 01 1 23.00 23. 487291003 Zone 0	487284013	Zone 01		1 23.00	23.00
487290001 Zone 01 1 23.00 23. 487290002 Zone 01 1 23.00 23. 487290003 Zone 01 1 23.00 23. 487290004 Zone 01 1 23.00 23. 487290005 Zone 01 1 23.00 23. 487290006 Zone 01 1 23.00 23. 487290008 Zone 01 1 23.00 23. 48729009 Zone 01 1 23.00 23. 487290010 Zone 01 1 23.00 23. 487290011 Zone 01 1 23.00 23. 487291001 Zone 01 1 23.00 23. 487291002 Zone 01 1 23.00 23. 487291003 Zone 01 1 23.00 23. 487291003 Zone 01 1 23.00 23. 487291003 Zone 01 1 23.00 23.	487284014	Zone 01		1 23.00	23.00
487290002 Zone 01 1 23.00 23. 487290003 Zone 01 1 23.00 23. 487290004 Zone 01 1 23.00 23. 487290005 Zone 01 1 23.00 23. 487290006 Zone 01 1 23.00 23. 487290007 Zone 01 1 23.00 23. 487290008 Zone 01 1 23.00 23. 487290009 Zone 01 1 23.00 23. 487290010 Zone 01 1 23.00 23. 487290011 Zone 01 1 23.00 23. 487291001 Zone 01 1 23.00 23. 487291002 Zone 01 1 23.00 23. 487291003 Zone 01 1 23.00 23. 487291003 Zone 01 1 23.00 23.	487284015	Zone 01		1 23.00	23.00
487290003 Zone 01 1 23.00 23. 487290004 Zone 01 1 23.00 23. 487290005 Zone 01 1 23.00 23. 487290006 Zone 01 1 23.00 23. 487290007 Zone 01 1 23.00 23. 487290008 Zone 01 1 23.00 23. 487290010 Zone 01 1 23.00 23. 487290011 Zone 01 1 23.00 23. 487290012 Zone 01 1 23.00 23. 487291001 Zone 01 1 23.00 23. 487291002 Zone 01 1 23.00 23. 487291003 Zone 01 1 23.00 23. 487291003 Zone 01 1 23.00 23.	487290001	Zone 01		1 23.00	23.00
487290004 Zone 01 1 23.00 23. 487290005 Zone 01 1 23.00 23. 487290006 Zone 01 1 23.00 23. 487290007 Zone 01 1 23.00 23. 487290008 Zone 01 1 23.00 23. 487290010 Zone 01 1 23.00 23. 487290011 Zone 01 1 23.00 23. 487290012 Zone 01 1 23.00 23. 487291001 Zone 01 1 23.00 23. 487291002 Zone 01 1 23.00 23. 487291003 Zone 01 1 23.00 23. 23.00 23. 23. 23.00 23.	487290002	Zone 01		1 23.00	23.00
487290005 Zone 01 1 23.00 23. 487290006 Zone 01 1 23.00 23. 487290007 Zone 01 1 23.00 23. 487290008 Zone 01 1 23.00 23. 487290009 Zone 01 1 23.00 23. 487290010 Zone 01 1 23.00 23. 487290011 Zone 01 1 23.00 23. 487291001 Zone 01 1 23.00 23. 487291002 Zone 01 1 23.00 23. 487291003 Zone 01 1 23.00 23. 23.00 23. 23.00 23.	487290003	Zone 01		1 23.00	23.00
487290006 Zone 01 1 23.00 23. 487290007 Zone 01 1 23.00 23. 487290008 Zone 01 1 23.00 23. 487290009 Zone 01 1 23.00 23. 487290010 Zone 01 1 23.00 23. 487290011 Zone 01 1 23.00 23. 487291001 Zone 01 1 23.00 23. 487291002 Zone 01 1 23.00 23. 487291003 Zone 01 1 23.00 23. 23.00 23. 23. 23.00 23. 23.00 23. 23.00 23. 23.00 23. 23.00 23. 23.00 23. 23.00 23. 23.00 23. 23.00 23. 23.00 23. 23. 23.00 23. 23. 23. 23.00 23. 23. 23. 23.00 23. 23. 23. 23.00	487290004	Zone 01		1 23.00	23.00
487290007 Zone 01 1 23.00 23. 487290008 Zone 01 1 23.00 23. 487290009 Zone 01 1 23.00 23. 487290010 Zone 01 1 23.00 23. 487290011 Zone 01 1 23.00 23. 487290012 Zone 01 1 23.00 23. 487291001 Zone 01 1 23.00 23. 487291002 Zone 01 1 23.00 23. 487291003 Zone 01 1 23.00 23. 23.00 23. 23. 23. 23.	487290005	Zone 01		1 23.00	23.00
487290008 Zone 01 1 23.00 23. 487290009 Zone 01 1 23.00 23. 487290010 Zone 01 1 23.00 23. 487290011 Zone 01 1 23.00 23. 487290012 Zone 01 1 23.00 23. 487291001 Zone 01 1 23.00 23. 487291002 Zone 01 1 23.00 23. 487291003 Zone 01 1 23.00 23.	487290006	Zone 01		1 23.00	23.00
487290009 Zone 01 1 23.00 23. 487290010 Zone 01 1 23.00 23. 487290011 Zone 01 1 23.00 23. 487290012 Zone 01 1 23.00 23. 487291001 Zone 01 1 23.00 23. 487291002 Zone 01 1 23.00 23. 487291003 Zone 01 1 23.00 23. 23.00 23. 23.00 23.	487290007	Zone 01		1 23.00	23.00
487290010 Zone 01 1 23.00 23. 487290011 Zone 01 1 23.00 23. 487290012 Zone 01 1 23.00 23. 487291001 Zone 01 1 23.00 23. 487291002 Zone 01 1 23.00 23. 487291003 Zone 01 1 23.00 23. 23.00 23. 23.00 23.	487290008	Zone 01		1 23.00	23.00
487290011 Zone 01 1 23.00 23. 487290012 Zone 01 1 23.00 23. 487291001 Zone 01 1 23.00 23. 487291002 Zone 01 1 23.00 23. 487291003 Zone 01 1 23.00 23. 23.00 23.00 23. 23.	487290009	Zone 01		1 23.00	23.00
487290012 Zone 01 1 23.00 23. 487291001 Zone 01 1 23.00 23. 487291002 Zone 01 1 23.00 23. 487291003 Zone 01 1 23.00 23. 23.00 23. 23.00 23.	487290010	Zone 01		1 23.00	23.00
487291001 Zone 01 1 23.00 23. 487291002 Zone 01 1 23.00 23. 487291003 Zone 01 1 23.00 23. 23.00 23.00 23.	487290011	Zone 01		1 23.00	23.00
487291002 Zone 01 1 23.00 23. 487291003 Zone 01 1 23.00 23.	487290012	Zone 01		1 23.00	23.00
487291003 Zone 01 1 23.00 23.	487291001	Zone 01		1 23.00	23.00
	487291002	Zone 01		1 23.00	23.00
487291004 Zone 01 1 23.00 23.	487291003	Zone 01		1 23.00	23.00
	487291004	Zone 01		1 23.00	23.00
487291005 Zone 01 1 23.00 23.	487291005	Zone 01		1 23.00	23.00
487291006 Zone 01 1 23.00 23.	487291006	Zone 01		1 23.00	23.00
487291007 Zone 01 1 23.00 23.	487291007	Zone 01		1 23.00	23.00
487291008 Zone 01 1 23.00 23.	487291008	Zone 01		1 23.00	23.00
487291009 Zone 01 1 23.00 23.	487291009	Zone 01		1 23.00	23.00
487291010 Zone 01 1 23.00 23.	487291010	Zone 01		1 23.00	23.00
487291011 Zone 01 1 23.00 23.	487291011	Zone 01		1 23.00	23.00
487291012 Zone 01 1 23.00 23.	487291012	Zone 01		1 23.00	23.00
487291013 Zone 01 1 23.00 23.	487291013	Zone 01		1 23.00	23.00
487291014 Zone 01 1 23.00 23.	487291014	Zone 01		1 23.00	23.00
487291015 Zone 01 1 23.00 23.	487291015	Zone 01		1 23.00	23.00
487291016 Zone 01 1 23.00 23.	487291016	Zone 01		1 23.00	23.00
487292001 Zone 01 1 23.00 23.	487292001	Zone 01		1 23.00	23.00
487292002 Zone 01 1 23.00 23.	487292002	Zone 01		1 23.00	23.00
487292003 Zone 01 1 23.00 23.	487292003	Zone 01		1 23.00	23.00
487292004 Zone 01 1 23.00 23.	487292004	Zone 01		1 23.00	23.00
487292005 Zone 01 1 23.00 23.	487292005	Zone 01		1 23.00	23.00
487292006 Zone 01 1 23.00 23.	487292006	Zone 01		1 23.00	23.00
487292007 Zone 01 1 23.00 23.	487292007	Zone 01		1 23.00	23.00
487292008 Zone 01 1 23.00 23.	487292008	Zone 01		1 23.00	23.00
487292009 Zone 01 1 23.00 23.	487292009	Zone 01		1 23.00	23.00
487292010 Zone 01 1 23.00 23.	487292010	Zone 01		1 23.00	23.00
		Zone 01		1 23.00	23.00
487292012 Zone 01 1 23.00 23.	487292012	Zone 01		1 23.00	23.00
	487292013				23.00
				1 23.00	23.00
487292015 Zone 01 1 23.00 23.	487292015	Zone 01		1 23.00	23.00
487292016 Zone 01 1 23.00 23.	487292016	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
487292017	Zone 01		1 23.00	23.00
487292018	Zone 01		1 23.00	23.00
487292019	Zone 01		1 23.00	23.00
487292022	Zone 01		1 23.00	23.00
487292023	Zone 01		1 23.00	23.00
487292024	Zone 01		1 23.00	23.00
487292025	Zone 01		1 23.00	23.00
487292026	Zone 01		1 23.00	23.00
487292027	Zone 01		1 23.00	23.00
487292028	Zone 01		1 23.00	23.00
487292029	Zone 01		1 23.00	23.00
487292030	Zone 01		1 23.00	23.00
487293001	Zone 01		1 23.00	23.00
487293002	Zone 01		1 23.00	23.00
487293003	Zone 01		1 23.00	23.00
487293004	Zone 01		1 23.00	23.00
487293005	Zone 01		1 23.00	23.00
487293006	Zone 01		1 23.00	23.00
487293007	Zone 01		1 23.00	23.00
487294001	Zone 01		1 23.00	23.00
487294002	Zone 01		1 23.00	23.00
487294003	Zone 01		1 23.00	23.00
487294004	Zone 01		1 23.00	23.00
487294005	Zone 01		1 23.00	23.00
487294006	Zone 01		1 23.00	23.00
487294007	Zone 01		1 23.00	23.00
487294008	Zone 01		1 23.00	23.00
487294009	Zone 01		1 23.00	23.00
487294010	Zone 01		1 23.00	23.00
487294011	Zone 01		1 23.00	23.00
487294012	Zone 01		1 23.00	23.00
487294013	Zone 01		1 23.00	23.00
487294014	Zone 01		1 23.00	23.00
487294015	Zone 01		1 23.00	23.00
487294016	Zone 01		1 23.00	23.00
487294017	Zone 01		1 23.00	23.00
487294018	Zone 01		1 23.00	23.00
487294019	Zone 01		1 23.00	23.00
487294020	Zone 01		1 23.00	23.00
487294021	Zone 01		1 23.00	23.00
487294022	Zone 01		1 23.00	23.00
487294023	Zone 01		1 23.00	23.00
487294024	Zone 01		1 23.00	23.00
487294025	Zone 01		1 23.00	23.00
487294026	Zone 01		1 23.00	23.00
487294027	Zone 01		1 23.00	23.00
487294028	Zone 01		1 23.00	23.00
487294029	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
487294030	Zone 01	-Limb Addigned EDO 3	1 23.00	23.00
487294031	Zone 01		1 23.00	23.00
487294032	Zone 01		1 23.00	23.00
487294033	Zone 01		1 23.00	23.00
487294034	Zone 01		1 23.00	23.00
487294035	Zone 01		1 23.00	23.00
487294036	Zone 01		1 23.00	23.00
487294037	Zone 01		1 23.00	23.00
487294038	Zone 01		1 23.00	23.00
487294039	Zone 01		1 23.00	23.00
487300004	Zone 01		1 23.00	23.00
487300005	Zone 01		1 23.00	23.00
487300006	Zone 01		1 23.00	23.00
487300007	Zone 01		1 23.00	23.00
487301001	Zone 01		1 23.00	23.00
487301002	Zone 01		1 23.00	23.00
487301003	Zone 01		1 23.00	23.00
487301004	Zone 01		1 23.00	23.00
487301005	Zone 01		1 23.00	23.00
487301006	Zone 01		1 23.00	23.00
487301007	Zone 01		1 23.00	23.00
487301008	Zone 01		1 23.00	23.00
487301009	Zone 01		1 23.00	23.00
487301010	Zone 01		1 23.00	23.00
487302001	Zone 01		1 23.00	23.00
487302002	Zone 01		1 23.00	23.00
487302003	Zone 01		1 23.00	23.00
487302004	Zone 01		1 23.00	23.00
487302005	Zone 01		1 23.00	23.00
487302006	Zone 01		1 23.00	23.00
487302007	Zone 01		1 23.00	23.00
487302008	Zone 01		1 23.00	23.00
487302009	Zone 01		1 23.00	23.00
487302010	Zone 01		1 23.00	23.00
487302011	Zone 01		1 23.00	23.00
487302012	Zone 01		1 23.00	23.00
487302013	Zone 01		1 23.00	23.00
487302014	Zone 01		1 23.00	23.00
487302015	Zone 01		1 23.00	23.00
487302016	Zone 01		1 23.00	23.00
487302017	Zone 01		1 23.00	23.00
487302018	Zone 01		1 23.00	23.00
487302019	Zone 01		1 23.00	23.00
487302020	Zone 01		1 23.00	23.00
487302021	Zone 01		1 23.00	23.00
487303001	Zone 01		1 23.00	23.00
487303002	Zone 01		1 23.00	23.00
487303003	Zone 01		1 23.00	23.00
			20.00	20.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
487303004	Zone 01		1 23.00	23.00
487303005	Zone 01		1 23.00	23.00
487303006	Zone 01		1 23.00	23.00
487303007	Zone 01		1 23.00	23.00
487303008	Zone 01		1 23.00	23.00
487303009	Zone 01		1 23.00	23.00
487303010	Zone 01		1 23.00	23.00
487303011	Zone 01		1 23.00	23.00
487303012	Zone 01		1 23.00	23.00
487303013	Zone 01		1 23.00	23.00
487303014	Zone 01		1 23.00	23.00
487303015	Zone 01		1 23.00	23.00
487303016	Zone 01		1 23.00	23.00
487303017	Zone 01		1 23.00	23.00
487303018	Zone 01		1 23.00	23.00
487303019	Zone 01		1 23.00	23.00
487303020	Zone 01		1 23.00	23.00
487303021	Zone 01		1 23.00	23.00
487304001	Zone 01		1 23.00	23.00
487304002	Zone 01		1 23.00	23.00
487304003	Zone 01		1 23.00	23.00
487304004	Zone 01		1 23.00	23.00
487304005	Zone 01		1 23.00	23.00
487304006	Zone 01		1 23.00	23.00
487304007	Zone 01		1 23.00	23.00
487304007	Zone 01		1 23.00	23.00
487304009	Zone 01		1 23.00	23.00
487304010	Zone 01		1 23.00	
			1 23.00	23.00
487304011	Zone 01			23.00
487304012 487304013	Zone 01		1 23.00	23.00
	Zone 01		1 23.00	23.00
487304014	Zone 01		1 23.00	23.00
487304015	Zone 01		1 23.00	23.00
487304016	Zone 01		1 23.00	23.00
487304017	Zone 01		1 23.00	23.00
487400029	Zone 01		1 23.00	23.00
487400030	Zone 01		1 23.00	23.00
487400031	Zone 01	·	1 23.00	23.00
487400032	Zone 01		1 23.00	23.00
487400033	Zone 01	•	1 23.00	23.00
487400034	Zone 01		1 23.00	23.00
487400035	Zone 01		1 23.00	23.00
487400036	Zone 01		1 23.00	23.00
487400037	Zone 01		1 23.00	23.00
487400038	Zone 01		1 23.00	23.00
487400039	Zone 01		1 23.00	23.00
487400040	Zone 01		1 23.00	23.00
487400041	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-18	Max Assessment	FY 17-18 Assessment
487400042	Zone 01	1	23.00	23.00
487401001	Zone 01	1	23.00	23.00
487401002	Zone 01	1	23.00	23.00
487401003	Zone 01	1	23.00	23.00
487401004	Zone 01	1	23.00	23.00
487401005	Zone 01	1	23.00	23.00
487401006	Zone 01	1	23.00	23.00
487070001	Zone 01	1	23.00	23.00
487070002	Zone 01	1	23.00	23.00
487070003	Zone 01	1	23.00	23.00
487070004	Zone 01	1	23.00	23.00
487070005	Zone 01	1	23.00	23.00
487071001	Zone 01	1	23.00	23.00
487071002	Zone 01	1	23.00	23.00
487071003	Zone 01	1	23.00	23.00
487071004	Zone 01	1	23.00	23.00
487071005	Zone 01	1	23.00	23.00
487071006	Zone 01	1	23.00	23.00
487071007	Zone 01	1	23.00	23.00
487071008	Zone 01	1	23.00	23.00
487071009	Zone 01	1	23.00	23.00
487071010	Zone 01	1	23.00	23.00
487072004	Zone 01	1	23.00	23.00
487072005	Zone 01	1	23.00	23.00
487072006	Zone 01	1	23.00	23.00
487072007	Zone 01	1	23.00	23.00
487072008	Zone 01	1	23.00	23.00
487072009	Zone 01	1	23.00	23.00
487072010	Zone 01	1	23.00	23.00
487072014	Zone 01	1	23.00	23.00
487072015	Zone 01	1	23.00	23.00
487072016	Zone 01	1	23.00	23.00
487072011	Zone 01	1	23.00	23.00
487072012	Zone 01	1	23.00	23.00
487072013	Zone 01	1	23.00	23.00
487073001	Zone 01	1	23.00	23.00
487073002	Zone 01	1	23.00	23.00
487073003	Zone 01	1	23.00	23.00
487073005	Zone 01	1	23.00	23.00
487073006	Zone 01	1	23.00	23.00
487073007	Zone 01	1	23.00	23.00
487073008	Zone 01	1	23.00	23.00
487073009	Zone 01	1	23.00	23.00
487073010	Zone 01	1	23.00	23.00
487073011	Zone 01	1	23.00	23.00
487073012	Zone 01	1	23.00	23.00
487073013	Zone 01	1	23.00	23.00
487073014	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
487073015	Zone 01	Time Floory, loca EBO 5	1 23.00	23.00
487073016	Zone 01		1 23.00	23.00
487073017	Zone 01		1 23.00	23.00
487073018	Zone 01		1 23.00	23.00
487073019	Zone 01		1 23.00	23.00
487073020	Zone 01		1 23.00	23.00
487073021	Zone 01		1 23.00	23.00
487073022	Zone 01		1 23.00	23.00
487073023	Zone 01		1 23.00	23.00
487073027	Zone 01		1 23.00	23.00
487073028	Zone 01		1 23.00	23.00
487073029	Zone 01		1 23.00	23.00
487073030	Zone 01		1 23.00	23.00
487073031	Zone 01		1 23.00	23.00
487073032	Zone 01		1 23.00	23.00
487073033	Zone 01		1 23.00	23.00
487073034	Zone 01		1 23.00	23.00
487073024	Zone 01		1 23.00	23.00
487073024	Zone 01		1 23.00	23.00
487073025	Zone 01		1 23.00	23.00
487073004	Zone 01		1 23.00	23.00
487074001	Zone 01		1 23.00	23.00
487074002	Zone 01		1 23.00	23.00
487074003	Zone 01		1 23.00	23.00
487074005	Zone 01		1 23.00	23.00
487074006	Zone 01		1 23.00	23.00
487074007	Zone 01		1 23.00	23.00
487074008	Zone 01		1 23.00	23.00
487074009	Zone 01		1 23.00	23.00
487074009	Zone 01		1 23.00	23.00
487080001	Zone 01		1 23.00	23.00
487080001	Zone 01		1 23.00	23.00
487080002	Zone 01		1 23.00	23.00
487080003	Zone 01		1 23.00	23.00
487080004			1 23.00	23.00
487080005	Zone 01 Zone 01		1 23.00	23.00
487081001	Zone 01		1 23.00	23.00
487081001				
	Zone 01		1 23.00	23.00
487081003 487081004	Zone 01		1 23.00	23.00
	Zone 01		1 23.00	23.00
487082001	Zone 01		1 23.00	23.00
487082002	Zone 01		1 23.00	23.00
487082004	Zone 01		1 23.00	23.00
487082005	Zone 01		1 23.00	23.00
487082006	Zone 01		1 23.00	23.00
487082003	Zone 01		1 23.00	23.00
487100001	Zone 01		1 23.00	23.00
487100002	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
487100003	Zone 01		1 23.00	23.00
487100004	Zone 01		1 23.00	23.00
487100005	Zone 01		1 23.00	23.00
487100006	Zone 01		1 23.00	23.00
487100007	Zone 01		1 23.00	23.00
487100008	Zone 01		1 23.00	23.00
487100009	Zone 01		1 23.00	23.00
487100010	Zone 01		1 23.00	23.00
487100011	Zone 01		1 23.00	23.00
487100012	Zone 01		1 23.00	23.00
487100013	Zone 01		1 23.00	23.00
487101001	Zone 01		1 23.00	23.00
487102001	Zone 01		1 23.00	23.00
487103001	Zone 01		1 23.00	23.00
487103002	Zone 01		1 23.00	23.00
487103003	Zone 01		1 23.00	23.00
487103004	Zone 01		1 23.00	23.00
487103005	Zone 01		1 23.00	23.00
487103006	Zone 01		1 23.00	23.00
487103007	Zone 01		1 23.00	23.00
487103008	Zone 01		1 23.00	23.00
487103009	Zone 01		1 23.00	23.00
487103010	Zone 01		1 23.00	23.00
487103011	Zone 01		1 23.00	23.00
487103011	Zone 01		1 23.00	23.00
487103013	Zone 01		1 23.00	23.00
487103014	Zone 01		1 23.00	23.00
487103015	Zone 01		1 23.00	23.00
487103016	Zone 01		1 23.00	23.00
487103017	Zone 01		1 23.00	23.00
487103018	Zone 01		1 23.00	23.00
487103019	Zone 01		1 23.00	23.00
487103013	Zone 01		1 23.00	23.00
487103021	Zone 01		1 23.00	23.00
487103021	Zone 01		1 23.00	23.00
487103023	Zone 01		1 23.00	23.00
487103024	Zone 01		1 23.00	23.00
487103025	Zone 01		1 23.00	23.00
487103026	Zone 01		1 23.00	23.00
487103027	Zone 01		1 23.00	23.00
487103027	Zone 01		1 23.00	23.00
487103029	Zone 01		1 23.00	23.00
487103029	Zone 01		1 23.00	23.00
487110001	Zone 01		1 23.00	23.00
487110001	Zone 01		1 23.00	23.00
487110002	Zone 01		1 23.00	23.00
487110003	Zone 01			
			1 23.00	23.00
487111001	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
487111002	Zone 01		1 23.00	23.00
487111003	Zone 01		1 23.00	23.00
487111004	Zone 01		1 23.00	23.00
487111005	Zone 01		1 23.00	23.00
487111006	Zone 01		1 23.00	23.00
487111007	Zone 01		1 23.00	23.00
487111008	Zone 01		1 23.00	23.00
487111009	Zone 01		1 23.00	23.00
487111010	Zone 01		1 23.00	23.00
487111011	Zone 01		1 23.00	23.00
487111012	Zone 01		1 23.00	23.00
487111013	Zone 01		1 23.00	23.00
487111014	Zone 01		1 23.00	23.00
487111015	Zone 01		1 23.00	23.00
487111016	Zone 01		1 23.00	23.00
487111017	Zone 01		1 23.00	23.00
487111018	Zone 01		1 23.00	23.00
487111019	Zone 01		1 23.00	23.00
487111020	Zone 01		1 23.00	23.00
487111021	Zone 01		1 23.00	23.00
487111022	Zone 01		1 23.00	23.00
487111023	Zone 01		1 23.00	23.00
487111024	Zone 01		1 23.00	23.00
487111025	Zone 01		1 23.00	23.00
487111026	Zone 01		1 23.00	23.00
487111027	Zone 01		1 23.00	23.00
487111028	Zone 01		1 23.00	23.00
487111029	Zone 01		1 23.00	23.00
487111030	Zone 01		1 23.00	23.00
487111030	Zone 01		1 23.00	23.00
487111032	Zone 01		1 23.00	23.00
487111033	Zone 01		1 23.00	23.00
487111034	Zone 01		1 23.00	23.00
487112001	Zone 01		1 23.00	23.00
487112001	Zone 01		1 23.00	23.00
487112002	Zone 01		1 23.00	23.00
487112003	Zone 01		1 23.00	23.00
487112004	Zone 01		1 23.00	23.00
487112005			1 23.00	23.00
	Zone 01			
487112007	Zone 01		1 23.00	23.00
487112008	Zone 01		1 23.00	23.00
487112009	Zone 01		1 23.00	23.00
487112010	Zone 01		1 23.00	23.00
487112011	Zone 01		1 23.00	23.00
487112012	Zone 01		1 23.00	23.00
487112013	Zone 01		1 23.00	23.00
487112014	Zone 01		1 23.00	23.00
487112015	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
487112016	Zone 01		1 23.00	23.00
487112017	Zone 01		1 23.00	23.00
487112018	Zone 01		1 23.00	23.00
487130001	Zone 01		1 23.00	23.00
487130002	Zone 01		1 23.00	23.00
487130003	Zone 01		1 23.00	23.00
487130004	Zone 01		1 23.00	23.00
487131001	Zone 01		1 23.00	23.00
487131002	Zone 01		1 23.00	23.00
487131003	Zone 01		1 23.00	23.00
487131004	Zone 01		1 23.00	23.00
487131005	Zone 01		1 23.00	23.00
487131006	Zone 01		1 23.00	23.00
487131007	Zone 01		1 23.00	23.00
487131008	Zone 01		1 23.00	23.00
487131009	Zone 01		1 23.00	23.00
487131010	Zone 01		1 23.00	23.00
487131011	Zone 01		1 23.00	23.00
487131012	Zone 01		1 23.00	23.00
487131013	Zone 01		1 23.00	23.00
487131014	Zone 01		1 23.00	23.00
487131015	Zone 01		1 23.00	23.00
487131016	Zone 01		1 23.00	23.00
487520009	Zone 01		1 23.00	23.00
484203001	Zone 01		1 23.00	23.00
484203001	Zone 01		1 23.00	23.00
484203003	Zone 01		1 23.00	23.00
484203004	Zone 01		1 23.00	23.00
484203004	Zone 01		1 23.00	23.00
484203006	Zone 01		1 23.00	23.00
484203000	Zone 01		1 23.00	23.00
				23.00
484203008	Zone 01 Zone 01		1 23.00	
484201027			1 23.00 1 23.00	23.00
484201028	Zone 01			23.00
484201029	Zone 01		1 23.00	23.00
484201030	Zone 01		1 23.00	23.00
484201031	Zone 01		1 23.00	23.00
484201032	Zone 01		1 23.00	23.00
484201033	Zone 01		1 23.00	23.00
484201034	Zone 01		1 23.00	23.00
484201035	Zone 01		1 23.00	23.00
484201036	Zone 01		1 23.00	23.00
484201037	Zone 01		1 23.00	23.00
486554003	Zone 01		1 23.00	23.00
486554004	Zone 01		1 23.00	23.00
486554005	Zone 01		1 23.00	23.00
486554006	Zone 01		1 23.00	23.00
486541018	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-1	8 Max Assessment	FY 17-18 Assessment
486541019	Zone 01	1	23.00	23.00
486542001	Zone 01	1	23.00	23.00
486542002	Zone 01	1	23.00	23.00
486542003	Zone 01	1	23.00	23.00
486542004	Zone 01	1	23.00	23.00
486542005	Zone 01	1	23.00	23.00
486542006	Zone 01	1	23.00	23.00
486542007	Zone 01	1	23.00	23.00
486542008	Zone 01	1	23.00	23.00
486540001	Zone 01	1	23.00	23.00
486540002	Zone 01	1	23.00	23.00
486540003	Zone 01	1	23.00	23.00
486540004	Zone 01	1	23.00	23.00
486540005	Zone 01	1	23.00	23.00
486540006	Zone 01	1	23.00	23.00
486542009	Zone 01	1	23.00	23.00
486542010	Zone 01	1	23.00	23.00
485033033	Zone 01	1	23.00	23.00
485033034	Zone 01	1	23.00	23.00
484072036	Zone 01	1	23.00	23.00
484072037	Zone 01	1	23.00	23.00
484072038	Zone 01	1	23.00	23.00
484060061	Zone 01	1	23.00	23.00
484060062	Zone 01	1	23.00	23.00
484060063	Zone 01	1	23.00	23.00
484060064	Zone 01	1	23.00	23.00
484060065	Zone 01	1	23.00	23.00
484060066	Zone 01	1	23.00	23.00
484060067	Zone 01	1	23.00	23.00
484060068	Zone 01	1	23.00	23.00
484060069	Zone 01	1	23.00	23.00
484060070	Zone 01	1	23.00	23.00
484060071	Zone 01	1	23.00	23.00
484060072	Zone 01	1	23.00	23.00
484060073	Zone 01	1	23.00	23.00
484060074	Zone 01	1	23.00	23.00
484060075	Zone 01	1	23.00	23.00
484060076	Zone 01	1	23.00	23.00
484071001	Zone 01	1	23.00	23.00
484042022	Zone 01	1	23.00	23.00
484042023	Zone 01	1	23.00	23.00
484042024	Zone 01	1	23.00	23.00
484042025	Zone 01	1	23.00	23.00
484042026	Zone 01	1	23.00	23.00
484042027	Zone 01	1	23.00	23.00
484042028	Zone 01	1	23.00	23.00
484042029	Zone 01	1	23.00	23.00
484042030	Zone 01	1	23.00	23.00
				_5100

APN	LMD 2014-01 Zone LMD Assigne	d EBU's FY 17-18 I	Max Assessment	FY 17-18 Assessment
484042031	Zone 01	1	23.00	23.00
484042032	Zone 01	1	23.00	23.00
484042033	Zone 01	1	23.00	23.00
484042034	Zone 01	1	23.00	23.00
484042035	Zone 01	1	23.00	23.00
484042036	Zone 01	1	23.00	23.00
484042037	Zone 01	1	23.00	23.00
484042038	Zone 01	1	23.00	23.00
484042039	Zone 01	1	23.00	23.00
484060011	Zone 01	1	23.00	23.00
484060012	Zone 01	1	23.00	23.00
484060013	Zone 01	1	23.00	23.00
484060014	Zone 01	1	23.00	23.00
484060015	Zone 01	1	23.00	23.00
484060016	Zone 01	1	23.00	23.00
484060017	Zone 01	1	23.00	23.00
484060018	Zone 01	1	23.00	23.00
484060019	Zone 01	1	23.00	23.00
484060020	Zone 01	1	23.00	23.00
484060021	Zone 01	1	23.00	23.00
484060022	Zone 01	1	23.00	23.00
484060023	Zone 01	1	23.00	23.00
484060024	Zone 01	1	23.00	23.00
484060025	Zone 01	1	23.00	23.00
484060026	Zone 01	1	23.00	23.00
484060027	Zone 01	1	23.00	23.00
484060028	Zone 01	1	23.00	23.00
484060029	Zone 01	1	23.00	23.00
484060030	Zone 01	1	23.00	23.00
484060031	Zone 01	1	23.00	23.00
484060032	Zone 01	1	23.00	23.00
484060033	Zone 01	1	23.00	23.00
484060034	Zone 01	1	23.00	23.00
484060035	Zone 01	1	23.00	23.00
484060036	Zone 01	1	23.00	23.00
484060037	Zone 01	1	23.00	23.00
484060038	Zone 01	1	23.00	23.00
484060039	Zone 01	1	23.00	23.00
484060040	Zone 01	1	23.00	23.00
484060041	Zone 01	1	23.00	23.00
484060042	Zone 01	1	23.00	23.00
484060043	Zone 01	1	23.00	23.00
484060044	Zone 01	1	23.00	23.00
484060045	Zone 01	1	23.00	23.00
484060046	Zone 01	1	23.00	23.00
484060047	Zone 01	1	23.00	23.00
484060048	Zone 01	1	23.00	23.00
484060049	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	! EBU's FY 17-18 N	Max Assessment	FY 17-18 Assessment
484060050	Zone 01	1	23.00	23.00
484060051	Zone 01	1	23.00	23.00
484060052	Zone 01	1	23.00	23.00
484060053	Zone 01	1	23.00	23.00
484060054	Zone 01	1	23.00	23.00
484060055	Zone 01	1	23.00	23.00
484060056	Zone 01	1	23.00	23.00
484060057	Zone 01	1	23.00	23.00
484060058	Zone 01	1	23.00	23.00
484060059	Zone 01	1	23.00	23.00
484060060	Zone 01	1	23.00	23.00
484072018	Zone 01	1	23.00	23.00
484072019	Zone 01	1	23.00	23.00
484072020	Zone 01	1	23.00	23.00
484072021	Zone 01	1	23.00	23.00
484072022	Zone 01	1	23.00	23.00
484072023	Zone 01	1	23.00	23.00
484072024	Zone 01	1	23.00	23.00
484072025	Zone 01	1	23.00	23.00
484072026	Zone 01	1	23.00	23.00
484072027	Zone 01	1	23.00	23.00
484072028	Zone 01	1	23.00	23.00
484072029	Zone 01	1	23.00	23.00
484072030	Zone 01	1	23.00	23.00
484072031	Zone 01	1	23.00	23.00
484072032	Zone 01	1	23.00	23.00
484072033	Zone 01	1	23.00	23.00
484072034	Zone 01	1	23.00	23.00
484072035	Zone 01	1	23.00	23.00
484071002	Zone 01	1	23.00	23.00
484071003	Zone 01	1	23.00	23.00
484071004	Zone 01	1	23.00	23.00
484071005	Zone 01	1	23.00	23.00
484071006	Zone 01	1	23.00	23.00
484071007	Zone 01	1	23.00	23.00
484071008	Zone 01	1	23.00	23.00
484071009	Zone 01	1	23.00	23.00
484071010	Zone 01	1	23.00	23.00
484071011	Zone 01	1	23.00	23.00
484071012	Zone 01	1	23.00	23.00
484071013	Zone 01	1	23.00	23.00
484071014	Zone 01	1	23.00	23.00
484072001	Zone 01	1	23.00	23.00
484072002	Zone 01	1	23.00	23.00
484072003	Zone 01	1	23.00	23.00
484072004	Zone 01	1	23.00	23.00
484072005	Zone 01	1	23.00	23.00
484072006	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigne	d EBU's FY 17-18	Max Assessment	FY 17-18 Assessment
484072007	Zone 01	1	23.00	23.00
484072008	Zone 01	1	23.00	23.00
484072009	Zone 01	1	23.00	23.00
484072010	Zone 01	1	23.00	23.00
484072011	Zone 01	1	23.00	23.00
484072012	Zone 01	1	23.00	23.00
484072013	Zone 01	1	23.00	23.00
484072014	Zone 01	1	23.00	23.00
484072015	Zone 01	1	23.00	23.00
484072016	Zone 01	1	23.00	23.00
484072017	Zone 01	1	23.00	23.00
484041001	Zone 01	1	23.00	23.00
484041002	Zone 01	1	23.00	23.00
484041003	Zone 01	1	23.00	23.00
484041004	Zone 01	1	23.00	23.00
484041005	Zone 01	1	23.00	23.00
484041006	Zone 01	1	23.00	23.00
484041007	Zone 01	1	23.00	23.00
484041008	Zone 01	1	23.00	23.00
484041009	Zone 01	1	23.00	23.00
484041010	Zone 01	1	23.00	23.00
484041011	Zone 01	1	23.00	23.00
484041012	Zone 01	1	23.00	23.00
484041013	Zone 01	1	23.00	23.00
484041014	Zone 01	1	23.00	23.00
484041015	Zone 01	1	23.00	23.00
484041016	Zone 01	1	23.00	23.00
484041017	Zone 01	1	23.00	23.00
484041018	Zone 01	1	23.00	23.00
484041019	Zone 01	1	23.00	23.00
484041020	Zone 01	1	23.00	23.00
484041021	Zone 01	1	23.00	23.00
484041022	Zone 01	1	23.00	23.00
484041023	Zone 01	1	23.00	23.00
484041024	Zone 01	1	23.00	23.00
484041025	Zone 01	1	23.00	23.00
484041026	Zone 01	1	23.00	23.00
484041027	Zone 01	1	23.00	23.00
484041028	Zone 01	1	23.00	23.00
484042002	Zone 01	1	23.00	23.00
484042003	Zone 01	1	23.00	23.00
484042004	Zone 01	1	23.00	23.00
484042005	Zone 01	1	23.00	23.00
484042006	Zone 01	1	23.00	23.00
484042007	Zone 01	1	23.00	23.00
484042008	Zone 01	1	23.00	23.00
484042009	Zone 01	1	23.00	23.00
484042010	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned E	BU's FY 17-1	8 Max Assessment	FY 17-18 Assessment
484042011	Zone 01	1	23.00	23.00
484042012	Zone 01	1	23.00	23.00
484042013	Zone 01	1	23.00	23.00
484042014	Zone 01	1	23.00	23.00
484042015	Zone 01	1	23.00	23.00
484042016	Zone 01	1	23.00	23.00
484042017	Zone 01	1	23.00	23.00
484042018	Zone 01	1	23.00	23.00
484042019	Zone 01	1	23.00	23.00
484042020	Zone 01	1	23.00	23.00
484042021	Zone 01	1	23.00	23.00
484042040	Zone 01	1	23.00	23.00
484042041	Zone 01	1	23.00	23.00
484042042	Zone 01	1	23.00	23.00
484042043	Zone 01	1	23.00	23.00
484042044	Zone 01	1	23.00	23.00
484042045	Zone 01	1	23.00	23.00
484042046	Zone 01	1	23.00	23.00
484042047	Zone 01	1	23.00	23.00
484042048	Zone 01	1	23.00	23.00
484051001	Zone 01	1	23.00	23.00
484051002	Zone 01	1	23.00	23.00
484051003	Zone 01	1	23.00	23.00
484051004	Zone 01	1	23.00	23.00
484051005	Zone 01	1	23.00	23.00
484051006	Zone 01	1	23.00	23.00
484051007	Zone 01	1	23.00	23.00
484051008	Zone 01	1	23.00	23.00
484051009	Zone 01	1	23.00	23.00
484051010	Zone 01	1	23.00	23.00
484051011	Zone 01	1	23.00	23.00
484051012	Zone 01	1	23.00	23.00
484051013	Zone 01	1	23.00	23.00
484051014	Zone 01	1	23.00	23.00
484051015	Zone 01	1	23.00	23.00
484051016	Zone 01	1	23.00	23.00
484051017	Zone 01	1	23.00	23.00
484051018	Zone 01	1	23.00	23.00
484051019	Zone 01	1	23.00	23.00
484051020	Zone 01	1	23.00	23.00
484051021	Zone 01	1	23.00	23.00
484051022	Zone 01	1	23.00	23.00
484051023	Zone 01	1	23.00	23.00
484051024	Zone 01	1	23.00	23.00
484051025	Zone 01	1	23.00	23.00
484051026	Zone 01	1	23.00	23.00
484051027	Zone 01	1	23.00	23.00
484051028	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Ass	igned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
484052001	Zone 01	1	23.00	23.00
484052002	Zone 01	1	23.00	23.00
484052003	Zone 01	1	23.00	23.00
484052004	Zone 01	1	23.00	23.00
484052005	Zone 01	1	23.00	23.00
484052006	Zone 01	1	23.00	23.00
484052007	Zone 01	1	23.00	23.00
484052008	Zone 01	1	23.00	23.00
484052009	Zone 01	1	23.00	23.00
484060001	Zone 01	1	23.00	23.00
484060002	Zone 01	1	23.00	23.00
484060003	Zone 01	1	23.00	23.00
484060004	Zone 01	1	23.00	23.00
484060005	Zone 01	1	23.00	23.00
484060006	Zone 01	1	23.00	23.00
484060007	Zone 01	1	23.00	23.00
484060008	Zone 01	1	23.00	23.00
484060009	Zone 01	1	23.00	23.00
484060010	Zone 01	1	23.00	23.00
484072039	Zone 01	1	23.00	23.00
484072040	Zone 01	1	23.00	23.00
484072041	Zone 01	1	23.00	23.00
484072042	Zone 01	1	23.00	23.00
484072043	Zone 01	1	23.00	23.00
484072044	Zone 01	1	23.00	23.00
484072045	Zone 01	1	23.00	23.00
484072046	Zone 01	1	23.00	23.00
484072047	Zone 01	1	23.00	23.00
484072048	Zone 01	1	23.00	23.00
484072049	Zone 01	1	23.00	23.00
484072050	Zone 01	1	23.00	23.00
484072051	Zone 01	1	23.00	23.00
484072052	Zone 01	1	23.00	23.00
484072053	Zone 01	1	23.00	23.00
484072054	Zone 01	1	23.00	23.00
484072055	Zone 01	1	23.00	23.00
484072056	Zone 01	1	23.00	23.00
484072057	Zone 01	1	23.00	23.00
484072058	Zone 01	1	23.00	23.00
484072059	Zone 01	1	23.00	23.00
484072060	Zone 01	1	23.00	23.00
484072061	Zone 01	1	23.00	23.00
484072062	Zone 01	1	23.00	23.00
484072063	Zone 01	1	23.00	23.00
484072064	Zone 01	1	23.00	23.00
484072065	Zone 01	1	23.00	23.00
484072066	Zone 01	1	23.00	23.00
484072067	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
484072068	Zone 01		1 23.00	23.00
484072069	Zone 01		1 23.00	23.00
484072070	Zone 01		1 23.00	23.00
484072071	Zone 01		1 23.00	23.00
484072072	Zone 01		1 23.00	23.00
484072073	Zone 01		1 23.00	23.00
484072074	Zone 01		1 23.00	23.00
484072075	Zone 01		1 23.00	23.00
484072076	Zone 01		1 23.00	23.00
484072077	Zone 01		1 23.00	23.00
484072078	Zone 01		1 23.00	23.00
484072079	Zone 01		1 23.00	23.00
484072080	Zone 01		1 23.00	23.00
484072081	Zone 01		1 23.00	23.00
484072082	Zone 01		1 23.00	23.00
484072083	Zone 01		1 23.00	23.00
484072084	Zone 01		1 23.00	23.00
484072085	Zone 01		1 23.00	23.00
484072086	Zone 01		1 23.00	23.00
484072087	Zone 01		1 23.00	23.00
484072088	Zone 01		1 23.00	23.00
484072089	Zone 01		1 23.00	23.00
484072090	Zone 01		1 23.00	23.00
484072091	Zone 01		1 23.00	23.00
484072092	Zone 01		1 23.00	23.00
484072093	Zone 01		1 23.00	23.00
484072094	Zone 01		1 23.00	23.00
484072095	Zone 01		1 23.00	23.00
484072096	Zone 01		1 23.00	23.00
484072097	Zone 01		1 23.00	23.00
484072098	Zone 01		1 23.00	23.00
484072099	Zone 01		1 23.00	23.00
484072100	Zone 01		1 23.00	23.00
484072101	Zone 01		1 23.00	23.00
484072102	Zone 01		1 23.00	23.00
484072103	Zone 01		1 23.00	23.00
484072104	Zone 01		1 23.00	23.00
484072105	Zone 01		1 23.00	23.00
484081001	Zone 01		1 23.00	23.00
484081002	Zone 01		1 23.00	23.00
484081003	Zone 01		1 23.00	23.00
484081004	Zone 01		1 23.00	23.00
484081005	Zone 01		1 23.00	23.00
484081006	Zone 01		1 23.00	23.00
484081007	Zone 01		1 23.00	23.00
484081008	Zone 01		1 23.00	23.00
484081009	Zone 01		1 23.00	23.00
484081010	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD	Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
484081011	Zone 01		1 23.00	23.00
484081012	Zone 01		1 23.00	23.00
484081013	Zone 01		1 23.00	23.00
484081014	Zone 01		1 23.00	23.00
484081015	Zone 01		1 23.00	23.00
484081016	Zone 01		1 23.00	23.00
484081017	Zone 01		1 23.00	23.00
484081018	Zone 01		1 23.00	23.00
484081019	Zone 01		1 23.00	23.00
484081020	Zone 01		1 23.00	23.00
484081021	Zone 01		1 23.00	23.00
484081022	Zone 01		1 23.00	23.00
484081023	Zone 01		1 23.00	23.00
484081024	Zone 01		1 23.00	23.00
484081025	Zone 01		1 23.00	23.00
484081026	Zone 01		1 23.00	23.00
484082001	Zone 01		1 23.00	23.00
484082002	Zone 01		1 23.00	23.00
484082003	Zone 01		1 23.00	23.00
484082004	Zone 01		1 23.00	23.00
484082005	Zone 01		1 23.00	23.00
484082006	Zone 01		1 23.00	23.00
484082007	Zone 01		1 23.00	23.00
484082008	Zone 01		1 23.00	23.00
484082009	Zone 01		1 23.00	23.00
484082010	Zone 01		1 23.00	23.00
484082011	Zone 01		1 23.00	23.00
484082012	Zone 01		1 23.00	23.00
484082013	Zone 01		1 23.00	23.00
484082014	Zone 01		1 23.00	23.00
484082015	Zone 01		1 23.00	23.00
484082016	Zone 01		1 23.00	23.00
484082017	Zone 01		1 23.00	23.00
484082018	Zone 01		1 23.00	23.00
484082019	Zone 01		1 23.00	23.00
484082020	Zone 01		1 23.00	23.00
484082021	Zone 01		1 23.00	23.00
484082022	Zone 01		1 23.00	23.00
484082023	Zone 01		1 23.00	23.00
484082024	Zone 01		1 23.00	23.00
484082025	Zone 01		1 23.00	23.00
484082026	Zone 01		1 23.00	23.00
484082027	Zone 01		1 23.00	23.00
484082028	Zone 01		1 23.00	23.00
484082029	Zone 01		1 23.00	23.00
484082030			1 23.00	23.00
	Zone 01			
484083001 484083002	Zone 01 Zone 01		1 23.00 1 23.00	23.00 23.00
404003002	Zone on		23.00	23.00

APN	LMD 2014-01 Zone LMD Assig	gned EBU's FY	17-18 Max Assessment	FY 17-18 Assessment
484083003	Zone 01	1	23.00	23.00
484083004	Zone 01	1	23.00	23.00
484083005	Zone 01	1	23.00	23.00
484083006	Zone 01	1	23.00	23.00
484083007	Zone 01	1	23.00	23.00
484083008	Zone 01	1	23.00	23.00
484083009	Zone 01	1	23.00	23.00
484083010	Zone 01	1	23.00	23.00
484083011	Zone 01	1	23.00	23.00
484083012	Zone 01	1	23.00	23.00
484083013	Zone 01	1	23.00	23.00
484083014	Zone 01	1	23.00	23.00
484083015	Zone 01	1	23.00	23.00
484083016	Zone 01	1	23.00	23.00
484091001	Zone 01	1	23.00	23.00
484091002	Zone 01	1	23.00	23.00
484091003	Zone 01	1	23.00	23.00
484091004	Zone 01	1	23.00	23.00
484091005	Zone 01	1	23.00	23.00
484091006	Zone 01	1	23.00	23.00
484091007	Zone 01	1	23.00	23.00
484091008	Zone 01	1	23.00	23.00
484091009	Zone 01	1	23.00	23.00
484091010	Zone 01	1	23.00	23.00
484091011	Zone 01	1	23.00	23.00
484091012	Zone 01	1	23.00	23.00
484091013	Zone 01	1	23.00	23.00
484091014	Zone 01	1	23.00	23.00
484091015	Zone 01	1	23.00	23.00
484091016	Zone 01	1	23.00	23.00
484091017	Zone 01	1	23.00	23.00
484091018	Zone 01	1	23.00	23.00
484091019	Zone 01	1	23.00	23.00
484091020	Zone 01	1	23.00	23.00
484091021	Zone 01	1	23.00	23.00
484092001	Zone 01	1	23.00	23.00
484092002	Zone 01	1	23.00	23.00
484092003	Zone 01	1	23.00	23.00
484092004	Zone 01	1	23.00	23.00
484092005	Zone 01	1	23.00	23.00
484092006	Zone 01	1	23.00	23.00
484092007	Zone 01	1	23.00	23.00
484092008	Zone 01	1	23.00	23.00
484092009	Zone 01	1	23.00	23.00
484092010	Zone 01	1	23.00	23.00
484092011	Zone 01	1	23.00	23.00
484092012	Zone 01	1	23.00	23.00
484092013	Zone 01	1	23.00	23.00
12.002010			23.00	20.00

APN	LMD 2014-01 Zone LMD Assigned E	BU's FY 17-	18 Max Assessment	FY 17-18 Assessment
484092014	Zone 01	1	23.00	23.00
484092015	Zone 01	1	23.00	23.00
484092016	Zone 01	1	23.00	23.00
484092017	Zone 01	1	23.00	23.00
484092018	Zone 01	1	23.00	23.00
484092019	Zone 01	1	23.00	23.00
484092020	Zone 01	1	23.00	23.00
484092021	Zone 01	1	23.00	23.00
484092022	Zone 01	1	23.00	23.00
484092023	Zone 01	1	23.00	23.00
484092024	Zone 01	1	23.00	23.00
484092025	Zone 01	1	23.00	23.00
484092026	Zone 01	1	23.00	23.00
484092027	Zone 01	1	23.00	23.00
484092028	Zone 01	1	23.00	23.00
484092029	Zone 01	1	23.00	23.00
484092030	Zone 01	1	23.00	23.00
484092031	Zone 01	1	23.00	23.00
484092032	Zone 01	1	23.00	23.00
484092033	Zone 01	1	23.00	23.00
484092034	Zone 01	1	23.00	23.00
484092035	Zone 01	1	23.00	23.00
484092036	Zone 01	1	23.00	23.00
484092037	Zone 01	1	23.00	23.00
484093001	Zone 01	1	23.00	23.00
484093002	Zone 01	1	23.00	23.00
484093003	Zone 01	1	23.00	23.00
484093004	Zone 01	1	23.00	23.00
484093005	Zone 01	1	23.00	23.00
484093006	Zone 01	1	23.00	23.00
484093007	Zone 01	1	23.00	23.00
484093008	Zone 01	1	23.00	23.00
484093009	Zone 01	1	23.00	23.00
484093010	Zone 01	1	23.00	23.00
484093011	Zone 01	1	23.00	23.00
484094001	Zone 01	1	23.00	23.00
484094002	Zone 01	1	23.00	23.00
484094003	Zone 01	1	23.00	23.00
484094004	Zone 01	1	23.00	23.00
484094005	Zone 01	1	23.00	23.00
484094006	Zone 01	1	23.00	23.00
484094007	Zone 01	1	23.00	23.00
484094008	Zone 01	1	23.00	23.00
484094009	Zone 01	1	23.00	23.00
484094010	Zone 01	1	23.00	23.00
484101001	Zone 01	1	23.00	23.00
484101002	Zone 01	1	23.00	23.00
484101003	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-1	8 Max Assessment	FY 17-18 Assessment
484101004	Zone 01	1	23.00	23.00
484101005	Zone 01	1	23.00	23.00
484101006	Zone 01	1	23.00	23.00
484101007	Zone 01	1	23.00	23.00
484101008	Zone 01	1	23.00	23.00
484101009	Zone 01	1	23.00	23.00
484101010	Zone 01	1	23.00	23.00
484101011	Zone 01	1	23.00	23.00
484101012	Zone 01	1	23.00	23.00
484101013	Zone 01	1	23.00	23.00
484101014	Zone 01	1	23.00	23.00
484101015	Zone 01	1	23.00	23.00
484101016	Zone 01	1	23.00	23.00
484101017	Zone 01	1	23.00	23.00
484101018	Zone 01	1	23.00	23.00
484101019	Zone 01	1	23.00	23.00
484101020	Zone 01	1	23.00	23.00
484101021	Zone 01	1	23.00	23.00
484101022	Zone 01	1	23.00	23.00
484101025	Zone 01	1	23.00	23.00
484101026	Zone 01	1	23.00	23.00
484101027	Zone 01	1	23.00	23.00
484101028	Zone 01	1	23.00	23.00
484101029	Zone 01	1	23.00	23.00
484101030	Zone 01	1	23.00	23.00
484102001	Zone 01	1	23.00	23.00
484102002	Zone 01	1	23.00	23.00
484102003	Zone 01	1	23.00	23.00
484102004	Zone 01	1	23.00	23.00
484102005	Zone 01	1	23.00	23.00
484102006	Zone 01	1	23.00	23.00
484102007	Zone 01	1	23.00	23.00
484102008	Zone 01	1	23.00	23.00
484102009	Zone 01	1	23.00	23.00
484102010	Zone 01	1	23.00	23.00
484102011	Zone 01	1	23.00	23.00
484102012	Zone 01	1	23.00	23.00
484102013	Zone 01	1	23.00	23.00
484102014	Zone 01	1	23.00	23.00
484102015	Zone 01	1	23.00	23.00
484102016	Zone 01	1	23.00	23.00
484102017	Zone 01	1	23.00	23.00
484102018	Zone 01	1	23.00	23.00
484102019	Zone 01	1	23.00	23.00
484102020	Zone 01	1	23.00	23.00
484103001	Zone 01	1	23.00	23.00
484103002	Zone 01	1	23.00	23.00
484103003	Zone 01	1	23.00	23.00
			==.00	

APN	LMD 2014-01 Zone LMD Assign	ned EBU's FY 17-18 M	ax Assessment	FY 17-18 Assessment
484103004	Zone 01	1	23.00	23.00
484103005	Zone 01	1	23.00	23.00
484103006	Zone 01	1	23.00	23.00
484103007	Zone 01	1	23.00	23.00
484103008	Zone 01	1	23.00	23.00
484103009	Zone 01	1	23.00	23.00
484103010	Zone 01	1	23.00	23.00
484104001	Zone 01	1	23.00	23.00
484104002	Zone 01	1	23.00	23.00
484104003	Zone 01	1	23.00	23.00
484104004	Zone 01	1	23.00	23.00
484104005	Zone 01	1	23.00	23.00
484104006	Zone 01	1	23.00	23.00
484104007	Zone 01	1	23.00	23.00
484104008	Zone 01	1	23.00	23.00
484104009	Zone 01	1	23.00	23.00
484104010	Zone 01	1	23.00	23.00
484105001	Zone 01	1	23.00	23.00
484105002	Zone 01	1	23.00	23.00
484105003	Zone 01	1	23.00	23.00
484105004	Zone 01	1	23.00	23.00
484105005	Zone 01	1	23.00	23.00
484105006	Zone 01	1	23.00	23.00
484105007	Zone 01	1	23.00	23.00
484105008	Zone 01	1	23.00	23.00
484105009	Zone 01	1	23.00	23.00
484105010	Zone 01	1	23.00	23.00
484106001		1	23.00	
484106001	Zone 01	1		23.00 23.00
	Zone 01	1	23.00 23.00	23.00
484106003	Zone 01	1		
484106004	Zone 01	1	23.00	23.00
484106005	Zone 01	1	23.00	23.00
484106006	Zone 01	1	23.00	23.00
484106007	Zone 01	1	23.00	23.00
484106008	Zone 01	1	23.00	23.00
484106009	Zone 01	1	23.00	23.00
484106010	Zone 01	1	23.00	23.00
484111001	Zone 01	1	23.00	23.00
484111002	Zone 01	1	23.00	23.00
484111003	Zone 01	1	23.00	23.00
484111004	Zone 01	1	23.00	23.00
484111005	Zone 01	1	23.00	23.00
484111006	Zone 01	1	23.00	23.00
484111007	Zone 01	1	23.00	23.00
484111008	Zone 01	1	23.00	23.00
484111009	Zone 01	1	23.00	23.00
484111010	Zone 01	1	23.00	23.00
484111011	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-1	8 Max Assessment	FY 17-18 Assessment
484111012	Zone 01	1	23.00	23.00
484111013	Zone 01	1	23.00	23.00
484111014	Zone 01	1	23.00	23.00
484111015	Zone 01	1	23.00	23.00
484111016	Zone 01	1	23.00	23.00
484111017	Zone 01	1	23.00	23.00
484111018	Zone 01	1	23.00	23.00
484111019	Zone 01	1	23.00	23.00
484111020	Zone 01	1	23.00	23.00
484111021	Zone 01	1	23.00	23.00
484111022	Zone 01	1	23.00	23.00
484111023	Zone 01	1	23.00	23.00
484111024	Zone 01	1	23.00	23.00
484111025	Zone 01	1	23.00	23.00
484111026	Zone 01	1	23.00	23.00
484111027	Zone 01	1	23.00	23.00
484111028	Zone 01	1	23.00	23.00
484111029	Zone 01	1	23.00	23.00
484111030	Zone 01	1	23.00	23.00
484111031	Zone 01	1	23.00	23.00
484111032	Zone 01	1	23.00	23.00
484111033	Zone 01	1	23.00	23.00
484111034	Zone 01	1	23.00	23.00
484111035	Zone 01	1	23.00	23.00
484111036	Zone 01	1	23.00	23.00
484111037	Zone 01	1	23.00	23.00
484111038	Zone 01	1	23.00	23.00
484111039	Zone 01	1	23.00	23.00
484112001	Zone 01	1	23.00	23.00
484112002	Zone 01	1	23.00	23.00
484112003	Zone 01	1	23.00	23.00
484112004	Zone 01	1	23.00	23.00
484112005	Zone 01	1	23.00	23.00
484112006	Zone 01	1	23.00	23.00
484112007	Zone 01	1	23.00	23.00
484112008	Zone 01	1	23.00	23.00
484112009	Zone 01	1	23.00	23.00
484112010	Zone 01	1	23.00	23.00
484112011	Zone 01	1	23.00	23.00
484112012	Zone 01	1	23.00	23.00
484112013	Zone 01	1	23.00	23.00
484112014	Zone 01	1	23.00	23.00
484112015	Zone 01	1	23.00	23.00
484112016	Zone 01	1	23.00	23.00
484112017	Zone 01	1	23.00	23.00
484112018	Zone 01	1	23.00	23.00
484112019	Zone 01	1	23.00	23.00
484112020	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
484112021	Zone 01		1 23.00	23.00
484112022	Zone 01		1 23.00	23.00
484112023	Zone 01		1 23.00	23.00
484113001	Zone 01		1 23.00	23.00
484113002	Zone 01		1 23.00	23.00
484113003	Zone 01		1 23.00	23.00
484113004	Zone 01		1 23.00	23.00
484113005	Zone 01		1 23.00	23.00
484113006	Zone 01		1 23.00	23.00
484113007	Zone 01		1 23.00	23.00
484113008	Zone 01		1 23.00	23.00
484113009	Zone 01		1 23.00	23.00
484113010	Zone 01		1 23.00	23.00
484113011	Zone 01		1 23.00	23.00
484113012	Zone 01		1 23.00	23.00
484113013	Zone 01		1 23.00	23.00
484113014	Zone 01		1 23.00	23.00
484113015	Zone 01		1 23.00	23.00
484113016	Zone 01		1 23.00	23.00
484113017	Zone 01		1 23.00	23.00
484113018	Zone 01		1 23.00	23.00
484113019	Zone 01		1 23.00	23.00
484121001	Zone 01		1 23.00	23.00
484121002	Zone 01		1 23.00	23.00
484121003	Zone 01		1 23.00	23.00
484121004	Zone 01		1 23.00	23.00
484121005	Zone 01		1 23.00	23.00
484121006	Zone 01		1 23.00	23.00
484121007	Zone 01		1 23.00	23.00
484121008	Zone 01		1 23.00	23.00
484121009	Zone 01		1 23.00	23.00
484121010	Zone 01		1 23.00	23.00
484121011	Zone 01		1 23.00	23.00
484121012	Zone 01		1 23.00	23.00
484121013	Zone 01		1 23.00	23.00
484121014	Zone 01		1 23.00	23.00
484121015	Zone 01		1 23.00	23.00
484121016	Zone 01		1 23.00	23.00
484121017	Zone 01		1 23.00	23.00
484121018	Zone 01		1 23.00	23.00
484121019	Zone 01		1 23.00	23.00
484121020	Zone 01		1 23.00	23.00
484121021	Zone 01		1 23.00	23.00
484121022	Zone 01		1 23.00	23.00
484121023	Zone 01		1 23.00	23.00
484121024	Zone 01		1 23.00	23.00
484121025	Zone 01		1 23.00	23.00
484121026	Zone 01		1 23.00	23.00
707121020	20110-01		25.00	25.00

APN	LMD 2014-01 Zone LMD Assign	ned EBU's FY 17-18 Ma	x Assessment	FY 17-18 Assessment
484121027	Zone 01	1	23.00	23.00
484121028	Zone 01	1	23.00	23.00
484121029	Zone 01	1	23.00	23.00
484121030	Zone 01	1	23.00	23.00
484121031	Zone 01	1	23.00	23.00
484121032	Zone 01	1	23.00	23.00
484121033	Zone 01	1	23.00	23.00
484121034	Zone 01	1	23.00	23.00
484121035	Zone 01	1	23.00	23.00
484121036	Zone 01	1	23.00	23.00
484121037	Zone 01	1	23.00	23.00
484121038	Zone 01	1	23.00	23.00
484121039	Zone 01	1	23.00	23.00
484121040	Zone 01	1	23.00	23.00
484121041	Zone 01	1	23.00	23.00
484121042	Zone 01	1	23.00	23.00
484121043	Zone 01	1	23.00	23.00
484121044	Zone 01	1	23.00	23.00
484122001	Zone 01	1	23.00	23.00
484122002	Zone 01	1	23.00	23.00
484122003	Zone 01	1	23.00	23.00
484122004	Zone 01	1	23.00	23.00
484122005	Zone 01	1	23.00	23.00
484122006	Zone 01	1	23.00	23.00
484122007	Zone 01	1	23.00	23.00
484122008	Zone 01	1	23.00	23.00
484122009	Zone 01	1	23.00	23.00
484122010	Zone 01	1	23.00	23.00
484122011	Zone 01	1	23.00	23.00
484122012	Zone 01	1	23.00	23.00
484122013	Zone 01	1	23.00	23.00
484122014	Zone 01	1	23.00	23.00
484122015	Zone 01	1	23.00	23.00
484122016	Zone 01	1	23.00	23.00
484122017	Zone 01	1	23.00	23.00
484122018	Zone 01	1	23.00	23.00
484122019	Zone 01	1	23.00	23.00
484122020	Zone 01	1	23.00	23.00
484122021	Zone 01	1	23.00	23.00
484122022	Zone 01	1	23.00	23.00
484122023	Zone 01	1	23.00	23.00
484122024	Zone 01	1	23.00	23.00
484123001	Zone 01	1	23.00	23.00
484123002	Zone 01	1	23.00	23.00
484123003	Zone 01	1	23.00	23.00
484123004	Zone 01	1	23.00	23.00
484123005	Zone 01	1	23.00	23.00
484123006	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone L	.MD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
484123007	Zone 01		1 23.00	23.00
484123008	Zone 01		1 23.00	23.00
484123009	Zone 01		1 23.00	23.00
484123010	Zone 01		1 23.00	23.00
484131001	Zone 01		1 23.00	23.00
484131002	Zone 01		1 23.00	23.00
484131003	Zone 01		1 23.00	23.00
484131004	Zone 01		1 23.00	23.00
484131005	Zone 01		1 23.00	23.00
484131006	Zone 01		1 23.00	23.00
484131007	Zone 01		1 23.00	23.00
484131008	Zone 01		1 23.00	23.00
484131009	Zone 01		1 23.00	23.00
484131010	Zone 01		1 23.00	23.00
484132001	Zone 01		1 23.00	23.00
484132002	Zone 01		1 23.00	23.00
484132003	Zone 01		1 23.00	23.00
484132004	Zone 01		1 23.00	23.00
484132005	Zone 01		1 23.00	23.00
484132006	Zone 01		1 23.00	23.00
484132007	Zone 01		1 23.00	23.00
484132008	Zone 01		1 23.00	23.00
484132009	Zone 01		1 23.00	23.00
484132010	Zone 01		1 23.00	23.00
484132011	Zone 01		1 23.00	23.00
484132012	Zone 01		1 23.00	23.00
484132013	Zone 01		1 23.00	23.00
484132014	Zone 01		1 23.00	23.00
484132015	Zone 01		1 23.00	23.00
484132016	Zone 01		1 23.00	23.00
484132017	Zone 01		1 23.00	23.00
484132018	Zone 01		1 23.00	23.00
484132019	Zone 01		1 23.00	23.00
484132020	Zone 01		1 23.00	23.00
484133001	Zone 01		1 23.00	23.00
484133002	Zone 01		1 23.00	23.00
484133003	Zone 01		1 23.00	23.00
484133004	Zone 01		1 23.00	23.00
484133005	Zone 01		1 23.00	23.00
484133008	Zone 01		1 23.00	23.00
484133009	Zone 01		1 23.00	23.00
484133010	Zone 01		1 23.00	23.00
484133011	Zone 01		1 23.00	23.00
484134001	Zone 01		1 23.00	23.00
484134002	Zone 01		1 23.00	23.00
484134003	Zone 01		1 23.00	23.00
484134004	Zone 01		1 23.00	23.00
484134005	Zone 01		1 23.00	23.00
.31101030			20.00	20.00

APN	LMD 2014-01 Zone LMD Assigne	ed EBU's FY 17-18 Max	x Assessment	FY 17-18 Assessment
484134006	Zone 01	1	23.00	23.00
484134007	Zone 01	1	23.00	23.00
484134008	Zone 01	1	23.00	23.00
484134009	Zone 01	1	23.00	23.00
484134010	Zone 01	1	23.00	23.00
484134011	Zone 01	1	23.00	23.00
484134012	Zone 01	1	23.00	23.00
484134013	Zone 01	1	23.00	23.00
484134014	Zone 01	1	23.00	23.00
484134015	Zone 01	1	23.00	23.00
484135001	Zone 01	1	23.00	23.00
484135002	Zone 01	1	23.00	23.00
484135003	Zone 01	1	23.00	23.00
484135004	Zone 01	1	23.00	23.00
484135005	Zone 01	1	23.00	23.00
484135006	Zone 01	1	23.00	23.00
484135007	Zone 01	1	23.00	23.00
484135008	Zone 01	1	23.00	23.00
484135009	Zone 01	1	23.00	23.00
484135010	Zone 01	1	23.00	23.00
484135011	Zone 01	1	23.00	23.00
484135012	Zone 01	1	23.00	23.00
484136001	Zone 01	1	23.00	23.00
484136002	Zone 01	1	23.00	23.00
484136003	Zone 01	1	23.00	23.00
484136004	Zone 01	1	23.00	23.00
484136005	Zone 01	1	23.00	23.00
484136006	Zone 01	1	23.00	23.00
484136007	Zone 01	1	23.00	23.00
484136008	Zone 01	1	23.00	23.00
484136009	Zone 01	1	23.00	23.00
484141001	Zone 01	1	23.00	23.00
484141002	Zone 01	1	23.00	23.00
484141003	Zone 01	1	23.00	23.00
484141004	Zone 01	1	23.00	23.00
484141005	Zone 01	1	23.00	23.00
484141006	Zone 01	1	23.00	23.00
484141007	Zone 01	1	23.00	23.00
484141008	Zone 01	1	23.00	23.00
484141009	Zone 01	1	23.00	23.00
484141010	Zone 01	1	23.00	23.00
484141011	Zone 01	1	23.00	23.00
484141012	Zone 01	1	23.00	23.00
484141013	Zone 01	1	23.00	23.00
484141014	Zone 01	1	23.00	23.00
484141015	Zone 01	1	23.00	23.00
484141016	Zone 01	1	23.00	23.00
484141017	Zone 01	1	23.00	23.00
.51111011	20110 01		20.00	20.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
484141018	Zone 01		1 23.00	23.00
484141019	Zone 01		1 23.00	23.00
484141020	Zone 01		1 23.00	23.00
484141021	Zone 01		1 23.00	23.00
484142001	Zone 01		1 23.00	23.00
484142002	Zone 01		1 23.00	23.00
484142003	Zone 01		1 23.00	23.00
484142004	Zone 01		1 23.00	23.00
484142005	Zone 01		1 23.00	23.00
484142006	Zone 01		1 23.00	23.00
484142007	Zone 01		1 23.00	23.00
484142008	Zone 01		1 23.00	23.00
484142009	Zone 01		1 23.00	23.00
484142010	Zone 01		1 23.00	23.00
484142011	Zone 01		1 23.00	23.00
484142012	Zone 01		1 23.00	23.00
484142013	Zone 01		1 23.00	23.00
484142014	Zone 01		1 23.00	23.00
484142015	Zone 01		1 23.00	23.00
484142016	Zone 01		1 23.00	23.00
484142017	Zone 01		1 23.00	23.00
484142018	Zone 01		1 23.00	23.00
484142019	Zone 01		1 23.00	23.00
484142020	Zone 01		1 23.00	23.00
484142021	Zone 01		1 23.00	23.00
484142022	Zone 01		1 23.00	23.00
484142023	Zone 01		1 23.00	23.00
484142024	Zone 01		1 23.00	23.00
484142025	Zone 01		1 23.00	23.00
484142026	Zone 01		1 23.00	23.00
484142027	Zone 01		1 23.00	23.00
484142028	Zone 01		1 23.00	23.00
484143001	Zone 01		1 23.00	23.00
484143002	Zone 01		1 23.00	23.00
484143003	Zone 01		1 23.00	23.00
484143004	Zone 01		1 23.00	23.00
484143005	Zone 01		1 23.00	23.00
484143006	Zone 01		1 23.00	23.00
484143007	Zone 01		1 23.00	23.00
484143008	Zone 01		1 23.00	23.00
484143009	Zone 01		1 23.00	23.00
484143010	Zone 01		1 23.00	23.00
484143011	Zone 01		1 23.00	23.00
484144001	Zone 01		1 23.00	23.00
484144002	Zone 01		1 23.00	23.00
484144003	Zone 01		1 23.00	23.00
484144004	Zone 01		1 23.00	23.00
484144005	Zone 01		1 23.00	23.00
				20.30

APN	LMD 2014-01 Zone LMD Assig	ned EBU's FY 17-18 M	ax Assessment	FY 17-18 Assessment
484145001	Zone 01	1	23.00	23.00
484145002	Zone 01	1	23.00	23.00
484145003	Zone 01	1	23.00	23.00
484145004	Zone 01	1	23.00	23.00
484145005	Zone 01	1	23.00	23.00
484145006	Zone 01	1	23.00	23.00
484145007	Zone 01	1	23.00	23.00
484145008	Zone 01	1	23.00	23.00
484145009	Zone 01	1	23.00	23.00
484145010	Zone 01	1	23.00	23.00
484151001	Zone 01	1	23.00	23.00
484151002	Zone 01	1	23.00	23.00
484151003	Zone 01	1	23.00	23.00
484151004	Zone 01	1	23.00	23.00
484151005	Zone 01	1	23.00	23.00
484151006	Zone 01	1	23.00	23.00
484151007	Zone 01	1	23.00	23.00
484151008	Zone 01	1	23.00	23.00
484151009	Zone 01	1	23.00	23.00
484151010	Zone 01	1	23.00	23.00
484151011	Zone 01	1	23.00	23.00
484151012	Zone 01	1	23.00	23.00
484151013	Zone 01	1	23.00	23.00
484151014	Zone 01	1	23.00	23.00
484151015	Zone 01	1	23.00	23.00
484151016	Zone 01	1	23.00	23.00
484151017	Zone 01	1	23.00	23.00
484151018	Zone 01	1	23.00	23.00
484151019	Zone 01	1	23.00	23.00
484151020	Zone 01	1	23.00	23.00
484151021	Zone 01	1	23.00	23.00
484151022	Zone 01	1	23.00	23.00
484151023	Zone 01	1	23.00	23.00
484151024	Zone 01	1	23.00	23.00
484151025	Zone 01	1	23.00	23.00
484151026	Zone 01	1	23.00	23.00
484151027	Zone 01	1	23.00	23.00
484151028	Zone 01	1	23.00	23.00
484151029	Zone 01	1	23.00	23.00
484151030	Zone 01	1	23.00	23.00
484151031	Zone 01	1	23.00	23.00
484151032	Zone 01	1	23.00	23.00
484151033	Zone 01	1	23.00	23.00
484151034	Zone 01	1	23.00	23.00
484151035	Zone 01	1	23.00	23.00
484151036	Zone 01	1	23.00	23.00
484152001	Zone 01	1	23.00	23.00
484152002	Zone 01	1	23.00	23.00
			20.30	20.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
484152003	Zone 01		1 23.00	23.00
484152004	Zone 01		1 23.00	23.00
484152005	Zone 01		1 23.00	23.00
484152006	Zone 01		1 23.00	23.00
484152007	Zone 01		1 23.00	23.00
484152008	Zone 01		1 23.00	23.00
484152009	Zone 01		1 23.00	23.00
484153001	Zone 01		1 23.00	23.00
484153002	Zone 01		1 23.00	23.00
484153003	Zone 01		1 23.00	23.00
484153004	Zone 01		1 23.00	23.00
484153005	Zone 01		1 23.00	23.00
484153006	Zone 01		1 23.00	23.00
484153007	Zone 01		1 23.00	23.00
484153008	Zone 01		1 23.00	23.00
484153009	Zone 01		1 23.00	23.00
484153010	Zone 01		1 23.00	23.00
484153011	Zone 01		1 23.00	23.00
484153012	Zone 01		1 23.00	23.00
484153013	Zone 01		1 23.00	23.00
484153014	Zone 01		1 23.00	23.00
484153015	Zone 01		1 23.00	23.00
484153016	Zone 01		1 23.00	23.00
484154001	Zone 01		1 23.00	23.00
484154002	Zone 01		1 23.00	23.00
484154003	Zone 01		1 23.00	23.00
484154004	Zone 01		1 23.00	23.00
484154005	Zone 01		1 23.00	23.00
484154006	Zone 01		1 23.00	23.00
484154007	Zone 01		1 23.00	23.00
484154008	Zone 01		1 23.00	23.00
484154009				23.00
	Zone 01		1 23.00	
484154010 484154011	Zone 01		1 23.00 1 23.00	23.00
	Zone 01			23.00
484154012	Zone 01		1 23.00	23.00
484154013	Zone 01		1 23.00	23.00
484154014	Zone 01		1 23.00	23.00
484162001	Zone 01		1 23.00	23.00
484162002	Zone 01		1 23.00	23.00
484162003	Zone 01		1 23.00	23.00
484162004	Zone 01	·	1 23.00	23.00
484162005	Zone 01		1 23.00	23.00
484162006	Zone 01		1 23.00	23.00
484162007	Zone 01		1 23.00	23.00
484162008	Zone 01		1 23.00	23.00
484162009	Zone 01		1 23.00	23.00
484162010	Zone 01		1 23.00	23.00
484162011	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
484162012	Zone 01		1 23.00	23.00
484162013	Zone 01		1 23.00	23.00
484162014	Zone 01		1 23.00	23.00
484162015	Zone 01		1 23.00	23.00
484162016	Zone 01		1 23.00	23.00
484162017	Zone 01		1 23.00	23.00
484162018	Zone 01		1 23.00	23.00
484162019	Zone 01		1 23.00	23.00
484162020	Zone 01		1 23.00	23.00
484162021	Zone 01		1 23.00	23.00
484162022	Zone 01		1 23.00	23.00
484162023	Zone 01		1 23.00	23.00
484162024	Zone 01		1 23.00	23.00
484162025	Zone 01		1 23.00	23.00
484162026	Zone 01		1 23.00	23.00
484162027	Zone 01		1 23.00	23.00
484162028	Zone 01		1 23.00	23.00
484162029	Zone 01		1 23.00	23.00
484162030	Zone 01		1 23.00	23.00
484162031	Zone 01		1 23.00	23.00
484163001	Zone 01		1 23.00	23.00
484163002	Zone 01		1 23.00	23.00
484163003	Zone 01		1 23.00	23.00
484163004	Zone 01		1 23.00	23.00
484163005	Zone 01		1 23.00	23.00
484163006	Zone 01		1 23.00	23.00
484163007	Zone 01		1 23.00	23.00
484163008	Zone 01		1 23.00	23.00
484163009	Zone 01		1 23.00	23.00
484163010	Zone 01		1 23.00	23.00
484163011	Zone 01		1 23.00	23.00
				23.00
484163012 484163013	Zone 01		1 23.00	
	Zone 01		1 23.00 1 23.00	23.00
484163014	Zone 01			23.00
484163015	Zone 01		1 23.00	23.00
484164001	Zone 01		1 23.00	23.00
484164002	Zone 01		1 23.00	23.00
484164003	Zone 01		1 23.00	23.00
484164004	Zone 01		1 23.00	23.00
484164005	Zone 01		1 23.00	23.00
484164006	Zone 01		1 23.00	23.00
484164007	Zone 01		1 23.00	23.00
484164008	Zone 01		1 23.00	23.00
484164009	Zone 01		1 23.00	23.00
484164010	Zone 01		1 23.00	23.00
484164011	Zone 01		1 23.00	23.00
484164012	Zone 01		1 23.00	23.00
484164013	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
484164014	Zone 01		1 23.00	23.00
484164015	Zone 01		1 23.00	23.00
484164016	Zone 01		1 23.00	23.00
484164017	Zone 01		1 23.00	23.00
484164018	Zone 01		1 23.00	23.00
484164019	Zone 01		1 23.00	23.00
484164020	Zone 01		1 23.00	23.00
484164021	Zone 01		1 23.00	23.00
484164022	Zone 01		1 23.00	23.00
484164023	Zone 01		1 23.00	23.00
484171001	Zone 01		1 23.00	23.00
484171002	Zone 01		1 23.00	23.00
484171003	Zone 01		1 23.00	23.00
484171004	Zone 01		1 23.00	23.00
484171005	Zone 01		1 23.00	23.00
484171006	Zone 01		1 23.00	23.00
484171007	Zone 01		1 23.00	23.00
484171008	Zone 01		1 23.00	23.00
484171009	Zone 01		1 23.00	23.00
484171010	Zone 01		1 23.00	23.00
484171011	Zone 01		1 23.00	23.00
484171012	Zone 01		1 23.00	23.00
484171013	Zone 01		1 23.00	23.00
484171013	Zone 01		1 23.00	23.00
484171015	Zone 01		1 23.00	23.00
484171016	Zone 01		1 23.00	
484171017	Zone 01			23.00 23.00
			1 23.00	
484171018	Zone 01		1 23.00	23.00
484171019	Zone 01		1 23.00	23.00
484172001	Zone 01		1 23.00	23.00
484172002	Zone 01		1 23.00	23.00
484172003 484172004	Zone 01 Zone 01		1 23.00	23.00
			1 23.00	23.00
484172005	Zone 01		1 23.00	23.00
484172006	Zone 01		1 23.00	23.00
484172007	Zone 01		1 23.00	23.00
484172008	Zone 01		1 23.00	23.00
484172009	Zone 01		1 23.00	23.00
484172010	Zone 01		1 23.00	23.00
484172011	Zone 01		1 23.00	23.00
484172012	Zone 01		1 23.00	23.00
484172013	Zone 01		1 23.00	23.00
484172014	Zone 01		1 23.00	23.00
484172015	Zone 01		1 23.00	23.00
484172016	Zone 01		1 23.00	23.00
484172017	Zone 01		1 23.00	23.00
484172018	Zone 01		1 23.00	23.00
484172019	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
484172020	Zone 01		1 23.00	23.00
484172021	Zone 01		1 23.00	23.00
484172022	Zone 01		1 23.00	23.00
484172023	Zone 01		1 23.00	23.00
484172024	Zone 01		1 23.00	23.00
484172025	Zone 01		1 23.00	23.00
484172026	Zone 01		1 23.00	23.00
484172027	Zone 01		1 23.00	23.00
484172028	Zone 01		1 23.00	23.00
484172029	Zone 01		1 23.00	23.00
484181001	Zone 01		1 23.00	23.00
484181002	Zone 01		1 23.00	23.00
484181003	Zone 01		1 23.00	23.00
484181004	Zone 01		1 23.00	23.00
484181005	Zone 01		1 23.00	23.00
484181006	Zone 01		1 23.00	23.00
484181007	Zone 01		1 23.00	23.00
484181008	Zone 01		1 23.00	23.00
484181009	Zone 01		1 23.00	23.00
484181010	Zone 01		1 23.00	23.00
484181011	Zone 01		1 23.00	23.00
484181012	Zone 01		1 23.00	23.00
484181013	Zone 01		1 23.00	23.00
484181014	Zone 01		1 23.00	23.00
484181015	Zone 01		1 23.00	23.00
484181016	Zone 01		1 23.00	23.00
484181017	Zone 01		1 23.00	23.00
484181018	Zone 01		1 23.00	23.00
484181019	Zone 01		1 23.00	23.00
484181020	Zone 01		1 23.00	23.00
484181021	Zone 01		1 23.00	23.00
484181022	Zone 01		1 23.00	23.00
484181023	Zone 01		1 23.00	23.00
484181024	Zone 01		1 23.00	23.00
484181025	Zone 01		1 23.00	23.00
484181026	Zone 01		1 23.00	23.00
484181027	Zone 01		1 23.00	23.00
484181028	Zone 01		1 23.00	23.00
484181029	Zone 01		1 23.00	23.00
484181030	Zone 01		1 23.00	23.00
484182001	Zone 01		1 23.00	23.00
484182002	Zone 01		1 23.00	23.00
484182003	Zone 01		1 23.00	23.00
484182004	Zone 01		1 23.00	23.00
484182005	Zone 01		1 23.00	23.00
484182006	Zone 01		1 23.00	23.00
484182007	Zone 01		1 23.00	23.00
484182008	Zone 01		1 23.00	23.00
			20.00	20.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-1	8 Max Assessment	FY 17-18 Assessment
484182009	Zone 01	1	23.00	23.00
484182010	Zone 01	1	23.00	23.00
484182011	Zone 01	1	23.00	23.00
484182012	Zone 01	1	23.00	23.00
484182013	Zone 01	1	23.00	23.00
484182014	Zone 01	1	23.00	23.00
484182015	Zone 01	1	23.00	23.00
484182016	Zone 01	1	23.00	23.00
484182017	Zone 01	1	23.00	23.00
484182018	Zone 01	1	23.00	23.00
484182019	Zone 01	1	23.00	23.00
484182020	Zone 01	1	23.00	23.00
484182021	Zone 01	1	23.00	23.00
484182022	Zone 01	1	23.00	23.00
484182023	Zone 01	1	23.00	23.00
484182024	Zone 01	1	23.00	23.00
484182025	Zone 01	1	23.00	23.00
484182026	Zone 01	1	23.00	23.00
484182027	Zone 01	1	23.00	23.00
484182028	Zone 01	1	23.00	23.00
484182029	Zone 01	1	23.00	23.00
484182030	Zone 01	1	23.00	23.00
484182031	Zone 01	1	23.00	23.00
484182032	Zone 01	1	23.00	23.00
484183001	Zone 01	1	23.00	23.00
484183002	Zone 01	1	23.00	23.00
484183003	Zone 01	1	23.00	23.00
484183004	Zone 01	1	23.00	23.00
484183005	Zone 01	1	23.00	23.00
484183006	Zone 01	1	23.00	23.00
484183007	Zone 01	1	23.00	23.00
484183008	Zone 01	1	23.00	23.00
484183009	Zone 01	1	23.00	23.00
484183010	Zone 01	1	23.00	23.00
484183011	Zone 01	1	23.00	23.00
484183012	Zone 01	1	23.00	23.00
484183013	Zone 01	1	23.00	23.00
484183014	Zone 01	1	23.00	23.00
484183015	Zone 01	1	23.00	23.00
484183016	Zone 01	1	23.00	23.00
484183017	Zone 01	1	23.00	23.00
484183018	Zone 01	1	23.00	23.00
484183019	Zone 01	1	23.00	23.00
484183020	Zone 01	1	23.00	23.00
484191001	Zone 01	1	23.00	23.00
484191002	Zone 01	1	23.00	23.00
484191003	Zone 01	1	23.00	23.00
484191004	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
484191005	Zone 01		1 23.00	23.00
484191006	Zone 01		1 23.00	23.00
484191007	Zone 01		1 23.00	23.00
484191008	Zone 01		1 23.00	23.00
484191009	Zone 01		1 23.00	23.00
484191010	Zone 01		1 23.00	23.00
484191011	Zone 01		1 23.00	23.00
484191012	Zone 01		1 23.00	23.00
484191013	Zone 01		1 23.00	23.00
484191014	Zone 01		1 23.00	23.00
484191015	Zone 01		1 23.00	23.00
484191016	Zone 01		1 23.00	23.00
484191017	Zone 01		1 23.00	23.00
484191018	Zone 01		1 23.00	23.00
484191019	Zone 01		1 23.00	23.00
484192001	Zone 01		1 23.00	23.00
484192002	Zone 01		1 23.00	23.00
484192003	Zone 01		1 23.00	23.00
484192004	Zone 01		1 23.00	23.00
484192005	Zone 01		1 23.00	23.00
484192006	Zone 01		1 23.00	23.00
484192007	Zone 01		1 23.00	23.00
484192008	Zone 01		1 23.00	23.00
484192009	Zone 01		1 23.00	23.00
484192010	Zone 01		1 23.00	23.00
484192011	Zone 01		1 23.00	23.00
484192012	Zone 01		1 23.00	23.00
484192013	Zone 01		1 23.00	23.00
484192014	Zone 01		1 23.00	23.00
484192015	Zone 01		1 23.00	23.00
484192016	Zone 01		1 23.00	23.00
484192017	Zone 01		1 23.00	23.00
484192018	Zone 01		1 23.00	23.00
484192019	Zone 01		1 23.00	23.00
484192020	Zone 01		1 23.00	23.00
484192021	Zone 01		1 23.00	23.00
484192022	Zone 01		1 23.00	23.00
484192023	Zone 01		1 23.00	23.00
484192024	Zone 01		1 23.00	23.00
484192025	Zone 01		1 23.00	23.00
484192026	Zone 01		1 23.00	23.00
484192027	Zone 01		1 23.00	23.00
484192028	Zone 01		1 23.00	23.00
484192029	Zone 01		1 23.00	23.00
484193001	Zone 01		1 23.00	23.00
484193002	Zone 01		1 23.00	23.00
484193002	Zone 01		1 23.00	
				23.00
484193004	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-1	8 Max Assessment	FY 17-18 Assessment
484193005	Zone 01	1	23.00	23.00
484193006	Zone 01	1	23.00	23.00
484193007	Zone 01	1	23.00	23.00
484193008	Zone 01	1	23.00	23.00
484193009	Zone 01	1	23.00	23.00
484193010	Zone 01	1	23.00	23.00
484193011	Zone 01	1	23.00	23.00
484193012	Zone 01	1	23.00	23.00
484193013	Zone 01	1	23.00	23.00
484193014	Zone 01	1	23.00	23.00
484193015	Zone 01	1	23.00	23.00
484193016	Zone 01	1	23.00	23.00
484193017	Zone 01	1	23.00	23.00
484194001	Zone 01	1	23.00	23.00
484194002	Zone 01	1	23.00	23.00
484194003	Zone 01	1	23.00	23.00
484194004	Zone 01	1	23.00	23.00
484194005	Zone 01	1	23.00	23.00
484194006	Zone 01	1	23.00	23.00
484194007	Zone 01	1	23.00	23.00
484194008	Zone 01	1	23.00	23.00
484194009	Zone 01	1	23.00	23.00
484194010	Zone 01	1	23.00	23.00
484201001	Zone 01	1	23.00	23.00
484201002	Zone 01	1	23.00	23.00
484201003	Zone 01	1	23.00	23.00
484201004	Zone 01	1	23.00	23.00
484201005	Zone 01	1	23.00	23.00
484201006	Zone 01	1	23.00	23.00
484201007	Zone 01	1	23.00	23.00
484201008	Zone 01	1	23.00	23.00
484201009	Zone 01	1	23.00	23.00
484201010	Zone 01	1	23.00	23.00
484201011	Zone 01	1	23.00	23.00
484201012	Zone 01	1	23.00	23.00
484201013	Zone 01	1	23.00	23.00
484201014	Zone 01	1	23.00	23.00
484203010	Zone 01	1	23.00	23.00
484203011	Zone 01	1	23.00	23.00
484203012	Zone 01	1	23.00	23.00
484203013	Zone 01	1	23.00	23.00
484203014	Zone 01	1	23.00	23.00
484203015	Zone 01	1	23.00	23.00
484203016	Zone 01	1	23.00	23.00
484203017	Zone 01	1	23.00	23.00
484203018	Zone 01	1	23.00	23.00
484203019	Zone 01	1	23.00	23.00
484202001	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-18	8 Max Assessment	FY 17-18 Assessment
484202002	Zone 01	1	23.00	23.00
484202003	Zone 01	1	23.00	23.00
484202004	Zone 01	1	23.00	23.00
484202005	Zone 01	1	23.00	23.00
484202006	Zone 01	1	23.00	23.00
484202007	Zone 01	1	23.00	23.00
484202008	Zone 01	1	23.00	23.00
484202009	Zone 01	1	23.00	23.00
484202010	Zone 01	1	23.00	23.00
484202011	Zone 01	1	23.00	23.00
484202012	Zone 01	1	23.00	23.00
484202013	Zone 01	1	23.00	23.00
484202014	Zone 01	1	23.00	23.00
484211001	Zone 01	1	23.00	23.00
484211002	Zone 01	1	23.00	23.00
484211003	Zone 01	1	23.00	23.00
484211004	Zone 01	1	23.00	23.00
484211005	Zone 01	1	23.00	23.00
484211006	Zone 01	1	23.00	23.00
484211007	Zone 01	1	23.00	23.00
484211008	Zone 01	1	23.00	23.00
484211009	Zone 01	1	23.00	23.00
484211010	Zone 01	1	23.00	23.00
484211011	Zone 01	1	23.00	23.00
484211012	Zone 01	1	23.00	23.00
484211013	Zone 01	1	23.00	23.00
484211014	Zone 01	1	23.00	23.00
484211015	Zone 01	1	23.00	23.00
484211016	Zone 01	1	23.00	23.00
484211017	Zone 01	1	23.00	23.00
484211018	Zone 01	1	23.00	23.00
484211019	Zone 01	1	23.00	23.00
484211020	Zone 01	1	23.00	23.00
484211021	Zone 01	1	23.00	23.00
484211022	Zone 01	1	23.00	23.00
484211023	Zone 01	1	23.00	23.00
484212001	Zone 01	1	23.00	23.00
484212002	Zone 01	1	23.00	23.00
484212003	Zone 01	1	23.00	23.00
484212004	Zone 01	1	23.00	23.00
484212005	Zone 01	1	23.00	23.00
484212006	Zone 01	1	23.00	23.00
484212007	Zone 01	1	23.00	23.00
484212008	Zone 01	1	23.00	23.00
484212009	Zone 01	1	23.00	23.00
484212010	Zone 01	1	23.00	23.00
484212011	Zone 01	1	23.00	23.00
484212012	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned EBU	's FY 17-18 Max	Assessment	FY 17-18 Assessment
484212013	Zone 01	1	23.00	23.00
484212014	Zone 01	1	23.00	23.00
484212015	Zone 01	1	23.00	23.00
484212016	Zone 01	1	23.00	23.00
484212017	Zone 01	1	23.00	23.00
484212018	Zone 01	1	23.00	23.00
484212019	Zone 01	1	23.00	23.00
484212020	Zone 01	1	23.00	23.00
484212021	Zone 01	1	23.00	23.00
484212022	Zone 01	1	23.00	23.00
484212023	Zone 01	1	23.00	23.00
484212024	Zone 01	1	23.00	23.00
484212025	Zone 01	1	23.00	23.00
484212026	Zone 01	1	23.00	23.00
484212027	Zone 01	1	23.00	23.00
484212028	Zone 01	1	23.00	23.00
484212029	Zone 01	1	23.00	23.00
484212030	Zone 01	1	23.00	23.00
484212031	Zone 01	1	23.00	23.00
484212032	Zone 01	1	23.00	23.00
484212033	Zone 01	1	23.00	23.00
484212034	Zone 01	1	23.00	23.00
484212035	Zone 01	1	23.00	23.00
484212036	Zone 01	1	23.00	23.00
484212037	Zone 01	1	23.00	23.00
484212038	Zone 01	1	23.00	23.00
484212039	Zone 01	1	23.00	23.00
484212040	Zone 01	1	23.00	23.00
484212041	Zone 01	1	23.00	23.00
484213001	Zone 01	1	23.00	23.00
484213002	Zone 01	1	23.00	23.00
484213003	Zone 01	1	23.00	23.00
484213004	Zone 01	1	23.00	23.00
484213005	Zone 01	1	23.00	23.00
484213006	Zone 01	1	23.00	23.00
484213007	Zone 01	1	23.00	23.00
484213008	Zone 01	1	23.00	23.00
484213009	Zone 01	1	23.00	23.00
484213010	Zone 01	1	23.00	23.00
484213011	Zone 01	1	23.00	23.00
484213012	Zone 01	1	23.00	23.00
484213013	Zone 01	1	23.00	23.00
484213014	Zone 01	1	23.00	23.00
484213015	Zone 01	1	23.00	23.00
484213016	Zone 01	1	23.00	23.00
484213017	Zone 01	1	23.00	23.00
484213018	Zone 01	1	23.00	23.00
484221001	Zone 01	1	23.00	23.00
				_5100

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
484221002	Zone 01		1 23.00	23.00
484221003	Zone 01		1 23.00	23.00
484221004	Zone 01		1 23.00	23.00
484221005	Zone 01		1 23.00	23.00
484221006	Zone 01		1 23.00	23.00
484221007	Zone 01		1 23.00	23.00
484221008	Zone 01		1 23.00	23.00
484221009	Zone 01		1 23.00	23.00
484221010	Zone 01		1 23.00	23.00
484221011	Zone 01		1 23.00	23.00
484221012	Zone 01		1 23.00	23.00
484221013	Zone 01		1 23.00	23.00
484221014	Zone 01		1 23.00	23.00
484221015	Zone 01		1 23.00	23.00
484221016	Zone 01		1 23.00	23.00
484221017	Zone 01		1 23.00	23.00
484221018	Zone 01		1 23.00	23.00
484221019	Zone 01		1 23.00	23.00
484221020	Zone 01		1 23.00	23.00
484221021	Zone 01		1 23.00	23.00
484221022	Zone 01		1 23.00	23.00
484221023	Zone 01		1 23.00	23.00
484221024	Zone 01		1 23.00	23.00
484222001	Zone 01		1 23.00	23.00
484222001	Zone 01		1 23.00	23.00
484222002	Zone 01		1 23.00	23.00
484222004	Zone 01		1 23.00	23.00
484222005	Zone 01		1 23.00	23.00
484222006	Zone 01		1 23.00	23.00
484222007	Zone 01		1 23.00	23.00
484222007	Zone 01		1 23.00	23.00
484222009	Zone 01		1 23.00	23.00
484222010	Zone 01		1 23.00	23.00
484222011	Zone 01		1 23.00	23.00
484222012			1 23.00	23.00
484222013	Zone 01 Zone 01		1 23.00	23.00
484222014			1 23.00	23.00
	Zone 01			
484222015	Zone 01		1 23.00	23.00
484222016	Zone 01		1 23.00	23.00
484222017	Zone 01		1 23.00	23.00
484222018	Zone 01		1 23.00	23.00
484222019	Zone 01		1 23.00	23.00
484222020	Zone 01		1 23.00	23.00
484222021	Zone 01		1 23.00	23.00
484222022	Zone 01		1 23.00	23.00
484222023	Zone 01		1 23.00	23.00
484222024	Zone 01		1 23.00	23.00
484222025	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigne	d EBU's FY 17-18 M	ax Assessment	FY 17-18 Assessment
484222026	Zone 01	1	23.00	23.00
484222027	Zone 01	1	23.00	23.00
484222028	Zone 01	1	23.00	23.00
484222029	Zone 01	1	23.00	23.00
484222030	Zone 01	1	23.00	23.00
484222031	Zone 01	1	23.00	23.00
484222032	Zone 01	1	23.00	23.00
484222033	Zone 01	1	23.00	23.00
484222034	Zone 01	1	23.00	23.00
484222035	Zone 01	1	23.00	23.00
484222036	Zone 01	1	23.00	23.00
484222037	Zone 01	1	23.00	23.00
484222038	Zone 01	1	23.00	23.00
484222039	Zone 01	1	23.00	23.00
484223001	Zone 01	1	23.00	23.00
484223002	Zone 01	1	23.00	23.00
484223003	Zone 01	1	23.00	23.00
484223004	Zone 01	1	23.00	23.00
484223005	Zone 01	1	23.00	23.00
484223006	Zone 01	1	23.00	23.00
484223007	Zone 01	1	23.00	23.00
484223008	Zone 01	1	23.00	23.00
484223009	Zone 01	1	23.00	23.00
484223010	Zone 01	1	23.00	23.00
484223011	Zone 01	1	23.00	23.00
484224001	Zone 01	1	23.00	23.00
484224002	Zone 01	1	23.00	23.00
484224003	Zone 01	1	23.00	23.00
484224004	Zone 01	1	23.00	23.00
484224005	Zone 01	1	23.00	23.00
484224006	Zone 01	1	23.00	23.00
484231001	Zone 01	1	23.00	23.00
484231002	Zone 01	1	23.00	23.00
484231003	Zone 01	1	23.00	23.00
484231004	Zone 01	1	23.00	23.00
484231005	Zone 01	1	23.00	23.00
484231006	Zone 01	1	23.00	23.00
484231007	Zone 01	1	23.00	23.00
484231008	Zone 01	1	23.00	23.00
484231009	Zone 01	1	23.00	23.00
484231010	Zone 01	1	23.00	23.00
484231011	Zone 01	1	23.00	23.00
484231012	Zone 01	1	23.00	23.00
484231013	Zone 01	1	23.00	23.00
484231014	Zone 01	1	23.00	23.00
484231019	Zone 01	1	23.00	23.00
484231020	Zone 01	1	23.00	23.00
484232001	Zone 01	1	23.00	23.00
			==:50	

APN	LMD 2014-01 Zone LMD Assigne	d EBU's FY 17-18	Max Assessment	FY 17-18 Assessment
484232002	Zone 01	1	23.00	23.00
484232003	Zone 01	1	23.00	23.00
484232004	Zone 01	1	23.00	23.00
484232005	Zone 01	1	23.00	23.00
484232006	Zone 01	1	23.00	23.00
484232007	Zone 01	1	23.00	23.00
484232008	Zone 01	1	23.00	23.00
484232009	Zone 01	1	23.00	23.00
484232010	Zone 01	1	23.00	23.00
484232011	Zone 01	1	23.00	23.00
484232012	Zone 01	1	23.00	23.00
484232013	Zone 01	1	23.00	23.00
484232014	Zone 01	1	23.00	23.00
484233001	Zone 01	1	23.00	23.00
484233002	Zone 01	1	23.00	23.00
484233003	Zone 01	1	23.00	23.00
484233004	Zone 01	1	23.00	23.00
484233005	Zone 01	1	23.00	23.00
484233006	Zone 01	1	23.00	23.00
484233007	Zone 01	1	23.00	23.00
484241001	Zone 01	1	23.00	23.00
484241002	Zone 01	1	23.00	23.00
484241003	Zone 01	1	23.00	23.00
484241004	Zone 01	1	23.00	23.00
484241005	Zone 01	1	23.00	23.00
484241006	Zone 01	1	23.00	23.00
484241007	Zone 01	1	23.00	23.00
484241008	Zone 01	1	23.00	23.00
484241009	Zone 01	1	23.00	23.00
484241010	Zone 01	1	23.00	23.00
484241011	Zone 01	1	23.00	23.00
484241012	Zone 01	1	23.00	23.00
484241013	Zone 01	1	23.00	23.00
484241014	Zone 01	1	23.00	23.00
484241015	Zone 01	1	23.00	23.00
484241016	Zone 01	1	23.00	23.00
484241017	Zone 01	1	23.00	23.00
484241018	Zone 01	1	23.00	23.00
484241019	Zone 01	1	23.00	23.00
484241020	Zone 01	1	23.00	23.00
484241021	Zone 01	1	23.00	23.00
484241022	Zone 01	1	23.00	23.00
484241023	Zone 01	1	23.00	23.00
484241024	Zone 01	1	23.00	23.00
484241025	Zone 01	1	23.00	23.00
484241026	Zone 01	1	23.00	23.00
484241027	Zone 01	1	23.00	23.00
484242001	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
484242002	Zone 01		1 23.00	23.00
484242003	Zone 01		1 23.00	23.00
484242004	Zone 01		1 23.00	23.00
484242005	Zone 01		1 23.00	23.00
484242006	Zone 01		1 23.00	23.00
484242007	Zone 01		1 23.00	23.00
484242008	Zone 01		1 23.00	23.00
484242009	Zone 01		1 23.00	23.00
484242010	Zone 01		1 23.00	23.00
484242011	Zone 01		1 23.00	23.00
484242012	Zone 01		1 23.00	23.00
484242013	Zone 01		1 23.00	23.00
484242014	Zone 01		1 23.00	23.00
484242015	Zone 01		1 23.00	23.00
484251001	Zone 01		1 23.00	23.00
484251002	Zone 01		1 23.00	23.00
484251003	Zone 01		1 23.00	23.00
484251004	Zone 01		1 23.00	23.00
484251005	Zone 01		1 23.00	23.00
484251006	Zone 01		1 23.00	23.00
484251007	Zone 01		1 23.00	23.00
484252001	Zone 01		1 23.00	23.00
484252002	Zone 01		1 23.00	23.00
484253001	Zone 01		1 23.00	23.00
484253002	Zone 01		1 23.00	23.00
484253002	Zone 01		1 23.00	23.00
484253004	Zone 01		1 23.00	23.00
484253005	Zone 01		1 23.00	23.00
484253005	Zone 01		1 23.00	23.00
484253007	Zone 01		1 23.00	23.00
484253007	Zone 01		1 23.00	23.00
				23.00
484253009	Zone 01 Zone 01		1 23.00	
484253010			1 23.00 1 23.00	23.00
484253011	Zone 01			23.00
484253012	Zone 01		1 23.00	23.00
484253013	Zone 01		1 23.00	23.00
484253014	Zone 01		1 23.00	23.00
484253015	Zone 01		1 23.00	23.00
484253016	Zone 01		1 23.00	23.00
484253017	Zone 01		1 23.00	23.00
484253018	Zone 01		1 23.00	23.00
484253019	Zone 01		1 23.00	23.00
484253020	Zone 01		1 23.00	23.00
484253021	Zone 01		1 23.00	23.00
484253022	Zone 01		1 23.00	23.00
484253023	Zone 01		1 23.00	23.00
484253024	Zone 01		1 23.00	23.00
484253025	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigne	d EBU's FY 17-18 N	Max Assessment	FY 17-18 Assessment
484253026	Zone 01	1	23.00	23.00
484253027	Zone 01	1	23.00	23.00
484253028	Zone 01	1	23.00	23.00
484253029	Zone 01	1	23.00	23.00
484253030	Zone 01	1	23.00	23.00
484261001	Zone 01	1	23.00	23.00
484261002	Zone 01	1	23.00	23.00
484261003	Zone 01	1	23.00	23.00
484261004	Zone 01	1	23.00	23.00
484261005	Zone 01	1	23.00	23.00
484261006	Zone 01	1	23.00	23.00
484261007	Zone 01	1	23.00	23.00
484261008	Zone 01	1	23.00	23.00
484261009	Zone 01	1	23.00	23.00
484261010	Zone 01	1	23.00	23.00
484262001	Zone 01	1	23.00	23.00
484262002	Zone 01	1	23.00	23.00
484262003	Zone 01	1	23.00	23.00
484262004	Zone 01	1	23.00	23.00
484262005	Zone 01	1	23.00	23.00
484262006	Zone 01	1	23.00	23.00
484262007	Zone 01	1	23.00	23.00
484262008	Zone 01	1	23.00	23.00
484262009	Zone 01	1	23.00	23.00
484262010	Zone 01	1	23.00	23.00
484262011	Zone 01	1	23.00	23.00
484262012	Zone 01	1	23.00	23.00
484262013	Zone 01	1	23.00	23.00
484262014	Zone 01	1	23.00	23.00
484262015	Zone 01	1	23.00	23.00
484262016	Zone 01	1	23.00	23.00
484263001	Zone 01	1	23.00	23.00
484263002	Zone 01	1	23.00	23.00
484263003	Zone 01	1	23.00	23.00
484263004	Zone 01	1	23.00	23.00
484263005	Zone 01	1	23.00	23.00
484263006	Zone 01	1	23.00	23.00
484263007	Zone 01	1	23.00	23.00
484263008	Zone 01	1	23.00	23.00
484263009	Zone 01	1	23.00	23.00
484263010	Zone 01	1	23.00	23.00
484263011	Zone 01	1	23.00	23.00
484263012	Zone 01	1	23.00	23.00
484263013	Zone 01	1	23.00	23.00
484263014	Zone 01	1	23.00	23.00
484263015	Zone 01	1	23.00	23.00
484263016	Zone 01	1	23.00	23.00
484264001	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD As	signed EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
484264002	Zone 01	•	1 23.00	23.00
484264003	Zone 01	•	1 23.00	23.00
484264004	Zone 01	•	1 23.00	23.00
484264005	Zone 01		1 23.00	23.00
484264006	Zone 01		1 23.00	23.00
484264007	Zone 01		1 23.00	23.00
484264008	Zone 01		1 23.00	23.00
484264009	Zone 01		1 23.00	23.00
484264010	Zone 01		1 23.00	23.00
484264011	Zone 01		1 23.00	23.00
484264012	Zone 01		1 23.00	23.00
484264013	Zone 01		1 23.00	23.00
484264014	Zone 01		1 23.00	23.00
484264015	Zone 01		1 23.00	23.00
484264016	Zone 01		1 23.00	23.00
484264017	Zone 01		1 23.00	23.00
484265001	Zone 01		1 23.00	23.00
484265002	Zone 01		1 23.00	23.00
484265003	Zone 01		1 23.00	23.00
484265004	Zone 01		1 23.00	23.00
484265005	Zone 01		1 23.00	23.00
484265006	Zone 01		1 23.00	23.00
484265007	Zone 01		1 23.00	23.00
484265008	Zone 01		1 23.00	23.00
484265009	Zone 01		1 23.00	23.00
484265010	Zone 01		1 23.00	23.00
484265011	Zone 01		1 23.00	23.00
484265012	Zone 01		1 23.00	23.00
484265013	Zone 01		1 23.00	23.00
484265014	Zone 01		1 23.00	23.00
484265015	Zone 01		1 23.00	23.00
484265016	Zone 01		1 23.00	23.00
484265017	Zone 01		1 23.00	23.00
484265018	Zone 01		1 23.00	23.00
484265019	Zone 01		1 23.00	23.00
484265020	Zone 01		1 23.00	23.00
484265021	Zone 01		1 23.00	23.00
484265022	Zone 01		1 23.00	23.00
484265023	Zone 01		1 23.00	23.00
484271001	Zone 01		1 23.00	23.00
484271002	Zone 01		1 23.00	23.00
484271003	Zone 01		1 23.00	23.00
484271004	Zone 01		1 23.00	23.00
484271005	Zone 01		1 23.00	23.00
484271006	Zone 01		1 23.00	23.00
484271007	Zone 01		1 23.00	23.00
484271008	Zone 01		1 23.00	23.00
484271009	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone I	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
484271010	Zone 01		1 23.00	23.00
484271011	Zone 01		1 23.00	23.00
484271012	Zone 01		1 23.00	23.00
484271013	Zone 01		1 23.00	23.00
484271014	Zone 01		1 23.00	23.00
484271015	Zone 01		1 23.00	23.00
484271016	Zone 01		1 23.00	23.00
484271017	Zone 01		1 23.00	23.00
484271018	Zone 01		1 23.00	23.00
484271019	Zone 01		1 23.00	23.00
484271020	Zone 01		1 23.00	23.00
484271021	Zone 01		1 23.00	23.00
484272001	Zone 01		1 23.00	23.00
484272002	Zone 01		1 23.00	23.00
484272003	Zone 01		1 23.00	23.00
484272004	Zone 01		1 23.00	23.00
484272005	Zone 01		1 23.00	23.00
484272006	Zone 01		1 23.00	23.00
484272007	Zone 01		1 23.00	23.00
484272008	Zone 01		1 23.00	23.00
484272009	Zone 01		1 23.00	23.00
484272010	Zone 01		1 23.00	23.00
484272011	Zone 01		1 23.00	23.00
484272012	Zone 01		1 23.00	23.00
484272013	Zone 01		1 23.00	23.00
484272014	Zone 01		1 23.00	23.00
484273001	Zone 01		1 23.00	23.00
484273002	Zone 01		1 23.00	23.00
484273003	Zone 01		1 23.00	23.00
484273004	Zone 01		1 23.00	23.00
484273005	Zone 01		1 23.00	23.00
484273006	Zone 01		1 23.00	23.00
484273007	Zone 01		1 23.00	23.00
484273008	Zone 01		1 23.00	23.00
484273009	Zone 01		1 23.00	23.00
484273010	Zone 01		1 23.00	23.00
484273011	Zone 01		1 23.00	23.00
484273012	Zone 01		1 23.00	23.00
484273013	Zone 01		1 23.00	23.00
484273014	Zone 01		1 23.00	23.00
484273015	Zone 01		1 23.00	23.00
484273016	Zone 01		1 23.00	23.00
484273017	Zone 01		1 23.00	23.00
484273017	Zone 01		1 23.00	23.00
484273019	Zone 01		1 23.00	23.00
484273021	Zone 01		1 23.00	23.00
484273021	Zone 01		1 23.00	
				23.00
484273023	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
484273024	Zone 01		1 23.00	23.00
484273025	Zone 01		1 23.00	23.00
484273026	Zone 01		1 23.00	23.00
484273027	Zone 01		1 23.00	23.00
484273028	Zone 01		1 23.00	23.00
484273029	Zone 01		1 23.00	23.00
484273030	Zone 01		1 23.00	23.00
484273031	Zone 01		1 23.00	23.00
484273032	Zone 01		1 23.00	23.00
484273033	Zone 01		1 23.00	23.00
484273034	Zone 01		1 23.00	23.00
484273035	Zone 01		1 23.00	23.00
484273036	Zone 01		1 23.00	23.00
484273037	Zone 01		1 23.00	23.00
484273038	Zone 01		1 23.00	23.00
484273039	Zone 01		1 23.00	23.00
484273040	Zone 01		1 23.00	23.00
484273041	Zone 01		1 23.00	23.00
484273042	Zone 01		1 23.00	23.00
484273043	Zone 01		1 23.00	23.00
484273045	Zone 01		1 23.00	23.00
484281001	Zone 01		1 23.00	23.00
484281002	Zone 01		1 23.00	23.00
484281003	Zone 01		1 23.00	23.00
484281004	Zone 01		1 23.00	23.00
484281005	Zone 01		1 23.00	23.00
484281006	Zone 01		1 23.00	23.00
484281007	Zone 01		1 23.00	
			1 23.00	23.00
484281008	Zone 01 Zone 01			23.00
484281009			1 23.00	23.00
484281010	Zone 01		1 23.00	23.00
484281011	Zone 01		1 23.00	23.00
484281012	Zone 01		1 23.00	23.00
484282001	Zone 01		1 23.00	23.00
484282002	Zone 01		1 23.00	23.00
484282003	Zone 01		1 23.00	23.00
484282004	Zone 01		1 23.00	23.00
484282005	Zone 01	·	1 23.00	23.00
484282006	Zone 01		1 23.00	23.00
484282007	Zone 01	•	1 23.00	23.00
484282008	Zone 01		1 23.00	23.00
484282009	Zone 01		1 23.00	23.00
484282010	Zone 01		1 23.00	23.00
484282011	Zone 01		1 23.00	23.00
484282012	Zone 01		1 23.00	23.00
484283001	Zone 01		1 23.00	23.00
484283002	Zone 01		1 23.00	23.00
484283003	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
484283004	Zone 01	- Lind Hoolghou EDO 3	1 23.00	23.00
484283005	Zone 01		1 23.00	23.00
484283006	Zone 01		1 23.00	23.00
484283007	Zone 01		1 23.00	23.00
484283008	Zone 01		1 23.00	23.00
484283009	Zone 01		1 23.00	23.00
484283010	Zone 01		1 23.00	23.00
484283011	Zone 01		1 23.00	23.00
484283012	Zone 01		1 23.00	23.00
484283013	Zone 01		1 23.00	23.00
484283014	Zone 01		1 23.00	23.00
484283015	Zone 01		1 23.00	23.00
484283016	Zone 01		1 23.00	23.00
484283017	Zone 01		1 23.00	23.00
484283018	Zone 01		1 23.00	23.00
484283019	Zone 01		1 23.00	23.00
484283020	Zone 01		1 23.00	23.00
484283021	Zone 01		1 23.00	23.00
484283022	Zone 01		1 23.00	23.00
484283023	Zone 01		1 23.00	23.00
484284001	Zone 01		1 23.00	23.00
484284002	Zone 01		1 23.00	23.00
484284003	Zone 01		1 23.00	23.00
484284004	Zone 01		1 23.00	23.00
484284005	Zone 01		1 23.00	23.00
484284006	Zone 01		1 23.00	23.00
484284007	Zone 01		1 23.00	23.00
484284008	Zone 01		1 23.00	23.00
484284009	Zone 01		1 23.00	23.00
484284010	Zone 01		1 23.00	23.00
484284011	Zone 01		1 23.00	23.00
484284012	Zone 01		1 23.00	23.00
484284013	Zone 01		1 23.00	23.00
484285001	Zone 01		1 23.00	23.00
484285002	Zone 01		1 23.00	23.00
484285003	Zone 01		1 23.00	23.00
484285004	Zone 01		1 23.00	23.00
484285005	Zone 01		1 23.00	23.00
484285006	Zone 01		1 23.00	23.00
484285007	Zone 01		1 23.00	23.00
484285008	Zone 01		1 23.00	23.00
484285009	Zone 01		1 23.00	23.00
484285010	Zone 01		1 23.00	23.00
484291001	Zone 01		1 23.00	23.00
484291002	Zone 01		1 23.00	23.00
484291003	Zone 01		1 23.00	23.00
484291004	Zone 01		1 23.00	23.00
484291005	Zone 01		1 23.00	23.00
101231003	Zone or		25.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-1	8 Max Assessment	FY 17-18 Assessment
484291006	Zone 01	1	23.00	23.00
484291007	Zone 01	1	23.00	23.00
484291008	Zone 01	1	23.00	23.00
484291009	Zone 01	1	23.00	23.00
484291010	Zone 01	1	23.00	23.00
484291011	Zone 01	1	23.00	23.00
484291012	Zone 01	1	23.00	23.00
484291013	Zone 01	1	23.00	23.00
484291014	Zone 01	1	23.00	23.00
484291015	Zone 01	1	23.00	23.00
484291016	Zone 01	1	23.00	23.00
484291017	Zone 01	1	23.00	23.00
484291018	Zone 01	1	23.00	23.00
484291019	Zone 01	1	23.00	23.00
484291020	Zone 01	1	23.00	23.00
484292001	Zone 01	1	23.00	23.00
484292002	Zone 01	1	23.00	23.00
484292003	Zone 01	1	23.00	23.00
484292004	Zone 01	1	23.00	23.00
484292005	Zone 01	1	23.00	23.00
484292006	Zone 01	1	23.00	23.00
484292007	Zone 01	1	23.00	23.00
484292008	Zone 01	1	23.00	23.00
484292009	Zone 01	1	23.00	23.00
484292010	Zone 01	1	23.00	23.00
484292011	Zone 01	1	23.00	23.00
484292012	Zone 01	1	23.00	23.00
484292013	Zone 01	1	23.00	23.00
484292014	Zone 01	1	23.00	23.00
484292015	Zone 01	1	23.00	23.00
484292016	Zone 01	1	23.00	23.00
484293001	Zone 01	1	23.00	23.00
484293002	Zone 01	1	23.00	23.00
484293003	Zone 01	1	23.00	23.00
484293004	Zone 01	1	23.00	23.00
484293005	Zone 01	1	23.00	23.00
484293006	Zone 01	1	23.00	23.00
484293007	Zone 01	1	23.00	23.00
484293008	Zone 01	1	23.00	23.00
484293009	Zone 01	1	23.00	23.00
484293010	Zone 01	1	23.00	23.00
484293011	Zone 01	1	23.00	23.00
484293012	Zone 01	1	23.00	23.00
484293013	Zone 01	1	23.00	23.00
484293014	Zone 01	1	23.00	23.00
484293015	Zone 01	1	23.00	23.00
484293016	Zone 01	1	23.00	23.00
484293017	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
484293018	Zone 01		1 23.00	23.00
484293019	Zone 01		1 23.00	23.00
484293020	Zone 01		1 23.00	23.00
484293021	Zone 01		1 23.00	23.00
484293022	Zone 01		1 23.00	23.00
484293023	Zone 01		1 23.00	23.00
484293024	Zone 01		1 23.00	23.00
484293025	Zone 01		1 23.00	23.00
484293026	Zone 01		1 23.00	23.00
484293027	Zone 01		1 23.00	23.00
484293028	Zone 01		1 23.00	23.00
484293029	Zone 01		1 23.00	23.00
484293030	Zone 01		1 23.00	23.00
484293031	Zone 01		1 23.00	23.00
484293032	Zone 01		1 23.00	23.00
484293033	Zone 01		1 23.00	23.00
484293034	Zone 01		1 23.00	23.00
484293035	Zone 01		1 23.00	23.00
484293036	Zone 01		1 23.00	23.00
484293037	Zone 01		1 23.00	23.00
484294001	Zone 01		1 23.00	23.00
484294002	Zone 01		1 23.00	23.00
484294003	Zone 01		1 23.00	23.00
484294004	Zone 01		1 23.00	23.00
484294005	Zone 01		1 23.00	23.00
484294006	Zone 01		1 23.00	23.00
484294007	Zone 01		1 23.00	23.00
484294008	Zone 01		1 23.00	23.00
484294009	Zone 01		1 23.00	23.00
484294010	Zone 01		1 23.00	23.00
484301001	Zone 01		1 23.00	23.00
484301001				23.00
	Zone 01		1 23.00	
484301003	Zone 01		1 23.00 1 23.00	23.00
484301004	Zone 01			23.00
484301005	Zone 01		1 23.00	23.00
484301006	Zone 01		1 23.00	23.00
484301007	Zone 01		1 23.00	23.00
484301008	Zone 01		1 23.00	23.00
484301009	Zone 01		1 23.00	23.00
484301010	Zone 01		1 23.00	23.00
484301011	Zone 01	·	1 23.00	23.00
484301012	Zone 01		1 23.00	23.00
484301013	Zone 01	•	1 23.00	23.00
484301014	Zone 01		1 23.00	23.00
484301015	Zone 01		1 23.00	23.00
484301016	Zone 01		1 23.00	23.00
484301017	Zone 01		1 23.00	23.00
484301018	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assig	ned EBU's FY 17-18 Ma	ax Assessment	FY 17-18 Assessment
484301019	Zone 01	1	23.00	23.00
484301020	Zone 01	1	23.00	23.00
484301021	Zone 01	1	23.00	23.00
484302001	Zone 01	1	23.00	23.00
484302002	Zone 01	1	23.00	23.00
484302003	Zone 01	1	23.00	23.00
484302004	Zone 01	1	23.00	23.00
484302005	Zone 01	1	23.00	23.00
484302006	Zone 01	1	23.00	23.00
484302007	Zone 01	1	23.00	23.00
484303001	Zone 01	1	23.00	23.00
484303002	Zone 01	1	23.00	23.00
484303003	Zone 01	1	23.00	23.00
484303004	Zone 01	1	23.00	23.00
484303005	Zone 01	1	23.00	23.00
484303006	Zone 01	1	23.00	23.00
484303007	Zone 01	1	23.00	23.00
484303008	Zone 01	1	23.00	23.00
484303009	Zone 01	1	23.00	23.00
484303010	Zone 01	1	23.00	23.00
484303011	Zone 01	1	23.00	23.00
484303012	Zone 01	1	23.00	23.00
484303013	Zone 01	1	23.00	23.00
484303014	Zone 01	1	23.00	23.00
484303015	Zone 01	1	23.00	23.00
484303016	Zone 01	1	23.00	23.00
484303017	Zone 01	1	23.00	23.00
484303018	Zone 01	1	23.00	23.00
484303019	Zone 01	1	23.00	23.00
484303020	Zone 01	1	23.00	23.00
484303021	Zone 01	1	23.00	23.00
484303022	Zone 01	1	23.00	23.00
484303023	Zone 01	1	23.00	23.00
484303024	Zone 01	1	23.00	23.00
484303025	Zone 01	1	23.00	23.00
484303026	Zone 01	1	23.00	23.00
484303027	Zone 01	1	23.00	23.00
484303028	Zone 01	1	23.00	23.00
484303029	Zone 01	1	23.00	23.00
484303030	Zone 01	1	23.00	23.00
484303031	Zone 01	1	23.00	23.00
484303032	Zone 01	1	23.00	23.00
484303033	Zone 01	1	23.00	23.00
484303034	Zone 01	1	23.00	23.00
484303035	Zone 01	1	23.00	23.00
484303036	Zone 01	1	23.00	23.00
484303037	Zone 01	1	23.00	23.00
484303038	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assign	ed EBU's FY 17-18 I	Max Assessment	FY 17-18 Assessment
484303039	Zone 01	1	23.00	23.00
484303040	Zone 01	1	23.00	23.00
484303041	Zone 01	1	23.00	23.00
484303042	Zone 01	1	23.00	23.00
484303043	Zone 01	1	23.00	23.00
484303044	Zone 01	1	23.00	23.00
484303045	Zone 01	1	23.00	23.00
484303046	Zone 01	1	23.00	23.00
484311001	Zone 01	1	23.00	23.00
484311002	Zone 01	1	23.00	23.00
484311003	Zone 01	1	23.00	23.00
484311004	Zone 01	1	23.00	23.00
484311005	Zone 01	1	23.00	23.00
484311006	Zone 01	1	23.00	23.00
484311007	Zone 01	1	23.00	23.00
484311008	Zone 01	1	23.00	23.00
484311009	Zone 01	1	23.00	23.00
484311010	Zone 01	1	23.00	23.00
484311011	Zone 01	1	23.00	23.00
484311012	Zone 01	1	23.00	23.00
484311013	Zone 01	1	23.00	23.00
484311014	Zone 01	1	23.00	23.00
484311015	Zone 01	1	23.00	23.00
484311016	Zone 01	1	23.00	23.00
484311017	Zone 01	1	23.00	23.00
484311018	Zone 01	1	23.00	23.00
484311019	Zone 01	1	23.00	23.00
484311020	Zone 01	1	23.00	23.00
484311021	Zone 01	1	23.00	23.00
484311022	Zone 01	1	23.00	23.00
484311023	Zone 01	1	23.00	23.00
484311024	Zone 01	1	23.00	23.00
484311025	Zone 01	1	23.00	23.00
484311026	Zone 01	1	23.00	23.00
484311027	Zone 01	1	23.00	23.00
484311028	Zone 01	1	23.00	23.00
484311029	Zone 01	1	23.00	23.00
484311030	Zone 01	1	23.00	23.00
484311031	Zone 01	1	23.00	23.00
484311032	Zone 01	1	23.00	23.00
484311033	Zone 01	1	23.00	23.00
484311034	Zone 01	1	23.00	23.00
484311035	Zone 01	1	23.00	23.00
484311036	Zone 01	1	23.00	23.00
484311037	Zone 01	1	23.00	23.00
484311038	Zone 01	1	23.00	23.00
484311039	Zone 01	1	23.00	23.00
484311040	Zone 01	1	23.00	23.00
12.01.010			20.00	20.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-1	8 Max Assessment	FY 17-18 Assessment
484311041	Zone 01	1	23.00	23.00
484311042	Zone 01	1	23.00	23.00
484311043	Zone 01	1	23.00	23.00
484311044	Zone 01	1	23.00	23.00
484311045	Zone 01	1	23.00	23.00
484312001	Zone 01	1	23.00	23.00
484312002	Zone 01	1	23.00	23.00
484312003	Zone 01	1	23.00	23.00
484312004	Zone 01	1	23.00	23.00
484312005	Zone 01	1	23.00	23.00
484312006	Zone 01	1	23.00	23.00
484312007	Zone 01	1	23.00	23.00
484312008	Zone 01	1	23.00	23.00
484312009	Zone 01	1	23.00	23.00
484312010	Zone 01	1	23.00	23.00
484312011	Zone 01	1	23.00	23.00
484312012	Zone 01	1	23.00	23.00
484312013	Zone 01	1	23.00	23.00
484312014	Zone 01	1	23.00	23.00
484312015	Zone 01	1	23.00	23.00
484312016	Zone 01	1	23.00	23.00
484312017	Zone 01	1	23.00	23.00
484312018	Zone 01	1	23.00	23.00
484312019	Zone 01	1	23.00	23.00
484312020	Zone 01	1	23.00	23.00
484312021	Zone 01	1	23.00	23.00
484312022	Zone 01	1	23.00	23.00
484312023	Zone 01	1	23.00	23.00
484312024	Zone 01	1	23.00	23.00
484312025	Zone 01	1	23.00	23.00
484312026	Zone 01	1	23.00	23.00
484312027	Zone 01	1	23.00	23.00
484312028	Zone 01	1	23.00	23.00
484312029	Zone 01	1	23.00	23.00
484321001	Zone 01	1	23.00	23.00
484321002	Zone 01	1	23.00	23.00
484321003	Zone 01	1	23.00	23.00
484321004	Zone 01	1	23.00	23.00
484321005	Zone 01	1	23.00	23.00
484321006	Zone 01	1	23.00	23.00
484321007	Zone 01	1	23.00	23.00
484321008	Zone 01	1	23.00	23.00
484321009	Zone 01	1	23.00	23.00
484321010	Zone 01	1	23.00	23.00
484321011	Zone 01	1	23.00	23.00
484321012	Zone 01	1	23.00	23.00
484321013	Zone 01	1	23.00	23.00
484321014	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigno	ed EBU's FY 17-18 Ma	x Assessment	FY 17-18 Assessment
484321015	Zone 01	1	23.00	23.00
484321016	Zone 01	1	23.00	23.00
484321017	Zone 01	1	23.00	23.00
484321018	Zone 01	1	23.00	23.00
484321019	Zone 01	1	23.00	23.00
484321020	Zone 01	1	23.00	23.00
484321021	Zone 01	1	23.00	23.00
484321022	Zone 01	1	23.00	23.00
484321023	Zone 01	1	23.00	23.00
484321024	Zone 01	1	23.00	23.00
484321025	Zone 01	1	23.00	23.00
484321026	Zone 01	1	23.00	23.00
484321027	Zone 01	1	23.00	23.00
484321028	Zone 01	1	23.00	23.00
484321029	Zone 01	1	23.00	23.00
484321030	Zone 01	1	23.00	23.00
484321031	Zone 01	1	23.00	23.00
484321032	Zone 01	1	23.00	23.00
484321033	Zone 01	1	23.00	23.00
484321034	Zone 01	1	23.00	23.00
484321035	Zone 01	1	23.00	23.00
484321036	Zone 01	1	23.00	23.00
484321037	Zone 01	1	23.00	23.00
484321038	Zone 01	1	23.00	23.00
484321039	Zone 01	1	23.00	23.00
484321040	Zone 01	1	23.00	23.00
484321041	Zone 01	1	23.00	23.00
484321042	Zone 01	1	23.00	23.00
484321043	Zone 01	1	23.00	23.00
484321044	Zone 01	1	23.00	23.00
484321045	Zone 01	1	23.00	23.00
484321046	Zone 01	1	23.00	23.00
484321047	Zone 01	1	23.00	23.00
484321048	Zone 01	1	23.00	23.00
484321049	Zone 01	1	23.00	23.00
484321050	Zone 01	1	23.00	23.00
484321051	Zone 01	1	23.00	23.00
484321052	Zone 01	1	23.00	23.00
484321053	Zone 01	1	23.00	23.00
484321054	Zone 01	1	23.00	23.00
484321055	Zone 01	1	23.00	23.00
484321056	Zone 01	1	23.00	23.00
484321057	Zone 01	1	23.00	23.00
484321058	Zone 01	1	23.00	23.00
484321059	Zone 01	1	23.00	23.00
484321060	Zone 01	1	23.00	23.00
484321061	Zone 01	1	23.00	23.00
484321062	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assi	gned EBU's FY	17-18 Max Assessment	FY 17-18 Assessment
484321063	Zone 01	1	23.00	23.00
484321064	Zone 01	1	23.00	23.00
484321065	Zone 01	1	23.00	23.00
484321066	Zone 01	1	23.00	23.00
484321067	Zone 01	1	23.00	23.00
484322001	Zone 01	1	23.00	23.00
484322002	Zone 01	1	23.00	23.00
484322003	Zone 01	1	23.00	23.00
484322004	Zone 01	1	23.00	23.00
484322005	Zone 01	1	23.00	23.00
484322006	Zone 01	1	23.00	23.00
484322007	Zone 01	1	23.00	23.00
484322008	Zone 01	1	23.00	23.00
484322009	Zone 01	1	23.00	23.00
484322010	Zone 01	1	23.00	23.00
484322011	Zone 01	1	23.00	23.00
484322012	Zone 01	1	23.00	23.00
484322013	Zone 01	1	23.00	23.00
485031001	Zone 01	1	23.00	23.00
485031002	Zone 01	1	23.00	23.00
485031003	Zone 01	1	23.00	23.00
485031004	Zone 01	1	23.00	23.00
485031005	Zone 01	1	23.00	23.00
485031006	Zone 01	1	23.00	23.00
485031007	Zone 01	1	23.00	23.00
485031008	Zone 01	1	23.00	23.00
485031009	Zone 01	1	23.00	23.00
485031010	Zone 01	1	23.00	23.00
485031011	Zone 01	1	23.00	23.00
485031012	Zone 01	1	23.00	23.00
485031013	Zone 01	1	23.00	23.00
485031014	Zone 01	1	23.00	23.00
485032001	Zone 01	1	23.00	23.00
485032002	Zone 01	1	23.00	23.00
485032003	Zone 01	1	23.00	23.00
485032004	Zone 01	1	23.00	23.00
485032005	Zone 01	1	23.00	23.00
485032006	Zone 01	1	23.00	23.00
485032007	Zone 01	1	23.00	23.00
485032008	Zone 01	1	23.00	23.00
485032009	Zone 01	1	23.00	23.00
485032010	Zone 01	1	23.00	23.00
485032011	Zone 01	1	23.00	23.00
485032012	Zone 01	1	23.00	23.00
485032014	Zone 01	1	23.00	23.00
485032015	Zone 01	1	23.00	23.00
485032016	Zone 01	1	23.00	23.00
485032017	Zone 01	1	23.00	23.00
. 2000_011			23.00	20.00

APN	LMD 2014-01 Zone LMD Assigned E	BU's FY 17-	18 Max Assessment	FY 17-18 Assessment
485032018	Zone 01	1	23.00	23.00
485032019	Zone 01	1	23.00	23.00
485032020	Zone 01	1	23.00	23.00
485032021	Zone 01	1	23.00	23.00
485032022	Zone 01	1	23.00	23.00
485032023	Zone 01	1	23.00	23.00
485032024	Zone 01	1	23.00	23.00
485032025	Zone 01	1	23.00	23.00
485032026	Zone 01	1	23.00	23.00
485032027	Zone 01	1	23.00	23.00
485032028	Zone 01	1	23.00	23.00
485032029	Zone 01	1	23.00	23.00
485032030	Zone 01	1	23.00	23.00
485032031	Zone 01	1	23.00	23.00
485032032	Zone 01	1	23.00	23.00
485032033	Zone 01	1	23.00	23.00
485033030	Zone 01	1	23.00	23.00
485033032	Zone 01	1	23.00	23.00
485033035	Zone 01	1	23.00	23.00
485033036	Zone 01	1	23.00	23.00
485033037	Zone 01	1	23.00	23.00
485033038	Zone 01	1	23.00	23.00
485033039	Zone 01	1	23.00	23.00
485033040	Zone 01	1	23.00	23.00
485033041	Zone 01	1	23.00	23.00
485033042	Zone 01	1	23.00	23.00
485033043	Zone 01	1	23.00	23.00
485033044	Zone 01	1	23.00	23.00
485033045	Zone 01	1	23.00	23.00
485033046	Zone 01	1	23.00	23.00
485033047	Zone 01	1	23.00	23.00
485033048	Zone 01	1	23.00	23.00
485033049	Zone 01	1	23.00	23.00
485033050	Zone 01	1	23.00	23.00
485033051	Zone 01	1	23.00	23.00
485033052	Zone 01	1	23.00	23.00
485033053	Zone 01	1	23.00	23.00
485033054	Zone 01	1	23.00	23.00
485033055	Zone 01	1	23.00	23.00
485033056	Zone 01	1	23.00	23.00
485033057	Zone 01	1	23.00	23.00
485033058	Zone 01	1	23.00	23.00
485033059	Zone 01	1	23.00	23.00
485041001	Zone 01	1	23.00	23.00
485041002	Zone 01	1	23.00	23.00
485041003	Zone 01	1	23.00	23.00
485042001	Zone 01	1	23.00	23.00
485042002	Zone 01	1	23.00	23.00
			20.00	

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
485042003	Zone 01		1 23.00	23.00
485042004	Zone 01		1 23.00	23.00
485042005	Zone 01		1 23.00	23.00
485042006	Zone 01		1 23.00	23.00
485042007	Zone 01		1 23.00	23.00
485042008	Zone 01		1 23.00	23.00
485042009	Zone 01		1 23.00	23.00
485042010	Zone 01		1 23.00	23.00
485042011	Zone 01		1 23.00	23.00
485042012	Zone 01		1 23.00	23.00
485042013	Zone 01		1 23.00	23.00
485042014	Zone 01		1 23.00	23.00
485042015	Zone 01		1 23.00	23.00
485042016	Zone 01		1 23.00	23.00
485042017	Zone 01		1 23.00	23.00
485042018	Zone 01		1 23.00	23.00
485042019	Zone 01		1 23.00	23.00
485042020	Zone 01		1 23.00	23.00
485042021	Zone 01		1 23.00	23.00
485042022	Zone 01		1 23.00	23.00
485042023	Zone 01		1 23.00	23.00
485042024	Zone 01		1 23.00	23.00
485042025	Zone 01		1 23.00	23.00
485042026	Zone 01		1 23.00	23.00
485042027	Zone 01		1 23.00	23.00
485043001	Zone 01		1 23.00	23.00
485043001	Zone 01		1 23.00	23.00
485043003	Zone 01		1 23.00	23.00
485043004	Zone 01		1 23.00	23.00
485043005	Zone 01		1 23.00	23.00
485043006	Zone 01		1 23.00	23.00
485043007	Zone 01		1 23.00	23.00
485043007	Zone 01		1 23.00	23.00
485043009	Zone 01		1 23.00	23.00
			1 23.00	23.00
485043010 485043011	Zone 01 Zone 01		1 23.00	23.00
485043012				23.00
	Zone 01		1 23.00	
485043013	Zone 01		1 23.00	23.00
485043014	Zone 01		1 23.00	23.00
485043015	Zone 01		1 23.00	23.00
485043016	Zone 01		1 23.00	23.00
485051001	Zone 01		1 23.00	23.00
485051002	Zone 01		1 23.00	23.00
485051003	Zone 01		1 23.00	23.00
485051004	Zone 01		1 23.00	23.00
485051005	Zone 01		1 23.00	23.00
485051006	Zone 01		1 23.00	23.00
485051007	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
485051008	Zone 01		1 23.00	23.00
485051009	Zone 01		1 23.00	23.00
485052001	Zone 01		1 23.00	23.00
485052002	Zone 01		1 23.00	23.00
485052003	Zone 01		1 23.00	23.00
485052004	Zone 01		1 23.00	23.00
485052005	Zone 01		1 23.00	23.00
485052006	Zone 01		1 23.00	23.00
485052007	Zone 01		1 23.00	23.00
485052008	Zone 01		1 23.00	23.00
485052009	Zone 01		1 23.00	23.00
485052010	Zone 01		1 23.00	23.00
485052011	Zone 01		1 23.00	23.00
485052012	Zone 01		1 23.00	23.00
485052013	Zone 01		1 23.00	23.00
485052014	Zone 01		1 23.00	23.00
485052015	Zone 01		1 23.00	23.00
485052016	Zone 01		1 23.00	23.00
485052017	Zone 01		1 23.00	23.00
485052018	Zone 01		1 23.00	23.00
485052019	Zone 01		1 23.00	23.00
485052020	Zone 01		1 23.00	23.00
485052021	Zone 01		1 23.00	23.00
485052022	Zone 01		1 23.00	23.00
485052023	Zone 01		1 23.00	23.00
485052024	Zone 01		1 23.00	23.00
485052025	Zone 01		1 23.00	23.00
485052026	Zone 01		1 23.00	23.00
485052027	Zone 01		1 23.00	23.00
485052028	Zone 01		1 23.00	23.00
485052029	Zone 01		1 23.00	23.00
485052030				23.00
	Zone 01		1 23.00 1 23.00	
485052031	Zone 01		1 23.00	23.00
485052032	Zone 01			23.00
485052033	Zone 01 Zone 01		1 23.00	23.00
485052034			1 23.00	23.00
485052035	Zone 01		1 23.00	23.00
485052036	Zone 01		1 23.00	23.00
485052037	Zone 01		1 23.00	23.00
485052038	Zone 01		1 23.00	23.00
485052039	Zone 01		1 23.00	23.00
485052040	Zone 01		1 23.00	23.00
485052041	Zone 01		1 23.00	23.00
485052042	Zone 01		1 23.00	23.00
485052043	Zone 01		1 23.00	23.00
485052044	Zone 01		1 23.00	23.00
485052045	Zone 01		1 23.00	23.00
485052046	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone L	MD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
485052047	Zone 01		1 23.00	23.00
485052048	Zone 01		1 23.00	23.00
485052049	Zone 01		1 23.00	23.00
485052050	Zone 01		1 23.00	23.00
485052051	Zone 01		1 23.00	23.00
485052052	Zone 01		1 23.00	23.00
485052053	Zone 01		1 23.00	23.00
485052054	Zone 01		1 23.00	23.00
485052055	Zone 01		1 23.00	23.00
485052056	Zone 01		1 23.00	23.00
485052057	Zone 01		1 23.00	23.00
485052058	Zone 01		1 23.00	23.00
485052059	Zone 01		1 23.00	23.00
485052060	Zone 01		1 23.00	23.00
485052061	Zone 01		1 23.00	23.00
485052062	Zone 01		1 23.00	23.00
485052063	Zone 01		1 23.00	23.00
485052064	Zone 01		1 23.00	23.00
485052065	Zone 01		1 23.00	23.00
485053001	Zone 01		1 23.00	23.00
485053002	Zone 01		1 23.00	23.00
485053003	Zone 01		1 23.00	23.00
485053004	Zone 01		1 23.00	23.00
485053005	Zone 01		1 23.00	23.00
485053006	Zone 01		1 23.00	23.00
485053007	Zone 01		1 23.00	23.00
485053008	Zone 01		1 23.00	23.00
485053009	Zone 01		1 23.00	23.00
485053010	Zone 01		1 23.00	23.00
485053011	Zone 01		1 23.00	23.00
485053012	Zone 01		1 23.00	23.00
485053013	Zone 01		1 23.00	23.00
485053014	Zone 01		1 23.00	23.00
485053015	Zone 01		1 23.00	23.00
485053016	Zone 01		1 23.00	23.00
485053017	Zone 01		1 23.00	23.00
485053018	Zone 01		1 23.00	23.00
485053019	Zone 01		1 23.00	23.00
485053020	Zone 01		1 23.00	23.00
485053021	Zone 01		1 23.00	23.00
485053021	Zone 01		1 23.00	23.00
485053022	Zone 01		1 23.00	23.00
485053024	Zone 01		1 23.00	23.00
485053025	Zone 01		1 23.00	23.00
485053025	Zone 01		1 23.00	23.00
485053027	Zone 01		1 23.00	23.00
485053027	Zone 01		1 23.00	23.00
485054001	Zone 01		1 23.00	23.00
403034001	20116 01		∠3.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	I EBU's FY 17-18 N	Max Assessment	FY 17-18 Assessment
485054002	Zone 01	1	23.00	23.00
485054003	Zone 01	1	23.00	23.00
485054004	Zone 01	1	23.00	23.00
485054005	Zone 01	1	23.00	23.00
485054006	Zone 01	1	23.00	23.00
485054007	Zone 01	1	23.00	23.00
485054008	Zone 01	1	23.00	23.00
485054009	Zone 01	1	23.00	23.00
485054010	Zone 01	1	23.00	23.00
485055001	Zone 01	1	23.00	23.00
485055002	Zone 01	1	23.00	23.00
485055003	Zone 01	1	23.00	23.00
485055004	Zone 01	1	23.00	23.00
485055005	Zone 01	1	23.00	23.00
485055006	Zone 01	1	23.00	23.00
485055007	Zone 01	1	23.00	23.00
485055008	Zone 01	1	23.00	23.00
485055009	Zone 01	1	23.00	23.00
485055010	Zone 01	1	23.00	23.00
485055011	Zone 01	1	23.00	23.00
485055012	Zone 01	1	23.00	23.00
485055013	Zone 01	1	23.00	23.00
485055014	Zone 01	1	23.00	23.00
485055015	Zone 01	1	23.00	23.00
485055016	Zone 01	1	23.00	23.00
485055017	Zone 01	1	23.00	23.00
485055018	Zone 01	1	23.00	23.00
485061001	Zone 01	1	23.00	23.00
485061002	Zone 01	1	23.00	23.00
485061003	Zone 01	1	23.00	23.00
485061004	Zone 01	1	23.00	23.00
485061005	Zone 01	1	23.00	23.00
485061006	Zone 01	1	23.00	23.00
485061007	Zone 01	1	23.00	23.00
485061008	Zone 01	1	23.00	23.00
485061009	Zone 01	1	23.00	23.00
485061010	Zone 01	1	23.00	23.00
485061011	Zone 01	1	23.00	23.00
485061012	Zone 01	1	23.00	23.00
485061013	Zone 01	1	23.00	23.00
485061014	Zone 01	1	23.00	23.00
485061015	Zone 01	1	23.00	23.00
485061016	Zone 01	1	23.00	23.00
485061017	Zone 01	1	23.00	23.00
485061018	Zone 01	1	23.00	23.00
485061019	Zone 01	1	23.00	23.00
485061020	Zone 01	1	23.00	23.00
485061021	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
485061022	Zone 01		1 23.00	23.00
485061023	Zone 01		1 23.00	23.00
485061024	Zone 01		1 23.00	23.00
485061025	Zone 01		1 23.00	23.00
485061026	Zone 01		1 23.00	23.00
485062001	Zone 01		1 23.00	23.00
485062002	Zone 01		1 23.00	23.00
485062003	Zone 01		1 23.00	23.00
485062004	Zone 01		1 23.00	23.00
485062005	Zone 01		1 23.00	23.00
485062006	Zone 01		1 23.00	23.00
485062007	Zone 01		1 23.00	23.00
485062008	Zone 01		1 23.00	23.00
485062009	Zone 01		1 23.00	23.00
485062010	Zone 01		1 23.00	23.00
485062011	Zone 01		1 23.00	23.00
485062012	Zone 01		1 23.00	23.00
485062013	Zone 01		1 23.00	23.00
485062014	Zone 01		1 23.00	23.00
485063001	Zone 01		1 23.00	23.00
485063002	Zone 01		1 23.00	23.00
485063003	Zone 01		1 23.00	23.00
485063004	Zone 01		1 23.00	23.00
485063005	Zone 01		1 23.00	23.00
485063006	Zone 01		1 23.00	23.00
485063007	Zone 01		1 23.00	23.00
485064001	Zone 01		1 23.00	23.00
485064002	Zone 01		1 23.00	23.00
485064003	Zone 01		1 23.00	23.00
485064004	Zone 01		1 23.00	23.00
485064005	Zone 01		1 23.00	23.00
485064006	Zone 01		1 23.00	23.00
485064007	Zone 01		1 23.00	23.00
485064008	Zone 01		1 23.00	23.00
485064009	Zone 01		1 23.00	23.00
485064010	Zone 01		1 23.00	23.00
485064011	Zone 01		1 23.00	23.00
485064012	Zone 01		1 23.00	23.00
485064013	Zone 01		1 23.00	23.00
485064014	Zone 01		1 23.00	23.00
485064015	Zone 01		1 23.00	23.00
485064016	Zone 01		1 23.00	23.00
485064017	Zone 01		1 23.00	23.00
485064018	Zone 01		1 23.00	23.00
485064019	Zone 01		1 23.00	23.00
485064019	Zone 01		1 23.00	23.00
485064020	Zone 01		1 23.00	23.00
485064022	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned E	BU's FY 17-	18 Max Assessment	FY 17-18 Assessment
485064023	Zone 01	1	23.00	23.00
485064024	Zone 01	1	23.00	23.00
485064025	Zone 01	1	23.00	23.00
485064026	Zone 01	1	23.00	23.00
485064027	Zone 01	1	23.00	23.00
485064028	Zone 01	1	23.00	23.00
485064029	Zone 01	1	23.00	23.00
485064030	Zone 01	1	23.00	23.00
485064031	Zone 01	1	23.00	23.00
485064032	Zone 01	1	23.00	23.00
485071001	Zone 01	1	23.00	23.00
485071002	Zone 01	1	23.00	23.00
485071003	Zone 01	1	23.00	23.00
485071004	Zone 01	1	23.00	23.00
485071005	Zone 01	1	23.00	23.00
485071006	Zone 01	1	23.00	23.00
485071007	Zone 01	1	23.00	23.00
485072001	Zone 01	1	23.00	23.00
485072002	Zone 01	1	23.00	23.00
485072003	Zone 01	1	23.00	23.00
485072004	Zone 01	1	23.00	23.00
485072005	Zone 01	1	23.00	23.00
485072006	Zone 01	1	23.00	23.00
485072007	Zone 01	1	23.00	23.00
485072008	Zone 01	1	23.00	23.00
485072009	Zone 01	1	23.00	23.00
485072010	Zone 01	1	23.00	23.00
485072011	Zone 01	1	23.00	23.00
485072012	Zone 01	1	23.00	23.00
485072013	Zone 01	1	23.00	23.00
485072014	Zone 01	1	23.00	23.00
485072015	Zone 01	1	23.00	23.00
485072016	Zone 01	1	23.00	23.00
485072017	Zone 01	1	23.00	23.00
485072018	Zone 01	1	23.00	23.00
485072019	Zone 01	1	23.00	23.00
485072020	Zone 01	1	23.00	23.00
485072021	Zone 01	1	23.00	23.00
485072022	Zone 01	1	23.00	23.00
485072023	Zone 01	1	23.00	23.00
485072024	Zone 01	1	23.00	23.00
485072025	Zone 01	1	23.00	23.00
485072026	Zone 01	1	23.00	23.00
485072027	Zone 01	1	23.00	23.00
485072028	Zone 01	1	23.00	23.00
485072029	Zone 01	1	23.00	23.00
485072030	Zone 01	1	23.00	23.00
485072031	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigne	d EBU's FY 17-18 I	Max Assessment	FY 17-18 Assessment
485072032	Zone 01	1	23.00	23.00
485072033	Zone 01	1	23.00	23.00
485072034	Zone 01	1	23.00	23.00
485072035	Zone 01	1	23.00	23.00
485072036	Zone 01	1	23.00	23.00
485072037	Zone 01	1	23.00	23.00
485072038	Zone 01	1	23.00	23.00
485073001	Zone 01	1	23.00	23.00
485073002	Zone 01	1	23.00	23.00
485073003	Zone 01	1	23.00	23.00
485073007	Zone 01	1	23.00	23.00
485073005	Zone 01	1	23.00	23.00
485073006	Zone 01	1	23.00	23.00
485074001	Zone 01	1	23.00	23.00
485074011	Zone 01	1	23.00	23.00
485074003	Zone 01	1	23.00	23.00
485074004	Zone 01	1	23.00	23.00
485074005	Zone 01	1	23.00	23.00
485074006	Zone 01	1	23.00	23.00
485074007	Zone 01	1	23.00	23.00
485074008	Zone 01	1	23.00	23.00
485074009	Zone 01	1	23.00	23.00
485074010	Zone 01	1	23.00	23.00
485075001	Zone 01	1	23.00	23.00
485075002	Zone 01	1	23.00	23.00
485075003	Zone 01	1	23.00	23.00
485075004	Zone 01	1	23.00	23.00
485075005	Zone 01	1	23.00	23.00
485075006	Zone 01	1	23.00	23.00
485075007	Zone 01	1	23.00	23.00
485075008	Zone 01	1	23.00	23.00
485075009	Zone 01	1	23.00	23.00
485075010	Zone 01	1	23.00	23.00
485075011	Zone 01	1	23.00	23.00
485075012	Zone 01	1	23.00	23.00
485075013	Zone 01	1	23.00	23.00
485075014	Zone 01	1	23.00	23.00
485081001	Zone 01	1	23.00	23.00
485081002	Zone 01	1	23.00	23.00
485081003	Zone 01	1	23.00	23.00
485081004	Zone 01	1	23.00	23.00
485081005	Zone 01	1	23.00	23.00
485081006	Zone 01	1	23.00	23.00
485081007	Zone 01	1	23.00	23.00
485081008	Zone 01	1	23.00	23.00
485081009	Zone 01	1	23.00	23.00
485081010	Zone 01	1	23.00	23.00
485081011	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-1	8 Max Assessment	FY 17-18 Assessment
485081012	Zone 01	1	23.00	23.00
485081013	Zone 01	1	23.00	23.00
485081014	Zone 01	1	23.00	23.00
485081015	Zone 01	1	23.00	23.00
485081016	Zone 01	1	23.00	23.00
485081017	Zone 01	1	23.00	23.00
485081018	Zone 01	1	23.00	23.00
485081019	Zone 01	1	23.00	23.00
485081020	Zone 01	1	23.00	23.00
485081021	Zone 01	1	23.00	23.00
485081022	Zone 01	1	23.00	23.00
485081023	Zone 01	1	23.00	23.00
485081024	Zone 01	1	23.00	23.00
485081025	Zone 01	1	23.00	23.00
485081026	Zone 01	1	23.00	23.00
485081027	Zone 01	1	23.00	23.00
485082001	Zone 01	1	23.00	23.00
485082002	Zone 01	1	23.00	23.00
485082003	Zone 01	1	23.00	23.00
485082004	Zone 01	1	23.00	23.00
485082005	Zone 01	1	23.00	23.00
485082006	Zone 01	1	23.00	23.00
485083001	Zone 01	1	23.00	23.00
485083002	Zone 01	1	23.00	23.00
485083003	Zone 01	1	23.00	23.00
485083004	Zone 01	1	23.00	23.00
485083005	Zone 01	1	23.00	23.00
485083006	Zone 01	1	23.00	23.00
485083007	Zone 01	1	23.00	23.00
485084001	Zone 01	1	23.00	23.00
485084002	Zone 01	1	23.00	23.00
485084003	Zone 01	1	23.00	23.00
485084004	Zone 01	1	23.00	23.00
485084005	Zone 01	1	23.00	23.00
485084006	Zone 01	1	23.00	23.00
485084007	Zone 01	1	23.00	23.00
485084008	Zone 01	1	23.00	23.00
485084009	Zone 01	1	23.00	23.00
485084010	Zone 01	1	23.00	23.00
485084011	Zone 01	1	23.00	23.00
485084012	Zone 01	1	23.00	23.00
485084013	Zone 01	1	23.00	23.00
485084014	Zone 01	1	23.00	23.00
485091001	Zone 01	1	23.00	23.00
485091002	Zone 01	1	23.00	23.00
485091003	Zone 01	1	23.00	23.00
485091004	Zone 01	1	23.00	23.00
485091005	Zone 01	1	23.00	23.00
			==.00	

APN	LMD 2014-01 Zone LMD Assigned E	BU's FY 17-1	8 Max Assessment	FY 17-18 Assessment
485091006	Zone 01	1	23.00	23.00
485091007	Zone 01	1	23.00	23.00
485091008	Zone 01	1	23.00	23.00
485091009	Zone 01	1	23.00	23.00
485091010	Zone 01	1	23.00	23.00
485091011	Zone 01	1	23.00	23.00
485091012	Zone 01	1	23.00	23.00
485091013	Zone 01	1	23.00	23.00
485091014	Zone 01	1	23.00	23.00
485091015	Zone 01	1	23.00	23.00
485091016	Zone 01	1	23.00	23.00
485091017	Zone 01	1	23.00	23.00
485091018	Zone 01	1	23.00	23.00
485091019	Zone 01	1	23.00	23.00
485091020	Zone 01	1	23.00	23.00
485091021	Zone 01	1	23.00	23.00
485091022	Zone 01	1	23.00	23.00
485091023	Zone 01	1	23.00	23.00
485091024	Zone 01	1	23.00	23.00
485091025	Zone 01	1	23.00	23.00
485092001	Zone 01	1	23.00	23.00
485092002	Zone 01	1	23.00	23.00
485092003	Zone 01	1	23.00	23.00
485092004	Zone 01	1	23.00	23.00
485092005	Zone 01	1	23.00	23.00
485092006	Zone 01	1	23.00	23.00
485092007	Zone 01	1	23.00	23.00
485092008	Zone 01	1	23.00	23.00
485093001	Zone 01	1	23.00	23.00
485093002	Zone 01	1	23.00	23.00
485093003	Zone 01	1	23.00	23.00
485093004	Zone 01	1	23.00	23.00
485093005	Zone 01	1	23.00	23.00
485093006	Zone 01	1	23.00	23.00
485093007	Zone 01	1	23.00	23.00
485093008	Zone 01	1	23.00	23.00
485093009	Zone 01	1	23.00	23.00
485093010	Zone 01	1	23.00	23.00
485093011	Zone 01	1	23.00	23.00
485093012	Zone 01	1	23.00	23.00
485093013	Zone 01	1	23.00	23.00
485093014	Zone 01	1	23.00	23.00
485093015	Zone 01	1	23.00	23.00
485093016	Zone 01	1	23.00	23.00
485093017	Zone 01	1	23.00	23.00
485093018	Zone 01	1	23.00	23.00
485093019	Zone 01	1	23.00	23.00
485093020	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-1	8 Max Assessment	FY 17-18 Assessment
485093021	Zone 01	1	23.00	23.00
485093022	Zone 01	1	23.00	23.00
485093023	Zone 01	1	23.00	23.00
485093024	Zone 01	1	23.00	23.00
485093025	Zone 01	1	23.00	23.00
485093026	Zone 01	1	23.00	23.00
485093027	Zone 01	1	23.00	23.00
485094001	Zone 01	1	23.00	23.00
485094002	Zone 01	1	23.00	23.00
485094003	Zone 01	1	23.00	23.00
485094004	Zone 01	1	23.00	23.00
485094005	Zone 01	1	23.00	23.00
485094006	Zone 01	1	23.00	23.00
485094007	Zone 01	1	23.00	23.00
485094008	Zone 01	1	23.00	23.00
485101001	Zone 01	1	23.00	23.00
485101002	Zone 01	1	23.00	23.00
485101003	Zone 01	1	23.00	23.00
485101004	Zone 01	1	23.00	23.00
485101005	Zone 01	1	23.00	23.00
485101006	Zone 01	1	23.00	23.00
485101007	Zone 01	1	23.00	23.00
485101008	Zone 01	1	23.00	23.00
485101009	Zone 01	1	23.00	23.00
485101010	Zone 01	1	23.00	23.00
485101011	Zone 01	1	23.00	23.00
485101012	Zone 01	1	23.00	23.00
485101013	Zone 01	1	23.00	23.00
485101014	Zone 01	1	23.00	23.00
485101015	Zone 01	1	23.00	23.00
485101016	Zone 01	1	23.00	23.00
485101017	Zone 01	1	23.00	23.00
485101018	Zone 01	1	23.00	23.00
485101019	Zone 01	1	23.00	23.00
485101020	Zone 01	1	23.00	23.00
485101021	Zone 01	1	23.00	23.00
485101022	Zone 01	1	23.00	23.00
485101023	Zone 01	1	23.00	23.00
485101024	Zone 01	1	23.00	23.00
485101025	Zone 01	1	23.00	23.00
485101026	Zone 01	1	23.00	23.00
485101027	Zone 01	1	23.00	23.00
485101028	Zone 01	1	23.00	23.00
485101029	Zone 01	1	23.00	23.00
485101030	Zone 01	1	23.00	23.00
485101031	Zone 01	1	23.00	23.00
485101032	Zone 01	1	23.00	23.00
485101033	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	I EBU's FY 17-18 N	Max Assessment	FY 17-18 Assessment
485101034	Zone 01	1	23.00	23.00
485101035	Zone 01	1	23.00	23.00
485101036	Zone 01	1	23.00	23.00
485101037	Zone 01	1	23.00	23.00
485101038	Zone 01	1	23.00	23.00
485101039	Zone 01	1	23.00	23.00
485101040	Zone 01	1	23.00	23.00
485101041	Zone 01	1	23.00	23.00
485101042	Zone 01	1	23.00	23.00
485101043	Zone 01	1	23.00	23.00
485101044	Zone 01	1	23.00	23.00
485101045	Zone 01	1	23.00	23.00
485101046	Zone 01	1	23.00	23.00
485101047	Zone 01	1	23.00	23.00
485101048	Zone 01	1	23.00	23.00
485101049	Zone 01	1	23.00	23.00
485101050	Zone 01	1	23.00	23.00
485101051	Zone 01	1	23.00	23.00
485101052	Zone 01	1	23.00	23.00
485102001	Zone 01	1	23.00	23.00
485102002	Zone 01	1	23.00	23.00
485102003	Zone 01	1	23.00	23.00
485102004	Zone 01	1	23.00	23.00
485102005	Zone 01	1	23.00	23.00
485102006	Zone 01	1	23.00	23.00
485102007	Zone 01	1	23.00	23.00
485102008	Zone 01	1	23.00	23.00
485103001	Zone 01	1	23.00	23.00
485103002	Zone 01	1	23.00	23.00
485103003	Zone 01	1	23.00	23.00
485103004	Zone 01	1	23.00	23.00
485103005	Zone 01	1	23.00	23.00
485103006	Zone 01	1	23.00	23.00
485103007	Zone 01	1	23.00	23.00
485103008	Zone 01	1	23.00	23.00
485103009	Zone 01	1	23.00	23.00
485103010	Zone 01	1	23.00	23.00
485103011	Zone 01	1	23.00	23.00
485103012	Zone 01	1	23.00	23.00
485103013	Zone 01	1	23.00	23.00
485103014	Zone 01	1	23.00	23.00
485103015	Zone 01	1	23.00	23.00
485103016	Zone 01	1	23.00	23.00
485103017	Zone 01	1	23.00	23.00
485131001	Zone 01	1	23.00	23.00
485131002	Zone 01	1	23.00	23.00
485131003	Zone 01	1	23.00	23.00
485131004	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assig	ned EBU's FY 17-18 Ma	x Assessment	FY 17-18 Assessment
485131005	Zone 01	1	23.00	23.00
485131006	Zone 01	1	23.00	23.00
485131007	Zone 01	1	23.00	23.00
485131008	Zone 01	1	23.00	23.00
485131009	Zone 01	1	23.00	23.00
485131010	Zone 01	1	23.00	23.00
485131011	Zone 01	1	23.00	23.00
485131013	Zone 01	1	23.00	23.00
485131014	Zone 01	1	23.00	23.00
485131015	Zone 01	1	23.00	23.00
485131016	Zone 01	1	23.00	23.00
485131017	Zone 01	1	23.00	23.00
485132001	Zone 01	1	23.00	23.00
485132002	Zone 01	1	23.00	23.00
485132003	Zone 01	1	23.00	23.00
485132004	Zone 01	1	23.00	23.00
485132005	Zone 01	1	23.00	23.00
485132006	Zone 01	1	23.00	23.00
485132007	Zone 01	1	23.00	23.00
485132008	Zone 01	1	23.00	23.00
485132009	Zone 01	1	23.00	23.00
485132010	Zone 01	1	23.00	23.00
485132011	Zone 01	1	23.00	23.00
485132012	Zone 01	1	23.00	23.00
485132013	Zone 01	1	23.00	23.00
485132014	Zone 01	1	23.00	23.00
485132015	Zone 01	1	23.00	23.00
485132016	Zone 01	1	23.00	23.00
485132017	Zone 01	1	23.00	23.00
485132018	Zone 01	1	23.00	23.00
485132019	Zone 01	1	23.00	23.00
485132020	Zone 01	1	23.00	23.00
485132021	Zone 01	1	23.00	23.00
485132022	Zone 01	1	23.00	23.00
485132023	Zone 01	1	23.00	23.00
485132024	Zone 01	1	23.00	23.00
485132025	Zone 01	1	23.00	23.00
485132026	Zone 01	1	23.00	23.00
485132027	Zone 01	1	23.00	23.00
485132028	Zone 01	1	23.00	23.00
485132029	Zone 01	1	23.00	23.00
485132030	Zone 01	1	23.00	23.00
485132031	Zone 01	1	23.00	23.00
485132032	Zone 01	1	23.00	23.00
485133001	Zone 01	1	23.00	23.00
485133002	Zone 01	1	23.00	23.00
485133003	Zone 01	1	23.00	23.00
485133004	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
485133005	Zone 01		1 23.00	23.00
485133006	Zone 01		1 23.00	23.00
485133008	Zone 01		1 23.00	23.00
485133009	Zone 01		1 23.00	23.00
485133010	Zone 01		1 23.00	23.00
485133011	Zone 01		1 23.00	23.00
485133012	Zone 01		1 23.00	23.00
485133013	Zone 01		1 23.00	23.00
485133014	Zone 01		1 23.00	23.00
485133015	Zone 01		1 23.00	23.00
485133016	Zone 01		1 23.00	23.00
485133017	Zone 01		1 23.00	23.00
485134001	Zone 01		1 23.00	23.00
485134002	Zone 01		1 23.00	23.00
485134003	Zone 01		1 23.00	23.00
485134004	Zone 01		1 23.00	23.00
485134005	Zone 01		1 23.00	23.00
485134006	Zone 01		1 23.00	23.00
485134007	Zone 01		1 23.00	23.00
485134008	Zone 01		1 23.00	23.00
485134009	Zone 01		1 23.00	23.00
485141001	Zone 01		1 23.00	23.00
485141002	Zone 01		1 23.00	23.00
485141003	Zone 01		1 23.00	23.00
485141004	Zone 01		1 23.00	23.00
485141005	Zone 01		1 23.00	23.00
485141006	Zone 01		1 23.00	23.00
485141007	Zone 01		1 23.00	23.00
485141008	Zone 01		1 23.00	23.00
485141009	Zone 01		1 23.00	23.00
485141010	Zone 01		1 23.00	23.00
485141011	Zone 01		1 23.00	23.00
485141012	Zone 01		1 23.00	23.00
485141013	Zone 01		1 23.00	23.00
485141014	Zone 01		1 23.00	23.00
485141015	Zone 01		1 23.00	23.00
485141016	Zone 01		1 23.00	23.00
485141017	Zone 01		1 23.00	23.00
485141018	Zone 01		1 23.00	23.00
485141019	Zone 01		1 23.00	23.00
485141020	Zone 01		1 23.00	23.00
485141021	Zone 01		1 23.00	23.00
485141022	Zone 01		1 23.00	23.00
485141023	Zone 01		1 23.00	23.00
485141024	Zone 01		1 23.00	23.00
485141025	Zone 01		1 23.00	23.00
485141026	Zone 01		1 23.00	23.00
485141027	Zone 01		1 23.00	23.00
.50111021	_5/10 0 1		20.00	20.00

485142002 Zone 01 1 23.00 23.0 485142003 Zone 01 1 23.00 23.0 485142004 Zone 01 1 23.00 23.0 485142005 Zone 01 1 23.00 23.0 485142006 Zone 01 1 23.00 23.0 485142007 Zone 01 1 23.00 23.0 485142008 Zone 01 1 23.00 23.0 485142010 Zone 01 1 23.00 23.0 485142011 Zone 01 1 23.00 23.0 485142012 Zone 01 1 23.00 23.0 485142013 Zone 01 1 23.00 23.0 485142014 Zone 01 1 23.00 23.0 485142015 Zone 01 1 23.00 23.0 485142016 Zone 01 1 23.00 23.0 485142017 Zone 01 1 23.00 23.0 485142018 Zone 01 1 23.00 23.0 485142021	APN	LMD 2014-01 Zone LMI	D Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
485142003 Zone 01 1 23.00 23.0 485142004 Zone 01 1 23.00 23.0 485142005 Zone 01 1 23.00 23.0 485142006 Zone 01 1 23.00 23.0 485142007 Zone 01 1 23.00 23.0 485142008 Zone 01 1 23.00 23.0 485142010 Zone 01 1 23.00 23.0 485142011 Zone 01 1 23.00 23.0 485142011 Zone 01 1 23.00 23.0 485142012 Zone 01 1 23.00 23.0 485142013 Zone 01 1 23.00 23.0 485142015 Zone 01 1 23.00 23.0 485142015 Zone 01 1 23.00 23.0 485142016 Zone 01 1 23.00 23.0 485142017 Zone 01 1 23.00 23.0 485142020 Zone 01 1 23.00 23.0 485142021	485142001	Zone 01	•	1 23.00	23.00
485142004 Zone 01 1 23.00 23.0 485142005 Zone 01 1 23.00 23.0 485142006 Zone 01 1 23.00 23.0 485142007 Zone 01 1 23.00 23.0 485142008 Zone 01 1 23.00 23.0 485142009 Zone 01 1 23.00 23.0 485142010 Zone 01 1 23.00 23.0 485142011 Zone 01 1 23.00 23.0 485142012 Zone 01 1 23.00 23.0 485142013 Zone 01 1 23.00 23.0 485142014 Zone 01 1 23.00 23.0 485142015 Zone 01 1 23.00 23.0 485142016 Zone 01 1 23.00 23.0 485142017 Zone 01 1 23.00 23.0 485142020 Zone 01 1 23.00 23.0 485142020 Zone 01 1 23.00 23.0 485142022	485142002	Zone 01	•	1 23.00	23.00
485142005 Zone 01 1 23.00 23.0 485142006 Zone 01 1 23.00 23.0 485142007 Zone 01 1 23.00 23.0 485142008 Zone 01 1 23.00 23.0 485142009 Zone 01 1 23.00 23.0 485142010 Zone 01 1 23.00 23.0 485142011 Zone 01 1 23.00 23.0 485142012 Zone 01 1 23.00 23.0 485142013 Zone 01 1 23.00 23.0 485142014 Zone 01 1 23.00 23.0 485142015 Zone 01 1 23.00 23.0 485142016 Zone 01 1 23.00 23.0 485142017 Zone 01 1 23.00 23.0 485142019 Zone 01 1 23.00 23.0 485142020 Zone 01 1 23.00 23.0 485142021 Zone 01 1 23.00 23.0 485142022	485142003	Zone 01	•	1 23.00	23.00
485142006 Zone 01 1 23.00 23.00 485142007 Zone 01 1 23.00 23.0 485142008 Zone 01 1 23.00 23.0 485142009 Zone 01 1 23.00 23.0 485142010 Zone 01 1 23.00 23.0 485142011 Zone 01 1 23.00 23.0 485142012 Zone 01 1 23.00 23.0 485142013 Zone 01 1 23.00 23.0 485142014 Zone 01 1 23.00 23.0 485142015 Zone 01 1 23.00 23.0 485142016 Zone 01 1 23.00 23.0 485142017 Zone 01 1 23.00 23.0 485142018 Zone 01 1 23.00 23.0 485142019 Zone 01 1 23.00 23.0 485142021 Zone 01 1 23.00 23.0 485142022 Zone 01 1 23.00 23.0 485142023	485142004	Zone 01	•	1 23.00	23.00
485142007 Zone 01 1 23.00 23.00 485142008 Zone 01 1 23.00 23.0 485142009 Zone 01 1 23.00 23.0 485142010 Zone 01 1 23.00 23.0 485142011 Zone 01 1 23.00 23.0 485142012 Zone 01 1 23.00 23.0 485142013 Zone 01 1 23.00 23.0 485142014 Zone 01 1 23.00 23.0 485142015 Zone 01 1 23.00 23.0 485142016 Zone 01 1 23.00 23.0 485142017 Zone 01 1 23.00 23.0 485142018 Zone 01 1 23.00 23.0 485142019 Zone 01 1 23.00 23.0 485142020 Zone 01 1 23.00 23.0 485142021 Zone 01 1 23.00 23.0 485142023 Zone 01 1 23.00 23.0 485142024	485142005	Zone 01	•	1 23.00	23.00
485142008 Zone 01 1 23.00 23.00 485142019 Zone 01 1 23.00 23.0 485142010 Zone 01 1 23.00 23.0 485142011 Zone 01 1 23.00 23.0 485142012 Zone 01 1 23.00 23.0 485142013 Zone 01 1 23.00 23.0 485142014 Zone 01 1 23.00 23.0 485142015 Zone 01 1 23.00 23.0 485142016 Zone 01 1 23.00 23.0 485142017 Zone 01 1 23.00 23.0 485142018 Zone 01 1 23.00 23.0 485142020 Zone 01 1 23.00 23.0 485142021 Zone 01 1 23.00 23.0 485142022 Zone 01 1 23.00 23.0 485142024 Zone 01 1 23.00 23.0 485142025 Zone 01 1 23.00 23.0 485142026	485142006	Zone 01	•	1 23.00	23.00
485142009 Zone 01 1 23.00 23.00 485142010 Zone 01 1 23.00 23.0 485142011 Zone 01 1 23.00 23.0 485142012 Zone 01 1 23.00 23.0 485142013 Zone 01 1 23.00 23.0 485142014 Zone 01 1 23.00 23.0 485142015 Zone 01 1 23.00 23.0 485142016 Zone 01 1 23.00 23.0 485142017 Zone 01 1 23.00 23.0 485142018 Zone 01 1 23.00 23.0 485142020 Zone 01 1 23.00 23.0 485142021 Zone 01 1 23.00 23.0 485142022 Zone 01 1 23.00 23.0 485142024 Zone 01 1 23.00 23.0 485142025 Zone 01 1 23.00 23.0 485142026 Zone 01 1 23.00 23.0 485142026	485142007	Zone 01	•	1 23.00	23.00
485142010 Zone 01 1 23.00 23.00 485142011 Zone 01 1 23.00 23.0 485142012 Zone 01 1 23.00 23.0 485142013 Zone 01 1 23.00 23.0 485142014 Zone 01 1 23.00 23.0 485142015 Zone 01 1 23.00 23.0 485142016 Zone 01 1 23.00 23.0 485142017 Zone 01 1 23.00 23.0 485142018 Zone 01 1 23.00 23.0 485142019 Zone 01 1 23.00 23.0 485142020 Zone 01 1 23.00 23.0 485142021 Zone 01 1 23.00 23.0 485142022 Zone 01 1 23.00 23.0 485142023 Zone 01 1 23.00 23.0 485142024 Zone 01 1 23.00 23.0 485142025 Zone 01 1 23.00 23.0 485142026	485142008	Zone 01	•	1 23.00	23.00
485142011 Zone 01 1 23.00 23.00 485142012 Zone 01 1 23.00 23.0 485142013 Zone 01 1 23.00 23.0 485142014 Zone 01 1 23.00 23.0 485142015 Zone 01 1 23.00 23.0 485142016 Zone 01 1 23.00 23.0 485142017 Zone 01 1 23.00 23.0 485142018 Zone 01 1 23.00 23.0 485142019 Zone 01 1 23.00 23.0 485142020 Zone 01 1 23.00 23.0 485142021 Zone 01 1 23.00 23.0 485142022 Zone 01 1 23.00 23.0 485142023 Zone 01 1 23.00 23.0 485142024 Zone 01 1 23.00 23.0 485142025 Zone 01 1 23.00 23.0 485142026 Zone 01 1 23.00 23.0 485142027	485142009	Zone 01	•	1 23.00	23.00
485142012 Zone 01 1 23.00 23.0 485142013 Zone 01 1 23.00 23.0 485142014 Zone 01 1 23.00 23.0 485142015 Zone 01 1 23.00 23.0 485142016 Zone 01 1 23.00 23.0 485142017 Zone 01 1 23.00 23.0 485142018 Zone 01 1 23.00 23.0 485142019 Zone 01 1 23.00 23.0 485142020 Zone 01 1 23.00 23.0 485142021 Zone 01 1 23.00 23.0 485142022 Zone 01 1 23.00 23.0 485142023 Zone 01 1 23.00 23.0 485142024 Zone 01 1 23.00 23.0 485142025 Zone 01 1 23.00 23.0 485142026 Zone 01 1 23.00 23.0 485142027 Zone 01 1 23.00 23.0 23.00	485142010	Zone 01	•	1 23.00	23.00
485142013 Zone 01 1 23.00 23.0 485142014 Zone 01 1 23.00 23.0 485142015 Zone 01 1 23.00 23.0 485142016 Zone 01 1 23.00 23.0 485142017 Zone 01 1 23.00 23.0 485142018 Zone 01 1 23.00 23.0 485142019 Zone 01 1 23.00 23.0 485142020 Zone 01 1 23.00 23.0 485142021 Zone 01 1 23.00 23.0 485142022 Zone 01 1 23.00 23.0 485142023 Zone 01 1 23.00 23.0 485142024 Zone 01 1 23.00 23.0 485142025 Zone 01 1 23.00 23.0 485142026 Zone 01 1 23.00 23.0 485142027 Zone 01 1 23.00 23.0	485142011	Zone 01	•	1 23.00	23.00
485142014 Zone 01 1 23.00 23.0 485142015 Zone 01 1 23.00 23.0 485142016 Zone 01 1 23.00 23.0 485142017 Zone 01 1 23.00 23.0 485142018 Zone 01 1 23.00 23.0 485142019 Zone 01 1 23.00 23.0 485142020 Zone 01 1 23.00 23.0 485142021 Zone 01 1 23.00 23.0 485142022 Zone 01 1 23.00 23.0 485142023 Zone 01 1 23.00 23.0 485142024 Zone 01 1 23.00 23.0 485142025 Zone 01 1 23.00 23.0 485142026 Zone 01 1 23.00 23.0 485142027 Zone 01 1 23.00 23.0 23.00 23.0 23.0 23.0 23.0 23.00 23.0 23.0 23.0 23.0 23.00 23.0	485142012	Zone 01	•	1 23.00	23.00
485142015 Zone 01 1 23.00 23.0 485142016 Zone 01 1 23.00 23.0 485142017 Zone 01 1 23.00 23.0 485142018 Zone 01 1 23.00 23.0 485142019 Zone 01 1 23.00 23.0 485142020 Zone 01 1 23.00 23.0 485142021 Zone 01 1 23.00 23.0 485142022 Zone 01 1 23.00 23.0 485142023 Zone 01 1 23.00 23.0 485142025 Zone 01 1 23.00 23.0 485142026 Zone 01 1 23.00 23.0 485142027 Zone 01 1 23.00 23.0 23.00 23.0 23.0 23.0 23.0	485142013	Zone 01	•	1 23.00	23.00
485142016 Zone 01 1 23.00 23.0 485142017 Zone 01 1 23.00 23.0 485142018 Zone 01 1 23.00 23.0 485142019 Zone 01 1 23.00 23.0 485142020 Zone 01 1 23.00 23.0 485142021 Zone 01 1 23.00 23.0 485142022 Zone 01 1 23.00 23.0 485142023 Zone 01 1 23.00 23.0 485142024 Zone 01 1 23.00 23.0 485142025 Zone 01 1 23.00 23.0 485142026 Zone 01 1 23.00 23.0 485142027 Zone 01 1 23.00 23.0	485142014	Zone 01	•	1 23.00	23.00
485142017 Zone 01 1 23.00 23.0 485142018 Zone 01 1 23.00 23.0 485142019 Zone 01 1 23.00 23.0 485142020 Zone 01 1 23.00 23.0 485142021 Zone 01 1 23.00 23.0 485142022 Zone 01 1 23.00 23.0 485142023 Zone 01 1 23.00 23.0 485142024 Zone 01 1 23.00 23.0 485142025 Zone 01 1 23.00 23.0 485142026 Zone 01 1 23.00 23.0 485142027 Zone 01 1 23.00 23.0	485142015	Zone 01	•	1 23.00	23.00
485142018 Zone 01 1 23.00 23.0 485142019 Zone 01 1 23.00 23.0 485142020 Zone 01 1 23.00 23.0 485142021 Zone 01 1 23.00 23.0 485142022 Zone 01 1 23.00 23.0 485142023 Zone 01 1 23.00 23.0 485142024 Zone 01 1 23.00 23.0 485142025 Zone 01 1 23.00 23.0 485142026 Zone 01 1 23.00 23.0 485142027 Zone 01 1 23.00 23.0	485142016	Zone 01	•	1 23.00	23.00
485142019 Zone 01 1 23.00 23.0 485142020 Zone 01 1 23.00 23.0 485142021 Zone 01 1 23.00 23.0 485142022 Zone 01 1 23.00 23.0 485142023 Zone 01 1 23.00 23.0 485142024 Zone 01 1 23.00 23.0 485142025 Zone 01 1 23.00 23.0 485142026 Zone 01 1 23.00 23.0 485142027 Zone 01 1 23.00 23.0 23.00 23.0 23.0 23.0	485142017	Zone 01	•	1 23.00	23.00
485142020 Zone 01 1 23.00 23.0 485142021 Zone 01 1 23.00 23.0 485142022 Zone 01 1 23.00 23.0 485142023 Zone 01 1 23.00 23.0 485142024 Zone 01 1 23.00 23.0 485142025 Zone 01 1 23.00 23.0 485142026 Zone 01 1 23.00 23.0 485142027 Zone 01 1 23.00 23.0	485142018	Zone 01	•	1 23.00	23.00
485142021 Zone 01 1 23.00 23.0 485142022 Zone 01 1 23.00 23.0 485142023 Zone 01 1 23.00 23.0 485142024 Zone 01 1 23.00 23.0 485142025 Zone 01 1 23.00 23.0 485142026 Zone 01 1 23.00 23.0 485142027 Zone 01 1 23.00 23.0	485142019	Zone 01	•	1 23.00	23.00
485142022 Zone 01 1 23.00 23.0 485142023 Zone 01 1 23.00 23.0 485142024 Zone 01 1 23.00 23.0 485142025 Zone 01 1 23.00 23.0 485142026 Zone 01 1 23.00 23.0 485142027 Zone 01 1 23.00 23.0 23.00 23.0 23.0 23.0	485142020	Zone 01	•	1 23.00	23.00
485142023 Zone 01 1 23.00 23.0 485142024 Zone 01 1 23.00 23.0 485142025 Zone 01 1 23.00 23.0 485142026 Zone 01 1 23.00 23.0 485142027 Zone 01 1 23.00 23.0 23.00 23.0 23.0 23.0	485142021	Zone 01	•	1 23.00	23.00
485142024 Zone 01 1 23.00 23.0 485142025 Zone 01 1 23.00 23.0 485142026 Zone 01 1 23.00 23.0 485142027 Zone 01 1 23.00 23.0 23.00 23.0 23.0 23.0	485142022	Zone 01	•	1 23.00	23.00
485142025 Zone 01 1 23.00 23.0 485142026 Zone 01 1 23.00 23.0 485142027 Zone 01 1 23.00 23.0 23.00 23.0 23.0 23.0	485142023	Zone 01	•	1 23.00	23.00
485142026 Zone 01 1 23.00 23.0 485142027 Zone 01 1 23.00 23.0	485142024	Zone 01	•	1 23.00	23.00
485142027 Zone 01 1 23.00 23.0	485142025	Zone 01	•	1 23.00	23.00
	485142026	Zone 01	•	1 23.00	23.00
485142028 Zono 01 4 22 00 23 00	485142027	Zone 01	•	1 23.00	23.00
403142020 Z0116 01 I Z3.00 Z3.0	485142028	Zone 01	•	1 23.00	23.00
485142029 Zone 01 1 23.00 23.0	485142029	Zone 01	•	1 23.00	23.00
485142030 Zone 01 1 23.00 23.0	485142030	Zone 01	•	1 23.00	23.00
485142031 Zone 01 1 23.00 23.0	485142031	Zone 01	•	1 23.00	23.00
485142032 Zone 01 1 23.00 23.0	485142032	Zone 01	•	1 23.00	23.00
485142033 Zone 01 1 23.00 23.0	485142033	Zone 01	•	1 23.00	23.00
485142034 Zone 01 1 23.00 23.0	485142034	Zone 01	•	1 23.00	23.00
485142035 Zone 01 1 23.00 23.0	485142035	Zone 01	•	1 23.00	23.00
485142036 Zone 01 1 23.00 23.0	485142036	Zone 01	•	1 23.00	23.00
485142037 Zone 01 1 23.00 23.0	485142037	Zone 01	•	1 23.00	23.00
485143001 Zone 01 1 23.00 23.0	485143001	Zone 01	•	1 23.00	23.00
485143002 Zone 01 1 23.00 23.0	485143002	Zone 01	•	1 23.00	23.00
485143003 Zone 01 1 23.00 23.0	485143003	Zone 01	•	1 23.00	23.00
485143004 Zone 01 1 23.00 23.0	485143004	Zone 01	•	1 23.00	23.00
485143005 Zone 01 1 23.00 23.0	485143005	Zone 01		1 23.00	23.00
					23.00
	485143007				23.00
	485143008				23.00
		Zone 01		1 23.00	23.00
485143010 Zone 01 1 23.00 23.0	485143010	Zone 01		1 23.00	23.00
485144001 Zone 01 1 23.00 23.0	485144001	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
485144002	Zone 01		1 23.00	23.00
485144003	Zone 01		1 23.00	23.00
485144004	Zone 01		1 23.00	23.00
485144005	Zone 01		1 23.00	23.00
485144006	Zone 01		1 23.00	23.00
485144007	Zone 01		1 23.00	23.00
485144008	Zone 01		1 23.00	23.00
485144009	Zone 01		1 23.00	23.00
485144010	Zone 01		1 23.00	23.00
485144011	Zone 01		1 23.00	23.00
485144012	Zone 01		1 23.00	23.00
485144013	Zone 01		1 23.00	23.00
485144014	Zone 01		1 23.00	23.00
485144015	Zone 01		1 23.00	23.00
485144016	Zone 01		1 23.00	23.00
485144017	Zone 01		1 23.00	23.00
485144018	Zone 01		1 23.00	23.00
485145001	Zone 01		1 23.00	23.00
485145002	Zone 01		1 23.00	23.00
485145003	Zone 01		1 23.00	23.00
485145004	Zone 01		1 23.00	23.00
485145005	Zone 01		1 23.00	23.00
485145006	Zone 01		1 23.00	23.00
485145007	Zone 01		1 23.00	23.00
485145008	Zone 01		1 23.00	23.00
485145009	Zone 01		1 23.00	23.00
485145010	Zone 01		1 23.00	23.00
485145011	Zone 01		1 23.00	23.00
485145012	Zone 01		1 23.00	23.00
485145013	Zone 01		1 23.00	23.00
485145014	Zone 01		1 23.00	23.00
485145015	Zone 01		1 23.00	23.00
485145016	Zone 01		1 23.00	23.00
485145017	Zone 01		1 23.00	23.00
485145018	Zone 01		1 23.00	23.00
485145019	Zone 01		1 23.00	23.00
485151001	Zone 01		1 23.00	23.00
485151002	Zone 01		1 23.00	23.00
485151002	Zone 01		1 23.00	23.00
485151004	Zone 01		1 23.00	23.00
485151005	Zone 01		1 23.00	23.00
485151006	Zone 01		1 23.00	23.00
485151006	Zone 01		1 23.00	23.00
485151007	Zone 01		1 23.00	23.00
485151008	Zone 01		1 23.00	23.00
485151010	Zone 01		1 23.00	23.00
485151010	Zone 01			
			1 23.00	23.00
485151012	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LM	D Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
485151013	Zone 01		1 23.00	23.00
485151014	Zone 01		1 23.00	23.00
485151015	Zone 01		1 23.00	23.00
485151016	Zone 01		1 23.00	23.00
485151017	Zone 01		1 23.00	23.00
485151018	Zone 01		1 23.00	23.00
485151019	Zone 01		1 23.00	23.00
485151020	Zone 01		1 23.00	23.00
485151021	Zone 01		1 23.00	23.00
485151022	Zone 01		1 23.00	23.00
485151023	Zone 01		1 23.00	23.00
485151024	Zone 01		1 23.00	23.00
485151025	Zone 01		1 23.00	23.00
485151026	Zone 01		1 23.00	23.00
485151027	Zone 01		1 23.00	23.00
485151028	Zone 01		1 23.00	23.00
485151029	Zone 01		1 23.00	23.00
485151030	Zone 01		1 23.00	23.00
485151031	Zone 01		1 23.00	23.00
485151032	Zone 01		1 23.00	23.00
485151033	Zone 01		1 23.00	23.00
485151034	Zone 01		1 23.00	23.00
485151035	Zone 01		1 23.00	23.00
485151036	Zone 01		1 23.00	23.00
485152001	Zone 01		1 23.00	23.00
485152002	Zone 01		1 23.00	23.00
485152003	Zone 01		1 23.00	23.00
485152004	Zone 01		1 23.00	23.00
485152005	Zone 01		1 23.00	23.00
485152006	Zone 01		1 23.00	23.00
485152007	Zone 01		1 23.00	23.00
485152008	Zone 01		1 23.00	23.00
485152009	Zone 01		1 23.00	23.00
485152010	Zone 01		1 23.00	23.00
485152011	Zone 01		1 23.00	23.00
485152012	Zone 01		1 23.00	23.00
485152013	Zone 01		1 23.00	23.00
485152014	Zone 01		1 23.00	23.00
485152015	Zone 01		1 23.00	23.00
485152016	Zone 01		1 23.00	23.00
485152017	Zone 01		1 23.00	23.00
485152018	Zone 01		1 23.00	23.00
485152019	Zone 01		1 23.00	23.00
485152020	Zone 01		1 23.00	23.00
485152021	Zone 01		1 23.00	23.00
485152022	Zone 01		1 23.00	23.00
485152023	Zone 01		1 23.00	23.00
485152024	Zone 01		1 23.00	23.00
400102024	20116 01		23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-18	8 Max Assessment	FY 17-18 Assessment
485152025	Zone 01	1	23.00	23.00
485152026	Zone 01	1	23.00	23.00
485152027	Zone 01	1	23.00	23.00
485152028	Zone 01	1	23.00	23.00
485152029	Zone 01	1	23.00	23.00
485152030	Zone 01	1	23.00	23.00
485152031	Zone 01	1	23.00	23.00
485152032	Zone 01	1	23.00	23.00
485152033	Zone 01	1	23.00	23.00
485152034	Zone 01	1	23.00	23.00
485152035	Zone 01	1	23.00	23.00
485152036	Zone 01	1	23.00	23.00
485152037	Zone 01	1	23.00	23.00
485152038	Zone 01	1	23.00	23.00
485152039	Zone 01	1	23.00	23.00
485152040	Zone 01	1	23.00	23.00
485152041	Zone 01	1	23.00	23.00
485153001	Zone 01	1	23.00	23.00
485153002	Zone 01	1	23.00	23.00
485153003	Zone 01	1	23.00	23.00
485153004	Zone 01	1	23.00	23.00
485153005	Zone 01	1	23.00	23.00
485153006	Zone 01	1	23.00	23.00
485153007	Zone 01	1	23.00	23.00
485153008	Zone 01	1	23.00	23.00
485153009	Zone 01	1	23.00	23.00
485153010	Zone 01	1	23.00	23.00
485153011	Zone 01	1	23.00	23.00
485153012	Zone 01	1	23.00	23.00
485153013	Zone 01	1	23.00	23.00
485153014	Zone 01	1	23.00	23.00
485153015	Zone 01	1	23.00	23.00
485153016	Zone 01	1	23.00	23.00
485153017	Zone 01	1	23.00	23.00
485153018	Zone 01	1	23.00	23.00
485153019	Zone 01	1	23.00	23.00
485153020	Zone 01	1	23.00	23.00
485153021	Zone 01	1	23.00	23.00
485153022	Zone 01	1	23.00	23.00
485153023	Zone 01	1	23.00	23.00
485153024	Zone 01	1	23.00	23.00
485153025	Zone 01	1	23.00	23.00
485161001	Zone 01	1	23.00	23.00
485161002	Zone 01	1	23.00	23.00
485161003	Zone 01	1	23.00	23.00
485161004	Zone 01	1	23.00	23.00
485161005	Zone 01	1	23.00	23.00
485161006	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-1	8 Max Assessment	FY 17-18 Assessment
485161007	Zone 01	1	23.00	23.00
485161008	Zone 01	1	23.00	23.00
485161009	Zone 01	1	23.00	23.00
485161010	Zone 01	1	23.00	23.00
485161011	Zone 01	1	23.00	23.00
485161012	Zone 01	1	23.00	23.00
485161013	Zone 01	1	23.00	23.00
485161014	Zone 01	1	23.00	23.00
485161015	Zone 01	1	23.00	23.00
485161016	Zone 01	1	23.00	23.00
485161017	Zone 01	1	23.00	23.00
485161018	Zone 01	1	23.00	23.00
485161019	Zone 01	1	23.00	23.00
485161020	Zone 01	1	23.00	23.00
485161021	Zone 01	1	23.00	23.00
485161022	Zone 01	1	23.00	23.00
485161023	Zone 01	1	23.00	23.00
485161024	Zone 01	1	23.00	23.00
485161025	Zone 01	1	23.00	23.00
485161026	Zone 01	1	23.00	23.00
485161027	Zone 01	1	23.00	23.00
485161028	Zone 01	1	23.00	23.00
485161029	Zone 01	1	23.00	23.00
485161030	Zone 01	1	23.00	23.00
485161031	Zone 01	1	23.00	23.00
485161032	Zone 01	1	23.00	23.00
485161033	Zone 01	1	23.00	23.00
485161034	Zone 01	1	23.00	23.00
485161035	Zone 01	1	23.00	23.00
485161036	Zone 01	1	23.00	23.00
485161037	Zone 01	1	23.00	23.00
485161038	Zone 01	1	23.00	23.00
485161039	Zone 01	1	23.00	23.00
485161040	Zone 01	1	23.00	23.00
485161041	Zone 01	1	23.00	23.00
485161042	Zone 01	1	23.00	23.00
485161043	Zone 01	1	23.00	23.00
485161044	Zone 01	1	23.00	23.00
485161045	Zone 01	1	23.00	23.00
485161046	Zone 01	1	23.00	23.00
485161047	Zone 01	1	23.00	23.00
485161048	Zone 01	1	23.00	23.00
485161049	Zone 01	1	23.00	23.00
485161050	Zone 01	1	23.00	23.00
485161051	Zone 01	1	23.00	23.00
485161052	Zone 01	1	23.00	23.00
485161053	Zone 01	1	23.00	23.00
485161054	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LN	ID Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
485161055	Zone 01		1 23.00	23.00
485161056	Zone 01		1 23.00	23.00
485162001	Zone 01		1 23.00	23.00
485162002	Zone 01		1 23.00	23.00
485162003	Zone 01		1 23.00	23.00
485162004	Zone 01		1 23.00	23.00
485162005	Zone 01		1 23.00	23.00
485162006	Zone 01		1 23.00	23.00
485162007	Zone 01		1 23.00	23.00
485162008	Zone 01		1 23.00	23.00
485162009	Zone 01		1 23.00	23.00
485162010	Zone 01		1 23.00	23.00
485162011	Zone 01		1 23.00	23.00
485162012	Zone 01		1 23.00	23.00
485162013	Zone 01		1 23.00	23.00
485162014	Zone 01		1 23.00	23.00
485162015	Zone 01		1 23.00	23.00
485162016	Zone 01		1 23.00	23.00
485162017	Zone 01		1 23.00	23.00
485163001	Zone 01		1 23.00	23.00
485163002	Zone 01		1 23.00	23.00
485163003	Zone 01		1 23.00	23.00
485163004	Zone 01		1 23.00	23.00
485163005	Zone 01		1 23.00	23.00
485163006	Zone 01		1 23.00	23.00
485163007	Zone 01		1 23.00	23.00
485163008	Zone 01		1 23.00	23.00
485163009	Zone 01		1 23.00	23.00
485163010	Zone 01		1 23.00	23.00
485163011	Zone 01		1 23.00	23.00
485163012	Zone 01		1 23.00	23.00
485163013	Zone 01		1 23.00	23.00
485163014	Zone 01		1 23.00	23.00
485163015	Zone 01		1 23.00	23.00
485163016	Zone 01		1 23.00	23.00
485163017	Zone 01		1 23.00	23.00
485163018	Zone 01		1 23.00	23.00
485163019	Zone 01		1 23.00	23.00
485163020	Zone 01		1 23.00	23.00
485163021	Zone 01		1 23.00	23.00
485163022			1 23.00	23.00
	Zone 01			
485163023 485163024	Zone 01		1 23.00	23.00 23.00
	Zone 01		1 23.00	
485163025	Zone 01		1 23.00	23.00
485171001	Zone 01		1 23.00	23.00
485171002	Zone 01		1 23.00	23.00
485171003	Zone 01		1 23.00	23.00
485171004	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Ass	signed EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
485171005	Zone 01	1	23.00	23.00
485171006	Zone 01	1	23.00	23.00
485171007	Zone 01	1	23.00	23.00
485171008	Zone 01	1	23.00	23.00
485171009	Zone 01	1	23.00	23.00
485171010	Zone 01	1	23.00	23.00
485171011	Zone 01	1	23.00	23.00
485171012	Zone 01	1	23.00	23.00
485171013	Zone 01	1	23.00	23.00
485171014	Zone 01	1	23.00	23.00
485171015	Zone 01	1	23.00	23.00
485172001	Zone 01	1	23.00	23.00
485172002	Zone 01	1	23.00	23.00
485172003	Zone 01	1	23.00	23.00
485172004	Zone 01	1	23.00	23.00
485172005	Zone 01	1	23.00	23.00
485172006	Zone 01	1	23.00	23.00
485173001	Zone 01	1	23.00	23.00
485173002	Zone 01	1	23.00	23.00
485173003	Zone 01	1	23.00	23.00
485173004	Zone 01	1	23.00	23.00
485173005	Zone 01	1	23.00	23.00
485173006	Zone 01	1	23.00	23.00
485173007	Zone 01	1	23.00	23.00
485173008	Zone 01	1	23.00	23.00
485173009	Zone 01	1	23.00	23.00
485173010	Zone 01	1	23.00	23.00
485173011	Zone 01	1	23.00	23.00
485173012	Zone 01	1	23.00	23.00
485173013	Zone 01	1	23.00	23.00
485173014	Zone 01	1	23.00	23.00
485173015	Zone 01	1	23.00	23.00
485173016	Zone 01	1	23.00	23.00
485173017	Zone 01	1	23.00	23.00
485173018	Zone 01	1	23.00	23.00
485173019	Zone 01	1	23.00	23.00
485173020	Zone 01	1	23.00	23.00
485173021	Zone 01	1	23.00	23.00
485173022	Zone 01	1	23.00	23.00
485173023	Zone 01	1	23.00	23.00
485173024	Zone 01	1	23.00	23.00
485173025	Zone 01	1	23.00	23.00
485173026	Zone 01	1	23.00	23.00
485173027	Zone 01	1	23.00	23.00
485173028	Zone 01	1	23.00	23.00
485173029	Zone 01	1	23.00	23.00
485173030	Zone 01	1	23.00	23.00
485173031	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigne	d EBU's FY 17-18 I	Max Assessment	FY 17-18 Assessment
485173032	Zone 01	1	23.00	23.00
485173033	Zone 01	1	23.00	23.00
485173034	Zone 01	1	23.00	23.00
485173035	Zone 01	1	23.00	23.00
485173036	Zone 01	1	23.00	23.00
485173037	Zone 01	1	23.00	23.00
485173038	Zone 01	1	23.00	23.00
485173039	Zone 01	1	23.00	23.00
485173040	Zone 01	1	23.00	23.00
485173041	Zone 01	1	23.00	23.00
485173042	Zone 01	1	23.00	23.00
485173043	Zone 01	1	23.00	23.00
485173044	Zone 01	1	23.00	23.00
485173045	Zone 01	1	23.00	23.00
485173046	Zone 01	1	23.00	23.00
485174001	Zone 01	1	23.00	23.00
485174002	Zone 01	1	23.00	23.00
485174003	Zone 01	1	23.00	23.00
485174004	Zone 01	1	23.00	23.00
485174005	Zone 01	1	23.00	23.00
485174006	Zone 01	1	23.00	23.00
485174007	Zone 01	1	23.00	23.00
485174008	Zone 01	1	23.00	23.00
485174009	Zone 01	1	23.00	23.00
485174010	Zone 01	1	23.00	23.00
485174011	Zone 01	1	23.00	23.00
485174012	Zone 01	1	23.00	23.00
485174013	Zone 01	1	23.00	23.00
485174014	Zone 01	1	23.00	23.00
485174015	Zone 01	1	23.00	23.00
485174016	Zone 01	1	23.00	23.00
485174017	Zone 01	1	23.00	23.00
485174018	Zone 01	1	23.00	23.00
485174019	Zone 01	1	23.00	23.00
485174020	Zone 01	1	23.00	23.00
485175001	Zone 01	1	23.00	23.00
485175002	Zone 01	1	23.00	23.00
485175003	Zone 01	1	23.00	23.00
485175004	Zone 01	1	23.00	23.00
485175005	Zone 01	1	23.00	23.00
485175006	Zone 01	1	23.00	23.00
485175007	Zone 01	1	23.00	23.00
485175008	Zone 01	1	23.00	23.00
485175009	Zone 01	1	23.00	23.00
485175010	Zone 01	1	23.00	23.00
485175011	Zone 01	1	23.00	23.00
485175012	Zone 01	1	23.00	23.00
485175013	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-18	3 Max Assessment	FY 17-18 Assessment
485175014	Zone 01	1	23.00	23.00
485175015	Zone 01	1	23.00	23.00
485175016	Zone 01	1	23.00	23.00
485181001	Zone 01	1	23.00	23.00
485181002	Zone 01	1	23.00	23.00
485181003	Zone 01	1	23.00	23.00
485181004	Zone 01	1	23.00	23.00
485181005	Zone 01	1	23.00	23.00
485181006	Zone 01	1	23.00	23.00
485181007	Zone 01	1	23.00	23.00
485181008	Zone 01	1	23.00	23.00
485181009	Zone 01	1	23.00	23.00
485181010	Zone 01	1	23.00	23.00
485181011	Zone 01	1	23.00	23.00
485181012	Zone 01	1	23.00	23.00
485181013	Zone 01	1	23.00	23.00
485181014	Zone 01	1	23.00	23.00
485181015	Zone 01	1	23.00	23.00
485181016	Zone 01	1	23.00	23.00
485181017	Zone 01	1	23.00	23.00
485181018	Zone 01	1	23.00	23.00
485181019	Zone 01	1	23.00	23.00
485181020	Zone 01	1	23.00	23.00
485181021	Zone 01	1	23.00	23.00
485181022	Zone 01	1	23.00	23.00
485181023	Zone 01	1	23.00	23.00
485181024	Zone 01	1	23.00	23.00
485181025	Zone 01	1	23.00	23.00
485181026	Zone 01	1	23.00	23.00
485181027	Zone 01	1	23.00	23.00
485181028	Zone 01	1	23.00	23.00
485181029	Zone 01	1	23.00	23.00
485181030	Zone 01	1	23.00	23.00
485181031	Zone 01	1	23.00	23.00
485181032	Zone 01	1	23.00	23.00
485181033	Zone 01	1	23.00	23.00
485181034	Zone 01	1	23.00	23.00
485181035	Zone 01	1	23.00	23.00
485181036	Zone 01	1	23.00	23.00
485181037	Zone 01	1	23.00	23.00
485181038	Zone 01	1	23.00	23.00
485181039	Zone 01	1	23.00	23.00
485181040	Zone 01	1	23.00	23.00
485181041	Zone 01	1	23.00	23.00
485181042	Zone 01	1	23.00	23.00
485181043	Zone 01	1	23.00	23.00
485181044	Zone 01	1	23.00	23.00
485181045	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-1	8 Max Assessment	FY 17-18 Assessment
485181046	Zone 01	1	23.00	23.00
485181047	Zone 01	1	23.00	23.00
485181048	Zone 01	1	23.00	23.00
485181049	Zone 01	1	23.00	23.00
485181050	Zone 01	1	23.00	23.00
485181051	Zone 01	1	23.00	23.00
485182001	Zone 01	1	23.00	23.00
485182002	Zone 01	1	23.00	23.00
485182003	Zone 01	1	23.00	23.00
485182004	Zone 01	1	23.00	23.00
485182005	Zone 01	1	23.00	23.00
485182006	Zone 01	1	23.00	23.00
485182007	Zone 01	1	23.00	23.00
485182008	Zone 01	1	23.00	23.00
485182009	Zone 01	1	23.00	23.00
485182010	Zone 01	1	23.00	23.00
485182011	Zone 01	1	23.00	23.00
485182012	Zone 01	1	23.00	23.00
485182013	Zone 01	1	23.00	23.00
485182014	Zone 01	1	23.00	23.00
485182015	Zone 01	1	23.00	23.00
485182016	Zone 01	1	23.00	23.00
485182017	Zone 01	1	23.00	23.00
485182018	Zone 01	1	23.00	23.00
485182019	Zone 01	1	23.00	23.00
485182020	Zone 01	1	23.00	23.00
485182021	Zone 01	1	23.00	23.00
485182022	Zone 01	1	23.00	23.00
485182023	Zone 01	1	23.00	23.00
485182024	Zone 01	1	23.00	23.00
485182025	Zone 01	1	23.00	23.00
485182026	Zone 01	1	23.00	23.00
485182027	Zone 01	1	23.00	23.00
485182028	Zone 01	1	23.00	23.00
485182029	Zone 01	1	23.00	23.00
485182030	Zone 01	1	23.00	23.00
485182031	Zone 01	1	23.00	23.00
485182032	Zone 01	1	23.00	23.00
485182033	Zone 01	1	23.00	23.00
485182034	Zone 01	1	23.00	23.00
485182035	Zone 01	1	23.00	23.00
485182036	Zone 01	1	23.00	23.00
485182037	Zone 01	1	23.00	23.00
485182038	Zone 01	1	23.00	23.00
485182039	Zone 01	1	23.00	23.00
485182040	Zone 01	1	23.00	23.00
485182041	Zone 01	1	23.00	23.00
485182042	Zone 01	1	23.00	23.00
			==100	

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
485182043	Zone 01		1 23.00	23.00
485182044	Zone 01		1 23.00	23.00
485183001	Zone 01		1 23.00	23.00
485183002	Zone 01		1 23.00	23.00
485183003	Zone 01		1 23.00	23.00
485183004	Zone 01		1 23.00	23.00
485183005	Zone 01		1 23.00	23.00
485183006	Zone 01		1 23.00	23.00
485183007	Zone 01		1 23.00	23.00
485183008	Zone 01		1 23.00	23.00
485183009	Zone 01		1 23.00	23.00
485183010	Zone 01		1 23.00	23.00
485183011	Zone 01		1 23.00	23.00
485183012	Zone 01		1 23.00	23.00
485183013	Zone 01		1 23.00	23.00
485183014	Zone 01		1 23.00	23.00
485191001	Zone 01		1 23.00	23.00
485191002	Zone 01		1 23.00	23.00
485191003	Zone 01		1 23.00	23.00
485191004	Zone 01		1 23.00	23.00
485191005	Zone 01		1 23.00	23.00
485191006	Zone 01		1 23.00	23.00
485191007	Zone 01		1 23.00	23.00
485191008	Zone 01		1 23.00	23.00
485191009	Zone 01		1 23.00	23.00
485191010	Zone 01		1 23.00	23.00
485191011	Zone 01		1 23.00	23.00
485191012	Zone 01		1 23.00	23.00
485191013	Zone 01		1 23.00	23.00
485191014	Zone 01		1 23.00	23.00
485191015	Zone 01		1 23.00	23.00
485191016	Zone 01		1 23.00	23.00
485191017	Zone 01		1 23.00	23.00
485191018	Zone 01		1 23.00	23.00
485191019	Zone 01		1 23.00	23.00
485191020	Zone 01		1 23.00	23.00
485191021	Zone 01		1 23.00	23.00
485191022	Zone 01		1 23.00	23.00
485191023	Zone 01		1 23.00	23.00
485191024	Zone 01		1 23.00	23.00
485192001	Zone 01		1 23.00	23.00
485192002	Zone 01		1 23.00	23.00
485192003	Zone 01		1 23.00	23.00
485192004	Zone 01		1 23.00	23.00
485192005	Zone 01		1 23.00	23.00
485192006	Zone 01		1 23.00	23.00
485192007	Zone 01		1 23.00	23.00
485192008	Zone 01		1 23.00	23.00
.30102000	23110 01		20.00	20.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-18	Max Assessment	FY 17-18 Assessment
485192009	Zone 01	1	23.00	23.00
485192010	Zone 01	1	23.00	23.00
485192011	Zone 01	1	23.00	23.00
485193001	Zone 01	1	23.00	23.00
485193002	Zone 01	1	23.00	23.00
485193003	Zone 01	1	23.00	23.00
485193004	Zone 01	1	23.00	23.00
485193005	Zone 01	1	23.00	23.00
485193006	Zone 01	1	23.00	23.00
485193007	Zone 01	1	23.00	23.00
485193008	Zone 01	1	23.00	23.00
485193009	Zone 01	1	23.00	23.00
485193010	Zone 01	1	23.00	23.00
485193011	Zone 01	1	23.00	23.00
485193012	Zone 01	1	23.00	23.00
485193013	Zone 01	1	23.00	23.00
485193014	Zone 01	1	23.00	23.00
485194001	Zone 01	1	23.00	23.00
485194002	Zone 01	1	23.00	23.00
485194003	Zone 01	1	23.00	23.00
485194004	Zone 01	1	23.00	23.00
485194005	Zone 01	1	23.00	23.00
485194006	Zone 01	1	23.00	23.00
485194007	Zone 01	1	23.00	23.00
485194008	Zone 01	1	23.00	23.00
485194009	Zone 01	1	23.00	23.00
485194010	Zone 01	1	23.00	23.00
485194011	Zone 01	1	23.00	23.00
485194012	Zone 01	1	23.00	23.00
485194013	Zone 01	1	23.00	23.00
485194014	Zone 01	1	23.00	23.00
485194015	Zone 01	1	23.00	23.00
485194016	Zone 01	1	23.00	23.00
485194017	Zone 01	1	23.00	23.00
485194018	Zone 01	1	23.00	23.00
485194019	Zone 01	1	23.00	23.00
485194020	Zone 01	1	23.00	23.00
485194021	Zone 01	1	23.00	23.00
485195001	Zone 01	1	23.00	23.00
485195002	Zone 01	1	23.00	23.00
485195003	Zone 01	1	23.00	23.00
485195004	Zone 01	1	23.00	23.00
485195005	Zone 01	1	23.00	23.00
485195006	Zone 01	1	23.00	23.00
485195007	Zone 01	1	23.00	23.00
485195008	Zone 01	1	23.00	23.00
485195009	Zone 01	1	23.00	23.00
485195010	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	I EBU's FY 17-18 I	Max Assessment	FY 17-18 Assessment
485195011	Zone 01	1	23.00	23.00
485195012	Zone 01	1	23.00	23.00
485195013	Zone 01	1	23.00	23.00
485195014	Zone 01	1	23.00	23.00
485195015	Zone 01	1	23.00	23.00
485195016	Zone 01	1	23.00	23.00
485195017	Zone 01	1	23.00	23.00
485195018	Zone 01	1	23.00	23.00
485195019	Zone 01	1	23.00	23.00
485195020	Zone 01	1	23.00	23.00
485195021	Zone 01	1	23.00	23.00
485195022	Zone 01	1	23.00	23.00
485195023	Zone 01	1	23.00	23.00
485195024	Zone 01	1	23.00	23.00
485195025	Zone 01	1	23.00	23.00
485195026	Zone 01	1	23.00	23.00
485195027	Zone 01	1	23.00	23.00
485195028	Zone 01	1	23.00	23.00
485195029	Zone 01	1	23.00	23.00
485195030	Zone 01	1	23.00	23.00
485195031	Zone 01	1	23.00	23.00
485195032	Zone 01	1	23.00	23.00
485195033	Zone 01	1	23.00	23.00
485195034	Zone 01	1	23.00	23.00
485195035	Zone 01	1	23.00	23.00
485195036	Zone 01	1	23.00	23.00
485195037	Zone 01	1	23.00	23.00
485195038	Zone 01	1	23.00	23.00
485195039	Zone 01	1	23.00	23.00
485195040	Zone 01	1	23.00	23.00
485195041	Zone 01	1	23.00	23.00
485195042	Zone 01	1	23.00	23.00
485201001	Zone 01	1	23.00	23.00
485201002	Zone 01	1	23.00	23.00
485201003	Zone 01	1	23.00	23.00
485201004	Zone 01	1	23.00	23.00
485201005	Zone 01	1	23.00	23.00
485201006	Zone 01	1	23.00	23.00
485201007	Zone 01	1	23.00	23.00
485201008	Zone 01	1	23.00	23.00
485201009	Zone 01	1	23.00	23.00
485201010	Zone 01	1	23.00	23.00
485201011	Zone 01	1	23.00	23.00
485201012	Zone 01	1	23.00	23.00
485201013	Zone 01	1	23.00	23.00
485201014	Zone 01	1	23.00	23.00
485201015	Zone 01	1	23.00	23.00
485201016	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone L	MD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
485201017	Zone 01		1 23.00	23.00
485201018	Zone 01		1 23.00	23.00
485201019	Zone 01		1 23.00	23.00
485201020	Zone 01		1 23.00	23.00
485201021	Zone 01		1 23.00	23.00
485201022	Zone 01		1 23.00	23.00
485201023	Zone 01		1 23.00	23.00
485201024	Zone 01		1 23.00	23.00
485201025	Zone 01		1 23.00	23.00
485201026	Zone 01		1 23.00	23.00
485201027	Zone 01		1 23.00	23.00
485201028	Zone 01		1 23.00	23.00
485201029	Zone 01		1 23.00	23.00
485201030	Zone 01		1 23.00	23.00
485201031	Zone 01		1 23.00	23.00
485201032	Zone 01		1 23.00	23.00
485201033	Zone 01		1 23.00	23.00
485201034	Zone 01		1 23.00	23.00
485201035	Zone 01		1 23.00	23.00
485201036	Zone 01		1 23.00	23.00
485201037	Zone 01		1 23.00	23.00
485201038	Zone 01		1 23.00	23.00
485201039	Zone 01		1 23.00	23.00
485201040	Zone 01		1 23.00	23.00
485201041	Zone 01		1 23.00	23.00
485201042	Zone 01		1 23.00	23.00
485201043	Zone 01		1 23.00	23.00
485201044	Zone 01		1 23.00	23.00
485201045	Zone 01		1 23.00	23.00
485201046	Zone 01		1 23.00	23.00
485201047	Zone 01		1 23.00	23.00
485201048	Zone 01		1 23.00	23.00
485201049	Zone 01		1 23.00	23.00
485201050	Zone 01		1 23.00	23.00
485201051	Zone 01		1 23.00	23.00
485201052	Zone 01		1 23.00	23.00
485201053	Zone 01		1 23.00	23.00
485201054	Zone 01		1 23.00	23.00
485201055	Zone 01		1 23.00	23.00
485201056	Zone 01		1 23.00	23.00
485201057	Zone 01		1 23.00	23.00
485201058	Zone 01		1 23.00	23.00
485201059	Zone 01		1 23.00	23.00
485201060	Zone 01		1 23.00	23.00
485201061	Zone 01		1 23.00	23.00
485201062	Zone 01		1 23.00	23.00
485201063	Zone 01		1 23.00	23.00
485201064	Zone 01		1 23.00	23.00
,				_5.00

APN	LMD 2014-01 Zone LMD Assigned E	BU's FY 17-	18 Max Assessment	FY 17-18 Assessment
485201065	Zone 01	1	23.00	23.00
485201066	Zone 01	1	23.00	23.00
485201067	Zone 01	1	23.00	23.00
485202001	Zone 01	1	23.00	23.00
485202002	Zone 01	1	23.00	23.00
485202003	Zone 01	1	23.00	23.00
485202004	Zone 01	1	23.00	23.00
485202005	Zone 01	1	23.00	23.00
485202006	Zone 01	1	23.00	23.00
485202007	Zone 01	1	23.00	23.00
485202008	Zone 01	1	23.00	23.00
485202009	Zone 01	1	23.00	23.00
485202010	Zone 01	1	23.00	23.00
485202011	Zone 01	1	23.00	23.00
485202012	Zone 01	1	23.00	23.00
485202013	Zone 01	1	23.00	23.00
485202014	Zone 01	1	23.00	23.00
485202015	Zone 01	1	23.00	23.00
485202016	Zone 01	1	23.00	23.00
485202017	Zone 01	1	23.00	23.00
485202018	Zone 01	1	23.00	23.00
485202019	Zone 01	1	23.00	23.00
485202020	Zone 01	1	23.00	23.00
485202021	Zone 01	1	23.00	23.00
485202022	Zone 01	1	23.00	23.00
485202023	Zone 01	1	23.00	23.00
485202024	Zone 01	1	23.00	23.00
485203001	Zone 01	1	23.00	23.00
485203002	Zone 01	1	23.00	23.00
485203003	Zone 01	1	23.00	23.00
485203004	Zone 01	1	23.00	23.00
485203005	Zone 01	1	23.00	23.00
485203006	Zone 01	1	23.00	23.00
485204001	Zone 01	1	23.00	23.00
485204002	Zone 01	1	23.00	23.00
485204003	Zone 01	1	23.00	23.00
485204004	Zone 01	1	23.00	23.00
485204005	Zone 01	1	23.00	23.00
485204006	Zone 01	1	23.00	23.00
485204007	Zone 01	1	23.00	23.00
485204008	Zone 01	1	23.00	23.00
485204009	Zone 01	1	23.00	23.00
485204010	Zone 01	1	23.00	23.00
485211001	Zone 01	1	23.00	23.00
485211002	Zone 01	1	23.00	23.00
485211003	Zone 01	1	23.00	23.00
485211004	Zone 01	1	23.00	23.00
485211005	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned EBU	J's FY 17-18 Max Assess	ment F	Y 17-18 Assessment
485211006	Zone 01	1	23.00	23.00
485211007	Zone 01	1	23.00	23.00
485212001	Zone 01	1	23.00	23.00
485212002	Zone 01	1	23.00	23.00
485212003	Zone 01	1	23.00	23.00
485212004	Zone 01	1	23.00	23.00
485212005	Zone 01	1	23.00	23.00
485212006	Zone 01	1	23.00	23.00
485212007	Zone 01	1	23.00	23.00
485212008	Zone 01	1	23.00	23.00
485212009	Zone 01	1	23.00	23.00
485212010	Zone 01	1	23.00	23.00
485212011	Zone 01	1	23.00	23.00
485212012	Zone 01	1	23.00	23.00
485212013	Zone 01	1	23.00	23.00
485212014	Zone 01	1	23.00	23.00
485212015	Zone 01	1	23.00	23.00
485212016	Zone 01	1	23.00	23.00
485212017	Zone 01	1	23.00	23.00
485212018	Zone 01	1	23.00	23.00
485212019	Zone 01	1	23.00	23.00
485212020	Zone 01	1	23.00	23.00
485212021	Zone 01	1	23.00	23.00
485212022	Zone 01	1	23.00	23.00
485212023	Zone 01	1	23.00	23.00
485212024	Zone 01	1	23.00	23.00
485212025	Zone 01	1	23.00	23.00
485212026	Zone 01	1	23.00	23.00
485212027	Zone 01	1	23.00	23.00
485212028	Zone 01	1	23.00	23.00
485212029	Zone 01	1	23.00	23.00
485212030	Zone 01	1	23.00	23.00
485212031	Zone 01	1	23.00	23.00
485212032	Zone 01	1	23.00	23.00
485212033	Zone 01	1	23.00	23.00
485212034	Zone 01	1	23.00	23.00
485212035	Zone 01	1	23.00	23.00
485212036	Zone 01	1	23.00	23.00
485212037	Zone 01	1	23.00	23.00
485212038	Zone 01	1	23.00	23.00
485212039	Zone 01	1	23.00	23.00
485212040	Zone 01	1	23.00	23.00
485213001	Zone 01	1	23.00	23.00
485213002	Zone 01	1	23.00	23.00
485213003	Zone 01	1	23.00	23.00
485213004	Zone 01	1	23.00	23.00
485213005	Zone 01	1	23.00	23.00
485213006	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
485213007	Zone 01		1 23.00	23.00
485213008	Zone 01		1 23.00	23.00
485213009	Zone 01		1 23.00	23.00
485213010	Zone 01		1 23.00	23.00
485213011	Zone 01		1 23.00	23.00
485213012	Zone 01		1 23.00	23.00
485213013	Zone 01		1 23.00	23.00
485213014	Zone 01		1 23.00	23.00
485213015	Zone 01		1 23.00	23.00
485213016	Zone 01		1 23.00	23.00
485213017	Zone 01		1 23.00	23.00
485213018	Zone 01		1 23.00	23.00
485213019	Zone 01		1 23.00	23.00
485213020	Zone 01		1 23.00	23.00
485213021	Zone 01		1 23.00	23.00
485213022	Zone 01		1 23.00	23.00
486021001	Zone 01		1 23.00	23.00
486021002	Zone 01		1 23.00	23.00
486021003	Zone 01		1 23.00	23.00
486021004	Zone 01		1 23.00	23.00
486021005	Zone 01		1 23.00	23.00
486021006	Zone 01		1 23.00	23.00
486021007	Zone 01		1 23.00	23.00
486021008	Zone 01		1 23.00	23.00
486021009	Zone 01		1 23.00	23.00
486021010	Zone 01		1 23.00	23.00
486021011	Zone 01		1 23.00	23.00
486021012	Zone 01		1 23.00	
			1 23.00	23.00
486021013	Zone 01			23.00
486021014	Zone 01		1 23.00	23.00
486022001	Zone 01		1 23.00	23.00
486022002	Zone 01		1 23.00	23.00
486022003	Zone 01		1 23.00	23.00
486022004	Zone 01		1 23.00	23.00
486022005	Zone 01		1 23.00	23.00
486022006	Zone 01		1 23.00	23.00
486022007	Zone 01		1 23.00	23.00
486022008	Zone 01	•	1 23.00	23.00
486023001	Zone 01		1 23.00	23.00
486023002	Zone 01	•	1 23.00	23.00
486023003	Zone 01		1 23.00	23.00
486023004	Zone 01		1 23.00	23.00
486023005	Zone 01		1 23.00	23.00
486023006	Zone 01		1 23.00	23.00
486023007	Zone 01		1 23.00	23.00
486023008	Zone 01		1 23.00	23.00
486023009	Zone 01		1 23.00	23.00
486023010	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD A	ssigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
486023011	Zone 01		1 23.00	23.00
486024001	Zone 01		1 23.00	23.00
486024002	Zone 01		1 23.00	23.00
486024003	Zone 01		1 23.00	23.00
486024004	Zone 01		1 23.00	23.00
486024005	Zone 01		1 23.00	23.00
486024006	Zone 01		1 23.00	23.00
486024007	Zone 01		1 23.00	23.00
486024008	Zone 01		1 23.00	23.00
486024009	Zone 01		1 23.00	23.00
486024010	Zone 01		1 23.00	23.00
486024011	Zone 01		1 23.00	23.00
486024012	Zone 01		1 23.00	23.00
486024013	Zone 01		1 23.00	23.00
486024014	Zone 01		1 23.00	23.00
486024015	Zone 01		1 23.00	23.00
486024016	Zone 01		1 23.00	23.00
486025001	Zone 01		1 23.00	23.00
486025002	Zone 01		1 23.00	23.00
486025003	Zone 01		1 23.00	23.00
486025004	Zone 01		1 23.00	23.00
486025005	Zone 01		1 23.00	23.00
486025006	Zone 01		1 23.00	23.00
486025007	Zone 01		1 23.00	23.00
486025008	Zone 01		1 23.00	23.00
486025009	Zone 01		1 23.00	23.00
486025010	Zone 01		1 23.00	23.00
486025011	Zone 01		1 23.00	23.00
486025012	Zone 01		1 23.00	23.00
486025013	Zone 01		1 23.00	23.00
486025014	Zone 01		1 23.00	23.00
486025015	Zone 01		1 23.00	23.00
486025016	Zone 01		1 23.00	23.00
486025017	Zone 01		1 23.00	23.00
486025018	Zone 01		1 23.00	23.00
486025019	Zone 01		1 23.00	23.00
486025020	Zone 01		1 23.00	23.00
486025021	Zone 01		1 23.00	23.00
486025022	Zone 01		1 23.00	23.00
486025023	Zone 01		1 23.00	23.00
486025024	Zone 01		1 23.00	23.00
486025025	Zone 01		1 23.00	23.00
486025026	Zone 01		1 23.00	23.00
486025027	Zone 01		1 23.00	23.00
486025028	Zone 01		1 23.00	23.00
486025029	Zone 01		1 23.00	23.00
486025030	Zone 01		1 23.00	23.00
486025031	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-1	8 Max Assessment	FY 17-18 Assessment
486025032	Zone 01	1	23.00	23.00
486031001	Zone 01	1	23.00	23.00
486031002	Zone 01	1	23.00	23.00
486031003	Zone 01	1	23.00	23.00
486031004	Zone 01	1	23.00	23.00
486031005	Zone 01	1	23.00	23.00
486031006	Zone 01	1	23.00	23.00
486031007	Zone 01	1	23.00	23.00
486031008	Zone 01	1	23.00	23.00
486031009	Zone 01	1	23.00	23.00
486031010	Zone 01	1	23.00	23.00
486031011	Zone 01	1	23.00	23.00
486031012	Zone 01	1	23.00	23.00
486031013	Zone 01	1	23.00	23.00
486031014	Zone 01	1	23.00	23.00
486031015	Zone 01	1	23.00	23.00
486031016	Zone 01	1	23.00	23.00
486031017	Zone 01	1	23.00	23.00
486031018	Zone 01	1	23.00	23.00
486031019	Zone 01	1	23.00	23.00
486031020	Zone 01	1	23.00	23.00
486031021	Zone 01	1	23.00	23.00
486031022	Zone 01	1	23.00	23.00
486031023	Zone 01	1	23.00	23.00
486031024	Zone 01	1	23.00	23.00
486031025	Zone 01	1	23.00	23.00
486032001	Zone 01	1	23.00	23.00
486032002	Zone 01	1	23.00	23.00
486032003	Zone 01	1	23.00	23.00
486032004	Zone 01	1	23.00	23.00
486032005	Zone 01	1	23.00	23.00
486032006	Zone 01	1	23.00	23.00
486032007	Zone 01	1	23.00	23.00
486032008	Zone 01	1	23.00	23.00
486032009	Zone 01	1	23.00	23.00
486032010	Zone 01	1	23.00	23.00
486032011	Zone 01	1	23.00	23.00
486032012	Zone 01	1	23.00	23.00
486032013	Zone 01	1	23.00	23.00
486032014	Zone 01	1	23.00	23.00
486032015	Zone 01	1	23.00	23.00
486032016	Zone 01	1	23.00	23.00
486032017	Zone 01	1	23.00	23.00
486032018	Zone 01	1	23.00	23.00
486032019	Zone 01	1	23.00	23.00
486032020	Zone 01	1	23.00	23.00
486032021	Zone 01	1	23.00	23.00
486032022	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
486032023	Zone 01		1 23.00	23.00
486032024	Zone 01		1 23.00	23.00
486032025	Zone 01		1 23.00	23.00
486032026	Zone 01		1 23.00	23.00
486032027	Zone 01		1 23.00	23.00
486032028	Zone 01		1 23.00	23.00
486032029	Zone 01		1 23.00	23.00
486032030	Zone 01		1 23.00	23.00
486033001	Zone 01		1 23.00	23.00
486033002	Zone 01		1 23.00	23.00
486033003	Zone 01		1 23.00	23.00
486033004	Zone 01		1 23.00	23.00
486033005	Zone 01		1 23.00	23.00
486033006	Zone 01		1 23.00	23.00
486033007	Zone 01		1 23.00	23.00
486033008	Zone 01		1 23.00	23.00
486033009	Zone 01		1 23.00	23.00
486033010	Zone 01		1 23.00	23.00
486034001	Zone 01		1 23.00	23.00
486034002	Zone 01		1 23.00	23.00
486034003	Zone 01		1 23.00	23.00
486034004	Zone 01		1 23.00	23.00
486035001	Zone 01		1 23.00	23.00
486035002	Zone 01		1 23.00	23.00
486035003	Zone 01		1 23.00	23.00
486035004	Zone 01		1 23.00	23.00
486035005	Zone 01		1 23.00	23.00
486035006	Zone 01		1 23.00	23.00
486035007	Zone 01		1 23.00	23.00
486035008	Zone 01		1 23.00	23.00
486035009	Zone 01		1 23.00	23.00
486035010	Zone 01		1 23.00	23.00
486041001	Zone 01		1 23.00	23.00
486041002	Zone 01		1 23.00	23.00
486041003	Zone 01		1 23.00	23.00
486041004	Zone 01		1 23.00	23.00
486041005	Zone 01		1 23.00	23.00
486041006	Zone 01		1 23.00	23.00
486041007	Zone 01		1 23.00	23.00
486041008	Zone 01		1 23.00	23.00
486041009	Zone 01		1 23.00	23.00
486041010	Zone 01		1 23.00	23.00
486041011	Zone 01		1 23.00	23.00
486041012	Zone 01		1 23.00	23.00
486041013	Zone 01 Zone 01		1 23.00	23.00
486041014	Zone 01 Zone 01		1 23.00	23.00
486041015	Zone 01 Zone 01		1 23.00	23.00
486041016	Zone 01 Zone 01		1 23.00	23.00
700041010	20116 01		23.00	23.00

APN	LMD 2014-01 Zone LMD Assigne	d EBU's FY 17-18 N	Max Assessment	FY 17-18 Assessment
486041017	Zone 01	1	23.00	23.00
486041018	Zone 01	1	23.00	23.00
486041019	Zone 01	1	23.00	23.00
486041020	Zone 01	1	23.00	23.00
486041021	Zone 01	1	23.00	23.00
486042001	Zone 01	1	23.00	23.00
486042002	Zone 01	1	23.00	23.00
486042003	Zone 01	1	23.00	23.00
486042004	Zone 01	1	23.00	23.00
486042005	Zone 01	1	23.00	23.00
486042006	Zone 01	1	23.00	23.00
486042007	Zone 01	1	23.00	23.00
486042008	Zone 01	1	23.00	23.00
486042009	Zone 01	1	23.00	23.00
486042010	Zone 01	1	23.00	23.00
486042011	Zone 01	1	23.00	23.00
486042012	Zone 01	1	23.00	23.00
486042013	Zone 01	1	23.00	23.00
486042014	Zone 01	1	23.00	23.00
486042015	Zone 01	1	23.00	23.00
486042016	Zone 01	1	23.00	23.00
486042017	Zone 01	1	23.00	23.00
486042018	Zone 01	1	23.00	23.00
486042019	Zone 01	1	23.00	23.00
486042020	Zone 01	1	23.00	23.00
486042021	Zone 01	1	23.00	23.00
486042022	Zone 01	1	23.00	23.00
486042023	Zone 01	1	23.00	23.00
486042024	Zone 01	1	23.00	23.00
486042025	Zone 01	1	23.00	23.00
486042026	Zone 01	1	23.00	23.00
486042027	Zone 01	1	23.00	23.00
486042028	Zone 01	1	23.00	23.00
486042029	Zone 01	1	23.00	23.00
486042030	Zone 01	1	23.00	23.00
486042031	Zone 01	1	23.00	23.00
486042032	Zone 01	1	23.00	23.00
486042033	Zone 01	1	23.00	23.00
486042034	Zone 01	1	23.00	23.00
486043001	Zone 01	1	23.00	23.00
486043002	Zone 01	1	23.00	23.00
486043003	Zone 01	1	23.00	23.00
486043004	Zone 01	1	23.00	23.00
486043005	Zone 01	1	23.00	23.00
486043006	Zone 01	1	23.00	23.00
486043007	Zone 01	1	23.00	23.00
486043008	Zone 01	1	23.00	23.00
486043009	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assign	ned EBU's FY 17-18 Ma	ax Assessment	FY 17-18 Assessment
486051001	Zone 01	1	23.00	23.00
486051002	Zone 01	1	23.00	23.00
486051003	Zone 01	1	23.00	23.00
486051004	Zone 01	1	23.00	23.00
486051005	Zone 01	1	23.00	23.00
486051006	Zone 01	1	23.00	23.00
486051007	Zone 01	1	23.00	23.00
486051008	Zone 01	1	23.00	23.00
486051009	Zone 01	1	23.00	23.00
486052001	Zone 01	1	23.00	23.00
486052002	Zone 01	1	23.00	23.00
486052003	Zone 01	1	23.00	23.00
486052004	Zone 01	1	23.00	23.00
486052005	Zone 01	1	23.00	23.00
486052006	Zone 01	1	23.00	23.00
486052007	Zone 01	1	23.00	23.00
486052008	Zone 01	1	23.00	23.00
486052009	Zone 01	1	23.00	23.00
486052010	Zone 01	1	23.00	23.00
486053001	Zone 01	1	23.00	23.00
486053002	Zone 01	1	23.00	23.00
486053003	Zone 01	1	23.00	23.00
486053004	Zone 01	1	23.00	23.00
486053005	Zone 01	1	23.00	23.00
486053006	Zone 01	1	23.00	23.00
486053007	Zone 01	1	23.00	23.00
486053008	Zone 01	1	23.00	23.00
486053009	Zone 01	1	23.00	23.00
486053010	Zone 01	1	23.00	23.00
486054001	Zone 01	1	23.00	23.00
486054002	Zone 01	1	23.00	23.00
486054003	Zone 01	1	23.00	23.00
486054004	Zone 01	1	23.00	23.00
486054005	Zone 01	1	23.00	23.00
486054006	Zone 01	1	23.00	23.00
486054007	Zone 01	1	23.00	23.00
486054008	Zone 01	1	23.00	23.00
486054009	Zone 01	1	23.00	23.00
486055001	Zone 01	1	23.00	23.00
486055002	Zone 01	1	23.00	23.00
486055003	Zone 01	1	23.00	23.00
486055004	Zone 01	1	23.00	23.00
486055005	Zone 01	1	23.00	23.00
486055006	Zone 01	1	23.00	23.00
486055007	Zone 01	1	23.00	23.00
486055008	Zone 01	1	23.00	23.00
486055009	Zone 01	1	23.00	23.00
486056001	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assi	gned EBU's FY 1	7-18 Max Assessment	FY 17-18 Assessment
486056002	Zone 01	1	23.00	23.00
486056003	Zone 01	1	23.00	23.00
486056004	Zone 01	1	23.00	23.00
486056005	Zone 01	1	23.00	23.00
486056006	Zone 01	1	23.00	23.00
486056007	Zone 01	1	23.00	23.00
486056008	Zone 01	1	23.00	23.00
486056009	Zone 01	1	23.00	23.00
486056010	Zone 01	1	23.00	23.00
486056011	Zone 01	1	23.00	23.00
486056012	Zone 01	1	23.00	23.00
486056013	Zone 01	1	23.00	23.00
486056014	Zone 01	1	23.00	23.00
486056015	Zone 01	1	23.00	23.00
486056016	Zone 01	1	23.00	23.00
486056017	Zone 01	1	23.00	23.00
486056018	Zone 01	1	23.00	23.00
486056019	Zone 01	1	23.00	23.00
486056020	Zone 01	1	23.00	23.00
486056021	Zone 01	1	23.00	23.00
486056022	Zone 01	1	23.00	23.00
486056023	Zone 01	1	23.00	23.00
486056024	Zone 01	1	23.00	23.00
486056025	Zone 01	1	23.00	23.00
486056026	Zone 01	1	23.00	23.00
486057001	Zone 01	1	23.00	23.00
486057002	Zone 01	1	23.00	23.00
486057003	Zone 01	1	23.00	23.00
486057004	Zone 01	1	23.00	23.00
486057005	Zone 01	1	23.00	23.00
486057006	Zone 01	1	23.00	23.00
486057007	Zone 01	1	23.00	23.00
486057008	Zone 01	1	23.00	23.00
486057009	Zone 01	1	23.00	23.00
486057010	Zone 01	1	23.00	23.00
486057011	Zone 01	1	23.00	23.00
486057012	Zone 01	1	23.00	23.00
486057013	Zone 01	1	23.00	23.00
486057014	Zone 01	1	23.00	23.00
486057015	Zone 01	1	23.00	23.00
486057016	Zone 01	1	23.00	23.00
486057017	Zone 01	1	23.00	23.00
486057018	Zone 01	1	23.00	23.00
486057019	Zone 01	1	23.00	23.00
486061001	Zone 01	1	23.00	23.00
486061002	Zone 01	1	23.00	23.00
486061003	Zone 01	1	23.00	23.00
486061004	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-1	8 Max Assessment	FY 17-18 Assessment
486061005	Zone 01	1	23.00	23.00
486061006	Zone 01	1	23.00	23.00
486061007	Zone 01	1	23.00	23.00
486061008	Zone 01	1	23.00	23.00
486061009	Zone 01	1	23.00	23.00
486061010	Zone 01	1	23.00	23.00
486061011	Zone 01	1	23.00	23.00
486061012	Zone 01	1	23.00	23.00
486061013	Zone 01	1	23.00	23.00
486061014	Zone 01	1	23.00	23.00
486061015	Zone 01	1	23.00	23.00
486061016	Zone 01	1	23.00	23.00
486061017	Zone 01	1	23.00	23.00
486061018	Zone 01	1	23.00	23.00
486061019	Zone 01	1	23.00	23.00
486061020	Zone 01	1	23.00	23.00
486061021	Zone 01	1	23.00	23.00
486061022	Zone 01	1	23.00	23.00
486061023	Zone 01	1	23.00	23.00
486061024	Zone 01	1	23.00	23.00
486061025	Zone 01	1	23.00	23.00
486061026	Zone 01	1	23.00	23.00
486061027	Zone 01	1	23.00	23.00
486061028	Zone 01	1	23.00	23.00
486061029	Zone 01	1	23.00	23.00
486061030	Zone 01	1	23.00	23.00
486061031	Zone 01	1	23.00	23.00
486061032	Zone 01	1	23.00	23.00
486061033	Zone 01	1	23.00	23.00
486061034	Zone 01	1	23.00	23.00
486061035	Zone 01	1	23.00	23.00
486061036	Zone 01	1	23.00	23.00
486061037	Zone 01	1	23.00	23.00
486061038	Zone 01	1	23.00	23.00
486061039	Zone 01	1	23.00	23.00
486062001	Zone 01	1	23.00	23.00
486062002	Zone 01	1	23.00	23.00
486062003	Zone 01	1	23.00	23.00
486062004	Zone 01	1	23.00	23.00
486062005	Zone 01	1	23.00	23.00
486062006	Zone 01	1	23.00	23.00
486062007	Zone 01	1	23.00	23.00
486062008	Zone 01	1	23.00	23.00
486062009	Zone 01	1	23.00	23.00
486062010	Zone 01	1	23.00	23.00
486062011	Zone 01	1	23.00	23.00
486062012	Zone 01	1	23.00	23.00
486062013	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assign	ned EBU's FY 17-18 Ma	ax Assessment	FY 17-18 Assessment
486062014	Zone 01	1	23.00	23.00
486062015	Zone 01	1	23.00	23.00
486062016	Zone 01	1	23.00	23.00
486062017	Zone 01	1	23.00	23.00
486062018	Zone 01	1	23.00	23.00
486081021	Zone 01	1	23.00	23.00
486081002	Zone 01	1	23.00	23.00
486081003	Zone 01	1	23.00	23.00
486081004	Zone 01	1	23.00	23.00
486081005	Zone 01	1	23.00	23.00
486081006	Zone 01	1	23.00	23.00
486081007	Zone 01	1	23.00	23.00
486081008	Zone 01	1	23.00	23.00
486081009	Zone 01	1	23.00	23.00
486081010	Zone 01	1	23.00	23.00
486081011	Zone 01	1	23.00	23.00
486081012	Zone 01	1	23.00	23.00
486081013	Zone 01	1	23.00	23.00
486081014	Zone 01	1	23.00	23.00
486081015	Zone 01	1	23.00	23.00
486081016	Zone 01	1	23.00	23.00
486081017	Zone 01	1	23.00	23.00
486081018	Zone 01	1	23.00	23.00
486081019	Zone 01	1	23.00	23.00
486081020	Zone 01	1	23.00	23.00
486082001	Zone 01	1	23.00	23.00
486082002	Zone 01	1	23.00	23.00
486082003	Zone 01	1	23.00	23.00
486082004	Zone 01	1	23.00	23.00
486082005	Zone 01	1	23.00	23.00
486082006	Zone 01	1	23.00	23.00
486082007	Zone 01	1	23.00	23.00
486082008	Zone 01	1	23.00	23.00
486082009	Zone 01	1	23.00	23.00
486082010	Zone 01	1	23.00	23.00
486082011	Zone 01	1	23.00	23.00
486082012	Zone 01	1	23.00	23.00
486082013	Zone 01	1	23.00	23.00
486082014	Zone 01	1	23.00	23.00
486082015	Zone 01	1	23.00	23.00
486082016	Zone 01	1	23.00	23.00
486082017	Zone 01	1	23.00	23.00
486082018	Zone 01	1	23.00	23.00
486082019	Zone 01	1	23.00	23.00
486082020	Zone 01	1	23.00	23.00
486082021	Zone 01	1	23.00	23.00
486082022	Zone 01	1	23.00	23.00
486082023	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigne	d EBU's FY 17-18 I	Max Assessment	FY 17-18 Assessment
486082024	Zone 01	1	23.00	23.00
486082025	Zone 01	1	23.00	23.00
486082026	Zone 01	1	23.00	23.00
486082027	Zone 01	1	23.00	23.00
486082028	Zone 01	1	23.00	23.00
486082029	Zone 01	1	23.00	23.00
486082030	Zone 01	1	23.00	23.00
486082031	Zone 01	1	23.00	23.00
486082032	Zone 01	1	23.00	23.00
486082033	Zone 01	1	23.00	23.00
486082034	Zone 01	1	23.00	23.00
486082035	Zone 01	1	23.00	23.00
486082036	Zone 01	1	23.00	23.00
486082037	Zone 01	1	23.00	23.00
486082038	Zone 01	1	23.00	23.00
486082039	Zone 01	1	23.00	23.00
486082040	Zone 01	1	23.00	23.00
486082041	Zone 01	1	23.00	23.00
486082042	Zone 01	1	23.00	23.00
486082043	Zone 01	1	23.00	23.00
486082044	Zone 01	1	23.00	23.00
486082045	Zone 01	1	23.00	23.00
486083001	Zone 01	1	23.00	23.00
486083002	Zone 01	1	23.00	23.00
486083003	Zone 01	1	23.00	23.00
486083004	Zone 01	1	23.00	23.00
486083005	Zone 01	1	23.00	23.00
486083006	Zone 01	1	23.00	23.00
486083007	Zone 01	1	23.00	23.00
486083008	Zone 01	1	23.00	23.00
486083009	Zone 01	1	23.00	23.00
486083010	Zone 01	1	23.00	23.00
486083011	Zone 01	1	23.00	23.00
486083012	Zone 01	1	23.00	23.00
486083013	Zone 01	1	23.00	23.00
486083014	Zone 01	1	23.00	23.00
486083015	Zone 01	1	23.00	23.00
486083016	Zone 01	1	23.00	23.00
486083017	Zone 01	1	23.00	23.00
486083018	Zone 01	1	23.00	23.00
486083019	Zone 01	1	23.00	23.00
486083020	Zone 01	1	23.00	23.00
486083021	Zone 01	1	23.00	23.00
486083022	Zone 01	1	23.00	23.00
486083023	Zone 01	1	23.00	23.00
486083024	Zone 01	1	23.00	23.00
486083025	Zone 01	1	23.00	23.00
486083026	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-1	8 Max Assessment	FY 17-18 Assessment
486084005	Zone 01	1	23.00	23.00
486084008	Zone 01	1	23.00	23.00
486084009	Zone 01	1	23.00	23.00
486084012	Zone 01	1	23.00	23.00
486091001	Zone 01	1	23.00	23.00
486091003	Zone 01	1	23.00	23.00
486091004	Zone 01	1	23.00	23.00
486091006	Zone 01	1	23.00	23.00
486091011	Zone 01	1	23.00	23.00
486091014	Zone 01	1	23.00	23.00
486091015	Zone 01	1	23.00	23.00
486091017	Zone 01	1	23.00	23.00
486092001	Zone 01	1	23.00	23.00
486092002	Zone 01	1	23.00	23.00
486092003	Zone 01	1	23.00	23.00
486092004	Zone 01	1	23.00	23.00
486092005	Zone 01	1	23.00	23.00
486092006	Zone 01	1	23.00	23.00
486092007	Zone 01	1	23.00	23.00
486092008	Zone 01	1	23.00	23.00
486092009	Zone 01	1	23.00	23.00
486092010	Zone 01	1	23.00	23.00
486092011	Zone 01	1	23.00	23.00
486092012	Zone 01	1	23.00	23.00
486092013	Zone 01	1	23.00	23.00
486092014	Zone 01	1	23.00	23.00
486092015	Zone 01	1	23.00	23.00
486092016	Zone 01	1	23.00	23.00
486092017	Zone 01	1	23.00	23.00
486092018	Zone 01	1	23.00	23.00
486092019	Zone 01	1	23.00	23.00
486092020	Zone 01	1	23.00	23.00
486092021	Zone 01	1	23.00	23.00
486092022	Zone 01	1	23.00	23.00
486092023	Zone 01	1	23.00	23.00
486092024	Zone 01	1	23.00	23.00
486092025	Zone 01	1	23.00	23.00
486092026	Zone 01	1	23.00	23.00
486093001	Zone 01	1	23.00	23.00
486093002	Zone 01	1	23.00	23.00
486093003	Zone 01	1	23.00	23.00
486093004	Zone 01	1	23.00	23.00
486093005	Zone 01	1	23.00	23.00
486093006	Zone 01	1	23.00	23.00
486093007	Zone 01	1	23.00	23.00
486093008	Zone 01	1	23.00	23.00
486093009	Zone 01	1	23.00	23.00
486093010	Zone 01	1	23.00	23.00
222223				

APN	LMD 2014-01 Zone LMD As	signed EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
486093011	Zone 01	•	1 23.00	23.00
486093012	Zone 01	•	1 23.00	23.00
486093013	Zone 01	•	1 23.00	23.00
486093014	Zone 01	•	1 23.00	23.00
486093015	Zone 01		1 23.00	23.00
486093016	Zone 01		1 23.00	23.00
486093017	Zone 01		1 23.00	23.00
486093018	Zone 01		1 23.00	23.00
486093019	Zone 01		1 23.00	23.00
486093020	Zone 01		1 23.00	23.00
486093021	Zone 01		1 23.00	23.00
486093022	Zone 01		1 23.00	23.00
486093023	Zone 01	,	1 23.00	23.00
486093024	Zone 01		1 23.00	23.00
486093025	Zone 01		1 23.00	23.00
486093026	Zone 01		1 23.00	23.00
486094001	Zone 01		1 23.00	23.00
486094002	Zone 01		1 23.00	23.00
486094003	Zone 01		1 23.00	23.00
486094004	Zone 01		1 23.00	23.00
486094005	Zone 01		1 23.00	23.00
486094006	Zone 01	,	1 23.00	23.00
486094007	Zone 01	,	1 23.00	23.00
486094008	Zone 01		1 23.00	23.00
486094009	Zone 01		1 23.00	23.00
486094010	Zone 01		1 23.00	23.00
486094011	Zone 01		1 23.00	23.00
486094012	Zone 01		1 23.00	23.00
486094013	Zone 01		1 23.00	23.00
486094014	Zone 01		1 23.00	23.00
			1 23.00	
486094015	Zone 01			23.00
486094016	Zone 01		1 23.00	23.00
486094017	Zone 01		1 23.00	23.00
486094018	Zone 01		1 23.00	23.00
486095001	Zone 01		1 23.00	23.00
486095002	Zone 01		1 23.00	23.00
486095003	Zone 01		1 23.00	23.00
486095004	Zone 01		1 23.00	23.00
486095005	Zone 01	·	1 23.00	23.00
486095006	Zone 01	·	1 23.00	23.00
486095007	Zone 01	•	1 23.00	23.00
486095008	Zone 01		1 23.00	23.00
486095009	Zone 01		1 23.00	23.00
486095010	Zone 01		1 23.00	23.00
486095011	Zone 01		1 23.00	23.00
486095012	Zone 01		1 23.00	23.00
486095013	Zone 01		1 23.00	23.00
486095014	Zone 01	,	1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned E	BU's FY 17-18	Max Assessment	FY 17-18 Assessment
486095015	Zone 01	1	23.00	23.00
486095016	Zone 01	1	23.00	23.00
486101001	Zone 01	1	23.00	23.00
486101002	Zone 01	1	23.00	23.00
486101003	Zone 01	1	23.00	23.00
486101004	Zone 01	1	23.00	23.00
486101005	Zone 01	1	23.00	23.00
486101006	Zone 01	1	23.00	23.00
486101007	Zone 01	1	23.00	23.00
486101008	Zone 01	1	23.00	23.00
486101009	Zone 01	1	23.00	23.00
486101010	Zone 01	1	23.00	23.00
486101011	Zone 01	1	23.00	23.00
486101012	Zone 01	1	23.00	23.00
486101013	Zone 01	1	23.00	23.00
486101014	Zone 01	1	23.00	23.00
486101015	Zone 01	1	23.00	23.00
486101016	Zone 01	1	23.00	23.00
486101017	Zone 01	1	23.00	23.00
486101018	Zone 01	1	23.00	23.00
486102001	Zone 01	1	23.00	23.00
486102002	Zone 01	1	23.00	23.00
486102003	Zone 01	1	23.00	23.00
486102004	Zone 01	1	23.00	23.00
486102005	Zone 01	1	23.00	23.00
486102006	Zone 01	1	23.00	23.00
486102007	Zone 01	1	23.00	23.00
486102008	Zone 01	1	23.00	23.00
486102009	Zone 01	1	23.00	23.00
486102010	Zone 01	1	23.00	23.00
486102011	Zone 01	1	23.00	23.00
486102012	Zone 01	1	23.00	23.00
486102013	Zone 01	1	23.00	23.00
486102014	Zone 01	1	23.00	23.00
486102015	Zone 01	1	23.00	23.00
486102016	Zone 01	1	23.00	23.00
486102017	Zone 01	1	23.00	23.00
486102018	Zone 01	1	23.00	23.00
486102019	Zone 01	1	23.00	23.00
486102020	Zone 01	1	23.00	23.00
486102021	Zone 01	1	23.00	23.00
486102022	Zone 01	1	23.00	23.00
486102023	Zone 01	1	23.00	23.00
486102024	Zone 01	1	23.00	23.00
486102025	Zone 01	1	23.00	23.00
486102026	Zone 01	1	23.00	23.00
486102027	Zone 01	1	23.00	23.00
486102028	Zone 01	1	23.00	23.00
22.22				_5100

APN	LMD 2014-01 Zone LMD Ass	igned EBU's F	Y 17-18 Max Assessment	FY 17-18 Assessment
486102029	Zone 01	1	23.00	23.00
486102030	Zone 01	1	23.00	23.00
486102031	Zone 01	1	23.00	23.00
486102032	Zone 01	1	23.00	23.00
486102033	Zone 01	1	23.00	23.00
486102034	Zone 01	1	23.00	23.00
486102035	Zone 01	1	23.00	23.00
486102036	Zone 01	1	23.00	23.00
486103001	Zone 01	1	23.00	23.00
486103002	Zone 01	1	23.00	23.00
486103003	Zone 01	1	23.00	23.00
486103004	Zone 01	1	23.00	23.00
486103005	Zone 01	1	23.00	23.00
486103006	Zone 01	1	23.00	23.00
486103007	Zone 01	1	23.00	23.00
486103008	Zone 01	1	23.00	23.00
486103009	Zone 01	1	23.00	23.00
486103010	Zone 01	1	23.00	23.00
486103011	Zone 01	1	23.00	23.00
486103012	Zone 01	1	23.00	23.00
486103013	Zone 01	1	23.00	23.00
486103014	Zone 01	1	23.00	23.00
486103015	Zone 01	1	23.00	23.00
486103016	Zone 01	1	23.00	23.00
486103017	Zone 01	1	23.00	23.00
486103018	Zone 01	1	23.00	23.00
486103019	Zone 01	1	23.00	23.00
486103020	Zone 01	1	23.00	23.00
486103021	Zone 01	1	23.00	23.00
486103022	Zone 01	1	23.00	23.00
486103023	Zone 01	1	23.00	23.00
486103024	Zone 01	1	23.00	23.00
486103025	Zone 01	1	23.00	23.00
486103026	Zone 01	1	23.00	23.00
486103027	Zone 01	1	23.00	23.00
486103028	Zone 01	1	23.00	23.00
486103029	Zone 01	1	23.00	23.00
486103030	Zone 01	1	23.00	23.00
486103031	Zone 01	1	23.00	23.00
486103032	Zone 01	1	23.00	23.00
486103033	Zone 01	1	23.00	23.00
486103034	Zone 01	1	23.00	23.00
486103035	Zone 01	1	23.00	23.00
486103036	Zone 01	1	23.00	23.00
486111001	Zone 01	1	23.00	23.00
486111002	Zone 01	1	23.00	23.00
486111003	Zone 01	1	23.00	23.00
486111004	Zone 01	1	23.00	23.00
.30111001	_55 0 !		23.00	20.00

APN	LMD 2014-01 Zone LMD Assign	ed EBU's FY 17-18 M	ax Assessment	FY 17-18 Assessment
486111005	Zone 01	1	23.00	23.00
486111006	Zone 01	1	23.00	23.00
486111007	Zone 01	1	23.00	23.00
486111008	Zone 01	1	23.00	23.00
486111009	Zone 01	1	23.00	23.00
486111010	Zone 01	1	23.00	23.00
486111011	Zone 01	1	23.00	23.00
486111012	Zone 01	1	23.00	23.00
486111013	Zone 01	1	23.00	23.00
486111014	Zone 01	1	23.00	23.00
486111015	Zone 01	1	23.00	23.00
486111016	Zone 01	1	23.00	23.00
486111017	Zone 01	1	23.00	23.00
486111018	Zone 01	1	23.00	23.00
486111019	Zone 01	1	23.00	23.00
486111020	Zone 01	1	23.00	23.00
486111021	Zone 01	1	23.00	23.00
486111022	Zone 01	1	23.00	23.00
486111023	Zone 01	1	23.00	23.00
486111024	Zone 01	1	23.00	23.00
486111025	Zone 01	1	23.00	23.00
486111026	Zone 01	1	23.00	23.00
486111027	Zone 01	1	23.00	23.00
486111028	Zone 01	1	23.00	23.00
486111029	Zone 01	1	23.00	23.00
486111030	Zone 01	1	23.00	23.00
486111031	Zone 01	1	23.00	23.00
486111032	Zone 01	1	23.00	23.00
486111033	Zone 01	1	23.00	23.00
486111034	Zone 01	1	23.00	23.00
486111035	Zone 01	1	23.00	23.00
486111036	Zone 01	1	23.00	23.00
486112001	Zone 01	1	23.00	23.00
486112002	Zone 01	1	23.00	23.00
486112003	Zone 01	1	23.00	23.00
486112004	Zone 01	1	23.00	23.00
486112005	Zone 01	1	23.00	23.00
486112006	Zone 01	1	23.00	23.00
486112007	Zone 01	1	23.00	23.00
486112008	Zone 01	1	23.00	23.00
486112009	Zone 01	1	23.00	23.00
486112010	Zone 01	1	23.00	23.00
486112011	Zone 01	1	23.00	23.00
486112012	Zone 01	1	23.00	23.00
486112013	Zone 01	1	23.00	23.00
486112014	Zone 01	1	23.00	23.00
486112015	Zone 01	1	23.00	23.00
486112016	Zone 01	1	23.00	23.00
700112010	2016 01		23.00	23.00

APN	LMD 2014-01 Zone L	.MD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
486112017	Zone 01		1 23.00	23.00
486112018	Zone 01		1 23.00	23.00
486112019	Zone 01		1 23.00	23.00
486112020	Zone 01		1 23.00	23.00
486112021	Zone 01		1 23.00	23.00
486112022	Zone 01		1 23.00	23.00
486112023	Zone 01		1 23.00	23.00
486112024	Zone 01		1 23.00	23.00
486112025	Zone 01		1 23.00	23.00
486112026	Zone 01		1 23.00	23.00
486112027	Zone 01		1 23.00	23.00
486112028	Zone 01		1 23.00	23.00
486112029	Zone 01		1 23.00	23.00
486112030	Zone 01		1 23.00	23.00
486112031	Zone 01		1 23.00	23.00
486112032	Zone 01		1 23.00	23.00
486112033	Zone 01		1 23.00	23.00
486112034	Zone 01		1 23.00	23.00
486112035	Zone 01		1 23.00	23.00
486112036	Zone 01		1 23.00	23.00
486121001	Zone 01		1 23.00	23.00
486121002	Zone 01		1 23.00	23.00
486121003	Zone 01		1 23.00	23.00
486121004	Zone 01		1 23.00	23.00
486121005	Zone 01		1 23.00	23.00
486121006	Zone 01		1 23.00	23.00
486121007	Zone 01		1 23.00	23.00
486121008	Zone 01		1 23.00	23.00
486121009	Zone 01		1 23.00	23.00
486121010	Zone 01		1 23.00	23.00
486121011	Zone 01		1 23.00	23.00
486121012	Zone 01		1 23.00	23.00
486121013	Zone 01		1 23.00	23.00
486121014	Zone 01		1 23.00	23.00
486121015	Zone 01		1 23.00	23.00
486121016	Zone 01		1 23.00	23.00
486121017	Zone 01		1 23.00	23.00
486121018	Zone 01		1 23.00	23.00
486121019	Zone 01		1 23.00	23.00
486121020	Zone 01		1 23.00	23.00
486121021	Zone 01		1 23.00	23.00
486121022	Zone 01		1 23.00	23.00
486121023	Zone 01		1 23.00	23.00
486121024	Zone 01		1 23.00	23.00
486121025	Zone 01		1 23.00	23.00
486121026	Zone 01		1 23.00	23.00
486121027	Zone 01		1 23.00	23.00
486122001	Zone 01		1 23.00	23.00
130122001			20.00	20.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
486122002	Zone 01		1 23.00	23.00
486122003	Zone 01		1 23.00	23.00
486122004	Zone 01		1 23.00	23.00
486122005	Zone 01		1 23.00	23.00
486122006	Zone 01		1 23.00	23.00
486122007	Zone 01		1 23.00	23.00
486122008	Zone 01		1 23.00	23.00
486122009	Zone 01		1 23.00	23.00
486122010	Zone 01		1 23.00	23.00
486122011	Zone 01		1 23.00	23.00
486122012	Zone 01		1 23.00	23.00
486122013	Zone 01		1 23.00	23.00
486122014	Zone 01		1 23.00	23.00
486122015	Zone 01		1 23.00	23.00
486122016	Zone 01		1 23.00	23.00
486122017	Zone 01		1 23.00	23.00
486122018	Zone 01		1 23.00	23.00
486122019	Zone 01		1 23.00	23.00
486122020	Zone 01		1 23.00	23.00
486122021	Zone 01		1 23.00	23.00
486122022	Zone 01		1 23.00	23.00
486123001	Zone 01		1 23.00	23.00
486123002	Zone 01		1 23.00	23.00
486123003	Zone 01		1 23.00	23.00
486123004	Zone 01		1 23.00	23.00
486123005	Zone 01		1 23.00	23.00
486123006	Zone 01		1 23.00	23.00
486123007	Zone 01		1 23.00	23.00
486123007	Zone 01		1 23.00	23.00
486123009	Zone 01		1 23.00	23.00
486123010	Zone 01		1 23.00	23.00
				23.00
486123011	Zone 01		1 23.00	
486123012	Zone 01		1 23.00 1 23.00	23.00
486123013	Zone 01			23.00
486123014	Zone 01		1 23.00	23.00
486123015	Zone 01		1 23.00	23.00
486124001	Zone 01		1 23.00	23.00
486124002	Zone 01		1 23.00	23.00
486124003	Zone 01		1 23.00	23.00
486124004	Zone 01		1 23.00	23.00
486124005	Zone 01		1 23.00	23.00
486124006	Zone 01		1 23.00	23.00
486124007	Zone 01		1 23.00	23.00
486124008	Zone 01		1 23.00	23.00
486124009	Zone 01		1 23.00	23.00
486124010	Zone 01		1 23.00	23.00
486124011	Zone 01		1 23.00	23.00
486124012	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
486124013	Zone 01		1 23.00	23.00
486131001	Zone 01		1 23.00	23.00
486131002	Zone 01		1 23.00	23.00
486131003	Zone 01		1 23.00	23.00
486131004	Zone 01		1 23.00	23.00
486131005	Zone 01		1 23.00	23.00
486131006	Zone 01		1 23.00	23.00
486131007	Zone 01		1 23.00	23.00
486131008	Zone 01		1 23.00	23.00
486131009	Zone 01		1 23.00	23.00
486131010	Zone 01		1 23.00	23.00
486131011	Zone 01		1 23.00	23.00
486131012	Zone 01		1 23.00	23.00
486131013	Zone 01		1 23.00	23.00
486131014	Zone 01		1 23.00	23.00
486131015	Zone 01		1 23.00	23.00
486131016	Zone 01		1 23.00	23.00
486131017	Zone 01		1 23.00	23.00
486132001	Zone 01		1 23.00	23.00
486132002	Zone 01		1 23.00	23.00
486132003	Zone 01		1 23.00	23.00
486132004	Zone 01		1 23.00	23.00
486132005	Zone 01		1 23.00	23.00
486133001	Zone 01		1 23.00	23.00
486133002	Zone 01		1 23.00	23.00
486133003	Zone 01		1 23.00	23.00
486133004	Zone 01		1 23.00	23.00
486133005	Zone 01		1 23.00	
				23.00
486133006	Zone 01		1 23.00	23.00
486133007	Zone 01		1 23.00	23.00
486133008	Zone 01		1 23.00	23.00
486134001	Zone 01		1 23.00	23.00
486134002	Zone 01		1 23.00	23.00
486134003	Zone 01		1 23.00	23.00
486134004	Zone 01		1 23.00	23.00
486134005	Zone 01		1 23.00	23.00
486134006	Zone 01		1 23.00	23.00
486134007	Zone 01	•	1 23.00	23.00
486135001	Zone 01		1 23.00	23.00
486135002	Zone 01	•	1 23.00	23.00
486135003	Zone 01		1 23.00	23.00
486135004	Zone 01		1 23.00	23.00
486135005	Zone 01		1 23.00	23.00
486135006	Zone 01		1 23.00	23.00
486135007	Zone 01		1 23.00	23.00
486135008	Zone 01		1 23.00	23.00
486135009	Zone 01		1 23.00	23.00
486135010	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigne	d EBU's FY 17-18 N	Max Assessment	FY 17-18 Assessment
486135011	Zone 01	1	23.00	23.00
486135012	Zone 01	1	23.00	23.00
486135013	Zone 01	1	23.00	23.00
486135014	Zone 01	1	23.00	23.00
486135015	Zone 01	1	23.00	23.00
486135016	Zone 01	1	23.00	23.00
486135017	Zone 01	1	23.00	23.00
486135018	Zone 01	1	23.00	23.00
486135019	Zone 01	1	23.00	23.00
486135020	Zone 01	1	23.00	23.00
486135021	Zone 01	1	23.00	23.00
486135022	Zone 01	1	23.00	23.00
486135023	Zone 01	1	23.00	23.00
486135024	Zone 01	1	23.00	23.00
486135025	Zone 01	1	23.00	23.00
486135026	Zone 01	1	23.00	23.00
486135027	Zone 01	1	23.00	23.00
486136001	Zone 01	1	23.00	23.00
486136002	Zone 01	1	23.00	23.00
486136003	Zone 01	1	23.00	23.00
486136004	Zone 01	1	23.00	23.00
486136005	Zone 01	1	23.00	23.00
486136006	Zone 01	1	23.00	23.00
486136007	Zone 01	1	23.00	23.00
486136008	Zone 01	1	23.00	23.00
486136009	Zone 01	1	23.00	23.00
486136010	Zone 01	1	23.00	23.00
486136011	Zone 01	1	23.00	23.00
486136012	Zone 01	1	23.00	23.00
486141001	Zone 01	1	23.00	23.00
486141002	Zone 01	1	23.00	23.00
486141003	Zone 01	1	23.00	23.00
486141004	Zone 01	1	23.00	23.00
486141005	Zone 01	1	23.00	23.00
486141006	Zone 01	1	23.00	23.00
486141007	Zone 01	1	23.00	23.00
486141008	Zone 01	1	23.00	23.00
486141009	Zone 01	1	23.00	23.00
486141010	Zone 01	1	23.00	23.00
486141011	Zone 01	1	23.00	23.00
486141012	Zone 01	1	23.00	23.00
486141013	Zone 01	1	23.00	23.00
486141014	Zone 01	1	23.00	23.00
486141015	Zone 01	1	23.00	23.00
486141016	Zone 01	1	23.00	23.00
486141017	Zone 01	1	23.00	23.00
486141018	Zone 01	1	23.00	23.00
486141019	Zone 01	1	23.00	23.00
22111210				

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
486141020	Zone 01		1 23.00	23.00
486141021	Zone 01		1 23.00	23.00
486141022	Zone 01		1 23.00	23.00
486141023	Zone 01		1 23.00	23.00
486141024	Zone 01		1 23.00	23.00
486141025	Zone 01		1 23.00	23.00
486141026	Zone 01		1 23.00	23.00
486141027	Zone 01		1 23.00	23.00
486141028	Zone 01		1 23.00	23.00
486141029	Zone 01		1 23.00	23.00
486141030	Zone 01		1 23.00	23.00
486141031	Zone 01		1 23.00	23.00
486141032	Zone 01		1 23.00	23.00
486141033	Zone 01		1 23.00	23.00
486142001	Zone 01		1 23.00	23.00
486142002	Zone 01		1 23.00	23.00
486142003	Zone 01		1 23.00	23.00
486142004	Zone 01		1 23.00	23.00
486142005	Zone 01		1 23.00	23.00
486142006	Zone 01		1 23.00	23.00
486142007	Zone 01		1 23.00	23.00
486142008	Zone 01		1 23.00	23.00
486142009	Zone 01		1 23.00	23.00
486142010	Zone 01		1 23.00	23.00
486142011	Zone 01		1 23.00	23.00
486142012	Zone 01		1 23.00	23.00
486142013	Zone 01		1 23.00	23.00
486142014	Zone 01		1 23.00	23.00
486142015	Zone 01		1 23.00	23.00
486142016	Zone 01		1 23.00	23.00
486142017	Zone 01		1 23.00	23.00
486143001	Zone 01		1 23.00	23.00
486143002	Zone 01		1 23.00	23.00
486143003	Zone 01		1 23.00	23.00
486143004	Zone 01		1 23.00	23.00
486143005	Zone 01		1 23.00	23.00
486143006	Zone 01		1 23.00	23.00
486143007	Zone 01		1 23.00	23.00
486143008	Zone 01		1 23.00	23.00
486143009	Zone 01		1 23.00	23.00
486143010	Zone 01		1 23.00	23.00
486143011	Zone 01		1 23.00	23.00
486151001	Zone 01		1 23.00	23.00
486151002	Zone 01		1 23.00	23.00
486151003	Zone 01		1 23.00	23.00
486151004	Zone 01		1 23.00	23.00
486151005	Zone 01		1 23.00	23.00
486151006	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD	Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
486151007	Zone 01		1 23.00	23.00
486151008	Zone 01		1 23.00	23.00
486151009	Zone 01		1 23.00	23.00
486151010	Zone 01		1 23.00	23.00
486151011	Zone 01		1 23.00	23.00
486151012	Zone 01		1 23.00	23.00
486151013	Zone 01		1 23.00	23.00
486151014	Zone 01		1 23.00	23.00
486151015	Zone 01		1 23.00	23.00
486151016	Zone 01		1 23.00	23.00
486151017	Zone 01		1 23.00	23.00
486151018	Zone 01		1 23.00	23.00
486151019	Zone 01		1 23.00	23.00
486151020	Zone 01		1 23.00	23.00
486151021	Zone 01		1 23.00	23.00
486151022	Zone 01		1 23.00	23.00
486151023	Zone 01		1 23.00	23.00
486151024	Zone 01		1 23.00	23.00
486151025	Zone 01		1 23.00	23.00
486151026	Zone 01		1 23.00	23.00
486151027	Zone 01		1 23.00	23.00
486151028	Zone 01		1 23.00	23.00
486151029	Zone 01		1 23.00	23.00
486151030	Zone 01		1 23.00	23.00
486151031	Zone 01		1 23.00	23.00
486151032	Zone 01		1 23.00	23.00
486151033	Zone 01		1 23.00	23.00
486151034	Zone 01		1 23.00	23.00
486151035	Zone 01		1 23.00	23.00
486151036	Zone 01		1 23.00	23.00
486151037	Zone 01		1 23.00	23.00
486151038	Zone 01		1 23.00	23.00
486151040	Zone 01		1 23.00	23.00
486151041	Zone 01		1 23.00	23.00
486151042	Zone 01		1 23.00	23.00
486151043	Zone 01		1 23.00	23.00
486151044	Zone 01		1 23.00	23.00
486151045	Zone 01		1 23.00	23.00
486151046				
	Zone 01		1 23.00	23.00
486151047	Zone 01		1 23.00	23.00
486151048	Zone 01		1 23.00	23.00
486151049	Zone 01		1 23.00	23.00
486151050	Zone 01		1 23.00	23.00
486151051	Zone 01		1 23.00	23.00
486152001	Zone 01		1 23.00	23.00
486152002	Zone 01		1 23.00	23.00
486152003	Zone 01		1 23.00	23.00
486152004	Zone 01		1 23.00	23.00

A88152005 Zone 01	APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
486152007 Zone 01 1 23.00 23.00 486152009 Zone 01 1 23.00 23.00 486152010 Zone 01 1 23.00 23.00 486152011 Zone 01 1 23.00 23.00 486152012 Zone 01 1 23.00 23.00 486152013 Zone 01 1 23.00 23.00 486152014 Zone 01 1 23.00 23.00 486152015 Zone 01 1 23.00 23.00 486152016 Zone 01 1 23.00 23.00 486152017 Zone 01 1 23.00 23.00 486152018 Zone 01 1 23.00 23.00 486152019 Zone 01 1 23.00 23.00 486153003 Zone 01 1 23.00 23.00 486153002 Zone 01 1 23.00 23.00 486153003 Zone 01 1 23.00 23.00	486152005	Zone 01		1 23.00	23.00
486152008 Zone 01 1 23.00 23.00 486152019 Zone 01 1 23.00 23.00 486152011 Zone 01 1 23.00 23.00 486152012 Zone 01 1 23.00 23.00 486152013 Zone 01 1 23.00 23.00 486152014 Zone 01 1 23.00 23.00 486152015 Zone 01 1 23.00 23.00 486152016 Zone 01 1 23.00 23.00 486152017 Zone 01 1 23.00 23.00 486152018 Zone 01 1 23.00 23.00 486152019 Zone 01 1 23.00 23.00 486153001 Zone 01 1 23.00 23.00 486153002 Zone 01 1 23.00 23.00 486153003 Zone 01 1 23.00 23.00 486153003 Zone 01 1 23.00 23.00	486152006	Zone 01		1 23.00	23.00
486152009 Zone 01 1 23.00 23.00 486152011 Zone 01 1 23.00 23.00 486152012 Zone 01 1 23.00 23.00 486152013 Zone 01 1 23.00 23.00 486152014 Zone 01 1 23.00 23.00 486152015 Zone 01 1 23.00 23.00 486152016 Zone 01 1 23.00 23.00 486152017 Zone 01 1 23.00 23.00 486152018 Zone 01 1 23.00 23.00 486152019 Zone 01 1 23.00 23.00 486153001 Zone 01 1 23.00 23.00 486153002 Zone 01 1 23.00 23.00 486153003 Zone 01 1 23.00 23.00 486153004 Zone 01 1 23.00 23.00 486153005 Zone 01 1 23.00 23.00	486152007	Zone 01		1 23.00	23.00
486152010 Zone 01 1 23.00 23.00 486152011 Zone 01 1 23.00 23.00 486152013 Zone 01 1 23.00 23.00 486152014 Zone 01 1 23.00 23.00 486152015 Zone 01 1 23.00 23.00 486152016 Zone 01 1 23.00 23.00 486152017 Zone 01 1 23.00 23.00 486152018 Zone 01 1 23.00 23.00 486152019 Zone 01 1 23.00 23.00 486153001 Zone 01 1 23.00 23.00 486153002 Zone 01 1 23.00 23.00 486153003 Zone 01 1 23.00 23.00 486153004 Zone 01 1 23.00 23.00 486153005 Zone 01 1 23.00 23.00 486153006 Zone 01 1 23.00 23.00	486152008	Zone 01		1 23.00	23.00
486152011 Zone 01 1 23.00 23.00 486152013 Zone 01 1 23.00 23.00 486152014 Zone 01 1 23.00 23.00 486152015 Zone 01 1 23.00 23.00 486152016 Zone 01 1 23.00 23.00 486152018 Zone 01 1 23.00 23.00 486152018 Zone 01 1 23.00 23.00 486152019 Zone 01 1 23.00 23.00 486153001 Zone 01 1 23.00 23.00 486153002 Zone 01 1 23.00 23.00 486153003 Zone 01 1 23.00 23.00 486153004 Zone 01 1 23.00 23.00 486153007 Zone 01 1 23.00 23.00 486153007 Zone 01 1 23.00 23.00 486153008 Zone 01 1 23.00 23.00	486152009	Zone 01		1 23.00	23.00
486152012 Zone 01 1 23.00 23.00 486152014 Zone 01 1 23.00 23.00 486152015 Zone 01 1 23.00 23.00 486152016 Zone 01 1 23.00 23.00 486152017 Zone 01 1 23.00 23.00 486152018 Zone 01 1 23.00 23.00 486152019 Zone 01 1 23.00 23.00 486153001 Zone 01 1 23.00 23.00 486153002 Zone 01 1 23.00 23.00 486153003 Zone 01 1 23.00 23.00 486153003 Zone 01 1 23.00 23.00 486153006 Zone 01 1 23.00 23.00 486153007 Zone 01 1 23.00 23.00 486153008 Zone 01 1 23.00 23.00 486153010 Zone 01 1 23.00 23.00	486152010	Zone 01		1 23.00	23.00
486152012 Zone 01 1 23.00 23.00 486152014 Zone 01 1 23.00 23.00 486152015 Zone 01 1 23.00 23.00 486152016 Zone 01 1 23.00 23.00 486152017 Zone 01 1 23.00 23.00 486152018 Zone 01 1 23.00 23.00 486152019 Zone 01 1 23.00 23.00 486153001 Zone 01 1 23.00 23.00 486153002 Zone 01 1 23.00 23.00 486153003 Zone 01 1 23.00 23.00 486153003 Zone 01 1 23.00 23.00 486153006 Zone 01 1 23.00 23.00 486153007 Zone 01 1 23.00 23.00 486153008 Zone 01 1 23.00 23.00 486153010 Zone 01 1 23.00 23.00	486152011	Zone 01		1 23.00	23.00
486152014 Zone 01 1 23.00 23.00 486152015 Zone 01 1 23.00 23.00 486152017 Zone 01 1 23.00 23.00 486152018 Zone 01 1 23.00 23.00 486152019 Zone 01 1 23.00 23.00 486153001 Zone 01 1 23.00 23.00 486153002 Zone 01 1 23.00 23.00 486153003 Zone 01 1 23.00 23.00 486153004 Zone 01 1 23.00 23.00 486153005 Zone 01 1 23.00 23.00 486153007 Zone 01 1 23.00 23.00 486153008 Zone 01 1 23.00 23.00 486153007 Zone 01 1 23.00 23.00 486153010 Zone 01 1 23.00 23.00 486153011 Zone 01 1 23.00 23.00					
486152014 Zone 01 1 23.00 23.00 486152015 Zone 01 1 23.00 23.00 486152017 Zone 01 1 23.00 23.00 486152018 Zone 01 1 23.00 23.00 486152019 Zone 01 1 23.00 23.00 486153001 Zone 01 1 23.00 23.00 486153002 Zone 01 1 23.00 23.00 486153003 Zone 01 1 23.00 23.00 486153004 Zone 01 1 23.00 23.00 486153005 Zone 01 1 23.00 23.00 486153007 Zone 01 1 23.00 23.00 486153008 Zone 01 1 23.00 23.00 486153007 Zone 01 1 23.00 23.00 486153010 Zone 01 1 23.00 23.00 486153011 Zone 01 1 23.00 23.00	486152013	Zone 01		1 23.00	23.00
486152016 Zone 01 1 23.00 23.00 486152017 Zone 01 1 23.00 23.00 486152018 Zone 01 1 23.00 23.00 486152019 Zone 01 1 23.00 23.00 486153001 Zone 01 1 23.00 23.00 486153002 Zone 01 1 23.00 23.00 486153003 Zone 01 1 23.00 23.00 486153004 Zone 01 1 23.00 23.00 486153005 Zone 01 1 23.00 23.00 486153006 Zone 01 1 23.00 23.00 486153007 Zone 01 1 23.00 23.00 486153008 Zone 01 1 23.00 23.00 486153010 Zone 01 1 23.00 23.00 486153011 Zone 01 1 23.00 23.00 486153012 Zone 01 1 23.00 23.00					
486152016 Zone 01 1 23.00 23.00 486152018 Zone 01 1 23.00 23.00 486152019 Zone 01 1 23.00 23.00 486152019 Zone 01 1 23.00 23.00 486153001 Zone 01 1 23.00 23.00 486153002 Zone 01 1 23.00 23.00 486153003 Zone 01 1 23.00 23.00 486153004 Zone 01 1 23.00 23.00 486153005 Zone 01 1 23.00 23.00 486153007 Zone 01 1 23.00 23.00 486153008 Zone 01 1 23.00 23.00 486153010 Zone 01 1 23.00 23.00 486153011 Zone 01 1 23.00 23.00 486153012 Zone 01 1 23.00 23.00 486153013 Zone 01 1 23.00 23.00					
486152017 Zone 01 1 23.00 23.00 486152019 Zone 01 1 23.00 23.00 486153011 Zone 01 1 23.00 23.00 486153002 Zone 01 1 23.00 23.00 486153003 Zone 01 1 23.00 23.00 486153004 Zone 01 1 23.00 23.00 486153005 Zone 01 1 23.00 23.00 486153006 Zone 01 1 23.00 23.00 486153007 Zone 01 1 23.00 23.00 486153008 Zone 01 1 23.00 23.00 486153010 Zone 01 1 23.00 23.00 486153011 Zone 01 1 23.00 23.00 486153012 Zone 01 1 23.00 23.00 486153014 Zone 01 1 23.00 23.00 486153015 Zone 01 1 23.00 23.00					
486152018 Zone 01 1 23.00 23.00 486152019 Zone 01 1 23.00 23.00 486153001 Zone 01 1 23.00 23.00 486153002 Zone 01 1 23.00 23.00 486153003 Zone 01 1 23.00 23.00 486153005 Zone 01 1 23.00 23.00 486153006 Zone 01 1 23.00 23.00 486153007 Zone 01 1 23.00 23.00 486153008 Zone 01 1 23.00 23.00 486153010 Zone 01 1 23.00 23.00 486153010 Zone 01 1 23.00 23.00 486153011 Zone 01 1 23.00 23.00 486153013 Zone 01 1 23.00 23.00 486153013 Zone 01 1 23.00 23.00 486153014 Zone 01 1 23.00 23.00					
486152019 Zone 01 1 23.00 23.00 486153001 Zone 01 1 23.00 23.00 486153002 Zone 01 1 23.00 23.00 486153003 Zone 01 1 23.00 23.00 486153004 Zone 01 1 23.00 23.00 486153005 Zone 01 1 23.00 23.00 486153007 Zone 01 1 23.00 23.00 486153008 Zone 01 1 23.00 23.00 486153010 Zone 01 1 23.00 23.00 486153011 Zone 01 1 23.00 23.00 486153011 Zone 01 1 23.00 23.00 486153012 Zone 01 1 23.00 23.00 486153013 Zone 01 1 23.00 23.00 486153014 Zone 01 1 23.00 23.00 486153015 Zone 01 1 23.00 23.00					
486153001 Zone 01 1 23.00 23.00 486153002 Zone 01 1 23.00 23.00 486153003 Zone 01 1 23.00 23.00 486153004 Zone 01 1 23.00 23.00 486153005 Zone 01 1 23.00 23.00 486153007 Zone 01 1 23.00 23.00 486153008 Zone 01 1 23.00 23.00 486153009 Zone 01 1 23.00 23.00 486153010 Zone 01 1 23.00 23.00 486153011 Zone 01 1 23.00 23.00 486153012 Zone 01 1 23.00 23.00 486153013 Zone 01 1 23.00 23.00 486153014 Zone 01 1 23.00 23.00 486153015 Zone 01 1 23.00 23.00 486153017 Zone 01 1 23.00 23.00					
486153002 Zone 01 1 23.00 23.00 486153003 Zone 01 1 23.00 23.00 486153004 Zone 01 1 23.00 23.00 486153005 Zone 01 1 23.00 23.00 486153006 Zone 01 1 23.00 23.00 486153007 Zone 01 1 23.00 23.00 486153008 Zone 01 1 23.00 23.00 486153010 Zone 01 1 23.00 23.00 486153011 Zone 01 1 23.00 23.00 486153012 Zone 01 1 23.00 23.00 486153013 Zone 01 1 23.00 23.00 486153014 Zone 01 1 23.00 23.00 486153015 Zone 01 1 23.00 23.00 486153016 Zone 01 1 23.00 23.00 486153017 Zone 01 1 23.00 23.00					
486153003 Zone 01 1 23.00 23.00 486153004 Zone 01 1 23.00 23.00 486153005 Zone 01 1 23.00 23.00 486153006 Zone 01 1 23.00 23.00 486153007 Zone 01 1 23.00 23.00 486153008 Zone 01 1 23.00 23.00 486153010 Zone 01 1 23.00 23.00 486153011 Zone 01 1 23.00 23.00 486153012 Zone 01 1 23.00 23.00 486153013 Zone 01 1 23.00 23.00 486153014 Zone 01 1 23.00 23.00 486153015 Zone 01 1 23.00 23.00 486153016 Zone 01 1 23.00 23.00 486153017 Zone 01 1 23.00 23.00 486153018 Zone 01 1 23.00 23.00					
486153004 Zone 01 1 23.00 23.00 486153005 Zone 01 1 23.00 23.00 486153006 Zone 01 1 23.00 23.00 486153007 Zone 01 1 23.00 23.00 486153008 Zone 01 1 23.00 23.00 486153010 Zone 01 1 23.00 23.00 486153011 Zone 01 1 23.00 23.00 486153012 Zone 01 1 23.00 23.00 486153013 Zone 01 1 23.00 23.00 486153014 Zone 01 1 23.00 23.00 486153015 Zone 01 1 23.00 23.00 486153016 Zone 01 1 23.00 23.00 486153017 Zone 01 1 23.00 23.00 486153019 Zone 01 1 23.00 23.00 486153020 Zone 01 1 23.00 23.00					
486153005 Zone 01 1 23.00 23.00 486153006 Zone 01 1 23.00 23.00 486153007 Zone 01 1 23.00 23.00 486153008 Zone 01 1 23.00 23.00 486153019 Zone 01 1 23.00 23.00 486153011 Zone 01 1 23.00 23.00 486153012 Zone 01 1 23.00 23.00 486153013 Zone 01 1 23.00 23.00 486153014 Zone 01 1 23.00 23.00 486153015 Zone 01 1 23.00 23.00 486153016 Zone 01 1 23.00 23.00 486153017 Zone 01 1 23.00 23.00 486153018 Zone 01 1 23.00 23.00 486153019 Zone 01 1 23.00 23.00 486153021 Zone 01 1 23.00 23.00					
486153006 Zone 01 1 23.00 23.00 486153007 Zone 01 1 23.00 23.00 486153008 Zone 01 1 23.00 23.00 486153009 Zone 01 1 23.00 23.00 486153010 Zone 01 1 23.00 23.00 486153011 Zone 01 1 23.00 23.00 486153013 Zone 01 1 23.00 23.00 486153014 Zone 01 1 23.00 23.00 486153015 Zone 01 1 23.00 23.00 486153016 Zone 01 1 23.00 23.00 486153017 Zone 01 1 23.00 23.00 486153018 Zone 01 1 23.00 23.00 486153019 Zone 01 1 23.00 23.00 486153020 Zone 01 1 23.00 23.00 486153021 Zone 01 1 23.00 23.00					
486153007 Zone 01 1 23.00 23.00 486153008 Zone 01 1 23.00 23.00 486153019 Zone 01 1 23.00 23.00 486153011 Zone 01 1 23.00 23.00 486153011 Zone 01 1 23.00 23.00 486153013 Zone 01 1 23.00 23.00 486153014 Zone 01 1 23.00 23.00 486153015 Zone 01 1 23.00 23.00 486153016 Zone 01 1 23.00 23.00 486153017 Zone 01 1 23.00 23.00 486153018 Zone 01 1 23.00 23.00 486153019 Zone 01 1 23.00 23.00 486153020 Zone 01 1 23.00 23.00 486153022 Zone 01 1 23.00 23.00 486153023 Zone 01 1 23.00 23.00					
486153008 Zone 01 1 23.00 23.00 486153009 Zone 01 1 23.00 23.00 486153010 Zone 01 1 23.00 23.00 486153011 Zone 01 1 23.00 23.00 486153012 Zone 01 1 23.00 23.00 486153013 Zone 01 1 23.00 23.00 486153014 Zone 01 1 23.00 23.00 486153015 Zone 01 1 23.00 23.00 486153016 Zone 01 1 23.00 23.00 486153017 Zone 01 1 23.00 23.00 486153018 Zone 01 1 23.00 23.00 486153019 Zone 01 1 23.00 23.00 486153020 Zone 01 1 23.00 23.00 486153021 Zone 01 1 23.00 23.00 486153022 Zone 01 1 23.00 23.00					
486153009 Zone 01 1 23.00 23.00 486153010 Zone 01 1 23.00 23.00 486153011 Zone 01 1 23.00 23.00 486153012 Zone 01 1 23.00 23.00 486153013 Zone 01 1 23.00 23.00 486153014 Zone 01 1 23.00 23.00 486153015 Zone 01 1 23.00 23.00 486153016 Zone 01 1 23.00 23.00 486153017 Zone 01 1 23.00 23.00 486153018 Zone 01 1 23.00 23.00 486153020 Zone 01 1 23.00 23.00 486153021 Zone 01 1 23.00 23.00 486153022 Zone 01 1 23.00 23.00 486153023 Zone 01 1 23.00 23.00 486153025 Zone 01 1 23.00 23.00 486153026 Zone 01 1 23.00 23.00 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
486153010 Zone 01 1 23.00 23.00 486153011 Zone 01 1 23.00 23.00 486153012 Zone 01 1 23.00 23.00 486153013 Zone 01 1 23.00 23.00 486153014 Zone 01 1 23.00 23.00 486153015 Zone 01 1 23.00 23.00 486153016 Zone 01 1 23.00 23.00 486153017 Zone 01 1 23.00 23.00 486153018 Zone 01 1 23.00 23.00 486153019 Zone 01 1 23.00 23.00 486153020 Zone 01 1 23.00 23.00 486153021 Zone 01 1 23.00 23.00 486153022 Zone 01 1 23.00 23.00 486153023 Zone 01 1 23.00 23.00 486153024 Zone 01 1 23.00 23.00 486153025 Zone 01 1 23.00 23.00 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
486153011 Zone 01 1 23.00 23.00 486153012 Zone 01 1 23.00 23.00 486153013 Zone 01 1 23.00 23.00 486153014 Zone 01 1 23.00 23.00 486153015 Zone 01 1 23.00 23.00 486153016 Zone 01 1 23.00 23.00 486153017 Zone 01 1 23.00 23.00 486153018 Zone 01 1 23.00 23.00 486153029 Zone 01 1 23.00 23.00 486153020 Zone 01 1 23.00 23.00 486153021 Zone 01 1 23.00 23.00 486153022 Zone 01 1 23.00 23.00 486153023 Zone 01 1 23.00 23.00 486153024 Zone 01 1 23.00 23.00 486153025 Zone 01 1 23.00 23.00 486153026 Zone 01 1 23.00 23.00 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
486153012 Zone 01 1 23.00 23.00 486153013 Zone 01 1 23.00 23.00 486153014 Zone 01 1 23.00 23.00 486153015 Zone 01 1 23.00 23.00 486153016 Zone 01 1 23.00 23.00 486153017 Zone 01 1 23.00 23.00 486153018 Zone 01 1 23.00 23.00 486153019 Zone 01 1 23.00 23.00 486153020 Zone 01 1 23.00 23.00 486153021 Zone 01 1 23.00 23.00 486153022 Zone 01 1 23.00 23.00 486153023 Zone 01 1 23.00 23.00 486153024 Zone 01 1 23.00 23.00 486153025 Zone 01 1 23.00 23.00 486153026 Zone 01 1 23.00 23.00 486153028 Zone 01 1 23.00 23.00 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
486153013 Zone 01 1 23.00 23.00 486153014 Zone 01 1 23.00 23.00 486153015 Zone 01 1 23.00 23.00 486153016 Zone 01 1 23.00 23.00 486153017 Zone 01 1 23.00 23.00 486153018 Zone 01 1 23.00 23.00 486153019 Zone 01 1 23.00 23.00 486153020 Zone 01 1 23.00 23.00 486153021 Zone 01 1 23.00 23.00 486153022 Zone 01 1 23.00 23.00 486153023 Zone 01 1 23.00 23.00 486153024 Zone 01 1 23.00 23.00 486153025 Zone 01 1 23.00 23.00 486153026 Zone 01 1 23.00 23.00 486153027 Zone 01 1 23.00 23.00 486153028 Zone 01 1 23.00 23.00 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
486153014 Zone 01 1 23.00 23.00 486153015 Zone 01 1 23.00 23.00 486153016 Zone 01 1 23.00 23.00 486153017 Zone 01 1 23.00 23.00 486153018 Zone 01 1 23.00 23.00 486153019 Zone 01 1 23.00 23.00 486153020 Zone 01 1 23.00 23.00 486153021 Zone 01 1 23.00 23.00 486153022 Zone 01 1 23.00 23.00 486153023 Zone 01 1 23.00 23.00 486153024 Zone 01 1 23.00 23.00 486153025 Zone 01 1 23.00 23.00 486153026 Zone 01 1 23.00 23.00 486153027 Zone 01 1 23.00 23.00 486153028 Zone 01 1 23.00 23.00 486153028 Zone 01 1 23.00 23.00 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
486153015 Zone 01 1 23.00 23.00 486153016 Zone 01 1 23.00 23.00 486153017 Zone 01 1 23.00 23.00 486153018 Zone 01 1 23.00 23.00 486153019 Zone 01 1 23.00 23.00 486153020 Zone 01 1 23.00 23.00 486153021 Zone 01 1 23.00 23.00 486153022 Zone 01 1 23.00 23.00 486153023 Zone 01 1 23.00 23.00 486153024 Zone 01 1 23.00 23.00 486153025 Zone 01 1 23.00 23.00 486153026 Zone 01 1 23.00 23.00 486153027 Zone 01 1 23.00 23.00 486153028 Zone 01 1 23.00 23.00 486181001 Zone 01 1 23.00 23.00 486181002 Zone 01 1 23.00 23.00 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
486153016 Zone 01 1 23.00 23.00 486153017 Zone 01 1 23.00 23.00 486153018 Zone 01 1 23.00 23.00 486153019 Zone 01 1 23.00 23.00 486153020 Zone 01 1 23.00 23.00 486153021 Zone 01 1 23.00 23.00 486153022 Zone 01 1 23.00 23.00 486153023 Zone 01 1 23.00 23.00 486153024 Zone 01 1 23.00 23.00 486153025 Zone 01 1 23.00 23.00 486153026 Zone 01 1 23.00 23.00 486153027 Zone 01 1 23.00 23.00 486153028 Zone 01 1 23.00 23.00 486181001 Zone 01 1 23.00 23.00 486181002 Zone 01 1 23.00 23.00 486181003 Zone 01 1 23.00 23.00 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
486153017 Zone 01 1 23.00 23.00 486153018 Zone 01 1 23.00 23.00 486153019 Zone 01 1 23.00 23.00 486153020 Zone 01 1 23.00 23.00 486153021 Zone 01 1 23.00 23.00 486153022 Zone 01 1 23.00 23.00 486153023 Zone 01 1 23.00 23.00 486153024 Zone 01 1 23.00 23.00 486153025 Zone 01 1 23.00 23.00 486153026 Zone 01 1 23.00 23.00 486153027 Zone 01 1 23.00 23.00 486181001 Zone 01 1 23.00 23.00 486181002 Zone 01 1 23.00 23.00 486181003 Zone 01 1 23.00 23.00 486181004 Zone 01 1 23.00 23.00					
486153018 Zone 01 1 23.00 23.00 486153019 Zone 01 1 23.00 23.00 486153020 Zone 01 1 23.00 23.00 486153021 Zone 01 1 23.00 23.00 486153022 Zone 01 1 23.00 23.00 486153023 Zone 01 1 23.00 23.00 486153024 Zone 01 1 23.00 23.00 486153025 Zone 01 1 23.00 23.00 486153026 Zone 01 1 23.00 23.00 486153027 Zone 01 1 23.00 23.00 486181001 Zone 01 1 23.00 23.00 486181002 Zone 01 1 23.00 23.00 486181003 Zone 01 1 23.00 23.00 486181004 Zone 01 1 23.00 23.00					
486153019 Zone 01 1 23.00 23.00 486153020 Zone 01 1 23.00 23.00 486153021 Zone 01 1 23.00 23.00 486153022 Zone 01 1 23.00 23.00 486153023 Zone 01 1 23.00 23.00 486153024 Zone 01 1 23.00 23.00 486153025 Zone 01 1 23.00 23.00 486153026 Zone 01 1 23.00 23.00 486153027 Zone 01 1 23.00 23.00 486181001 Zone 01 1 23.00 23.00 486181002 Zone 01 1 23.00 23.00 486181003 Zone 01 1 23.00 23.00 486181004 Zone 01 1 23.00 23.00					
486153020 Zone 01 1 23.00 23.00 486153021 Zone 01 1 23.00 23.00 486153022 Zone 01 1 23.00 23.00 486153023 Zone 01 1 23.00 23.00 486153024 Zone 01 1 23.00 23.00 486153025 Zone 01 1 23.00 23.00 486153026 Zone 01 1 23.00 23.00 486153027 Zone 01 1 23.00 23.00 486153028 Zone 01 1 23.00 23.00 486181001 Zone 01 1 23.00 23.00 486181002 Zone 01 1 23.00 23.00 486181003 Zone 01 1 23.00 23.00 486181004 Zone 01 1 23.00 23.00					
486153021 Zone 01 1 23.00 23.00 486153022 Zone 01 1 23.00 23.00 486153023 Zone 01 1 23.00 23.00 486153024 Zone 01 1 23.00 23.00 486153025 Zone 01 1 23.00 23.00 486153026 Zone 01 1 23.00 23.00 486153027 Zone 01 1 23.00 23.00 486153028 Zone 01 1 23.00 23.00 486181001 Zone 01 1 23.00 23.00 486181002 Zone 01 1 23.00 23.00 486181003 Zone 01 1 23.00 23.00 486181004 Zone 01 1 23.00 23.00					
486153022 Zone 01 1 23.00 23.00 486153023 Zone 01 1 23.00 23.00 486153024 Zone 01 1 23.00 23.00 486153025 Zone 01 1 23.00 23.00 486153026 Zone 01 1 23.00 23.00 486153027 Zone 01 1 23.00 23.00 486153028 Zone 01 1 23.00 23.00 486181001 Zone 01 1 23.00 23.00 486181002 Zone 01 1 23.00 23.00 486181003 Zone 01 1 23.00 23.00 486181004 Zone 01 1 23.00 23.00					
486153023 Zone 01 1 23.00 23.00 486153024 Zone 01 1 23.00 23.00 486153025 Zone 01 1 23.00 23.00 486153026 Zone 01 1 23.00 23.00 486153027 Zone 01 1 23.00 23.00 486153028 Zone 01 1 23.00 23.00 486181001 Zone 01 1 23.00 23.00 486181002 Zone 01 1 23.00 23.00 486181003 Zone 01 1 23.00 23.00 486181004 Zone 01 1 23.00 23.00					
486153024 Zone 01 1 23.00 23.00 486153025 Zone 01 1 23.00 23.00 486153026 Zone 01 1 23.00 23.00 486153027 Zone 01 1 23.00 23.00 486153028 Zone 01 1 23.00 23.00 486181001 Zone 01 1 23.00 23.00 486181002 Zone 01 1 23.00 23.00 486181003 Zone 01 1 23.00 23.00 486181004 Zone 01 1 23.00 23.00					
486153025 Zone 01 1 23.00 23.00 486153026 Zone 01 1 23.00 23.00 486153027 Zone 01 1 23.00 23.00 486153028 Zone 01 1 23.00 23.00 486181001 Zone 01 1 23.00 23.00 486181002 Zone 01 1 23.00 23.00 486181003 Zone 01 1 23.00 23.00 486181004 Zone 01 1 23.00 23.00					
486153026 Zone 01 1 23.00 23.00 486153027 Zone 01 1 23.00 23.00 486153028 Zone 01 1 23.00 23.00 486181001 Zone 01 1 23.00 23.00 486181002 Zone 01 1 23.00 23.00 486181003 Zone 01 1 23.00 23.00 486181004 Zone 01 1 23.00 23.00					
486153027 Zone 01 1 23.00 23.00 486153028 Zone 01 1 23.00 23.00 486181001 Zone 01 1 23.00 23.00 486181002 Zone 01 1 23.00 23.00 486181003 Zone 01 1 23.00 23.00 486181004 Zone 01 1 23.00 23.00			·		
486153028 Zone 01 1 23.00 23.00 486181001 Zone 01 1 23.00 23.00 486181002 Zone 01 1 23.00 23.00 486181003 Zone 01 1 23.00 23.00 486181004 Zone 01 1 23.00 23.00					
486181001 Zone 01 1 23.00 23.00 486181002 Zone 01 1 23.00 23.00 486181003 Zone 01 1 23.00 23.00 486181004 Zone 01 1 23.00 23.00					
486181002 Zone 01 1 23.00 23.00 486181003 Zone 01 1 23.00 23.00 486181004 Zone 01 1 23.00 23.00					
486181003 Zone 01 1 23.00 23.00 486181004 Zone 01 1 23.00 23.00					
486181004 Zone 01 1 23.00 23.00					
486181005 Zone 01 1 23.00 23.00					
	486181005	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	BU's FY 17-18	3 Max Assessment	FY 17-18 Assessment
486181006	Zone 01	1	23.00	23.00
486181007	Zone 01	1	23.00	23.00
486181008	Zone 01	1	23.00	23.00
486181009	Zone 01	1	23.00	23.00
486181010	Zone 01	1	23.00	23.00
486181011	Zone 01	1	23.00	23.00
486181012	Zone 01	1	23.00	23.00
486182001	Zone 01	1	23.00	23.00
486182002	Zone 01	1	23.00	23.00
486182003	Zone 01	1	23.00	23.00
486182004	Zone 01	1	23.00	23.00
486182005	Zone 01	1	23.00	23.00
486182006	Zone 01	1	23.00	23.00
486182007	Zone 01	1	23.00	23.00
486182008	Zone 01	1	23.00	23.00
486182009	Zone 01	1	23.00	23.00
486182010	Zone 01	1	23.00	23.00
486182011	Zone 01	1	23.00	23.00
486182012	Zone 01	1	23.00	23.00
486182013	Zone 01	1	23.00	23.00
486182014	Zone 01	1	23.00	23.00
486182015	Zone 01	1	23.00	23.00
486182016	Zone 01	1	23.00	23.00
486182017	Zone 01	1	23.00	23.00
486182018	Zone 01	1	23.00	23.00
486182019	Zone 01	1	23.00	23.00
486182020	Zone 01	1	23.00	23.00
486182021	Zone 01	1	23.00	23.00
486182022	Zone 01	1	23.00	23.00
486182023	Zone 01	1	23.00	23.00
486182024	Zone 01	1	23.00	23.00
486182025	Zone 01	1	23.00	23.00
486182026	Zone 01	1	23.00	23.00
486182027	Zone 01	1	23.00	23.00
486182028	Zone 01	1	23.00	23.00
486182029	Zone 01	1	23.00	23.00
486182030	Zone 01	1	23.00	23.00
486182031	Zone 01	1	23.00	23.00
486183001	Zone 01	1	23.00	23.00
486183002	Zone 01	1	23.00	23.00
486183003	Zone 01	1	23.00	23.00
486183004	Zone 01	1	23.00	23.00
486183005	Zone 01	1	23.00	23.00
486183006	Zone 01	1	23.00	23.00
486183007	Zone 01	1	23.00	23.00
486183008	Zone 01	1	23.00	23.00
486183009	Zone 01	1	23.00	23.00
486183010	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
486183011	Zone 01	•	1 23.00	23.00
486183012	Zone 01	•	1 23.00	23.00
486183013	Zone 01	•	1 23.00	23.00
486183014	Zone 01	•	1 23.00	23.00
486183015	Zone 01	•	1 23.00	23.00
486183016	Zone 01		1 23.00	23.00
486183017	Zone 01		1 23.00	23.00
486183018	Zone 01		1 23.00	23.00
486183019	Zone 01		1 23.00	23.00
486183020	Zone 01		1 23.00	23.00
486183021	Zone 01		1 23.00	23.00
486183022	Zone 01		1 23.00	23.00
486183023	Zone 01		1 23.00	23.00
486183024	Zone 01		1 23.00	23.00
486183025	Zone 01		1 23.00	23.00
486183026	Zone 01		1 23.00	23.00
486183027	Zone 01		1 23.00	23.00
486184001	Zone 01		1 23.00	23.00
486184002	Zone 01		1 23.00	23.00
486184003	Zone 01		1 23.00	23.00
486184004	Zone 01		1 23.00	23.00
486184005	Zone 01		1 23.00	23.00
486184006	Zone 01		1 23.00	23.00
486184007	Zone 01		1 23.00	23.00
486184008	Zone 01		1 23.00	23.00
486184009	Zone 01		1 23.00	23.00
486184010			1 23.00	23.00
486184011	Zone 01 Zone 01	,	1 23.00	
		,		23.00
486184012	Zone 01		1 23.00	23.00
486184013	Zone 01	,	1 23.00	23.00
486184014	Zone 01	,	1 23.00	23.00
486184015	Zone 01		1 23.00	23.00
486184016	Zone 01		1 23.00	23.00
486184017	Zone 01		1 23.00	23.00
486184018	Zone 01		1 23.00	23.00
486184019	Zone 01		1 23.00	23.00
486184020	Zone 01		1 23.00	23.00
486191001	Zone 01	·	1 23.00	23.00
486191002	Zone 01		1 23.00	23.00
486191003	Zone 01	·	1 23.00	23.00
486191004	Zone 01	•	1 23.00	23.00
486191005	Zone 01		1 23.00	23.00
486191006	Zone 01		1 23.00	23.00
486191007	Zone 01		1 23.00	23.00
486191008	Zone 01		1 23.00	23.00
486191009	Zone 01		1 23.00	23.00
486191010	Zone 01		1 23.00	23.00
486191011	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assign	ed EBU's FY 17-18 Ma	ax Assessment	FY 17-18 Assessment
486191012	Zone 01	1	23.00	23.00
486191013	Zone 01	1	23.00	23.00
486191014	Zone 01	1	23.00	23.00
486191015	Zone 01	1	23.00	23.00
486191016	Zone 01	1	23.00	23.00
486192001	Zone 01	1	23.00	23.00
486192002	Zone 01	1	23.00	23.00
486192003	Zone 01	1	23.00	23.00
486192004	Zone 01	1	23.00	23.00
486192005	Zone 01	1	23.00	23.00
486192006	Zone 01	1	23.00	23.00
486192007	Zone 01	1	23.00	23.00
486192008	Zone 01	1	23.00	23.00
486192009	Zone 01	1	23.00	23.00
486192010	Zone 01	1	23.00	23.00
486192011	Zone 01	1	23.00	23.00
486192012	Zone 01	1	23.00	23.00
486192013	Zone 01	1	23.00	23.00
486192014	Zone 01	1	23.00	23.00
486192015	Zone 01	1	23.00	23.00
486192016	Zone 01	1	23.00	23.00
486192017	Zone 01	1	23.00	23.00
486192018	Zone 01	1	23.00	23.00
486192019	Zone 01	1	23.00	23.00
486192020	Zone 01	1	23.00	23.00
486192021	Zone 01	1	23.00	23.00
486192022	Zone 01	1	23.00	23.00
486192023	Zone 01	1	23.00	23.00
486192024	Zone 01	1	23.00	23.00
486192025	Zone 01	1	23.00	23.00
486192026	Zone 01	1	23.00	23.00
486192027	Zone 01	1	23.00	23.00
486192028	Zone 01	1	23.00	23.00
486192029	Zone 01	1	23.00	23.00
486192030	Zone 01	1	23.00	23.00
486192031	Zone 01	1	23.00	23.00
486192032	Zone 01	1	23.00	23.00
486193001	Zone 01	1	23.00	23.00
486193002	Zone 01	1	23.00	23.00
486193003	Zone 01	1	23.00	23.00
486193004	Zone 01	1	23.00	23.00
486193005	Zone 01	1	23.00	23.00
486193006	Zone 01	1	23.00	23.00
486193007	Zone 01	1	23.00	23.00
486193008	Zone 01	1	23.00	23.00
486193009	Zone 01	1	23.00	23.00
486193010	Zone 01	1	23.00	23.00
486193011	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone L	MD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
486193012	Zone 01		1 23.00	23.00
486193013	Zone 01		1 23.00	23.00
486193014	Zone 01		1 23.00	23.00
486193015	Zone 01		1 23.00	23.00
486193016	Zone 01		1 23.00	23.00
486193017	Zone 01		1 23.00	23.00
486193018	Zone 01		1 23.00	23.00
486193019	Zone 01		1 23.00	23.00
486193020	Zone 01		1 23.00	23.00
486193021	Zone 01		1 23.00	23.00
486193022	Zone 01		1 23.00	23.00
486193023	Zone 01		1 23.00	23.00
486193024	Zone 01		1 23.00	23.00
486193025	Zone 01		1 23.00	23.00
486193026	Zone 01		1 23.00	23.00
486193027	Zone 01		1 23.00	23.00
486193028	Zone 01		1 23.00	23.00
486193029	Zone 01		1 23.00	23.00
486193030	Zone 01		1 23.00	23.00
486193031	Zone 01		1 23.00	23.00
486193032	Zone 01		1 23.00	23.00
486193033	Zone 01		1 23.00	23.00
486193034	Zone 01		1 23.00	23.00
486193035	Zone 01		1 23.00	23.00
486193036	Zone 01		1 23.00	23.00
486193037	Zone 01		1 23.00	23.00
486193038	Zone 01		1 23.00	23.00
486201001	Zone 01		1 23.00	23.00
486201002	Zone 01		1 23.00	23.00
486201003	Zone 01		1 23.00	23.00
486201004	Zone 01		1 23.00	23.00
486201005	Zone 01		1 23.00	23.00
486201006	Zone 01		1 23.00	23.00
486201007	Zone 01		1 23.00	23.00
486201008	Zone 01		1 23.00	23.00
486201009	Zone 01		1 23.00	23.00
486201010	Zone 01		1 23.00	23.00
486202001	Zone 01		1 23.00	23.00
486202002	Zone 01		1 23.00	23.00
486202003	Zone 01		1 23.00	23.00
486202004	Zone 01		1 23.00	23.00
486202005	Zone 01		1 23.00	23.00
486202006	Zone 01		1 23.00	23.00
486202007	Zone 01		1 23.00	23.00
486202008	Zone 01 Zone 01		1 23.00	23.00
486202009	Zone 01		1 23.00	23.00
486202010	Zone 01		1 23.00	23.00
486202011	Zone 01 Zone 01		1 23.00	23.00
400202011	Zurie u i		23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
486202012	Zone 01		1 23.00	23.00
486202013	Zone 01		1 23.00	23.00
486202014	Zone 01		1 23.00	23.00
486202015	Zone 01		1 23.00	23.00
486202016	Zone 01		1 23.00	23.00
486202017	Zone 01		1 23.00	23.00
486202018	Zone 01		1 23.00	23.00
486202019	Zone 01		1 23.00	23.00
486202020	Zone 01		1 23.00	23.00
486202021	Zone 01		1 23.00	23.00
486202022	Zone 01		1 23.00	23.00
486203001	Zone 01		1 23.00	23.00
486203002	Zone 01		1 23.00	23.00
486203003	Zone 01		1 23.00	23.00
486203004	Zone 01		1 23.00	23.00
486203005	Zone 01		1 23.00	23.00
486203006	Zone 01		1 23.00	23.00
486203007	Zone 01		1 23.00	23.00
486203008	Zone 01		1 23.00	23.00
486203009	Zone 01		1 23.00	23.00
486203010	Zone 01		1 23.00	23.00
486203011	Zone 01		1 23.00	23.00
486203012	Zone 01		1 23.00	23.00
486203013	Zone 01		1 23.00	23.00
486203014	Zone 01		1 23.00	23.00
486203015	Zone 01		1 23.00	23.00
486203016	Zone 01		1 23.00	23.00
486203017	Zone 01		1 23.00	23.00
486203018	Zone 01		1 23.00	23.00
486203019	Zone 01		1 23.00	23.00
486203020	Zone 01		1 23.00	23.00
486203021	Zone 01		1 23.00	23.00
486204001	Zone 01		1 23.00	23.00
486204002	Zone 01		1 23.00	23.00
486204003	Zone 01		1 23.00	23.00
486204004	Zone 01		1 23.00	23.00
486204005	Zone 01		1 23.00	23.00
486204006	Zone 01		1 23.00	23.00
486204007	Zone 01		1 23.00	23.00
486204008	Zone 01		1 23.00	23.00
486204009	Zone 01		1 23.00	23.00
486204010	Zone 01		1 23.00	23.00
486204011	Zone 01		1 23.00	23.00
486204012	Zone 01		1 23.00	23.00
486204013	Zone 01		1 23.00	23.00
486204014	Zone 01		1 23.00	23.00
486204015	Zone 01		1 23.00	23.00
486204016	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-18	3 Max Assessment	FY 17-18 Assessment
486204017	Zone 01	1	23.00	23.00
486204018	Zone 01	1	23.00	23.00
486204019	Zone 01	1	23.00	23.00
486204020	Zone 01	1	23.00	23.00
486204021	Zone 01	1	23.00	23.00
486204022	Zone 01	1	23.00	23.00
486204023	Zone 01	1	23.00	23.00
486204024	Zone 01	1	23.00	23.00
486211001	Zone 01	1	23.00	23.00
486211002	Zone 01	1	23.00	23.00
486211003	Zone 01	1	23.00	23.00
486211004	Zone 01	1	23.00	23.00
486211005	Zone 01	1	23.00	23.00
486211006	Zone 01	1	23.00	23.00
486211007	Zone 01	1	23.00	23.00
486211008	Zone 01	1	23.00	23.00
486211009	Zone 01	1	23.00	23.00
486211010	Zone 01	1	23.00	23.00
486211011	Zone 01	1	23.00	23.00
486211012	Zone 01	1	23.00	23.00
486211013	Zone 01	1	23.00	23.00
486211014	Zone 01	1	23.00	23.00
486211015	Zone 01	1	23.00	23.00
486211016	Zone 01	1	23.00	23.00
486211017	Zone 01	1	23.00	23.00
486211018	Zone 01	1	23.00	23.00
486211019	Zone 01	1	23.00	23.00
486212001	Zone 01	1	23.00	23.00
486212002	Zone 01	1	23.00	23.00
486212003	Zone 01	1	23.00	23.00
486212004	Zone 01	1	23.00	23.00
486212005	Zone 01	1	23.00	23.00
486212006	Zone 01	1	23.00	23.00
486212007	Zone 01	1	23.00	23.00
486212008	Zone 01	1	23.00	23.00
486212009	Zone 01	1	23.00	23.00
486212010	Zone 01	1	23.00	23.00
486212011	Zone 01	1	23.00	23.00
486212012	Zone 01	1	23.00	23.00
486212013	Zone 01	1	23.00	23.00
486212014	Zone 01	1	23.00	23.00
486212015	Zone 01	1	23.00	23.00
486212016	Zone 01	1	23.00	23.00
486212017	Zone 01	1	23.00	23.00
486212018	Zone 01	1	23.00	23.00
486212019	Zone 01	1	23.00	23.00
486212020	Zone 01	1	23.00	23.00
486212021	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
486212022	Zone 01		1 23.00	23.00
486212023	Zone 01		1 23.00	23.00
486212024	Zone 01		1 23.00	23.00
486213001	Zone 01		1 23.00	23.00
486213002	Zone 01		1 23.00	23.00
486213003	Zone 01		1 23.00	23.00
486213004	Zone 01		1 23.00	23.00
486213005	Zone 01		1 23.00	23.00
486213006	Zone 01		1 23.00	23.00
486213007	Zone 01		1 23.00	23.00
486213008	Zone 01		1 23.00	23.00
486214001	Zone 01		1 23.00	23.00
486214002	Zone 01		1 23.00	23.00
486214003	Zone 01		1 23.00	23.00
486214004	Zone 01		1 23.00	23.00
486214005	Zone 01		1 23.00	23.00
486214006	Zone 01		1 23.00	23.00
486214007	Zone 01		1 23.00	23.00
486214008	Zone 01		1 23.00	23.00
486214009	Zone 01		1 23.00	23.00
486214010	Zone 01		1 23.00	23.00
486221001	Zone 01		1 23.00	23.00
486221002	Zone 01		1 23.00	23.00
486221003	Zone 01		1 23.00	23.00
486221004	Zone 01		1 23.00	23.00
486221005	Zone 01		1 23.00	23.00
486221006	Zone 01		1 23.00	23.00
486221007	Zone 01		1 23.00	23.00
486221008	Zone 01		1 23.00	23.00
486221009	Zone 01		1 23.00	23.00
486221010	Zone 01		1 23.00	23.00
486221011	Zone 01		1 23.00	23.00
486221012	Zone 01		1 23.00	23.00
486221013	Zone 01		1 23.00	23.00
486221014			1 23.00	23.00
486221015	Zone 01 Zone 01		1 23.00	23.00
486221016			1 23.00	23.00
	Zone 01			
486221017	Zone 01		1 23.00	23.00
486221018	Zone 01		1 23.00	23.00
486221019	Zone 01		1 23.00	23.00
486221020	Zone 01		1 23.00	23.00
486221021	Zone 01		1 23.00	23.00
486221022	Zone 01		1 23.00	23.00
486221023	Zone 01		1 23.00	23.00
486221024	Zone 01		1 23.00	23.00
486221025	Zone 01		1 23.00	23.00
486221026	Zone 01		1 23.00	23.00
486221027	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-18 N	Max Assessment	FY 17-18 Assessment
486221028	Zone 01	1	23.00	23.00
486222001	Zone 01	1	23.00	23.00
486222002	Zone 01	1	23.00	23.00
486222003	Zone 01	1	23.00	23.00
486222004	Zone 01	1	23.00	23.00
486222005	Zone 01	1	23.00	23.00
486222006	Zone 01	1	23.00	23.00
486222007	Zone 01	1	23.00	23.00
486222008	Zone 01	1	23.00	23.00
486222009	Zone 01	1	23.00	23.00
486222010	Zone 01	1	23.00	23.00
486222011	Zone 01	1	23.00	23.00
486222012	Zone 01	1	23.00	23.00
486222013	Zone 01	1	23.00	23.00
486222014	Zone 01	1	23.00	23.00
486222015	Zone 01	1	23.00	23.00
486222016	Zone 01	1	23.00	23.00
486222017	Zone 01	1	23.00	23.00
486222018	Zone 01	1	23.00	23.00
486222019	Zone 01	1	23.00	23.00
486222020	Zone 01	1	23.00	23.00
486222021	Zone 01	1	23.00	23.00
486222022	Zone 01	1	23.00	23.00
486222023	Zone 01	1	23.00	23.00
486222024	Zone 01	1	23.00	23.00
486222025	Zone 01	1	23.00	23.00
486222026	Zone 01	1	23.00	23.00
486222027	Zone 01	1	23.00	23.00
486222028	Zone 01	1	23.00	23.00
486222029	Zone 01	1	23.00	23.00
486222030	Zone 01	1	23.00	23.00
486222031	Zone 01	1	23.00	23.00
486222032	Zone 01	1	23.00	23.00
486222033	Zone 01	1	23.00	23.00
486222034	Zone 01	1	23.00	23.00
486222035	Zone 01	1	23.00	23.00
486222036	Zone 01	1	23.00	23.00
486222037	Zone 01	1	23.00	23.00
486222038	Zone 01	1	23.00	23.00
486222039	Zone 01	1	23.00	23.00
486222040	Zone 01	1	23.00	23.00
486222041	Zone 01	1	23.00	23.00
486222042	Zone 01	1	23.00	23.00
486222043	Zone 01	1	23.00	23.00
486222044	Zone 01	1	23.00	23.00
486222045	Zone 01	1	23.00	23.00
486222046	Zone 01	1	23.00	23.00
486222047	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
486222048	Zone 01		1 23.00	23.00
486222049	Zone 01		1 23.00	23.00
486222050	Zone 01		1 23.00	23.00
486222051	Zone 01		1 23.00	23.00
486222052	Zone 01		1 23.00	23.00
486222053	Zone 01		1 23.00	23.00
486222054	Zone 01		1 23.00	23.00
486231001	Zone 01		1 23.00	23.00
486231002	Zone 01		1 23.00	23.00
486231003	Zone 01		1 23.00	23.00
486231004	Zone 01		1 23.00	23.00
486231005	Zone 01		1 23.00	23.00
486231006	Zone 01		1 23.00	23.00
486231007	Zone 01		1 23.00	23.00
486232001	Zone 01		1 23.00	23.00
486232002	Zone 01		1 23.00	23.00
486232003	Zone 01		1 23.00	23.00
486232004	Zone 01		1 23.00	23.00
486232005	Zone 01		1 23.00	23.00
486232006	Zone 01		1 23.00	23.00
486232007	Zone 01		1 23.00	23.00
486232008	Zone 01		1 23.00	23.00
486232009	Zone 01		1 23.00	23.00
486232010	Zone 01		1 23.00	23.00
486232011	Zone 01		1 23.00	23.00
486232012	Zone 01		1 23.00	23.00
486232013	Zone 01		1 23.00	23.00
486232014	Zone 01		1 23.00	23.00
486233001	Zone 01		1 23.00	23.00
486233002	Zone 01		1 23.00	23.00
486233003	Zone 01		1 23.00	23.00
486233004	Zone 01		1 23.00	23.00
486233005	Zone 01		1 23.00	23.00
486233006	Zone 01		1 23.00	23.00
486233007	Zone 01		1 23.00	23.00
486234001	Zone 01		1 23.00	23.00
486234002	Zone 01		1 23.00	23.00
486234003	Zone 01		1 23.00	23.00
486234004	Zone 01		1 23.00	23.00
486235002	Zone 01		1 23.00	23.00
486235003	Zone 01		1 23.00	23.00
486235004	Zone 01		1 23.00	23.00
486235005	Zone 01		1 23.00	23.00
486235006	Zone 01		1 23.00	23.00
486235007	Zone 01		1 23.00	23.00
486235007	Zone 01		1 23.00	23.00
486235009	Zone 01		1 23.00	23.00
486235010	Zone 01		1 23.00	23.00
130200010	23110 01		25.00	23.00

APN	LMD 2014-01 Zone LMD Assigne	d EBU's FY 17-18 N	lax Assessment	FY 17-18 Assessment
486235011	Zone 01	1	23.00	23.00
486235012	Zone 01	1	23.00	23.00
486235013	Zone 01	1	23.00	23.00
486235014	Zone 01	1	23.00	23.00
486235015	Zone 01	1	23.00	23.00
486235016	Zone 01	1	23.00	23.00
486235017	Zone 01	1	23.00	23.00
486235018	Zone 01	1	23.00	23.00
486235019	Zone 01	1	23.00	23.00
486235020	Zone 01	1	23.00	23.00
486235021	Zone 01	1	23.00	23.00
486235022	Zone 01	1	23.00	23.00
486235023	Zone 01	1	23.00	23.00
486235024	Zone 01	1	23.00	23.00
486235025	Zone 01	1	23.00	23.00
486235026	Zone 01	1	23.00	23.00
486235027	Zone 01	1	23.00	23.00
486235028	Zone 01	1	23.00	23.00
486235029	Zone 01	1	23.00	23.00
486235030	Zone 01	1	23.00	23.00
486235031	Zone 01	1	23.00	23.00
486235032	Zone 01	1	23.00	23.00
486235033	Zone 01	1	23.00	23.00
486235034	Zone 01	1	23.00	23.00
486235035	Zone 01	1	23.00	23.00
486235036	Zone 01	1	23.00	23.00
486235037	Zone 01	1	23.00	23.00
486235038	Zone 01	1	23.00	23.00
486235039	Zone 01	1	23.00	23.00
486235040	Zone 01	1	23.00	23.00
486235041	Zone 01	1	23.00	23.00
486235042	Zone 01	1	23.00	23.00
486235043	Zone 01	1	23.00	23.00
486235044	Zone 01	1	23.00	23.00
486235045	Zone 01	1	23.00	23.00
486351001	Zone 01	1	23.00	23.00
486351002	Zone 01	1	23.00	23.00
486351003	Zone 01	1	23.00	23.00
486351004	Zone 01	1	23.00	23.00
486351005	Zone 01	1	23.00	23.00
486351006	Zone 01	1	23.00	23.00
486351007	Zone 01	1	23.00	23.00
486351008	Zone 01	1	23.00	23.00
486351009	Zone 01	1	23.00	23.00
486351010	Zone 01	1	23.00	23.00
486351011	Zone 01	1	23.00	23.00
486351012	Zone 01	1	23.00	23.00
486351013	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-18	Max Assessment	FY 17-18 Assessment
486351014	Zone 01	1	23.00	23.00
486351015	Zone 01	1	23.00	23.00
486351016	Zone 01	1	23.00	23.00
486351017	Zone 01	1	23.00	23.00
486351018	Zone 01	1	23.00	23.00
486351019	Zone 01	1	23.00	23.00
486351020	Zone 01	1	23.00	23.00
486351021	Zone 01	1	23.00	23.00
486351022	Zone 01	1	23.00	23.00
486351023	Zone 01	1	23.00	23.00
486351024	Zone 01	1	23.00	23.00
486351025	Zone 01	1	23.00	23.00
486351026	Zone 01	1	23.00	23.00
486351027	Zone 01	1	23.00	23.00
486351028	Zone 01	1	23.00	23.00
486351029	Zone 01	1	23.00	23.00
486351030	Zone 01	1	23.00	23.00
486351031	Zone 01	1	23.00	23.00
486351032	Zone 01	1	23.00	23.00
486352001	Zone 01	1	23.00	23.00
486352003	Zone 01	1	23.00	23.00
486352004	Zone 01	1	23.00	23.00
486352005	Zone 01	1	23.00	23.00
486352006	Zone 01	1	23.00	23.00
486352007	Zone 01	1	23.00	23.00
486352008	Zone 01	1	23.00	23.00
486352009	Zone 01	1	23.00	23.00
486352010	Zone 01	1	23.00	23.00
486352011	Zone 01	1	23.00	23.00
486352012	Zone 01	1	23.00	23.00
486352013	Zone 01	1	23.00	23.00
486352014	Zone 01	1	23.00	23.00
486352015	Zone 01	1	23.00	23.00
486352016	Zone 01	1	23.00	23.00
486352017	Zone 01	1	23.00	23.00
486352018	Zone 01	1	23.00	23.00
486352019	Zone 01	1	23.00	23.00
486352020	Zone 01	1	23.00	23.00
486352021	Zone 01	1	23.00	23.00
486352022	Zone 01	1	23.00	23.00
486352023	Zone 01	1	23.00	23.00
486352024	Zone 01	1	23.00	23.00
486352025	Zone 01	1	23.00	23.00
486352026	Zone 01	1	23.00	23.00
486352027	Zone 01	1	23.00	23.00
486352028	Zone 01	1	23.00	23.00
486352029	Zone 01	1	23.00	23.00
486352030	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	d EBU's FY 17-18 M	ax Assessment	FY 17-18 Assessment
486352031	Zone 01	1	23.00	23.00
486352032	Zone 01	1	23.00	23.00
486352033	Zone 01	1	23.00	23.00
486352034	Zone 01	1	23.00	23.00
486352035	Zone 01	1	23.00	23.00
486352036	Zone 01	1	23.00	23.00
486352037	Zone 01	1	23.00	23.00
486352038	Zone 01	1	23.00	23.00
486352039	Zone 01	1	23.00	23.00
486352040	Zone 01	1	23.00	23.00
486352041	Zone 01	1	23.00	23.00
486352042	Zone 01	1	23.00	23.00
486352043	Zone 01	1	23.00	23.00
486352044	Zone 01	1	23.00	23.00
486352045	Zone 01	1	23.00	23.00
486352046	Zone 01	1	23.00	23.00
486352047	Zone 01	1	23.00	23.00
486352048	Zone 01	1	23.00	23.00
486352049	Zone 01	1	23.00	23.00
486352050	Zone 01	1	23.00	23.00
486352051	Zone 01	1	23.00	23.00
486352052	Zone 01	1	23.00	23.00
486352053	Zone 01	1	23.00	23.00
486352054	Zone 01	1	23.00	23.00
486352055	Zone 01	1	23.00	23.00
486352056	Zone 01	1	23.00	23.00
486352058	Zone 01	1	23.00	23.00
486352059	Zone 01	1	23.00	23.00
486352060	Zone 01	1	23.00	23.00
486353001	Zone 01	1	23.00	23.00
486353002	Zone 01	1	23.00	23.00
486353003	Zone 01	1	23.00	23.00
486353004	Zone 01	1	23.00	23.00
486353005	Zone 01	1	23.00	23.00
486354001	Zone 01	1	23.00	23.00
486354002	Zone 01	1	23.00	23.00
486354003	Zone 01	1	23.00	23.00
486354004	Zone 01	1	23.00	23.00
486354005	Zone 01	1	23.00	23.00
486354006	Zone 01	1	23.00	23.00
486354007	Zone 01	1	23.00	23.00
486354008	Zone 01	1	23.00	23.00
486354009	Zone 01	1	23.00	23.00
486354010	Zone 01	1	23.00	23.00
486354011	Zone 01	1	23.00	23.00
486354012	Zone 01	1	23.00	23.00
486354013	Zone 01	1	23.00	23.00
486354014	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD As	ssigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
486354015	Zone 01	•	1 23.00	23.00
486361001	Zone 01	•	1 23.00	23.00
486361002	Zone 01	•	1 23.00	23.00
486361003	Zone 01	•	1 23.00	23.00
486361004	Zone 01		1 23.00	23.00
486361005	Zone 01		1 23.00	23.00
486361006	Zone 01		1 23.00	23.00
486361007	Zone 01		1 23.00	23.00
486361008	Zone 01		1 23.00	23.00
486361009	Zone 01		1 23.00	23.00
486361010	Zone 01		1 23.00	23.00
486361011	Zone 01		1 23.00	23.00
486361012	Zone 01		1 23.00	23.00
486361013	Zone 01		1 23.00	23.00
486361014	Zone 01		1 23.00	23.00
486361015	Zone 01		1 23.00	23.00
486361016	Zone 01		1 23.00	23.00
486361017	Zone 01		1 23.00	23.00
486361018	Zone 01		1 23.00	23.00
486361019	Zone 01		1 23.00	23.00
486362001	Zone 01		1 23.00	23.00
486362002	Zone 01		1 23.00	23.00
486362003	Zone 01		1 23.00	23.00
486362004	Zone 01		1 23.00	23.00
486363001	Zone 01		1 23.00	23.00
486363002	Zone 01		1 23.00	23.00
486363003	Zone 01		1 23.00	23.00
486363004	Zone 01		1 23.00	23.00
486363005	Zone 01		1 23.00	23.00
486363006	Zone 01		1 23.00	23.00
486363007	Zone 01		1 23.00	23.00
486363008	Zone 01		1 23.00	23.00
486363009	Zone 01		1 23.00	23.00
486363010	Zone 01		1 23.00	23.00
486363011	Zone 01		1 23.00	23.00
486363012	Zone 01		1 23.00	23.00
486363013	Zone 01		1 23.00	23.00
486363014	Zone 01		1 23.00	23.00
486363015	Zone 01		1 23.00	23.00
486363016	Zone 01		1 23.00	23.00
486363017	Zone 01		1 23.00	23.00
486363018	Zone 01		1 23.00	23.00
486363019	Zone 01		1 23.00	23.00
486363020	Zone 01		1 23.00	23.00
486363021	Zone 01		1 23.00	23.00
486363022	Zone 01		1 23.00	23.00
486364020	Zone 01		1 23.00	23.00
486364021	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	d EBU's FY 17-18 M	Max Assessment	FY 17-18 Assessment
486364022	Zone 01	1	23.00	23.00
486364023	Zone 01	1	23.00	23.00
486364025	Zone 01	1	23.00	23.00
486364026	Zone 01	1	23.00	23.00
486364027	Zone 01	1	23.00	23.00
486364028	Zone 01	1	23.00	23.00
486364029	Zone 01	1	23.00	23.00
486364030	Zone 01	1	23.00	23.00
486364031	Zone 01	1	23.00	23.00
486364032	Zone 01	1	23.00	23.00
486364033	Zone 01	1	23.00	23.00
486364034	Zone 01	1	23.00	23.00
486364035	Zone 01	1	23.00	23.00
486364036	Zone 01	1	23.00	23.00
486364037	Zone 01	1	23.00	23.00
486364038	Zone 01	1	23.00	23.00
486364039	Zone 01	1	23.00	23.00
486364040	Zone 01	1	23.00	23.00
486364041	Zone 01	1	23.00	23.00
486364042	Zone 01	1	23.00	23.00
486364043	Zone 01	1	23.00	23.00
486364044	Zone 01	1	23.00	23.00
486365004	Zone 01	1	23.00	23.00
486365005	Zone 01	1	23.00	23.00
486365006	Zone 01	1	23.00	23.00
486365007	Zone 01	1	23.00	23.00
486365008	Zone 01	1	23.00	23.00
486365009	Zone 01	1	23.00	23.00
486365010	Zone 01	1	23.00	23.00
486365011	Zone 01	1	23.00	23.00
486365012	Zone 01	1	23.00	23.00
486365013	Zone 01	1	23.00	23.00
486365014	Zone 01	1	23.00	23.00
486365015	Zone 01	1	23.00	23.00
486371001	Zone 01	1	23.00	23.00
486371002	Zone 01	1	23.00	23.00
486371003	Zone 01	1	23.00	23.00
486371004	Zone 01	1	23.00	23.00
486371005	Zone 01	1	23.00	23.00
486371006	Zone 01	1	23.00	23.00
486371007	Zone 01	1	23.00	23.00
486372001	Zone 01	1	23.00	23.00
486372002	Zone 01	1	23.00	23.00
486372003	Zone 01	1	23.00	23.00
486372004	Zone 01	1	23.00	23.00
486372005	Zone 01	1	23.00	23.00
486372006	Zone 01	1	23.00	23.00
486372007	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
486372008	Zone 01	- Lind Hoolghou EDO 3	1 23.00	23.00
486372009	Zone 01		1 23.00	23.00
486372010	Zone 01		1 23.00	23.00
486372011	Zone 01		1 23.00	23.00
486372012	Zone 01		1 23.00	23.00
486372013	Zone 01		1 23.00	23.00
486372014	Zone 01		1 23.00	23.00
486372015	Zone 01		1 23.00	23.00
486373001	Zone 01		1 23.00	23.00
486373002	Zone 01		1 23.00	23.00
486373003	Zone 01		1 23.00	23.00
486373004	Zone 01		1 23.00	23.00
486373005	Zone 01		1 23.00	23.00
486373006	Zone 01		1 23.00	23.00
486373007	Zone 01		1 23.00	23.00
486373008	Zone 01		1 23.00	23.00
486373009	Zone 01		1 23.00	23.00
486373012	Zone 01		1 23.00	23.00
486373013	Zone 01		1 23.00	23.00
486373014	Zone 01		1 23.00	23.00
486373015	Zone 01		1 23.00	23.00
486373016	Zone 01		1 23.00	23.00
486373017	Zone 01		1 23.00	23.00
486373018	Zone 01		1 23.00	23.00
486373019	Zone 01		1 23.00	23.00
486373020	Zone 01		1 23.00	23.00
486373021	Zone 01		1 23.00	23.00
486373022	Zone 01		1 23.00	23.00
486373023	Zone 01		1 23.00	23.00
486373024	Zone 01		1 23.00	23.00
486373025	Zone 01		1 23.00	23.00
486373026	Zone 01		1 23.00	23.00
486373027	Zone 01		1 23.00	23.00
486373028	Zone 01		1 23.00	23.00
486373029	Zone 01		1 23.00	23.00
486373030	Zone 01		1 23.00	23.00
486373031	Zone 01		1 23.00	23.00
486373032	Zone 01		1 23.00	23.00
486374001	Zone 01		1 23.00	23.00
486374002	Zone 01		1 23.00	23.00
486374003	Zone 01		1 23.00	23.00
486374004	Zone 01		1 23.00	23.00
486374005	Zone 01		1 23.00	23.00
486374006	Zone 01		1 23.00	23.00
486374007	Zone 01		1 23.00	23.00
486374008	Zone 01		1 23.00	23.00
486374009	Zone 01		1 23.00	23.00
486374010	Zone 01		1 23.00	23.00
10007 40 10	20110 01		25.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
486374011	Zone 01		1 23.00	23.00
486374012	Zone 01		1 23.00	23.00
486374013	Zone 01		1 23.00	23.00
486374014	Zone 01		1 23.00	23.00
486374015	Zone 01		1 23.00	23.00
486374016	Zone 01		1 23.00	23.00
486374017	Zone 01		1 23.00	23.00
486374018	Zone 01		1 23.00	23.00
486374019	Zone 01		1 23.00	23.00
486374020	Zone 01		1 23.00	23.00
486374021	Zone 01		1 23.00	23.00
486374022	Zone 01		1 23.00	23.00
486374023	Zone 01		1 23.00	23.00
486374024	Zone 01		1 23.00	23.00
486374025	Zone 01		1 23.00	23.00
486374026	Zone 01		1 23.00	23.00
486374027	Zone 01		1 23.00	23.00
486374028	Zone 01		1 23.00	23.00
486374029	Zone 01		1 23.00	23.00
486374030	Zone 01		1 23.00	23.00
486374031	Zone 01		1 23.00	23.00
486381001	Zone 01		1 23.00	23.00
486381002	Zone 01		1 23.00	23.00
486381003	Zone 01		1 23.00	23.00
486381004	Zone 01		1 23.00	23.00
486381005	Zone 01		1 23.00	23.00
486381006	Zone 01		1 23.00	23.00
486381007	Zone 01		1 23.00	23.00
486381008	Zone 01		1 23.00	23.00
486381009	Zone 01		1 23.00	23.00
486381010	Zone 01		1 23.00	23.00
486381011	Zone 01		1 23.00	23.00
486381012	Zone 01		1 23.00	23.00
486381013	Zone 01		1 23.00	23.00
486381014	Zone 01		1 23.00	23.00
486381015	Zone 01		1 23.00	23.00
486382001	Zone 01		1 23.00	23.00
486382002	Zone 01		1 23.00	23.00
486382003	Zone 01		1 23.00	23.00
486382004	Zone 01		1 23.00	23.00
486382005	Zone 01		1 23.00	23.00
486382006	Zone 01		1 23.00	23.00
486382007	Zone 01		1 23.00	23.00
486382008	Zone 01		1 23.00	23.00
486382009	Zone 01		1 23.00	23.00
486383001	Zone 01		1 23.00	23.00
486383002	Zone 01		1 23.00	23.00
486383003	Zone 01		1 23.00	23.00
.3000000	_3110 01		20.00	20.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-18	Max Assessment	FY 17-18 Assessment
486383004	Zone 01	1	23.00	23.00
486383005	Zone 01	1	23.00	23.00
486383006	Zone 01	1	23.00	23.00
486383007	Zone 01	1	23.00	23.00
486383008	Zone 01	1	23.00	23.00
486383009	Zone 01	1	23.00	23.00
486383010	Zone 01	1	23.00	23.00
486383011	Zone 01	1	23.00	23.00
486383012	Zone 01	1	23.00	23.00
486383013	Zone 01	1	23.00	23.00
486383014	Zone 01	1	23.00	23.00
486383015	Zone 01	1	23.00	23.00
486383016	Zone 01	1	23.00	23.00
486383017	Zone 01	1	23.00	23.00
486383018	Zone 01	1	23.00	23.00
486384001	Zone 01	1	23.00	23.00
486384002	Zone 01	1	23.00	23.00
486384003	Zone 01	1	23.00	23.00
486384004	Zone 01	1	23.00	23.00
486384005	Zone 01	1	23.00	23.00
486384006	Zone 01	1	23.00	23.00
486384007	Zone 01	1	23.00	23.00
486384008	Zone 01	1	23.00	23.00
486384009	Zone 01	1	23.00	23.00
486384010	Zone 01	1	23.00	23.00
486384011	Zone 01	1	23.00	23.00
486384012	Zone 01	1	23.00	23.00
486384013	Zone 01	1	23.00	23.00
486384014	Zone 01	1	23.00	23.00
486384015	Zone 01	1	23.00	23.00
486384016	Zone 01	1	23.00	23.00
486384017	Zone 01	1	23.00	23.00
486384018	Zone 01	1	23.00	23.00
486384019	Zone 01	1	23.00	23.00
486384020	Zone 01	1	23.00	23.00
486384021	Zone 01	1	23.00	23.00
486384022	Zone 01	1	23.00	23.00
486384023	Zone 01	1	23.00	23.00
486384024	Zone 01	1	23.00	23.00
486384025	Zone 01	1	23.00	23.00
486384026	Zone 01	1	23.00	23.00
486384027	Zone 01	1	23.00	23.00
486384028	Zone 01	1	23.00	23.00
486384029	Zone 01	1	23.00	23.00
486385001	Zone 01	1	23.00	23.00
486385002	Zone 01	1	23.00	23.00
486385003	Zone 01	1	23.00	23.00
486385004	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned I	BU's FY 17-18	Max Assessment	FY 17-18 Assessment
486385005	Zone 01	1	23.00	23.00
486385006	Zone 01	1	23.00	23.00
486385007	Zone 01	1	23.00	23.00
486385008	Zone 01	1	23.00	23.00
486385009	Zone 01	1	23.00	23.00
486385010	Zone 01	1	23.00	23.00
486385011	Zone 01	1	23.00	23.00
486385012	Zone 01	1	23.00	23.00
486385013	Zone 01	1	23.00	23.00
486385014	Zone 01	1	23.00	23.00
486385015	Zone 01	1	23.00	23.00
486385016	Zone 01	1	23.00	23.00
486385017	Zone 01	1	23.00	23.00
486385018	Zone 01	1	23.00	23.00
486385019	Zone 01	1	23.00	23.00
486385020	Zone 01	1	23.00	23.00
486385021	Zone 01	1	23.00	23.00
486385022	Zone 01	1	23.00	23.00
486386001	Zone 01	1	23.00	23.00
486386002	Zone 01	1	23.00	23.00
486387001	Zone 01	1	23.00	23.00
486387002	Zone 01	1	23.00	23.00
486387003	Zone 01	1	23.00	23.00
486387004	Zone 01	1	23.00	23.00
486387005	Zone 01	1	23.00	23.00
486387006	Zone 01	1	23.00	23.00
486387007	Zone 01	1	23.00	23.00
486387008	Zone 01	1	23.00	23.00
486387009	Zone 01	1	23.00	23.00
486387010	Zone 01	1	23.00	23.00
486387011	Zone 01	1	23.00	23.00
486387012	Zone 01	1	23.00	23.00
486387013	Zone 01	1	23.00	23.00
486387014	Zone 01	1	23.00	23.00
486387015	Zone 01	1	23.00	23.00
486387016	Zone 01	1	23.00	23.00
486391001	Zone 01	1	23.00	23.00
486391002	Zone 01	1	23.00	23.00
486391003	Zone 01	1	23.00	23.00
486391004	Zone 01	1	23.00	23.00
486391005	Zone 01	1	23.00	23.00
486391006	Zone 01	1	23.00	23.00
486391007	Zone 01	1	23.00	23.00
486391008	Zone 01	1	23.00	23.00
486391009	Zone 01	1	23.00	23.00
486391010	Zone 01	1	23.00	23.00
486391011	Zone 01	1	23.00	23.00
486391012	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
486391013	Zone 01		1 23.00	23.00
486391014	Zone 01		1 23.00	23.00
486391015	Zone 01		1 23.00	23.00
486391016	Zone 01		1 23.00	23.00
486391017	Zone 01		1 23.00	23.00
486391018	Zone 01		1 23.00	23.00
486391019	Zone 01		1 23.00	23.00
486391020	Zone 01		1 23.00	23.00
486391021	Zone 01		1 23.00	23.00
486391022	Zone 01		1 23.00	23.00
486392001	Zone 01		1 23.00	23.00
486392002	Zone 01		1 23.00	23.00
486392003	Zone 01		1 23.00	23.00
486392004	Zone 01		1 23.00	23.00
486392005	Zone 01		1 23.00	23.00
486392006	Zone 01		1 23.00	23.00
486392007	Zone 01		1 23.00	23.00
486392008	Zone 01		1 23.00	23.00
486392009	Zone 01		1 23.00	23.00
486392010	Zone 01		1 23.00	23.00
486392011	Zone 01		1 23.00	23.00
486392012	Zone 01		1 23.00	23.00
486392012	Zone 01		1 23.00	23.00
486392014	Zone 01		1 23.00	23.00
486392015	Zone 01		1 23.00	23.00
486392016	Zone 01		1 23.00	23.00
486392017	Zone 01		1 23.00	23.00
486392018	Zone 01		1 23.00	23.00
486392019	Zone 01		1 23.00	23.00
486392020	Zone 01		1 23.00	23.00
486392021	Zone 01		1 23.00	23.00
486392022	Zone 01		1 23.00	23.00
486392023	Zone 01		1 23.00	23.00
486392024	Zone 01		1 23.00	23.00
486392025			1 23.00	23.00
486392026	Zone 01 Zone 01		1 23.00	23.00
486392027			1 23.00	23.00
	Zone 01			
486392028	Zone 01		1 23.00	23.00
486392029	Zone 01		1 23.00	23.00
486392030	Zone 01		1 23.00	23.00
486392031	Zone 01		1 23.00	23.00
486392032	Zone 01		1 23.00	23.00
486392033	Zone 01		1 23.00	23.00
486392034	Zone 01		1 23.00	23.00
486392035	Zone 01		1 23.00	23.00
486392036	Zone 01		1 23.00	23.00
486392037	Zone 01		1 23.00	23.00
486392038	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-1	8 Max Assessment	FY 17-18 Assessment
486392039	Zone 01	1	23.00	23.00
486392040	Zone 01	1	23.00	23.00
486392041	Zone 01	1	23.00	23.00
486392042	Zone 01	1	23.00	23.00
486392043	Zone 01	1	23.00	23.00
486401001	Zone 01	1	23.00	23.00
486401002	Zone 01	1	23.00	23.00
486401003	Zone 01	1	23.00	23.00
486401004	Zone 01	1	23.00	23.00
486401005	Zone 01	1	23.00	23.00
486401006	Zone 01	1	23.00	23.00
486401007	Zone 01	1	23.00	23.00
486401008	Zone 01	1	23.00	23.00
486401009	Zone 01	1	23.00	23.00
486401010	Zone 01	1	23.00	23.00
486401011	Zone 01	1	23.00	23.00
486401012	Zone 01	1	23.00	23.00
486401013	Zone 01	1	23.00	23.00
486401014	Zone 01	1	23.00	23.00
486401015	Zone 01	1	23.00	23.00
486401016	Zone 01	1	23.00	23.00
486401017	Zone 01	1	23.00	23.00
486401018	Zone 01	1	23.00	23.00
486401019	Zone 01	1	23.00	23.00
486401020	Zone 01	1	23.00	23.00
486401021	Zone 01	1	23.00	23.00
486401022	Zone 01	1	23.00	23.00
486401023	Zone 01	1	23.00	23.00
486401024	Zone 01	1	23.00	23.00
486401025	Zone 01	1	23.00	23.00
486401026	Zone 01	1	23.00	23.00
486401027	Zone 01	1	23.00	23.00
486401028	Zone 01	1	23.00	23.00
486401029	Zone 01	1	23.00	23.00
486402001	Zone 01	1	23.00	23.00
486402002	Zone 01	1	23.00	23.00
486402003	Zone 01	1	23.00	23.00
486402004	Zone 01	1	23.00	23.00
486402005	Zone 01	1	23.00	23.00
486402006	Zone 01	1	23.00	23.00
486402007	Zone 01	1	23.00	23.00
486402008	Zone 01	1	23.00	23.00
486402009	Zone 01	1	23.00	23.00
486402010	Zone 01	1	23.00	23.00
486402011	Zone 01	1	23.00	23.00
486402012	Zone 01	1	23.00	23.00
486402013	Zone 01	1	23.00	23.00
486402014	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
486402015	Zone 01		1 23.00	23.00
486402016	Zone 01		1 23.00	23.00
486402017	Zone 01		1 23.00	23.00
486402018	Zone 01		1 23.00	23.00
486402019	Zone 01		1 23.00	23.00
486403001	Zone 01		1 23.00	23.00
486403002	Zone 01		1 23.00	23.00
486403003	Zone 01		1 23.00	23.00
486403004	Zone 01		1 23.00	23.00
486403005	Zone 01		1 23.00	23.00
486403006	Zone 01		1 23.00	23.00
486403007	Zone 01		1 23.00	23.00
486403008	Zone 01		1 23.00	23.00
486403009	Zone 01		1 23.00	23.00
486403010	Zone 01		1 23.00	23.00
486403011	Zone 01		1 23.00	23.00
486403012	Zone 01		1 23.00	23.00
486403013	Zone 01		1 23.00	23.00
486403014	Zone 01		1 23.00	23.00
486403015	Zone 01		1 23.00	23.00
486403016	Zone 01		1 23.00	23.00
486403017	Zone 01		1 23.00	23.00
486403018	Zone 01		1 23.00	23.00
486403019	Zone 01		1 23.00	23.00
486403020	Zone 01		1 23.00	23.00
486403021	Zone 01		1 23.00	23.00
486403022	Zone 01		1 23.00	23.00
486403023	Zone 01		1 23.00	23.00
486403024	Zone 01		1 23.00	23.00
486403025	Zone 01		1 23.00	23.00
486403026	Zone 01		1 23.00	23.00
486403027	Zone 01		1 23.00	23.00
486403028	Zone 01		1 23.00	23.00
486403029	Zone 01		1 23.00	23.00
486411001	Zone 01		1 23.00	23.00
486411002	Zone 01		1 23.00	23.00
486411003	Zone 01		1 23.00	23.00
486411004	Zone 01		1 23.00	23.00
486411005	Zone 01		1 23.00	23.00
486411006	Zone 01		1 23.00	23.00
486411007	Zone 01		1 23.00	23.00
486411008	Zone 01		1 23.00	23.00
486411009	Zone 01		1 23.00	23.00
486411010	Zone 01		1 23.00	23.00
486411011	Zone 01		1 23.00	23.00
486411012	Zone 01		1 23.00	23.00
486411013	Zone 01		1 23.00	23.00
486411014	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assign	ed EBU's FY 17-18 Ma	ax Assessment	FY 17-18 Assessment
486411015	Zone 01	1	23.00	23.00
486411016	Zone 01	1	23.00	23.00
486411017	Zone 01	1	23.00	23.00
486412001	Zone 01	1	23.00	23.00
486412002	Zone 01	1	23.00	23.00
486412003	Zone 01	1	23.00	23.00
486412004	Zone 01	1	23.00	23.00
486412005	Zone 01	1	23.00	23.00
486412006	Zone 01	1	23.00	23.00
486412007	Zone 01	1	23.00	23.00
486412008	Zone 01	1	23.00	23.00
486412009	Zone 01	1	23.00	23.00
486412010	Zone 01	1	23.00	23.00
486412011	Zone 01	1	23.00	23.00
486412012	Zone 01	1	23.00	23.00
486412013	Zone 01	1	23.00	23.00
486412014	Zone 01	1	23.00	23.00
486412015	Zone 01	1	23.00	23.00
486413001	Zone 01	1	23.00	23.00
486413002	Zone 01	1	23.00	23.00
486413003	Zone 01	1	23.00	23.00
486413004	Zone 01	1	23.00	23.00
486413005	Zone 01	1	23.00	23.00
486413006	Zone 01	1	23.00	23.00
486413007	Zone 01	1	23.00	23.00
486413008	Zone 01	1	23.00	23.00
486413009	Zone 01	1	23.00	23.00
486413010	Zone 01	1	23.00	23.00
486413011	Zone 01	1	23.00	23.00
486413012	Zone 01	1	23.00	23.00
486413013	Zone 01	1	23.00	23.00
486413014	Zone 01	1	23.00	23.00
486413015	Zone 01	1	23.00	23.00
486413016	Zone 01	1	23.00	23.00
486413017	Zone 01	1	23.00	23.00
486413018	Zone 01	1	23.00	23.00
486413019	Zone 01	1	23.00	23.00
486413020	Zone 01	1	23.00	23.00
486413021	Zone 01	1	23.00	23.00
486413022	Zone 01	1	23.00	23.00
486413023	Zone 01	1	23.00	23.00
486413024	Zone 01	1	23.00	23.00
486413025	Zone 01	1	23.00	23.00
486413026	Zone 01	1	23.00	23.00
486413027	Zone 01	1	23.00	23.00
486413028	Zone 01	1	23.00	23.00
486413029	Zone 01	1	23.00	23.00
486413030	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
486413031	Zone 01		1 23.00	23.00
486413032	Zone 01		1 23.00	23.00
486413033	Zone 01		1 23.00	23.00
486413034	Zone 01		1 23.00	23.00
486413035	Zone 01		1 23.00	23.00
486413036	Zone 01		1 23.00	23.00
486413037	Zone 01		1 23.00	23.00
486413038	Zone 01		1 23.00	23.00
486413039	Zone 01		1 23.00	23.00
486413040	Zone 01		1 23.00	23.00
486413041	Zone 01		1 23.00	23.00
486413042	Zone 01		1 23.00	23.00
486413043	Zone 01		1 23.00	23.00
486413044	Zone 01		1 23.00	23.00
486414001	Zone 01		1 23.00	23.00
486414002	Zone 01		1 23.00	23.00
486414003	Zone 01		1 23.00	23.00
486414004	Zone 01		1 23.00	23.00
486415001	Zone 01		1 23.00	23.00
486415002	Zone 01		1 23.00	23.00
486415003	Zone 01		1 23.00	23.00
486415004	Zone 01		1 23.00	23.00
486415005	Zone 01		1 23.00	23.00
486415006	Zone 01		1 23.00	23.00
486415007	Zone 01		1 23.00	23.00
486415008	Zone 01		1 23.00	23.00
486415009	Zone 01		1 23.00	23.00
486415010	Zone 01		1 23.00	23.00
486415011	Zone 01		1 23.00	23.00
486415012	Zone 01		1 23.00	23.00
486415013	Zone 01		1 23.00	23.00
486415014	Zone 01			23.00
486415015			1 23.00	
	Zone 01		1 23.00	23.00
486415016	Zone 01		1 23.00	23.00
486415017	Zone 01		1 23.00	23.00
486415018	Zone 01		1 23.00	23.00
486415019	Zone 01		1 23.00	23.00
486415020	Zone 01		1 23.00	23.00
486415021	Zone 01	•	1 23.00	23.00
486415022	Zone 01		1 23.00	23.00
486416001	Zone 01	•	1 23.00	23.00
486416002	Zone 01		1 23.00	23.00
486416003	Zone 01		1 23.00	23.00
486416004	Zone 01		1 23.00	23.00
486417001	Zone 01		1 23.00	23.00
486417002	Zone 01		1 23.00	23.00
486417003	Zone 01		1 23.00	23.00
486417004	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
486417005	Zone 01		1 23.00	23.00
486417006	Zone 01		1 23.00	23.00
486417007	Zone 01		1 23.00	23.00
486421001	Zone 01		1 23.00	23.00
486421002	Zone 01		1 23.00	23.00
486421003	Zone 01		1 23.00	23.00
486421004	Zone 01		1 23.00	23.00
486421005	Zone 01		1 23.00	23.00
486421006	Zone 01		1 23.00	23.00
486421007	Zone 01		1 23.00	23.00
486421008	Zone 01		1 23.00	23.00
486421009	Zone 01		1 23.00	23.00
486421010	Zone 01		1 23.00	23.00
486421011	Zone 01		1 23.00	23.00
486421012	Zone 01		1 23.00	23.00
486421013	Zone 01		1 23.00	23.00
486421014	Zone 01		1 23.00	23.00
486421015	Zone 01		1 23.00	23.00
486421016	Zone 01		1 23.00	23.00
486421017	Zone 01		1 23.00	23.00
486421018	Zone 01		1 23.00	23.00
486421019	Zone 01		1 23.00	23.00
486421020	Zone 01		1 23.00	23.00
486421021	Zone 01		1 23.00	23.00
486421022	Zone 01		1 23.00	23.00
486421023	Zone 01		1 23.00	23.00
486421024	Zone 01		1 23.00	23.00
486421025	Zone 01		1 23.00	23.00
486421026	Zone 01		1 23.00	23.00
486421027	Zone 01		1 23.00	23.00
486421028	Zone 01		1 23.00	23.00
486421029	Zone 01		1 23.00	23.00
486421030	Zone 01		1 23.00	23.00
486421031	Zone 01		1 23.00	23.00
486421032	Zone 01		1 23.00	23.00
486421033	Zone 01		1 23.00	23.00
486421034	Zone 01		1 23.00	23.00
486422001	Zone 01		1 23.00	23.00
486422002	Zone 01		1 23.00	23.00
486422003	Zone 01		1 23.00	23.00
486422004	Zone 01		1 23.00	23.00
486422005	Zone 01		1 23.00	23.00
486422006	Zone 01		1 23.00	23.00
486422007	Zone 01		1 23.00	23.00
486422008	Zone 01		1 23.00	23.00
486422009	Zone 01		1 23.00	23.00
486422010	Zone 01		1 23.00	23.00
486422011	Zone 01		1 23.00	23.00

486422012 Zone 01 1 23.00 23.00 486422014 Zone 01 1 23.00 23.00 486422015 Zone 01 1 23.00 23.00 486422016 Zone 01 1 23.00 23.00 486422017 Zone 01 1 23.00 23.00 486422018 Zone 01 1 23.00 23.00 486422019 Zone 01 1 23.00 23.00 486422020 Zone 01 1 23.00 23.00 486422021 Zone 01 1 23.00 23.00 486422022 Zone 01 1 23.00 23.00 486422023 Zone 01 1 23.00 23.00 486422024 Zone 01 1 23.00 23.00 486422025 Zone 01 1 23.00 23.00 486422026 Zone 01 1 23.00 23.00 486422027 Zone 01 1 23.00 23.00
486422014 Zone 01 1 23.00 23.00 486422016 Zone 01 1 23.00 23.00 486422017 Zone 01 1 23.00 23.00 486422018 Zone 01 1 23.00 23.00 486422019 Zone 01 1 23.00 23.00 486422020 Zone 01 1 23.00 23.00 486422021 Zone 01 1 23.00 23.00 486422022 Zone 01 1 23.00 23.00 486422023 Zone 01 1 23.00 23.00 486422024 Zone 01 1 23.00 23.00 486422025 Zone 01 1 23.00 23.00 486422026 Zone 01 1 23.00 23.00 486422027 Zone 01 1 23.00 23.00 486422028 Zone 01 1 23.00 23.00 486422030 Zone 01 1 23.00 23.00
486422015 Zone 01 1 23.00 23.00 486422016 Zone 01 1 23.00 23.00 486422018 Zone 01 1 23.00 23.00 486422019 Zone 01 1 23.00 23.00 486422021 Zone 01 1 23.00 23.00 486422021 Zone 01 1 23.00 23.00 486422022 Zone 01 1 23.00 23.00 486422023 Zone 01 1 23.00 23.00 486422024 Zone 01 1 23.00 23.00 486422025 Zone 01 1 23.00 23.00 486422026 Zone 01 1 23.00 23.00 486422027 Zone 01 1 23.00 23.00 486422028 Zone 01 1 23.00 23.00 48642203 Zone 01 1 23.00 23.00 48642203 Zone 01 1 23.00 23.00 <t< td=""></t<>
486422016 Zone 01 1 23.00 23.00 486422017 Zone 01 1 23.00 23.00 486422018 Zone 01 1 23.00 23.00 486422019 Zone 01 1 23.00 23.00 486422021 Zone 01 1 23.00 23.00 486422022 Zone 01 1 23.00 23.00 486422023 Zone 01 1 23.00 23.00 486422024 Zone 01 1 23.00 23.00 486422025 Zone 01 1 23.00 23.00 486422026 Zone 01 1 23.00 23.00 486422027 Zone 01 1 23.00 23.00 486422028 Zone 01 1 23.00 23.00 486422029 Zone 01 1 23.00 23.00 486422031 Zone 01 1 23.00 23.00 486422032 Zone 01 1 23.00 23.00 486422033 Zone 01 1 23.00 23.00 <td< td=""></td<>
486422017 Zone 01 1 23.00 23.00 486422018 Zone 01 1 23.00 23.00 486422019 Zone 01 1 23.00 23.00 486422021 Zone 01 1 23.00 23.00 486422022 Zone 01 1 23.00 23.00 486422023 Zone 01 1 23.00 23.00 486422024 Zone 01 1 23.00 23.00 486422025 Zone 01 1 23.00 23.00 486422026 Zone 01 1 23.00 23.00 486422027 Zone 01 1 23.00 23.00 486422028 Zone 01 1 23.00 23.00 486422030 Zone 01 1 23.00 23.00 486422031 Zone 01 1 23.00 23.00 486422032 Zone 01 1 23.00 23.00 486422033 Zone 01 1 23.00 23.00 486422034 Zone 01 1 23.00 23.00 <td< td=""></td<>
486422018 Zone 01 1 23.00 23.00 486422019 Zone 01 1 23.00 23.00 486422021 Zone 01 1 23.00 23.00 486422021 Zone 01 1 23.00 23.00 486422023 Zone 01 1 23.00 23.00 486422024 Zone 01 1 23.00 23.00 486422025 Zone 01 1 23.00 23.00 486422026 Zone 01 1 23.00 23.00 486422027 Zone 01 1 23.00 23.00 486422028 Zone 01 1 23.00 23.00 486422030 Zone 01 1 23.00 23.00 486422031 Zone 01 1 23.00 23.00 486422032 Zone 01 1 23.00 23.00 486422032 Zone 01 1 23.00 23.00 486422033 Zone 01 1 23.00 23.00
486422019 Zone 01 1 23.00 23.00 486422021 Zone 01 1 23.00 23.00 486422022 Zone 01 1 23.00 23.00 486422023 Zone 01 1 23.00 23.00 486422024 Zone 01 1 23.00 23.00 486422025 Zone 01 1 23.00 23.00 486422026 Zone 01 1 23.00 23.00 486422027 Zone 01 1 23.00 23.00 486422028 Zone 01 1 23.00 23.00 486422029 Zone 01 1 23.00 23.00 486422030 Zone 01 1 23.00 23.00 486422031 Zone 01 1 23.00 23.00 486422032 Zone 01 1 23.00 23.00 486422033 Zone 01 1 23.00 23.00 486422034 Zone 01 1 23.00 23.00 486422035 Zone 01 1 23.00 23.00 <td< td=""></td<>
486422019 Zone 01 1 23.00 23.00 486422021 Zone 01 1 23.00 23.00 486422022 Zone 01 1 23.00 23.00 486422023 Zone 01 1 23.00 23.00 486422024 Zone 01 1 23.00 23.00 486422025 Zone 01 1 23.00 23.00 486422026 Zone 01 1 23.00 23.00 486422027 Zone 01 1 23.00 23.00 486422028 Zone 01 1 23.00 23.00 486422029 Zone 01 1 23.00 23.00 486422030 Zone 01 1 23.00 23.00 486422031 Zone 01 1 23.00 23.00 486422032 Zone 01 1 23.00 23.00 486422033 Zone 01 1 23.00 23.00 486422034 Zone 01 1 23.00 23.00 486422035 Zone 01 1 23.00 23.00 <td< td=""></td<>
486422021 Zone 01 1 23.00 23.00 486422022 Zone 01 1 23.00 23.00 486422023 Zone 01 1 23.00 23.00 486422024 Zone 01 1 23.00 23.00 486422025 Zone 01 1 23.00 23.00 486422026 Zone 01 1 23.00 23.00 486422027 Zone 01 1 23.00 23.00 486422028 Zone 01 1 23.00 23.00 486422030 Zone 01 1 23.00 23.00 486422031 Zone 01 1 23.00 23.00 486422032 Zone 01 1 23.00 23.00 486422033 Zone 01 1 23.00 23.00 486422034 Zone 01 1 23.00 23.00 486422035 Zone 01 1 23.00 23.00 486422036 Zone 01 1 23.00 23.00 486422037 Zone 01 1 23.00 23.00 <td< td=""></td<>
486422021 Zone 01 1 23.00 23.00 486422022 Zone 01 1 23.00 23.00 486422023 Zone 01 1 23.00 23.00 486422024 Zone 01 1 23.00 23.00 486422025 Zone 01 1 23.00 23.00 486422026 Zone 01 1 23.00 23.00 486422027 Zone 01 1 23.00 23.00 486422028 Zone 01 1 23.00 23.00 486422030 Zone 01 1 23.00 23.00 486422031 Zone 01 1 23.00 23.00 486422032 Zone 01 1 23.00 23.00 486422033 Zone 01 1 23.00 23.00 486422034 Zone 01 1 23.00 23.00 486422035 Zone 01 1 23.00 23.00 486422036 Zone 01 1 23.00 23.00 486422037 Zone 01 1 23.00 23.00 <td< td=""></td<>
486422022 Zone 01 1 23.00 23.00 486422023 Zone 01 1 23.00 23.00 486422024 Zone 01 1 23.00 23.00 486422025 Zone 01 1 23.00 23.00 486422026 Zone 01 1 23.00 23.00 486422027 Zone 01 1 23.00 23.00 486422028 Zone 01 1 23.00 23.00 486422030 Zone 01 1 23.00 23.00 486422031 Zone 01 1 23.00 23.00 486422032 Zone 01 1 23.00 23.00 486422033 Zone 01 1 23.00 23.00 486422034 Zone 01 1 23.00 23.00 486422035 Zone 01 1 23.00 23.00 486422036 Zone 01 1 23.00 23.00 486422037 Zone 01 1 23.00 23.00 486422038 Zone 01 1 23.00 23.00 <td< td=""></td<>
486422023 Zone 01 1 23.00 23.00 486422024 Zone 01 1 23.00 23.00 486422026 Zone 01 1 23.00 23.00 486422027 Zone 01 1 23.00 23.00 486422028 Zone 01 1 23.00 23.00 486422030 Zone 01 1 23.00 23.00 486422031 Zone 01 1 23.00 23.00 486422032 Zone 01 1 23.00 23.00 486422033 Zone 01 1 23.00 23.00 486422033 Zone 01 1 23.00 23.00 486422034 Zone 01 1 23.00 23.00 486422035 Zone 01 1 23.00 23.00 486422036 Zone 01 1 23.00 23.00 486422037 Zone 01 1 23.00 23.00 486422038 Zone 01 1 23.00 23.00 486422039 Zone 01 1 23.00 23.00 <td< td=""></td<>
486422024 Zone 01 1 23.00 23.00 486422025 Zone 01 1 23.00 23.00 486422026 Zone 01 1 23.00 23.00 486422027 Zone 01 1 23.00 23.00 486422028 Zone 01 1 23.00 23.00 486422029 Zone 01 1 23.00 23.00 486422030 Zone 01 1 23.00 23.00 486422031 Zone 01 1 23.00 23.00 486422032 Zone 01 1 23.00 23.00 486422033 Zone 01 1 23.00 23.00 486422034 Zone 01 1 23.00 23.00 486422035 Zone 01 1 23.00 23.00 486422036 Zone 01 1 23.00 23.00 486422037 Zone 01 1 23.00 23.00 486422038 Zone 01 1 23.00 23.00 486422040 Zone 01 1 23.00 23.00 <td< td=""></td<>
486422025 Zone 01 1 23.00 23.00 486422026 Zone 01 1 23.00 23.00 486422027 Zone 01 1 23.00 23.00 486422028 Zone 01 1 23.00 23.00 486422030 Zone 01 1 23.00 23.00 486422031 Zone 01 1 23.00 23.00 486422032 Zone 01 1 23.00 23.00 486422033 Zone 01 1 23.00 23.00 486422034 Zone 01 1 23.00 23.00 486422035 Zone 01 1 23.00 23.00 486422036 Zone 01 1 23.00 23.00 486422037 Zone 01 1 23.00 23.00 486422038 Zone 01 1 23.00 23.00 486422039 Zone 01 1 23.00 23.00 486422040 Zone 01 1 23.00 23.00 486422041 Zone 01 1 23.00 23.00 <td< td=""></td<>
486422026 Zone 01 1 23.00 23.00 486422027 Zone 01 1 23.00 23.00 486422028 Zone 01 1 23.00 23.00 486422029 Zone 01 1 23.00 23.00 486422031 Zone 01 1 23.00 23.00 486422032 Zone 01 1 23.00 23.00 486422033 Zone 01 1 23.00 23.00 486422034 Zone 01 1 23.00 23.00 486422035 Zone 01 1 23.00 23.00 486422036 Zone 01 1 23.00 23.00 486422037 Zone 01 1 23.00 23.00 486422038 Zone 01 1 23.00 23.00 486422039 Zone 01 1 23.00 23.00 486422040 Zone 01 1 23.00 23.00 486422041 Zone 01 1 23.00 23.00 486422042 Zone 01 1 23.00 23.00 <td< td=""></td<>
486422027 Zone 01 1 23.00 23.00 486422028 Zone 01 1 23.00 23.00 486422029 Zone 01 1 23.00 23.00 486422030 Zone 01 1 23.00 23.00 486422031 Zone 01 1 23.00 23.00 486422032 Zone 01 1 23.00 23.00 486422033 Zone 01 1 23.00 23.00 486422034 Zone 01 1 23.00 23.00 486422035 Zone 01 1 23.00 23.00 486422036 Zone 01 1 23.00 23.00 486422037 Zone 01 1 23.00 23.00 486422038 Zone 01 1 23.00 23.00 486422039 Zone 01 1 23.00 23.00 486422040 Zone 01 1 23.00 23.00 486422041 Zone 01 1 23.00 23.00 486422042 Zone 01 1 23.00 23.00 <td< td=""></td<>
486422028 Zone 01 1 23.00 23.00 486422029 Zone 01 1 23.00 23.00 486422030 Zone 01 1 23.00 23.00 486422031 Zone 01 1 23.00 23.00 486422032 Zone 01 1 23.00 23.00 486422033 Zone 01 1 23.00 23.00 486422034 Zone 01 1 23.00 23.00 486422035 Zone 01 1 23.00 23.00 486422036 Zone 01 1 23.00 23.00 486422037 Zone 01 1 23.00 23.00 486422038 Zone 01 1 23.00 23.00 486422039 Zone 01 1 23.00 23.00 486422040 Zone 01 1 23.00 23.00 486422041 Zone 01 1 23.00 23.00 486422042 Zone 01 1 23.00 23.00 486422043 Zone 01 1 23.00 23.00 <td< td=""></td<>
486422029 Zone 01 1 23.00 23.00 486422030 Zone 01 1 23.00 23.00 486422031 Zone 01 1 23.00 23.00 486422032 Zone 01 1 23.00 23.00 486422033 Zone 01 1 23.00 23.00 486422034 Zone 01 1 23.00 23.00 486422035 Zone 01 1 23.00 23.00 486422036 Zone 01 1 23.00 23.00 486422037 Zone 01 1 23.00 23.00 486422038 Zone 01 1 23.00 23.00 486422039 Zone 01 1 23.00 23.00 486422040 Zone 01 1 23.00 23.00 486422041 Zone 01 1 23.00 23.00 486422042 Zone 01 1 23.00 23.00 486422043 Zone 01 1 23.00 23.00 486422043 Zone 01 1 23.00 23.00 <td< td=""></td<>
486422030 Zone 01 1 23.00 23.00 486422031 Zone 01 1 23.00 23.00 486422032 Zone 01 1 23.00 23.00 486422033 Zone 01 1 23.00 23.00 486422034 Zone 01 1 23.00 23.00 486422035 Zone 01 1 23.00 23.00 486422036 Zone 01 1 23.00 23.00 486422037 Zone 01 1 23.00 23.00 486422038 Zone 01 1 23.00 23.00 486422039 Zone 01 1 23.00 23.00 486422040 Zone 01 1 23.00 23.00 486422041 Zone 01 1 23.00 23.00 486422042 Zone 01 1 23.00 23.00 486422043 Zone 01 1 23.00 23.00 486422043 Zone 01 1 23.00 23.00 486422041 Zone 01 1 23.00 23.00 <td< td=""></td<>
486422031 Zone 01 1 23.00 23.00 486422032 Zone 01 1 23.00 23.00 486422033 Zone 01 1 23.00 23.00 486422034 Zone 01 1 23.00 23.00 486422035 Zone 01 1 23.00 23.00 486422036 Zone 01 1 23.00 23.00 486422037 Zone 01 1 23.00 23.00 486422038 Zone 01 1 23.00 23.00 486422039 Zone 01 1 23.00 23.00 486422040 Zone 01 1 23.00 23.00 486422041 Zone 01 1 23.00 23.00 486422042 Zone 01 1 23.00 23.00 486422043 Zone 01 1 23.00 23.00 486422043 Zone 01 1 23.00 23.00 486423001 Zone 01 1 23.00 23.00
486422032 Zone 01 1 23.00 23.00 486422033 Zone 01 1 23.00 23.00 486422034 Zone 01 1 23.00 23.00 486422035 Zone 01 1 23.00 23.00 486422036 Zone 01 1 23.00 23.00 486422037 Zone 01 1 23.00 23.00 486422038 Zone 01 1 23.00 23.00 486422039 Zone 01 1 23.00 23.00 486422040 Zone 01 1 23.00 23.00 486422041 Zone 01 1 23.00 23.00 486422042 Zone 01 1 23.00 23.00 486422043 Zone 01 1 23.00 23.00 486423001 Zone 01 1 23.00 23.00
486422033 Zone 01 1 23.00 23.00 486422034 Zone 01 1 23.00 23.00 486422035 Zone 01 1 23.00 23.00 486422036 Zone 01 1 23.00 23.00 486422037 Zone 01 1 23.00 23.00 486422038 Zone 01 1 23.00 23.00 486422039 Zone 01 1 23.00 23.00 486422040 Zone 01 1 23.00 23.00 486422041 Zone 01 1 23.00 23.00 486422042 Zone 01 1 23.00 23.00 486422043 Zone 01 1 23.00 23.00 486423001 Zone 01 1 23.00 23.00
486422034 Zone 01 1 23.00 23.00 486422035 Zone 01 1 23.00 23.00 486422036 Zone 01 1 23.00 23.00 486422037 Zone 01 1 23.00 23.00 486422038 Zone 01 1 23.00 23.00 486422039 Zone 01 1 23.00 23.00 486422040 Zone 01 1 23.00 23.00 486422041 Zone 01 1 23.00 23.00 486422042 Zone 01 1 23.00 23.00 486422043 Zone 01 1 23.00 23.00 486423001 Zone 01 1 23.00 23.00
486422035 Zone 01 1 23.00 23.00 486422036 Zone 01 1 23.00 23.00 486422037 Zone 01 1 23.00 23.00 486422038 Zone 01 1 23.00 23.00 486422039 Zone 01 1 23.00 23.00 486422040 Zone 01 1 23.00 23.00 486422041 Zone 01 1 23.00 23.00 486422042 Zone 01 1 23.00 23.00 486422043 Zone 01 1 23.00 23.00 486423001 Zone 01 1 23.00 23.00
486422036 Zone 01 1 23.00 23.00 486422037 Zone 01 1 23.00 23.00 486422038 Zone 01 1 23.00 23.00 486422039 Zone 01 1 23.00 23.00 486422040 Zone 01 1 23.00 23.00 486422041 Zone 01 1 23.00 23.00 486422042 Zone 01 1 23.00 23.00 486422043 Zone 01 1 23.00 23.00 486423001 Zone 01 1 23.00 23.00
486422037 Zone 01 1 23.00 23.00 486422038 Zone 01 1 23.00 23.00 486422039 Zone 01 1 23.00 23.00 486422040 Zone 01 1 23.00 23.00 486422041 Zone 01 1 23.00 23.00 486422042 Zone 01 1 23.00 23.00 486422043 Zone 01 1 23.00 23.00 486423001 Zone 01 1 23.00 23.00
486422038 Zone 01 1 23.00 23.00 486422039 Zone 01 1 23.00 23.00 486422040 Zone 01 1 23.00 23.00 486422041 Zone 01 1 23.00 23.00 486422042 Zone 01 1 23.00 23.00 486422043 Zone 01 1 23.00 23.00 486423001 Zone 01 1 23.00 23.00
486422039 Zone 01 1 23.00 23.00 486422040 Zone 01 1 23.00 23.00 486422041 Zone 01 1 23.00 23.00 486422042 Zone 01 1 23.00 23.00 486422043 Zone 01 1 23.00 23.00 486423001 Zone 01 1 23.00 23.00
486422040 Zone 01 1 23.00 23.00 486422041 Zone 01 1 23.00 23.00 486422042 Zone 01 1 23.00 23.00 486422043 Zone 01 1 23.00 23.00 486423001 Zone 01 1 23.00 23.00
486422041 Zone 01 1 23.00 23.00 486422042 Zone 01 1 23.00 23.00 486422043 Zone 01 1 23.00 23.00 486423001 Zone 01 1 23.00 23.00 23.00 23.00 23.00 23.00
486422042 Zone 01 1 23.00 23.00 486422043 Zone 01 1 23.00 23.00 486423001 Zone 01 1 23.00 23.00 23.00 23.00 23.00 23.00
486422043 Zone 01 1 23.00 23.00 486423001 Zone 01 1 23.00 23.00
486423001 Zone 01 1 23.00 23.00
400400000 7 04
486423002 Zone 01 1 23.00 23.00
486423003 Zone 01 1 23.00 23.00
486423004 Zone 01 1 23.00 23.00
486423005 Zone 01 1 23.00 23.00
486423006 Zone 01 1 23.00 23.00
486423007 Zone 01 1 23.00 23.00
486423008 Zone 01 1 23.00 23.00
486423009 Zone 01 1 23.00 23.00
486423010 Zone 01 1 23.00 23.00
486423011 Zone 01 1 23.00 23.00
486423012 Zone 01 1 23.00 23.00
486423013 Zone 01 1 23.00 23.00
486423014 Zone 01 1 23.00 23.00
486423015 Zone 01 1 23.00 23.00
486423016 Zone 01 1 23.00 23.00

APN	LMD 2014-01 Zone LMD Assigne	d EBU's FY 17-18 N	lax Assessment	FY 17-18 Assessment
486423017	Zone 01	1	23.00	23.00
486423018	Zone 01	1	23.00	23.00
486423019	Zone 01	1	23.00	23.00
486423020	Zone 01	1	23.00	23.00
486423021	Zone 01	1	23.00	23.00
486431001	Zone 01	1	23.00	23.00
486431002	Zone 01	1	23.00	23.00
486431003	Zone 01	1	23.00	23.00
486431004	Zone 01	1	23.00	23.00
486431005	Zone 01	1	23.00	23.00
486431006	Zone 01	1	23.00	23.00
486431007	Zone 01	1	23.00	23.00
486431008	Zone 01	1	23.00	23.00
486431009	Zone 01	1	23.00	23.00
486431010	Zone 01	1	23.00	23.00
486431011	Zone 01	1	23.00	23.00
486431012	Zone 01	1	23.00	23.00
486431013	Zone 01	1	23.00	23.00
486431014	Zone 01	1	23.00	23.00
486431015	Zone 01	1	23.00	23.00
486431016	Zone 01	1	23.00	23.00
486431017	Zone 01	1	23.00	23.00
486431018	Zone 01	1	23.00	23.00
486431019	Zone 01	1	23.00	23.00
486431020	Zone 01	1	23.00	23.00
486431021	Zone 01	1	23.00	23.00
486432001	Zone 01	1	23.00	23.00
486432002	Zone 01	1	23.00	23.00
486432003	Zone 01	1	23.00	23.00
486432004	Zone 01	1	23.00	23.00
486432005	Zone 01	1	23.00	23.00
486432006	Zone 01	1	23.00	23.00
486432007	Zone 01	1	23.00	23.00
486432008	Zone 01	1	23.00	23.00
486432009	Zone 01	1	23.00	23.00
486432010	Zone 01	1	23.00	23.00
486432011	Zone 01	1	23.00	23.00
486432012	Zone 01	1	23.00	23.00
486432013	Zone 01	1	23.00	23.00
486433001	Zone 01	1	23.00	23.00
486433002	Zone 01	1	23.00	23.00
486433003	Zone 01	1	23.00	23.00
486433004	Zone 01	1	23.00	23.00
486433005	Zone 01	1	23.00	23.00
486433006	Zone 01	1	23.00	23.00
486433007	Zone 01	1	23.00	23.00
486433008	Zone 01	1	23.00	23.00
486433009	Zone 01	1	23.00	23.00

486433010 Zone 01 1 23.00 23.00 486433012 Zone 01 1 23.00 23.00 486433012 Zone 01 1 23.00 23.00 486433013 Zone 01 1 23.00 23.00 486435014 Zone 01 1 23.00 23.00 486435001 Zone 01 1 23.00 23.00 486435002 Zone 01 1 23.00 23.00 486435003 Zone 01 1 23.00 23.00 486435005 Zone 01 1 23.00 23.00 486435006 Zone 01 1 23.00 23.00 486435007 Zone 01 1 23.00 23.00 486435008 Zone 01 1 23.00 23.00 486435009 Zone 01 1 23.00 23.00 486435010 Zone 01 1 23.00 23.00 486435010 Zone 01 1 23.00 23.00 486435010 Zone 01 1 23.00 23.00 486435011 Zone 01 1 23.00 23.00 486435012 Zone 01 1 23.00 23.00 486435012 Zone 01 1 23.00 23.00 486435013 Zone 01 1 23.00 23.00 486435014 Zone 01 1 23.00 23.00 486435015 Zone 01 1 23.00 23.00 486435016 Zone 01 1 23.00 23.00 486435017 Zone 01 1 23.00 23.00 486435018 Zone 01 1 23.00 23.00 486435019 Zone 01 1 23.00 23.00 486435010 Zone 01 1 23.00 23.00 486435010 Zone 01 1 23.00 23.00 486435011 Zone 01 1 23.00 23.00 486435012 Zone 01 1 23.00 23.00 486435015 Zone 01 1 23.00 23.00 486445017 Zone 01 1 23.00 23.00 486445017 Zone 01 1 23.00 23.00 486441002 Zone 01 1 23.00 23.00 486441002 Zone 01 1 23.00 23.00 486441003 Zone 01 1 23.00 23.00 486441004 Zone 01 1 23.00 23.00 486441005 Zone 01 1 23.00 23.00 486441005 Zone 01 1 23.00 23.00 486441010 Zone 01 1 23.00 23.00 48644102 Zone 01 1 23.00 23.00 48644102 Zone 01 1 23.00 23.00 48644102 Zone 01 1 23.00 23.00 486442001 Zone 01 1 23.00 23.00 4	APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
486433012 Zone 01 1 23.00 23.00 486433014 Zone 01 1 23.00 23.00 486435001 Zone 01 1 23.00 23.00 486435002 Zone 01 1 23.00 23.00 486435003 Zone 01 1 23.00 23.00 486435004 Zone 01 1 23.00 23.00 486435005 Zone 01 1 23.00 23.00 486435006 Zone 01 1 23.00 23.00 486435007 Zone 01 1 23.00 23.00 486435008 Zone 01 1 23.00 23.00 486435010 Zone 01 1 23.00 23.00 486435011 Zone 01 1 23.00 23.00 486435012 Zone 01 1 23.00 23.00 486435013 Zone 01 1 23.00 23.00 486435014 Zone 01 1 23.00 23.00	486433010	Zone 01		1 23.00	23.00
486433013 Zone 01 1 23.00 23.00 486435014 Zone 01 1 23.00 23.00 486435002 Zone 01 1 23.00 23.00 486435003 Zone 01 1 23.00 23.00 486435004 Zone 01 1 23.00 23.00 486435005 Zone 01 1 23.00 23.00 486435006 Zone 01 1 23.00 23.00 486435007 Zone 01 1 23.00 23.00 486435008 Zone 01 1 23.00 23.00 486435009 Zone 01 1 23.00 23.00 486435010 Zone 01 1 23.00 23.00 486435011 Zone 01 1 23.00 23.00 486435012 Zone 01 1 23.00 23.00 486435013 Zone 01 1 23.00 23.00 486435014 Zone 01 1 23.00 23.00	486433011	Zone 01		1 23.00	23.00
486433014 Zone 01 1 23.00 23.00 486435002 Zone 01 1 23.00 23.00 486435003 Zone 01 1 23.00 23.00 486435004 Zone 01 1 23.00 23.00 486435005 Zone 01 1 23.00 23.00 486435006 Zone 01 1 23.00 23.00 486435007 Zone 01 1 23.00 23.00 486435008 Zone 01 1 23.00 23.00 486435009 Zone 01 1 23.00 23.00 486435010 Zone 01 1 23.00 23.00 486435011 Zone 01 1 23.00 23.00 486435012 Zone 01 1 23.00 23.00 486435013 Zone 01 1 23.00 23.00 486435014 Zone 01 1 23.00 23.00 486435015 Zone 01 1 23.00 23.00	486433012	Zone 01		1 23.00	23.00
486435001 Zone 01 1 23.00 23.00 486435002 Zone 01 1 23.00 23.00 486435003 Zone 01 1 23.00 23.00 486435005 Zone 01 1 23.00 23.00 486435005 Zone 01 1 23.00 23.00 486435006 Zone 01 1 23.00 23.00 486435007 Zone 01 1 23.00 23.00 486435008 Zone 01 1 23.00 23.00 486435010 Zone 01 1 23.00 23.00 486435011 Zone 01 1 23.00 23.00 486435012 Zone 01 1 23.00 23.00 486435013 Zone 01 1 23.00 23.00 486435014 Zone 01 1 23.00 23.00 486435015 Zone 01 1 23.00 23.00 486435016 Zone 01 1 23.00 23.00	486433013	Zone 01		1 23.00	23.00
486435002 Zone 01 1 23.00 23.00 486435004 Zone 01 1 23.00 23.00 486435005 Zone 01 1 23.00 23.00 486435006 Zone 01 1 23.00 23.00 486435007 Zone 01 1 23.00 23.00 486435008 Zone 01 1 23.00 23.00 486435009 Zone 01 1 23.00 23.00 486435010 Zone 01 1 23.00 23.00 486435011 Zone 01 1 23.00 23.00 486435012 Zone 01 1 23.00 23.00 486435013 Zone 01 1 23.00 23.00 486435014 Zone 01 1 23.00 23.00 486435015 Zone 01 1 23.00 23.00 486435016 Zone 01 1 23.00 23.00 486431001 Zone 01 1 23.00 23.00	486433014	Zone 01		1 23.00	23.00
486435003 Zone 01 1 23.00 23.00 486435005 Zone 01 1 23.00 23.00 486435006 Zone 01 1 23.00 23.00 486435007 Zone 01 1 23.00 23.00 486435008 Zone 01 1 23.00 23.00 486435009 Zone 01 1 23.00 23.00 486435010 Zone 01 1 23.00 23.00 486435011 Zone 01 1 23.00 23.00 486435012 Zone 01 1 23.00 23.00 486435013 Zone 01 1 23.00 23.00 486435014 Zone 01 1 23.00 23.00 486435015 Zone 01 1 23.00 23.00 486435016 Zone 01 1 23.00 23.00 486435017 Zone 01 1 23.00 23.00 486441001 Zone 01 1 23.00 23.00	486435001	Zone 01		1 23.00	23.00
486435003 Zone 01 1 23.00 23.00 486435005 Zone 01 1 23.00 23.00 486435006 Zone 01 1 23.00 23.00 486435007 Zone 01 1 23.00 23.00 486435008 Zone 01 1 23.00 23.00 486435009 Zone 01 1 23.00 23.00 486435010 Zone 01 1 23.00 23.00 486435011 Zone 01 1 23.00 23.00 486435012 Zone 01 1 23.00 23.00 486435013 Zone 01 1 23.00 23.00 486435014 Zone 01 1 23.00 23.00 486435015 Zone 01 1 23.00 23.00 486435016 Zone 01 1 23.00 23.00 486435017 Zone 01 1 23.00 23.00 486441001 Zone 01 1 23.00 23.00	486435002	Zone 01		1 23.00	23.00
486435006 Zone 01 1 23.00 23.00 486435007 Zone 01 1 23.00 23.00 486435008 Zone 01 1 23.00 23.00 486435008 Zone 01 1 23.00 23.00 486435010 Zone 01 1 23.00 23.00 486435011 Zone 01 1 23.00 23.00 486435012 Zone 01 1 23.00 23.00 486435013 Zone 01 1 23.00 23.00 486435014 Zone 01 1 23.00 23.00 486435015 Zone 01 1 23.00 23.00 486435016 Zone 01 1 23.00 23.00 486435017 Zone 01 1 23.00 23.00 486441001 Zone 01 1 23.00 23.00 486441001 Zone 01 1 23.00 23.00 486441005 Zone 01 1 23.00 23.00	486435003	Zone 01			
486435006 Zone 01 1 23.00 23.00 486435007 Zone 01 1 23.00 23.00 486435008 Zone 01 1 23.00 23.00 486435009 Zone 01 1 23.00 23.00 486435010 Zone 01 1 23.00 23.00 486435011 Zone 01 1 23.00 23.00 486435012 Zone 01 1 23.00 23.00 486435013 Zone 01 1 23.00 23.00 486435014 Zone 01 1 23.00 23.00 486435015 Zone 01 1 23.00 23.00 486435016 Zone 01 1 23.00 23.00 486435017 Zone 01 1 23.00 23.00 486441001 Zone 01 1 23.00 23.00 486441001 Zone 01 1 23.00 23.00 486441005 Zone 01 1 23.00 23.00	486435004	Zone 01		1 23.00	23.00
486435006 Zone 01 1 23.00 23.00 486435007 Zone 01 1 23.00 23.00 486435008 Zone 01 1 23.00 23.00 486435009 Zone 01 1 23.00 23.00 486435010 Zone 01 1 23.00 23.00 486435012 Zone 01 1 23.00 23.00 486435013 Zone 01 1 23.00 23.00 486435014 Zone 01 1 23.00 23.00 486435015 Zone 01 1 23.00 23.00 486435015 Zone 01 1 23.00 23.00 486435017 Zone 01 1 23.00 23.00 486441001 Zone 01 1 23.00 23.00 486441002 Zone 01 1 23.00 23.00 486441004 Zone 01 1 23.00 23.00 486441005 Zone 01 1 23.00 23.00					
486435007 Zone 01 1 23.00 23.00 486435008 Zone 01 1 23.00 23.00 486435009 Zone 01 1 23.00 23.00 486435010 Zone 01 1 23.00 23.00 486435011 Zone 01 1 23.00 23.00 486435013 Zone 01 1 23.00 23.00 486435014 Zone 01 1 23.00 23.00 486435015 Zone 01 1 23.00 23.00 486435016 Zone 01 1 23.00 23.00 486435017 Zone 01 1 23.00 23.00 486441001 Zone 01 1 23.00 23.00 486441001 Zone 01 1 23.00 23.00 486441004 Zone 01 1 23.00 23.00 486441005 Zone 01 1 23.00 23.00 486441006 Zone 01 1 23.00 23.00					
486435008 Zone 01 1 23.00 23.00 486435010 Zone 01 1 23.00 23.00 486435011 Zone 01 1 23.00 23.00 486435012 Zone 01 1 23.00 23.00 486435013 Zone 01 1 23.00 23.00 486435014 Zone 01 1 23.00 23.00 486435015 Zone 01 1 23.00 23.00 486435016 Zone 01 1 23.00 23.00 486435017 Zone 01 1 23.00 23.00 486441001 Zone 01 1 23.00 23.00 486441001 Zone 01 1 23.00 23.00 486441002 Zone 01 1 23.00 23.00 486441005 Zone 01 1 23.00 23.00 486441006 Zone 01 1 23.00 23.00 486441007 Zone 01 1 23.00 23.00					
486435019 Zone 01 1 23.00 23.00 486435010 Zone 01 1 23.00 23.00 486435012 Zone 01 1 23.00 23.00 486435013 Zone 01 1 23.00 23.00 486435014 Zone 01 1 23.00 23.00 486435015 Zone 01 1 23.00 23.00 486435016 Zone 01 1 23.00 23.00 486435017 Zone 01 1 23.00 23.00 486441001 Zone 01 1 23.00 23.00 486441002 Zone 01 1 23.00 23.00 486441004 Zone 01 1 23.00 23.00 486441005 Zone 01 1 23.00 23.00 486441006 Zone 01 1 23.00 23.00 486441007 Zone 01 1 23.00 23.00 486441008 Zone 01 1 23.00 23.00					
486435010 Zone 01 1 23.00 23.00 486435011 Zone 01 1 23.00 23.00 486435012 Zone 01 1 23.00 23.00 486435013 Zone 01 1 23.00 23.00 486435014 Zone 01 1 23.00 23.00 486435015 Zone 01 1 23.00 23.00 486435016 Zone 01 1 23.00 23.00 486441001 Zone 01 1 23.00 23.00 486441001 Zone 01 1 23.00 23.00 486441002 Zone 01 1 23.00 23.00 486441004 Zone 01 1 23.00 23.00 486441005 Zone 01 1 23.00 23.00 486441007 Zone 01 1 23.00 23.00 486441007 Zone 01 1 23.00 23.00 486441007 Zone 01 1 23.00 23.00					
486435011 Zone 01 1 23.00 23.00 486435012 Zone 01 1 23.00 23.00 486435013 Zone 01 1 23.00 23.00 486435014 Zone 01 1 23.00 23.00 486435015 Zone 01 1 23.00 23.00 486435017 Zone 01 1 23.00 23.00 486441001 Zone 01 1 23.00 23.00 486441002 Zone 01 1 23.00 23.00 486441004 Zone 01 1 23.00 23.00 486441005 Zone 01 1 23.00 23.00 486441006 Zone 01 1 23.00 23.00 486441007 Zone 01 1 23.00 23.00 486441008 Zone 01 1 23.00 23.00 486441009 Zone 01 1 23.00 23.00 486441011 Zone 01 1 23.00 23.00					
486435012 Zone 01 1 23.00 23.00 486435013 Zone 01 1 23.00 23.00 486435014 Zone 01 1 23.00 23.00 486435015 Zone 01 1 23.00 23.00 486435016 Zone 01 1 23.00 23.00 486445017 Zone 01 1 23.00 23.00 486441001 Zone 01 1 23.00 23.00 486441002 Zone 01 1 23.00 23.00 486441004 Zone 01 1 23.00 23.00 486441005 Zone 01 1 23.00 23.00 486441006 Zone 01 1 23.00 23.00 486441007 Zone 01 1 23.00 23.00 486441008 Zone 01 1 23.00 23.00 486441010 Zone 01 1 23.00 23.00 486441011 Zone 01 1 23.00 23.00					
486435013 Zone 01 1 23.00 23.00 486435014 Zone 01 1 23.00 23.00 486435015 Zone 01 1 23.00 23.00 486435016 Zone 01 1 23.00 23.00 486435017 Zone 01 1 23.00 23.00 486441001 Zone 01 1 23.00 23.00 486441002 Zone 01 1 23.00 23.00 486441004 Zone 01 1 23.00 23.00 486441005 Zone 01 1 23.00 23.00 486441006 Zone 01 1 23.00 23.00 486441007 Zone 01 1 23.00 23.00 486441008 Zone 01 1 23.00 23.00 486441010 Zone 01 1 23.00 23.00 486441011 Zone 01 1 23.00 23.00 486441012 Zone 01 1 23.00 23.00					
486435014 Zone 01 1 23.00 23.00 486435015 Zone 01 1 23.00 23.00 486435017 Zone 01 1 23.00 23.00 486435017 Zone 01 1 23.00 23.00 486441001 Zone 01 1 23.00 23.00 486441002 Zone 01 1 23.00 23.00 486441005 Zone 01 1 23.00 23.00 486441006 Zone 01 1 23.00 23.00 486441007 Zone 01 1 23.00 23.00 486441008 Zone 01 1 23.00 23.00 486441009 Zone 01 1 23.00 23.00 486441010 Zone 01 1 23.00 23.00 486441011 Zone 01 1 23.00 23.00 486441012 Zone 01 1 23.00 23.00 486441014 Zone 01 1 23.00 23.00					
486435015 Zone 01 1 23.00 23.00 486435016 Zone 01 1 23.00 23.00 486435017 Zone 01 1 23.00 23.00 486441001 Zone 01 1 23.00 23.00 486441002 Zone 01 1 23.00 23.00 486441004 Zone 01 1 23.00 23.00 486441005 Zone 01 1 23.00 23.00 486441006 Zone 01 1 23.00 23.00 486441007 Zone 01 1 23.00 23.00 486441008 Zone 01 1 23.00 23.00 486441010 Zone 01 1 23.00 23.00 486441011 Zone 01 1 23.00 23.00 486441012 Zone 01 1 23.00 23.00 486441013 Zone 01 1 23.00 23.00 486441014 Zone 01 1 23.00 23.00					
486435016 Zone 01 1 23.00 23.00 4864455017 Zone 01 1 23.00 23.00 486441001 Zone 01 1 23.00 23.00 486441002 Zone 01 1 23.00 23.00 486441004 Zone 01 1 23.00 23.00 486441005 Zone 01 1 23.00 23.00 486441006 Zone 01 1 23.00 23.00 486441007 Zone 01 1 23.00 23.00 486441008 Zone 01 1 23.00 23.00 486441010 Zone 01 1 23.00 23.00 486441010 Zone 01 1 23.00 23.00 486441011 Zone 01 1 23.00 23.00 486441013 Zone 01 1 23.00 23.00 486441014 Zone 01 1 23.00 23.00 486441015 Zone 01 1 23.00 23.00					
486435017 Zone 01 1 23.00 23.00 486441001 Zone 01 1 23.00 23.00 486441002 Zone 01 1 23.00 23.00 486441004 Zone 01 1 23.00 23.00 486441005 Zone 01 1 23.00 23.00 486441006 Zone 01 1 23.00 23.00 486441008 Zone 01 1 23.00 23.00 486441009 Zone 01 1 23.00 23.00 486441010 Zone 01 1 23.00 23.00 486441011 Zone 01 1 23.00 23.00 486441012 Zone 01 1 23.00 23.00 486441013 Zone 01 1 23.00 23.00 486441014 Zone 01 1 23.00 23.00 486441015 Zone 01 1 23.00 23.00 486441016 Zone 01 1 23.00 23.00 486441017 Zone 01 1 23.00 23.00 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
486441001 Zone 01 1 23.00 23.00 486441002 Zone 01 1 23.00 23.00 486441005 Zone 01 1 23.00 23.00 486441006 Zone 01 1 23.00 23.00 486441007 Zone 01 1 23.00 23.00 486441008 Zone 01 1 23.00 23.00 486441010 Zone 01 1 23.00 23.00 486441010 Zone 01 1 23.00 23.00 486441011 Zone 01 1 23.00 23.00 486441012 Zone 01 1 23.00 23.00 486441013 Zone 01 1 23.00 23.00 486441014 Zone 01 1 23.00 23.00 486441015 Zone 01 1 23.00 23.00 486441016 Zone 01 1 23.00 23.00 486441017 Zone 01 1 23.00 23.00 486441019 Zone 01 1 23.00 23.00 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
486441002 Zone 01 1 23.00 23.00 486441004 Zone 01 1 23.00 23.00 486441005 Zone 01 1 23.00 23.00 486441006 Zone 01 1 23.00 23.00 486441007 Zone 01 1 23.00 23.00 486441008 Zone 01 1 23.00 23.00 486441010 Zone 01 1 23.00 23.00 486441011 Zone 01 1 23.00 23.00 486441012 Zone 01 1 23.00 23.00 486441013 Zone 01 1 23.00 23.00 486441014 Zone 01 1 23.00 23.00 486441015 Zone 01 1 23.00 23.00 486441015 Zone 01 1 23.00 23.00 486441016 Zone 01 1 23.00 23.00 486441017 Zone 01 1 23.00 23.00 486441019 Zone 01 1 23.00 23.00 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
486441004 Zone 01 1 23.00 23.00 486441005 Zone 01 1 23.00 23.00 486441006 Zone 01 1 23.00 23.00 486441007 Zone 01 1 23.00 23.00 486441008 Zone 01 1 23.00 23.00 486441010 Zone 01 1 23.00 23.00 486441011 Zone 01 1 23.00 23.00 486441012 Zone 01 1 23.00 23.00 486441013 Zone 01 1 23.00 23.00 486441014 Zone 01 1 23.00 23.00 486441015 Zone 01 1 23.00 23.00 486441016 Zone 01 1 23.00 23.00 486441017 Zone 01 1 23.00 23.00 486441018 Zone 01 1 23.00 23.00 486441020 Zone 01 1 23.00 23.00 486441021 Zone 01 1 23.00 23.00 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
486441005 Zone 01 1 23.00 23.00 486441006 Zone 01 1 23.00 23.00 486441007 Zone 01 1 23.00 23.00 486441008 Zone 01 1 23.00 23.00 486441009 Zone 01 1 23.00 23.00 486441010 Zone 01 1 23.00 23.00 486441011 Zone 01 1 23.00 23.00 486441012 Zone 01 1 23.00 23.00 486441013 Zone 01 1 23.00 23.00 486441014 Zone 01 1 23.00 23.00 486441015 Zone 01 1 23.00 23.00 486441016 Zone 01 1 23.00 23.00 486441017 Zone 01 1 23.00 23.00 486441018 Zone 01 1 23.00 23.00 486441020 Zone 01 1 23.00 23.00 486441021 Zone 01 1 23.00 23.00 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
486441006 Zone 01 1 23.00 23.00 486441007 Zone 01 1 23.00 23.00 486441008 Zone 01 1 23.00 23.00 486441019 Zone 01 1 23.00 23.00 486441011 Zone 01 1 23.00 23.00 486441012 Zone 01 1 23.00 23.00 486441013 Zone 01 1 23.00 23.00 486441014 Zone 01 1 23.00 23.00 486441015 Zone 01 1 23.00 23.00 486441016 Zone 01 1 23.00 23.00 486441017 Zone 01 1 23.00 23.00 486441018 Zone 01 1 23.00 23.00 486441020 Zone 01 1 23.00 23.00 486441021 Zone 01 1 23.00 23.00 486441022 Zone 01 1 23.00 23.00 486441024 Zone 01 1 23.00 23.00 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
486441007 Zone 01 1 23.00 23.00 486441008 Zone 01 1 23.00 23.00 486441009 Zone 01 1 23.00 23.00 486441010 Zone 01 1 23.00 23.00 486441011 Zone 01 1 23.00 23.00 486441012 Zone 01 1 23.00 23.00 486441013 Zone 01 1 23.00 23.00 486441014 Zone 01 1 23.00 23.00 486441015 Zone 01 1 23.00 23.00 486441016 Zone 01 1 23.00 23.00 486441017 Zone 01 1 23.00 23.00 486441018 Zone 01 1 23.00 23.00 486441020 Zone 01 1 23.00 23.00 486441021 Zone 01 1 23.00 23.00 486441024 Zone 01 1 23.00 23.00 486442001 Zone 01 1 23.00 23.00 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
486441008 Zone 01 1 23.00 23.00 486441009 Zone 01 1 23.00 23.00 486441010 Zone 01 1 23.00 23.00 486441011 Zone 01 1 23.00 23.00 486441012 Zone 01 1 23.00 23.00 486441013 Zone 01 1 23.00 23.00 486441014 Zone 01 1 23.00 23.00 486441015 Zone 01 1 23.00 23.00 486441016 Zone 01 1 23.00 23.00 486441017 Zone 01 1 23.00 23.00 486441018 Zone 01 1 23.00 23.00 486441019 Zone 01 1 23.00 23.00 486441021 Zone 01 1 23.00 23.00 486441024 Zone 01 1 23.00 23.00 486442001 Zone 01 1 23.00 23.00 486442002 Zone 01 1 23.00 23.00 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
486441009 Zone 01 1 23.00 23.00 486441010 Zone 01 1 23.00 23.00 486441011 Zone 01 1 23.00 23.00 486441012 Zone 01 1 23.00 23.00 486441014 Zone 01 1 23.00 23.00 486441015 Zone 01 1 23.00 23.00 486441016 Zone 01 1 23.00 23.00 486441017 Zone 01 1 23.00 23.00 486441018 Zone 01 1 23.00 23.00 486441019 Zone 01 1 23.00 23.00 486441020 Zone 01 1 23.00 23.00 486441021 Zone 01 1 23.00 23.00 486441024 Zone 01 1 23.00 23.00 486442001 Zone 01 1 23.00 23.00 486442002 Zone 01 1 23.00 23.00 486442003 Zone 01 1 23.00 23.00 <td></td> <td></td> <td></td> <td></td> <td></td>					
486441010 Zone 01 1 23.00 23.00 486441011 Zone 01 1 23.00 23.00 486441012 Zone 01 1 23.00 23.00 486441013 Zone 01 1 23.00 23.00 486441014 Zone 01 1 23.00 23.00 486441015 Zone 01 1 23.00 23.00 486441016 Zone 01 1 23.00 23.00 486441017 Zone 01 1 23.00 23.00 486441018 Zone 01 1 23.00 23.00 486441019 Zone 01 1 23.00 23.00 486441020 Zone 01 1 23.00 23.00 486441021 Zone 01 1 23.00 23.00 486441024 Zone 01 1 23.00 23.00 486442001 Zone 01 1 23.00 23.00 486442002 Zone 01 1 23.00 23.00 486442003 Zone 01 1 23.00 23.00 <td></td> <td></td> <td></td> <td></td> <td></td>					
486441011 Zone 01 1 23.00 23.00 486441012 Zone 01 1 23.00 23.00 486441013 Zone 01 1 23.00 23.00 486441014 Zone 01 1 23.00 23.00 486441015 Zone 01 1 23.00 23.00 486441016 Zone 01 1 23.00 23.00 486441017 Zone 01 1 23.00 23.00 486441018 Zone 01 1 23.00 23.00 486441019 Zone 01 1 23.00 23.00 486441020 Zone 01 1 23.00 23.00 486441021 Zone 01 1 23.00 23.00 486441024 Zone 01 1 23.00 23.00 486442001 Zone 01 1 23.00 23.00 486442002 Zone 01 1 23.00 23.00 486442003 Zone 01 1 23.00 23.00					
486441012 Zone 01 1 23.00 23.00 486441013 Zone 01 1 23.00 23.00 486441014 Zone 01 1 23.00 23.00 486441015 Zone 01 1 23.00 23.00 486441016 Zone 01 1 23.00 23.00 486441017 Zone 01 1 23.00 23.00 486441018 Zone 01 1 23.00 23.00 486441019 Zone 01 1 23.00 23.00 486441020 Zone 01 1 23.00 23.00 486441021 Zone 01 1 23.00 23.00 486441024 Zone 01 1 23.00 23.00 48644201 Zone 01 1 23.00 23.00 486442002 Zone 01 1 23.00 23.00 486442003 Zone 01 1 23.00 23.00 486442003 Zone 01 1 23.00 23.00					
486441013 Zone 01 1 23.00 23.00 486441014 Zone 01 1 23.00 23.00 486441015 Zone 01 1 23.00 23.00 486441016 Zone 01 1 23.00 23.00 486441017 Zone 01 1 23.00 23.00 486441018 Zone 01 1 23.00 23.00 486441020 Zone 01 1 23.00 23.00 486441021 Zone 01 1 23.00 23.00 486441022 Zone 01 1 23.00 23.00 486441024 Zone 01 1 23.00 23.00 486442001 Zone 01 1 23.00 23.00 486442002 Zone 01 1 23.00 23.00 486442003 Zone 01 1 23.00 23.00 486442003 Zone 01 1 23.00 23.00					
486441014 Zone 01 1 23.00 23.00 486441015 Zone 01 1 23.00 23.00 486441016 Zone 01 1 23.00 23.00 486441017 Zone 01 1 23.00 23.00 486441018 Zone 01 1 23.00 23.00 486441019 Zone 01 1 23.00 23.00 486441020 Zone 01 1 23.00 23.00 486441021 Zone 01 1 23.00 23.00 486441022 Zone 01 1 23.00 23.00 486441024 Zone 01 1 23.00 23.00 486442001 Zone 01 1 23.00 23.00 486442002 Zone 01 1 23.00 23.00 486442003 Zone 01 1 23.00 23.00					
486441015 Zone 01 1 23.00 23.00 486441016 Zone 01 1 23.00 23.00 486441017 Zone 01 1 23.00 23.00 486441018 Zone 01 1 23.00 23.00 486441019 Zone 01 1 23.00 23.00 486441020 Zone 01 1 23.00 23.00 486441021 Zone 01 1 23.00 23.00 486441022 Zone 01 1 23.00 23.00 486442001 Zone 01 1 23.00 23.00 486442002 Zone 01 1 23.00 23.00 486442003 Zone 01 1 23.00 23.00 486442003 Zone 01 1 23.00 23.00					
486441016 Zone 01 1 23.00 23.00 486441017 Zone 01 1 23.00 23.00 486441018 Zone 01 1 23.00 23.00 486441019 Zone 01 1 23.00 23.00 486441020 Zone 01 1 23.00 23.00 486441021 Zone 01 1 23.00 23.00 486441022 Zone 01 1 23.00 23.00 486442001 Zone 01 1 23.00 23.00 486442002 Zone 01 1 23.00 23.00 486442003 Zone 01 1 23.00 23.00 23.00 23.00 23.00 23.00					
486441017 Zone 01 1 23.00 23.00 486441018 Zone 01 1 23.00 23.00 486441019 Zone 01 1 23.00 23.00 486441020 Zone 01 1 23.00 23.00 486441021 Zone 01 1 23.00 23.00 486441022 Zone 01 1 23.00 23.00 486441024 Zone 01 1 23.00 23.00 486442001 Zone 01 1 23.00 23.00 486442002 Zone 01 1 23.00 23.00 486442003 Zone 01 1 23.00 23.00					
486441018 Zone 01 1 23.00 23.00 486441019 Zone 01 1 23.00 23.00 486441020 Zone 01 1 23.00 23.00 486441021 Zone 01 1 23.00 23.00 486441022 Zone 01 1 23.00 23.00 486441024 Zone 01 1 23.00 23.00 486442001 Zone 01 1 23.00 23.00 486442002 Zone 01 1 23.00 23.00 486442003 Zone 01 1 23.00 23.00					
486441019 Zone 01 1 23.00 23.00 486441020 Zone 01 1 23.00 23.00 486441021 Zone 01 1 23.00 23.00 486441022 Zone 01 1 23.00 23.00 486441024 Zone 01 1 23.00 23.00 486442001 Zone 01 1 23.00 23.00 486442002 Zone 01 1 23.00 23.00 486442003 Zone 01 1 23.00 23.00					
486441020 Zone 01 1 23.00 23.00 486441021 Zone 01 1 23.00 23.00 486441022 Zone 01 1 23.00 23.00 486441024 Zone 01 1 23.00 23.00 486442001 Zone 01 1 23.00 23.00 486442002 Zone 01 1 23.00 23.00 486442003 Zone 01 1 23.00 23.00					
486441021 Zone 01 1 23.00 23.00 486441022 Zone 01 1 23.00 23.00 486441024 Zone 01 1 23.00 23.00 486442001 Zone 01 1 23.00 23.00 486442002 Zone 01 1 23.00 23.00 486442003 Zone 01 1 23.00 23.00			•		
486441022 Zone 01 1 23.00 23.00 486441024 Zone 01 1 23.00 23.00 486442001 Zone 01 1 23.00 23.00 486442002 Zone 01 1 23.00 23.00 486442003 Zone 01 1 23.00 23.00					
486441024 Zone 01 1 23.00 23.00 486442001 Zone 01 1 23.00 23.00 486442002 Zone 01 1 23.00 23.00 486442003 Zone 01 1 23.00 23.00 23.00 23.00 23.00 23.00					
486442001 Zone 01 1 23.00 23.00 486442002 Zone 01 1 23.00 23.00 486442003 Zone 01 1 23.00 23.00					
486442002 Zone 01 1 23.00 23.00 486442003 Zone 01 1 23.00 23.00					
486442003 Zone 01 1 23.00 23.00					
100/1000/ 70/					
486442004 Zone 01 1 23.00 23.00	486442004	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned E	BU's FY 17-18	Max Assessment	FY 17-18 Assessment
486442005	Zone 01	1	23.00	23.00
486442006	Zone 01	1	23.00	23.00
486442007	Zone 01	1	23.00	23.00
486442008	Zone 01	1	23.00	23.00
486442009	Zone 01	1	23.00	23.00
486442010	Zone 01	1	23.00	23.00
486442011	Zone 01	1	23.00	23.00
486442012	Zone 01	1	23.00	23.00
486442013	Zone 01	1	23.00	23.00
486442014	Zone 01	1	23.00	23.00
486442015	Zone 01	1	23.00	23.00
486442016	Zone 01	1	23.00	23.00
486442017	Zone 01	1	23.00	23.00
486442018	Zone 01	1	23.00	23.00
486442019	Zone 01	1	23.00	23.00
486442020	Zone 01	1	23.00	23.00
486442021	Zone 01	1	23.00	23.00
486442022	Zone 01	1	23.00	23.00
486442023	Zone 01	1	23.00	23.00
486442024	Zone 01	1	23.00	23.00
486442025	Zone 01	1	23.00	23.00
486442026	Zone 01	1	23.00	23.00
486442027	Zone 01	1	23.00	23.00
486442028	Zone 01	1	23.00	23.00
486442029	Zone 01	1	23.00	23.00
486442030	Zone 01	1	23.00	23.00
486442031	Zone 01	1	23.00	23.00
486442032	Zone 01	1	23.00	23.00
486442033	Zone 01	1	23.00	23.00
486442034	Zone 01	1	23.00	23.00
486442035	Zone 01	1	23.00	23.00
486442036	Zone 01	1	23.00	23.00
486442037	Zone 01	1	23.00	23.00
486442038	Zone 01	1	23.00	23.00
486442039	Zone 01	1	23.00	23.00
486442040	Zone 01	1	23.00	23.00
486442041	Zone 01	1	23.00	23.00
486442042	Zone 01	1	23.00	23.00
486443001	Zone 01	1	23.00	23.00
486443002	Zone 01	1	23.00	23.00
486443003	Zone 01	1	23.00	23.00
486443004	Zone 01	1	23.00	23.00
486443005	Zone 01	1	23.00	23.00
486443006	Zone 01	1	23.00	23.00
486443007	Zone 01	1	23.00	23.00
486443008	Zone 01	1	23.00	23.00
486443009	Zone 01	1	23.00	23.00
486443010	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-18	Max Assessment	FY 17-18 Assessment
486443011	Zone 01	1	23.00	23.00
486443012	Zone 01	1	23.00	23.00
486443013	Zone 01	1	23.00	23.00
486443014	Zone 01	1	23.00	23.00
486443015	Zone 01	1	23.00	23.00
486451001	Zone 01	1	23.00	23.00
486451002	Zone 01	1	23.00	23.00
486451003	Zone 01	1	23.00	23.00
486451004	Zone 01	1	23.00	23.00
486451005	Zone 01	1	23.00	23.00
486451006	Zone 01	1	23.00	23.00
486451007	Zone 01	1	23.00	23.00
486451008	Zone 01	1	23.00	23.00
486451009	Zone 01	1	23.00	23.00
486451010	Zone 01	1	23.00	23.00
486451011	Zone 01	1	23.00	23.00
486451012	Zone 01	1	23.00	23.00
486451013	Zone 01	1	23.00	23.00
486451014	Zone 01	1	23.00	23.00
486451015	Zone 01	1	23.00	23.00
486451016	Zone 01	1	23.00	23.00
486451017	Zone 01	1	23.00	23.00
486451018	Zone 01	1	23.00	23.00
486451019	Zone 01	1	23.00	23.00
486451020	Zone 01	1	23.00	23.00
486451021	Zone 01	1	23.00	23.00
486451022	Zone 01	1	23.00	23.00
486451023	Zone 01	1	23.00	23.00
486451024	Zone 01	1	23.00	23.00
486452001	Zone 01	1	23.00	23.00
486452002	Zone 01	1	23.00	23.00
486452003	Zone 01	1	23.00	23.00
486452004	Zone 01	1	23.00	23.00
486452005	Zone 01	1	23.00	23.00
486452006	Zone 01	1	23.00	23.00
486452007	Zone 01	1	23.00	23.00
486452008	Zone 01	1	23.00	23.00
486452011	Zone 01	1	23.00	23.00
486452012	Zone 01	1	23.00	23.00
486452013	Zone 01	1	23.00	23.00
486452014	Zone 01	1	23.00	23.00
486452015	Zone 01	1	23.00	23.00
486452016	Zone 01	1	23.00	23.00
486452017	Zone 01	1	23.00	23.00
486452018	Zone 01	1	23.00	23.00
486452019	Zone 01	1	23.00	23.00
486452020	Zone 01	1	23.00	23.00
486452021	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigne	d EBU's FY 17-18 N	Max Assessment	FY 17-18 Assessment
486452022	Zone 01	1	23.00	23.00
486452023	Zone 01	1	23.00	23.00
486452024	Zone 01	1	23.00	23.00
486452025	Zone 01	1	23.00	23.00
486452026	Zone 01	1	23.00	23.00
486452029	Zone 01	1	23.00	23.00
486452030	Zone 01	1	23.00	23.00
486453001	Zone 01	1	23.00	23.00
486453002	Zone 01	1	23.00	23.00
486453003	Zone 01	1	23.00	23.00
486453004	Zone 01	1	23.00	23.00
486453005	Zone 01	1	23.00	23.00
486453006	Zone 01	1	23.00	23.00
486453007	Zone 01	1	23.00	23.00
486453008	Zone 01	1	23.00	23.00
486453009	Zone 01	1	23.00	23.00
486453010	Zone 01	1	23.00	23.00
486453011	Zone 01	1	23.00	23.00
486453012	Zone 01	1	23.00	23.00
486453013	Zone 01	1	23.00	23.00
486454001	Zone 01	1	23.00	23.00
486454002	Zone 01	1	23.00	23.00
486454003	Zone 01	1	23.00	23.00
486454004	Zone 01	1	23.00	23.00
486454005	Zone 01	1	23.00	23.00
486454006	Zone 01	1	23.00	23.00
486454007	Zone 01	1	23.00	23.00
486455001	Zone 01	1	23.00	23.00
486455002	Zone 01	1	23.00	23.00
486455003	Zone 01	1	23.00	23.00
486455004	Zone 01	1	23.00	23.00
486455005	Zone 01	1	23.00	23.00
486455006	Zone 01	1	23.00	23.00
486455007	Zone 01	1	23.00	23.00
486455008	Zone 01	1	23.00	23.00
486455009	Zone 01	1	23.00	23.00
486455010	Zone 01	1	23.00	23.00
486455011	Zone 01	1	23.00	23.00
486455012	Zone 01	1	23.00	23.00
486455013	Zone 01	1	23.00	23.00
486461001	Zone 01	1	23.00	23.00
486461002	Zone 01	1	23.00	23.00
486461003	Zone 01	1	23.00	23.00
486461004	Zone 01	1	23.00	23.00
486461005	Zone 01	1	23.00	23.00
486461006	Zone 01	1	23.00	23.00
486461007	Zone 01	1	23.00	23.00
486461008	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD As	signed EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
486461009	Zone 01	•	1 23.00	23.00
486461010	Zone 01	•	1 23.00	23.00
486461011	Zone 01	•	1 23.00	23.00
486461012	Zone 01	•	1 23.00	23.00
486461013	Zone 01	•	1 23.00	23.00
486461014	Zone 01		1 23.00	23.00
486461015	Zone 01		1 23.00	23.00
486461016	Zone 01		1 23.00	23.00
486461017	Zone 01		1 23.00	23.00
486461018	Zone 01		1 23.00	23.00
486461019	Zone 01		1 23.00	23.00
486461020	Zone 01		1 23.00	23.00
486461021	Zone 01		1 23.00	23.00
486461022	Zone 01		1 23.00	23.00
486461023	Zone 01		1 23.00	23.00
486461024	Zone 01		1 23.00	23.00
486461025	Zone 01		1 23.00	23.00
486461026	Zone 01		1 23.00	23.00
486461027	Zone 01		1 23.00	23.00
486461028	Zone 01		1 23.00	23.00
486461029	Zone 01		1 23.00	23.00
486462001	Zone 01		1 23.00	23.00
486462002	Zone 01		1 23.00	23.00
486462003	Zone 01		1 23.00	23.00
486462004	Zone 01		1 23.00	23.00
486462005	Zone 01		1 23.00	23.00
486462006	Zone 01		1 23.00	23.00
486462007	Zone 01		1 23.00	23.00
486462008	Zone 01		1 23.00	23.00
486462009	Zone 01		1 23.00	23.00
486462010	Zone 01		1 23.00	23.00
486462011	Zone 01		1 23.00	23.00
486462012	Zone 01		1 23.00	23.00
486462013	Zone 01		1 23.00	23.00
486462014	Zone 01		1 23.00	23.00
486462015	Zone 01		1 23.00	23.00
486462016	Zone 01		1 23.00	23.00
486462017	Zone 01		1 23.00	23.00
486462018	Zone 01		1 23.00	23.00
486462019	Zone 01		1 23.00	23.00
486462020	Zone 01		1 23.00	23.00
486462021	Zone 01		1 23.00	23.00
486462022	Zone 01		1 23.00	23.00
486462023	Zone 01		1 23.00	23.00
486462024	Zone 01		1 23.00	23.00
486463001	Zone 01		1 23.00	23.00
486463002	Zone 01		1 23.00	23.00
486463003	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned E	BU's FY 17-18	Max Assessment	FY 17-18 Assessment
486463004	Zone 01	1	23.00	23.00
486463005	Zone 01	1	23.00	23.00
486463006	Zone 01	1	23.00	23.00
486463007	Zone 01	1	23.00	23.00
486463008	Zone 01	1	23.00	23.00
486463009	Zone 01	1	23.00	23.00
486463010	Zone 01	1	23.00	23.00
486463011	Zone 01	1	23.00	23.00
486463012	Zone 01	1	23.00	23.00
486463013	Zone 01	1	23.00	23.00
486463014	Zone 01	1	23.00	23.00
486463015	Zone 01	1	23.00	23.00
486463016	Zone 01	1	23.00	23.00
486463017	Zone 01	1	23.00	23.00
486464001	Zone 01	1	23.00	23.00
486464002	Zone 01	1	23.00	23.00
486464003	Zone 01	1	23.00	23.00
486464004	Zone 01	1	23.00	23.00
486464005	Zone 01	1	23.00	23.00
486464006	Zone 01	1	23.00	23.00
486464007	Zone 01	1	23.00	23.00
486464008	Zone 01	1	23.00	23.00
486464009	Zone 01	1	23.00	23.00
486464010	Zone 01	1	23.00	23.00
486464011	Zone 01	1	23.00	23.00
486464012	Zone 01	1	23.00	23.00
486464013	Zone 01	1	23.00	23.00
486464014	Zone 01	1	23.00	23.00
486464015	Zone 01	1	23.00	23.00
486464016	Zone 01	1	23.00	23.00
486464017	Zone 01	1	23.00	23.00
486490001	Zone 01	1	23.00	23.00
486490002	Zone 01	1	23.00	23.00
486490003	Zone 01	1	23.00	23.00
486490004	Zone 01	1	23.00	23.00
486490005	Zone 01	1	23.00	23.00
486490006	Zone 01	1	23.00	23.00
486490007	Zone 01	1	23.00	23.00
486490008	Zone 01	1	23.00	23.00
486490009	Zone 01	1	23.00	23.00
486490010	Zone 01	1	23.00	23.00
486490011	Zone 01	1	23.00	23.00
486490012	Zone 01	1	23.00	23.00
486490013	Zone 01	1	23.00	23.00
486490014	Zone 01	1	23.00	23.00
486490015	Zone 01	1	23.00	23.00
486490016	Zone 01	1	23.00	23.00
486490017	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-1	8 Max Assessment	FY 17-18 Assessment
486490018	Zone 01	1	23.00	23.00
486490019	Zone 01	1	23.00	23.00
486490020	Zone 01	1	23.00	23.00
486490021	Zone 01	1	23.00	23.00
486490022	Zone 01	1	23.00	23.00
486490023	Zone 01	1	23.00	23.00
486490024	Zone 01	1	23.00	23.00
486490025	Zone 01	1	23.00	23.00
486490026	Zone 01	1	23.00	23.00
486490027	Zone 01	1	23.00	23.00
486490028	Zone 01	1	23.00	23.00
486490029	Zone 01	1	23.00	23.00
486490030	Zone 01	1	23.00	23.00
486490031	Zone 01	1	23.00	23.00
486490032	Zone 01	1	23.00	23.00
486491001	Zone 01	1	23.00	23.00
486491002	Zone 01	1	23.00	23.00
486491003	Zone 01	1	23.00	23.00
486491004	Zone 01	1	23.00	23.00
486491005	Zone 01	1	23.00	23.00
486491006	Zone 01	1	23.00	23.00
486491007	Zone 01	1	23.00	23.00
486491008	Zone 01	1	23.00	23.00
486492001	Zone 01	1	23.00	23.00
486492002	Zone 01	1	23.00	23.00
486492003	Zone 01	1	23.00	23.00
486492004	Zone 01	1	23.00	23.00
486492005	Zone 01	1	23.00	23.00
486492006	Zone 01	1	23.00	23.00
486492007	Zone 01	1	23.00	23.00
486492008	Zone 01	1	23.00	23.00
486492009	Zone 01	1	23.00	23.00
486492010	Zone 01	1	23.00	23.00
486492011	Zone 01	1	23.00	23.00
486492012	Zone 01	1	23.00	23.00
486492013	Zone 01	1	23.00	23.00
486492014	Zone 01	1	23.00	23.00
486511001	Zone 01	1	23.00	23.00
486511002	Zone 01	1	23.00	23.00
486511003	Zone 01	1	23.00	23.00
486511004	Zone 01	1	23.00	23.00
486511005	Zone 01	1	23.00	23.00
486511006	Zone 01	1	23.00	23.00
486511007	Zone 01	1	23.00	23.00
486511008	Zone 01	1	23.00	23.00
486511009	Zone 01	1	23.00	23.00
486511010	Zone 01	1	23.00	23.00
486511011	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned E	BU's FY 17-18	Max Assessment	FY 17-18 Assessment
486511012	Zone 01	1	23.00	23.00
486511013	Zone 01	1	23.00	23.00
486512002	Zone 01	1	23.00	23.00
486512003	Zone 01	1	23.00	23.00
486512004	Zone 01	1	23.00	23.00
486512005	Zone 01	1	23.00	23.00
486512006	Zone 01	1	23.00	23.00
486512007	Zone 01	1	23.00	23.00
486512008	Zone 01	1	23.00	23.00
486512009	Zone 01	1	23.00	23.00
486512010	Zone 01	1	23.00	23.00
486512011	Zone 01	1	23.00	23.00
486512012	Zone 01	1	23.00	23.00
486492015	Zone 01	1	23.00	23.00
486492016	Zone 01	1	23.00	23.00
486492017	Zone 01	1	23.00	23.00
486492018	Zone 01	1	23.00	23.00
486492019	Zone 01	1	23.00	23.00
486492020	Zone 01	1	23.00	23.00
486492021	Zone 01	1	23.00	23.00
486492022	Zone 01	1	23.00	23.00
486492023	Zone 01	1	23.00	23.00
486492024	Zone 01	1	23.00	23.00
486492025	Zone 01	1	23.00	23.00
486492026	Zone 01	1	23.00	23.00
486492027	Zone 01	1	23.00	23.00
486492028	Zone 01	1	23.00	23.00
486492029	Zone 01	1	23.00	23.00
486492030	Zone 01	1	23.00	23.00
486492031	Zone 01	1	23.00	23.00
486493001	Zone 01	1	23.00	23.00
486493002	Zone 01	1	23.00	23.00
486493003	Zone 01	1	23.00	23.00
486493004	Zone 01	1	23.00	23.00
486493005	Zone 01	1	23.00	23.00
486500001	Zone 01	1	23.00	23.00
486500002	Zone 01	1	23.00	23.00
486500003	Zone 01	1	23.00	23.00
486500004	Zone 01	1	23.00	23.00
486500005	Zone 01	1	23.00	23.00
486500006	Zone 01	1	23.00	23.00
486500007	Zone 01	1	23.00	23.00
486500008	Zone 01	1	23.00	23.00
486501001	Zone 01	1	23.00	23.00
486501002	Zone 01	1	23.00	23.00
486501003	Zone 01	1	23.00	23.00
486501004	Zone 01	1	23.00	23.00
486501005	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
486501006	Zone 01		1 23.00	23.00
486502001	Zone 01		1 23.00	23.00
486502002	Zone 01		1 23.00	23.00
486502003	Zone 01		1 23.00	23.00
486503001	Zone 01		1 23.00	23.00
486503002	Zone 01		1 23.00	23.00
486503003	Zone 01		1 23.00	23.00
486503004	Zone 01		1 23.00	23.00
486503005	Zone 01		1 23.00	23.00
486503006	Zone 01		1 23.00	23.00
486503007	Zone 01		1 23.00	23.00
486503008	Zone 01		1 23.00	23.00
486503009	Zone 01		1 23.00	23.00
486503010	Zone 01		1 23.00	23.00
486503011	Zone 01		1 23.00	23.00
486503012	Zone 01		1 23.00	23.00
486503013	Zone 01		1 23.00	23.00
486503014	Zone 01		1 23.00	23.00
486503015	Zone 01		1 23.00	23.00
486503016	Zone 01		1 23.00	23.00
486503017	Zone 01		1 23.00	23.00
486503018	Zone 01		1 23.00	23.00
486503019	Zone 01		1 23.00	23.00
486503020	Zone 01		1 23.00	23.00
486503021	Zone 01		1 23.00	23.00
486503022	Zone 01		1 23.00	23.00
486503023	Zone 01		1 23.00	23.00
486503024	Zone 01		1 23.00	23.00
486503025	Zone 01		1 23.00	23.00
486503026	Zone 01		1 23.00	23.00
486504001	Zone 01		1 23.00	23.00
486504002	Zone 01		1 23.00	23.00
486504003	Zone 01		1 23.00	23.00
486504004	Zone 01		1 23.00	23.00
486504005	Zone 01		1 23.00	23.00
486504006	Zone 01		1 23.00	23.00
486504007	Zone 01		1 23.00	23.00
486504008	Zone 01		1 23.00	23.00
486504009	Zone 01		1 23.00	23.00
486504010	Zone 01		1 23.00	23.00
486504011	Zone 01		1 23.00	23.00
486504012	Zone 01		1 23.00	23.00
486504013	Zone 01		1 23.00	23.00
486504014	Zone 01		1 23.00	23.00
486504015	Zone 01		1 23.00	23.00
486504016	Zone 01		1 23.00	23.00
486504017	Zone 01		1 23.00	23.00
486504018	Zone 01		1 23.00	23.00
-10000 1 010	20110-01		25.00	25.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
486504019	Zone 01		1 23.00	23.00
486505001	Zone 01		1 23.00	23.00
486505002	Zone 01		1 23.00	23.00
486505003	Zone 01		1 23.00	23.00
486505004	Zone 01		1 23.00	23.00
486505005	Zone 01		1 23.00	23.00
486505006	Zone 01		1 23.00	23.00
486505007	Zone 01		1 23.00	23.00
486505008	Zone 01		1 23.00	23.00
486505009	Zone 01		1 23.00	23.00
486505010	Zone 01		1 23.00	23.00
486505011	Zone 01		1 23.00	23.00
486505012	Zone 01		1 23.00	23.00
486505013	Zone 01		1 23.00	23.00
486510001	Zone 01		1 23.00	23.00
486510002	Zone 01		1 23.00	23.00
486510003	Zone 01		1 23.00	23.00
486510004	Zone 01		1 23.00	23.00
486510005	Zone 01		1 23.00	23.00
486510006	Zone 01		1 23.00	23.00
486510007	Zone 01		1 23.00	23.00
486510008	Zone 01		1 23.00	23.00
486510009	Zone 01		1 23.00	23.00
486510010	Zone 01		1 23.00	23.00
486510011	Zone 01		1 23.00	23.00
486510012	Zone 01		1 23.00	23.00
486510013	Zone 01		1 23.00	23.00
486510013	Zone 01		1 23.00	
			1 23.00	23.00
486510015	Zone 01			23.00
486510016	Zone 01		1 23.00	23.00
486510017	Zone 01		1 23.00	23.00
486510018	Zone 01		1 23.00	23.00
486510019	Zone 01		1 23.00	23.00
486510020	Zone 01		1 23.00	23.00
486510021	Zone 01		1 23.00	23.00
486510022	Zone 01		1 23.00	23.00
486512001	Zone 01		1 23.00	23.00
486512013	Zone 01	•	1 23.00	23.00
486512014	Zone 01		1 23.00	23.00
486512015	Zone 01	·	1 23.00	23.00
486512016	Zone 01		1 23.00	23.00
486512017	Zone 01		1 23.00	23.00
486512018	Zone 01		1 23.00	23.00
486513001	Zone 01		1 23.00	23.00
486513002	Zone 01		1 23.00	23.00
486513003	Zone 01		1 23.00	23.00
486513004	Zone 01		1 23.00	23.00
486513005	Zone 01		1 23.00	23.00

APN	LMD 2014-01 Zone LMD Assigned	EBU's FY 17-18	8 Max Assessment	FY 17-18 Assessment
486513006	Zone 01	1	23.00	23.00
486513007	Zone 01	1	23.00	23.00
486513008	Zone 01	1	23.00	23.00
486513009	Zone 01	1	23.00	23.00
486520001	Zone 01	1	23.00	23.00
486520002	Zone 01	1	23.00	23.00
486520003	Zone 01	1	23.00	23.00
486520004	Zone 01	1	23.00	23.00
486520005	Zone 01	1	23.00	23.00
486520006	Zone 01	1	23.00	23.00
486520007	Zone 01	1	23.00	23.00
486520008	Zone 01	1	23.00	23.00
486521001	Zone 01	1	23.00	23.00
486521002	Zone 01	1	23.00	23.00
486521003	Zone 01	1	23.00	23.00
486521004	Zone 01	1	23.00	23.00
486521005	Zone 01	1	23.00	23.00
486522001	Zone 01	1	23.00	23.00
486522002	Zone 01	1	23.00	23.00
486522003	Zone 01	1	23.00	23.00
486522004	Zone 01	1	23.00	23.00
486522005	Zone 01	1	23.00	23.00
486522006	Zone 01	1	23.00	23.00
486522007	Zone 01	1	23.00	23.00
486522008	Zone 01	1	23.00	23.00
486522009	Zone 01	1	23.00	23.00
486522010	Zone 01	1	23.00	23.00
486522011	Zone 01	1	23.00	23.00
486523001	Zone 01	1	23.00	23.00
486523002	Zone 01	1	23.00	23.00
486523003	Zone 01	1	23.00	23.00
486523004	Zone 01	1	23.00	23.00
486523005	Zone 01	1	23.00	23.00
486523006	Zone 01	1	23.00	23.00
486523007	Zone 01	1	23.00	23.00
486523008	Zone 01	1	23.00	23.00
486523009	Zone 01	1	23.00	23.00
486523010	Zone 01	1	23.00	23.00
486523011	Zone 01	1	23.00	23.00
486523012	Zone 01	1	23.00	23.00
486523013	Zone 01	1	23.00	23.00
486523014	Zone 01	1	23.00	23.00
486523015	Zone 01	1	23.00	23.00
486523016	Zone 01	1	23.00	23.00
486523017	Zone 01	1	23.00	23.00
486523018	Zone 01	1	23.00	23.00
486523019	Zone 01	1	23.00	23.00
486523020	Zone 01	1	23.00	23.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
486523021	Zone 01		1 23.00	23.00
486523022	Zone 01		1 23.00	23.00
486523023	Zone 01		1 23.00	23.00
486523024	Zone 01		1 23.00	23.00
486523025	Zone 01		1 23.00	23.00
485033031	Zone 01		1 23.00	23.00
484201039	Zone 01		1 23.00	23.00
484201040	Zone 01		1 23.00	23.00
484201041	Zone 01		1 23.00	23.00
484201042	Zone 01		1 23.00	23.00
484201043	Zone 01		1 23.00	23.00
484201044	Zone 01		1 23.00	23.00
484201045	Zone 01		1 23.00	23.00
484201046	Zone 01		1 23.00	23.00
484201047	Zone 01		1 23.00	23.00
484201048	Zone 01		1 23.00	23.00
484201049	Zone 01		1 23.00	23.00
484201050	Zone 01		1 23.00	23.00
484201051	Zone 01		1 23.00	23.00
484201052	Zone 01		1 23.00	23.00
484201053	Zone 01		1 23.00	23.00
484201054	Zone 01		1 23.00	23.00
488380012	Zone 01		1 23.00	23.00
487091011	Zone 01		1 23.00	23.00
487091012	Zone 01		1 23.00	23.00
487270003	Zone 01		1 23.00	23.00
481171050	Zone 01		1 23.00	23.00
308621001	Zone 01		1 23.00	23.00
474522013	Zone 01		1 23.00	23.00
487570001	Zone 02		1 27.28	27.28
487570002	Zone 02		1 27.28	27.28
487570003	Zone 02		1 27.28	27.28
487570004	Zone 02		1 27.28	27.28
487570005	Zone 02		1 27.28	27.28
487570006	Zone 02		1 27.28	27.28
487570007	Zone 02		1 27.28	27.28
487570008	Zone 02		1 27.28	27.28
487570009	Zone 02		1 27.28	27.28
487570010	Zone 02		1 27.28	27.28
487570011	Zone 02		1 27.28	27.28
487570011	Zone 02		1 27.28	27.28
488110055	Zone 02 Zone 02		1 27.28	27.28
488110056	Zone 02 Zone 02		1 27.28	27.28
488110057	Zone 02 Zone 02		1 27.28	27.28
488110058	Zone 02 Zone 02		1 27.28	27.28
	Zone 02 Zone 02		1 27.28	27.28
256462006	Zone 02 Zone 02		1 27.28	27.28
256462007 256462008	Zone 02 Zone 02		1 27.28	27.28
230402000	ZUNG UZ		21.20	21.20

APN LMD 2014-01 Zone LMD Assigned El 256462009 Zone 02		
	1 27.28 2	7.28
256462010 Zone 02		7.28
259491040 Zone 02		7.28
259491041 Zone 02		7.28
259491042 Zone 02		7.28
259491043 Zone 02		7.28
259491044 Zone 02		7.28
259491045 Zone 02		7.28
259491046 Zone 02		7.28
259492019 Zone 02		7.28
259492020 Zone 02		7.28
259492021 Zone 02		7.28
259510001 Zone 02		7.28
259510002 Zone 02		7.28
259510003 Zone 02		7.28
259510004 Zone 02		7.28
259510005 Zone 02		7.28
259510006 Zone 02		7.28
259510007 Zone 02		7.28
259510008 Zone 02		7.28
259510009 Zone 02		7.28
259510010 Zone 02		7.28
259510011 Zone 02		7.28
259510012 Zone 02		7.28
259510013 Zone 02		7.28
259510014 Zone 02		7.28
259510015 Zone 02		7.28
259510016 Zone 02		7.28
259510017 Zone 02		7.28
259510018 Zone 02		7.28
259510019 Zone 02		7.28
259510020 Zone 02		7.28
259510021 Zone 02	1 27.28 2	7.28
259510022 Zone 02	1 27.28 2	7.28
259510023 Zone 02		7.28
259510024 Zone 02		7.28
259520001 Zone 02		7.28
259520002 Zone 02		7.28
259520003 Zone 02	1 27.28 2	7.28
259520004 Zone 02	1 27.28 2	7.28
259520005 Zone 02		7.28
259520006 Zone 02		7.28
259520007 Zone 02	1 27.28 2	7.28
259520008 Zone 02		7.28
259520009 Zone 02		7.28
259520010 Zone 02		7.28
259520011 Zone 02		7.28
259520012 Zone 02	1 27.28 2	7.28

APN LMD 2014-01 Zone LMD Assigned EBU's FY 1 259520013 Zone 02 1	17-18 Max Assessment	
	27.28	FY 17-18 Assessment 27.28
259520014 Zone 02 1	27.28	27.28
259520015 Zone 02 1	27.28	27.28
259520016 Zone 02 1	27.28	27.28
259520017 Zone 02 1	27.28	27.28
259520017 Zone 02 1	27.28	27.28
260510007 Zone 02 1	27.28	27.28
260510007 Zone 02 1	27.28	27.28
260510009 Zone 02 1	27.28	27.28
260510010 Zone 02 1	27.28	27.28
260510010 Zone 02 1	27.28	27.28
260510011 Zone 02 1	27.28	27.28
260510012 Zone 02 1 260510013 Zone 02 1	27.28	27.28
260510013 Zone 02 1 260510014 Zone 02 1	27.28	27.28
260510014 Zone 02 1	27.28	27.28
	27.28	
260510016 Zone 02 1		27.28
260510017 Zone 02 1	27.28	27.28
260510018 Zone 02 1	27.28	27.28
260510019 Zone 02 1	27.28	27.28
260510020 Zone 02 1	27.28	27.28
260510021 Zone 02 1	27.28	27.28
260510022 Zone 02 1	27.28	27.28
260510023 Zone 02 1	27.28	27.28
260510024 Zone 02 1	27.28	27.28
260510025 Zone 02 1	27.28	27.28
260510026 Zone 02 1	27.28	27.28
260510027 Zone 02 1	27.28	27.28
260510028 Zone 02 1	27.28	27.28
260510029 Zone 02 1	27.28	27.28
260510030 Zone 02 1	27.28	27.28
260510031 Zone 02 1	27.28	27.28
264440001 Zone 02 1	27.28	27.28
264440002 Zone 02 1	27.28	27.28
264440003 Zone 02 1	27.28	27.28
264440004 Zone 02 1	27.28	27.28
264440005 Zone 02 1	27.28	27.28
264440006 Zone 02 1	27.28	27.28
264440007 Zone 02 1	27.28	27.28
264440008 Zone 02 1	27.28	27.28
264440009 Zone 02 1	27.28	27.28
264440010 Zone 02 1	27.28	27.28
264440011 Zone 02 1	27.28	27.28
264440012 Zone 02 1	27.28	27.28
264440013 Zone 02 1	27.28	27.28
264440014 Zone 02 1	27.28	27.28
264440015 Zone 02 1	27.28	27.28
264440016 Zone 02 1	27.28	27.28
264440017 Zone 02 1	27.28	27.28

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
259520025	Zone 02		1 27.28	27.28
259520026	Zone 02		1 27.28	27.28
259520027	Zone 02		1 27.28	27.28
259520028	Zone 02		1 27.28	27.28
259520029	Zone 02		1 27.28	27.28
259521001	Zone 02		1 27.28	27.28
259521002	Zone 02		1 27.28	27.28
259521003	Zone 02		1 27.28	27.28
259521004	Zone 02		1 27.28	27.28
259521005	Zone 02		1 27.28	27.28
259521006	Zone 02		1 27.28	27.28
259521007	Zone 02		1 27.28	27.28
259521008	Zone 02		1 27.28	27.28
259521009	Zone 02		1 27.28	27.28
259521010	Zone 02		1 27.28	27.28
259521011	Zone 02		1 27.28	27.28
259521012	Zone 02		1 27.28	27.28
259521013	Zone 02		1 27.28	27.28
260470001	Zone 02		1 27.28	27.28
260470002	Zone 02		1 27.28	27.28
260470003	Zone 02		1 27.28	27.28
260470004	Zone 02		1 27.28	27.28
256451001	Zone 02		1 27.28	27.28
256451002	Zone 02		1 27.28	27.28
256451003	Zone 02		1 27.28	27.28
256451004	Zone 02		1 27.28	27.28
256451005	Zone 02		1 27.28	27.28
256451006	Zone 02		1 27.28	27.28
256451007	Zone 02		1 27.28	27.28
256451008	Zone 02		1 27.28	27.28
256451009	Zone 02		1 27.28	27.28
256451010	Zone 02		1 27.28	27.28
256451011	Zone 02		1 27.28	27.28
256451012	Zone 02		1 27.28	27.28
256451013	Zone 02		1 27.28	27.28
256451014	Zone 02		1 27.28	27.28
256451015	Zone 02		1 27.28	27.28
256451016	Zone 02		1 27.28	27.28
256451017	Zone 02		1 27.28	27.28
256451018	Zone 02		1 27.28	27.28
256451019	Zone 02		1 27.28	27.28
256451020	Zone 02		1 27.28	27.28
256451021	Zone 02		1 27.28	27.28
256451022	Zone 02		1 27.28	27.28
256451023	Zone 02		1 27.28	27.28
256451024	Zone 02		1 27.28	27.28
256452001	Zone 02		1 27.28	27.28
256452002	Zone 02		1 27.28	27.28
			2.120	27.20

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
256452003	Zone 02		1 27.28	27.28
256452004	Zone 02		1 27.28	27.28
256452005	Zone 02		1 27.28	27.28
256452006	Zone 02		1 27.28	27.28
256452007	Zone 02		1 27.28	27.28
256452008	Zone 02		1 27.28	27.28
256452009	Zone 02		1 27.28	27.28
256452010	Zone 02		1 27.28	27.28
256452011	Zone 02		1 27.28	27.28
256452012	Zone 02		1 27.28	27.28
256452013	Zone 02		1 27.28	27.28
256452014	Zone 02		1 27.28	27.28
256452015	Zone 02		1 27.28	27.28
256452016	Zone 02		1 27.28	27.28
256452017	Zone 02		1 27.28	27.28
256452018	Zone 02		1 27.28	27.28
256452019	Zone 02		1 27.28	27.28
256452020	Zone 02		1 27.28	27.28
256452021	Zone 02		1 27.28	27.28
256460001	Zone 02		1 27.28	27.28
256460002	Zone 02		1 27.28	27.28
256461001	Zone 02		1 27.28	27.28
256461002	Zone 02		1 27.28	27.28
256461003	Zone 02		1 27.28	27.28
256461004	Zone 02		1 27.28	27.28
256461005	Zone 02		1 27.28	27.28
256461006	Zone 02		1 27.28	27.28
256461007	Zone 02		1 27.28	27.28
256461008	Zone 02		1 27.28	27.28
256461009	Zone 02		1 27.28	27.28
256461010	Zone 02		1 27.28	27.28
256461011	Zone 02		1 27.28	27.28
256461012	Zone 02		1 27.28	27.28
256461013	Zone 02		1 27.28	27.28
256461014	Zone 02		1 27.28	27.28
256461015	Zone 02		1 27.28	27.28
256461016	Zone 02		1 27.28	27.28
256461017	Zone 02		1 27.28	27.28
256461018	Zone 02		1 27.28	27.28
256461019	Zone 02		1 27.28	27.28
256461020	Zone 02		1 27.28	27.28
256462001	Zone 02		1 27.28	27.28
256462002	Zone 02		1 27.28	27.28
256462003	Zone 02		1 27.28	27.28
256462004	Zone 02		1 27.28	27.28
256462005	Zone 02		1 27.28	27.28
259520019	Zone 02		1 27.28	27.28
259520020	Zone 02		1 27.28	27.28
200020020	20110 02		21.20	21.20

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
259520021	Zone 02		1 27.28	27.28
259520022	Zone 02		1 27.28	27.28
259520023	Zone 02		1 27.28	27.28
259520024	Zone 02		1 27.28	27.28
260470005	Zone 02		1 27.28	27.28
260470006	Zone 02		1 27.28	27.28
260470007	Zone 02		1 27.28	27.28
260470008	Zone 02		1 27.28	27.28
260470009	Zone 02		1 27.28	27.28
260470010	Zone 02		1 27.28	27.28
260470011	Zone 02		1 27.28	27.28
260470012	Zone 02		1 27.28	27.28
260470013	Zone 02		1 27.28	27.28
260470014	Zone 02		1 27.28	27.28
260470015	Zone 02		1 27.28	27.28
260470016	Zone 02		1 27.28	27.28
260470017	Zone 02		1 27.28	27.28
260470018	Zone 02		1 27.28	27.28
260470019	Zone 02		1 27.28	27.28
260470020	Zone 02		1 27.28	27.28
260471001	Zone 02		1 27.28	27.28
260471002	Zone 02		1 27.28	27.28
260471003	Zone 02		1 27.28	27.28
260471004	Zone 02		1 27.28	27.28
260471005	Zone 02		1 27.28	27.28
260471006	Zone 02		1 27.28	27.28
260471007	Zone 02		1 27.28	27.28
260471008	Zone 02		1 27.28	27.28
260471009	Zone 02		1 27.28	27.28
260471010	Zone 02		1 27.28	27.28
260471011	Zone 02		1 27.28	27.28
260471012	Zone 02		1 27.28	27.28
260471013	Zone 02		1 27.28	27.28
260471014	Zone 02		1 27.28	27.28
260471015	Zone 02		1 27.28	27.28
260471016	Zone 02		1 27.28	27.28
260471017	Zone 02		1 27.28	27.28
260471018	Zone 02		1 27.28	27.28
260471019	Zone 02		1 27.28	27.28
260471020	Zone 02		1 27.28	27.28
260471021	Zone 02		1 27.28	27.28
260471021	Zone 02		1 27.28	27.28
260471023	Zone 02		1 27.28	27.28
260471023	Zone 02		1 27.28	27.28
260472001	Zone 02		1 27.28	27.28
260472002	Zone 02		1 27.28	27.28
260472004	Zone 02		1 27.28	27.28
260472005	Zone 02		1 27.28	27.28
200472003	2016 02		21.20	21.20

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
260472006	Zone 02		1 27.28	27.28
260472007	Zone 02		1 27.28	27.28
260472008	Zone 02		1 27.28	27.28
260472009	Zone 02		1 27.28	27.28
260472010	Zone 02		1 27.28	27.28
260472011	Zone 02		1 27.28	27.28
260472012	Zone 02		1 27.28	27.28
260472013	Zone 02		1 27.28	27.28
260472014	Zone 02		1 27.28	27.28
260472015	Zone 02		1 27.28	27.28
260472016	Zone 02		1 27.28	27.28
260472017	Zone 02		1 27.28	27.28
260472018	Zone 02		1 27.28	27.28
260472019	Zone 02		1 27.28	27.28
260472020	Zone 02		1 27.28	27.28
260472021	Zone 02		1 27.28	27.28
260472022	Zone 02		1 27.28	27.28
260472023	Zone 02		1 27.28	27.28
260472024	Zone 02		1 27.28	27.28
260472025	Zone 02		1 27.28	27.28
260472026	Zone 02		1 27.28	27.28
256150037	Zone 02		1 27.28	27.28
256150038	Zone 02		1 27.28	27.28
256150039	Zone 02		1 27.28	27.28
256150040	Zone 02		1 27.28	27.28
259491030	Zone 02		1 27.28	27.28
259491031	Zone 02		1 27.28	27.28
259491032	Zone 02		1 27.28	27.28
259491033	Zone 02		1 27.28	27.28
259491034	Zone 02		1 27.28	27.28
259491035	Zone 02		1 27.28	27.28
259491036	Zone 02		1 27.28	27.28
259491037	Zone 02		1 27.28	27.28
259491038	Zone 02		1 27.28	27.28
259491039	Zone 02		1 27.28	27.28
256150029	Zone 02		1 27.28	27.28
256150030	Zone 02		1 27.28	27.28
256150033	Zone 02		1 27.28	27.28
259451001	Zone 02		1 27.28	27.28
259451002	Zone 02		1 27.28	27.28
259451003	Zone 02		1 27.28	27.28
259451004	Zone 02		1 27.28	27.28
259451005	Zone 02		1 27.28	27.28
259451006	Zone 02		1 27.28	27.28
259451007	Zone 02		1 27.28	27.28
259451008	Zone 02		1 27.28	27.28
259451009	Zone 02		1 27.28	27.28
259451010	Zone 02		1 27.28	27.28
200701010	ZOTIC UZ		21.20	21.20

APN	I MD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
259451011	Zone 02	LIND Assigned ED0 3	1 27.28	27.28
259451012	Zone 02		1 27.28	27.28
259451013	Zone 02		1 27.28	27.28
259451014	Zone 02		1 27.28	27.28
259451015	Zone 02		1 27.28	27.28
259451016	Zone 02		1 27.28	27.28
259451017	Zone 02		1 27.28	27.28
259451018	Zone 02		1 27.28	27.28
259451019	Zone 02		1 27.28	27.28
259451020	Zone 02		1 27.28	27.28
259451021	Zone 02		1 27.28	27.28
259451021	Zone 02 Zone 02		1 27.28	27.28
259451023	Zone 02		1 27.28	27.28
259451024	Zone 02 Zone 02		1 27.28	27.28
259451025	Zone 02		1 27.28	27.28
259451026	Zone 02 Zone 02		1 27.28	27.28
259451027	Zone 02 Zone 02		1 27.28	27.28
259451027	Zone 02 Zone 02		1 27.28	27.28
259451029	Zone 02 Zone 02		1 27.28	27.28
259451030	Zone 02 Zone 02		1 27.28	27.28
259452001	Zone 02 Zone 02		1 27.28	27.28
259452001	Zone 02 Zone 02		1 27.28	27.28
259452002	Zone 02 Zone 02		1 27.28	27.28
259452003	Zone 02 Zone 02		1 27.28	27.28
259452004	Zone 02 Zone 02		1 27.28	27.28
259452005	Zone 02 Zone 02		1 27.28	27.28
259452007	Zone 02 Zone 02		1 27.28	27.28
259452007	Zone 02 Zone 02		1 27.28	27.28
259452009	Zone 02 Zone 02		1 27.28	27.28
259452009	Zone 02 Zone 02		1 27.28	27.28
259452010	Zone 02 Zone 02		1 27.28	27.28
259452019	Zone 02 Zone 02		1 27.28	27.28
259452019	Zone 02 Zone 02		1 27.28	27.28
259452014	Zone 02		1 27.28	27.28
259452015	Zone 02 Zone 02		1 27.28	27.28
259452016	Zone 02 Zone 02		1 27.28	27.28
259452017	Zone 02 Zone 02		1 27.28	27.28
259452017	Zone 02 Zone 02		1 27.28	27.28
308251014	Zone 02 Zone 02		1 27.28	27.28
308251014	Zone 02		1 27.28	27.28
308252001			1 27.28	
	Zone 02 Zone 02			27.28
308252003			1 27.28	27.28
308252004	Zone 02		1 27.28	27.28
308252005	Zone 02		1 27.28	27.28
308252006	Zone 02		1 27.28	27.28
308252007	Zone 02		1 27.28	27.28
308252008	Zone 02		1 27.28	27.28
308252009	Zone 02		1 27.28	27.28

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
308252010	Zone 02	EIIID Assigned EDO 3	1 27.28	27.28
308252011	Zone 02		1 27.28	27.28
308252012	Zone 02		1 27.28	27.28
308252013	Zone 02		1 27.28	27.28
308252014	Zone 02		1 27.28	27.28
308252015	Zone 02		1 27.28	27.28
308252016	Zone 02		1 27.28	27.28
308252017	Zone 02		1 27.28	27.28
308252018	Zone 02		1 27.28	27.28
308252019	Zone 02		1 27.28	27.28
308252020	Zone 02		1 27.28	27.28
308252020	Zone 02		1 27.28	27.28
308251001	Zone 02		1 27.28	27.28
308251002	Zone 02		1 27.28	27.28
308251003	Zone 02		1 27.28	27.28
308251004	Zone 02		1 27.28	27.28
308251005	Zone 02		1 27.28	27.28
308251007	Zone 02		1 27.28	27.28
308251007	Zone 02		1 27.28	27.28
308251009	Zone 02		1 27.28	27.28
308251009	Zone 02		1 27.28	27.28
308251010	Zone 02		1 27.28	27.28
308251011	Zone 02		1 27.28	27.28
308251012	Zone 02		1 27.28	27.28
308257073	Zone 02		1 27.28	27.28
308252021	Zone 02		1 27.28	27.28
308252022	Zone 02		1 27.28	27.28
308252023	Zone 02		1 27.28	27.28
308252025	Zone 02		1 27.28	27.28
308252025	Zone 02		1 27.28	27.28
308252027	Zone 02		1 27.28	27.28
308252027	Zone 02		1 27.28	27.28
308252029	Zone 02		1 27.28	27.28
308252029	Zone 02		1 27.28	27.28
308252031	Zone 02		1 27.28	27.28
308252032 308252033	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
308252034	Zone 02		1 27.28	27.28
308252035	Zone 02		1 27.28	27.28
308252036	Zone 02		1 27.28	27.28
308252037	Zone 02		1 27.28	27.28
308252038	Zone 02		1 27.28	27.28
308252039	Zone 02		1 27.28	27.28
308252040	Zone 02		1 27.28	27.28
308252041	Zone 02		1 27.28	27.28
308252042	Zone 02		1 27.28	27.28
308252043	Zone 02		1 27.28	27.28
308261001	Zone 02		1 27.28	27.28

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
308261002	Zone 02		1 27.28	27.28
308261003	Zone 02		1 27.28	27.28
308261004	Zone 02		1 27.28	27.28
308261005	Zone 02		1 27.28	27.28
308261006	Zone 02		1 27.28	27.28
308261007	Zone 02		1 27.28	27.28
308261008	Zone 02		1 27.28	27.28
308261009	Zone 02		1 27.28	27.28
308261010	Zone 02		1 27.28	27.28
308261011	Zone 02		1 27.28	27.28
308261012	Zone 02		1 27.28	27.28
308261013	Zone 02		1 27.28	27.28
308261014	Zone 02		1 27.28	27.28
308261015	Zone 02		1 27.28	27.28
308261016	Zone 02		1 27.28	27.28
308261017	Zone 02		1 27.28	27.28
308261018	Zone 02		1 27.28	27.28
308261019	Zone 02		1 27.28	27.28
308261020	Zone 02		1 27.28	27.28
308261021	Zone 02		1 27.28	27.28
308261022	Zone 02		1 27.28	27.28
308261023	Zone 02		1 27.28	27.28
308261024	Zone 02		1 27.28	27.28
308261025	Zone 02		1 27.28	27.28
308261026	Zone 02		1 27.28	27.28
308262001	Zone 02		1 27.28	27.28
308262002	Zone 02		1 27.28	27.28
308262003	Zone 02		1 27.28	27.28
308262004	Zone 02		1 27.28	27.28
308262005	Zone 02		1 27.28	27.28
308262006	Zone 02		1 27.28	27.28
308262007	Zone 02		1 27.28	27.28
308262008	Zone 02		1 27.28	27.28
308262009	Zone 02		1 27.28	27.28
308262010	Zone 02		1 27.28	27.28
308262011	Zone 02		1 27.28	27.28
308262012	Zone 02		1 27.28	27.28
308262013	Zone 02		1 27.28	27.28
308262014	Zone 02		1 27.28	27.28
308262015	Zone 02		1 27.28	27.28
308262016	Zone 02		1 27.28	27.28
308262017	Zone 02		1 27.28	27.28
308262018	Zone 02		1 27.28	27.28
308262019	Zone 02		1 27.28	27.28
308262020	Zone 02		1 27.28	27.28
308262021	Zone 02		1 27.28	27.28
308271001	Zone 02		1 27.28	27.28
308271002	Zone 02		1 27.28	27.28
			2.120	2.120

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
308271003	Zone 02		1 27.28	27.28
308271004	Zone 02		1 27.28	27.28
308271005	Zone 02		1 27.28	27.28
308271006	Zone 02		1 27.28	27.28
308271007	Zone 02		1 27.28	27.28
308271008	Zone 02		1 27.28	27.28
308271009	Zone 02		1 27.28	27.28
308271010	Zone 02		1 27.28	27.28
308271011	Zone 02		1 27.28	27.28
308271012	Zone 02		1 27.28	27.28
308271013	Zone 02		1 27.28	27.28
308271014	Zone 02		1 27.28	27.28
308271015	Zone 02		1 27.28	27.28
308271016	Zone 02		1 27.28	27.28
308271017	Zone 02		1 27.28	27.28
308272009	Zone 02		1 27.28	27.28
308272010	Zone 02		1 27.28	27.28
308272011	Zone 02		1 27.28	27.28
308272012	Zone 02		1 27.28	27.28
308272013	Zone 02		1 27.28	27.28
308272014	Zone 02		1 27.28	27.28
308272015	Zone 02		1 27.28	27.28
308272016	Zone 02		1 27.28	27.28
308272017	Zone 02		1 27.28	27.28
308272018	Zone 02		1 27.28	27.28
308272019	Zone 02		1 27.28	27.28
308272022	Zone 02		1 27.28	27.28
308272023	Zone 02		1 27.28	27.28
308272024	Zone 02		1 27.28	27.28
308272025	Zone 02		1 27.28	27.28
308272026	Zone 02		1 27.28	27.28
308272027	Zone 02		1 27.28	27.28
308272028	Zone 02		1 27.28	27.28
308272029	Zone 02		1 27.28	27.28
308272030	Zone 02		1 27.28	27.28
308272031	Zone 02		1 27.28	27.28
308272032	Zone 02		1 27.28	27.28
308272033	Zone 02		1 27.28	27.28
308272034	Zone 02		1 27.28	27.28
308272035	Zone 02		1 27.28	27.28
308272036	Zone 02		1 27.28	27.28
308272037	Zone 02		1 27.28	27.28
308272038	Zone 02		1 27.28	27.28
308272039	Zone 02		1 27.28	27.28
308272040	Zone 02		1 27.28	27.28
308272041	Zone 02		1 27.28	27.28
308272042	Zone 02		1 27.28	27.28
308272043	Zone 02		1 27.28	27.28

APN	I MD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
308272044	Zone 02		1 27.28	27.28
308272045	Zone 02		1 27.28	27.28
308272046	Zone 02		1 27.28	27.28
308272047	Zone 02		1 27.28	27.28
308272048	Zone 02		1 27.28	27.28
308272049	Zone 02		1 27.28	27.28
308272050	Zone 02		1 27.28	27.28
308272051	Zone 02		1 27.28	27.28
308272052	Zone 02		1 27.28	27.28
308272053	Zone 02		1 27.28	27.28
308272054	Zone 02		1 27.28	27.28
308272055	Zone 02		1 27.28	27.28
308273001	Zone 02		1 27.28	27.28
308273001	Zone 02		1 27.28	27.28
308273002	Zone 02		1 27.28	27.28
308273004	Zone 02 Zone 02		1 27.28	27.28
308273004	Zone 02 Zone 02		1 27.28	27.28
308273006	Zone 02 Zone 02		1 27.28	27.28
308273007	Zone 02 Zone 02		1 27.28	27.28
308273007	Zone 02 Zone 02		1 27.28	27.28
308273009	Zone 02 Zone 02		1 27.28	27.28
308273010	Zone 02		1 27.28 1 27.28	27.28
308273011	Zone 02			27.28
308273012	Zone 02		1 27.28	27.28
308273013	Zone 02		1 27.28	27.28
308273014	Zone 02		1 27.28	27.28
308273015	Zone 02		1 27.28	27.28
308273016	Zone 02		1 27.28	27.28
308273017	Zone 02		1 27.28	27.28
308273018	Zone 02		1 27.28	27.28
308274001	Zone 02		1 27.28	27.28
308274002	Zone 02		1 27.28	27.28
308274003	Zone 02		1 27.28	27.28
308274004	Zone 02		1 27.28	27.28
308274005	Zone 02		1 27.28	27.28
308274006	Zone 02		1 27.28	27.28
308274007	Zone 02		1 27.28	27.28
308274008	Zone 02		1 27.28	27.28
308281001	Zone 02		1 27.28	27.28
308281002	Zone 02		1 27.28	27.28
308281003	Zone 02		1 27.28	27.28
308281004	Zone 02		1 27.28	27.28
308281005	Zone 02		1 27.28	27.28
308281006	Zone 02		1 27.28	27.28
308281007	Zone 02		1 27.28	27.28
308281008	Zone 02		1 27.28	27.28
308281009	Zone 02		1 27.28	27.28
308281010	Zone 02		1 27.28	27.28

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
	Zone 02	LIND Assigned LDU 5	1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02 Zone 02		1 27.28 1 27.28	27.28
				27.28
	Zone 02 Zone 02		1 27.28	27.28
			1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		27.28	27.28
	Zone 02		27.28	27.28
	Zone 02		27.28	27.28
	Zone 02		27.28	27.28
	Zone 02		27.28	27.28
	Zone 02		27.28	27.28
	Zone 02		27.28	27.28
	Zone 02		27.28	27.28
	Zone 02	1	27.28	27.28
	Zone 02	1	27.28	27.28
	Zone 02		27.28	27.28
	Zone 02	1	27.28	27.28
	Zone 02		27.28	27.28
	Zone 02		27.28	27.28
	Zone 02	1	27.28	27.28
	Zone 02	1	1 27.28	27.28
	Zone 02	1	1 27.28	27.28
	Zone 02	1	1 27.28	27.28
	Zone 02	1	1 27.28	27.28
	Zone 02	1	1 27.28	27.28
	Zone 02	1	1 27.28	27.28
	Zone 02	1	1 27.28	27.28
308283013	Zone 02	1	1 27.28	27.28
308283014	Zone 02	1	1 27.28	27.28
308283015	Zone 02	1	1 27.28	27.28
308283016	Zone 02	1	1 27.28	27.28
308283017	Zone 02	1	1 27.28	27.28
308283018	Zone 02	1	1 27.28	27.28
308283019	Zone 02		1 27.28	27.28
308283020	Zone 02	1	1 27.28	27.28
308283021	Zone 02		1 27.28	27.28
308283022	Zone 02	•	1 27.28	27.28

308283023 Zone 02 1 27.28 308283024 Zone 02 1 27.28	7-18 Assessment 27.28
308283024 Zone 02 1 27.28	
	27.28
308283025 Zone 02 1 27.28	27.28
308283026 Zone 02 1 27.28	27.28
308361001 Zone 02 1 27.28	27.28
308361002 Zone 02 1 27.28	27.28
308361003 Zone 02 1 27.28	27.28
308361004 Zone 02 1 27.28	27.28
308361005 Zone 02 1 27.28	27.28
308361006 Zone 02 1 27.28	27.28
308361007 Zone 02 1 27.28	27.28
308362001 Zone 02 1 27.28	27.28
308362002 Zone 02 1 27.28	27.28
308362003 Zone 02 1 27.28	27.28
308362004 Zone 02 1 27.28	27.28
	27.28
308362006 Zone 02 1 27.28	27.28
308362007 Zone 02 1 27.28	27.28
308362008 Zone 02 1 27.28	27.28
308362009 Zone 02 1 27.28	27.28
308362010 Zone 02 1 27.28	27.28
308362011 Zone 02 1 27.28	27.28
308362012 Zone 02 1 27.28	27.28
308362013 Zone 02 1 27.28	27.28
308362014 Zone 02 1 27.28	27.28
308362015 Zone 02 1 27.28	27.28
308362016 Zone 02 1 27.28	27.28
308362017 Zone 02 1 27.28	27.28
308362018 Zone 02 1 27.28	27.28
308362019 Zone 02 1 27.28	27.28
308362020 Zone 02 1 27.28	27.28
308362021 Zone 02 1 27.28	27.28
308362022 Zone 02 1 27.28	27.28
308362023 Zone 02 1 27.28	27.28
308362024 Zone 02 1 27.28	27.28
308362025 Zone 02 1 27.28	27.28
308362026 Zone 02 1 27.28	27.28
308362027 Zone 02 1 27.28	27.28
308362028 Zone 02 1 27.28	27.28
308362029 Zone 02 1 27.28	27.28
308362030 Zone 02 1 27.28	27.28
308362031 Zone 02 1 27.28	27.28
308362032 Zone 02 1 27.28	27.28
308362033 Zone 02 1 27.28	27.28
308362034 Zone 02 1 27.28	27.28
308362035 Zone 02 1 27.28	27.28
308362036 Zone 02 1 27.28	27.28
308362037 Zone 02 1 27.28	27.28

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
308362038	Zone 02	Zino Acoignoù Zoc	1 27.28	27.28
308362039	Zone 02		1 27.28	27.28
308362040	Zone 02		1 27.28	27.28
308362041	Zone 02		1 27.28	27.28
308362042	Zone 02		1 27.28	27.28
308362043	Zone 02		1 27.28	27.28
308362044	Zone 02		1 27.28	27.28
308362045	Zone 02		1 27.28	27.28
308362046	Zone 02		1 27.28	27.28
308362047	Zone 02		1 27.28	27.28
308362048	Zone 02		1 27.28	27.28
308362049	Zone 02		1 27.28	27.28
308363001	Zone 02		1 27.28	27.28
308363002	Zone 02		1 27.28	27.28
308363003	Zone 02		1 27.28	27.28
308363004	Zone 02		1 27.28	27.28
308363005	Zone 02		1 27.28	27.28
308363006	Zone 02		1 27.28	27.28
308363007	Zone 02 Zone 02		1 27.28	27.28
308363008	Zone 02		1 27.28	27.28
308363009	Zone 02		1 27.28	27.28
308364001	Zone 02 Zone 02		1 27.28	27.28
308364002	Zone 02 Zone 02		1 27.28	27.28
308364002	Zone 02 Zone 02		1 27.28	27.28
308364004	Zone 02		1 27.28	27.28
308364005	Zone 02 Zone 02		1 27.28	27.28
308364006	Zone 02		1 27.28	27.28
308364007	Zone 02		1 27.28	27.28
308364007	Zone 02 Zone 02		1 27.28	27.28
308364009	Zone 02 Zone 02		1 27.28	27.28
308364010	Zone 02		1 27.28	27.28
474730003	Zone 02		1 27.28	27.28
474730003	Zone 02 Zone 02		1 27.28	27.28
474730004	Zone 02		1 27.28	27.28
474730005			1 27.28	27.28
474730007	Zone 02 Zone 02		1 27.28	27.28
474730007	Zone 02 Zone 02		1 27.28	27.28
474730008			1 27.28	27.28
	Zone 02 Zone 02			
474730010			1 27.28	27.28
474730011	Zone 02		1 27.28	27.28
474730012	Zone 02		1 27.28	27.28
474731001	Zone 02		1 27.28	27.28
474731002	Zone 02		1 27.28	27.28
474731003	Zone 02		1 27.28	27.28
474731004	Zone 02		1 27.28	27.28
474731005	Zone 02		1 27.28	27.28
474731006	Zone 02		1 27.28	27.28
474731007	Zone 02		1 27.28	27.28

APN	I MD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
474731008	Zone 02	LIND Assigned ED0 3	1 27.28	27.28
478280037	Zone 02		1 27.28	27.28
478280038	Zone 02		1 27.28	27.28
478280039	Zone 02		1 27.28	27.28
478280040	Zone 02		1 27.28	27.28
474731009	Zone 02		1 27.28	27.28
474731009	Zone 02		1 27.28	27.28
474731010	Zone 02		1 27.28	27.28
478352009	Zone 02		1 27.28	27.28
478352010	Zone 02		1 27.28	27.28
478352011	Zone 02		1 27.28	27.28
478352012	Zone 02		1 27.28	27.28
478352013	Zone 02 Zone 02		1 27.28	27.28
478402004	Zone 02 Zone 02		1 27.28	27.28
478402004	Zone 02 Zone 02		1 27.28	27.28
			1 27.28	
478402006	Zone 02			27.28
478402009	Zone 02		1 27.28	27.28
478402010	Zone 02		1 27.28	27.28
478402011	Zone 02		1 27.28	27.28
478402012	Zone 02		1 27.28	27.28
478402013	Zone 02		1 27.28	27.28
478402014	Zone 02		1 27.28	27.28
478402015	Zone 02		1 27.28	27.28
478402008	Zone 02		1 27.28	27.28
478410001	Zone 02		1 27.28	27.28
478410002	Zone 02		1 27.28	27.28
478410003	Zone 02		1 27.28	27.28
478410004	Zone 02		1 27.28	27.28
478410005	Zone 02		1 27.28	27.28
478410006	Zone 02		1 27.28	27.28
478410007	Zone 02		1 27.28	27.28
478410008	Zone 02		1 27.28	27.28
478410009	Zone 02		1 27.28	27.28
478410010	Zone 02		1 27.28	27.28
478352014	Zone 02		1 27.28	27.28
478352015	Zone 02		1 27.28	27.28
478352016	Zone 02		1 27.28	27.28
478352017	Zone 02		1 27.28	27.28
478352018	Zone 02		1 27.28	27.28
478352019	Zone 02		1 27.28	27.28
478352020	Zone 02		1 27.28	27.28
478352021	Zone 02		1 27.28	27.28
478352022	Zone 02		1 27.28	27.28
478352023	Zone 02		1 27.28	27.28
478352024	Zone 02		1 27.28	27.28
478361005	Zone 02		1 27.28	27.28
478361006	Zone 02		1 27.28	27.28
478361007	Zone 02		1 27.28	27.28

APN	LMD 2014-01 Zone LMD	Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
478361008	Zone 02		1 27.28	27.28
478361009	Zone 02		1 27.28	27.28
478361010	Zone 02		1 27.28	27.28
478361011	Zone 02		1 27.28	27.28
478361012	Zone 02		1 27.28	27.28
478361013	Zone 02		1 27.28	27.28
478361014	Zone 02		1 27.28	27.28
478361015	Zone 02		1 27.28	27.28
478361016	Zone 02		1 27.28	27.28
478361017	Zone 02		1 27.28	27.28
478361018	Zone 02		1 27.28	27.28
478361019	Zone 02		1 27.28	27.28
478361020	Zone 02		1 27.28	27.28
478361021	Zone 02		1 27.28	27.28
478361022	Zone 02		1 27.28	27.28
478361023	Zone 02		1 27.28	27.28
478361024	Zone 02		1 27.28	27.28
478400019	Zone 02		1 27.28	27.28
478400021	Zone 02		1 27.28	27.28
478400023	Zone 02		1 27.28	27.28
478400025	Zone 02		1 27.28	27.28
478400027	Zone 02		1 27.28	27.28
478400029	Zone 02		1 27.28	27.28
478400031	Zone 02		1 27.28	27.28
478400033	Zone 02		1 27.28	27.28
478400035	Zone 02		1 27.28	27.28
478400010	Zone 02		1 27.28	27.28
478400011	Zone 02		1 27.28	27.28
478400012	Zone 02		1 27.28	27.28
478400037	Zone 02		1 27.28	27.28
478400039	Zone 02		1 27.28	27.28
478400041	Zone 02		1 27.28	27.28
478400016	Zone 02		1 27.28	27.28
478400017	Zone 02		1 27.28	27.28
478401001	Zone 02		1 27.28	27.28
478401002	Zone 02		1 27.28	27.28
478401003	Zone 02		1 27.28	27.28
478401004	Zone 02		1 27.28	27.28
478401005	Zone 02		1 27.28	27.28
478402001	Zone 02		1 27.28	27.28
478402007	Zone 02		1 27.28	27.28
478402002	Zone 02		1 27.28	27.28
478402003	Zone 02		1 27.28	27.28
478410011	Zone 02		1 27.28	27.28
478410012	Zone 02		1 27.28	27.28
478410013	Zone 02		1 27.28	27.28
478410014	Zone 02		1 27.28	27.28
478410015	Zone 02		1 27.28	27.28

APN	I MD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
478410016	Zone 02	LIND Assigned ED0 3	1 27.28	27.28
478411001	Zone 02		1 27.28	27.28
478411002	Zone 02		1 27.28	27.28
478411003	Zone 02		1 27.28	27.28
478411004	Zone 02		1 27.28	27.28
478412001	Zone 02		1 27.28	27.28
478412017	Zone 02		1 27.28	27.28
478412003	Zone 02		1 27.28	27.28
478412004	Zone 02		1 27.28	27.28
478412005	Zone 02		1 27.28	27.28
478412006	Zone 02		1 27.28	27.28
478412007	Zone 02		1 27.28	27.28
478412019	Zone 02 Zone 02		1 27.28	27.28
478412021	Zone 02		1 27.28	27.28
478412023	Zone 02		1 27.28	27.28
478412025	Zone 02		1 27.28	27.28
478412027	Zone 02		1 27.28	27.28
478412029	Zone 02		1 27.28	27.28
478412029	Zone 02 Zone 02		1 27.28	27.28
478412033	Zone 02 Zone 02		1 27.28	27.28
478291005	Zone 02 Zone 02		1 27.28	27.28
478291006	Zone 02		1 27.28	27.28
478291007	Zone 02		1 27.28	27.28
478291008	Zone 02		1 27.28	27.28
478291009	Zone 02		1 27.28	27.28
478291010	Zone 02		1 27.28	27.28
474730001	Zone 02		1 27.28	27.28
474731012	Zone 02		1 27.28	27.28
474731013	Zone 02 Zone 02		1 27.28	27.28
474731014 474731015			1 27.28	27.28
	Zone 02		1 27.28	27.28
474731016	Zone 02		1 27.28	27.28
474731017	Zone 02		1 27.28	27.28
474731018	Zone 02		1 27.28	27.28
474731019	Zone 02		1 27.28	27.28
474731020	Zone 02		1 27.28	27.28
474731021	Zone 02		1 27.28	27.28
474731022	Zone 02		1 27.28	27.28
474731023	Zone 02		1 27.28	27.28
474731024	Zone 02		1 27.28	27.28
474731025	Zone 02		1 27.28	27.28
474731026	Zone 02		1 27.28	27.28
474731027	Zone 02		1 27.28	27.28
474732001	Zone 02		1 27.28	27.28
474732002	Zone 02		1 27.28	27.28
474732003	Zone 02		1 27.28	27.28
474733003	Zone 02		1 27.28	27.28
474733004	Zone 02		1 27.28	27.28

APN	I MD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
474733005	Zone 02	LIND Assigned EDG 3	1 27.28	27.28
474733006	Zone 02		1 27.28	27.28
474733007	Zone 02		1 27.28	27.28
474733008	Zone 02		1 27.28	27.28
474733009	Zone 02		1 27.28	27.28
474733010	Zone 02		1 27.28	27.28
474733010	Zone 02		1 27.28	27.28
474733011	Zone 02		1 27.28	27.28
475360001	Zone 02		1 27.28	27.28
475360001	Zone 02		1 27.28	27.28
475360002	Zone 02		1 27.28	27.28
475360003	Zone 02		1 27.28	27.28
475360004	Zone 02		1 27.28	27.28
475360005	Zone 02		1 27.28	27.28
475360007	Zone 02		1 27.28	27.28
			1 27.28	
475360008 475360009	Zone 02 Zone 02			27.28
			1 27.28	27.28
475360010	Zone 02		1 27.28	27.28
475360011	Zone 02		1 27.28	27.28
475360012	Zone 02		1 27.28	27.28
475360013	Zone 02		1 27.28	27.28
475360014	Zone 02		1 27.28	27.28
475361001	Zone 02		1 27.28	27.28
475361002	Zone 02	·	1 27.28	27.28
475361003	Zone 02	·	1 27.28	27.28
475361004	Zone 02	·	1 27.28	27.28
475361005	Zone 02	•	1 27.28	27.28
475361006	Zone 02		1 27.28	27.28
475361007	Zone 02		1 27.28	27.28
475361008	Zone 02		1 27.28	27.28
475361009	Zone 02		1 27.28	27.28
475361010	Zone 02		1 27.28	27.28
475361011	Zone 02	•	1 27.28	27.28
475361012	Zone 02		1 27.28	27.28
475361013	Zone 02	•	1 27.28	27.28
475361014	Zone 02		1 27.28	27.28
475361015	Zone 02		1 27.28	27.28
475361016	Zone 02		1 27.28	27.28
475361017	Zone 02		1 27.28	27.28
479690002	Zone 02		1 27.28	27.28
479690003	Zone 02		1 27.28	27.28
479690004	Zone 02	•	1 27.28	27.28
479690005	Zone 02		1 27.28	27.28
479690006	Zone 02		1 27.28	27.28
479690007	Zone 02		1 27.28	27.28
479690008	Zone 02		1 27.28	27.28
479690009	Zone 02		1 27.28	27.28
479690010	Zone 02		1 27.28	27.28

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
479690011	Zone 02		1 27.28	27.28
479690012	Zone 02		1 27.28	27.28
479690013	Zone 02		1 27.28	27.28
479690014	Zone 02		1 27.28	27.28
479690015	Zone 02		1 27.28	27.28
479690016	Zone 02		1 27.28	27.28
479690017	Zone 02		1 27.28	27.28
479690018	Zone 02		1 27.28	27.28
479690019	Zone 02		1 27.28	27.28
479690020	Zone 02		1 27.28	27.28
479690021	Zone 02		1 27.28	27.28
479690022	Zone 02		1 27.28	27.28
479690023	Zone 02		1 27.28	27.28
479690024	Zone 02		1 27.28	27.28
479690025	Zone 02		1 27.28	27.28
479690026	Zone 02		1 27.28	27.28
479690027	Zone 02		1 27.28	27.28
479690028	Zone 02		1 27.28	27.28
479691001	Zone 02		1 27.28	27.28
479691002	Zone 02		1 27.28	27.28
479691003	Zone 02		1 27.28	27.28
479691004	Zone 02		1 27.28	27.28
479691005	Zone 02		1 27.28	27.28
479691006	Zone 02		1 27.28	27.28
479691007	Zone 02		1 27.28	27.28
479691008	Zone 02		1 27.28	27.28
479670001	Zone 02		1 27.28	27.28
479670002	Zone 02		1 27.28	27.28
479670003	Zone 02		1 27.28	27.28
479670004	Zone 02		1 27.28	27.28
479670005	Zone 02		1 27.28	27.28
479670006	Zone 02		1 27.28	27.28
479670007	Zone 02		1 27.28	27.28
479670008	Zone 02		1 27.28	27.28
479670009	Zone 02		1 27.28	27.28
479670010	Zone 02		1 27.28	27.28
479670011	Zone 02		1 27.28	27.28
479670012	Zone 02		1 27.28	27.28
479670013	Zone 02		1 27.28	27.28
479670014	Zone 02		1 27.28	27.28
479670015	Zone 02		1 27.28	27.28
479670016	Zone 02		1 27.28	27.28
479670017	Zone 02		1 27.28	27.28
479670018	Zone 02		1 27.28	27.28
479670019	Zone 02		1 27.28	27.28
479670020	Zone 02		1 27.28	27.28
479670021	Zone 02		1 27.28	27.28
479670022	Zone 02		1 27.28	27.28
			21120	2.120

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
479670023	Zone 02		1 27.28	27.28
479670024	Zone 02		1 27.28	27.28
479670025	Zone 02		1 27.28	27.28
479670026	Zone 02		1 27.28	27.28
479670027	Zone 02		1 27.28	27.28
479670028	Zone 02		1 27.28	27.28
479670029	Zone 02		1 27.28	27.28
479670030	Zone 02		1 27.28	27.28
479670031	Zone 02		1 27.28	27.28
479670032	Zone 02		1 27.28	27.28
479670033	Zone 02		1 27.28	27.28
479670034	Zone 02		1 27.28	27.28
479670035	Zone 02		1 27.28	27.28
479670036	Zone 02		1 27.28	27.28
479670037	Zone 02		1 27.28	27.28
479670038	Zone 02		1 27.28	27.28
479670039	Zone 02		1 27.28	27.28
479670040	Zone 02		1 27.28	27.28
479671001	Zone 02		1 27.28	27.28
479671002	Zone 02		1 27.28	27.28
479671003	Zone 02		1 27.28	27.28
479671004	Zone 02		1 27.28	27.28
479671005	Zone 02		1 27.28	27.28
479671006	Zone 02		1 27.28	27.28
479671007	Zone 02		1 27.28	27.28
479671008	Zone 02		1 27.28	27.28
479671009	Zone 02		1 27.28	27.28
479671010	Zone 02		1 27.28	27.28
479671011	Zone 02		1 27.28	27.28
479671012	Zone 02		1 27.28	27.28
479671013	Zone 02		1 27.28	27.28
479671014	Zone 02		1 27.28	27.28
479671015	Zone 02		1 27.28	27.28
479671016	Zone 02		1 27.28	27.28
479671017	Zone 02		1 27.28	27.28
479671018	Zone 02		1 27.28	27.28
479671019	Zone 02		1 27.28	27.28
479671019	Zone 02		1 27.28	27.28
479672001	Zone 02		1 27.28	27.28
479672002	Zone 02		1 27.28	27.28
479672002	Zone 02		1 27.28	27.28
479672004	Zone 02		1 27.28	27.28
479672004	Zone 02		1 27.28	27.28
479672005	Zone 02		1 27.28	27.28
479672006	Zone 02 Zone 02		1 27.28	27.28
479672007	Zone 02		1 27.28	27.28
	Zone 02 Zone 02			
479672009			1 27.28	27.28
479672010	Zone 02		1 27.28	27.28

APN	I MD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
479672011	Zone 02	LIND Assigned EDO 3	1 27.28	27.28
479672012	Zone 02		1 27.28	27.28
479672013	Zone 02		1 27.28	27.28
479672014	Zone 02		1 27.28	27.28
479672015	Zone 02		1 27.28	27.28
479672016	Zone 02		1 27.28	27.28
479672017	Zone 02		1 27.28	27.28
479680001	Zone 02		1 27.28	27.28
479680002	Zone 02		1 27.28	27.28
479680003	Zone 02		1 27.28	27.28
479680003	Zone 02		1 27.28	27.28
479680005	Zone 02		1 27.28	27.28
479680006	Zone 02		1 27.28	27.28
479681001	Zone 02		1 27.28	27.28
479681002	Zone 02		1 27.28	27.28
479681002	Zone 02		1 27.28	27.28
479681004	Zone 02		1 27.28	27.28
479681005	Zone 02		1 27.28	27.28
479681006	Zone 02 Zone 02		1 27.28	27.28
479681007	Zone 02 Zone 02		1 27.28	27.28
479681007	Zone 02		1 27.28	27.28
479681009	Zone 02 Zone 02		1 27.28	27.28
479681010	Zone 02 Zone 02		1 27.28	27.28
479681011	Zone 02 Zone 02		1 27.28	27.28
260440001	Zone 02 Zone 02		1 27.28	27.28
260440001	Zone 02 Zone 02		1 27.28	27.28
260440002	Zone 02 Zone 02		1 27.28	27.28
260440003	Zone 02 Zone 02		1 27.28	27.28
260440005	Zone 02 Zone 02		1 27.28	27.28
260440005	Zone 02 Zone 02		1 27.28	27.28
260440007	Zone 02 Zone 02		1 27.28	27.28
260440007	Zone 02 Zone 02		1 27.28	27.28
260440009	Zone 02 Zone 02		1 27.28	27.28
260440010	Zone 02 Zone 02		1 27.28	27.28
				27.28
260440011 260440012	Zone 02 Zone 02		1 27.28 1 27.28	27.28
260440012	Zone 02 Zone 02		1 27.28	27.28
260440013	Zone 02 Zone 02		1 27.28	
				27.28
260440015 260440016	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
260440017	Zone 02		1 27.28	27.28
260440018	Zone 02		1 27.28	27.28
260440031	Zone 02		1 27.28	27.28
260440021	Zone 02		1 27.28	27.28
260440022	Zone 02		1 27.28	27.28
260440023	Zone 02		1 27.28	27.28
260440024	Zone 02		1 27.28	27.28
260440025	Zone 02		1 27.28	27.28

APN	LMD 2014-01 Zone L	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
260440026	Zone 02		1 27.28	27.28
260440027	Zone 02		1 27.28	27.28
260440028	Zone 02		1 27.28	27.28
260440029	Zone 02		1 27.28	27.28
260440030	Zone 02		1 27.28	27.28
260450001	Zone 02		1 27.28	27.28
260450002	Zone 02		1 27.28	27.28
260450003	Zone 02		1 27.28	27.28
260450004	Zone 02		1 27.28	27.28
260450005	Zone 02		1 27.28	27.28
260450006	Zone 02		1 27.28	27.28
260450007	Zone 02		1 27.28	27.28
260450008	Zone 02		1 27.28	27.28
260450009	Zone 02		1 27.28	27.28
260450010	Zone 02		1 27.28	27.28
260450011	Zone 02		1 27.28	27.28
260450012	Zone 02		1 27.28	27.28
260450013	Zone 02		1 27.28	27.28
260450014	Zone 02		1 27.28	27.28
260450015	Zone 02		1 27.28	27.28
260450016	Zone 02		1 27.28	27.28
260450017	Zone 02		1 27.28	27.28
260450018	Zone 02		1 27.28	27.28
260450019	Zone 02		1 27.28	27.28
260450020	Zone 02		1 27.28	27.28
260450021	Zone 02		1 27.28	27.28
260450022	Zone 02		1 27.28	27.28
259470001	Zone 02		1 27.28	27.28
259470002	Zone 02		1 27.28	27.28
259470003	Zone 02		1 27.28	27.28
259470004	Zone 02		1 27.28	27.28
259470005	Zone 02		1 27.28	27.28
259470006	Zone 02		1 27.28	27.28
259470007	Zone 02		1 27.28	27.28
259470008	Zone 02		1 27.28	27.28
259470009	Zone 02		1 27.28	27.28
259470010	Zone 02		1 27.28	27.28
259470011	Zone 02		1 27.28	27.28
259470012	Zone 02		1 27.28	27.28
259470013	Zone 02		1 27.28	27.28
259470014	Zone 02		1 27.28	27.28
259470015	Zone 02		1 27.28	27.28
259470016	Zone 02		1 27.28	27.28
259470017	Zone 02		1 27.28	27.28
259470018	Zone 02		1 27.28	27.28
259470019	Zone 02		1 27.28	27.28
259470020	Zone 02		1 27.28	27.28
259470021	Zone 02		1 27.28	27.28
_50 11 0021			21.20	21.20

APN LN		Assigned FRITS	FY 17-18 Max Assessment	FY 17-18 Assessment
259470022 Zo	MD 2014-01 Zone LMD one 02	Assigned EDO 3	27.28	27.28
	one 02		27.28	27.28
	one 02		27.28	27.28
	one 02		27.28	27.28
	one 02		27.28	27.28
	one 02		27.28	27.28
	one 02		27.28	27.28
	one 02		27.28	27.28
	one 02		27.28	27.28
	one 02		27.28	27.28
	one 02		27.28	27.28
	one 02		27.28	27.28
	one 02		27.28	27.28
	one 02		27.28	27.28
	one 02		27.28	27.28
			27.28	
	one 02			27.28
	one 02		27.28	27.28
	one 02		27.28	27.28
	one 02		27.28	27.28
	one 02		27.28	27.28
	one 02		27.28	27.28
	one 02		27.28	27.28
	one 02	1	27.28	27.28
	one 02	1	27.28	27.28
	one 02	1	27.28	27.28
	one 02	1	27.28	27.28
	one 02	1	27.28	27.28
	one 02	1	27.28	27.28
	one 02	1	27.28	27.28
	one 02	1	27.28	27.28
	one 02	1	27.28	27.28
	one 02	1	27.28	27.28
	one 02	1	27.28	27.28
259481009 Zo	one 02	1	27.28	27.28
	one 02	1	27.28	27.28
259481011 Zo	one 02	1	27.28	27.28
259481012 Zo	one 02	1	27.28	27.28
259481013 Zo	one 02	1	27.28	27.28
259482001 Zo	one 02	1	27.28	27.28
259482002 Zo	one 02	1	27.28	27.28
259482003 Zo	one 02	1	27.28	27.28
259482004 Zo	one 02	1	27.28	27.28
259482005 Zo	one 02	1	27.28	27.28
259482006 Zo	one 02	1	27.28	27.28
259482007 Zo	one 02	1	27.28	27.28
259482008 Zo	one 02	1	27.28	27.28
259482009 Zo	one 02	1	27.28	27.28
259482010 Zo	one 02	1	27.28	27.28

APN	I MD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
259482011	Zone 02	Emb Assigned Ebb 3	1 27.28	27.28
259482012	Zone 02		1 27.28	27.28
259482013	Zone 02		1 27.28	27.28
259482014	Zone 02		1 27.28	27.28
259482015	Zone 02		1 27.28	27.28
259483001	Zone 02		1 27.28	27.28
259483002	Zone 02		1 27.28	27.28
259483003	Zone 02		1 27.28	27.28
259483004	Zone 02		1 27.28	27.28
259483005	Zone 02		1 27.28	27.28
259490001	Zone 02		1 27.28	27.28
259490001	Zone 02		1 27.28	27.28
259490002	Zone 02 Zone 02		1 27.28	27.28
259490003	Zone 02 Zone 02		1 27.28	27.28
259490004	Zone 02 Zone 02		1 27.28	27.28
259490005			1 27.28	
	Zone 02			27.28
259491002	Zone 02		1 27.28	27.28
259491003	Zone 02		1 27.28	27.28
259491004	Zone 02		1 27.28	27.28
259491005	Zone 02		1 27.28	27.28
259491006	Zone 02		1 27.28	27.28
259491007	Zone 02		1 27.28	27.28
259491008	Zone 02		1 27.28	27.28
259491009	Zone 02		1 27.28	27.28
259491010	Zone 02		1 27.28	27.28
259491011	Zone 02		1 27.28	27.28
259491012	Zone 02		1 27.28	27.28
259491013	Zone 02		1 27.28	27.28
259491014	Zone 02		1 27.28	27.28
259491015	Zone 02		1 27.28	27.28
259491016	Zone 02		1 27.28	27.28
259491017	Zone 02		1 27.28	27.28
259491018	Zone 02		1 27.28	27.28
259491019	Zone 02		1 27.28	27.28
259491020	Zone 02		1 27.28	27.28
259491021	Zone 02		1 27.28	27.28
259491022	Zone 02		1 27.28	27.28
259491023	Zone 02		1 27.28	27.28
259491024	Zone 02		1 27.28	27.28
259491025	Zone 02		1 27.28	27.28
259491026	Zone 02		1 27.28	27.28
259491027	Zone 02		1 27.28	27.28
259491028	Zone 02		1 27.28	27.28
259491029	Zone 02		1 27.28	27.28
259492001	Zone 02		1 27.28	27.28
259492002	Zone 02		1 27.28	27.28
259492003	Zone 02		1 27.28	27.28
259492004	Zone 02		1 27.28	27.28

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
259492005	Zone 02		1 27.28	27.28
259492006	Zone 02		1 27.28	27.28
259492007	Zone 02		1 27.28	27.28
259492008	Zone 02		1 27.28	27.28
259492009	Zone 02		1 27.28	27.28
259492010	Zone 02		1 27.28	27.28
259492011	Zone 02		1 27.28	27.28
259492012	Zone 02		1 27.28	27.28
259492013	Zone 02		1 27.28	27.28
259492014	Zone 02		1 27.28	27.28
259492015	Zone 02		1 27.28	27.28
259492016	Zone 02		1 27.28	27.28
259492017	Zone 02		1 27.28	27.28
259492018	Zone 02		1 27.28	27.28
259500001	Zone 02		1 27.28	27.28
259500002	Zone 02		1 27.28	27.28
259500003	Zone 02		1 27.28	27.28
259500004	Zone 02		1 27.28	27.28
259500005	Zone 02		1 27.28	27.28
259500006	Zone 02		1 27.28	27.28
259500007	Zone 02		1 27.28	27.28
259500008	Zone 02		1 27.28	27.28
259500009	Zone 02		1 27.28	27.28
259500010	Zone 02		1 27.28	27.28
259500011	Zone 02		1 27.28	27.28
259500012	Zone 02		1 27.28	27.28
259500013	Zone 02		1 27.28	27.28
259500014	Zone 02		1 27.28	27.28
259500015	Zone 02		1 27.28	27.28
259500016	Zone 02		1 27.28	27.28
259500017	Zone 02		1 27.28	27.28
259500018	Zone 02		1 27.28	27.28
259501001	Zone 02		1 27.28	27.28
259501002	Zone 02		1 27.28	27.28
259501003	Zone 02		1 27.28	27.28
259501004	Zone 02		1 27.28	27.28
259501005	Zone 02		1 27.28	27.28
259501006	Zone 02		1 27.28	27.28
259501007	Zone 02		1 27.28	27.28
259501007	Zone 02		1 27.28	27.28
256450001	Zone 02		1 27.28	27.28
256450002	Zone 02		1 27.28	27.28
256450003	Zone 02		1 27.28	27.28
256450004	Zone 02		1 27.28	27.28
256450005	Zone 02 Zone 02		1 27.28	27.28
256450006	Zone 02		1 27.28	27.28
256450007	Zone 02		1 27.28	27.28
304580007	Zone 02			
304360001	ZUITE UZ		1 27.28	27.28

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
304580002	Zone 02	LIND Assigned ED0 3	1 27.28	27.28
304580003	Zone 02		1 27.28	27.28
304580004	Zone 02		1 27.28	27.28
304580005	Zone 02		1 27.28	27.28
304580006	Zone 02		1 27.28	27.28
304580007	Zone 02		1 27.28	27.28
304580007	Zone 02		1 27.28	27.28
304580009	Zone 02		1 27.28	27.28
304580010	Zone 02		1 27.28	27.28
304580011	Zone 02		1 27.28	27.28
304580011	Zone 02		1 27.28	27.28
304580012	Zone 02		1 27.28	27.28
304580014	Zone 02		1 27.28	27.28
304580015	Zone 02		1 27.28	27.28
304580016	Zone 02		1 27.28	27.28
304581001	Zone 02		1 27.28	27.28
304581002	Zone 02		1 27.28	27.28
304581002	Zone 02		1 27.28	27.28
304581003	Zone 02		1 27.28	27.28
304581005	Zone 02		1 27.28	27.28
304581006	Zone 02 Zone 02		1 27.28	27.28
304581007	Zone 02		1 27.28 1 27.28	27.28
304581008	Zone 02			27.28
304581009	Zone 02		1 27.28	27.28
304581010	Zone 02		1 27.28	27.28
304581011	Zone 02		1 27.28	27.28
304581012	Zone 02		1 27.28	27.28
304581013	Zone 02		1 27.28	27.28
304581014	Zone 02		1 27.28	27.28
304581015	Zone 02		1 27.28	27.28
304581016	Zone 02		1 27.28	27.28
304581017	Zone 02		1 27.28	27.28
304581018	Zone 02		1 27.28	27.28
304581019	Zone 02		1 27.28	27.28
304581020	Zone 02		1 27.28	27.28
304581021	Zone 02		1 27.28	27.28
304582001	Zone 02		1 27.28	27.28
304582002	Zone 02		1 27.28	27.28
304582003	Zone 02		1 27.28	27.28
304582004	Zone 02		1 27.28	27.28
304582005	Zone 02	·	1 27.28	27.28
304582006	Zone 02		1 27.28	27.28
304582007	Zone 02		1 27.28	27.28
304582008	Zone 02		1 27.28	27.28
304582009	Zone 02		1 27.28	27.28
304582010	Zone 02		1 27.28	27.28
304590001	Zone 02		1 27.28	27.28
304590002	Zone 02		1 27.28	27.28

APN LMD 2014-01 Zone LMD Assigned EBU's FY 17-18 Max Assessment FY 17-18 Assessment 304590003 Zone 02 1 27.28 304590004 Zone 02 1 27.28 304590005 Zone 02 1 27.28 304590006 Zone 02 1 27.28 304590007 Zone 02 1 27.28 304590008 Zone 02 1 27.28 304590010 Zone 02 1 27.28 304590011 Zone 02 1 27.28 304590012 Zone 02 1 27.28 304590013 Zone 02 1 27.28 304590014 Zone 02 1 27.28 304590014 Zone 02 1 27.28	27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28
304590004 Zone 02 1 27.28 304590005 Zone 02 1 27.28 304590006 Zone 02 1 27.28 304590007 Zone 02 1 27.28 304590008 Zone 02 1 27.28 304590009 Zone 02 1 27.28 304590010 Zone 02 1 27.28 304590011 Zone 02 1 27.28 304590012 Zone 02 1 27.28 304590013 Zone 02 1 27.28	27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28
304590005 Zone 02 1 27.28 304590006 Zone 02 1 27.28 304590007 Zone 02 1 27.28 304590008 Zone 02 1 27.28 304590009 Zone 02 1 27.28 304590010 Zone 02 1 27.28 304590011 Zone 02 1 27.28 304590012 Zone 02 1 27.28 304590013 Zone 02 1 27.28	27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28
304590006 Zone 02 1 27.28 304590007 Zone 02 1 27.28 304590008 Zone 02 1 27.28 304590009 Zone 02 1 27.28 304590010 Zone 02 1 27.28 304590011 Zone 02 1 27.28 304590012 Zone 02 1 27.28 304590013 Zone 02 1 27.28 304590013 Zone 02 1 27.28	27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28
304590007 Zone 02 1 27.28 304590008 Zone 02 1 27.28 304590009 Zone 02 1 27.28 304590010 Zone 02 1 27.28 304590011 Zone 02 1 27.28 304590012 Zone 02 1 27.28 304590013 Zone 02 1 27.28 304590013 Zone 02 1 27.28	27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28
304590008 Zone 02 1 27.28 304590009 Zone 02 1 27.28 304590010 Zone 02 1 27.28 304590011 Zone 02 1 27.28 304590012 Zone 02 1 27.28 304590013 Zone 02 1 27.28 304590013 Zone 02 1 27.28	27.28 27.28 27.28 27.28 27.28 27.28 27.28
304590009 Zone 02 1 27.28 304590010 Zone 02 1 27.28 304590011 Zone 02 1 27.28 304590012 Zone 02 1 27.28 304590013 Zone 02 1 27.28 304590013 Zone 02 1 27.28	27.28 27.28 27.28 27.28 27.28 27.28
304590010 Zone 02 1 27.28 304590011 Zone 02 1 27.28 304590012 Zone 02 1 27.28 304590013 Zone 02 1 27.28 304590013 Zone 02 1 27.28	27.28 27.28 27.28 27.28 27.28
304590011 Zone 02 1 27.28 304590012 Zone 02 1 27.28 304590013 Zone 02 1 27.28 27.28 27.28	27.28 27.28 27.28 27.28
304590012 Zone 02 1 27.28 304590013 Zone 02 1 27.28	27.28 27.28 27.28
304590013 Zone 02 1 27.28	27.28 27.28
	27.28
304590015 Zone 02 1 27.28	21.20
304590016 Zone 02 1 27.28	27.28
304590017 Zone 02 1 27.28	27.28
	27.28
304590019 Zone 02 1 27.28 304590020 Zone 02 1 27.28	27.28
	27.28
304590021 Zone 02 1 27.28	27.28
304590022 Zone 02 1 27.28	27.28
304590023 Zone 02 1 27.28	27.28
304590024 Zone 02 1 27.28	27.28
304590025 Zone 02 1 27.28	27.28
304590026 Zone 02 1 27.28	27.28
304590027 Zone 02 1 27.28	27.28
304590028 Zone 02 1 27.28	27.28
304590029 Zone 02 1 27.28	27.28
304590030 Zone 02 1 27.28	27.28
304590031 Zone 02 1 27.28	27.28
304590032 Zone 02 1 27.28	27.28
304590033 Zone 02 1 27.28	27.28
304590034 Zone 02 1 27.28	27.28
304590035 Zone 02 1 27.28	27.28
304590036 Zone 02 1 27.28	27.28
291580003 Zone 02 1 27.28	27.28
291580004 Zone 02 1 27.28	27.28
291580005 Zone 02 1 27.28	27.28
291622027 Zone 02 1 27.28	27.28
291622028 Zone 02 1 27.28	27.28
291623001 Zone 02 1 27.28	27.28
291623002 Zone 02 1 27.28	27.28
291623003 Zone 02 1 27.28	27.28
291623004 Zone 02 1 27.28	27.28
291623005 Zone 02 1 27.28	27.28
291623006 Zone 02 1 27.28	27.28
291623007 Zone 02 1 27.28	27.28
291623008 Zone 02 1 27.28	27.28
291623009 Zone 02 1 27.28	27.28

APN	I MD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
291623010	Zone 02	LIND Assigned EDG 3	1 27.28	27.28
291623011	Zone 02		1 27.28	27.28
291623012	Zone 02		1 27.28	27.28
291623013	Zone 02		1 27.28	27.28
291623014	Zone 02		1 27.28	27.28
291623015	Zone 02		1 27.28	27.28
291623016	Zone 02		1 27.28	27.28
291623017	Zone 02		1 27.28	27.28
291623018	Zone 02		1 27.28	27.28
291623019	Zone 02		1 27.28	27.28
291623020	Zone 02		1 27.28	27.28
291623021	Zone 02 Zone 02		1 27.28	27.28
291623021	Zone 02		1 27.28	27.28
291623023	Zone 02		1 27.28	27.28
291623024	Zone 02		1 27.28	27.28
291623025	Zone 02		1 27.28	27.28
291623026	Zone 02		1 27.28	27.28
291623027	Zone 02		1 27.28	27.28
291623028	Zone 02		1 27.28	27.28
291623029	Zone 02 Zone 02		1 27.28	27.28
291623030	Zone 02 Zone 02		1 27.28	27.28
291623031	Zone 02 Zone 02		1 27.28	27.28
291623032	Zone 02 Zone 02		1 27.28	27.28
291623033	Zone 02 Zone 02		1 27.28	27.28
291623034	Zone 02 Zone 02		1 27.28	27.28
291623035	Zone 02 Zone 02		1 27.28	27.28
291623036	Zone 02 Zone 02		1 27.28	27.28
291623037	Zone 02 Zone 02		1 27.28	27.28
291623037	Zone 02 Zone 02		1 27.28	27.28
291623039	Zone 02 Zone 02		1 27.28	27.28
291623040	Zone 02 Zone 02		1 27.28	27.28
291623041	Zone 02 Zone 02		1 27.28	27.28
291623041	Zone 02 Zone 02		1 27.28	27.28
291623043	Zone 02 Zone 02		1 27.28	27.28
291623044				27.28
	Zone 02		1 27.28	
291623045	Zone 02		1 27.28	27.28
291623046	Zone 02		1 27.28	27.28
291623047	Zone 02		1 27.28	27.28
291623048	Zone 02		1 27.28	27.28
291623049	Zone 02		1 27.28	27.28
291623050	Zone 02		1 27.28	27.28
291623051	Zone 02		1 27.28	27.28
291623052	Zone 02		1 27.28	27.28
291623053	Zone 02		1 27.28	27.28
291623054	Zone 02		1 27.28	27.28
291623055	Zone 02		1 27.28	27.28
291623056	Zone 02		1 27.28	27.28
291623057	Zone 02		1 27.28	27.28

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
291623058	Zone 02		1 27.28	27.28
291623059	Zone 02		1 27.28	27.28
291623060	Zone 02		1 27.28	27.28
291623061	Zone 02		1 27.28	27.28
291624002	Zone 02		1 27.28	27.28
291624003	Zone 02		1 27.28	27.28
291624004	Zone 02		1 27.28	27.28
291624005	Zone 02		1 27.28	27.28
291624006	Zone 02		1 27.28	27.28
291624007	Zone 02		1 27.28	27.28
291624008	Zone 02		1 27.28	27.28
291624009	Zone 02		1 27.28	27.28
291624010	Zone 02		1 27.28	27.28
291624011	Zone 02		1 27.28	27.28
291624012	Zone 02		1 27.28	27.28
291624013	Zone 02		1 27.28	27.28
291624014	Zone 02		1 27.28	27.28
291624015	Zone 02		1 27.28	27.28
291624016	Zone 02		1 27.28	27.28
291624017	Zone 02		1 27.28	27.28
291624018	Zone 02		1 27.28	27.28
291624001	Zone 02		1 27.28	27.28
291624019	Zone 02		1 27.28	27.28
291624020	Zone 02		1 27.28	27.28
291624021	Zone 02		1 27.28	27.28
291624022	Zone 02		1 27.28	27.28
291624023	Zone 02		1 27.28	27.28
291624024	Zone 02		1 27.28	27.28
291624025	Zone 02		1 27.28	27.28
291580006	Zone 02		1 27.28	27.28
291581001	Zone 02		1 27.28	27.28
291581002	Zone 02		1 27.28	27.28
291581003	Zone 02		1 27.28	27.28
291581004	Zone 02		1 27.28	27.28
291581005	Zone 02		1 27.28	27.28
291581006	Zone 02		1 27.28	27.28
291581007	Zone 02		1 27.28	27.28
291581008	Zone 02		1 27.28	27.28
291581009	Zone 02		1 27.28	27.28
291581010	Zone 02		1 27.28	27.28
291581011	Zone 02		1 27.28	27.28
291581012	Zone 02		1 27.28	27.28
291581013	Zone 02		1 27.28	27.28
291581014	Zone 02		1 27.28	27.28
291581015	Zone 02		1 27.28	27.28
291581016	Zone 02		1 27.28	27.28
291581017	Zone 02		1 27.28	27.28
291581018	Zone 02		1 27.28	27.28

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
291620021	Zone 02		1 27.28	27.28
291620022	Zone 02		1 27.28	27.28
291620023	Zone 02		1 27.28	27.28
291620024	Zone 02		1 27.28	27.28
291621001	Zone 02		1 27.28	27.28
291580001	Zone 02		1 27.28	27.28
291580002	Zone 02		1 27.28	27.28
291581019	Zone 02		1 27.28	27.28
291582001	Zone 02		1 27.28	27.28
291582002	Zone 02		1 27.28	27.28
291582003	Zone 02		1 27.28	27.28
291582004	Zone 02		1 27.28	27.28
291582005	Zone 02		1 27.28	27.28
291582006	Zone 02		1 27.28	27.28
291582007	Zone 02		1 27.28	27.28
291582008	Zone 02		1 27.28	27.28
291582009	Zone 02		1 27.28	27.28
291582010	Zone 02		1 27.28	27.28
291582011	Zone 02		1 27.28	27.28
291582012	Zone 02		1 27.28	27.28
291582013	Zone 02		1 27.28	27.28
291582014	Zone 02		1 27.28	27.28
291582015	Zone 02		1 27.28	27.28
291582016	Zone 02		1 27.28	27.28
291582017	Zone 02		1 27.28	27.28
291582018	Zone 02		1 27.28	27.28
291582019	Zone 02		1 27.28	27.28
291582020	Zone 02		1 27.28	27.28
291582021	Zone 02		1 27.28	27.28
291582022	Zone 02		1 27.28	27.28
291582023	Zone 02		1 27.28	27.28
291582024	Zone 02		1 27.28	27.28
291582025	Zone 02		1 27.28	27.28
291582026	Zone 02		1 27.28	27.28
291582027	Zone 02		1 27.28	27.28
291583001	Zone 02		1 27.28	27.28
291583002	Zone 02		1 27.28	27.28
291583003	Zone 02		1 27.28	27.28
291583004	Zone 02		1 27.28	27.28
291583005	Zone 02		1 27.28	27.28
291583006	Zone 02		1 27.28	27.28
291583007	Zone 02		1 27.28	27.28
291583008	Zone 02		1 27.28	27.28
291583009	Zone 02		1 27.28	27.28
291583010	Zone 02		1 27.28	27.28
291583011	Zone 02		1 27.28	27.28
291583012	Zone 02		1 27.28	27.28
291583013	Zone 02		1 27.28	27.28
291303013	20116 02		21.20	21.20

291583014 Zone 02 1 27.28 27. 291583016 Zone 02 1 27.28 27. 291583017 Zone 02 1 27.28 27. 291583018 Zone 02 1 27.28 27. 291583019 Zone 02 1 27.28 27. 291583020 Zone 02 1 27.28 27. 291583021 Zone 02 1 27.28 27. 291583022 Zone 02 1 27.28 27. 291583023 Zone 02 1 27.28 27. 291583024 Zone 02 1 27.28 27. 291583025 Zone 02 1 27.28 27. 291583026 Zone 02 1 27.28 27. 291583027 Zone 02 1 27.28 27. 291583028 Zone 02 1 27.28 27. 291583030 Zone 02 1 27.28 27. 291583031 Zone 02 1 27.28 27. 291583033 Zone 0	APN	I MD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
291583015 Zone 02 1 27.28 27.28 291583016 Zone 02 1 27.28 27.28 291583017 Zone 02 1 27.28 27.28 291583018 Zone 02 1 27.28 27.28 291583019 Zone 02 1 27.28 27.28 291583021 Zone 02 1 27.28 27.28 291583022 Zone 02 1 27.28 27.28 291583023 Zone 02 1 27.28 27.28 291583024 Zone 02 1 27.28 27.29 291583025 Zone 02 1 27.28 27.28 291583026 Zone 02 1 27.28 27.28 291583027 Zone 02 1 27.28 27.28 291583028 Zone 02 1 27.28 27.28 291583029 Zone 02 1 27.28 27.28 291583030 Zone 02 1 27.28 27.28 291583031 Zone 02 1 27.28 27.28 <td< td=""><td></td><td></td><td>LIND Assigned EDG 5</td><td></td><td>27.28</td></td<>			LIND Assigned EDG 5		27.28
291583016 Zone 02 1 27.28 27.28 291583017 Zone 02 1 27.28 27.28 291583018 Zone 02 1 27.28 27.28 291583019 Zone 02 1 27.28 27.28 291583020 Zone 02 1 27.28 27.28 291583021 Zone 02 1 27.28 27.28 291583022 Zone 02 1 27.28 27.28 291583023 Zone 02 1 27.28 27.28 291583024 Zone 02 1 27.28 27.29 291583025 Zone 02 1 27.28 27.29 291583026 Zone 02 1 27.28 27.29 291583027 Zone 02 1 27.28 27.28 291583029 Zone 02 1 27.28 27.28 291583029 Zone 02 1 27.28 27.28 291583030 Zone 02 1 27.28 27.28 291583031 Zone 02 1 27.28 27.28 <td< td=""><td></td><td></td><td></td><td></td><td>27.28</td></td<>					27.28
291583017 Zone 02 1 27.28 27. 291583018 Zone 02 1 27.28 27. 291583020 Zone 02 1 27.28 27. 291583021 Zone 02 1 27.28 27. 291583022 Zone 02 1 27.28 27. 291583023 Zone 02 1 27.28 27. 291583024 Zone 02 1 27.28 27. 291583025 Zone 02 1 27.28 27. 291583026 Zone 02 1 27.28 27. 291583027 Zone 02 1 27.28 27. 291583028 Zone 02 1 27.28 27. 291583029 Zone 02 1 27.28 27. 291583030 Zone 02 1 27.28 27. 291583031 Zone 02 1 27.28 27. 291583032 Zone 02 1 27.28 27. 291583033 Zone 02 1 27.28 27. 291584003 Zone 0					27.28
291583018 Zone 02 1 27.28 27. 291583019 Zone 02 1 27.28 27. 291583020 Zone 02 1 27.28 27. 291583021 Zone 02 1 27.28 27. 291583022 Zone 02 1 27.28 27. 291583023 Zone 02 1 27.28 27. 291583024 Zone 02 1 27.28 27. 291583025 Zone 02 1 27.28 27. 291583026 Zone 02 1 27.28 27. 291583027 Zone 02 1 27.28 27. 291583028 Zone 02 1 27.28 27. 291583029 Zone 02 1 27.28 27. 291583030 Zone 02 1 27.28 27. 291583031 Zone 02 1 27.28 27. 291583033 Zone 02 1 27.28 27. 291583034 Zone 02 1 27.28 27. 291584001 Zone 0					27.28
291583019 Zone 02 1 27.28 27. 291583020 Zone 02 1 27.28 27. 291583021 Zone 02 1 27.28 27. 291583022 Zone 02 1 27.28 27. 291583023 Zone 02 1 27.28 27. 291583024 Zone 02 1 27.28 27. 291583025 Zone 02 1 27.28 27. 291583026 Zone 02 1 27.28 27. 291583027 Zone 02 1 27.28 27. 291583028 Zone 02 1 27.28 27. 291583030 Zone 02 1 27.28 27. 291583030 Zone 02 1 27.28 27. 291583031 Zone 02 1 27.28 27. 291583033 Zone 02 1 27.28 27. 291583034 Zone 02 1 27.28 27. 291584001 Zone 02 1 27.28 27. 291584002 Zone 0					27.28
291583020 Zone 02 1 27.28 27. 291583021 Zone 02 1 27.28 27. 291583022 Zone 02 1 27.28 27. 291583023 Zone 02 1 27.28 27. 291583024 Zone 02 1 27.28 27. 291583025 Zone 02 1 27.28 27. 291583026 Zone 02 1 27.28 27. 291583027 Zone 02 1 27.28 27. 291583028 Zone 02 1 27.28 27. 291583029 Zone 02 1 27.28 27. 291583030 Zone 02 1 27.28 27. 291583031 Zone 02 1 27.28 27. 291583032 Zone 02 1 27.28 27. 291583033 Zone 02 1 27.28 27. 291584003 Zone 02 1 27.28 27. 291584001 Zone 02 1 27.28 27. 291584002 Zone 0					27.28
291583021 Zone 02 1 27.28 27.291583022 Zone 02 1 27.28 27.291583023 Zone 02 1 27.28 27.291583024 Zone 02 1 27.28 27.291583024 Zone 02 1 27.28 27.291583025 Zone 02 1 27.28 27.291583025 Zone 02 1 27.28 27.291583026 Zone 02 1 27.28 27.291583027 Zone 02 1 27.28 27.291583027 Zone 02 1 27.28 27.291583028 Zone 02 1 27.28 27.291583028 Zone 02 1 27.28 27.291583029 Zone 02 1 27.28 27.291583033 Zone 02 1 27.28 27.291583033 Zone 02 1 27.28 27.291583033 Zone 02 1 27.28 27.291583034 Zone 02 1					27.28
291583022 Zone 02 1 27.28 27.28 291583023 Zone 02 1 27.28 27.28 291583024 Zone 02 1 27.28 27.28 291583025 Zone 02 1 27.28 27.28 291583026 Zone 02 1 27.28 27.28 291583027 Zone 02 1 27.28 27.28 291583028 Zone 02 1 27.28 27.29 291583030 Zone 02 1 27.28 27.29 291583031 Zone 02 1 27.28 27.29 291583032 Zone 02 1 27.28 27.29 291583033 Zone 02 1 27.28 27.28 291583034 Zone 02 1 27.28 27.28 291584001 Zone 02 1 27.28 27.28 291584002 Zone 02 1 27.28 27.28 291584006 Zone 02 1 27.28 27.28 291584009 Zone 02 1 27.28 27.28 <td< td=""><td></td><td></td><td></td><td></td><td>27.28</td></td<>					27.28
291583023 Zone 02 1 27.28 27.28 291583024 Zone 02 1 27.28 27.28 291583025 Zone 02 1 27.28 27.29 291583026 Zone 02 1 27.28 27.28 291583027 Zone 02 1 27.28 27.28 291583028 Zone 02 1 27.28 27.28 291583029 Zone 02 1 27.28 27.28 291583030 Zone 02 1 27.28 27.28 291583031 Zone 02 1 27.28 27.28 291583032 Zone 02 1 27.28 27.29 291583033 Zone 02 1 27.28 27.29 291583034 Zone 02 1 27.28 27.29 291584001 Zone 02 1 27.28 27.29 291584002 Zone 02 1 27.28 27.28 291584006 Zone 02 1 27.28 27.28 291584009 Zone 02 1 27.28 27.29 <td< td=""><td></td><td></td><td></td><td></td><td>27.28</td></td<>					27.28
291583024 Zone 02 1 27.28 27.28 291583025 Zone 02 1 27.28 27.28 291583026 Zone 02 1 27.28 27.28 291583027 Zone 02 1 27.28 27.28 291583028 Zone 02 1 27.28 27.28 291583029 Zone 02 1 27.28 27.28 291583030 Zone 02 1 27.28 27.28 291583031 Zone 02 1 27.28 27.28 291583032 Zone 02 1 27.28 27.29 291583033 Zone 02 1 27.28 27.29 291583034 Zone 02 1 27.28 27.29 291584001 Zone 02 1 27.28 27.29 291584001 Zone 02 1 27.28 27.29 291584006 Zone 02 1 27.28 27.29 291584009 Zone 02 1 27.28 27.28 291584009 Zone 02 1 27.28 27.29 <td< td=""><td></td><td></td><td></td><td></td><td>27.28</td></td<>					27.28
291583025 Zone 02 1 27.28 27.28 291583026 Zone 02 1 27.28 27.28 291583027 Zone 02 1 27.28 27.28 291583028 Zone 02 1 27.28 27.28 291583030 Zone 02 1 27.28 27.28 291583031 Zone 02 1 27.28 27.28 291583032 Zone 02 1 27.28 27.28 291583033 Zone 02 1 27.28 27.28 291583034 Zone 02 1 27.28 27.28 291584001 Zone 02 1 27.28 27.28 291584002 Zone 02 1 27.28 27.28 291584006 Zone 02 1 27.28 27.28 291584008 Zone 02 1 27.28 27.28 291584009 Zone 02 1 27.28 27.28 291584000 Zone 02 1 27.28 27.28 291584000 Zone 02 1 27.28 27.28 <td< td=""><td></td><td></td><td></td><td></td><td>27.28</td></td<>					27.28
291583026 Zone 02 1 27.28 27.291583027 Zone 02 1 27.28 27.291583028 Zone 02 1 27.28 27.291583028 Zone 02 1 27.28 27.291583030 Zone 02 1 27.28 27.28 27.291583031 Zone 02 1 27.28					27.28
291583027 Zone 02 1 27.28 27.28 27.291583028 Zone 02 1 27.28 27.291583029 Zone 02 1 27.28 27.28 27.291583030 Zone 02 1 27.28 27.28 27.291583031 Zone 02 1 27.28 <t< td=""><td></td><td></td><td></td><td></td><td>27.28</td></t<>					27.28
291583028 Zone 02 1 27.28 27.28 291583029 Zone 02 1 27.28 27.28 291583030 Zone 02 1 27.28 27.28 291583031 Zone 02 1 27.28 27.28 291583032 Zone 02 1 27.28 27.28 291583033 Zone 02 1 27.28 27.28 291583034 Zone 02 1 27.28 27.28 291584001 Zone 02 1 27.28 27.28 291584002 Zone 02 1 27.28 27.28 291584006 Zone 02 1 27.28 27.28 291584007 Zone 02 1 27.28 27.28 291584008 Zone 02 1 27.28 27.28 291584009 Zone 02 1 27.28 27.28 291610001 Zone 02 1 27.28 27.28 291584003 Zone 02 1 27.28 27.28 291584003 Zone 02 1 27.28 27.28 <tbod< td=""><td></td><td></td><td></td><td></td><td>27.28</td></tbod<>					27.28
291583029 Zone 02 1 27.28 27.28 291583030 Zone 02 1 27.28 27.28 291583031 Zone 02 1 27.28 27.28 291583032 Zone 02 1 27.28 27.28 291583033 Zone 02 1 27.28 27.28 291583035 Zone 02 1 27.28 27.28 291584001 Zone 02 1 27.28 27.28 291584002 Zone 02 1 27.28 27.28 291584006 Zone 02 1 27.28 27.28 291584007 Zone 02 1 27.28 27.28 291584008 Zone 02 1 27.28 27.28 291584009 Zone 02 1 27.28 27.28 291610001 Zone 02 1 27.28 27.28 291584003 Zone 02 1 27.28 27.28 291584003 Zone 02 1 27.28 27.28					27.28
291583030 Zone 02 1 27.28 27. 291583031 Zone 02 1 27.28 27. 291583032 Zone 02 1 27.28 27. 291583033 Zone 02 1 27.28 27. 291583034 Zone 02 1 27.28 27. 291584001 Zone 02 1 27.28 27. 291584002 Zone 02 1 27.28 27. 291584006 Zone 02 1 27.28 27. 291584007 Zone 02 1 27.28 27. 291584008 Zone 02 1 27.28 27. 291610001 Zone 02 1 27.28 27. 291610002 Zone 02 1 27.28 27. 291584003 Zone 0					
291583031 Zone 02 1 27.28 27. 291583032 Zone 02 1 27.28 27. 291583033 Zone 02 1 27.28 27. 291583034 Zone 02 1 27.28 27. 291584001 Zone 02 1 27.28 27. 291584002 Zone 02 1 27.28 27. 291584006 Zone 02 1 27.28 27. 291584007 Zone 02 1 27.28 27. 291584008 Zone 02 1 27.28 27. 291584009 Zone 02 1 27.28 27. 291610001 Zone 02 1 27.28 27. 291584003 Zone 02 1 27.28 27. 291584003 Zone 02 1 27.28 27.					27.28
291583032 Zone 02 1 27.28 27.28 291583033 Zone 02 1 27.28 27.28 291583034 Zone 02 1 27.28 27.28 291583035 Zone 02 1 27.28 27.28 291584001 Zone 02 1 27.28 27.28 291584002 Zone 02 1 27.28 27.28 291584006 Zone 02 1 27.28 27.28 291584007 Zone 02 1 27.28 27.28 291584008 Zone 02 1 27.28 27.28 291610001 Zone 02 1 27.28 27.28 291610002 Zone 02 1 27.28 27.28 291584003 Zone 02 1 27.28 27.28 291584003 Zone 02 1 27.28 27.28					27.28
291583033 Zone 02 1 27.28 27. 291583034 Zone 02 1 27.28 27. 291583035 Zone 02 1 27.28 27. 291584001 Zone 02 1 27.28 27. 291584002 Zone 02 1 27.28 27. 291584006 Zone 02 1 27.28 27. 291584007 Zone 02 1 27.28 27. 291584008 Zone 02 1 27.28 27. 291584009 Zone 02 1 27.28 27. 291610001 Zone 02 1 27.28 27. 291610002 Zone 02 1 27.28 27. 291584003 Zone 02 1 27.28 27. 291584003 Zone 02 1 27.28 27.					27.28
291583034 Zone 02 1 27.28 27. 291583035 Zone 02 1 27.28 27. 291584001 Zone 02 1 27.28 27. 291584002 Zone 02 1 27.28 27. 291584006 Zone 02 1 27.28 27. 291584007 Zone 02 1 27.28 27. 291584008 Zone 02 1 27.28 27. 291584009 Zone 02 1 27.28 27. 291610001 Zone 02 1 27.28 27. 291610002 Zone 02 1 27.28 27. 291584003 Zone 02 1 27.28 27. 291584003 Zone 02 1 27.28 27.					27.28
291583035 Zone 02 1 27.28 27. 291584001 Zone 02 1 27.28 27. 291584002 Zone 02 1 27.28 27. 291584006 Zone 02 1 27.28 27. 291584007 Zone 02 1 27.28 27. 291584008 Zone 02 1 27.28 27. 291610001 Zone 02 1 27.28 27. 291610002 Zone 02 1 27.28 27. 291584003 Zone 02 1 27.28 27. 291584003 Zone 02 1 27.28 27.					27.28
291584001 Zone 02 1 27.28 27. 291584002 Zone 02 1 27.28 27. 291584006 Zone 02 1 27.28 27. 291584007 Zone 02 1 27.28 27. 291584008 Zone 02 1 27.28 27. 291584009 Zone 02 1 27.28 27. 291610001 Zone 02 1 27.28 27. 291684003 Zone 02 1 27.28 27. 291584003 Zone 02 1 27.28 27. 291584003 Zone 02 1 27.28 27.					27.28
291584002 Zone 02 1 27.28 27.28 291584006 Zone 02 1 27.28 27.28 291584007 Zone 02 1 27.28 27.28 291584008 Zone 02 1 27.28 27.28 291584009 Zone 02 1 27.28 27.28 291610001 Zone 02 1 27.28 27.28 291610002 Zone 02 1 27.28 27.28 291584003 Zone 02 1 27.28 27.28					27.28
291584006 Zone 02 1 27.28 27. 291584007 Zone 02 1 27.28 27. 291584008 Zone 02 1 27.28 27. 291584009 Zone 02 1 27.28 27. 291610001 Zone 02 1 27.28 27. 291610002 Zone 02 1 27.28 27. 291584003 Zone 02 1 27.28 27.					27.28
291584007 Zone 02 1 27.28 27. 291584008 Zone 02 1 27.28 27. 291584009 Zone 02 1 27.28 27. 291610001 Zone 02 1 27.28 27. 291610002 Zone 02 1 27.28 27. 291584003 Zone 02 1 27.28 27.					27.28
291584008 Zone 02 1 27.28 27. 291584009 Zone 02 1 27.28 27. 291610001 Zone 02 1 27.28 27. 291610002 Zone 02 1 27.28 27. 291584003 Zone 02 1 27.28 27. 291584003 Zone 02 1 27.28 27.					27.28
291584009 Zone 02 1 27.28 27. 291610001 Zone 02 1 27.28 27. 291610002 Zone 02 1 27.28 27. 291584003 Zone 02 1 27.28 27.					27.28
291610001 Zone 02 1 27.28 27. 291610002 Zone 02 1 27.28 27. 291584003 Zone 02 1 27.28 27. 291584003 Zone 02 1 27.28 27.					27.28
291610002 Zone 02 1 27.28 27. 291584003 Zone 02 1 27.28 27.					27.28
291584003 Zone 02 1 27.28 27.					27.28
					27.28
201584004 7_{000} 02 1 27.28 27.28					27.28
	291584004	Zone 02		1 27.28	27.28
					27.28
		Zone 02		1 27.28	27.28
					27.28
291610005 Zone 02 1 27.28 27.	291610005	Zone 02		1 27.28	27.28
291610006 Zone 02 1 27.28 27.	291610006	Zone 02		1 27.28	27.28
291610007 Zone 02 1 27.28 27.	291610007	Zone 02		1 27.28	27.28
291610008 Zone 02 1 27.28 27.	291610008	Zone 02		1 27.28	27.28
291610009 Zone 02 1 27.28 27.	291610009	Zone 02		1 27.28	27.28
291610010 Zone 02 1 27.28 27.	291610010	Zone 02		1 27.28	27.28
291610011 Zone 02 1 27.28 27.	291610011	Zone 02		1 27.28	27.28
291610012 Zone 02 1 27.28 27.	291610012	Zone 02		1 27.28	27.28
291610013 Zone 02 1 27.28 27.	291610013	Zone 02		1 27.28	27.28
291610014 Zone 02 1 27.28 27.	291610014	Zone 02		1 27.28	27.28
291610015 Zone 02 1 27.28 27.	291610015	Zone 02		1 27.28	27.28
291610016 Zone 02 1 27.28 27.	291610016	Zone 02		1 27.28	27.28
291610017 Zone 02 1 27.28 27.	291610017	Zone 02		1 27.28	27.28

APN	LMD 2014-01 Zone L	_MD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
291610018	Zone 02		1 27.28	27.28
291610019	Zone 02		1 27.28	27.28
291610020	Zone 02		1 27.28	27.28
291610021	Zone 02		1 27.28	27.28
291610022	Zone 02		1 27.28	27.28
291610023	Zone 02		1 27.28	27.28
291610024	Zone 02		1 27.28	27.28
291610025	Zone 02		1 27.28	27.28
291610026	Zone 02		1 27.28	27.28
291611001	Zone 02		1 27.28	27.28
291611002	Zone 02		1 27.28	27.28
291611003	Zone 02		1 27.28	27.28
291611004	Zone 02		1 27.28	27.28
291611005	Zone 02		1 27.28	27.28
291611006	Zone 02		1 27.28	27.28
291611007	Zone 02		1 27.28	27.28
291611008	Zone 02		1 27.28	27.28
291611009	Zone 02		1 27.28	27.28
291611010	Zone 02		1 27.28	27.28
291611011	Zone 02		1 27.28	27.28
291611012	Zone 02		1 27.28	27.28
291611013	Zone 02		1 27.28	27.28
291612001	Zone 02		1 27.28	27.28
291612002	Zone 02		1 27.28	27.28
291612003	Zone 02		1 27.28	27.28
291612004	Zone 02		1 27.28	27.28
291612005	Zone 02		1 27.28	27.28
291612006	Zone 02		1 27.28	27.28
291612007	Zone 02		1 27.28	27.28
291612008	Zone 02		1 27.28	27.28
291612009	Zone 02		1 27.28	27.28
291612010	Zone 02		1 27.28	27.28
291612011	Zone 02		1 27.28	27.28
291613001	Zone 02		1 27.28	27.28
291613002	Zone 02		1 27.28	27.28
291613003	Zone 02		1 27.28	27.28
291613004	Zone 02		1 27.28	27.28
291613005	Zone 02		1 27.28	27.28
291613006	Zone 02		1 27.28	27.28
291613007	Zone 02		1 27.28	27.28
291613008	Zone 02		1 27.28	27.28
291613009	Zone 02		1 27.28	27.28
291613010	Zone 02		1 27.28	27.28
291613011	Zone 02		1 27.28	27.28
291613012	Zone 02		1 27.28	27.28
291613013	Zone 02		1 27.28	27.28
291613014	Zone 02		1 27.28	27.28
291613015	Zone 02		1 27.28	27.28
231013013	20116-02		21.20	21.20

APN	LMD 2014-01 Zone L	_MD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
291613016	Zone 02		1 27.28	27.28
291613017	Zone 02		1 27.28	27.28
291613018	Zone 02		1 27.28	27.28
291613019	Zone 02		1 27.28	27.28
291613020	Zone 02		1 27.28	27.28
291613021	Zone 02		1 27.28	27.28
291613022	Zone 02		1 27.28	27.28
291613023	Zone 02		1 27.28	27.28
291613024	Zone 02		1 27.28	27.28
291613025	Zone 02		1 27.28	27.28
291613026	Zone 02		1 27.28	27.28
291613027	Zone 02		1 27.28	27.28
291613028	Zone 02		1 27.28	27.28
291613029	Zone 02		1 27.28	27.28
291613030	Zone 02		1 27.28	27.28
291614001	Zone 02		1 27.28	27.28
291614002	Zone 02		1 27.28	27.28
291614003	Zone 02		1 27.28	27.28
291614004	Zone 02		1 27.28	27.28
291614005	Zone 02		1 27.28	27.28
291614006	Zone 02		1 27.28	27.28
291614007	Zone 02		1 27.28	27.28
291614008	Zone 02		1 27.28	27.28
291614009	Zone 02		1 27.28	27.28
291615002	Zone 02		1 27.28	27.28
291615003	Zone 02		1 27.28	27.28
291615004	Zone 02		1 27.28	27.28
291615005	Zone 02		1 27.28	27.28
291615006	Zone 02		1 27.28	27.28
291615001	Zone 02		1 27.28	27.28
291615007	Zone 02		1 27.28	27.28
291615008	Zone 02		1 27.28	27.28
291615009	Zone 02		1 27.28	27.28
291615010	Zone 02		1 27.28	27.28
291615011	Zone 02		1 27.28	27.28
291615012	Zone 02		1 27.28	27.28
291615013	Zone 02		1 27.28	27.28
291615014	Zone 02		1 27.28	27.28
291615015	Zone 02		1 27.28	27.28
291615016	Zone 02		1 27.28	27.28
291616001	Zone 02		1 27.28	27.28
291616002	Zone 02		1 27.28	27.28
291616003	Zone 02		1 27.28	27.28
291616004	Zone 02		1 27.28	27.28
291616005	Zone 02		1 27.28	27.28
291616006	Zone 02		1 27.28	27.28
291616007	Zone 02		1 27.28	27.28
291616008	Zone 02		1 27.28	27.28
	_31.0 02		21.20	21.20

APN	I MD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
291616009	Zone 02	LIND Assigned EDO 3	1 27.28	27.28
291616010	Zone 02		1 27.28	27.28
291616011	Zone 02		1 27.28	27.28
291616012	Zone 02		1 27.28	27.28
291616013	Zone 02		1 27.28	27.28
291616014	Zone 02		1 27.28	27.28
291616015	Zone 02		1 27.28	27.28
291616016	Zone 02		1 27.28	27.28
291620001	Zone 02		1 27.28	27.28
291621002	Zone 02		1 27.28	27.28
291621003	Zone 02		1 27.28	27.28
291621004	Zone 02		1 27.28	27.28
291621005	Zone 02		1 27.28	27.28
291621006	Zone 02		1 27.28	27.28
291621007	Zone 02		1 27.28	27.28
291621007	Zone 02		1 27.28	27.28
291621009	Zone 02		1 27.28	27.28
291621010	Zone 02		1 27.28	27.28
291622001	Zone 02		1 27.28	27.28
291622001	Zone 02		1 27.28	27.28
291622002	Zone 02 Zone 02		1 27.28	27.28
291622004	Zone 02		1 27.28	27.28
291622004	Zone 02		1 27.28	27.28
291622006	Zone 02		1 27.28	27.28
291622007	Zone 02		1 27.28	27.28
291622007	Zone 02		1 27.28	27.28
291622009	Zone 02		1 27.28	27.28
291622010	Zone 02		1 27.28	27.28
291622011	Zone 02 Zone 02		1 27.28	27.28
291622012	Zone 02 Zone 02		1 27.28	27.28
291622013	Zone 02		1 27.28	27.28
291622014	Zone 02		1 27.28	27.28
291622015	Zone 02		1 27.28	27.28
291622016	Zone 02		1 27.28	27.28
291622017	Zone 02		1 27.28	27.28
291622018	Zone 02 Zone 02		1 27.28	27.28
291622019	Zone 02		1 27.28	27.28
291622020	Zone 02		1 27.28	27.28
291622021	Zone 02 Zone 02		1 27.28	27.28
291622021	Zone 02 Zone 02		1 27.28	27.28
291622023	Zone 02		1 27.28	27.28
291622024	Zone 02		1 27.28	27.28
291620002	Zone 02		1 27.28	27.28
291620003	Zone 02		1 27.28	27.28
291620004	Zone 02		1 27.28	27.28
291620005	Zone 02		1 27.28	27.28
291620006	Zone 02		1 27.28	27.28
291620007	Zone 02		1 27.28	27.28

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
291620008	Zone 02		1 27.28	27.28
291620009	Zone 02		1 27.28	27.28
291620010	Zone 02		1 27.28	27.28
291620011	Zone 02		1 27.28	27.28
291620012	Zone 02		1 27.28	27.28
291620013	Zone 02		1 27.28	27.28
291620014	Zone 02		1 27.28	27.28
291620015	Zone 02		1 27.28	27.28
291620016	Zone 02		1 27.28	27.28
291620017	Zone 02		1 27.28	27.28
291620018	Zone 02		1 27.28	27.28
291620019	Zone 02		1 27.28	27.28
291620020	Zone 02		1 27.28	27.28
291622025	Zone 02		1 27.28	27.28
291622026	Zone 02		1 27.28	27.28
291624026	Zone 02		1 27.28	27.28
291624027	Zone 02		1 27.28	27.28
291624028	Zone 02		1 27.28	27.28
291624029	Zone 02		1 27.28	27.28
291624030	Zone 02		1 27.28	27.28
291624031	Zone 02		1 27.28	27.28
291624032	Zone 02		1 27.28	27.28
291624033	Zone 02		1 27.28	27.28
291624034	Zone 02		1 27.28	27.28
291624035	Zone 02		1 27.28	27.28
291624036	Zone 02		1 27.28	27.28
291624037	Zone 02		1 27.28	27.28
291624038	Zone 02		1 27.28	27.28
291625001	Zone 02		1 27.28	27.28
291625002	Zone 02		1 27.28	27.28
291625003	Zone 02		1 27.28	27.28
291625004	Zone 02		1 27.28	27.28
291625005	Zone 02		1 27.28	27.28
291625006	Zone 02		1 27.28	27.28
291625007	Zone 02		1 27.28	27.28
291630001	Zone 02		1 27.28	27.28
291630002	Zone 02		1 27.28	27.28
291630003	Zone 02		1 27.28	27.28
291630004	Zone 02		1 27.28	27.28
291630005	Zone 02		1 27.28	27.28
291630006	Zone 02		1 27.28	27.28
291630007	Zone 02		1 27.28	27.28
291630008	Zone 02		1 27.28	27.28
291630010	Zone 02		1 27.28	27.28
291630011	Zone 02		1 27.28	27.28
291630012	Zone 02		1 27.28	27.28
291630013	Zone 02		1 27.28	27.28
291630014	Zone 02		1 27.28	27.28
_31000011			21.20	21.20

APN	I MD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
291630015	Zone 02	EMD Assigned ED0 3	1 27.28	27.28
291631001	Zone 02		1 27.28	27.28
291631002	Zone 02		1 27.28	27.28
291631003	Zone 02		1 27.28	27.28
291631008	Zone 02		1 27.28	27.28
291631009	Zone 02		1 27.28	27.28
291631010	Zone 02		1 27.28	27.28
291630009	Zone 02		1 27.28	27.28
291631004	Zone 02		1 27.28	27.28
291631005	Zone 02		1 27.28	27.28
291631006	Zone 02		1 27.28	27.28
291631007	Zone 02		1 27.28	27.28
291631007	Zone 02		1 27.28	27.28
291631011	Zone 02		1 27.28	27.28
291631012	Zone 02		1 27.28	27.28
291631013			1 27.28	
291631027	Zone 02			27.28
	Zone 02 Zone 02		1 27.28	27.28
291631029			1 27.28	27.28
291631017	Zone 02		1 27.28	27.28
291631018	Zone 02		1 27.28	27.28
291631019	Zone 02		1 27.28	27.28
291631020	Zone 02	•	1 27.28	27.28
291631021	Zone 02		1 27.28	27.28
291631022	Zone 02	·	1 27.28	27.28
291631023	Zone 02		1 27.28	27.28
291631024	Zone 02	•	1 27.28	27.28
291631025	Zone 02		1 27.28	27.28
291631026	Zone 02		1 27.28	27.28
291632001	Zone 02		1 27.28	27.28
291632002	Zone 02		1 27.28	27.28
291632003	Zone 02		1 27.28	27.28
291632004	Zone 02		1 27.28	27.28
291632005	Zone 02		1 27.28	27.28
291632011	Zone 02		1 27.28	27.28
291632012	Zone 02		1 27.28	27.28
291632013	Zone 02		1 27.28	27.28
291632014	Zone 02	•	1 27.28	27.28
291632015	Zone 02		1 27.28	27.28
291633013	Zone 02		1 27.28	27.28
291633014	Zone 02		1 27.28	27.28
291633015	Zone 02		1 27.28	27.28
291633016	Zone 02		1 27.28	27.28
291633017	Zone 02		1 27.28	27.28
291633018	Zone 02		1 27.28	27.28
291633019	Zone 02		1 27.28	27.28
291633020	Zone 02		1 27.28	27.28
291633021	Zone 02		1 27.28	27.28
291633022	Zone 02		1 27.28	27.28

APN	LMD 2014-01 Zone I	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
291633023	Zone 02		1 27.28	27.28
291633024	Zone 02		1 27.28	27.28
291634001	Zone 02		1 27.28	27.28
291634002	Zone 02		1 27.28	27.28
291634003	Zone 02		1 27.28	27.28
291634004	Zone 02		1 27.28	27.28
291634005	Zone 02		1 27.28	27.28
291634006	Zone 02		1 27.28	27.28
291634007	Zone 02		1 27.28	27.28
291634008	Zone 02		1 27.28	27.28
291634009	Zone 02		1 27.28	27.28
291634010	Zone 02		1 27.28	27.28
291634011	Zone 02		1 27.28	27.28
291634012	Zone 02		1 27.28	27.28
291634013	Zone 02		1 27.28	27.28
291634014	Zone 02		1 27.28	27.28
291634015	Zone 02		1 27.28	27.28
291634016	Zone 02		1 27.28	27.28
291634017	Zone 02		1 27.28	27.28
291635021	Zone 02		1 27.28	27.28
291635022	Zone 02		1 27.28	27.28
291635023	Zone 02		1 27.28	27.28
291635024	Zone 02		1 27.28	27.28
291635025	Zone 02		1 27.28	27.28
291635026	Zone 02		1 27.28	27.28
291635027	Zone 02		1 27.28	27.28
291635028	Zone 02		1 27.28	27.28
291635029	Zone 02		1 27.28	27.28
291635030	Zone 02		1 27.28	27.28
291635031	Zone 02		1 27.28	27.28
291635032	Zone 02		1 27.28	27.28
291635033	Zone 02		1 27.28	27.28
291635034	Zone 02		1 27.28	27.28
291635035	Zone 02		1 27.28	27.28
291635036	Zone 02		1 27.28	27.28
291635037	Zone 02		1 27.28	27.28
291635038	Zone 02		1 27.28	27.28
291635039	Zone 02		1 27.28	27.28
291635040	Zone 02		1 27.28	27.28
291636001	Zone 02		1 27.28	27.28
291636002	Zone 02		1 27.28	27.28
291636003	Zone 02		1 27.28	27.28
291636004	Zone 02		1 27.28	27.28
291636005	Zone 02		1 27.28	27.28
291636006	Zone 02		1 27.28	27.28
291636007	Zone 02		1 27.28	27.28
291636008	Zone 02		1 27.28	27.28
291636009	Zone 02		1 27.28	27.28
231030003	20116-02		21.20	21.20

APN	I MD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
291636010	Zone 02	LIND Assigned ED0 3	1 27.28	27.28
291636011	Zone 02		1 27.28	27.28
291636012	Zone 02		1 27.28	27.28
291636013	Zone 02		1 27.28	27.28
291636014	Zone 02		1 27.28	27.28
291636015	Zone 02		1 27.28	27.28
291636016	Zone 02		1 27.28	27.28
291636017	Zone 02		1 27.28	27.28
291636018	Zone 02		1 27.28	27.28
291636019	Zone 02		1 27.28	27.28
291636020	Zone 02		1 27.28	27.28
291636021	Zone 02		1 27.28	27.28
291636022	Zone 02 Zone 02		1 27.28	27.28
291636023	Zone 02		1 27.28	27.28
291636024	Zone 02		1 27.28	27.28
291636025	Zone 02		1 27.28	27.28
291636026	Zone 02		1 27.28	27.28
291636027	Zone 02		1 27.28	27.28
291636028	Zone 02		1 27.28	27.28
291636029	Zone 02 Zone 02		1 27.28	27.28
291636030	Zone 02 Zone 02		1 27.28	27.28
291636031	Zone 02 Zone 02		1 27.28	27.28
291636032	Zone 02 Zone 02		1 27.28	27.28
291636032	Zone 02 Zone 02		1 27.28	27.28
291636034	Zone 02 Zone 02		1 27.28	27.28
291636035	Zone 02 Zone 02		1 27.28	27.28
291636036	Zone 02 Zone 02		1 27.28	27.28
291636037	Zone 02 Zone 02		1 27.28	27.28
	Zone 02 Zone 02			
291636038 291636039	Zone 02 Zone 02		1 27.28 1 27.28	27.28 27.28
291636040	Zone 02 Zone 02		1 27.28	27.28
291636041	Zone 02 Zone 02		1 27.28	27.28
291636042	Zone 02 Zone 02		1 27.28	27.28
291636043	Zone 02 Zone 02		1 27.28	27.28
291641001				
291641001	Zone 02 Zone 02		1 27.28	27.28
			1 27.28	27.28
291641003	Zone 02		1 27.28	27.28
291641004	Zone 02		1 27.28	27.28
291641005	Zone 02		1 27.28	27.28
291641006	Zone 02		1 27.28	27.28
291641007	Zone 02		1 27.28	27.28
291641008	Zone 02		1 27.28	27.28
291641009	Zone 02		1 27.28	27.28
291641010	Zone 02		1 27.28	27.28
291641011	Zone 02		1 27.28	27.28
291641012	Zone 02		1 27.28	27.28
291641013	Zone 02		1 27.28	27.28
291641014	Zone 02		1 27.28	27.28

APN	I MD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
291641015	Zone 02	LIND Assigned ED0 3	1 27.28	27.28
291641016	Zone 02		1 27.28	27.28
291641017	Zone 02		1 27.28	27.28
291641018	Zone 02		1 27.28	27.28
291641019	Zone 02		1 27.28	27.28
291641020	Zone 02		1 27.28	27.28
291641021	Zone 02		1 27.28	27.28
291642001	Zone 02		1 27.28	27.28
291642002	Zone 02		1 27.28	27.28
291642003	Zone 02		1 27.28	27.28
291642004	Zone 02		1 27.28	27.28
291642005	Zone 02 Zone 02		1 27.28	27.28
291642006	Zone 02		1 27.28	27.28
291642007	Zone 02		1 27.28	27.28
291642008	Zone 02		1 27.28	27.28
292181010	Zone 02		1 27.28	27.28
292181011	Zone 02		1 27.28	27.28
292181012	Zone 02		1 27.28	27.28
292181013	Zone 02		1 27.28	27.28
292181014	Zone 02 Zone 02		1 27.28	27.28
292181021	Zone 02		1 27.28	27.28
292181022	Zone 02 Zone 02		1 27.28	27.28
292181023	Zone 02 Zone 02		1 27.28	27.28
292181024	Zone 02 Zone 02		1 27.28	27.28
292181025	Zone 02 Zone 02		1 27.28	27.28
292192005	Zone 02 Zone 02		1 27.28	27.28
292192005	Zone 02 Zone 02		1 27.28	27.28
292192007	Zone 02 Zone 02		1 27.28	27.28
	Zone 02 Zone 02			
292192008 292192009	Zone 02 Zone 02		1 27.28 1 27.28	27.28
292192009	Zone 02 Zone 02		1 27.28	27.28 27.28
292192010	Zone 02 Zone 02		1 27.28	27.28
292192011	Zone 02 Zone 02		1 27.28	27.28
	Zone 02 Zone 02		1 27.28	27.28
292192013				
292192014	Zone 02		1 27.28	27.28
292193003	Zone 02		1 27.28	27.28
292193004	Zone 02		1 27.28	27.28
292193005	Zone 02		1 27.28	27.28
292193006	Zone 02		1 27.28	27.28
292193007	Zone 02		1 27.28	27.28
292193008	Zone 02		1 27.28	27.28
292193009	Zone 02		1 27.28	27.28
304080001	Zone 02		1 27.28	27.28
304080002	Zone 02		1 27.28	27.28
304080003	Zone 02		1 27.28	27.28
304080004	Zone 02		1 27.28	27.28
304080005	Zone 02		1 27.28	27.28
304080006	Zone 02		1 27.28	27.28

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
304080007	Zone 02		1 27.28	27.28
304080008	Zone 02		1 27.28	27.28
304080009	Zone 02		1 27.28	27.28
304080010	Zone 02		1 27.28	27.28
304080011	Zone 02		1 27.28	27.28
304080012	Zone 02		1 27.28	27.28
304080013	Zone 02		1 27.28	27.28
304080014	Zone 02		1 27.28	27.28
304080015	Zone 02		1 27.28	27.28
304080016	Zone 02		1 27.28	27.28
304080017	Zone 02		1 27.28	27.28
304080018	Zone 02		1 27.28	27.28
304080019	Zone 02		1 27.28	27.28
304090001	Zone 02		1 27.28	27.28
304090002	Zone 02		1 27.28	27.28
304090003	Zone 02		1 27.28	27.28
304090004	Zone 02		1 27.28	27.28
304090005	Zone 02		1 27.28	27.28
304090006	Zone 02		1 27.28	27.28
304090007	Zone 02		1 27.28	27.28
304090008	Zone 02		1 27.28	27.28
304090009	Zone 02		1 27.28	27.28
304090010	Zone 02		1 27.28	27.28
304090011	Zone 02		1 27.28	27.28
304090012	Zone 02		1 27.28	27.28
304090013	Zone 02		1 27.28	27.28
304090014	Zone 02		1 27.28	27.28
304090015	Zone 02		1 27.28	27.28
304090016	Zone 02		1 27.28	27.28
304090017	Zone 02		1 27.28	27.28
304090018	Zone 02		1 27.28	27.28
304090019	Zone 02		1 27.28	27.28
304090020	Zone 02		1 27.28	27.28
304090021	Zone 02		1 27.28	27.28
304090022	Zone 02		1 27.28	27.28
304090023	Zone 02		1 27.28	27.28
304090024	Zone 02		1 27.28	27.28
304090025	Zone 02		1 27.28	27.28
304090026	Zone 02		1 27.28	27.28
304090027	Zone 02		1 27.28	27.28
304090027	Zone 02		1 27.28	27.28
304090029	Zone 02		1 27.28	27.28
304090029	Zone 02		1 27.28	27.28
304090030	Zone 02 Zone 02		1 27.28	27.28
304090031	Zone 02 Zone 02		1 27.28	27.28
304090032	Zone 02 Zone 02		1 27.28	27.28
304090033	Zone 02 Zone 02			
			1 27.28	27.28
304090035	Zone 02		1 27.28	27.28

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
304090036	Zone 02	LIND Assigned ED0 3	1 27.28	27.28
304090037	Zone 02		1 27.28	27.28
304090038	Zone 02		1 27.28	27.28
304090039	Zone 02		1 27.28	27.28
304090040	Zone 02		1 27.28	27.28
304090041	Zone 02		1 27.28	27.28
304110015	Zone 02		1 27.28	27.28
304110016	Zone 02		1 27.28	27.28
304110017	Zone 02		1 27.28	27.28
304110017	Zone 02		1 27.28	27.28
304110019	Zone 02		1 27.28	27.28
304110020	Zone 02		1 27.28	27.28
304110020	Zone 02		1 27.28	27.28
304110021	Zone 02		1 27.28	27.28
304110022	Zone 02		1 27.28	27.28
304110023	Zone 02		1 27.28	27.28
304110024	Zone 02		1 27.28	27.28
304110025	Zone 02		1 27.28	27.28
304110027	Zone 02		1 27.28	27.28
304110027	Zone 02		1 27.28	27.28
304110028	Zone 02 Zone 02		1 27.28	27.28
304110030	Zone 02		1 27.28	27.28
304110031	Zone 02		1 27.28	27.28
304110032	Zone 02		1 27.28	27.28
304110033	Zone 02		1 27.28	27.28
304110034	Zone 02		1 27.28	27.28
304110035	Zone 02		1 27.28	27.28
304110036	Zone 02		1 27.28	27.28
304110037	Zone 02		1 27.28	27.28
304110038	Zone 02		1 27.28	27.28
304110039	Zone 02		1 27.28	27.28
304110040	Zone 02		1 27.28	27.28
304110041	Zone 02		1 27.28	27.28
304110042	Zone 02		1 27.28	27.28
304110043	Zone 02		1 27.28	27.28
304110044	Zone 02		1 27.28	27.28
304110045	Zone 02		1 27.28	27.28
304110046	Zone 02		1 27.28	27.28
304110047	Zone 02		1 27.28	27.28
304110048	Zone 02		1 27.28	27.28
304111001	Zone 02		1 27.28	27.28
304111002	Zone 02		1 27.28	27.28
304111003	Zone 02		1 27.28	27.28
304111004	Zone 02		1 27.28	27.28
304111005	Zone 02		1 27.28	27.28
304111006	Zone 02		1 27.28	27.28
304111007	Zone 02		1 27.28	27.28
304111008	Zone 02		1 27.28	27.28

APN	I MD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
304111009	Zone 02	LIND Assigned ED0 3	1 27.28	27.28
304111010	Zone 02		1 27.28	27.28
304111011	Zone 02		1 27.28	27.28
304111012	Zone 02		1 27.28	27.28
304111013	Zone 02		1 27.28	27.28
304111014	Zone 02		1 27.28	27.28
304111015	Zone 02		1 27.28	27.28
304350001	Zone 02		1 27.28	27.28
304350001	Zone 02		1 27.28	27.28
304350002	Zone 02		1 27.28	27.28
304350003	Zone 02		1 27.28	27.28
304350005	Zone 02		1 27.28	27.28
304350005	Zone 02		1 27.28	27.28
304350007	Zone 02		1 27.28	27.28
304350007	Zone 02		1 27.28	27.28
304350009	Zone 02 Zone 02		1 27.28	27.28
304350009	Zone 02		1 27.28	27.28
304350010	Zone 02		1 27.28	27.28
304350011	Zone 02		1 27.28	27.28
304350012	Zone 02		1 27.28	27.28
304350013	Zone 02 Zone 02		1 27.28	27.28
304350015	Zone 02 Zone 02		1 27.28	27.28
304350016	Zone 02 Zone 02		1 27.28	27.28
304350017	Zone 02 Zone 02		1 27.28	27.28
304350017	Zone 02 Zone 02		1 27.28	27.28
304350019	Zone 02 Zone 02		1 27.28	27.28
304350019	Zone 02 Zone 02		1 27.28	27.28
304350020	Zone 02 Zone 02		1 27.28	27.28
	Zone 02 Zone 02			
304350022 304350027	Zone 02 Zone 02		1 27.28 1 27.28	27.28 27.28
304350027	Zone 02 Zone 02		1 27.28	27.28
304350029	Zone 02 Zone 02		1 27.28	27.28
304350029	Zone 02 Zone 02		1 27.28	27.28
	Zone 02 Zone 02		1 27.28	27.28
304350031 304350032				27.28
	Zone 02		1 27.28 1 27.28	
304350033 304350034	Zone 02 Zone 02			27.28
	Zone 02 Zone 02		1 27.28	27.28
304350035	Zone 02 Zone 02		1 27.28	27.28
304350036			1 27.28	27.28
304350037	Zone 02		1 27.28	27.28
304350038	Zone 02		1 27.28	27.28
304350039	Zone 02		1 27.28	27.28
304350040	Zone 02		1 27.28	27.28
304350041	Zone 02		1 27.28	27.28
304350042	Zone 02		1 27.28	27.28
304350043	Zone 02		1 27.28	27.28
304350044	Zone 02		1 27.28	27.28
304350045	Zone 02		1 27.28	27.28

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
304350046	Zone 02	LIND Assigned ED0 3	1 27.28	27.28
304350047	Zone 02		1 27.28	27.28
304350047	Zone 02		1 27.28	27.28
304350049	Zone 02		1 27.28	27.28
304350050	Zone 02		1 27.28	27.28
304350050	Zone 02		1 27.28	27.28
304350051	Zone 02		1 27.28	27.28
304350052	Zone 02		1 27.28	27.28
304350054	Zone 02		1 27.28	27.28
304360001	Zone 02		1 27.28	27.28
304360001	Zone 02		1 27.28	27.28
304360002	Zone 02		1 27.28	27.28
304360003	Zone 02		1 27.28	27.28
304360005	Zone 02		1 27.28	27.28
304360006	Zone 02		1 27.28	27.28
304360007	Zone 02		1 27.28	27.28
304360007	Zone 02		1 27.28	27.28
304360009	Zone 02		1 27.28	27.28
304360010	Zone 02		1 27.28	27.28
304360011	Zone 02		1 27.28	27.28
304360011	Zone 02		1 27.28	27.28
304360012	Zone 02		1 27.28	27.28
304360013	Zone 02		1 27.28	27.28
304360014	Zone 02		1 27.28	27.28
304360016	Zone 02		1 27.28	27.28
304360017	Zone 02		1 27.28	27.28
304360017	Zone 02		1 27.28	27.28
304360019	Zone 02		1 27.28	27.28
304360019	Zone 02		1 27.28	27.28
304360020	Zone 02		1 27.28	27.28
304360021	Zone 02		1 27.28	27.28
304360022	Zone 02		1 27.28	27.28
304360023	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
304360025				
304360026	Zone 02		1 27.28	27.28
304360027	Zone 02		1 27.28	27.28
304360028	Zone 02		1 27.28	27.28
304360029	Zone 02		1 27.28	27.28
304360030	Zone 02		1 27.28	27.28
304360031	Zone 02		1 27.28	27.28
304360032	Zone 02		1 27.28	27.28
304360033	Zone 02		1 27.28	27.28
304360034	Zone 02		1 27.28	27.28
304360035	Zone 02		1 27.28	27.28
304360036	Zone 02		1 27.28	27.28
304360037	Zone 02		1 27.28	27.28
304360038	Zone 02		1 27.28	27.28
304360039	Zone 02		1 27.28	27.28

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
304360040	Zone 02	LIND Assigned ED0 3	1 27.28	27.28
304360041	Zone 02		1 27.28	27.28
304360041	Zone 02		1 27.28	27.28
304360042	Zone 02		1 27.28	27.28
304360044	Zone 02		1 27.28	27.28
304360045	Zone 02		1 27.28	27.28
304360046	Zone 02		1 27.28	27.28
304360047	Zone 02		1 27.28	27.28
304360047	Zone 02		1 27.28	27.28
304360049	Zone 02		1 27.28	27.28
304370001	Zone 02		1 27.28	27.28
304370001	Zone 02		1 27.28	27.28
304370002	Zone 02		1 27.28	27.28
304370003	Zone 02		1 27.28	27.28
304370005	Zone 02		1 27.28	27.28
304370005	Zone 02		1 27.28	27.28
304370007	Zone 02		1 27.28	27.28
304370007	Zone 02		1 27.28	27.28
304370008	Zone 02		1 27.28	27.28
304370011	Zone 02		1 27.28	27.28
304370012	Zone 02		1 27.28	27.28
304370014	Zone 02		1 27.28 1 27.28	27.28
304370015	Zone 02			27.28
304370016	Zone 02		1 27.28	27.28
304370017	Zone 02		1 27.28	27.28
304370018	Zone 02		1 27.28	27.28
304370019	Zone 02		1 27.28	27.28
304370020	Zone 02		1 27.28	27.28
304370021	Zone 02		1 27.28	27.28
304370022	Zone 02		1 27.28	27.28
304370023	Zone 02		1 27.28	27.28
304370024	Zone 02		1 27.28	27.28
304370025	Zone 02		1 27.28	27.28
304370026	Zone 02		1 27.28	27.28
304370027	Zone 02		1 27.28	27.28
304370028	Zone 02		1 27.28	27.28
304370029	Zone 02		1 27.28	27.28
304370030	Zone 02		1 27.28	27.28
304370031	Zone 02		1 27.28	27.28
304370032	Zone 02		1 27.28	27.28
304370033	Zone 02		1 27.28	27.28
304370034	Zone 02		1 27.28	27.28
304370035	Zone 02		1 27.28	27.28
304370036	Zone 02		1 27.28	27.28
304370037	Zone 02		1 27.28	27.28
304370038	Zone 02		1 27.28	27.28
304370039	Zone 02		1 27.28	27.28
304370040	Zone 02		1 27.28	27.28

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
304370041	Zone 02		1 27.28	27.28
304370042	Zone 02		1 27.28	27.28
304370043	Zone 02		1 27.28	27.28
304370044	Zone 02		1 27.28	27.28
304370045	Zone 02		1 27.28	27.28
304370046	Zone 02		1 27.28	27.28
304370047	Zone 02		1 27.28	27.28
304370048	Zone 02		1 27.28	27.28
304370049	Zone 02		1 27.28	27.28
304370050	Zone 02		1 27.28	27.28
304370051	Zone 02		1 27.28	27.28
304370052	Zone 02		1 27.28	27.28
304370053	Zone 02		1 27.28	27.28
304370054	Zone 02		1 27.28	27.28
304370055	Zone 02		1 27.28	27.28
304370056	Zone 02		1 27.28	27.28
304370057	Zone 02		1 27.28	27.28
304370058	Zone 02		1 27.28	27.28
304370059	Zone 02		1 27.28	27.28
304370060	Zone 02		1 27.28	27.28
304370061	Zone 02		1 27.28	27.28
304370062	Zone 02		1 27.28	27.28
304370063	Zone 02		1 27.28	27.28
304370064	Zone 02		1 27.28	27.28
304381001	Zone 02		1 27.28	27.28
304381002	Zone 02		1 27.28	27.28
304381003	Zone 02		1 27.28	27.28
304381004	Zone 02		1 27.28	27.28
304381005	Zone 02		1 27.28	27.28
304381006	Zone 02		1 27.28	27.28
304381007	Zone 02		1 27.28	27.28
304381008	Zone 02		1 27.28	27.28
304381009	Zone 02		1 27.28	27.28
304381010	Zone 02		1 27.28	27.28
304382001	Zone 02		1 27.28	27.28
304382002	Zone 02		1 27.28	27.28
304382003	Zone 02		1 27.28	27.28
304382004	Zone 02		1 27.28	27.28
304382005	Zone 02		1 27.28	27.28
304382006	Zone 02		1 27.28	27.28
304382007	Zone 02		1 27.28	27.28
304382008	Zone 02		1 27.28	27.28
304382009	Zone 02		1 27.28	27.28
304382010	Zone 02		1 27.28	27.28
304382011	Zone 02		1 27.28	27.28
304383001	Zone 02		1 27.28	27.28
304383001	Zone 02		1 27.28	27.28
304383002	Zone 02		1 27.28	27.28
304303003	20116-02		21.20	21.20

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
304383004	Zone 02	LIND Assigned ED0 3	1 27.28	27.28
304383005	Zone 02		1 27.28	27.28
304383006	Zone 02		1 27.28	27.28
304383007	Zone 02		1 27.28	27.28
304383008	Zone 02		1 27.28	27.28
304383009	Zone 02		1 27.28	27.28
304383010	Zone 02		1 27.28	27.28
304383011	Zone 02		1 27.28	27.28
304383012	Zone 02		1 27.28	27.28
304383013	Zone 02		1 27.28	27.28
304384001	Zone 02		1 27.28	27.28
304384002	Zone 02		1 27.28	27.28
304384002	Zone 02		1 27.28	27.28
304384004	Zone 02		1 27.28	27.28
304384005	Zone 02		1 27.28	27.28
304384006	Zone 02		1 27.28	27.28
304384007	Zone 02		1 27.28	27.28
304384007	Zone 02 Zone 02		1 27.28	27.28
304384009	Zone 02 Zone 02		1 27.28	27.28
304384010	Zone 02		1 27.28	27.28
304384011	Zone 02		1 27.28	27.28
304391001	Zone 02		1 27.28	27.28
304391002	Zone 02		1 27.28	27.28
304391003	Zone 02		1 27.28	27.28
304391004	Zone 02		1 27.28	27.28
304391005	Zone 02		1 27.28	27.28
304391006	Zone 02		1 27.28	27.28
304391007	Zone 02		1 27.28	27.28
304391008	Zone 02		1 27.28	27.28
304391009	Zone 02		1 27.28	27.28
304391010	Zone 02		1 27.28	27.28
304391011	Zone 02		1 27.28	27.28
304391012	Zone 02		27.28	27.28
304391013	Zone 02		1 27.28	27.28
304391014	Zone 02	·	1 27.28	27.28
304391015	Zone 02	·	1 27.28	27.28
304391016	Zone 02		1 27.28	27.28
304391017	Zone 02		1 27.28	27.28
304391018	Zone 02		1 27.28	27.28
304391019	Zone 02		1 27.28	27.28
304391020	Zone 02		1 27.28	27.28
304391021	Zone 02		1 27.28	27.28
304391022	Zone 02		1 27.28	27.28
304391023	Zone 02		1 27.28	27.28
304391024	Zone 02		1 27.28	27.28
304391025	Zone 02		1 27.28	27.28
304391026	Zone 02		1 27.28	27.28
304391027	Zone 02		1 27.28	27.28

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
304391028	Zone 02		1 27.28	27.28
304391029	Zone 02		1 27.28	27.28
304391030	Zone 02		1 27.28	27.28
304391031	Zone 02		1 27.28	27.28
304391032	Zone 02		1 27.28	27.28
304392001	Zone 02		1 27.28	27.28
304392002	Zone 02		1 27.28	27.28
304392003	Zone 02		1 27.28	27.28
304392004	Zone 02		1 27.28	27.28
304392005	Zone 02		1 27.28	27.28
304392006	Zone 02		1 27.28	27.28
304392007	Zone 02		1 27.28	27.28
304392008	Zone 02		1 27.28	27.28
304392009	Zone 02		1 27.28	27.28
304392010	Zone 02		1 27.28	27.28
304392011	Zone 02		1 27.28	27.28
304392012	Zone 02		1 27.28	27.28
304392013	Zone 02		1 27.28	27.28
304392014	Zone 02		1 27.28	27.28
304392015	Zone 02		1 27.28	27.28
304392016	Zone 02		1 27.28	27.28
304400001	Zone 02		1 27.28	27.28
304400002	Zone 02		1 27.28	27.28
304400003	Zone 02		1 27.28	27.28
304400004	Zone 02		1 27.28	27.28
304400005	Zone 02		1 27.28	27.28
304400006	Zone 02		1 27.28	27.28
304400007	Zone 02		1 27.28	27.28
304400008	Zone 02		1 27.28	27.28
304400009	Zone 02		1 27.28	27.28
304400010	Zone 02		1 27.28	27.28
304401001	Zone 02		1 27.28	27.28
304401002	Zone 02		1 27.28	27.28
304401003	Zone 02		1 27.28	27.28
304401004	Zone 02		1 27.28	27.28
304401005	Zone 02		1 27.28	27.28
304401006	Zone 02		1 27.28	27.28
304401007	Zone 02		1 27.28	27.28
304401008	Zone 02		1 27.28	27.28
304401009	Zone 02		1 27.28	27.28
304401010	Zone 02		1 27.28	27.28
304401012	Zone 02		1 27.28	27.28
304401012	Zone 02		1 27.28	27.28
304401013	Zone 02		1 27.28	27.28
304401014	Zone 02		1 27.28	27.28
304401016	Zone 02		1 27.28	27.28
304401016	Zone 02			
			1 27.28	27.28
304401018	Zone 02		1 27.28	27.28

APN	I MD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
304401019	Zone 02	LIND Assigned ED0 3	1 27.28	27.28
304401020	Zone 02		1 27.28	27.28
304401021	Zone 02		1 27.28	27.28
304401022	Zone 02		1 27.28	27.28
304401023	Zone 02		1 27.28	27.28
304401024	Zone 02		1 27.28	27.28
304401025	Zone 02		1 27.28	27.28
304401026	Zone 02		1 27.28	27.28
304402001	Zone 02		1 27.28	27.28
304402002	Zone 02		1 27.28	27.28
304402002	Zone 02 Zone 02		1 27.28	27.28
304402004	Zone 02 Zone 02		1 27.28	27.28
304402005	Zone 02 Zone 02		1 27.28	27.28
304402006	Zone 02		1 27.28	27.28
304402007	Zone 02		1 27.28	27.28
304402008	Zone 02 Zone 02		1 27.28	27.28
304402009	Zone 02 Zone 02		1 27.28	27.28
304403001	Zone 02 Zone 02		1 27.28	27.28
304403001	Zone 02 Zone 02		1 27.28	27.28
304403002	Zone 02 Zone 02		1 27.28	27.28
304403003	Zone 02		1 27.28	27.28
304403004	Zone 02 Zone 02		1 27.28	27.28
304403005	Zone 02 Zone 02		1 27.28	27.28
304403007	Zone 02 Zone 02		1 27.28	27.28
304403007	Zone 02 Zone 02		1 27.28	27.28
304403009	Zone 02 Zone 02		1 27.28	27.28
304403009	Zone 02 Zone 02		1 27.28	27.28
304403010	Zone 02 Zone 02		1 27.28	27.28
	Zone 02 Zone 02			
304410001	Zone 02 Zone 02		1 27.28 1 27.28	27.28 27.28
304410002 304410003	Zone 02 Zone 02		1 27.28	27.28
304410003	Zone 02 Zone 02		1 27.28	27.28
304410004	Zone 02 Zone 02		1 27.28	27.28
304410006	Zone 02		1 27.28	27.28
304410007	Zone 02		1 27.28	27.28
304410008	Zone 02		1 27.28	27.28
304410009	Zone 02		1 27.28	27.28
304410010	Zone 02		1 27.28	27.28
304410011	Zone 02		1 27.28	27.28
304410012	Zone 02		1 27.28	27.28
304410013	Zone 02		1 27.28	27.28
304410014	Zone 02		1 27.28	27.28
304410015	Zone 02		1 27.28	27.28
304410016	Zone 02		1 27.28	27.28
304410017	Zone 02		1 27.28	27.28
304410018	Zone 02		1 27.28	27.28
304411001	Zone 02		1 27.28	27.28
304411002	Zone 02		1 27.28	27.28

	MD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
	Zone 02	EMD Assigned ED0 3	1 27.28	27.28
	Zone 02	,	1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02	,	1 27.28	27.28
	Zone 02	,	1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02	,	1 27.28	27.28
	Zone 02	,	1 27.28	27.28
	Zone 02	,	1 27.28	27.28
	Zone 02		1 27.28	27.28
		,	1 27.28	
	Zone 02	,		27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		27.28	27.28
	Zone 02		27.28	27.28
	Zone 02		27.28	27.28
	Zone 02		27.28	27.28
	Zone 02	•	27.28	27.28
	Zone 02		27.28	27.28
	Zone 02	•	27.28	27.28
	Zone 02	•	1 27.28	27.28
	Zone 02	•	27.28	27.28
	Zone 02	•	1 27.28	27.28
	Zone 02	<i>•</i>	1 27.28	27.28
	Zone 02	•	1 27.28	27.28
	Zone 02	•	1 27.28	27.28
304421003 Z	Zone 02	1	1 27.28	27.28
	Zone 02	•	1 27.28	27.28
304421005 Z	Zone 02	•	1 27.28	27.28
304421006 Z	Zone 02	•	1 27.28	27.28
304421007 Z	Zone 02	•	1 27.28	27.28
304421008 Z	Zone 02	•	1 27.28	27.28
304421009 Z	Zone 02	•	1 27.28	27.28
304421010 Z	Zone 02	•	1 27.28	27.28
304421011 Z	Zone 02	•	1 27.28	27.28
304421012 Z	Zone 02	•	1 27.28	27.28
304421015 Z	Zone 02		1 27.28	27.28
304421016 Z	Zone 02		1 27.28	27.28
304421017 Z	Zone 02		1 27.28	27.28
304421018 Z	Zone 02		27.28	27.28
304421019 Z	Zone 02		27.28	27.28

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
304421034	Zone 02		1 27.28	27.28
304421035	Zone 02		1 27.28	27.28
304421036	Zone 02		1 27.28	27.28
304421037	Zone 02		1 27.28	27.28
304421038	Zone 02		1 27.28	27.28
304421041	Zone 02		1 27.28	27.28
304421042	Zone 02		1 27.28	27.28
304422001	Zone 02		1 27.28	27.28
304422002	Zone 02		1 27.28	27.28
304422003	Zone 02		1 27.28	27.28
304422004	Zone 02		1 27.28	27.28
304422005	Zone 02		1 27.28	27.28
304422006	Zone 02		1 27.28	27.28
304422007	Zone 02		1 27.28	27.28
304422008	Zone 02		1 27.28	27.28
304422009	Zone 02		1 27.28	27.28
304422010	Zone 02		1 27.28	27.28
304422011	Zone 02		1 27.28	27.28
304422012	Zone 02		1 27.28	27.28
304422013	Zone 02		1 27.28	27.28
304422014	Zone 02		1 27.28	27.28
304422015	Zone 02		1 27.28	27.28
304422016	Zone 02		1 27.28	27.28
304422017	Zone 02		1 27.28	27.28
304422018	Zone 02		1 27.28	27.28
304422019	Zone 02		1 27.28	27.28
304422020	Zone 02		1 27.28	27.28
304422021	Zone 02		1 27.28	27.28
304422022	Zone 02		1 27.28	27.28
304422023	Zone 02		1 27.28	27.28
304422024	Zone 02		1 27.28	27.28
304422025	Zone 02		1 27.28	27.28
304422026	Zone 02		1 27.28	27.28
304430001	Zone 02		1 27.28	27.28
304430002	Zone 02		1 27.28	27.28
304430003	Zone 02		1 27.28	27.28
304430004	Zone 02		1 27.28	27.28
304430005	Zone 02		1 27.28	27.28
304430006	Zone 02		1 27.28	27.28
304430007	Zone 02		1 27.28	27.28
304430008	Zone 02		1 27.28	27.28
304431001	Zone 02		1 27.28	27.28
304431002	Zone 02		1 27.28	27.28
304431003	Zone 02 Zone 02		1 27.28	27.28
304431004	Zone 02 Zone 02		1 27.28	27.28
304431005	Zone 02 Zone 02		1 27.28	27.28
304431006	Zone 02 Zone 02		1 27.28	27.28
304431007	Zone 02 Zone 02		1 27.28	27.28
304431001	ZUIIG UZ		21.20	21.20

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
304431008	Zone 02		1 27.28	27.28
304431009	Zone 02		1 27.28	27.28
304432001	Zone 02		1 27.28	27.28
304432002	Zone 02		1 27.28	27.28
304432003	Zone 02		1 27.28	27.28
304432004	Zone 02		1 27.28	27.28
304433001	Zone 02		1 27.28	27.28
304433002	Zone 02		1 27.28	27.28
304433003	Zone 02		1 27.28	27.28
304433004	Zone 02		1 27.28	27.28
304433005	Zone 02		1 27.28	27.28
304433006	Zone 02		1 27.28	27.28
304433007	Zone 02		1 27.28	27.28
304433008	Zone 02		1 27.28	27.28
304433009	Zone 02		1 27.28	27.28
304433010	Zone 02		1 27.28	27.28
304433011	Zone 02		1 27.28	27.28
304433012	Zone 02		1 27.28	27.28
304433013	Zone 02		1 27.28	27.28
304433014	Zone 02		1 27.28	27.28
304433015	Zone 02		1 27.28	27.28
304433016	Zone 02		1 27.28	27.28
304433017	Zone 02		1 27.28	27.28
304433018	Zone 02		1 27.28	27.28
304433019	Zone 02		1 27.28	27.28
304433020	Zone 02		1 27.28	27.28
304433021	Zone 02		1 27.28	27.28
304433022	Zone 02		1 27.28	27.28
304433023	Zone 02		1 27.28	27.28
304434004	Zone 02		1 27.28	27.28
304434005	Zone 02		1 27.28	27.28
304434006	Zone 02		1 27.28	27.28
304434007	Zone 02		1 27.28	27.28
304434011	Zone 02		1 27.28	27.28
304434012	Zone 02		1 27.28	27.28
304434013	Zone 02		1 27.28	27.28
304434014	Zone 02		1 27.28	27.28
304434015	Zone 02		1 27.28	27.28
304434016	Zone 02		1 27.28	27.28
304434017	Zone 02		1 27.28	27.28
304434019	Zone 02		1 27.28	27.28
304434021	Zone 02		1 27.28	27.28
304434022	Zone 02 Zone 02		1 27.28	27.28
304434023	Zone 02 Zone 02		1 27.28	27.28
304434024	Zone 02		1 27.28	27.28
304434025	Zone 02		1 27.28	27.28
304440001	Zone 02 Zone 02			
			1 27.28	27.28
304440002	Zone 02		1 27.28	27.28

APN	LMD 2014-01 Zone L	_MD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
304440003	Zone 02		1 27.28	27.28
304440004	Zone 02		1 27.28	27.28
304440005	Zone 02		1 27.28	27.28
304440006	Zone 02		1 27.28	27.28
304440007	Zone 02		1 27.28	27.28
304440008	Zone 02		1 27.28	27.28
304440009	Zone 02		1 27.28	27.28
304440010	Zone 02		1 27.28	27.28
304440011	Zone 02		1 27.28	27.28
304440012	Zone 02		1 27.28	27.28
304440013	Zone 02		1 27.28	27.28
304441001	Zone 02		1 27.28	27.28
304441002	Zone 02		1 27.28	27.28
304441003	Zone 02		1 27.28	27.28
304441004	Zone 02		1 27.28	27.28
304441005	Zone 02		1 27.28	27.28
304441008	Zone 02		1 27.28	27.28
304441009	Zone 02		1 27.28	27.28
304441010	Zone 02		1 27.28	27.28
304441011	Zone 02		1 27.28	27.28
304441012	Zone 02		1 27.28	27.28
304441013	Zone 02		1 27.28	27.28
304441014	Zone 02		1 27.28	27.28
304441015	Zone 02		1 27.28	27.28
304441018	Zone 02		1 27.28	27.28
304441019	Zone 02		1 27.28	27.28
304441020	Zone 02		1 27.28	27.28
304441021	Zone 02		1 27.28	27.28
304441022	Zone 02		1 27.28	27.28
304441023	Zone 02		1 27.28	27.28
304441024	Zone 02		1 27.28	27.28
304441032	Zone 02		1 27.28	27.28
304441033	Zone 02		1 27.28	27.28
304441035	Zone 02		1 27.28	27.28
304441038	Zone 02		1 27.28	27.28
304441039	Zone 02		1 27.28	27.28
304441042	Zone 02		1 27.28	27.28
304441045	Zone 02		1 27.28	27.28
304441046	Zone 02		1 27.28	27.28
304441047	Zone 02		1 27.28	27.28
304441048	Zone 02		1 27.28	27.28
304441049	Zone 02		1 27.28	27.28
304441050	Zone 02		1 27.28	27.28
304441051	Zone 02		1 27.28	27.28
304450001	Zone 02		1 27.28	27.28
304450001	Zone 02		1 27.28	27.28
304450002	Zone 02		1 27.28	27.28
304450004	Zone 02		1 27.28	27.28
304430004	20116-02		21.20	21.20

APN	I MD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
304450005	Zone 02	Emb Assigned Ebb 3	1 27.28	27.28
304450006	Zone 02		1 27.28	27.28
304450007	Zone 02		1 27.28	27.28
304450008	Zone 02		1 27.28	27.28
304450009	Zone 02		1 27.28	27.28
304450010	Zone 02		1 27.28	27.28
304450011	Zone 02		1 27.28	27.28
304450012	Zone 02		1 27.28	27.28
304450013	Zone 02		1 27.28	27.28
304450014	Zone 02		1 27.28	27.28
304450015	Zone 02 Zone 02		1 27.28	27.28
304450016	Zone 02 Zone 02		1 27.28	27.28
304450017	Zone 02 Zone 02		1 27.28	27.28
304450018	Zone 02		1 27.28	27.28
304450019	Zone 02 Zone 02		1 27.28	27.28
304450020	Zone 02 Zone 02		1 27.28	27.28
304450021	Zone 02 Zone 02		1 27.28	27.28
304450021	Zone 02 Zone 02		1 27.28	27.28
304450023	Zone 02 Zone 02		1 27.28	27.28
304450023	Zone 02 Zone 02		1 27.28	27.28
	Zone 02 Zone 02		1 27.28	
304450025				27.28
304450026	Zone 02		1 27.28 1 27.28	27.28
304450027	Zone 02			27.28
304450028	Zone 02		1 27.28	27.28
304450029	Zone 02		1 27.28	27.28
304450030	Zone 02		1 27.28	27.28
304450031	Zone 02		1 27.28	27.28
304450032	Zone 02		1 27.28	27.28
304450033	Zone 02		1 27.28	27.28
304450034	Zone 02		1 27.28	27.28
304450035	Zone 02		1 27.28	27.28
304451001	Zone 02		1 27.28	27.28
304451002	Zone 02		1 27.28	27.28
304451003	Zone 02		1 27.28	27.28
304451004	Zone 02		1 27.28	27.28
304451005	Zone 02		1 27.28	27.28
304451006	Zone 02		1 27.28	27.28
304451007	Zone 02		1 27.28	27.28
304451008	Zone 02		1 27.28	27.28
304470001	Zone 02		1 27.28	27.28
304470002	Zone 02		1 27.28	27.28
304470003	Zone 02		1 27.28	27.28
304470004	Zone 02		1 27.28	27.28
304470005	Zone 02		1 27.28	27.28
304470006	Zone 02		1 27.28	27.28
304470007	Zone 02		1 27.28	27.28
304470008	Zone 02		1 27.28	27.28
304470009	Zone 02		1 27.28	27.28

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
304470010	Zone 02		1 27.28	27.28
304470011	Zone 02		1 27.28	27.28
304470012	Zone 02		1 27.28	27.28
304470013	Zone 02		1 27.28	27.28
304470014	Zone 02		1 27.28	27.28
304470015	Zone 02		1 27.28	27.28
304470016	Zone 02		1 27.28	27.28
304470017	Zone 02		1 27.28	27.28
304470018	Zone 02		1 27.28	27.28
304470019	Zone 02		1 27.28	27.28
304470020	Zone 02		1 27.28	27.28
304471001	Zone 02		1 27.28	27.28
304471002	Zone 02		1 27.28	27.28
304471003	Zone 02		1 27.28	27.28
304471004	Zone 02		1 27.28	27.28
304471005	Zone 02		1 27.28	27.28
304471006	Zone 02		1 27.28	27.28
304471007	Zone 02		1 27.28	27.28
304471008	Zone 02		1 27.28	27.28
304471009	Zone 02		1 27.28	27.28
304471010	Zone 02		1 27.28	27.28
304471011	Zone 02		1 27.28	27.28
304471012	Zone 02		1 27.28	27.28
304471013	Zone 02		1 27.28	27.28
304471014	Zone 02		1 27.28	27.28
304471015	Zone 02		1 27.28	27.28
304471016	Zone 02		1 27.28	27.28
304471017	Zone 02		1 27.28	27.28
304471018	Zone 02		1 27.28	27.28
304471019	Zone 02		1 27.28	27.28
304471020	Zone 02		1 27.28	27.28
304471021	Zone 02		1 27.28	27.28
304471022	Zone 02		1 27.28	27.28
304471023	Zone 02		1 27.28	27.28
304471024	Zone 02		1 27.28	27.28
304471025	Zone 02		1 27.28	27.28
304471026	Zone 02		1 27.28	27.28
304471027	Zone 02		1 27.28	27.28
304471028	Zone 02		1 27.28	27.28
304471029	Zone 02		1 27.28	27.28
304471030	Zone 02		1 27.28	27.28
304471031	Zone 02		1 27.28	27.28
304471031	Zone 02 Zone 02		1 27.28	27.28
304471032	Zone 02		1 27.28	27.28
304471033	Zone 02		1 27.28	27.28
304471034	Zone 02		1 27.28	27.28
304471035	Zone 02		1 27.28	27.28
304471037	Zone 02		1 27.28	27.28
30447 1037	20116 02		21.20	21.20

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
304471038	Zone 02		1 27.28	27.28
304471039	Zone 02		1 27.28	27.28
304471040	Zone 02		1 27.28	27.28
304471041	Zone 02		1 27.28	27.28
304471042	Zone 02		1 27.28	27.28
304471043	Zone 02		1 27.28	27.28
304471044	Zone 02		1 27.28	27.28
304471045	Zone 02		1 27.28	27.28
304471046	Zone 02		1 27.28	27.28
304471047	Zone 02		1 27.28	27.28
304471048	Zone 02		1 27.28	27.28
304471049	Zone 02		1 27.28	27.28
304471050	Zone 02		1 27.28	27.28
304471051	Zone 02		1 27.28	27.28
304471052	Zone 02		1 27.28	27.28
304471053	Zone 02		1 27.28	27.28
304472001	Zone 02		1 27.28	27.28
304472002	Zone 02		1 27.28	27.28
304472003	Zone 02		1 27.28	27.28
304480001	Zone 02		1 27.28	27.28
304480002	Zone 02		1 27.28	27.28
304480003	Zone 02		1 27.28	27.28
304481001	Zone 02		1 27.28	27.28
304481002	Zone 02		1 27.28	27.28
304481003	Zone 02		1 27.28	27.28
304481004	Zone 02		1 27.28	27.28
304481005	Zone 02		1 27.28	27.28
304481006	Zone 02		1 27.28	27.28
304481007	Zone 02		1 27.28	27.28
304481008	Zone 02		1 27.28	27.28
304481009	Zone 02		1 27.28	27.28
304481010	Zone 02		1 27.28	27.28
304481011	Zone 02		1 27.28	27.28
304481012	Zone 02		1 27.28	27.28
304481013	Zone 02		1 27.28	27.28
304481014	Zone 02		1 27.28	27.28
304481015	Zone 02		1 27.28	27.28
304481016	Zone 02		1 27.28	27.28
304481017	Zone 02		1 27.28	27.28
304481018	Zone 02		1 27.28	27.28
304481019	Zone 02		1 27.28	27.28
304481020	Zone 02		1 27.28	27.28
304481021	Zone 02		1 27.28	27.28
304481022	Zone 02		1 27.28	27.28
304481023	Zone 02 Zone 02		1 27.28	27.28
304481024	Zone 02		1 27.28	27.28
304481025	Zone 02			
			1 27.28	27.28
304482001	Zone 02		1 27.28	27.28

APN L	MD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
304482002 Z	Zone 02	,	1 27.28	27.28
304482003 Z	Zone 02	•	1 27.28	27.28
304482004 Z	Zone 02	•	1 27.28	27.28
304482005 Z	Zone 02	•	1 27.28	27.28
304482006 Z	Zone 02	•	1 27.28	27.28
304482007 Z	Zone 02	•	1 27.28	27.28
304482008 Z	Zone 02		1 27.28	27.28
304482009 Z	Zone 02	•	1 27.28	27.28
304482010 Z	Zone 02		1 27.28	27.28
304482011 Z	Zone 02	•	1 27.28	27.28
304482012 Z	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02	,	1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02	,	1 27.28	27.28
	Zone 02	,	1 27.28	27.28
	Zone 02	,	1 27.28	27.28
	Zone 02	,	1 27.28	27.28
		,		
	Zone 02		1 27.28	27.28
	Zone 02	,	1 27.28	27.28
	Zone 02		27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		27.28	27.28
	Zone 02		27.28	27.28
	Zone 02		27.28	27.28
	Zone 02		27.28	27.28
	Zone 02		27.28	27.28
	Zone 02		27.28	27.28
	Zone 02		27.28	27.28
	Zone 02	•	27.28	27.28
	Zone 02		27.28	27.28
	Zone 02		27.28	27.28
	Zone 02		27.28	27.28
	Zone 02		27.28	27.28
304490004 Z	Zone 02	•	1 27.28	27.28

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
304490005	Zone 02		1 27.28	27.28
304490006	Zone 02		1 27.28	27.28
304490007	Zone 02		1 27.28	27.28
304490008	Zone 02		1 27.28	27.28
304490009	Zone 02		1 27.28	27.28
304490010	Zone 02		1 27.28	27.28
304490011	Zone 02		1 27.28	27.28
304490012	Zone 02		1 27.28	27.28
304490013	Zone 02		1 27.28	27.28
304490014	Zone 02		1 27.28	27.28
304490015	Zone 02		1 27.28	27.28
304490016	Zone 02		1 27.28	27.28
304490017	Zone 02		1 27.28	27.28
304490018	Zone 02		1 27.28	27.28
304490019	Zone 02		1 27.28	27.28
304490020	Zone 02		1 27.28	27.28
304490021	Zone 02		1 27.28	27.28
304491001	Zone 02		1 27.28	27.28
304491002	Zone 02		1 27.28	27.28
304491003	Zone 02		1 27.28	27.28
304491004	Zone 02		1 27.28	27.28
304491005	Zone 02		1 27.28	27.28
304491006	Zone 02		1 27.28	27.28
304491007	Zone 02		1 27.28	27.28
304491008	Zone 02		1 27.28	27.28
304491009	Zone 02		1 27.28	27.28
304491010	Zone 02		1 27.28	27.28
304491011	Zone 02		1 27.28	27.28
304491012	Zone 02		1 27.28	27.28
304491013	Zone 02		1 27.28	27.28
304491014	Zone 02		1 27.28	27.28
304491015	Zone 02		1 27.28	27.28
304491016	Zone 02		1 27.28	27.28
304491017	Zone 02		1 27.28	27.28
304491018	Zone 02		1 27.28	27.28
304491019	Zone 02		1 27.28	27.28
304491020	Zone 02		1 27.28	27.28
304491021	Zone 02		1 27.28	27.28
304491022	Zone 02		1 27.28	27.28
304491023	Zone 02		1 27.28	27.28
304491024	Zone 02		1 27.28	27.28
304491025	Zone 02		1 27.28	27.28
304491026	Zone 02 Zone 02		1 27.28	27.28
304491027	Zone 02 Zone 02		1 27.28	27.28
304491028	Zone 02 Zone 02		1 27.28	27.28
304491029	Zone 02 Zone 02		1 27.28	27.28
304491030	Zone 02 Zone 02			
			1 27.28	27.28
304491031	Zone 02		1 27.28	27.28

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
304491032	Zone 02	LIND Assigned ED0 3	1 27.28	27.28
304491033	Zone 02		1 27.28	27.28
304491034	Zone 02		1 27.28	27.28
304491035	Zone 02		1 27.28	27.28
304491036	Zone 02		1 27.28	27.28
304492001	Zone 02		1 27.28	27.28
304492002	Zone 02		1 27.28	27.28
304492003	Zone 02		1 27.28	27.28
304492004	Zone 02		1 27.28	27.28
304492005	Zone 02		1 27.28	27.28
304492006	Zone 02		1 27.28	27.28
304492007	Zone 02		1 27.28	27.28
304492008	Zone 02		1 27.28	27.28
304492009	Zone 02		1 27.28	27.28
304492010	Zone 02		1 27.28	27.28
304492011	Zone 02		1 27.28	27.28
304492012	Zone 02		1 27.28	27.28
304492013	Zone 02		1 27.28	27.28
304492014	Zone 02		1 27.28	27.28
304492015	Zone 02		1 27.28	27.28
304492016	Zone 02		1 27.28	27.28
304492017	Zone 02		1 27.28	27.28
304492018	Zone 02		1 27.28	27.28
304492019	Zone 02 Zone 02		1 27.28	27.28
304492020	Zone 02		1 27.28	27.28
304500001	Zone 02		1 27.28	27.28
304500001	Zone 02		1 27.28	27.28
304500002	Zone 02 Zone 02		1 27.28	27.28
304500003	Zone 02		1 27.28	27.28
304500004	Zone 02 Zone 02		1 27.28	27.28
304500005	Zone 02		1 27.28	27.28
304500007	Zone 02		1 27.28	27.28
304500007	Zone 02		1 27.28	27.28
304500008	Zone 02 Zone 02		1 27.28	27.28
304500009	Zone 02 Zone 02		1 27.28	27.28
304500010	Zone 02		1 27.28	27.28
304500011	Zone 02		1 27.28	27.28
304500012			1 27.28	27.28
	Zone 02 Zone 02			
304500014			1 27.28 1 27.28	27.28
304500015	Zone 02			27.28
304500016	Zone 02		1 27.28	27.28
304500017	Zone 02		1 27.28	27.28
304500018	Zone 02		1 27.28	27.28
304500019	Zone 02		1 27.28	27.28
304500020	Zone 02		1 27.28	27.28
304500021	Zone 02		1 27.28	27.28
304500022	Zone 02		1 27.28	27.28
304500023	Zone 02		1 27.28	27.28

APN	I MD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
304500024	Zone 02	Emb Assigned Ebb 3	1 27.28	27.28
304500025	Zone 02		1 27.28	27.28
304500026	Zone 02		1 27.28	27.28
304500027	Zone 02		1 27.28	27.28
304500028	Zone 02		1 27.28	27.28
304500029	Zone 02		1 27.28	27.28
304500029	Zone 02		1 27.28	27.28
304500030	Zone 02		1 27.28	27.28
304500031	Zone 02		1 27.28	27.28
304500032	Zone 02		1 27.28	27.28
304500033	Zone 02 Zone 02		1 27.28	27.28
304500035	Zone 02 Zone 02		1 27.28	27.28
304500035	Zone 02 Zone 02		1 27.28	27.28
304500037	Zone 02		1 27.28	27.28
304500037	Zone 02 Zone 02		1 27.28	27.28
304500039	Zone 02 Zone 02		1 27.28	27.28
304500039	Zone 02 Zone 02		1 27.28	27.28
304500040	Zone 02 Zone 02		1 27.28	27.28
304500041	Zone 02 Zone 02		1 27.28	27.28
304500042	Zone 02 Zone 02		1 27.28	27.28
	Zone 02 Zone 02		1 27.28	
304501001				27.28
304501002	Zone 02		1 27.28 1 27.28	27.28
304501003	Zone 02			27.28
304501004	Zone 02		1 27.28	27.28
304501005	Zone 02		1 27.28	27.28
304501006	Zone 02		1 27.28	27.28
304501007	Zone 02		1 27.28	27.28
304501008	Zone 02		1 27.28	27.28
304501009	Zone 02		1 27.28	27.28
304501010	Zone 02		1 27.28	27.28
304501011	Zone 02		1 27.28	27.28
304501012	Zone 02		1 27.28	27.28
304501013	Zone 02		1 27.28	27.28
304501014	Zone 02		1 27.28	27.28
304501015	Zone 02		1 27.28	27.28
304501016	Zone 02		1 27.28	27.28
304501017	Zone 02		1 27.28	27.28
304501018	Zone 02		1 27.28	27.28
304501019	Zone 02		1 27.28	27.28
304501020	Zone 02		1 27.28	27.28
304501021	Zone 02		1 27.28	27.28
304501022	Zone 02		1 27.28	27.28
304501023	Zone 02		1 27.28	27.28
304501024	Zone 02		1 27.28	27.28
304501025	Zone 02		1 27.28	27.28
304501026	Zone 02		1 27.28	27.28
304501027	Zone 02		1 27.28	27.28
304502001	Zone 02		1 27.28	27.28

APN LMD 2014-01 Zone LMD Assigned EBU's FY 17-18 Max Assessment FY 17-18 Assessment 304502002 Zone 02 1 27.28 304502003 Zone 02 1 27.28 304502004 Zone 02 1 27.28 304502005 Zone 02 1 27.28 304503001 Zone 02 1 27.28 304503002 Zone 02 1 27.28 304503003 Zone 02 1 27.28 304503004 Zone 02 1 27.28 304503005 Zone 02 1 27.28 304510001 Zone 02 1 27.28 304510002 Zone 02 1 27.28 304510003 Zone 02 1 27.28 304510003 Zone 02 1 27.28 304510003 Zone 02 1 27.28	27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28
304502003 Zone 02 1 27.28 304502004 Zone 02 1 27.28 304502005 Zone 02 1 27.28 304503001 Zone 02 1 27.28 304503002 Zone 02 1 27.28 304503003 Zone 02 1 27.28 304503004 Zone 02 1 27.28 304503005 Zone 02 1 27.28 304503006 Zone 02 1 27.28 304510001 Zone 02 1 27.28 304510002 Zone 02 1 27.28	27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28
304502004 Zone 02 1 27.28 304502005 Zone 02 1 27.28 304503001 Zone 02 1 27.28 304503002 Zone 02 1 27.28 304503003 Zone 02 1 27.28 304503004 Zone 02 1 27.28 304503005 Zone 02 1 27.28 304503006 Zone 02 1 27.28 304510001 Zone 02 1 27.28 304510002 Zone 02 1 27.28	27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28
304502005 Zone 02 1 27.28 304503001 Zone 02 1 27.28 304503002 Zone 02 1 27.28 304503003 Zone 02 1 27.28 304503004 Zone 02 1 27.28 304503005 Zone 02 1 27.28 304503006 Zone 02 1 27.28 304510001 Zone 02 1 27.28 304510002 Zone 02 1 27.28	27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28
304503001 Zone 02 1 27.28 304503002 Zone 02 1 27.28 304503003 Zone 02 1 27.28 304503004 Zone 02 1 27.28 304503005 Zone 02 1 27.28 304503006 Zone 02 1 27.28 304510001 Zone 02 1 27.28 304510002 Zone 02 1 27.28	27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28
304503002 Zone 02 1 27.28 304503003 Zone 02 1 27.28 304503004 Zone 02 1 27.28 304503005 Zone 02 1 27.28 304503006 Zone 02 1 27.28 304510001 Zone 02 1 27.28 304510002 Zone 02 1 27.28 304510002 Zone 02 1 27.28	27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28
304503003 Zone 02 1 27.28 304503004 Zone 02 1 27.28 304503005 Zone 02 1 27.28 304503006 Zone 02 1 27.28 304510001 Zone 02 1 27.28 304510002 Zone 02 1 27.28	27.28 27.28 27.28 27.28 27.28 27.28 27.28
304503004 Zone 02 1 27.28 304503005 Zone 02 1 27.28 304503006 Zone 02 1 27.28 304510001 Zone 02 1 27.28 304510002 Zone 02 1 27.28 304510002 Zone 02 1 27.28	27.28 27.28 27.28 27.28 27.28 27.28
304503005 Zone 02 1 27.28 304503006 Zone 02 1 27.28 304510001 Zone 02 1 27.28 304510002 Zone 02 1 27.28 304510002 Zone 02 1 27.28	27.28 27.28 27.28 27.28 27.28
304503006 Zone 02 1 27.28 304510001 Zone 02 1 27.28 304510002 Zone 02 1 27.28	27.28 27.28 27.28 27.28
304510001 Zone 02 1 27.28 304510002 Zone 02 1 27.28	27.28 27.28 27.28
304510002 Zone 02 1 27.28	27.28 27.28
	27.28
3043 10003 Z011e 0Z 1 Z7.26	
304510004 Zone 02 1 27.28	27.28
304510005 Zone 02 1 27.28	27.28
	27.28
304510007 Zone 02 1 27.28	27.28
304510008 Zone 02 1 27.28	27.28
304510009 Zone 02 1 27.28	27.28
304510010 Zone 02 1 27.28	27.28
304510011 Zone 02 1 27.28	27.28
304510012 Zone 02 1 27.28	27.28
304510013 Zone 02 1 27.28	27.28
304510014 Zone 02 1 27.28	27.28
304510015 Zone 02 1 27.28	27.28
304510016 Zone 02 1 27.28	27.28
304510017 Zone 02 1 27.28	27.28
304510018 Zone 02 1 27.28	27.28
304510019 Zone 02 1 27.28	27.28
304510020 Zone 02 1 27.28	27.28
304510021 Zone 02 1 27.28	27.28
304510022 Zone 02 1 27.28	27.28
304510023 Zone 02 1 27.28	27.28
304510024 Zone 02 1 27.28	27.28
304510025 Zone 02 1 27.28	27.28
304510026 Zone 02 1 27.28	27.28
304510027 Zone 02 1 27.28	27.28
304510028 Zone 02 1 27.28	27.28
304510029 Zone 02 1 27.28	27.28
304510030 Zone 02 1 27.28	27.28
304510031 Zone 02 1 27.28	27.28
304510032 Zone 02 1 27.28	27.28
304510033 Zone 02 1 27.28	27.28
304510034 Zone 02 1 27.28	27.28
304510035 Zone 02 1 27.28	27.28
304510036 Zone 02 1 27.28	27.28
304510037 Zone 02 1 27.28	27.28
304510038 Zone 02 1 27.28	27.28

APN	I MD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
304510039	Zone 02	ZIND / toolgilou ZDO o	1 27.28	27.28
304510040	Zone 02		1 27.28	27.28
304510041	Zone 02		1 27.28	27.28
304511010	Zone 02		1 27.28	27.28
304511011	Zone 02		1 27.28	27.28
304511012	Zone 02		1 27.28	27.28
304511013	Zone 02		1 27.28	27.28
304511014	Zone 02		1 27.28	27.28
304511015	Zone 02		1 27.28	27.28
304511030	Zone 02		1 27.28	27.28
304511031	Zone 02		1 27.28	27.28
304511032	Zone 02		1 27.28	27.28
304511033	Zone 02		1 27.28	27.28
304511034	Zone 02		1 27.28	27.28
304511035	Zone 02		1 27.28	27.28
304511036	Zone 02		1 27.28	27.28
304511037	Zone 02		1 27.28	27.28
304511038	Zone 02		1 27.28	27.28
304511039	Zone 02		1 27.28	27.28
304511040	Zone 02		1 27.28	27.28
304511041	Zone 02		1 27.28	27.28
304511042	Zone 02		1 27.28	27.28
304511043	Zone 02		1 27.28	27.28
304511044	Zone 02		1 27.28	27.28
304511045	Zone 02		1 27.28	27.28
304511046	Zone 02		1 27.28	27.28
304511047	Zone 02		1 27.28	27.28
304511048	Zone 02		1 27.28	27.28
304511049	Zone 02		1 27.28	27.28
304511050	Zone 02		1 27.28	27.28
304511051	Zone 02		1 27.28	27.28
304512001	Zone 02		1 27.28	27.28
304512002	Zone 02		1 27.28	27.28
304512003	Zone 02		1 27.28	27.28
304512004	Zone 02		1 27.28	27.28
304512005	Zone 02		1 27.28	27.28
304512006	Zone 02		1 27.28	27.28
304512007	Zone 02		1 27.28	27.28
304512008	Zone 02		1 27.28	27.28
304512009	Zone 02		1 27.28	27.28
304512010	Zone 02		1 27.28	27.28
304512011	Zone 02		1 27.28	27.28
304512011	Zone 02		1 27.28	27.28
304512013	Zone 02		1 27.28	27.28
304512014	Zone 02		1 27.28	27.28
304512015	Zone 02		1 27.28	27.28
304512016	Zone 02		1 27.28	27.28
304512017	Zone 02		1 27.28	27.28
307312017	20110 02		21.20	21.20

APN	LMD 2014-01 Zone L	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
304512018	Zone 02		1 27.28	27.28
304512019	Zone 02		1 27.28	27.28
304512020	Zone 02		1 27.28	27.28
304512021	Zone 02		1 27.28	27.28
304512022	Zone 02		1 27.28	27.28
304512023	Zone 02		1 27.28	27.28
304512024	Zone 02		1 27.28	27.28
304512025	Zone 02		1 27.28	27.28
304512026	Zone 02		1 27.28	27.28
304512027	Zone 02		1 27.28	27.28
304512028	Zone 02		1 27.28	27.28
304520001	Zone 02		1 27.28	27.28
304520002	Zone 02		1 27.28	27.28
304520003	Zone 02		1 27.28	27.28
304520004	Zone 02		1 27.28	27.28
304520005	Zone 02		1 27.28	27.28
304520006	Zone 02		1 27.28	27.28
304520007	Zone 02		1 27.28	27.28
304520008	Zone 02		1 27.28	27.28
304520009	Zone 02		1 27.28	27.28
304520010	Zone 02		1 27.28	27.28
304520011	Zone 02		1 27.28	27.28
304520012	Zone 02		1 27.28	27.28
304520013	Zone 02		1 27.28	27.28
304520014	Zone 02		1 27.28	27.28
304520015	Zone 02		1 27.28	27.28
304520016	Zone 02		1 27.28	27.28
304520017	Zone 02		1 27.28	27.28
304520018	Zone 02		1 27.28	27.28
304520019	Zone 02		1 27.28	27.28
304520020	Zone 02		1 27.28	27.28
304520021	Zone 02		1 27.28	27.28
304520022	Zone 02		1 27.28	27.28
304520023	Zone 02		1 27.28	27.28
304520024	Zone 02		1 27.28	27.28
304520025	Zone 02		1 27.28	27.28
304520026	Zone 02		1 27.28	27.28
304520027	Zone 02		1 27.28	27.28
304520028	Zone 02		1 27.28	27.28
304520029	Zone 02		1 27.28	27.28
304520030	Zone 02		1 27.28	27.28
304520031	Zone 02		1 27.28	27.28
304520032	Zone 02		1 27.28	27.28
304521001	Zone 02		1 27.28	27.28
304521002	Zone 02		1 27.28	27.28
304521002	Zone 02		1 27.28	27.28
304521004	Zone 02		1 27.28	27.28
304521005	Zone 02		1 27.28	27.28
004021000	20116-02		21.20	21.20

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
304521006	Zone 02		1 27.28	27.28
304521007	Zone 02		1 27.28	27.28
304521008	Zone 02		1 27.28	27.28
304521009	Zone 02		1 27.28	27.28
304521010	Zone 02		1 27.28	27.28
304521011	Zone 02		1 27.28	27.28
304521012	Zone 02		1 27.28	27.28
304521013	Zone 02		1 27.28	27.28
304521014	Zone 02		1 27.28	27.28
304521015	Zone 02		1 27.28	27.28
304521016	Zone 02		1 27.28	27.28
304521017	Zone 02		1 27.28	27.28
304521018	Zone 02		1 27.28	27.28
304521019	Zone 02		1 27.28	27.28
304521020	Zone 02		1 27.28	27.28
304521021	Zone 02		1 27.28	27.28
304521022	Zone 02		1 27.28	27.28
304530001	Zone 02		1 27.28	27.28
304530002	Zone 02		1 27.28	27.28
304530003	Zone 02		1 27.28	27.28
304530004	Zone 02		1 27.28	27.28
304530005	Zone 02		1 27.28	27.28
304530006	Zone 02		1 27.28	27.28
304530007	Zone 02		1 27.28	27.28
304530008	Zone 02		1 27.28	27.28
304530009	Zone 02		1 27.28	27.28
304530010	Zone 02		1 27.28	27.28
304530011	Zone 02		1 27.28	27.28
304531001	Zone 02		1 27.28	27.28
304531002	Zone 02		1 27.28	27.28
304531003	Zone 02		1 27.28	27.28
304531004	Zone 02		1 27.28	27.28
304531005	Zone 02		1 27.28	27.28
304531006	Zone 02		1 27.28	27.28
304540001	Zone 02		1 27.28	27.28
304540002	Zone 02		1 27.28	27.28
304540003	Zone 02		1 27.28	27.28
304540004	Zone 02		1 27.28	27.28
304540005	Zone 02		1 27.28	27.28
304540006	Zone 02		1 27.28	27.28
304540007	Zone 02		1 27.28	27.28
304540007	Zone 02		1 27.28	27.28
304540009	Zone 02		1 27.28	27.28
304540009	Zone 02		1 27.28	27.28
304540010	Zone 02 Zone 02		1 27.28	27.28
304540011	Zone 02		1 27.28	27.28
304540012	Zone 02			
			1 27.28	27.28
304540014	Zone 02		1 27.28	27.28

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
304540015	Zone 02		1 27.28	27.28
304540016	Zone 02		1 27.28	27.28
304540017	Zone 02		1 27.28	27.28
304540018	Zone 02		1 27.28	27.28
304540019	Zone 02		1 27.28	27.28
304540021	Zone 02		1 27.28	27.28
304540022	Zone 02		1 27.28	27.28
304540023	Zone 02		1 27.28	27.28
304540024	Zone 02		1 27.28	27.28
304541001	Zone 02		1 27.28	27.28
304541002	Zone 02		1 27.28	27.28
304541003	Zone 02		1 27.28	27.28
304541004	Zone 02		1 27.28	27.28
304541005	Zone 02		1 27.28	27.28
304541006	Zone 02		1 27.28	27.28
304541007	Zone 02		1 27.28	27.28
304541008	Zone 02		1 27.28	27.28
304541010	Zone 02		1 27.28	27.28
304541011	Zone 02		1 27.28	27.28
304541012	Zone 02		1 27.28	27.28
304550001	Zone 02		1 27.28	27.28
304550002	Zone 02		1 27.28	27.28
304550003	Zone 02		1 27.28	27.28
304550004	Zone 02		1 27.28	27.28
304550005	Zone 02		1 27.28	27.28
304550006	Zone 02		1 27.28	27.28
304550007	Zone 02		1 27.28	27.28
304550008	Zone 02		1 27.28	27.28
304550009	Zone 02		1 27.28	27.28
304550010	Zone 02		1 27.28	27.28
304550011	Zone 02		1 27.28	27.28
304550012	Zone 02		1 27.28	27.28
304550013	Zone 02		1 27.28	27.28
304550014	Zone 02		1 27.28	27.28
304550015	Zone 02		1 27.28	27.28
304551001	Zone 02		1 27.28	27.28
304551002	Zone 02		1 27.28	27.28
304551003	Zone 02		1 27.28	27.28
304551004	Zone 02		1 27.28	27.28
304551005	Zone 02		1 27.28	27.28
304551006	Zone 02		1 27.28	27.28
304551007	Zone 02 Zone 02		1 27.28	27.28
304551007	Zone 02 Zone 02		1 27.28	27.28
304551009	Zone 02 Zone 02		1 27.28	27.28
304551010	Zone 02 Zone 02		1 27.28	27.28
304551011	Zone 02 Zone 02		1 27.28	27.28
304551011	Zone 02 Zone 02		1 27.28	27.28
304551012	Zone 02 Zone 02		1 27.28	27.28
304331013	ZUNC UZ		21.20	21.20

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
304551014	Zone 02		1 27.28	27.28
304551015	Zone 02		1 27.28	27.28
304551016	Zone 02		1 27.28	27.28
304551017	Zone 02		1 27.28	27.28
304560001	Zone 02		1 27.28	27.28
304560002	Zone 02		1 27.28	27.28
304560003	Zone 02		1 27.28	27.28
304560004	Zone 02		1 27.28	27.28
304560005	Zone 02		1 27.28	27.28
304560006	Zone 02		1 27.28	27.28
304560007	Zone 02		1 27.28	27.28
304560008	Zone 02		1 27.28	27.28
304560009	Zone 02		1 27.28	27.28
304560010	Zone 02		1 27.28	27.28
304560011	Zone 02		1 27.28	27.28
304560012	Zone 02		1 27.28	27.28
304560013	Zone 02		1 27.28	27.28
304560014	Zone 02		1 27.28	27.28
304560015	Zone 02		1 27.28	27.28
304560016	Zone 02		1 27.28	27.28
304560017	Zone 02		1 27.28	27.28
304560018	Zone 02		1 27.28	27.28
304560019	Zone 02		1 27.28	27.28
304560020	Zone 02		1 27.28	27.28
304560021	Zone 02		1 27.28	27.28
304560022	Zone 02		1 27.28	27.28
304560023	Zone 02		1 27.28	27.28
304560024	Zone 02		1 27.28	27.28
304560025	Zone 02		1 27.28	27.28
304560026	Zone 02		1 27.28	27.28
304560027	Zone 02		1 27.28	27.28
304560028	Zone 02		1 27.28	27.28
304560029	Zone 02		1 27.28	27.28
304560030	Zone 02		1 27.28	27.28
304560031	Zone 02		1 27.28	27.28
304560032	Zone 02		1 27.28	27.28
304560033	Zone 02		1 27.28	27.28
304560034	Zone 02		1 27.28	27.28
304561001	Zone 02		1 27.28	27.28
304561002	Zone 02		1 27.28	27.28
304561003	Zone 02		1 27.28	27.28
304561004	Zone 02		1 27.28	27.28
304561005	Zone 02		1 27.28	27.28
304561006	Zone 02		1 27.28	27.28
304561007	Zone 02		1 27.28	27.28
304561008	Zone 02		1 27.28	27.28
304561009	Zone 02		1 27.28	27.28
304561010	Zone 02		1 27.28	27.28
304301010	20116-02		21.20	21.20

APN	I MD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
304561011	Zone 02	LIND Assigned ED0 3	1 27.28	27.28
304561012	Zone 02		1 27.28	27.28
304561013	Zone 02		1 27.28	27.28
304561014	Zone 02		1 27.28	27.28
304561015	Zone 02		1 27.28	27.28
304561016	Zone 02		1 27.28	27.28
304561017	Zone 02		1 27.28	27.28
308364011	Zone 02		1 27.28	27.28
308364012	Zone 02		1 27.28	27.28
308364013	Zone 02		1 27.28	27.28
308364014	Zone 02 Zone 02		1 27.28	27.28
308364015	Zone 02		1 27.28	27.28
308364016	Zone 02 Zone 02		1 27.28	27.28
308364017	Zone 02		1 27.28	27.28
308364018	Zone 02		1 27.28	27.28
308364019	Zone 02 Zone 02		1 27.28	27.28
308364020	Zone 02 Zone 02		1 27.28	27.28
308364021	Zone 02 Zone 02		1 27.28	27.28
308364022	Zone 02 Zone 02		1 27.28	27.28
308370001	Zone 02 Zone 02		1 27.28	27.28
308370001	Zone 02 Zone 02		1 27.28	27.28
308370002	Zone 02 Zone 02		1 27.28	27.28
308370003	Zone 02 Zone 02		1 27.28	27.28
308370004	Zone 02 Zone 02		1 27.28	27.28
308370005	Zone 02 Zone 02		1 27.28	27.28
308370007	Zone 02 Zone 02		1 27.28	27.28
308370007	Zone 02 Zone 02		1 27.28	27.28
308370008	Zone 02 Zone 02		1 27.28	27.28
308370009	Zone 02 Zone 02		1 27.28	27.28
308370010	Zone 02 Zone 02		1 27.28	27.28
308370011	Zone 02 Zone 02		1 27.28	27.28
308370012	Zone 02 Zone 02		1 27.28	27.28
308370013	Zone 02 Zone 02		1 27.28	27.28
308370014	Zone 02 Zone 02		1 27.28	27.28
308370015				27.28
	Zone 02 Zone 02		1 27.28	
308370017			1 27.28	27.28
308370018 308370019	Zone 02 Zone 02		1 27.28	27.28
			1 27.28	27.28
308370020	Zone 02		1 27.28 1 27.28	27.28
308370021	Zone 02			27.28
308370022	Zone 02		1 27.28	27.28
308370023	Zone 02		1 27.28	27.28
308370024	Zone 02		1 27.28	27.28
308370025	Zone 02		1 27.28	27.28
308370026	Zone 02		1 27.28	27.28
308370027	Zone 02		1 27.28	27.28
308370028	Zone 02		1 27.28	27.28
308370029	Zone 02		1 27.28	27.28

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
308370030	Zone 02	EIIID Assigned EDO 3	1 27.28	27.28
308370031	Zone 02		1 27.28	27.28
308370032	Zone 02		1 27.28	27.28
308370033	Zone 02		1 27.28	27.28
308370034	Zone 02		1 27.28	27.28
308370035	Zone 02		1 27.28	27.28
308370036	Zone 02		1 27.28	27.28
308370037	Zone 02		1 27.28	27.28
308370037	Zone 02		1 27.28	27.28
308370039	Zone 02		1 27.28	27.28
308370039	Zone 02		1 27.28	27.28
308370040	Zone 02		1 27.28	27.28
308370041	Zone 02		1 27.28	27.28
308370042	Zone 02		1 27.28	27.28
308370043	Zone 02		1 27.28	27.28
308370044	Zone 02		1 27.28	27.28
308371001	Zone 02		1 27.28	27.28
308371001	Zone 02		1 27.28	27.28
308371002	Zone 02		1 27.28	27.28
308371003	Zone 02		1 27.28	27.28
308371004	Zone 02		1 27.28	27.28
308371005	Zone 02		1 27.28	27.28
308371007	Zone 02		1 27.28	27.28
308371007	Zone 02		1 27.28	27.28
308371008	Zone 02		1 27.28	27.28
308371019	Zone 02		1 27.28	27.28
308371010	Zone 02		1 27.28	27.28
308371011	Zone 02		1 27.28	27.28
308371012	Zone 02		1 27.28	27.28
308371013	Zone 02		1 27.28	27.28
308371015	Zone 02		1 27.28	27.28
308371013	Zone 02		1 27.28	27.28
308372001	Zone 02		1 27.28	27.28
308372002	Zone 02		1 27.28	27.28
308372004	Zone 02		1 27.28	27.28
308372005	Zone 02		1 27.28	27.28
308372006	Zone 02		1 27.28	27.28
308372007	Zone 02		1 27.28	27.28
308372008	Zone 02		1 27.28	27.28
308372009	Zone 02		1 27.28	27.28
308372010	Zone 02		1 27.28	27.28
308372011	Zone 02		1 27.28	27.28
308372012	Zone 02		1 27.28	27.28
308372013	Zone 02		1 27.28	27.28
308372014	Zone 02		1 27.28	27.28
308372015	Zone 02		1 27.28	27.28
308372016	Zone 02		1 27.28	27.28
308372017	Zone 02		1 27.28	27.28

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
308372018	Zone 02		1 27.28	27.28
308372019	Zone 02		1 27.28	27.28
308372020	Zone 02		1 27.28	27.28
308380001	Zone 02		1 27.28	27.28
308380002	Zone 02		1 27.28	27.28
308380003	Zone 02		1 27.28	27.28
308380004	Zone 02		1 27.28	27.28
308380005	Zone 02		1 27.28	27.28
308381001	Zone 02		1 27.28	27.28
308381002	Zone 02		1 27.28	27.28
308381003	Zone 02		1 27.28	27.28
308381004	Zone 02		1 27.28	27.28
308381005	Zone 02		1 27.28	27.28
308381006	Zone 02		1 27.28	27.28
308381007	Zone 02		1 27.28	27.28
308381008	Zone 02		1 27.28	27.28
308381009	Zone 02		1 27.28	27.28
308381010	Zone 02		1 27.28	27.28
308381011	Zone 02		1 27.28	27.28
308381012	Zone 02		1 27.28	27.28
308381013	Zone 02		1 27.28	27.28
308381014	Zone 02		1 27.28	27.28
308381015	Zone 02		1 27.28	27.28
308381016	Zone 02		1 27.28	27.28
308381017	Zone 02		1 27.28	27.28
308381018	Zone 02		1 27.28	27.28
308382001	Zone 02		1 27.28	27.28
308382002	Zone 02		1 27.28	27.28
308382003	Zone 02		1 27.28	27.28
308382004	Zone 02		1 27.28	27.28
308382005	Zone 02		1 27.28	27.28
308382006	Zone 02		1 27.28	27.28
308382007	Zone 02		1 27.28	27.28
308382008	Zone 02		1 27.28	27.28
308382009	Zone 02		1 27.28	27.28
308382010	Zone 02		1 27.28	27.28
308382011	Zone 02		1 27.28	27.28
308382012	Zone 02		1 27.28	27.28
308382013	Zone 02		1 27.28	27.28
308382014	Zone 02		1 27.28	27.28
308382015	Zone 02		1 27.28	27.28
308382016	Zone 02 Zone 02		1 27.28	27.28
308382017	Zone 02 Zone 02		1 27.28	27.28
308382018	Zone 02 Zone 02		1 27.28	27.28
308382019	Zone 02 Zone 02		1 27.28	27.28 27.28
308382020	Zone 02 Zone 02		1 27.28	27.28
	Zone 02 Zone 02			
308383001			1 27.28	27.28
308383002	Zone 02		1 27.28	27.28

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
308383003	Zone 02	Zimb Addigition Zbo o	1 27.28	27.28
308383004	Zone 02		1 27.28	27.28
308383005	Zone 02		1 27.28	27.28
308383006	Zone 02		1 27.28	27.28
308383007	Zone 02		1 27.28	27.28
308383008	Zone 02		1 27.28	27.28
308383009	Zone 02		1 27.28	27.28
308383010	Zone 02		1 27.28	27.28
308383011	Zone 02		1 27.28	27.28
308383012	Zone 02		1 27.28	27.28
308383013	Zone 02		1 27.28	27.28
308383014	Zone 02		1 27.28	27.28
308383015	Zone 02		1 27.28	27.28
308383016	Zone 02		1 27.28	27.28
308383017	Zone 02		1 27.28	27.28
308383018	Zone 02		1 27.28	27.28
308383019	Zone 02		1 27.28	27.28
308383020	Zone 02		1 27.28	27.28
308383021	Zone 02		1 27.28	27.28
308383022	Zone 02		1 27.28	27.28
308383023	Zone 02		1 27.28	27.28
308390001	Zone 02		1 27.28	27.28
308390001	Zone 02 Zone 02		1 27.28	27.28
308390002	Zone 02		1 27.28	27.28
308390003	Zone 02		1 27.28	27.28
308390004	Zone 02		1 27.28	27.28
308390005	Zone 02		1 27.28	27.28
308390007	Zone 02		1 27.28	27.28
308390007	Zone 02		1 27.28	27.28
308390008	Zone 02 Zone 02		1 27.28	27.28
308390009	Zone 02		1 27.28	27.28
308390010	Zone 02		1 27.28	27.28
308390011	Zone 02		1 27.28	27.28
308390012	Zone 02		1 27.28	27.28
308390013	Zone 02		1 27.28	27.28
308390014	Zone 02		1 27.28	27.28
308390015	Zone 02		1 27.28	27.28
308390017			1 27.28	27.28
	Zone 02			27.28
308390018	Zone 02		1 27.28	
308390019	Zone 02		1 27.28	27.28
308390020	Zone 02		1 27.28	27.28
308390021	Zone 02		1 27.28	27.28
308390022	Zone 02		1 27.28	27.28
308390023	Zone 02		1 27.28	27.28
308390024	Zone 02		1 27.28	27.28
308390025	Zone 02		1 27.28	27.28
308390026	Zone 02		1 27.28	27.28
308390027	Zone 02		1 27.28	27.28

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
308390028	Zone 02		1 27.28	27.28
308390029	Zone 02		1 27.28	27.28
308390030	Zone 02		1 27.28	27.28
308390031	Zone 02		1 27.28	27.28
308390032	Zone 02		1 27.28	27.28
308390033	Zone 02		1 27.28	27.28
308390034	Zone 02		1 27.28	27.28
308390035	Zone 02		1 27.28	27.28
308390036	Zone 02		1 27.28	27.28
308390037	Zone 02		1 27.28	27.28
308390038	Zone 02		1 27.28	27.28
308390039	Zone 02		1 27.28	27.28
308391001	Zone 02		1 27.28	27.28
308391002	Zone 02		1 27.28	27.28
308391003	Zone 02		1 27.28	27.28
308391004	Zone 02		1 27.28	27.28
308392001	Zone 02		1 27.28	27.28
308392002	Zone 02		1 27.28	27.28
308392002	Zone 02		1 27.28	27.28
308392004	Zone 02		1 27.28	27.28
308392004	Zone 02		1 27.28	27.28
308393001	Zone 02		1 27.28	27.28
308393001	Zone 02 Zone 02		1 27.28	27.28
308393002	Zone 02		1 27.28	27.28
308393003	Zone 02		1 27.28	27.28
308393004	Zone 02		1 27.28	27.28
308393005	Zone 02		1 27.28	27.28
308393007	Zone 02		1 27.28	27.28
308393007	Zone 02		1 27.28	27.28
308393009	Zone 02 Zone 02		1 27.28	27.28
308393009	Zone 02		1 27.28	27.28
308393010	Zone 02		1 27.28	27.28
308393011	Zone 02		1 27.28	27.28
308393012	Zone 02		1 27.28	27.28
308393014	Zone 02		1 27.28	27.28
308393014	Zone 02		1 27.28	27.28
308393016	Zone 02		1 27.28	27.28
308393017			1 27.28	27.28
308393017	Zone 02			27.28
308393019	Zone 02		1 27.28	
	Zone 02		1 27.28	27.28
308393020	Zone 02		1 27.28	27.28
308400001	Zone 02		1 27.28	27.28
308400002	Zone 02		1 27.28	27.28
308400003	Zone 02		1 27.28	27.28
308400004	Zone 02		1 27.28	27.28
308400005	Zone 02		1 27.28	27.28
308400006	Zone 02		1 27.28	27.28
308400007	Zone 02		1 27.28	27.28

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
308400008	Zone 02	Zim Zitooigiiou Ziio	1 27.28	27.28
308400009	Zone 02		1 27.28	27.28
308400010	Zone 02		1 27.28	27.28
308400011	Zone 02		1 27.28	27.28
308400012	Zone 02		1 27.28	27.28
308400013	Zone 02		1 27.28	27.28
308400014	Zone 02		1 27.28	27.28
308400015	Zone 02		1 27.28	27.28
308401001	Zone 02		1 27.28	27.28
308401002	Zone 02		1 27.28	27.28
308401003	Zone 02		1 27.28	27.28
308401004	Zone 02		1 27.28	27.28
308401005	Zone 02		1 27.28	27.28
308401006	Zone 02		1 27.28	27.28
308401007	Zone 02		1 27.28	27.28
308401008	Zone 02		1 27.28	27.28
308401009	Zone 02		1 27.28	27.28
308401010	Zone 02		1 27.28	27.28
308401011	Zone 02		1 27.28	27.28
308401012	Zone 02		1 27.28	27.28
308401013	Zone 02		1 27.28	27.28
308401014	Zone 02		1 27.28	27.28
308401015	Zone 02		1 27.28	27.28
308401016	Zone 02		1 27.28	27.28
308401017	Zone 02		1 27.28	27.28
308401018	Zone 02		1 27.28	27.28
308401019	Zone 02		1 27.28	27.28
308401020	Zone 02		1 27.28	27.28
308401021	Zone 02		1 27.28	27.28
308401022	Zone 02		1 27.28	27.28
308401023	Zone 02		1 27.28	27.28
308401024	Zone 02		1 27.28	27.28
308401025	Zone 02		1 27.28	27.28
308401026	Zone 02		1 27.28	27.28
308401027	Zone 02		1 27.28	27.28
308401028	Zone 02		1 27.28	27.28
308401029	Zone 02		1 27.28	27.28
308401030	Zone 02		1 27.28	27.28
308401031	Zone 02		1 27.28	27.28
308401032	Zone 02		1 27.28	27.28
308401032	Zone 02		1 27.28	27.28
308401034	Zone 02		1 27.28	27.28
308410001	Zone 02		1 27.28	27.28
308410001	Zone 02		1 27.28	27.28
308410002	Zone 02 Zone 02		1 27.28	27.28
308410003	Zone 02		1 27.28	27.28
308411001	Zone 02		1 27.28	27.28
308411001	Zone 02		1 27.28	27.28
300411002	ZUNE UZ		21.20	21.20

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
308411003	Zone 02	LIND Assigned ED0 3	1 27.28	27.28
308411004	Zone 02		1 27.28	27.28
308411005	Zone 02		1 27.28	27.28
308411006	Zone 02		1 27.28	27.28
308411007	Zone 02		1 27.28	27.28
308412001	Zone 02		1 27.28	27.28
308412002	Zone 02		1 27.28	27.28
308412003	Zone 02		1 27.28	27.28
308412004	Zone 02		1 27.28	27.28
308412005	Zone 02		1 27.28	27.28
308412006	Zone 02		1 27.28	27.28
308412007	Zone 02		1 27.28	27.28
308412008	Zone 02		1 27.28	27.28
308412009	Zone 02		1 27.28	27.28
308412010	Zone 02		1 27.28	27.28
308412011	Zone 02		1 27.28	27.28
308412012	Zone 02		1 27.28	27.28
308412013	Zone 02		1 27.28	27.28
308412013	Zone 02		1 27.28	27.28
308412015	Zone 02		1 27.28	27.28
308412016	Zone 02		1 27.28	27.28
308413003	Zone 02		1 27.28	27.28
308413003	Zone 02		1 27.28	27.28
308413004	Zone 02		1 27.28	27.28
308413005	Zone 02		1 27.28	27.28
308413010	Zone 02		1 27.28	27.28
308413017	Zone 02		1 27.28	27.28
308413017	Zone 02		1 27.28	27.28
308414001	Zone 02		1 27.28	27.28
308414001	Zone 02		1 27.28	27.28
308414002	Zone 02		1 27.28	27.28
308414004	Zone 02		1 27.28	27.28
308414004	Zone 02		1 27.28	27.28
308414006	Zone 02		1 27.28	27.28
308414007	Zone 02		1 27.28	27.28
308414008 308414009	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
308414010	Zone 02		1 27.28	27.28
308420001	Zone 02		1 27.28	27.28
308420002	Zone 02		1 27.28	27.28
308420003	Zone 02		1 27.28	27.28
308420004	Zone 02		1 27.28	27.28
308420020	Zone 02		1 27.28	27.28
308420021	Zone 02		1 27.28	27.28
308420022	Zone 02		1 27.28	27.28
308420023	Zone 02		1 27.28	27.28
308420024	Zone 02		1 27.28	27.28
308420025	Zone 02		1 27.28	27.28

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
308420026	Zone 02	LIVID Assigned LDO's	1 27.28	27.28
308420027	Zone 02		1 27.28	27.28
308420027	Zone 02		1 27.28	27.28
308420029	Zone 02		1 27.28	27.28
308420029	Zone 02		1 27.28	27.28
308420030	Zone 02 Zone 02		1 27.28	27.28
308420032	Zone 02 Zone 02		1 27.28	27.28
308420033			1 27.28	27.28
308421001	Zone 02 Zone 02		1 27.28	27.28 27.28
308421002			1 27.28	
308421003	Zone 02		1 27.28	27.28
308421004	Zone 02		1 27.28	27.28
308421005	Zone 02		1 27.28	27.28
308421006	Zone 02		1 27.28	27.28
308421007	Zone 02		1 27.28	27.28
308421008	Zone 02		1 27.28	27.28
308421009	Zone 02		1 27.28	27.28
308421010	Zone 02		1 27.28	27.28
308430001	Zone 02		1 27.28	27.28
308430002	Zone 02		1 27.28	27.28
308430003	Zone 02		1 27.28	27.28
308430004	Zone 02		1 27.28	27.28
308430005	Zone 02	·	1 27.28	27.28
308430006	Zone 02	·	1 27.28	27.28
308431002	Zone 02	·	1 27.28	27.28
308431003	Zone 02	·	1 27.28	27.28
308431006	Zone 02	·	1 27.28	27.28
308431007	Zone 02		1 27.28	27.28
308431008	Zone 02	·	1 27.28	27.28
308431009	Zone 02	·	1 27.28	27.28
308431010	Zone 02	·	1 27.28	27.28
308431011	Zone 02	·	1 27.28	27.28
308431012	Zone 02	·	1 27.28	27.28
308431013	Zone 02		1 27.28	27.28
308431021	Zone 02		1 27.28	27.28
308431023	Zone 02	·	1 27.28	27.28
308431025	Zone 02	·	1 27.28	27.28
308431028	Zone 02		1 27.28	27.28
308431030	Zone 02	•	1 27.28	27.28
308431032	Zone 02	•	1 27.28	27.28
308450001	Zone 02	•	1 27.28	27.28
308450002	Zone 02		1 27.28	27.28
308450003	Zone 02		1 27.28	27.28
308450004	Zone 02		1 27.28	27.28
308450005	Zone 02		1 27.28	27.28
308450006	Zone 02		1 27.28	27.28
308450007	Zone 02		1 27.28	27.28
308450008	Zone 02		1 27.28	27.28

1	APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
308450010 Zone 02			EIIID Assigned EDG 3		
308450011 Zone 02					
308450012 Zone 02 1 27.28 27.28 308450013 Zone 02 1 27.28 27.28 308450014 Zone 02 1 27.28 27.28 308451001 Zone 02 1 27.28 27.28 308451002 Zone 02 1 27.28 27.28 308451003 Zone 02 1 27.28 27.28 308451004 Zone 02 1 27.28 27.28 308451005 Zone 02 1 27.28 27.28 308451006 Zone 02 1 27.28 27.28 308451007 Zone 02 1 27.28 27.28 308451009 Zone 02 1 27.28 27.28 308451010 Zone 02 1 27.28 27.28 308451010 Zone 02 1 27.28 27.28 30845201 Zone 02 1 27.28 27.28 30845201 Zone 02 1 27.28 27.28 <t< td=""><td></td><td></td><td></td><td></td><td></td></t<>					
308450013 Zone 02 1 27.28 27.28 308451001 Zone 02 1 27.28 27.28 308451001 Zone 02 1 27.28 27.28 308451002 Zone 02 1 27.28 27.28 308451003 Zone 02 1 27.28 27.28 308451004 Zone 02 1 27.28 27.28 308451004 Zone 02 1 27.28 27.28 308451004 Zone 02 1 27.28 27.28 308451006 Zone 02 1 27.28 27.28 308451006 Zone 02 1 27.28 27.28 308451006 Zone 02 1 27.28 27.28 308451007 Zone 02 1 27.28 27.28 308451009 Zone 02 1 27.28 27.28 308451009 Zone 02 1 27.28 27.28 308451009 Zone 02 1 27.28 27.28 308451010 Zone 02 1 27.28 27.28 308451010 Zone 02 1 27.28 27.28 308451011 Zone 02 1 27.28 27.28 308452001 Zone 02 1 27.28 27.28 308452003 Zone 02 1 27.28 27.28 308452003 Zone 02 1 27.28 27.28 308452004 Zone 02 1 27.28 27.28 308452005 Zone 02 1 27.28 27.28 308452005 Zone 02 1 27.28 27.28 308452006 Zone 02 1 27.28 27.28 308452006 Zone 02 1 27.28 27.28 308452005 Zone 02 1 27.28 27.28 308452005 Zone 02 1 27.28 27.28 308452006 Zone 02 1 27.28 27.28 308452007 Zone 02 1 27.28 27.28 308452008 Zone 02 1 27.28 27.28 308452008 Zone 02 1 27.28 27.28 308452008 Zone 02 1 27.28 27.28 308452011 Zone 02 1 27.28 27.28 308452013 Zone 02 1 27.28 27.28 308452015 Zone 02 1 27.28 27.28 308452016 Zone 02 1 27.28 27.28 308452017 Zone 02 1 27.28 27.28 308452010 Zone 02 1 27.28 27.28 308452010 Zone 02 1 27.28 27.2					
308450014 Zone 02 1 27.28 27.28 308451001 Zone 02 1 27.28 27.28 308451002 Zone 02 1 27.28 27.28 308451003 Zone 02 1 27.28 27.28 308451004 Zone 02 1 27.28 27.28 308451005 Zone 02 1 27.28 27.28 308451007 Zone 02 1 27.28 27.28 308451007 Zone 02 1 27.28 27.28 308451007 Zone 02 1 27.28 27.28 308451008 Zone 02 1 27.28 27.28 308451009 Zone 02 1 27.28 27.28 308451009 Zone 02 1 27.28 27.28 30845101 Zone 02 1 27.28 27.28 30845101 Zone 02 1 27.28 27.28 30845101 Zone 02 1 27.28 27.28 308452001 Zone 02 1 27.28 27.28 308452002 Zone 02 1 27.28 27.28 308452002 Zone 02 1 27.28 27.28 308452005 Zone 02 1 27.28 27.28 308452005 Zone 02 1 27.28 27.28 308452005 Zone 02 1 27.28 27.28 308452006 Zone 02 1 27.28 27.28 308452007 Zone 02 1 27.28 27.28 308452006 Zone 02 1 27.28 27.28 308452007 Zone 02 1 27.28 27.28 308452007 Zone 02 1 27.28 27.28 308452006 Zone 02 1 27.28 27.28 308452007 Zone 02 1 27.28 27.28 308452006 Zone 02 1 27.28 27.28 308452006 Zone 02 1 27.28 27.28 308452006 Zone 02 1 27.28 27.28 308452007 Zone 02 1 27.28 27.28 3					
308451001 Zone 02 1 27.28 27.28 308451003 Zone 02 1 27.28 27.28 308451004 Zone 02 1 27.28 27.28 308451005 Zone 02 1 27.28 27.28 308451006 Zone 02 1 27.28 27.28 308451007 Zone 02 1 27.28 27.28 308451008 Zone 02 1 27.28 27.28 308451009 Zone 02 1 27.28 27.28 308451010 Zone 02 1 27.28 27.28 308451010 Zone 02 1 27.28 27.28 308451011 Zone 02 1 27.28 27.28 308452001 Zone 02 1 27.28 27.28 308452002 Zone 02 1 27.28 27.28 308452003 Zone 02 1 27.28 27.28 308452004 Zone 02 1 27.28 27.28					
308451002 Zone 02 1 27.28 27.28 308451004 Zone 02 1 27.28 27.28 308451005 Zone 02 1 27.28 27.28 308451006 Zone 02 1 27.28 27.28 308451007 Zone 02 1 27.28 27.28 308451008 Zone 02 1 27.28 27.28 308451009 Zone 02 1 27.28 27.28 308451010 Zone 02 1 27.28 27.28 308451011 Zone 02 1 27.28 27.28 308452012 Zone 02 1 27.28 27.28 308452001 Zone 02 1 27.28 27.28 308452002 Zone 02 1 27.28 27.28 308452003 Zone 02 1 27.28 27.28 308452004 Zone 02 1 27.28 27.28 308452005 Zone 02 1 27.28 27.28					
308451003 Zone 02 1 27.28 27.28 308451004 Zone 02 1 27.28 27.28 308451005 Zone 02 1 27.28 27.28 308451006 Zone 02 1 27.28 27.28 308451007 Zone 02 1 27.28 27.28 308451008 Zone 02 1 27.28 27.28 308451010 Zone 02 1 27.28 27.28 308451011 Zone 02 1 27.28 27.28 308451011 Zone 02 1 27.28 27.28 308452002 Zone 02 1 27.28 27.28 308452002 Zone 02 1 27.28 27.28 308452003 Zone 02 1 27.28 27.28 308452004 Zone 02 1 27.28 27.28 308452005 Zone 02 1 27.28 27.28 308452006 Zone 02 1 27.28 27.28					
308451004 Zone 02 1 27.28 27.28 308451006 Zone 02 1 27.28 27.28 308451007 Zone 02 1 27.28 27.28 308451008 Zone 02 1 27.28 27.28 308451009 Zone 02 1 27.28 27.28 308451010 Zone 02 1 27.28 27.28 308451011 Zone 02 1 27.28 27.28 308452001 Zone 02 1 27.28 27.28 308452003 Zone 02 1 27.28 27.28 308452003 Zone 02 1 27.28 27.28 308452003 Zone 02 1 27.28 27.28 308452005 Zone 02 1 27.28 27.28 308452006 Zone 02 1 27.28 27.28 308452007 Zone 02 1 27.28 27.28 308452008 Zone 02 1 27.28 27.28 308452010 Zone 02 1 27.28 27.28 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
308451005 Zone 02 1 27.28 27.28 308451007 Zone 02 1 27.28 27.28 308451007 Zone 02 1 27.28 27.28 308451008 Zone 02 1 27.28 27.28 308451009 Zone 02 1 27.28 27.28 308451010 Zone 02 1 27.28 27.28 308452001 Zone 02 1 27.28 27.28 308452001 Zone 02 1 27.28 27.28 308452002 Zone 02 1 27.28 27.28 308452003 Zone 02 1 27.28 27.28 308452004 Zone 02 1 27.28 27.28 308452005 Zone 02 1 27.28 27.28 308452006 Zone 02 1 27.28 27.28 308452007 Zone 02 1 27.28 27.28 308452008 Zone 02 1 27.28 27.28					
308451006 Zone 02 1 27.28 27.28 308451007 Zone 02 1 27.28 27.28 308451008 Zone 02 1 27.28 27.28 308451009 Zone 02 1 27.28 27.28 308451011 Zone 02 1 27.28 27.28 308451011 Zone 02 1 27.28 27.28 308452001 Zone 02 1 27.28 27.28 308452002 Zone 02 1 27.28 27.28 308452003 Zone 02 1 27.28 27.28 308452004 Zone 02 1 27.28 27.28 308452005 Zone 02 1 27.28 27.28 308452006 Zone 02 1 27.28 27.28 308452007 Zone 02 1 27.28 27.28 308452008 Zone 02 1 27.28 27.28 308452010 Zone 02 1 27.28 27.28					
308451007 Zone 02 1 27.28 27.28 308451009 Zone 02 1 27.28 27.28 308451010 Zone 02 1 27.28 27.28 308451011 Zone 02 1 27.28 27.28 308452001 Zone 02 1 27.28 27.28 308452002 Zone 02 1 27.28 27.28 308452003 Zone 02 1 27.28 27.28 308452004 Zone 02 1 27.28 27.28 308452005 Zone 02 1 27.28 27.28 308452006 Zone 02 1 27.28 27.28 308452007 Zone 02 1 27.28 27.28 308452007 Zone 02 1 27.28 27.28 308452009 Zone 02 1 27.28 27.28 308452010 Zone 02 1 27.28 27.28 308452010 Zone 02 1 27.28 27.28 308452011 Zone 02 1 27.28 27.28 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
308451008 Zone 02 1 27.28 27.28 308451010 Zone 02 1 27.28 27.28 308451011 Zone 02 1 27.28 27.28 308452001 Zone 02 1 27.28 27.28 308452002 Zone 02 1 27.28 27.28 308452003 Zone 02 1 27.28 27.28 308452004 Zone 02 1 27.28 27.28 308452005 Zone 02 1 27.28 27.28 308452006 Zone 02 1 27.28 27.28 308452007 Zone 02 1 27.28 27.28 308452008 Zone 02 1 27.28 27.28 308452009 Zone 02 1 27.28 27.28 308452010 Zone 02 1 27.28 27.28 308452011 Zone 02 1 27.28 27.28 308452012 Zone 02 1 27.28 27.28					
308451009 Zone 02 1 27.28 27.28 308451010 Zone 02 1 27.28 27.28 308451011 Zone 02 1 27.28 27.28 308452001 Zone 02 1 27.28 27.28 308452003 Zone 02 1 27.28 27.28 308452004 Zone 02 1 27.28 27.28 308452005 Zone 02 1 27.28 27.28 308452006 Zone 02 1 27.28 27.28 308452007 Zone 02 1 27.28 27.28 308452008 Zone 02 1 27.28 27.28 308452009 Zone 02 1 27.28 27.28 308452010 Zone 02 1 27.28 27.28 308452011 Zone 02 1 27.28 27.28 308452012 Zone 02 1 27.28 27.28 308452013 Zone 02 1 27.28 27.28					
308451010 Zone 02 1 27.28 27.28 308451011 Zone 02 1 27.28 27.28 308452001 Zone 02 1 27.28 27.28 308452002 Zone 02 1 27.28 27.28 308452003 Zone 02 1 27.28 27.28 308452004 Zone 02 1 27.28 27.28 308452005 Zone 02 1 27.28 27.28 308452006 Zone 02 1 27.28 27.28 308452007 Zone 02 1 27.28 27.28 308452008 Zone 02 1 27.28 27.28 308452010 Zone 02 1 27.28 27.28 308452011 Zone 02 1 27.28 27.28 308452012 Zone 02 1 27.28 27.28 308452013 Zone 02 1 27.28 27.28 308452014 Zone 02 1 27.28 27.28					
308451011 Zone 02 1 27.28 27.28 308452001 Zone 02 1 27.28 27.28 308452003 Zone 02 1 27.28 27.28 308452004 Zone 02 1 27.28 27.28 308452005 Zone 02 1 27.28 27.28 308452006 Zone 02 1 27.28 27.28 308452007 Zone 02 1 27.28 27.28 308452008 Zone 02 1 27.28 27.28 308452009 Zone 02 1 27.28 27.28 308452010 Zone 02 1 27.28 27.28 308452011 Zone 02 1 27.28 27.28 308452011 Zone 02 1 27.28 27.28 308452012 Zone 02 1 27.28 27.28 308452013 Zone 02 1 27.28 27.28 308452015 Zone 02 1 27.28 27.28					
308452001 Zone 02 1 27.28 27.28 308452002 Zone 02 1 27.28 27.28 308452003 Zone 02 1 27.28 27.28 308452004 Zone 02 1 27.28 27.28 308452005 Zone 02 1 27.28 27.28 308452006 Zone 02 1 27.28 27.28 308452007 Zone 02 1 27.28 27.28 308452008 Zone 02 1 27.28 27.28 308452010 Zone 02 1 27.28 27.28 308452010 Zone 02 1 27.28 27.28 308452011 Zone 02 1 27.28 27.28 308452012 Zone 02 1 27.28 27.28 308452013 Zone 02 1 27.28 27.28 308452014 Zone 02 1 27.28 27.28 308452015 Zone 02 1 27.28 27.28 308453001 Zone 02 1 27.28 27.28 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
308452002 Zone 02 1 27.28 27.28 308452003 Zone 02 1 27.28 27.28 308452004 Zone 02 1 27.28 27.28 308452005 Zone 02 1 27.28 27.28 308452006 Zone 02 1 27.28 27.28 308452007 Zone 02 1 27.28 27.28 308452008 Zone 02 1 27.28 27.28 308452009 Zone 02 1 27.28 27.28 308452010 Zone 02 1 27.28 27.28 308452011 Zone 02 1 27.28 27.28 308452012 Zone 02 1 27.28 27.28 308452013 Zone 02 1 27.28 27.28 308452014 Zone 02 1 27.28 27.28 308452015 Zone 02 1 27.28 27.28 308453001 Zone 02 1 27.28 27.28 308453002 Zone 02 1 27.28 27.28 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
308452003 Zone 02 1 27.28 27.28 308452004 Zone 02 1 27.28 27.28 308452005 Zone 02 1 27.28 27.28 308452006 Zone 02 1 27.28 27.28 308452007 Zone 02 1 27.28 27.28 308452008 Zone 02 1 27.28 27.28 308452010 Zone 02 1 27.28 27.28 308452011 Zone 02 1 27.28 27.28 308452011 Zone 02 1 27.28 27.28 308452012 Zone 02 1 27.28 27.28 308452013 Zone 02 1 27.28 27.28 308452014 Zone 02 1 27.28 27.28 308452015 Zone 02 1 27.28 27.28 308452016 Zone 02 1 27.28 27.28 308453001 Zone 02 1 27.28 27.28 308453002 Zone 02 1 27.28 27.28 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
308452004 Zone 02 1 27.28 27.28 308452005 Zone 02 1 27.28 27.28 308452006 Zone 02 1 27.28 27.28 308452007 Zone 02 1 27.28 27.28 308452008 Zone 02 1 27.28 27.28 308452010 Zone 02 1 27.28 27.28 308452011 Zone 02 1 27.28 27.28 308452012 Zone 02 1 27.28 27.28 308452013 Zone 02 1 27.28 27.28 308452014 Zone 02 1 27.28 27.28 308452015 Zone 02 1 27.28 27.28 308452016 Zone 02 1 27.28 27.28 308453001 Zone 02 1 27.28 27.28 308453002 Zone 02 1 27.28 27.28 308453003 Zone 02 1 27.28 27.28 308453004 Zone 02 1 27.28 27.28 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
308452005 Zone 02 1 27.28 27.28 308452006 Zone 02 1 27.28 27.28 308452007 Zone 02 1 27.28 27.28 308452008 Zone 02 1 27.28 27.28 308452009 Zone 02 1 27.28 27.28 308452010 Zone 02 1 27.28 27.28 308452011 Zone 02 1 27.28 27.28 308452012 Zone 02 1 27.28 27.28 308452013 Zone 02 1 27.28 27.28 308452014 Zone 02 1 27.28 27.28 308452015 Zone 02 1 27.28 27.28 308452016 Zone 02 1 27.28 27.28 308453001 Zone 02 1 27.28 27.28 308453002 Zone 02 1 27.28 27.28 308453003 Zone 02 1 27.28 27.28 308453004 Zone 02 1 27.28 27.28 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
308452006 Zone 02 1 27.28 27.28 308452007 Zone 02 1 27.28 27.28 308452008 Zone 02 1 27.28 27.28 308452009 Zone 02 1 27.28 27.28 308452010 Zone 02 1 27.28 27.28 308452011 Zone 02 1 27.28 27.28 308452012 Zone 02 1 27.28 27.28 308452013 Zone 02 1 27.28 27.28 308452014 Zone 02 1 27.28 27.28 308452015 Zone 02 1 27.28 27.28 308452016 Zone 02 1 27.28 27.28 308453001 Zone 02 1 27.28 27.28 308453002 Zone 02 1 27.28 27.28 308453003 Zone 02 1 27.28 27.28 308453004 Zone 02 1 27.28 27.28 308453005 Zone 02 1 27.28 27.28 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
308452007 Zone 02 1 27.28 27.28 308452008 Zone 02 1 27.28 27.28 308452009 Zone 02 1 27.28 27.28 308452010 Zone 02 1 27.28 27.28 308452011 Zone 02 1 27.28 27.28 308452012 Zone 02 1 27.28 27.28 308452013 Zone 02 1 27.28 27.28 308452014 Zone 02 1 27.28 27.28 308452015 Zone 02 1 27.28 27.28 308452016 Zone 02 1 27.28 27.28 308453001 Zone 02 1 27.28 27.28 308453002 Zone 02 1 27.28 27.28 308453003 Zone 02 1 27.28 27.28 308453004 Zone 02 1 27.28 27.28 308453005 Zone 02 1 27.28 27.28 308453006 Zone 02 1 27.28 27.28 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
308452008 Zone 02 1 27.28 27.28 308452009 Zone 02 1 27.28 27.28 308452010 Zone 02 1 27.28 27.28 308452011 Zone 02 1 27.28 27.28 308452012 Zone 02 1 27.28 27.28 308452013 Zone 02 1 27.28 27.28 308452014 Zone 02 1 27.28 27.28 308452015 Zone 02 1 27.28 27.28 308452016 Zone 02 1 27.28 27.28 308453001 Zone 02 1 27.28 27.28 308453002 Zone 02 1 27.28 27.28 308453003 Zone 02 1 27.28 27.28 308453004 Zone 02 1 27.28 27.28 308453005 Zone 02 1 27.28 27.28 308453006 Zone 02 1 27.28 27.28 308453009 Zone 02 1 27.28 27.28 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
308452009 Zone 02 1 27.28 27.28 308452010 Zone 02 1 27.28 27.28 308452011 Zone 02 1 27.28 27.28 308452012 Zone 02 1 27.28 27.28 308452013 Zone 02 1 27.28 27.28 308452014 Zone 02 1 27.28 27.28 308452015 Zone 02 1 27.28 27.28 308452016 Zone 02 1 27.28 27.28 308453001 Zone 02 1 27.28 27.28 308453002 Zone 02 1 27.28 27.28 308453003 Zone 02 1 27.28 27.28 308453004 Zone 02 1 27.28 27.28 308453005 Zone 02 1 27.28 27.28 308453006 Zone 02 1 27.28 27.28 308453007 Zone 02 1 27.28 27.28 308453009 Zone 02 1 27.28 27.28 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
308452010 Zone 02 1 27.28 27.28 308452011 Zone 02 1 27.28 27.28 308452012 Zone 02 1 27.28 27.28 308452013 Zone 02 1 27.28 27.28 308452014 Zone 02 1 27.28 27.28 308452015 Zone 02 1 27.28 27.28 308452016 Zone 02 1 27.28 27.28 308453001 Zone 02 1 27.28 27.28 308453002 Zone 02 1 27.28 27.28 308453003 Zone 02 1 27.28 27.28 308453004 Zone 02 1 27.28 27.28 308453005 Zone 02 1 27.28 27.28 308453006 Zone 02 1 27.28 27.28 308453007 Zone 02 1 27.28 27.28 308453009 Zone 02 1 27.28 27.28 308453010 Zone 02 1 27.28 27.28 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
308452011 Zone 02 1 27.28 27.28 308452012 Zone 02 1 27.28 27.28 308452013 Zone 02 1 27.28 27.28 308452014 Zone 02 1 27.28 27.28 308452015 Zone 02 1 27.28 27.28 308452016 Zone 02 1 27.28 27.28 308453001 Zone 02 1 27.28 27.28 308453002 Zone 02 1 27.28 27.28 308453003 Zone 02 1 27.28 27.28 308453004 Zone 02 1 27.28 27.28 308453005 Zone 02 1 27.28 27.28 308453006 Zone 02 1 27.28 27.28 308453008 Zone 02 1 27.28 27.28 308453009 Zone 02 1 27.28 27.28 308453010 Zone 02 1 27.28 27.28 308453011 Zone 02 1 27.28 27.28 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
308452012 Zone 02 1 27.28 27.28 308452013 Zone 02 1 27.28 27.28 308452014 Zone 02 1 27.28 27.28 308452015 Zone 02 1 27.28 27.28 308452016 Zone 02 1 27.28 27.28 308453001 Zone 02 1 27.28 27.28 308453002 Zone 02 1 27.28 27.28 308453003 Zone 02 1 27.28 27.28 308453004 Zone 02 1 27.28 27.28 308453005 Zone 02 1 27.28 27.28 308453006 Zone 02 1 27.28 27.28 308453007 Zone 02 1 27.28 27.28 308453009 Zone 02 1 27.28 27.28 308453010 Zone 02 1 27.28 27.28 308453011 Zone 02 1 27.28 27.28 308454001 Zone 02 1 27.28 27.28 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
308452013 Zone 02 1 27.28 27.28 308452014 Zone 02 1 27.28 27.28 308452015 Zone 02 1 27.28 27.28 308452016 Zone 02 1 27.28 27.28 308453001 Zone 02 1 27.28 27.28 308453002 Zone 02 1 27.28 27.28 308453003 Zone 02 1 27.28 27.28 308453004 Zone 02 1 27.28 27.28 308453005 Zone 02 1 27.28 27.28 308453006 Zone 02 1 27.28 27.28 308453007 Zone 02 1 27.28 27.28 308453008 Zone 02 1 27.28 27.28 308453009 Zone 02 1 27.28 27.28 308453010 Zone 02 1 27.28 27.28 308454001 Zone 02 1 27.28 27.28 308454002 Zone 02 1 27.28 27.28 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
308452014 Zone 02 1 27.28 27.28 308452015 Zone 02 1 27.28 27.28 308452016 Zone 02 1 27.28 27.28 308453001 Zone 02 1 27.28 27.28 308453002 Zone 02 1 27.28 27.28 308453003 Zone 02 1 27.28 27.28 308453004 Zone 02 1 27.28 27.28 308453005 Zone 02 1 27.28 27.28 308453006 Zone 02 1 27.28 27.28 308453007 Zone 02 1 27.28 27.28 308453008 Zone 02 1 27.28 27.28 308453010 Zone 02 1 27.28 27.28 308453011 Zone 02 1 27.28 27.28 308454002 Zone 02 1 27.28 27.28 308454003 Zone 02 1 27.28 27.28					
308452015 Zone 02 1 27.28 27.28 308452016 Zone 02 1 27.28 27.28 308453001 Zone 02 1 27.28 27.28 308453002 Zone 02 1 27.28 27.28 308453003 Zone 02 1 27.28 27.28 308453004 Zone 02 1 27.28 27.28 308453005 Zone 02 1 27.28 27.28 308453006 Zone 02 1 27.28 27.28 308453007 Zone 02 1 27.28 27.28 308453008 Zone 02 1 27.28 27.28 308453010 Zone 02 1 27.28 27.28 308453011 Zone 02 1 27.28 27.28 308454001 Zone 02 1 27.28 27.28 308454002 Zone 02 1 27.28 27.28 308454003 Zone 02 1 27.28 27.28					
308452016 Zone 02 1 27.28 27.28 308453001 Zone 02 1 27.28 27.28 308453002 Zone 02 1 27.28 27.28 308453003 Zone 02 1 27.28 27.28 308453004 Zone 02 1 27.28 27.28 308453005 Zone 02 1 27.28 27.28 308453006 Zone 02 1 27.28 27.28 308453007 Zone 02 1 27.28 27.28 308453008 Zone 02 1 27.28 27.28 308453010 Zone 02 1 27.28 27.28 308453011 Zone 02 1 27.28 27.28 308454001 Zone 02 1 27.28 27.28 308454002 Zone 02 1 27.28 27.28 308454003 Zone 02 1 27.28 27.28					
308453001 Zone 02 1 27.28 27.28 308453002 Zone 02 1 27.28 27.28 308453003 Zone 02 1 27.28 27.28 308453004 Zone 02 1 27.28 27.28 308453005 Zone 02 1 27.28 27.28 308453006 Zone 02 1 27.28 27.28 308453007 Zone 02 1 27.28 27.28 308453008 Zone 02 1 27.28 27.28 308453010 Zone 02 1 27.28 27.28 308453011 Zone 02 1 27.28 27.28 308454001 Zone 02 1 27.28 27.28 308454002 Zone 02 1 27.28 27.28 308454003 Zone 02 1 27.28 27.28					
308453002 Zone 02 1 27.28 27.28 308453003 Zone 02 1 27.28 27.28 308453004 Zone 02 1 27.28 27.28 308453005 Zone 02 1 27.28 27.28 308453006 Zone 02 1 27.28 27.28 308453007 Zone 02 1 27.28 27.28 308453008 Zone 02 1 27.28 27.28 308453010 Zone 02 1 27.28 27.28 308453011 Zone 02 1 27.28 27.28 308454001 Zone 02 1 27.28 27.28 308454002 Zone 02 1 27.28 27.28 308454003 Zone 02 1 27.28 27.28					
308453003 Zone 02 1 27.28 27.28 308453004 Zone 02 1 27.28 27.28 308453005 Zone 02 1 27.28 27.28 308453006 Zone 02 1 27.28 27.28 308453007 Zone 02 1 27.28 27.28 308453008 Zone 02 1 27.28 27.28 308453010 Zone 02 1 27.28 27.28 308453011 Zone 02 1 27.28 27.28 308453001 Zone 02 1 27.28 27.28 308453001 Zone 02 1 27.28 27.28 308453001 Zone 02 1 27.28 27.28 308454001 Zone 02 1 27.28 27.28 308454002 Zone 02 1 27.28 27.28 308454003 Zone 02 1 27.28 27.28	308453001	Zone 02		1 27.28	
308453004 Zone 02 1 27.28 27.28 308453005 Zone 02 1 27.28 27.28 308453006 Zone 02 1 27.28 27.28 308453007 Zone 02 1 27.28 27.28 308453008 Zone 02 1 27.28 27.28 308453010 Zone 02 1 27.28 27.28 308453011 Zone 02 1 27.28 27.28 308454001 Zone 02 1 27.28 27.28 308454002 Zone 02 1 27.28 27.28 308454003 Zone 02 1 27.28 27.28					
308453005 Zone 02 1 27.28 27.28 308453006 Zone 02 1 27.28 27.28 308453007 Zone 02 1 27.28 27.28 308453008 Zone 02 1 27.28 27.28 308453009 Zone 02 1 27.28 27.28 308453010 Zone 02 1 27.28 27.28 308453011 Zone 02 1 27.28 27.28 308454001 Zone 02 1 27.28 27.28 308454002 Zone 02 1 27.28 27.28 308454003 Zone 02 1 27.28 27.28	308453003	Zone 02		1 27.28	27.28
308453006 Zone 02 1 27.28 27.28 308453007 Zone 02 1 27.28 27.28 308453008 Zone 02 1 27.28 27.28 308453009 Zone 02 1 27.28 27.28 308453010 Zone 02 1 27.28 27.28 308453011 Zone 02 1 27.28 27.28 308454001 Zone 02 1 27.28 27.28 308454002 Zone 02 1 27.28 27.28 308454003 Zone 02 1 27.28 27.28	308453004	Zone 02		1 27.28	27.28
308453007 Zone 02 1 27.28 27.28 308453008 Zone 02 1 27.28 27.28 308453009 Zone 02 1 27.28 27.28 308453010 Zone 02 1 27.28 27.28 308453011 Zone 02 1 27.28 27.28 308454001 Zone 02 1 27.28 27.28 308454002 Zone 02 1 27.28 27.28 308454003 Zone 02 1 27.28 27.28	308453005	Zone 02		1 27.28	27.28
308453008 Zone 02 1 27.28 27.28 308453009 Zone 02 1 27.28 27.28 308453010 Zone 02 1 27.28 27.28 308453011 Zone 02 1 27.28 27.28 308454001 Zone 02 1 27.28 27.28 308454002 Zone 02 1 27.28 27.28 308454003 Zone 02 1 27.28 27.28	308453006	Zone 02		1 27.28	27.28
308453009 Zone 02 1 27.28 27.28 308453010 Zone 02 1 27.28 27.28 308453011 Zone 02 1 27.28 27.28 308454001 Zone 02 1 27.28 27.28 308454002 Zone 02 1 27.28 27.28 308454003 Zone 02 1 27.28 27.28	308453007	Zone 02		1 27.28	27.28
308453010 Zone 02 1 27.28 27.28 308453011 Zone 02 1 27.28 27.28 308454001 Zone 02 1 27.28 27.28 308454002 Zone 02 1 27.28 27.28 308454003 Zone 02 1 27.28 27.28 27.28 27.28 27.28	308453008	Zone 02		1 27.28	27.28
308453011 Zone 02 1 27.28 27.28 308454001 Zone 02 1 27.28 27.28 308454002 Zone 02 1 27.28 27.28 308454003 Zone 02 1 27.28 27.28 27.28 27.28 27.28	308453009	Zone 02		1 27.28	27.28
308454001 Zone 02 1 27.28 27.28 308454002 Zone 02 1 27.28 27.28 308454003 Zone 02 1 27.28 27.28	308453010	Zone 02		1 27.28	27.28
308454002 Zone 02 1 27.28 27.28 308454003 Zone 02 1 27.28 27.28	308453011	Zone 02		1 27.28	27.28
308454003 Zone 02 1 27.28 27.28	308454001	Zone 02		1 27.28	27.28
308454003 Zone 02 1 27.28 27.28	308454002	Zone 02			
	308454003	Zone 02			
308454004 Zone 02 1 27.28 27.28	308454004	Zone 02		1 27.28	27.28

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
308454005	Zone 02		1 27.28	27.28
308454006	Zone 02		1 27.28	27.28
308454007	Zone 02		1 27.28	27.28
308454008	Zone 02		1 27.28	27.28
308454009	Zone 02		1 27.28	27.28
308454010	Zone 02		1 27.28	27.28
308454011	Zone 02		1 27.28	27.28
308454012	Zone 02		1 27.28	27.28
308454013	Zone 02		1 27.28	27.28
308454014	Zone 02		1 27.28	27.28
308454015	Zone 02		1 27.28	27.28
308454016	Zone 02		1 27.28	27.28
308454017	Zone 02		1 27.28	27.28
308454018	Zone 02		1 27.28	27.28
308454019	Zone 02		1 27.28	27.28
308454020	Zone 02		1 27.28	27.28
308454021	Zone 02		1 27.28	27.28
308454022	Zone 02		1 27.28	27.28
308460001	Zone 02		1 27.28	27.28
308460002	Zone 02		1 27.28	27.28
308460003	Zone 02		1 27.28	27.28
308460004	Zone 02		1 27.28	27.28
308460005	Zone 02		1 27.28	27.28
308460006	Zone 02		1 27.28	27.28
308460007	Zone 02		1 27.28	27.28
308460008	Zone 02		1 27.28	27.28
308460009	Zone 02		1 27.28	27.28
308460010	Zone 02		1 27.28	27.28
308460011	Zone 02		1 27.28	27.28
308460012	Zone 02		1 27.28	27.28
308460013	Zone 02		1 27.28	27.28
308460014	Zone 02		1 27.28	27.28
308460015	Zone 02		1 27.28	27.28
308460016	Zone 02		1 27.28	27.28
308460017	Zone 02		1 27.28	27.28
308460018	Zone 02		1 27.28	27.28
308460019	Zone 02		1 27.28	27.28
308460020	Zone 02		1 27.28	27.28
308461001	Zone 02		1 27.28	27.28
308461002	Zone 02		1 27.28	27.28
308461003	Zone 02		1 27.28	27.28
308461004	Zone 02		1 27.28	27.28
308462001	Zone 02		1 27.28	27.28
308462002	Zone 02		1 27.28	27.28
308462003	Zone 02 Zone 02		1 27.28	27.28
308462004	Zone 02 Zone 02		1 27.28	27.28
308462005	Zone 02 Zone 02		1 27.28	27.28
308462006	Zone 02 Zone 02		1 27.28	27.28
300402000	20116-02		21.20	21.20

APN LMD 2014-01 Zone LMD Assigned EBU's FY 17-18 Max Assessment FY 17-18 308462007 Zone 02 1 27.28 308462008 Zone 02 1 27.28 308462009 Zone 02 1 27.28	Assessment 27.28
308462008 Zone 02 1 27.28	21.20
	27.28
	27.28
308462010 Zone 02 1 27.28	27.28
308462011 Zone 02 1 27.28	27.28
308462012 Zone 02 1 27.28	27.28
308462013 Zone 02 1 27.28	27.28
308462014 Zone 02 1 27.28	27.28
308463001 Zone 02 1 27.28	27.28
308463002 Zone 02 1 27.28	27.28
308463003 Zone 02 1 27.28	27.28
308463004 Zone 02 1 27.28	27.28
308463005 Zone 02 1 27.28	27.28
308463006 Zone 02 1 27.26	27.28
308463007 Zone 02 1 27.28	27.28
308463008 Zone 02 1 27.28	27.28
308463009 Zone 02 1 27.28	27.28
308463010 Zone 02 1 27.28	27.28
308463011 Zone 02 1 27.28	27.28
308463012 Zone 02 1 27.28	27.28
308463013 Zone 02 1 27.28	27.28
308463014 Zone 02 1 27.28	27.28
308463015 Zone 02 1 27.28	27.28
308463016 Zone 02 1 27.28	27.28
308463017 Zone 02 1 27.28	27.28
308463018 Zone 02 1 27.28	27.28
308463019 Zone 02 1 27.28	27.28
308463020 Zone 02 1 27.28	27.28
308463021 Zone 02 1 27.28	27.28
308463022 Zone 02 1 27.28	27.28
308463023 Zone 02 1 27.28	27.28
308463024 Zone 02 1 27.28	27.28
308463025 Zone 02 1 27.28	27.28
308463026 Zone 02 1 27.28	27.28
308463027 Zone 02 1 27.28	27.28
308463028 Zone 02 1 27.28	27.28
308463029 Zone 02 1 27.28	27.28
308470001 Zone 02 1 27.28	27.28
308470002 Zone 02 1 27.28	27.28
308470003 Zone 02 1 27.28	27.28
308470004 Zone 02 1 27.28	27.28
308470005 Zone 02 1 27.28	27.28
308470006 Zone 02 1 27.28	27.28
308470007 Zone 02 1 27.28	27.28
308470008 Zone 02 1 27.28	27.28
308470009 Zone 02 1 27.28	27.28
308470010 Zone 02 1 27.28	27.28
308470011 Zone 02 1 27.28	27.28

APN	I MD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
308470012	Zone 02	LIND Assigned EDG 3	1 27.28	27.28
308470013	Zone 02		1 27.28	27.28
308470014	Zone 02		1 27.28	27.28
308470015	Zone 02		1 27.28	27.28
308470016	Zone 02		1 27.28	27.28
308470017	Zone 02		1 27.28	27.28
308470017	Zone 02		1 27.28	27.28
308470019	Zone 02		1 27.28	27.28
308470019	Zone 02		1 27.28	27.28
308470021	Zone 02		1 27.28	27.28
308470021	Zone 02 Zone 02		1 27.28	27.28
308470023	Zone 02		1 27.28	27.28
308470024	Zone 02 Zone 02		1 27.28	27.28
308470025	Zone 02		1 27.28	27.28
308470026	Zone 02 Zone 02		1 27.28	27.28
308470027	Zone 02 Zone 02		1 27.28	27.28
308470027	Zone 02 Zone 02		1 27.28	27.28
308470029	Zone 02 Zone 02		1 27.28	27.28
308470029	Zone 02 Zone 02		1 27.28	27.28
308470030	Zone 02 Zone 02		1 27.28	27.28
	Zone 02 Zone 02			
308470032			1 27.28	27.28
308470033	Zone 02		1 27.28	27.28
308470034	Zone 02		1 27.28	27.28
308470035	Zone 02		1 27.28	27.28
308470036	Zone 02		1 27.28	27.28
308470037	Zone 02		1 27.28	27.28
308470038	Zone 02		1 27.28	27.28
308470039	Zone 02		1 27.28	27.28
308470040	Zone 02		1 27.28	27.28
308470041	Zone 02		1 27.28	27.28
308470042	Zone 02		1 27.28	27.28
308470043	Zone 02		1 27.28	27.28
308470044	Zone 02		1 27.28	27.28
308470045	Zone 02		1 27.28	27.28
308470046	Zone 02		1 27.28	27.28
308470047	Zone 02		1 27.28	27.28
308470048	Zone 02		1 27.28	27.28
308480001	Zone 02		1 27.28	27.28
308480002	Zone 02		1 27.28	27.28
308480003	Zone 02		1 27.28	27.28
308480004	Zone 02		1 27.28	27.28
308480005	Zone 02		1 27.28	27.28
308480006	Zone 02		1 27.28	27.28
308480007	Zone 02		1 27.28	27.28
308480008	Zone 02		1 27.28	27.28
308480009	Zone 02		1 27.28	27.28
308480010	Zone 02		1 27.28	27.28
308480011	Zone 02		1 27.28	27.28

1	APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
308480014 Zone 02 1 27.28 27.28 308480016 Zone 02 1 27.28 27.28 308480017 Zone 02 1 27.28 27.28 308480018 Zone 02 1 27.28 27.28 308480018 Zone 02 1 27.28 27.28 308480021 Zone 02 1 27.28 27.28 308480022 Zone 02 1 27.28 27.28 308480023 Zone 02 1 27.28 27.28 308480024 Zone 02 1 27.28 27.28 308481001 Zone 02 1 27.28 27.28 308481003 Zone 02 1 27.28 27.28 308481003 Zone 02 1 27.28 27.28 308481004 Zone 02 1 27.28 27.28 308481005 Zone 02 1 27.28 27.28 308481006 Zone 02 1 27.28 27.28			EIIID Assigned EDG 3		
308480016 Zone 02 1 27.28 27.28 308480016 Zone 02 1 27.28 27.28 308480018 Zone 02 1 27.28 27.28 308480021 Zone 02 1 27.28 27.28 308480022 Zone 02 1 27.28 27.28 308480023 Zone 02 1 27.28 27.28 308480024 Zone 02 1 27.28 27.28 308480024 Zone 02 1 27.28 27.28 308481001 Zone 02 1 27.28 27.28 308481002 Zone 02 1 27.28 27.28 308481001 Zone 02 1 27.28 27.28 308481002 Zone 00 1 27.28 27.28 308481003 Zone 02 1 27.28 27.28 308481004 Zone 02 1 27.28 27.28 308481005 Zone 02 1 27.28 27.28					
308480016 Zone 02 1 27.28 27.28 308480017 Zone 02 1 27.28 27.28 308480018 Zone 02 1 27.28 27.28 308480021 Zone 02 1 27.28 27.28 308480023 Zone 02 1 27.28 27.28 308480024 Zone 02 1 27.28 27.28 308480101 Zone 02 1 27.28 27.28 308481002 Zone 02 1 27.28 27.28 308481003 Zone 02 1 27.28 27.28 308481003 Zone 02 1 27.28 27.28 308481003 Zone 02 1 27.28 27.28 308481004 Zone 02 1 27.28 27.28 308481005 Zone 02 1 27.28 27.28 308481006 Zone 02 1 27.28 27.28 308481007 Zone 02 1 27.28 27.28					
908480017 Zone 02 1 27.28 27.28 308480018 Zone 02 1 27.28 27.28 308480021 Zone 02 1 27.28 27.28 308480023 Zone 02 1 27.28 27.28 308480024 Zone 02 1 27.28 27.28 308481001 Zone 02 1 27.28 27.28 308481002 Zone 02 1 27.28 27.28 308481003 Zone 02 1 27.28 27.28 308481004 Zone 02 1 27.28 27.28 308481005 Zone 02 1 27.28 27.28 308481006 Zone 02 1 27.28 27.28 308481007 Zone 02 1 27.28 27.28 308481008 Zone 02 1 27.28 27.28 308481009 Zone 02 1 27.28 27.28 308481011 Zone 02 1 27.28 27.28					
908480018 Zone 02 1 27.28 27.28 308480021 Zone 02 1 27.28 27.28 308480022 Zone 02 1 27.28 27.28 308480023 Zone 02 1 27.28 27.28 308481001 Zone 02 1 27.28 27.28 308481002 Zone 02 1 27.28 27.28 308481003 Zone 02 1 27.28 27.28 308481003 Zone 02 1 27.28 27.28 308481004 Zone 02 1 27.28 27.28 308481005 Zone 02 1 27.28 27.28 308481006 Zone 02 1 27.28 27.28 308481007 Zone 02 1 27.28 27.28 308481008 Zone 02 1 27.28 27.28 308481009 Zone 02 1 27.28 27.28 308481010 Zone 02 1 27.28 27.28					
908480021 Zone 02 1 27.28 27.28 308480023 Zone 02 1 27.28 27.28 308480024 Zone 02 1 27.28 27.28 308481001 Zone 02 1 27.28 27.28 308481002 Zone 02 1 27.28 27.28 308481003 Zone 02 1 27.28 27.28 308481004 Zone 02 1 27.28 27.28 308481005 Zone 02 1 27.28 27.28 308481006 Zone 02 1 27.28 27.28 308481007 Zone 02 1 27.28 27.28 308481007 Zone 02 1 27.28 27.28 308481009 Zone 02 1 27.28 27.28 308481010 Zone 02 1 27.28 27.28 308481011 Zone 02 1 27.28 27.28 308481012 Zone 02 1 27.28 27.28					
908480022 Zone 02 1 27.28 27.28 308480023 Zone 02 1 27.28 27.28 308480024 Zone 02 1 27.28 27.28 308481001 Zone 02 1 27.28 27.28 308481002 Zone 02 1 27.28 27.28 308481003 Zone 02 1 27.28 27.28 308481005 Zone 02 1 27.28 27.28 308481005 Zone 02 1 27.28 27.28 308481006 Zone 02 1 27.28 27.28 308481007 Zone 02 1 27.28 27.28 308481008 Zone 02 1 27.28 27.28 308481009 Zone 02 1 27.28 27.28 308481010 Zone 02 1 27.28 27.28 308481011 Zone 02 1 27.28 27.28 308481013 Zone 02 1 27.28 27.28					
308480023 Zone 02 1 27.28 27.28 308480024 Zone 02 1 27.28 27.28 308481001 Zone 02 1 27.28 27.28 308481003 Zone 02 1 27.28 27.28 308481004 Zone 02 1 27.28 27.28 308481005 Zone 02 1 27.28 27.28 308481006 Zone 02 1 27.28 27.28 308481007 Zone 02 1 27.28 27.28 308481009 Zone 02 1 27.28 27.28 308481009 Zone 02 1 27.28 27.28 308481010 Zone 02 1 27.28 27.28 308481011 Zone 02 1 27.28 27.28 308481012 Zone 02 1 27.28 27.28 308481013 Zone 02 1 27.28 27.28 30849001 Zone 02 1 27.28 27.28 <					
308481001 Zone 02 1 27.28 27.28 308481002 Zone 02 1 27.28 27.28 308481003 Zone 02 1 27.28 27.28 308481004 Zone 02 1 27.28 27.28 308481005 Zone 02 1 27.28 27.28 308481006 Zone 02 1 27.28 27.28 308481007 Zone 02 1 27.28 27.28 308481008 Zone 02 1 27.28 27.28 308481009 Zone 02 1 27.28 27.28 308481000 Zone 02 1 27.28 27.28 308481010 Zone 02 1 27.28 27.28 308481011 Zone 02 1 27.28 27.28 308481012 Zone 02 1 27.28 27.28 308481013 Zone 02 1 27.28 27.28 30849001 Zone 02 1 27.28 27.28 30849002 Zone 02 1 27.28 27.28 3					
308481001 Zone 02 1 27.28 27.28 308481003 Zone 02 1 27.28 27.28 308481004 Zone 02 1 27.28 27.28 308481005 Zone 02 1 27.28 27.28 308481006 Zone 02 1 27.28 27.28 308481007 Zone 02 1 27.28 27.28 308481008 Zone 02 1 27.28 27.28 308481009 Zone 02 1 27.28 27.28 308481010 Zone 02 1 27.28 27.28 308481011 Zone 02 1 27.28 27.28 308481012 Zone 02 1 27.28 27.28 308481013 Zone 02 1 27.28 27.28 30849001 Zone 02 1 27.28 27.28 308490001 Zone 02 1 27.28 27.28 308490002 Zone 02 1 27.28 27.28 <					
308481002 Zone 02 1 27.28 27.28 308481004 Zone 02 1 27.28 27.28 308481005 Zone 02 1 27.28 27.28 308481006 Zone 02 1 27.28 27.28 308481007 Zone 02 1 27.28 27.28 308481007 Zone 02 1 27.28 27.28 308481008 Zone 02 1 27.28 27.28 308481009 Zone 02 1 27.28 27.28 308481010 Zone 02 1 27.28 27.28 308481011 Zone 02 1 27.28 27.28 308481012 Zone 02 1 27.28 27.28 308481013 Zone 02 1 27.28 27.28 308481013 Zone 02 1 27.28 27.28 308490001 Zone 02 1 27.28 27.28 308490001 Zone 02 1 27.28 27.28					
308481003 Zone 02 1 27.28 27.28 308481004 Zone 02 1 27.28 27.28 308481005 Zone 02 1 27.28 27.28 308481006 Zone 02 1 27.28 27.28 308481007 Zone 02 1 27.28 27.28 308481008 Zone 02 1 27.28 27.28 308481009 Zone 02 1 27.28 27.28 308481010 Zone 02 1 27.28 27.28 308481011 Zone 02 1 27.28 27.28 308481012 Zone 02 1 27.28 27.28 308481013 Zone 02 1 27.28 27.28 30849001 Zone 02 1 27.28 27.28 30849001 Zone 02 1 27.28 27.28 308490002 Zone 02 1 27.28 27.28 308490003 Zone 02 1 27.28 27.28 <t< td=""><td></td><td></td><td></td><td></td><td></td></t<>					
308481004 Zone 02 1 27.28 27.28 308481005 Zone 02 1 27.28 27.28 308481006 Zone 02 1 27.28 27.28 308481007 Zone 02 1 27.28 27.28 308481008 Zone 02 1 27.28 27.28 30848100 Zone 02 1 27.28 27.28 30848101 Zone 02 1 27.28 27.28 308481011 Zone 02 1 27.28 27.28 308481012 Zone 02 1 27.28 27.28 308481013 Zone 02 1 27.28 27.28 308490001 Zone 02 1 27.28 27.28 308490002 Zone 02 1 27.28 27.28 308490003 Zone 02 1 27.28 27.28 308490004 Zone 02 1 27.28 27.28 308490005 Zone 02 1 27.28 27.28 <t< td=""><td></td><td></td><td></td><td></td><td></td></t<>					
308481005 Zone 02 1 27.28 27.28 308481006 Zone 02 1 27.28 27.28 308481007 Zone 02 1 27.28 27.28 308481008 Zone 02 1 27.28 27.28 308481009 Zone 02 1 27.28 27.28 30848101 Zone 02 1 27.28 27.28 308481011 Zone 02 1 27.28 27.28 308481012 Zone 02 1 27.28 27.28 308481013 Zone 02 1 27.28 27.28 308490001 Zone 02 1 27.28 27.28 308490002 Zone 02 1 27.28 27.28 308490003 Zone 02 1 27.28 27.28 308490004 Zone 02 1 27.28 27.28 308490005 Zone 02 1 27.28 27.28 308490006 Zone 02 1 27.28 27.28 <					
308481006 Zone 02 1 27.28 27.28 308481007 Zone 02 1 27.28 27.28 308481008 Zone 02 1 27.28 27.28 308481009 Zone 02 1 27.28 27.28 308481010 Zone 02 1 27.28 27.28 308481011 Zone 02 1 27.28 27.28 308481012 Zone 02 1 27.28 27.28 308481013 Zone 02 1 27.28 27.28 308490001 Zone 02 1 27.28 27.28 308490002 Zone 02 1 27.28 27.28 308490003 Zone 02 1 27.28 27.28 308490004 Zone 02 1 27.28 27.28 308490005 Zone 02 1 27.28 27.28 308490006 Zone 02 1 27.28 27.28 308490007 Zone 02 1 27.28 27.28					
308481007 Zone 02 1 27.28 27.28 308481008 Zone 02 1 27.28 27.28 308481009 Zone 02 1 27.28 27.28 308481010 Zone 02 1 27.28 27.28 308481011 Zone 02 1 27.28 27.28 308481012 Zone 02 1 27.28 27.28 30849001 Zone 02 1 27.28 27.28 30849001 Zone 02 1 27.28 27.28 30849002 Zone 02 1 27.28 27.28 30849003 Zone 02 1 27.28 27.28 30849004 Zone 02 1 27.28 27.28 30849006 Zone 02 1 27.28 27.28 30849007 Zone 02 1 27.28 27.28 30849008 Zone 02 1 27.28 27.28 30849009 Zone 02 1 27.28 27.28					
308481008 Zone 02 1 27.28 27.28 308481009 Zone 02 1 27.28 27.28 308481010 Zone 02 1 27.28 27.28 308481011 Zone 02 1 27.28 27.28 308481013 Zone 02 1 27.28 27.28 30849001 Zone 02 1 27.28 27.28 30849002 Zone 02 1 27.28 27.28 30849003 Zone 02 1 27.28 27.28 30849004 Zone 02 1 27.28 27.28 30849006 Zone 02 1 27.28 27.28 30849007 Zone 02 1 27.28 27.28 30849008 Zone 02 1 27.28 27.28 30849009 Zone 02 1 27.28 27.28 30849001 Zone 02 1 27.28 27.28 30849001 Zone 02 1 27.28 27.28 30849001 Zone 02 1 27.28 27.28 30849001 </td <td></td> <td></td> <td></td> <td></td> <td></td>					
308481009 Zone 02 1 27.28 27.28 308481010 Zone 02 1 27.28 27.28 308481011 Zone 02 1 27.28 27.28 308481012 Zone 02 1 27.28 27.28 308481013 Zone 02 1 27.28 27.28 308490001 Zone 02 1 27.28 27.28 308490002 Zone 02 1 27.28 27.28 308490003 Zone 02 1 27.28 27.28 308490004 Zone 02 1 27.28 27.28 308490005 Zone 02 1 27.28 27.28 308490006 Zone 02 1 27.28 27.28 308490009 Zone 02 1 27.28 27.28 308490010 Zone 02 1 27.28 27.28 308490011 Zone 02 1 27.28 27.28 308490014 Zone 02 1 27.28 27.28 308490015 Zone 02 1 27.28 27.28 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
308481010 Zone 02 1 27.28 27.28 308481011 Zone 02 1 27.28 27.28 308481012 Zone 02 1 27.28 27.28 308481013 Zone 02 1 27.28 27.28 308490001 Zone 02 1 27.28 27.28 308490003 Zone 02 1 27.28 27.28 308490004 Zone 02 1 27.28 27.28 308490005 Zone 02 1 27.28 27.28 308490006 Zone 02 1 27.28 27.28 308490007 Zone 02 1 27.28 27.28 308490008 Zone 02 1 27.28 27.28 308490010 Zone 02 1 27.28 27.28 308490011 Zone 02 1 27.28 27.28 308490014 Zone 02 1 27.28 27.28 308490015 Zone 02 1 27.28 27.28 308490017 Zone 02 1 27.28 27.28 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
308481011 Zone 02 1 27.28 27.28 308481012 Zone 02 1 27.28 27.28 308481013 Zone 02 1 27.28 27.28 308490001 Zone 02 1 27.28 27.28 308490002 Zone 02 1 27.28 27.28 308490003 Zone 02 1 27.28 27.28 308490004 Zone 02 1 27.28 27.28 308490006 Zone 02 1 27.28 27.28 308490007 Zone 02 1 27.28 27.28 30849008 Zone 02 1 27.28 27.28 308490009 Zone 02 1 27.28 27.28 308490010 Zone 02 1 27.28 27.28 308490011 Zone 02 1 27.28 27.28 308490014 Zone 02 1 27.28 27.28 308490015 Zone 02 1 27.28 27.28 308490017 Zone 02 1 27.28 27.28					
308481012 Zone 02 1 27.28 27.28 308481013 Zone 02 1 27.28 27.28 308490001 Zone 02 1 27.28 27.28 308490002 Zone 02 1 27.28 27.28 308490003 Zone 02 1 27.28 27.28 308490004 Zone 02 1 27.28 27.28 308490006 Zone 02 1 27.28 27.28 308490007 Zone 02 1 27.28 27.28 308490008 Zone 02 1 27.28 27.28 308490010 Zone 02 1 27.28 27.28 308490010 Zone 02 1 27.28 27.28 308490011 Zone 02 1 27.28 27.28 308490014 Zone 02 1 27.28 27.28 308490015 Zone 02 1 27.28 27.28 308490016 Zone 02 1 27.28 27.28 308490024 Zone 02 1 27.28 27.28 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
308481013 Zone 02 1 27.28 27.28 308490001 Zone 02 1 27.28 27.28 308490002 Zone 02 1 27.28 27.28 308490003 Zone 02 1 27.28 27.28 308490004 Zone 02 1 27.28 27.28 308490006 Zone 02 1 27.28 27.28 308490007 Zone 02 1 27.28 27.28 308490008 Zone 02 1 27.28 27.28 308490010 Zone 02 1 27.28 27.28 308490010 Zone 02 1 27.28 27.28 308490011 Zone 02 1 27.28 27.28 308490015 Zone 02 1 27.28 27.28 308490016 Zone 02 1 27.28 27.28 308490017 Zone 02 1 27.28 27.28 308490024 Zone 02 1 27.28 27.28 308490025 Zone 02 1 27.28 27.28 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
308490001 Zone 02 1 27.28 27.28 308490002 Zone 02 1 27.28 27.28 308490003 Zone 02 1 27.28 27.28 308490004 Zone 02 1 27.28 27.28 308490006 Zone 02 1 27.28 27.28 308490007 Zone 02 1 27.28 27.28 308490008 Zone 02 1 27.28 27.28 308490010 Zone 02 1 27.28 27.28 308490011 Zone 02 1 27.28 27.28 308490014 Zone 02 1 27.28 27.28 308490015 Zone 02 1 27.28 27.28 308490016 Zone 02 1 27.28 27.28 308490017 Zone 02 1 27.28 27.28 308490022 Zone 02 1 27.28 27.28 308490024 Zone 02 1 27.28 27.28 308491001 Zone 02 1 27.28 27.28 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
308490002 Zone 02 1 27.28 27.28 308490003 Zone 02 1 27.28 27.28 308490004 Zone 02 1 27.28 27.28 308490006 Zone 02 1 27.28 27.28 308490007 Zone 02 1 27.28 27.28 308490008 Zone 02 1 27.28 27.28 308490010 Zone 02 1 27.28 27.28 308490011 Zone 02 1 27.28 27.28 308490014 Zone 02 1 27.28 27.28 308490015 Zone 02 1 27.28 27.28 308490016 Zone 02 1 27.28 27.28 308490017 Zone 02 1 27.28 27.28 308490022 Zone 02 1 27.28 27.28 308490024 Zone 02 1 27.28 27.28 308491001 Zone 02 1 27.28 27.28 308491002 Zone 02 1 27.28 27.28 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
308490003 Zone 02 1 27.28 27.28 308490004 Zone 02 1 27.28 27.28 308490006 Zone 02 1 27.28 27.28 308490007 Zone 02 1 27.28 27.28 308490008 Zone 02 1 27.28 27.28 308490010 Zone 02 1 27.28 27.28 308490011 Zone 02 1 27.28 27.28 308490014 Zone 02 1 27.28 27.28 308490015 Zone 02 1 27.28 27.28 308490016 Zone 02 1 27.28 27.28 308490017 Zone 02 1 27.28 27.28 308490022 Zone 02 1 27.28 27.28 308490024 Zone 02 1 27.28 27.28 308491001 Zone 02 1 27.28 27.28 308491002 Zone 02 1 27.28 27.28 308491003 Zone 02 1 27.28 27.28 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
308490004 Zone 02 1 27.28 27.28 308490006 Zone 02 1 27.28 27.28 308490007 Zone 02 1 27.28 27.28 308490008 Zone 02 1 27.28 27.28 308490019 Zone 02 1 27.28 27.28 308490010 Zone 02 1 27.28 27.28 308490011 Zone 02 1 27.28 27.28 308490014 Zone 02 1 27.28 27.28 308490015 Zone 02 1 27.28 27.28 308490016 Zone 02 1 27.28 27.28 308490017 Zone 02 1 27.28 27.28 308490022 Zone 02 1 27.28 27.28 308490025 Zone 02 1 27.28 27.28 308491001 Zone 02 1 27.28 27.28 308491002 Zone 02 1 27.28 27.28 308491003 Zone 02 1 27.28 27.28 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
308490006 Zone 02 1 27.28 27.28 308490007 Zone 02 1 27.28 27.28 308490008 Zone 02 1 27.28 27.28 308490009 Zone 02 1 27.28 27.28 308490010 Zone 02 1 27.28 27.28 308490011 Zone 02 1 27.28 27.28 308490014 Zone 02 1 27.28 27.28 308490015 Zone 02 1 27.28 27.28 308490016 Zone 02 1 27.28 27.28 308490017 Zone 02 1 27.28 27.28 308490022 Zone 02 1 27.28 27.28 308490024 Zone 02 1 27.28 27.28 308491001 Zone 02 1 27.28 27.28 308491002 Zone 02 1 27.28 27.28 308491003 Zone 02 1 27.28 27.28 308491004 Zone 02 1 27.28 27.28 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
308490007 Zone 02 1 27.28 27.28 308490008 Zone 02 1 27.28 27.28 308490009 Zone 02 1 27.28 27.28 308490010 Zone 02 1 27.28 27.28 308490011 Zone 02 1 27.28 27.28 308490015 Zone 02 1 27.28 27.28 308490016 Zone 02 1 27.28 27.28 308490017 Zone 02 1 27.28 27.28 308490022 Zone 02 1 27.28 27.28 308490024 Zone 02 1 27.28 27.28 308491001 Zone 02 1 27.28 27.28 308491002 Zone 02 1 27.28 27.28 308491003 Zone 02 1 27.28 27.28 308491004 Zone 02 1 27.28 27.28 308491005 Zone 02 1 27.28 27.28 308491006 Zone 02 1 27.28 27.28 <td></td> <td></td> <td></td> <td></td> <td></td>					
308490008 Zone 02 1 27.28 27.28 308490009 Zone 02 1 27.28 27.28 308490010 Zone 02 1 27.28 27.28 308490011 Zone 02 1 27.28 27.28 308490014 Zone 02 1 27.28 27.28 308490015 Zone 02 1 27.28 27.28 308490016 Zone 02 1 27.28 27.28 308490017 Zone 02 1 27.28 27.28 308490022 Zone 02 1 27.28 27.28 308490024 Zone 02 1 27.28 27.28 308491001 Zone 02 1 27.28 27.28 308491001 Zone 02 1 27.28 27.28 308491002 Zone 02 1 27.28 27.28 308491003 Zone 02 1 27.28 27.28 308491005 Zone 02 1 27.28 27.28 308491006 Zone 02 1 27.28 27.28 <td></td> <td></td> <td></td> <td></td> <td></td>					
308490009 Zone 02 1 27.28 27.28 308490010 Zone 02 1 27.28 27.28 308490011 Zone 02 1 27.28 27.28 308490014 Zone 02 1 27.28 27.28 308490015 Zone 02 1 27.28 27.28 308490016 Zone 02 1 27.28 27.28 308490017 Zone 02 1 27.28 27.28 308490022 Zone 02 1 27.28 27.28 308490024 Zone 02 1 27.28 27.28 308491001 Zone 02 1 27.28 27.28 308491002 Zone 02 1 27.28 27.28 308491003 Zone 02 1 27.28 27.28 308491004 Zone 02 1 27.28 27.28 308491005 Zone 02 1 27.28 27.28 308491006 Zone 02 1 27.28 27.28					
308490010 Zone 02 1 27.28 27.28 308490011 Zone 02 1 27.28 27.28 308490014 Zone 02 1 27.28 27.28 308490015 Zone 02 1 27.28 27.28 308490016 Zone 02 1 27.28 27.28 308490017 Zone 02 1 27.28 27.28 308490022 Zone 02 1 27.28 27.28 308490024 Zone 02 1 27.28 27.28 308490025 Zone 02 1 27.28 27.28 308491001 Zone 02 1 27.28 27.28 308491002 Zone 02 1 27.28 27.28 308491003 Zone 02 1 27.28 27.28 308491004 Zone 02 1 27.28 27.28 308491005 Zone 02 1 27.28 27.28 308491006 Zone 02 1 27.28 27.28					
308490011 Zone 02 1 27.28 27.28 308490014 Zone 02 1 27.28 27.28 308490015 Zone 02 1 27.28 27.28 308490016 Zone 02 1 27.28 27.28 308490017 Zone 02 1 27.28 27.28 308490022 Zone 02 1 27.28 27.28 308490024 Zone 02 1 27.28 27.28 308490025 Zone 02 1 27.28 27.28 308491001 Zone 02 1 27.28 27.28 308491002 Zone 02 1 27.28 27.28 308491003 Zone 02 1 27.28 27.28 308491004 Zone 02 1 27.28 27.28 308491005 Zone 02 1 27.28 27.28 308491006 Zone 02 1 27.28 27.28					
308490014 Zone 02 1 27.28 27.28 308490015 Zone 02 1 27.28 27.28 308490016 Zone 02 1 27.28 27.28 308490017 Zone 02 1 27.28 27.28 308490022 Zone 02 1 27.28 27.28 308490024 Zone 02 1 27.28 27.28 308490025 Zone 02 1 27.28 27.28 308491001 Zone 02 1 27.28 27.28 308491002 Zone 02 1 27.28 27.28 308491003 Zone 02 1 27.28 27.28 308491004 Zone 02 1 27.28 27.28 308491005 Zone 02 1 27.28 27.28 308491006 Zone 02 1 27.28 27.28					
308490015 Zone 02 1 27.28 27.28 308490016 Zone 02 1 27.28 27.28 308490017 Zone 02 1 27.28 27.28 308490022 Zone 02 1 27.28 27.28 308490024 Zone 02 1 27.28 27.28 308490025 Zone 02 1 27.28 27.28 308491001 Zone 02 1 27.28 27.28 308491002 Zone 02 1 27.28 27.28 308491003 Zone 02 1 27.28 27.28 308491004 Zone 02 1 27.28 27.28 308491005 Zone 02 1 27.28 27.28 308491006 Zone 02 1 27.28 27.28					
308490016 Zone 02 1 27.28 27.28 308490017 Zone 02 1 27.28 27.28 308490022 Zone 02 1 27.28 27.28 308490024 Zone 02 1 27.28 27.28 308490025 Zone 02 1 27.28 27.28 308491001 Zone 02 1 27.28 27.28 308491002 Zone 02 1 27.28 27.28 308491003 Zone 02 1 27.28 27.28 308491004 Zone 02 1 27.28 27.28 308491005 Zone 02 1 27.28 27.28 308491006 Zone 02 1 27.28 27.28	308490014	Zone 02		1 27.28	27.28
308490017 Zone 02 1 27.28 27.28 308490022 Zone 02 1 27.28 27.28 308490024 Zone 02 1 27.28 27.28 308490025 Zone 02 1 27.28 27.28 308491001 Zone 02 1 27.28 27.28 308491002 Zone 02 1 27.28 27.28 308491003 Zone 02 1 27.28 27.28 308491004 Zone 02 1 27.28 27.28 308491005 Zone 02 1 27.28 27.28 308491006 Zone 02 1 27.28 27.28					
308490022 Zone 02 1 27.28 27.28 308490024 Zone 02 1 27.28 27.28 308490025 Zone 02 1 27.28 27.28 308491001 Zone 02 1 27.28 27.28 308491002 Zone 02 1 27.28 27.28 308491003 Zone 02 1 27.28 27.28 308491004 Zone 02 1 27.28 27.28 308491005 Zone 02 1 27.28 27.28 308491006 Zone 02 1 27.28 27.28	308490016	Zone 02		1 27.28	27.28
308490024 Zone 02 1 27.28 27.28 308490025 Zone 02 1 27.28 27.28 308491001 Zone 02 1 27.28 27.28 308491002 Zone 02 1 27.28 27.28 308491003 Zone 02 1 27.28 27.28 308491004 Zone 02 1 27.28 27.28 308491005 Zone 02 1 27.28 27.28 308491006 Zone 02 1 27.28 27.28	308490017	Zone 02		1 27.28	27.28
308490025 Zone 02 1 27.28 27.28 308491001 Zone 02 1 27.28 27.28 308491002 Zone 02 1 27.28 27.28 308491003 Zone 02 1 27.28 27.28 308491004 Zone 02 1 27.28 27.28 308491005 Zone 02 1 27.28 27.28 308491006 Zone 02 1 27.28 27.28	308490022	Zone 02		1 27.28	27.28
308491001 Zone 02 1 27.28 27.28 308491002 Zone 02 1 27.28 27.28 308491003 Zone 02 1 27.28 27.28 308491004 Zone 02 1 27.28 27.28 308491005 Zone 02 1 27.28 27.28 308491006 Zone 02 1 27.28 27.28 27.28 27.28 27.28	308490024	Zone 02		1 27.28	27.28
308491002 Zone 02 1 27.28 27.28 308491003 Zone 02 1 27.28 27.28 308491004 Zone 02 1 27.28 27.28 308491005 Zone 02 1 27.28 27.28 308491006 Zone 02 1 27.28 27.28 27.28 27.28 27.28	308490025	Zone 02		1 27.28	27.28
308491003 Zone 02 1 27.28 27.28 308491004 Zone 02 1 27.28 27.28 308491005 Zone 02 1 27.28 27.28 308491006 Zone 02 1 27.28 27.28 27.28 27.28 27.28	308491001	Zone 02		1 27.28	27.28
308491004 Zone 02 1 27.28 27.28 308491005 Zone 02 1 27.28 27.28 308491006 Zone 02 1 27.28 27.28	308491002	Zone 02		1 27.28	27.28
308491005 Zone 02 1 27.28 27.28 308491006 Zone 02 1 27.28 27.28	308491003	Zone 02		1 27.28	27.28
308491006 Zone 02 1 27.28 27.28	308491004	Zone 02		1 27.28	27.28
	308491005	Zone 02		1 27.28	27.28
	308491006	Zone 02			
	308491007	Zone 02			
308491008 Zone 02 1 27.28 27.28					

APN LI		LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
308491009 Zo	MD 2014-01 Zone one 02	2mb Assigned 250 3	27.28	27.28
	one 02	1	27.28	27.28
	one 02	1	27.28	27.28
	one 02	1	27.28	27.28
	one 02	1	27.28	27.28
	one 02	1	27.28	27.28
	one 02	1	27.28	27.28
	one 02	1	27.28	27.28
	one 02	1	27.28	27.28
	one 02	1	27.28	27.28
	one 02	1	27.28	27.28
	one 02	1	27.28	27.28
	one 02	1	27.28	27.28
	one 02	1	27.28	27.28
	one 02	1	27.28	27.28
	one 02	1	27.28	27.28
	one 02	1	27.28	27.28
	one 02	1	27.28	27.28
	one 02	1	27.28	27.28
	one 02	1	27.28	27.28
	one 02	1	27.28	27.28
	one 02	1	27.28	27.28
	one 02	1	27.28	27.28
	one 02	1	27.28	27.28
	one 02	1	27.28	27.28
	one 02	1	27.28	27.28
	one 02	1	27.28	27.28
	one 02	1	27.28	27.28
	one 02	1	27.28	27.28
	one 02	1	27.28	27.28
	one 02	1	27.28	27.28
	one 02	1	27.28	27.28
308502004 Zo	one 02	1	27.28	27.28
308502005 Zo	one 02	1	27.28	27.28
	one 02	1	27.28	27.28
	one 02	1	27.28	27.28
	one 02	1	27.28	27.28
308502009 Zo	one 02	1	27.28	27.28
	one 02	1	27.28	27.28
308502011 Zo	one 02	1	27.28	27.28
308502012 Zo	one 02	1	27.28	27.28
308502013 Zo	one 02	1	27.28	27.28
308502014 Zo	one 02	1	27.28	27.28
308502015 Zo	one 02	1	27.28	27.28
	one 02	1	27.28	27.28
	one 02	1	27.28	27.28
308502018 Zo	one 02	1	27.28	27.28
308502019 Zo	one 02	1	27.28	27.28

1	APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
308502021 Zone 02 1 27.28 27.28 308502022 Zone 02 1 27.28 27.28 308502023 Zone 02 1 27.28 27.28 308502025 Zone 02 1 27.28 27.28 308502026 Zone 02 1 27.28 27.28 308502027 Zone 02 1 27.28 27.28 308502028 Zone 02 1 27.28 27.28 308502029 Zone 02 1 27.28 27.28 308502030 Zone 02 1 27.28 27.28 308502030 Zone 02 1 27.28 27.28 308510001 Zone 02 1 27.28 27.28 308510002 Zone 02 1 27.28 27.28 308510003 Zone 02 1 27.28 27.28 308510004 Zone 02 1 27.28 27.28 308510005 Zone 02 1 27.28 27.28			EIIID Assigned EDG 3		
085502022 Zone 02 1 27,28 27,28 308502023 Zone 02 1 27,28 27,28 308502025 Zone 02 1 27,28 27,28 308502026 Zone 02 1 27,28 27,28 308502027 Zone 02 1 27,28 27,28 308502028 Zone 02 1 27,28 27,28 308502029 Zone 02 1 27,28 27,28 308502030 Zone 02 1 27,28 27,28 308510001 Zone 02 1 27,28 27,28 308510002 Zone 02 1 27,28 27,28 308510003 Zone 02 1 27,28 27,28 308510004 Zone 02 1 27,28 27,28 308510005 Zone 02 1 27,28 27,28 308510006 Zone 02 1 27,28 27,28 308510007 Zone 02 1 27,28 27,28					
308502023 Zone 02 1 27.28 27.28 308502024 Zone 02 1 27.28 27.28 308502025 Zone 02 1 27.28 27.28 308502026 Zone 02 1 27.28 27.28 308502027 Zone 02 1 27.28 27.28 308502028 Zone 02 1 27.28 27.28 308502030 Zone 02 1 27.28 27.28 308502030 Zone 02 1 27.28 27.28 308510001 Zone 02 1 27.28 27.28 308510002 Zone 02 1 27.28 27.28 308510003 Zone 02 1 27.28 27.28 308510004 Zone 02 1 27.28 27.28 308510005 Zone 02 1 27.28 27.28 308510007 Zone 02 1 27.28 27.28 308510007 Zone 02 1 27.28 27.28					
808502024 Zone 02 1 27.28 27.28 308502026 Zone 02 1 27.28 27.28 308502027 Zone 02 1 27.28 27.28 308502028 Zone 02 1 27.28 27.28 308502029 Zone 02 1 27.28 27.28 308502030 Zone 02 1 27.28 27.28 30851001 Zone 02 1 27.28 27.28 30851002 Zone 02 1 27.28 27.28 30851003 Zone 02 1 27.28 27.28 30851003 Zone 02 1 27.28 27.28 30851004 Zone 02 1 27.28 27.28 30851005 Zone 02 1 27.28 27.28 30851006 Zone 02 1 27.28 27.28 30851007 Zone 02 1 27.28 27.28 30851008 Zone 02 1 27.28 27.28					
085502025 Zone 02 1 27.28 27.28 308502027 Zone 02 1 27.28 27.28 308502028 Zone 02 1 27.28 27.28 308502029 Zone 02 1 27.28 27.28 308502030 Zone 02 1 27.28 27.28 308510001 Zone 02 1 27.28 27.28 308510002 Zone 02 1 27.28 27.28 308510003 Zone 02 1 27.28 27.28 308510004 Zone 02 1 27.28 27.28 308510005 Zone 02 1 27.28 27.28 308510006 Zone 02 1 27.28 27.28 308510007 Zone 02 1 27.28 27.28 308510007 Zone 02 1 27.28 27.28 30851009 Zone 02 1 27.28 27.28 308510010 Zone 02 1 27.28 27.28 <					
085502026 Zone 02 1 27.28 27.28 08502027 Zone 02 1 27.28 27.28 08502028 Zone 02 1 27.28 27.28 08502029 Zone 02 1 27.28 27.28 08502030 Zone 02 1 27.28 27.28 08510001 Zone 02 1 27.28 27.28 08510002 Zone 02 1 27.28 27.28 08510003 Zone 02 1 27.28 27.28 08510004 Zone 02 1 27.28 27.28 08510005 Zone 02 1 27.28 27.28 08510006 Zone 02 1 27.28 27.28 08510007 Zone 02 1 27.28 27.28 08510008 Zone 02 1 27.28 27.28 08510010 Zone 02 1 27.28 27.28 08510010 Zone 02 1 27.28 27.28 <					
085502027 Zone 02 1 27.28 27.28 308502029 Zone 02 1 27.28 27.28 308502030 Zone 02 1 27.28 27.28 308502030 Zone 02 1 27.28 27.28 308510001 Zone 02 1 27.28 27.28 308510003 Zone 02 1 27.28 27.28 308510004 Zone 02 1 27.28 27.28 308510005 Zone 02 1 27.28 27.28 308510006 Zone 02 1 27.28 27.28 308510007 Zone 02 1 27.28 27.28 308510008 Zone 02 1 27.28 27.28 308510009 Zone 02 1 27.28 27.28 308510010 Zone 02 1 27.28 27.28 308510011 Zone 02 1 27.28 27.28 308510012 Zone 02 1 27.28 27.28					
008502028 Zone 02 1 27.28 27.28 008502029 Zone 02 1 27.28 27.28 008502030 Zone 02 1 27.28 27.28 308510001 Zone 02 1 27.28 27.28 308510003 Zone 02 1 27.28 27.28 308510004 Zone 02 1 27.28 27.28 308510005 Zone 02 1 27.28 27.28 308510006 Zone 02 1 27.28 27.28 308510007 Zone 02 1 27.28 27.28 308510008 Zone 02 1 27.28 27.28 308510009 Zone 02 1 27.28 27.28 308510010 Zone 02 1 27.28 27.28 308510011 Zone 02 1 27.28 27.28 30851001 Zone 02 1 27.28 27.28 308511001 Zone 02 1 27.28 27.28 <					
308502029 Zone 02 1 27.28 27.28 308502030 Zone 02 1 27.28 27.28 308510001 Zone 02 1 27.28 27.28 308510002 Zone 02 1 27.28 27.28 308510003 Zone 02 1 27.28 27.28 308510004 Zone 02 1 27.28 27.28 308510005 Zone 02 1 27.28 27.28 308510006 Zone 02 1 27.28 27.28 308510007 Zone 02 1 27.28 27.28 308510008 Zone 02 1 27.28 27.28 308510010 Zone 02 1 27.28 27.28 30851001 Zone 02 1 27.28 27.28 30851001 Zone 02 1 27.28 27.28 30851001 Zone 02 1 27.28 27.28 308511001 Zone 02 1 27.28 27.28 <tr< td=""><td></td><td></td><td></td><td></td><td></td></tr<>					
308502030 Zone 02 1 27.28 27.28 308510001 Zone 02 1 27.28 27.28 308510003 Zone 02 1 27.28 27.28 308510004 Zone 02 1 27.28 27.28 308510005 Zone 02 1 27.28 27.28 308510006 Zone 02 1 27.28 27.28 308510007 Zone 02 1 27.28 27.28 308510008 Zone 02 1 27.28 27.28 308510009 Zone 02 1 27.28 27.28 308510010 Zone 02 1 27.28 27.28 308510011 Zone 02 1 27.28 27.28 308510012 Zone 02 1 27.28 27.28 308511001 Zone 02 1 27.28 27.28 308511002 Zone 02 1 27.28 27.28 308511003 Zone 02 1 27.28 27.28					
308510001 Zone 02 1 27.28 27.28 308510002 Zone 02 1 27.28 27.28 308510003 Zone 02 1 27.28 27.28 308510004 Zone 02 1 27.28 27.28 308510005 Zone 02 1 27.28 27.28 308510006 Zone 02 1 27.28 27.28 308510007 Zone 02 1 27.28 27.28 308510008 Zone 02 1 27.28 27.28 308510010 Zone 02 1 27.28 27.28 308510010 Zone 02 1 27.28 27.28 308510011 Zone 02 1 27.28 27.28 308510012 Zone 02 1 27.28 27.28 308511001 Zone 02 1 27.28 27.28 308511002 Zone 02 1 27.28 27.28 308511003 Zone 02 1 27.28 27.28					
308510002 Zone 02 1 27.28 27.28 308510003 Zone 02 1 27.28 27.28 308510004 Zone 02 1 27.28 27.28 308510005 Zone 02 1 27.28 27.28 308510006 Zone 02 1 27.28 27.28 308510007 Zone 02 1 27.28 27.28 308510008 Zone 02 1 27.28 27.28 308510009 Zone 02 1 27.28 27.28 308510010 Zone 02 1 27.28 27.28 308510011 Zone 02 1 27.28 27.28 30851001 Zone 02 1 27.28 27.28 308511001 Zone 02 1 27.28 27.28 308511002 Zone 02 1 27.28 27.28 308511003 Zone 02 1 27.28 27.28 308511004 Zone 02 1 27.28 27.28 <					
308510003 Zone 02 1 27.28 27.28 308510004 Zone 02 1 27.28 27.28 308510006 Zone 02 1 27.28 27.28 308510007 Zone 02 1 27.28 27.28 308510008 Zone 02 1 27.28 27.28 308510009 Zone 02 1 27.28 27.28 308510010 Zone 02 1 27.28 27.28 308510011 Zone 02 1 27.28 27.28 308510011 Zone 02 1 27.28 27.28 308510012 Zone 02 1 27.28 27.28 308511001 Zone 02 1 27.28 27.28 308511002 Zone 02 1 27.28 27.28 308511003 Zone 02 1 27.28 27.28 308511004 Zone 02 1 27.28 27.28 308511005 Zone 02 1 27.28 27.28					
308510004 Zone 02 1 27.28 27.28 308510005 Zone 02 1 27.28 27.28 308510007 Zone 02 1 27.28 27.28 308510007 Zone 02 1 27.28 27.28 308510008 Zone 02 1 27.28 27.28 308510010 Zone 02 1 27.28 27.28 308510011 Zone 02 1 27.28 27.28 308510012 Zone 02 1 27.28 27.28 308510012 Zone 02 1 27.28 27.28 308511001 Zone 02 1 27.28 27.28 308511002 Zone 02 1 27.28 27.28 308511003 Zone 02 1 27.28 27.28 308511004 Zone 02 1 27.28 27.28 308511005 Zone 02 1 27.28 27.28 308511006 Zone 02 1 27.28 27.28					
308510005 Zone 02 1 27.28 27.28 308510006 Zone 02 1 27.28 27.28 308510007 Zone 02 1 27.28 27.28 308510008 Zone 02 1 27.28 27.28 308510010 Zone 02 1 27.28 27.28 308510011 Zone 02 1 27.28 27.28 308510011 Zone 02 1 27.28 27.28 308510012 Zone 02 1 27.28 27.28 308511001 Zone 02 1 27.28 27.28 308511002 Zone 02 1 27.28 27.28 308511003 Zone 02 1 27.28 27.28 308511004 Zone 02 1 27.28 27.28 308511005 Zone 02 1 27.28 27.28 308511006 Zone 02 1 27.28 27.28 308511007 Zone 02 1 27.28 27.28					
308510006 Zone 02 1 27.28 27.28 308510007 Zone 02 1 27.28 27.28 308510008 Zone 02 1 27.28 27.28 308510009 Zone 02 1 27.28 27.28 308510010 Zone 02 1 27.28 27.28 308510011 Zone 02 1 27.28 27.28 308510012 Zone 02 1 27.28 27.28 308511001 Zone 02 1 27.28 27.28 308511002 Zone 02 1 27.28 27.28 308511003 Zone 02 1 27.28 27.28 308511004 Zone 02 1 27.28 27.28 308511005 Zone 02 1 27.28 27.28 308511006 Zone 02 1 27.28 27.28 308511007 Zone 02 1 27.28 27.28 308511010 Zone 02 1 27.28 27.28					
308510007 Zone 02 1 27.28 27.28 308510008 Zone 02 1 27.28 27.28 308510009 Zone 02 1 27.28 27.28 308510010 Zone 02 1 27.28 27.28 308510011 Zone 02 1 27.28 27.28 308510012 Zone 02 1 27.28 27.28 308511001 Zone 02 1 27.28 27.28 308511002 Zone 02 1 27.28 27.28 308511003 Zone 02 1 27.28 27.28 308511004 Zone 02 1 27.28 27.28 308511005 Zone 02 1 27.28 27.28 308511006 Zone 02 1 27.28 27.28 308511007 Zone 02 1 27.28 27.28 308511009 Zone 02 1 27.28 27.28 308511010 Zone 02 1 27.28 27.28					
308510008 Zone 02 1 27.28 27.28 308510009 Zone 02 1 27.28 27.28 308510010 Zone 02 1 27.28 27.28 308510011 Zone 02 1 27.28 27.28 308510012 Zone 02 1 27.28 27.28 308511001 Zone 02 1 27.28 27.28 308511002 Zone 02 1 27.28 27.28 308511003 Zone 02 1 27.28 27.28 308511004 Zone 02 1 27.28 27.28 308511005 Zone 02 1 27.28 27.28 308511006 Zone 02 1 27.28 27.28 308511007 Zone 02 1 27.28 27.28 308511008 Zone 02 1 27.28 27.28 308511010 Zone 02 1 27.28 27.28 308511011 Zone 02 1 27.28 27.28					
308510009 Zone 02 1 27.28 27.28 308510010 Zone 02 1 27.28 27.28 308510011 Zone 02 1 27.28 27.28 308510012 Zone 02 1 27.28 27.28 308511001 Zone 02 1 27.28 27.28 308511002 Zone 02 1 27.28 27.28 308511003 Zone 02 1 27.28 27.28 308511004 Zone 02 1 27.28 27.28 308511005 Zone 02 1 27.28 27.28 308511006 Zone 02 1 27.28 27.28 308511007 Zone 02 1 27.28 27.28 308511008 Zone 02 1 27.28 27.28 308511010 Zone 02 1 27.28 27.28 308511010 Zone 02 1 27.28 27.28 308511011 Zone 02 1 27.28 27.28 308511012 Zone 02 1 27.28 27.28 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
308510010 Zone 02 1 27.28 27.28 308510011 Zone 02 1 27.28 27.28 308510012 Zone 02 1 27.28 27.28 308511001 Zone 02 1 27.28 27.28 308511002 Zone 02 1 27.28 27.28 308511003 Zone 02 1 27.28 27.28 308511004 Zone 02 1 27.28 27.28 308511005 Zone 02 1 27.28 27.28 308511006 Zone 02 1 27.28 27.28 308511007 Zone 02 1 27.28 27.28 308511008 Zone 02 1 27.28 27.28 308511010 Zone 02 1 27.28 27.28 308511010 Zone 02 1 27.28 27.28 308511011 Zone 02 1 27.28 27.28 308511012 Zone 02 1 27.28 27.28 308511013 Zone 02 1 27.28 27.28 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
308510011 Zone 02 1 27.28 27.28 308510012 Zone 02 1 27.28 27.28 308511001 Zone 02 1 27.28 27.28 308511002 Zone 02 1 27.28 27.28 308511003 Zone 02 1 27.28 27.28 308511004 Zone 02 1 27.28 27.28 308511005 Zone 02 1 27.28 27.28 308511006 Zone 02 1 27.28 27.28 308511007 Zone 02 1 27.28 27.28 308511008 Zone 02 1 27.28 27.28 308511009 Zone 02 1 27.28 27.28 308511010 Zone 02 1 27.28 27.28 308511011 Zone 02 1 27.28 27.28 308511012 Zone 02 1 27.28 27.28 308511013 Zone 02 1 27.28 27.28 308511014 Zone 02 1 27.28 27.28 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
308510012 Zone 02 1 27.28 27.28 308511001 Zone 02 1 27.28 27.28 308511002 Zone 02 1 27.28 27.28 308511003 Zone 02 1 27.28 27.28 308511004 Zone 02 1 27.28 27.28 308511005 Zone 02 1 27.28 27.28 308511006 Zone 02 1 27.28 27.28 308511007 Zone 02 1 27.28 27.28 308511008 Zone 02 1 27.28 27.28 308511009 Zone 02 1 27.28 27.28 308511010 Zone 02 1 27.28 27.28 308511011 Zone 02 1 27.28 27.28 308511012 Zone 02 1 27.28 27.28 308511013 Zone 02 1 27.28 27.28 308511014 Zone 02 1 27.28 27.28 308511015 Zone 02 1 27.28 27.28 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
308511001 Zone 02 1 27.28 27.28 308511002 Zone 02 1 27.28 27.28 308511003 Zone 02 1 27.28 27.28 308511004 Zone 02 1 27.28 27.28 308511005 Zone 02 1 27.28 27.28 308511006 Zone 02 1 27.28 27.28 308511007 Zone 02 1 27.28 27.28 308511008 Zone 02 1 27.28 27.28 308511009 Zone 02 1 27.28 27.28 308511010 Zone 02 1 27.28 27.28 308511011 Zone 02 1 27.28 27.28 308511012 Zone 02 1 27.28 27.28 308511013 Zone 02 1 27.28 27.28 308511014 Zone 02 1 27.28 27.28 308511015 Zone 02 1 27.28 27.28 308511016 Zone 02 1 27.28 27.28 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
308511002 Zone 02 1 27.28 27.28 308511003 Zone 02 1 27.28 27.28 308511004 Zone 02 1 27.28 27.28 308511005 Zone 02 1 27.28 27.28 308511006 Zone 02 1 27.28 27.28 308511007 Zone 02 1 27.28 27.28 308511008 Zone 02 1 27.28 27.28 308511009 Zone 02 1 27.28 27.28 308511010 Zone 02 1 27.28 27.28 308511011 Zone 02 1 27.28 27.28 308511012 Zone 02 1 27.28 27.28 308511013 Zone 02 1 27.28 27.28 308511014 Zone 02 1 27.28 27.28 308511015 Zone 02 1 27.28 27.28 308511016 Zone 02 1 27.28 27.28 308511020 Zone 02 1 27.28 27.28 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
308511003 Zone 02 1 27.28 27.28 308511004 Zone 02 1 27.28 27.28 308511005 Zone 02 1 27.28 27.28 308511006 Zone 02 1 27.28 27.28 308511007 Zone 02 1 27.28 27.28 308511008 Zone 02 1 27.28 27.28 308511009 Zone 02 1 27.28 27.28 308511010 Zone 02 1 27.28 27.28 308511011 Zone 02 1 27.28 27.28 308511012 Zone 02 1 27.28 27.28 308511014 Zone 02 1 27.28 27.28 308511014 Zone 02 1 27.28 27.28 308511015 Zone 02 1 27.28 27.28 308511016 Zone 02 1 27.28 27.28 308511017 Zone 02 1 27.28 27.28 308511020 Zone 02 1 27.28 27.28 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
308511004 Zone 02 1 27.28 27.28 308511005 Zone 02 1 27.28 27.28 308511006 Zone 02 1 27.28 27.28 308511007 Zone 02 1 27.28 27.28 308511008 Zone 02 1 27.28 27.28 308511009 Zone 02 1 27.28 27.28 308511010 Zone 02 1 27.28 27.28 308511011 Zone 02 1 27.28 27.28 308511012 Zone 02 1 27.28 27.28 308511013 Zone 02 1 27.28 27.28 308511014 Zone 02 1 27.28 27.28 308511015 Zone 02 1 27.28 27.28 308511016 Zone 02 1 27.28 27.28 308511017 Zone 02 1 27.28 27.28 308511019 Zone 02 1 27.28 27.28 308511020 Zone 02 1 27.28 27.28 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
308511005 Zone 02 1 27.28 27.28 308511006 Zone 02 1 27.28 27.28 308511007 Zone 02 1 27.28 27.28 308511008 Zone 02 1 27.28 27.28 308511009 Zone 02 1 27.28 27.28 308511010 Zone 02 1 27.28 27.28 308511011 Zone 02 1 27.28 27.28 308511012 Zone 02 1 27.28 27.28 308511013 Zone 02 1 27.28 27.28 308511014 Zone 02 1 27.28 27.28 308511015 Zone 02 1 27.28 27.28 308511016 Zone 02 1 27.28 27.28 308511017 Zone 02 1 27.28 27.28 308511019 Zone 02 1 27.28 27.28 308511020 Zone 02 1 27.28 27.28 308511021 Zone 02 1 27.28 27.28 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
308511006 Zone 02 1 27.28 27.28 308511007 Zone 02 1 27.28 27.28 308511008 Zone 02 1 27.28 27.28 308511009 Zone 02 1 27.28 27.28 308511010 Zone 02 1 27.28 27.28 308511011 Zone 02 1 27.28 27.28 308511012 Zone 02 1 27.28 27.28 308511013 Zone 02 1 27.28 27.28 308511014 Zone 02 1 27.28 27.28 308511015 Zone 02 1 27.28 27.28 308511016 Zone 02 1 27.28 27.28 308511017 Zone 02 1 27.28 27.28 308511018 Zone 02 1 27.28 27.28 308511020 Zone 02 1 27.28 27.28 308511021 Zone 02 1 27.28 27.28 308511022 Zone 02 1 27.28 27.28 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
308511007 Zone 02 1 27.28 27.28 308511008 Zone 02 1 27.28 27.28 308511009 Zone 02 1 27.28 27.28 308511010 Zone 02 1 27.28 27.28 308511011 Zone 02 1 27.28 27.28 308511012 Zone 02 1 27.28 27.28 308511013 Zone 02 1 27.28 27.28 308511014 Zone 02 1 27.28 27.28 308511015 Zone 02 1 27.28 27.28 308511016 Zone 02 1 27.28 27.28 308511017 Zone 02 1 27.28 27.28 308511018 Zone 02 1 27.28 27.28 308511019 Zone 02 1 27.28 27.28 308511021 Zone 02 1 27.28 27.28 308511022 Zone 02 1 27.28 27.28 308511023 Zone 02 1 27.28 27.28 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
308511008 Zone 02 1 27.28 27.28 308511009 Zone 02 1 27.28 27.28 308511010 Zone 02 1 27.28 27.28 308511011 Zone 02 1 27.28 27.28 308511012 Zone 02 1 27.28 27.28 308511013 Zone 02 1 27.28 27.28 308511014 Zone 02 1 27.28 27.28 308511015 Zone 02 1 27.28 27.28 308511016 Zone 02 1 27.28 27.28 308511017 Zone 02 1 27.28 27.28 308511018 Zone 02 1 27.28 27.28 308511020 Zone 02 1 27.28 27.28 308511021 Zone 02 1 27.28 27.28 308511022 Zone 02 1 27.28 27.28 308511023 Zone 02 1 27.28 27.28					
308511009 Zone 02 1 27.28 27.28 308511010 Zone 02 1 27.28 27.28 308511011 Zone 02 1 27.28 27.28 308511012 Zone 02 1 27.28 27.28 308511013 Zone 02 1 27.28 27.28 308511014 Zone 02 1 27.28 27.28 308511015 Zone 02 1 27.28 27.28 308511016 Zone 02 1 27.28 27.28 308511017 Zone 02 1 27.28 27.28 308511018 Zone 02 1 27.28 27.28 308511020 Zone 02 1 27.28 27.28 308511021 Zone 02 1 27.28 27.28 308511022 Zone 02 1 27.28 27.28 308511023 Zone 02 1 27.28 27.28 308511023 Zone 02 1 27.28 27.28					
308511010 Zone 02 1 27.28 27.28 308511011 Zone 02 1 27.28 27.28 308511012 Zone 02 1 27.28 27.28 308511013 Zone 02 1 27.28 27.28 308511014 Zone 02 1 27.28 27.28 308511015 Zone 02 1 27.28 27.28 308511016 Zone 02 1 27.28 27.28 308511017 Zone 02 1 27.28 27.28 308511018 Zone 02 1 27.28 27.28 308511019 Zone 02 1 27.28 27.28 308511020 Zone 02 1 27.28 27.28 308511021 Zone 02 1 27.28 27.28 308511022 Zone 02 1 27.28 27.28 308511023 Zone 02 1 27.28 27.28 308511023 Zone 02 1 27.28 27.28					
308511011 Zone 02 1 27.28 27.28 308511012 Zone 02 1 27.28 27.28 308511013 Zone 02 1 27.28 27.28 308511014 Zone 02 1 27.28 27.28 308511015 Zone 02 1 27.28 27.28 308511016 Zone 02 1 27.28 27.28 308511017 Zone 02 1 27.28 27.28 308511018 Zone 02 1 27.28 27.28 308511019 Zone 02 1 27.28 27.28 308511020 Zone 02 1 27.28 27.28 308511021 Zone 02 1 27.28 27.28 308511022 Zone 02 1 27.28 27.28 308511023 Zone 02 1 27.28 27.28 308511023 Zone 02 1 27.28 27.28					
308511012 Zone 02 1 27.28 27.28 308511013 Zone 02 1 27.28 27.28 308511014 Zone 02 1 27.28 27.28 308511015 Zone 02 1 27.28 27.28 308511016 Zone 02 1 27.28 27.28 308511017 Zone 02 1 27.28 27.28 308511018 Zone 02 1 27.28 27.28 308511020 Zone 02 1 27.28 27.28 308511021 Zone 02 1 27.28 27.28 308511022 Zone 02 1 27.28 27.28 308511023 Zone 02 1 27.28 27.28 308511023 Zone 02 1 27.28 27.28					
308511013 Zone 02 1 27.28 27.28 308511014 Zone 02 1 27.28 27.28 308511015 Zone 02 1 27.28 27.28 308511016 Zone 02 1 27.28 27.28 308511017 Zone 02 1 27.28 27.28 308511018 Zone 02 1 27.28 27.28 308511020 Zone 02 1 27.28 27.28 308511021 Zone 02 1 27.28 27.28 308511022 Zone 02 1 27.28 27.28 308511023 Zone 02 1 27.28 27.28 308511023 Zone 02 1 27.28 27.28	308511011	Zone 02		1 27.28	27.28
308511014 Zone 02 1 27.28 27.28 308511015 Zone 02 1 27.28 27.28 308511016 Zone 02 1 27.28 27.28 308511017 Zone 02 1 27.28 27.28 308511018 Zone 02 1 27.28 27.28 308511019 Zone 02 1 27.28 27.28 308511020 Zone 02 1 27.28 27.28 308511021 Zone 02 1 27.28 27.28 308511022 Zone 02 1 27.28 27.28 308511023 Zone 02 1 27.28 27.28					
308511015 Zone 02 1 27.28 27.28 308511016 Zone 02 1 27.28 27.28 308511017 Zone 02 1 27.28 27.28 308511018 Zone 02 1 27.28 27.28 308511019 Zone 02 1 27.28 27.28 308511020 Zone 02 1 27.28 27.28 308511021 Zone 02 1 27.28 27.28 308511022 Zone 02 1 27.28 27.28 308511023 Zone 02 1 27.28 27.28	308511013	Zone 02		1 27.28	27.28
308511016 Zone 02 1 27.28 27.28 308511017 Zone 02 1 27.28 27.28 308511018 Zone 02 1 27.28 27.28 308511019 Zone 02 1 27.28 27.28 308511020 Zone 02 1 27.28 27.28 308511021 Zone 02 1 27.28 27.28 308511022 Zone 02 1 27.28 27.28 308511023 Zone 02 1 27.28 27.28	308511014	Zone 02		1 27.28	27.28
308511017 Zone 02 1 27.28 27.28 308511018 Zone 02 1 27.28 27.28 308511019 Zone 02 1 27.28 27.28 308511020 Zone 02 1 27.28 27.28 308511021 Zone 02 1 27.28 27.28 308511022 Zone 02 1 27.28 27.28 308511023 Zone 02 1 27.28 27.28 27.28 27.28 27.28	308511015	Zone 02		1 27.28	27.28
308511018 Zone 02 1 27.28 27.28 308511019 Zone 02 1 27.28 27.28 308511020 Zone 02 1 27.28 27.28 308511021 Zone 02 1 27.28 27.28 308511022 Zone 02 1 27.28 27.28 308511023 Zone 02 1 27.28 27.28 308511023 Zone 02 1 27.28 27.28	308511016	Zone 02		1 27.28	27.28
308511019 Zone 02 1 27.28 27.28 308511020 Zone 02 1 27.28 27.28 308511021 Zone 02 1 27.28 27.28 308511022 Zone 02 1 27.28 27.28 308511023 Zone 02 1 27.28 27.28 308511023 Zone 02 1 27.28 27.28	308511017	Zone 02		1 27.28	27.28
308511020 Zone 02 1 27.28 27.28 308511021 Zone 02 1 27.28 27.28 308511022 Zone 02 1 27.28 27.28 308511023 Zone 02 1 27.28 27.28 27.28 27.28 27.28	308511018	Zone 02		1 27.28	27.28
308511021 Zone 02 1 27.28 27.28 308511022 Zone 02 1 27.28 27.28 308511023 Zone 02 1 27.28 27.28	308511019	Zone 02		1 27.28	27.28
308511022 Zone 02 1 27.28 27.28 308511023 Zone 02 1 27.28 27.28	308511020	Zone 02		1 27.28	27.28
308511022 Zone 02 1 27.28 27.28 308511023 Zone 02 1 27.28 27.28	308511021	Zone 02		1 27.28	27.28
308511023 Zone 02 1 27.28 27.28	308511022				
	308511023	Zone 02			
1 21.20 Z1.20	308511024	Zone 02		1 27.28	27.28
308511025 Zone 02 1 27.28 27.28					

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
308512001	Zone 02		1 27.28	27.28
308512002	Zone 02		1 27.28	27.28
308512003	Zone 02		1 27.28	27.28
308512004	Zone 02		1 27.28	27.28
308512005	Zone 02		1 27.28	27.28
308520001	Zone 02		1 27.28	27.28
308520002	Zone 02		1 27.28	27.28
308520003	Zone 02		1 27.28	27.28
308520004	Zone 02		1 27.28	27.28
308520005	Zone 02		1 27.28	27.28
308520006	Zone 02		1 27.28	27.28
308520007	Zone 02		1 27.28	27.28
308520008	Zone 02		1 27.28	27.28
308520009	Zone 02		1 27.28	27.28
308520010	Zone 02		1 27.28	27.28
308520011	Zone 02		1 27.28	27.28
308520012	Zone 02		1 27.28	27.28
308520013	Zone 02		1 27.28	27.28
308520014	Zone 02		1 27.28	27.28
308520015	Zone 02		1 27.28	27.28
308520017	Zone 02		1 27.28	27.28
308520018	Zone 02		1 27.28	27.28
308520019	Zone 02		1 27.28	27.28
308520020	Zone 02		1 27.28	27.28
308520021	Zone 02		1 27.28	27.28
308520022	Zone 02		1 27.28	27.28
308520023	Zone 02		1 27.28	27.28
308520024	Zone 02		1 27.28	27.28
308520025	Zone 02		1 27.28	27.28
308520026	Zone 02		1 27.28	27.28
308520027	Zone 02		1 27.28	27.28
308520028	Zone 02		1 27.28	27.28
308520029	Zone 02		1 27.28	27.28
308520030	Zone 02		1 27.28	27.28
308520031	Zone 02		1 27.28	27.28
308520032	Zone 02		1 27.28	27.28
308520033	Zone 02		1 27.28	27.28
308520034	Zone 02		1 27.28	27.28
308520035	Zone 02		1 27.28	27.28
308520036	Zone 02		1 27.28	27.28
308520037	Zone 02		1 27.28	27.28
308520038	Zone 02		1 27.28	27.28
308520039	Zone 02		1 27.28	27.28
308520040	Zone 02		1 27.28	27.28
308520040	Zone 02		1 27.28	27.28
308520041	Zone 02		1 27.28	27.28
308520042	Zone 02		1 27.28	27.28
308521001	Zone 02		1 27.28	27.28
300321001	20116-02		21.20	21.20

APN	I MD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
308521002	Zone 02	Emb Assigned Ebb 3	1 27.28	27.28
308521003	Zone 02		1 27.28	27.28
308521004	Zone 02		1 27.28	27.28
308521005	Zone 02		1 27.28	27.28
308521006	Zone 02		1 27.28	27.28
308521007	Zone 02		1 27.28	27.28
308521007	Zone 02		1 27.28	27.28
308522001	Zone 02		1 27.28	27.28
308522001	Zone 02		1 27.28	27.28
308522002	Zone 02		1 27.28	27.28
308522004	Zone 02		1 27.28	27.28
308522005	Zone 02		1 27.28	27.28
308522006	Zone 02 Zone 02		1 27.28	27.28
308522007	Zone 02 Zone 02		1 27.28	27.28
308522007	Zone 02 Zone 02		1 27.28	27.28
			1 27.28	
308522009	Zone 02			27.28
308522010	Zone 02		1 27.28	27.28
308522011	Zone 02		1 27.28	27.28
308522012	Zone 02		1 27.28	27.28
308522013	Zone 02		1 27.28	27.28
308522014	Zone 02		1 27.28	27.28
308522015	Zone 02		1 27.28	27.28
308522016	Zone 02		1 27.28	27.28
308522017	Zone 02		1 27.28	27.28
308522018	Zone 02		1 27.28	27.28
308522019	Zone 02		1 27.28	27.28
308522020	Zone 02		1 27.28	27.28
308522021	Zone 02		1 27.28	27.28
308522022	Zone 02		1 27.28	27.28
308522023	Zone 02		1 27.28	27.28
308522024	Zone 02		1 27.28	27.28
308522025	Zone 02		1 27.28	27.28
308522026	Zone 02		1 27.28	27.28
308522027	Zone 02		1 27.28	27.28
308522028	Zone 02		1 27.28	27.28
308522029	Zone 02		1 27.28	27.28
308522030	Zone 02		1 27.28	27.28
308530001	Zone 02		1 27.28	27.28
308530002	Zone 02		1 27.28	27.28
308530003	Zone 02		1 27.28	27.28
308530004	Zone 02		1 27.28	27.28
308530005	Zone 02		1 27.28	27.28
308530006	Zone 02		1 27.28	27.28
308530007	Zone 02		1 27.28	27.28
308530008	Zone 02		1 27.28	27.28
308530009	Zone 02		1 27.28	27.28
308530010	Zone 02		1 27.28	27.28
308530011	Zone 02		1 27.28	27.28

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
308530012	Zone 02	LIND Assigned ED0 3	1 27.28	27.28
308530012	Zone 02		1 27.28	27.28
308530014	Zone 02		1 27.28	27.28
308530015	Zone 02		1 27.28	27.28
308530016	Zone 02		1 27.28	27.28
308530017	Zone 02		1 27.28	27.28
308530017	Zone 02		1 27.28	27.28
308530019	Zone 02		1 27.28	27.28
308530019	Zone 02		1 27.28	27.28
308530020	Zone 02		1 27.28	27.28
308530021	Zone 02		1 27.28	27.28
308530022	Zone 02		1 27.28	27.28
308530023	Zone 02		1 27.28	27.28
308530025	Zone 02		1 27.28	27.28
308531001	Zone 02		1 27.28	27.28
308531001	Zone 02		1 27.28	27.28
308531002	Zone 02		1 27.28	27.28
308531003	Zone 02 Zone 02		1 27.28	27.28
308531004	Zone 02 Zone 02		1 27.28	27.28
308531006	Zone 02		1 27.28	27.28
308531007	Zone 02		1 27.28	27.28
308531008	Zone 02		1 27.28	27.28
308531009	Zone 02		1 27.28	27.28
308531010	Zone 02		27.28	27.28
308531011	Zone 02		1 27.28	27.28
308531012	Zone 02		27.28	27.28
308531013	Zone 02		27.28	27.28
308531014	Zone 02		27.28	27.28
308531015	Zone 02		1 27.28	27.28
308531016	Zone 02		27.28	27.28
308531017	Zone 02		27.28	27.28
308531018	Zone 02		27.28	27.28
308531019	Zone 02		27.28	27.28
308531020	Zone 02		27.28	27.28
308531021	Zone 02		27.28	27.28
308531022	Zone 02	·	1 27.28	27.28
308531023	Zone 02	·	1 27.28	27.28
308531024	Zone 02		1 27.28	27.28
308531025	Zone 02		1 27.28	27.28
308531026	Zone 02		1 27.28	27.28
308531027	Zone 02		1 27.28	27.28
308531028	Zone 02	•	1 27.28	27.28
308531029	Zone 02		1 27.28	27.28
308531030	Zone 02		1 27.28	27.28
308531031	Zone 02		1 27.28	27.28
308531032	Zone 02		1 27.28	27.28
308531033	Zone 02		1 27.28	27.28
308531034	Zone 02		1 27.28	27.28

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
308531035	Zone 02		1 27.28	27.28
308531036	Zone 02		1 27.28	27.28
308531037	Zone 02		1 27.28	27.28
308531038	Zone 02		1 27.28	27.28
308531039	Zone 02		1 27.28	27.28
308531040	Zone 02		1 27.28	27.28
308531041	Zone 02		1 27.28	27.28
308531042	Zone 02		1 27.28	27.28
308531043	Zone 02		1 27.28	27.28
308531044	Zone 02		1 27.28	27.28
308531045	Zone 02		1 27.28	27.28
308531046	Zone 02		1 27.28	27.28
308531047	Zone 02		1 27.28	27.28
308531048	Zone 02		1 27.28	27.28
308531049	Zone 02		1 27.28	27.28
308531050	Zone 02		1 27.28	27.28
308531051	Zone 02		1 27.28	27.28
308531052	Zone 02		1 27.28	27.28
308531053	Zone 02		1 27.28	27.28
308531054	Zone 02		1 27.28	27.28
308531055	Zone 02		1 27.28	27.28
308531056	Zone 02		1 27.28	27.28
308531057	Zone 02		1 27.28	27.28
308531058	Zone 02		1 27.28	27.28
308540001	Zone 02		1 27.28	27.28
308540001	Zone 02		1 27.28	27.28
308540002	Zone 02		1 27.28	27.28
308540003	Zone 02		1 27.28	27.28
308540005	Zone 02		1 27.28	27.28
308540005	Zone 02		1 27.28	27.28
308540007	Zone 02		1 27.28	27.28
308540007	Zone 02		1 27.28	27.28
308540009	Zone 02		1 27.28	27.28
308540009	Zone 02 Zone 02		1 27.28	27.28
308540011			1 27.28	27.28
308540011	Zone 02 Zone 02		1 27.28	27.28
308540012	Zone 02		1 27.28	27.28
308540013			1 27.28	27.28
	Zone 02 Zone 02			27.28
308540015			1 27.28	
308540016	Zone 02		1 27.28	27.28
308540017	Zone 02		1 27.28	27.28
308540018	Zone 02		1 27.28	27.28
308540019	Zone 02		1 27.28	27.28
308540020	Zone 02		1 27.28	27.28
308540021	Zone 02		1 27.28	27.28
308540022	Zone 02		1 27.28	27.28
308540023	Zone 02		1 27.28	27.28
308540024	Zone 02		1 27.28	27.28

308540025 Zone 02 1 27.28 27. 308540026 Zone 02 1 27.28 27. 308540027 Zone 02 1 27.28 27. 308540028 Zone 02 1 27.28 27. 308540029 Zone 02 1 27.28 27. 308540030 Zone 02 1 27.28 27. 308540031 Zone 02 1 27.28 27. 308540032 Zone 02 1 27.28 27. 308540033 Zone 02 1 27.28 27. 308540034 Zone 02 1 27.28 27. 308540035 Zone 02 1 27.28 27. 308540036 Zone 02 1 27.28 27. 308540037 Zone 02 1 27.28 27. 308540039 Zone 02 1 27.28 27. 308540040 Zone 02 1 27.28 27. 308540041 Zone 02 1 27.28 27. 308540042 Zone 0	FY 17-18 Assessment 27.28
308540026 Zone 02 1 27.28 27. 308540027 Zone 02 1 27.28 27. 308540028 Zone 02 1 27.28 27. 308540029 Zone 02 1 27.28 27. 308540030 Zone 02 1 27.28 27. 308540031 Zone 02 1 27.28 27. 308540033 Zone 02 1 27.28 27. 308540034 Zone 02 1 27.28 27. 308540035 Zone 02 1 27.28 27. 308540035 Zone 02 1 27.28 27. 308540036 Zone 02 1 27.28 27. 308540037 Zone 02 1 27.28 27. 308540038 Zone 02 1 27.28 27. 308540040 Zone 02 1 27.28 27. 308540041 Zone 02 1 27.28 27. 308540042 Zone 02 1 27.28 27. 308540044 Zone 0	27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28
308540027 Zone 02 1 27.28 27. 308540028 Zone 02 1 27.28 27. 308540029 Zone 02 1 27.28 27. 308540030 Zone 02 1 27.28 27. 308540031 Zone 02 1 27.28 27. 308540032 Zone 02 1 27.28 27. 308540033 Zone 02 1 27.28 27. 308540034 Zone 02 1 27.28 27. 308540035 Zone 02 1 27.28 27. 308540036 Zone 02 1 27.28 27. 308540037 Zone 02 1 27.28 27. 308540038 Zone 02 1 27.28 27. 308540040 Zone 02 1 27.28 27. 308540040 Zone 02 1 27.28 27. 308540041 Zone 02 1 27.28 27. 308540042 Zone 02 1 27.28 27. 308540044 Zone 0	27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28
308540028 Zone 02 1 27.28 27. 308540029 Zone 02 1 27.28 27. 308540030 Zone 02 1 27.28 27. 308540031 Zone 02 1 27.28 27. 308540032 Zone 02 1 27.28 27. 308540033 Zone 02 1 27.28 27. 308540034 Zone 02 1 27.28 27. 308540035 Zone 02 1 27.28 27. 308540036 Zone 02 1 27.28 27. 308540037 Zone 02 1 27.28 27. 308540038 Zone 02 1 27.28 27. 308540040 Zone 02 1 27.28 27. 308540040 Zone 02 1 27.28 27. 308540041 Zone 02 1 27.28 27. 308540042 Zone 02 1 27.28 27. 308540044 Zone 02 1 27.28 27. 308540044 Zone 0	27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28
308540029 Zone 02 1 27.28 27. 308540030 Zone 02 1 27.28 27. 308540031 Zone 02 1 27.28 27. 308540032 Zone 02 1 27.28 27. 308540033 Zone 02 1 27.28 27. 308540034 Zone 02 1 27.28 27. 308540035 Zone 02 1 27.28 27. 308540036 Zone 02 1 27.28 27. 308540037 Zone 02 1 27.28 27. 308540038 Zone 02 1 27.28 27. 308540039 Zone 02 1 27.28 27. 308540040 Zone 02 1 27.28 27. 308540041 Zone 02 1 27.28 27. 308540042 Zone 02 1 27.28 27. 308540044 Zone 02 1 27.28 27. 308540045 Zone 02 1 27.28 27. 308540046 Zone 0	27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28
308540030 Zone 02 1 27.28 27. 308540031 Zone 02 1 27.28 27. 308540032 Zone 02 1 27.28 27. 308540033 Zone 02 1 27.28 27. 308540034 Zone 02 1 27.28 27. 308540035 Zone 02 1 27.28 27. 308540036 Zone 02 1 27.28 27. 308540037 Zone 02 1 27.28 27. 308540038 Zone 02 1 27.28 27. 308540039 Zone 02 1 27.28 27. 308540040 Zone 02 1 27.28 27. 308540041 Zone 02 1 27.28 27. 308540042 Zone 02 1 27.28 27. 308540044 Zone 02 1 27.28 27. 308540045 Zone 02 1 27.28 27. 308540046 Zone 02 1 27.28 27. 308540047 Zone 0	27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28
308540031 Zone 02 1 27.28 27. 308540032 Zone 02 1 27.28 27. 308540033 Zone 02 1 27.28 27. 308540034 Zone 02 1 27.28 27. 308540035 Zone 02 1 27.28 27. 308540036 Zone 02 1 27.28 27. 308540037 Zone 02 1 27.28 27. 308540038 Zone 02 1 27.28 27. 308540040 Zone 02 1 27.28 27. 308540040 Zone 02 1 27.28 27. 308540041 Zone 02 1 27.28 27. 308540042 Zone 02 1 27.28 27. 308540043 Zone 02 1 27.28 27. 308540044 Zone 02 1 27.28 27. 308540045 Zone 02 1 27.28 27. 308540046 Zone 02 1 27.28 27. 308540004 Zone 0	27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28
308540032 Zone 02 1 27.28 27. 308540033 Zone 02 1 27.28 27. 308540034 Zone 02 1 27.28 27. 308540035 Zone 02 1 27.28 27. 308540036 Zone 02 1 27.28 27. 308540037 Zone 02 1 27.28 27. 308540038 Zone 02 1 27.28 27. 308540040 Zone 02 1 27.28 27. 308540040 Zone 02 1 27.28 27. 308540041 Zone 02 1 27.28 27. 308540042 Zone 02 1 27.28 27. 308540043 Zone 02 1 27.28 27. 308540044 Zone 02 1 27.28 27. 308540045 Zone 02 1 27.28 27. 308540046 Zone 02 1 27.28 27. 308540048 Zone 02 1 27.28 27. 308541001 Zone 0	27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28
308540033 Zone 02 1 27.28 27. 308540034 Zone 02 1 27.28 27. 308540035 Zone 02 1 27.28 27. 308540036 Zone 02 1 27.28 27. 308540037 Zone 02 1 27.28 27. 308540038 Zone 02 1 27.28 27. 308540039 Zone 02 1 27.28 27. 308540040 Zone 02 1 27.28 27. 308540041 Zone 02 1 27.28 27. 308540042 Zone 02 1 27.28 27. 308540043 Zone 02 1 27.28 27. 308540044 Zone 02 1 27.28 27. 308540045 Zone 02 1 27.28 27. 308540046 Zone 02 1 27.28 27. 308540048 Zone 02 1 27.28 27. 308541001 Zone 02 1 27.28 27. 308541002 Zone 0	27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28
308540034 Zone 02 1 27.28 27. 308540035 Zone 02 1 27.28 27. 308540036 Zone 02 1 27.28 27. 308540037 Zone 02 1 27.28 27. 308540038 Zone 02 1 27.28 27. 308540039 Zone 02 1 27.28 27. 308540040 Zone 02 1 27.28 27. 308540041 Zone 02 1 27.28 27. 308540042 Zone 02 1 27.28 27. 308540043 Zone 02 1 27.28 27. 308540044 Zone 02 1 27.28 27. 308540045 Zone 02 1 27.28 27. 308540046 Zone 02 1 27.28 27. 308540047 Zone 02 1 27.28 27. 308540004 Zone 02 1 27.28 27. 308541001 Zone 02 1 27.28 27. 308541002 Zone 0	27.28 27.28 27.28 27.28 27.28 27.28 27.28
308540035 Zone 02 1 27.28 27. 308540036 Zone 02 1 27.28 27. 308540037 Zone 02 1 27.28 27. 308540038 Zone 02 1 27.28 27. 308540039 Zone 02 1 27.28 27. 308540040 Zone 02 1 27.28 27. 308540041 Zone 02 1 27.28 27. 308540042 Zone 02 1 27.28 27. 308540043 Zone 02 1 27.28 27. 308540044 Zone 02 1 27.28 27. 308540045 Zone 02 1 27.28 27. 308540046 Zone 02 1 27.28 27. 308540047 Zone 02 1 27.28 27. 308541001 Zone 02 1 27.28 27. 308541002 Zone 02 1 27.28 27. 308541004 Zone 02 1 27.28 27. 308541004 Zone 0	27.28 27.28 27.28 27.28 27.28 27.28
308540036 Zone 02 1 27.28 27. 308540037 Zone 02 1 27.28 27. 308540038 Zone 02 1 27.28 27. 308540039 Zone 02 1 27.28 27. 308540040 Zone 02 1 27.28 27. 308540041 Zone 02 1 27.28 27. 308540042 Zone 02 1 27.28 27. 308540043 Zone 02 1 27.28 27. 308540044 Zone 02 1 27.28 27. 308540045 Zone 02 1 27.28 27. 308540046 Zone 02 1 27.28 27. 308540047 Zone 02 1 27.28 27. 308541001 Zone 02 1 27.28 27. 308541002 Zone 02 1 27.28 27. 308541004 Zone 02 1 27.28 27. 308541004 Zone 02 1 27.28 27. 308541004 Zone 0	27.28 27.28 27.28 27.28 27.28
308540037 Zone 02 1 27.28 27. 308540038 Zone 02 1 27.28 27. 308540039 Zone 02 1 27.28 27. 308540040 Zone 02 1 27.28 27. 308540041 Zone 02 1 27.28 27. 308540042 Zone 02 1 27.28 27. 308540043 Zone 02 1 27.28 27. 308540044 Zone 02 1 27.28 27. 308540045 Zone 02 1 27.28 27. 308540046 Zone 02 1 27.28 27. 308540047 Zone 02 1 27.28 27. 308540048 Zone 02 1 27.28 27. 308541001 Zone 02 1 27.28 27. 308541002 Zone 02 1 27.28 27. 308541003 Zone 02 1 27.28 27. 308541004 Zone 02 1 27.28 27. 308541004 Zone 0	27.28 27.28 27.28 27.28
308540038 Zone 02 1 27.28 27. 308540039 Zone 02 1 27.28 27. 308540040 Zone 02 1 27.28 27. 308540041 Zone 02 1 27.28 27. 308540042 Zone 02 1 27.28 27. 308540043 Zone 02 1 27.28 27. 308540044 Zone 02 1 27.28 27. 308540045 Zone 02 1 27.28 27. 308540046 Zone 02 1 27.28 27. 308540047 Zone 02 1 27.28 27. 308540048 Zone 02 1 27.28 27. 308541001 Zone 02 1 27.28 27. 308541002 Zone 02 1 27.28 27. 308541003 Zone 02 1 27.28 27. 308541004 Zone 02 1 27.28 27. 308541004 Zone 02 1 27.28 27. 308541004 Zone 0	27.28 27.28 27.28
308540039 Zone 02 1 27.28 27. 308540040 Zone 02 1 27.28 27. 308540041 Zone 02 1 27.28 27. 308540042 Zone 02 1 27.28 27. 308540043 Zone 02 1 27.28 27. 308540044 Zone 02 1 27.28 27. 308540045 Zone 02 1 27.28 27. 308540046 Zone 02 1 27.28 27. 308540047 Zone 02 1 27.28 27. 308540048 Zone 02 1 27.28 27. 308541001 Zone 02 1 27.28 27. 308541002 Zone 02 1 27.28 27. 308541003 Zone 02 1 27.28 27. 308541004 Zone 0	27.28 27.28
308540040 Zone 02 1 27.28 27. 308540041 Zone 02 1 27.28 27. 308540042 Zone 02 1 27.28 27. 308540043 Zone 02 1 27.28 27. 308540044 Zone 02 1 27.28 27. 308540045 Zone 02 1 27.28 27. 308540046 Zone 02 1 27.28 27. 308540047 Zone 02 1 27.28 27. 308540048 Zone 02 1 27.28 27. 308541001 Zone 02 1 27.28 27. 308541002 Zone 02 1 27.28 27. 308541003 Zone 02 1 27.28 27. 308541004 Zone 02 1 27.28 27. 308541004 Zone 02 1 27.28 27. 308541004 Zone 02 1 27.28 27.	27.28
308540041 Zone 02 1 27.28 27. 308540042 Zone 02 1 27.28 27. 308540043 Zone 02 1 27.28 27. 308540044 Zone 02 1 27.28 27. 308540045 Zone 02 1 27.28 27. 308540046 Zone 02 1 27.28 27. 308540047 Zone 02 1 27.28 27. 308540048 Zone 02 1 27.28 27. 308541001 Zone 02 1 27.28 27. 308541002 Zone 02 1 27.28 27. 308541003 Zone 02 1 27.28 27. 308541004 Zone 02 1 27.28 27. 308541004 Zone 02 1 27.28 27.	
308540042 Zone 02 1 27.28 27. 308540043 Zone 02 1 27.28 27. 308540044 Zone 02 1 27.28 27. 308540045 Zone 02 1 27.28 27. 308540046 Zone 02 1 27.28 27. 308540047 Zone 02 1 27.28 27. 308540048 Zone 02 1 27.28 27. 308541001 Zone 02 1 27.28 27. 308541002 Zone 02 1 27.28 27. 308541003 Zone 02 1 27.28 27. 308541004 Zone 02 1 27.28 27.	21.78
308540043 Zone 02 1 27.28 27. 308540044 Zone 02 1 27.28 27. 308540045 Zone 02 1 27.28 27. 308540046 Zone 02 1 27.28 27. 308540047 Zone 02 1 27.28 27. 308540048 Zone 02 1 27.28 27. 308541001 Zone 02 1 27.28 27. 308541002 Zone 02 1 27.28 27. 308541003 Zone 02 1 27.28 27. 308541004 Zone 02 1 27.28 27.	
308540044 Zone 02 1 27.28 27. 308540045 Zone 02 1 27.28 27. 308540046 Zone 02 1 27.28 27. 308540047 Zone 02 1 27.28 27. 308540048 Zone 02 1 27.28 27. 308541001 Zone 02 1 27.28 27. 308541002 Zone 02 1 27.28 27. 308541003 Zone 02 1 27.28 27. 308541004 Zone 02 1 27.28 27.	27.28
308540045 Zone 02 1 27.28 27. 308540046 Zone 02 1 27.28 27. 308540047 Zone 02 1 27.28 27. 308540048 Zone 02 1 27.28 27. 308541001 Zone 02 1 27.28 27. 308541002 Zone 02 1 27.28 27. 308541003 Zone 02 1 27.28 27. 308541004 Zone 02 1 27.28 27.	27.28
308540046 Zone 02 1 27.28 27. 308540047 Zone 02 1 27.28 27. 308540048 Zone 02 1 27.28 27. 308541001 Zone 02 1 27.28 27. 308541002 Zone 02 1 27.28 27. 308541003 Zone 02 1 27.28 27. 308541004 Zone 02 1 27.28 27.	27.28
308540047 Zone 02 1 27.28 27. 308540048 Zone 02 1 27.28 27. 308541001 Zone 02 1 27.28 27. 308541002 Zone 02 1 27.28 27. 308541003 Zone 02 1 27.28 27. 308541004 Zone 02 1 27.28 27.	27.28
308540048 Zone 02 1 27.28 27. 308541001 Zone 02 1 27.28 27. 308541002 Zone 02 1 27.28 27. 308541003 Zone 02 1 27.28 27. 308541004 Zone 02 1 27.28 27. 208541004 Zone 02 1 27.28 27.	27.28
308541001 Zone 02 1 27.28 27. 308541002 Zone 02 1 27.28 27. 308541003 Zone 02 1 27.28 27. 308541004 Zone 02 1 27.28 27. 208541004 Zone 02 1 27.28 27.	27.28
308541002 Zone 02 1 27.28 27. 308541003 Zone 02 1 27.28 27. 308541004 Zone 02 1 27.28 27. 308541004 Zone 02 1 27.28 27.	27.28
308541003 Zone 02 1 27.28 27. 308541004 Zone 02 1 27.28 27.	27.28
308541004 Zone 02 1 27.28 27.	27.28
	27.28
	27.28
	27.28
	27.28
	27.28
	27.28
	27.28
308541010 Zone 02 1 27.28 27.	27.28
	27.28
308541012 Zone 02 1 27.28 27.	27.28
308541013 Zone 02 1 27.28 27.	27.28
308541014 Zone 02 1 27.28 27.	27.28
308541015 Zone 02 1 27.28 27.	27.28
308541016 Zone 02 1 27.28 27.	27.28
308541017 Zone 02 1 27.28 27.	27.28
308541018 Zone 02 1 27.28 27.	27.28
308550001 Zone 02 1 27.28 27.	27.28
308550002 Zone 02 1 27.28 27.	27.28
308550003 Zone 02 1 27.28 27.	27.28
308550004 Zone 02 1 27.28 27.	
308550005 Zone 02 1 27.28 27.	27.28
308550006 Zone 02 1 27.28 27.	27.28 27.28

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
308551001	Zone 02		1 27.28	27.28
308551002	Zone 02		1 27.28	27.28
308551003	Zone 02		1 27.28	27.28
308551004	Zone 02		1 27.28	27.28
308551005	Zone 02		1 27.28	27.28
308551006	Zone 02		1 27.28	27.28
308551007	Zone 02		1 27.28	27.28
308551008	Zone 02		1 27.28	27.28
308551009	Zone 02		1 27.28	27.28
308552001	Zone 02		1 27.28	27.28
308552002	Zone 02		1 27.28	27.28
308552003	Zone 02		1 27.28	27.28
308552004	Zone 02		1 27.28	27.28
308552005	Zone 02		1 27.28	27.28
308552006	Zone 02		1 27.28	27.28
308552007	Zone 02		1 27.28	27.28
308552008	Zone 02		1 27.28	27.28
308552009	Zone 02		1 27.28	27.28
308552010	Zone 02		1 27.28	27.28
308552011	Zone 02		1 27.28	27.28
308552012	Zone 02		1 27.28	27.28
308552013	Zone 02		1 27.28	27.28
308552014	Zone 02		1 27.28	27.28
308552015	Zone 02		1 27.28	27.28
308552016	Zone 02		1 27.28	27.28
308552017	Zone 02		1 27.28	27.28
308560001	Zone 02		1 27.28	27.28
308560002	Zone 02		1 27.28	27.28
308560003	Zone 02		1 27.28	27.28
308560004	Zone 02		1 27.28	27.28
308560005	Zone 02		1 27.28	27.28
308560006	Zone 02		1 27.28	27.28
308560007	Zone 02		1 27.28	27.28
308560008	Zone 02		1 27.28	27.28
308560009	Zone 02		1 27.28	27.28
308560010	Zone 02		1 27.28	27.28
308560011	Zone 02		1 27.28	27.28
308560012	Zone 02		1 27.28	27.28
308560012	Zone 02		1 27.28	27.28
308560014	Zone 02		1 27.28	27.28
308560015	Zone 02		1 27.28	27.28
308560016	Zone 02		1 27.28	27.28
308560017	Zone 02		1 27.28	27.28
308560017	Zone 02 Zone 02		1 27.28	27.28
308560019	Zone 02 Zone 02		1 27.28	27.28
308560023	Zone 02		1 27.28	27.28
308560024	Zone 02 Zone 02			
			1 27.28	27.28
308560025	Zone 02		1 27.28	27.28

APN	LMD 2014-01 Zone I	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
308560026	Zone 02		1 27.28	27.28
308560027	Zone 02		1 27.28	27.28
308560028	Zone 02		1 27.28	27.28
308560029	Zone 02		1 27.28	27.28
308561001	Zone 02		1 27.28	27.28
308561002	Zone 02		1 27.28	27.28
308561003	Zone 02		1 27.28	27.28
308561004	Zone 02		1 27.28	27.28
308561005	Zone 02		1 27.28	27.28
308561006	Zone 02		1 27.28	27.28
308561007	Zone 02		1 27.28	27.28
308561008	Zone 02		1 27.28	27.28
308561009	Zone 02		1 27.28	27.28
308570001	Zone 02		1 27.28	27.28
308570002	Zone 02		1 27.28	27.28
308570003	Zone 02		1 27.28	27.28
308570004	Zone 02		1 27.28	27.28
308570005	Zone 02		1 27.28	27.28
308570006	Zone 02		1 27.28	27.28
308570007	Zone 02		1 27.28	27.28
308570008	Zone 02		1 27.28	27.28
308570009	Zone 02		1 27.28	27.28
308570010	Zone 02		1 27.28	27.28
308570011	Zone 02		1 27.28	27.28
308570012	Zone 02		1 27.28	27.28
308570013	Zone 02		1 27.28	27.28
308570014	Zone 02		1 27.28	27.28
308570015	Zone 02		1 27.28	27.28
308570016	Zone 02		1 27.28	27.28
308570017	Zone 02		1 27.28	27.28
308570018	Zone 02		1 27.28	27.28
308571001	Zone 02		1 27.28	27.28
308571002	Zone 02		1 27.28	27.28
308571003	Zone 02		1 27.28	27.28
308571004	Zone 02		1 27.28	27.28
308571005	Zone 02		1 27.28	27.28
308571006	Zone 02		1 27.28	27.28
308571007	Zone 02		1 27.28	27.28
308571008	Zone 02		1 27.28	27.28
308571009	Zone 02		1 27.28	27.28
308571010	Zone 02		1 27.28	27.28
308571011	Zone 02		1 27.28	27.28
308571012	Zone 02		1 27.28	27.28
308571013	Zone 02		1 27.28	27.28
308571014	Zone 02		1 27.28	27.28
308571015	Zone 02		1 27.28	27.28
308571016	Zone 02		1 27.28	27.28
308571017	Zone 02		1 27.28	27.28
330011011			21.20	21.20

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
308571018	Zone 02		1 27.28	27.28
308571019	Zone 02		1 27.28	27.28
308571020	Zone 02		1 27.28	27.28
308571021	Zone 02		1 27.28	27.28
308571022	Zone 02		1 27.28	27.28
308571023	Zone 02		1 27.28	27.28
308571024	Zone 02		1 27.28	27.28
308571025	Zone 02		1 27.28	27.28
308571026	Zone 02		1 27.28	27.28
308571027	Zone 02		1 27.28	27.28
308571028	Zone 02		1 27.28	27.28
308572001	Zone 02		1 27.28	27.28
308572002	Zone 02		1 27.28	27.28
308572003	Zone 02		1 27.28	27.28
308572004	Zone 02		1 27.28	27.28
308572005	Zone 02		1 27.28	27.28
308572006	Zone 02		1 27.28	27.28
308572007	Zone 02		1 27.28	27.28
308572008	Zone 02		1 27.28	27.28
308572009	Zone 02		1 27.28	27.28
308572010	Zone 02		1 27.28	27.28
308572011	Zone 02		1 27.28	27.28
308572012	Zone 02		1 27.28	27.28
308572013	Zone 02		1 27.28	27.28
308572014	Zone 02		1 27.28	27.28
308572015	Zone 02		1 27.28	27.28
308572016	Zone 02		1 27.28	27.28
308572017	Zone 02		1 27.28	27.28
308572018	Zone 02		1 27.28	27.28
308572019	Zone 02		1 27.28	27.28
308572020	Zone 02		1 27.28	27.28
308572021	Zone 02		1 27.28	27.28
308572022	Zone 02		1 27.28	27.28
308572023	Zone 02		1 27.28	27.28
308572024	Zone 02		1 27.28	27.28
308572025	Zone 02		1 27.28	27.28
308572026	Zone 02		1 27.28	27.28
308572027	Zone 02		1 27.28	27.28
308573001	Zone 02		1 27.28	27.28
308573002	Zone 02		1 27.28	27.28
308573003	Zone 02		1 27.28	27.28
308573004	Zone 02		1 27.28	27.28
308573005	Zone 02		1 27.28	27.28
308573006	Zone 02		1 27.28	27.28
308573007	Zone 02		1 27.28	27.28
308573007	Zone 02		1 27.28	27.28
308573009	Zone 02		1 27.28	27.28
308573010	Zone 02		1 27.28	27.28
300373010	20116-02		21.20	21.20

APN I	MD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
	Zone 02	LIND Assigned EDG 3	1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02	,	1 27.28	27.28
	Zone 02 Zone 02	,	1 27.28	27.28
	Zone 02 Zone 02	,	1 27.28	27.28
	Zone 02 Zone 02		1 27.28	27.28
	Zone 02 Zone 02	,	1 27.28	27.28
	Zone 02 Zone 02		1 27.28	27.28
	Zone 02 Zone 02		1 27.28	27.28
	Zone 02 Zone 02		1 27.28	27.28
	Zone 02 Zone 02		1 27.28	27.28
	Zone 02 Zone 02		1 27.28	27.28
	Zone 02 Zone 02		1 27.28	27.28
		,	1 27.28	
	Zone 02	,		27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		27.28	27.28
	Zone 02	·	27.28	27.28
	Zone 02	·	1 27.28	27.28
	Zone 02	•	1 27.28	27.28
	Zone 02	•	1 27.28	27.28
	Zone 02	•	1 27.28	27.28
	Zone 02	·	1 27.28	27.28
	Zone 02	·	1 27.28	27.28
	Zone 02	•	1 27.28	27.28
	Zone 02	•	1 27.28	27.28
	Zone 02	•	1 27.28	27.28
	Zone 02	•	1 27.28	27.28
	Zone 02	•	1 27.28	27.28
308581017	Zone 02	•	1 27.28	27.28
308581018	Zone 02	•	1 27.28	27.28
308581019	Zone 02	•	1 27.28	27.28
308581020	Zone 02	•	1 27.28	27.28
308581021	Zone 02	•	1 27.28	27.28
308581022	Zone 02	•	1 27.28	27.28
308581023	Zone 02	•	1 27.28	27.28
308581024	Zone 02		1 27.28	27.28
308582001	Zone 02		1 27.28	27.28
308582002	Zone 02		1 27.28	27.28
308582003	Zone 02		1 27.28	27.28
308582004	Zone 02		1 27.28	27.28
308582005	Zone 02		1 27.28	27.28

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
308582006	Zone 02		1 27.28	27.28
308582007	Zone 02		1 27.28	27.28
308582008	Zone 02		1 27.28	27.28
308582009	Zone 02		1 27.28	27.28
308582010	Zone 02		1 27.28	27.28
308582011	Zone 02		1 27.28	27.28
308582012	Zone 02		1 27.28	27.28
308582013	Zone 02		1 27.28	27.28
308582014	Zone 02		1 27.28	27.28
308582015	Zone 02		1 27.28	27.28
308582016	Zone 02		1 27.28	27.28
308582017	Zone 02		1 27.28	27.28
308582018	Zone 02		1 27.28	27.28
308582019	Zone 02		1 27.28	27.28
308582020	Zone 02		1 27.28	27.28
308582021	Zone 02		1 27.28	27.28
308582022	Zone 02		1 27.28	27.28
308582023	Zone 02		1 27.28	27.28
308582024	Zone 02		1 27.28	27.28
308582025	Zone 02		1 27.28	27.28
308582026	Zone 02		1 27.28	27.28
308582027	Zone 02		1 27.28	27.28
308582028	Zone 02		1 27.28	27.28
308582029	Zone 02		1 27.28	27.28
308582030	Zone 02		1 27.28	27.28
308582031	Zone 02		1 27.28	27.28
308582032	Zone 02		1 27.28	27.28
308582033	Zone 02		1 27.28	27.28
308582034	Zone 02		1 27.28	27.28
308582035	Zone 02		1 27.28	27.28
308582036	Zone 02		1 27.28	27.28
308582037	Zone 02		1 27.28	27.28
308582038	Zone 02		1 27.28	27.28
308582039	Zone 02		1 27.28	27.28
308582040	Zone 02		1 27.28	27.28
308582041	Zone 02		1 27.28	27.28
308582042	Zone 02		1 27.28	27.28
308582043	Zone 02		1 27.28	27.28
308582044	Zone 02		1 27.28	27.28
308582045	Zone 02		1 27.28	27.28
308582046	Zone 02		1 27.28	27.28
308582047	Zone 02		1 27.28	27.28
308582048	Zone 02		1 27.28	27.28
308582049	Zone 02		1 27.28	27.28
308582050	Zone 02		1 27.28	27.28
308582051	Zone 02		1 27.28	27.28
308582052	Zone 02		1 27.28	27.28
308582053	Zone 02		1 27.28	27.28
300302033	20116-02		21.20	21.20

308582054 Zone 02	APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
308582055 Zone 02 1 27.28 27.308590001 Zone 02 1 27.28 27.308590002 Zone 02 1 27.28 27.308590003 Zone 02 1 27.28 27.308590004 Zone 02 1 27.28 27.308590006 Zone 02 1 27.28 27.308590006 Zone 02 1 27.28 27.308590007 Zone 02 1 27.28 27.308590008 Zone 02 1 27.28 27.308590009 Zone 02 1 27.28 27.308590010 Zone 02 1 27.28 27.308590011 Zone 02 1 27.28 27.308590011 Zone 02 1 27.28 27.308590013 Zone 02 1 27.28 27.308590014 Zone 02 1 27.28 27.308590014 Zone 02 1 27.28 27.308590015 Zone 02 1 27.28 27.308591001 Zone 02 1 27.28 27.308591001 Zone 02 1 27.28 27.308591002 Zone 02 1					27.28
308590001 Zone 02 1 27.28 27. 308590002 Zone 02 1 27.28 27. 308590003 Zone 02 1 27.28 27. 308590004 Zone 02 1 27.28 27. 308590005 Zone 02 1 27.28 27. 308590006 Zone 02 1 27.28 27. 308590007 Zone 02 1 27.28 27. 308590008 Zone 02 1 27.28 27. 308590010 Zone 02 1 27.28 27. 308590011 Zone 02 1 27.28 27. 308590012 Zone 02 1 27.28 27. 308590013 Zone 02 1 27.28 27. 308590014 Zone 02 1 27.28 27. 308590015 Zone 02 1 27.28 27. 308591001 Zone 02 1 27.28 27. 308591002 <td></td> <td></td> <td></td> <td></td> <td>27.28</td>					27.28
308590002 Zone 02 1 27.28 27.3 308590004 Zone 02 1 27.28 27.3 308590005 Zone 02 1 27.28 27.3 308590006 Zone 02 1 27.28 27.3 308590007 Zone 02 1 27.28 27.3 308590008 Zone 02 1 27.28 27.3 308590009 Zone 02 1 27.28 27.3 30859010 Zone 02 1 27.28 27.3 30859011 Zone 02 1 27.28 27.3 30859012 Zone 02 1 27.28 27.3 30859013 Zone 02 1 27.28 27.3 30859014 Zone 02 1 27.28 27.3 30859015 Zone 02 1 27.28 27.3 308591001 Zone 02 1 27.28 27.3 308591002 Zone 02 1 27.28 27.3 308591003 Zone 02 1 27.28 27.3 308591004					27.28
308590003 Zone 02 1 27.28 27. 308590004 Zone 02 1 27.28 27. 308590005 Zone 02 1 27.28 27. 308590006 Zone 02 1 27.28 27. 308590007 Zone 02 1 27.28 27. 308590008 Zone 02 1 27.28 27. 308590010 Zone 02 1 27.28 27. 308590011 Zone 02 1 27.28 27. 308590012 Zone 02 1 27.28 27. 308590012 Zone 02 1 27.28 27. 308590013 Zone 02 1 27.28 27. 308590014 Zone 02 1 27.28 27. 308590015 Zone 02 1 27.28 27. 308591001 Zone 02 1 27.28 27. 308591001 Zone 02 1 27.28 27. 308591002 <td></td> <td></td> <td></td> <td></td> <td>27.28</td>					27.28
308590004 Zone 02 1 27.28 27. 308590005 Zone 02 1 27.28 27. 308590006 Zone 02 1 27.28 27. 308590007 Zone 02 1 27.28 27. 308590008 Zone 02 1 27.28 27. 308590010 Zone 02 1 27.28 27. 308590011 Zone 02 1 27.28 27. 308590012 Zone 02 1 27.28 27. 308590013 Zone 02 1 27.28 27. 308590014 Zone 02 1 27.28 27. 308590015 Zone 02 1 27.28 27. 308591001 Zone 02 1 27.28 27. 308591002 Zone 02 1 27.28 27. 308591004 Zone 02 1 27.28 27. 308591005 Zone 02 1 27.28 27. 308591000 Zone 02 1 27.28 27. 308591000 Zone 0					27.28
308590005 Zone 02 1 27.28 27. 308590006 Zone 02 1 27.28 27. 308590007 Zone 02 1 27.28 27. 308590008 Zone 02 1 27.28 27. 308590010 Zone 02 1 27.28 27. 308590011 Zone 02 1 27.28 27. 308590012 Zone 02 1 27.28 27. 308590013 Zone 02 1 27.28 27. 308590014 Zone 02 1 27.28 27. 308590015 Zone 02 1 27.28 27. 308591001 Zone 02 1 27.28 27. 308591002 Zone 02 1 27.28 27. 308591003 Zone 02 1 27.28 27. 308591004 Zone 02 1 27.28 27. 308591005 Zone 02 1 27.28 27. 308591000 Zone 02 1 27.28 27. 308592001 Zone 0					27.28
308590006 Zone 02 1 27.28 27. 308590007 Zone 02 1 27.28 27. 308590008 Zone 02 1 27.28 27. 308590010 Zone 02 1 27.28 27. 308590011 Zone 02 1 27.28 27. 308590012 Zone 02 1 27.28 27. 308590013 Zone 02 1 27.28 27. 308590014 Zone 02 1 27.28 27. 308590015 Zone 02 1 27.28 27. 308591001 Zone 02 1 27.28 27. 308591002 Zone 02 1 27.28 27. 308591003 Zone 02 1 27.28 27. 308591004 Zone 02 1 27.28 27. 308591005 Zone 02 1 27.28 27. 308591000 Zone 02 1 27.28 27. 308591005 Zone 02 1 27.28 27. 308592000 Zone 0					27.28
308590007 Zone 02 1 27.28 27.2 308590008 Zone 02 1 27.28 27.3 308590010 Zone 02 1 27.28 27.3 308590011 Zone 02 1 27.28 27.3 308590012 Zone 02 1 27.28 27.3 308590013 Zone 02 1 27.28 27.3 308590014 Zone 02 1 27.28 27.3 308590015 Zone 02 1 27.28 27.3 308591001 Zone 02 1 27.28 27.3 308591001 Zone 02 1 27.28 27.3 308591001 Zone 02 1 27.28 27.3 308591003 Zone 02 1 27.28 27.3 308591004 Zone 02 1 27.28 27.3 308591005 Zone 02 1 27.28 27.3 308591006 Zone 02 1 27.28 27.3 308592001 Zone 02 1 27.28 27.3 308592002					27.28
308590008 Zone 02 1 27.28 27.3 308590009 Zone 02 1 27.28 27.3 308590010 Zone 02 1 27.28 27.3 308590011 Zone 02 1 27.28 27.3 308590012 Zone 02 1 27.28 27.3 308590013 Zone 02 1 27.28 27.3 308590014 Zone 02 1 27.28 27.3 308590015 Zone 02 1 27.28 27.3 308591001 Zone 02 1 27.28 27.3 308591002 Zone 02 1 27.28 27.3 308591003 Zone 02 1 27.28 27.3 308591004 Zone 02 1 27.28 27.3 308591005 Zone 02 1 27.28 27.3 308591006 Zone 02 1 27.28 27.3 308592001 Zone 02 1 27.28 27.3 <t< td=""><td></td><td></td><td></td><td></td><td>27.28</td></t<>					27.28
308590009 Zone 02 1 27.28 27.3 308590010 Zone 02 1 27.28 27.3 308590011 Zone 02 1 27.28 27.3 308590012 Zone 02 1 27.28 27.3 308590013 Zone 02 1 27.28 27.3 308590014 Zone 02 1 27.28 27.3 308591001 Zone 02 1 27.28 27.3 308591002 Zone 02 1 27.28 27.3 308591003 Zone 02 1 27.28 27.3 308591004 Zone 02 1 27.28 27.3 308591005 Zone 02 1 27.28 27.3 308591006 Zone 02 1 27.28 27.3 308591007 Zone 02 1 27.28 27.3 308592001 Zone 02 1 27.28 27.3 308592002 Zone 02 1 27.28 27.3 308592004 Zone 02 1 27.28 27.3 308592005					27.28
308590010 Zone 02 1 27.28 27.3 308590011 Zone 02 1 27.28 27.3 308590012 Zone 02 1 27.28 27.3 308590013 Zone 02 1 27.28 27.3 308590014 Zone 02 1 27.28 27.3 308590015 Zone 02 1 27.28 27.3 308591001 Zone 02 1 27.28 27.3 308591002 Zone 02 1 27.28 27.3 308591003 Zone 02 1 27.28 27.3 308591004 Zone 02 1 27.28 27.3 308591005 Zone 02 1 27.28 27.3 308591006 Zone 02 1 27.28 27.3 308592001 Zone 02 1 27.28 27.3 308592002 Zone 02 1 27.28 27.3 308592003 Zone 02 1 27.28 27.3 308592004 Zone 02 1 27.28 27.3 308592005					27.28
308590011 Zone 02 1 27.28 27.3 308590012 Zone 02 1 27.28 27.3 308590013 Zone 02 1 27.28 27.3 308590014 Zone 02 1 27.28 27.3 308590015 Zone 02 1 27.28 27.3 308591001 Zone 02 1 27.28 27.3 308591002 Zone 02 1 27.28 27.3 308591003 Zone 02 1 27.28 27.3 308591004 Zone 02 1 27.28 27.3 308591005 Zone 02 1 27.28 27.3 308591006 Zone 02 1 27.28 27.3 308591007 Zone 02 1 27.28 27.3 308592001 Zone 02 1 27.28 27.3 308592003 Zone 02 1 27.28 27.3 308592004 Zone 02 1 27.28 27.3 308592005 Zone 02 1 27.28 27.3 308592006					
308590012 Zone 02 1 27.28 27.3 308590013 Zone 02 1 27.28 27.3 308590014 Zone 02 1 27.28 27.3 308590015 Zone 02 1 27.28 27.3 308591001 Zone 02 1 27.28 27.3 308591002 Zone 02 1 27.28 27.3 308591003 Zone 02 1 27.28 27.3 308591004 Zone 02 1 27.28 27.3 308591005 Zone 02 1 27.28 27.3 308591006 Zone 02 1 27.28 27.3 308592001 Zone 02 1 27.28 27.3 308592002 Zone 02 1 27.28 27.3 308592003 Zone 02 1 27.28 27.3 308592004 Zone 02 1 27.28 27.3 308592005 Zone 02 1 27.28 27.3 308592006 Zone 02 1 27.28 27.3 308592009					
308590013 Zone 02 1 27.28 27.3 308590014 Zone 02 1 27.28 27.3 308590015 Zone 02 1 27.28 27.3 308591001 Zone 02 1 27.28 27.3 308591002 Zone 02 1 27.28 27.3 308591003 Zone 02 1 27.28 27.3 308591004 Zone 02 1 27.28 27.3 308591005 Zone 02 1 27.28 27.3 308591006 Zone 02 1 27.28 27.3 308592001 Zone 02 1 27.28 27.3 308592002 Zone 02 1 27.28 27.3 308592003 Zone 02 1 27.28 27.3 308592004 Zone 02 1 27.28 27.3 308592005 Zone 02 1 27.28 27.3 308592006 Zone 02 1 27.28 27.3 308592008 Zone 02 1 27.28 27.3 308592009					
308590014 Zone 02 1 27.28 27.3 308590015 Zone 02 1 27.28 27.3 308591001 Zone 02 1 27.28 27.3 308591002 Zone 02 1 27.28 27.3 308591003 Zone 02 1 27.28 27.3 308591004 Zone 02 1 27.28 27.3 308591005 Zone 02 1 27.28 27.3 308591006 Zone 02 1 27.28 27.3 308591007 Zone 02 1 27.28 27.3 308592001 Zone 02 1 27.28 27.3 308592002 Zone 02 1 27.28 27.3 308592003 Zone 02 1 27.28 27.3 308592004 Zone 02 1 27.28 27.3 308592005 Zone 02 1 27.28 27.3 308592007 Zone 02 1 27.28 27.3 308592008 Zone 02 1 27.28 27.3 308592009					
308590015 Zone 02 1 27.28 27.3 308591001 Zone 02 1 27.28 27.3 308591002 Zone 02 1 27.28 27.3 308591003 Zone 02 1 27.28 27.3 308591004 Zone 02 1 27.28 27.3 308591005 Zone 02 1 27.28 27.3 308591006 Zone 02 1 27.28 27.3 308591007 Zone 02 1 27.28 27.3 308592001 Zone 02 1 27.28 27.3 308592002 Zone 02 1 27.28 27.3 308592003 Zone 02 1 27.28 27.3 308592004 Zone 02 1 27.28 27.3 308592005 Zone 02 1 27.28 27.3 308592007 Zone 02 1 27.28 27.3 308592008 Zone 02 1 27.28 27.3 308592010 Zone 02 1 27.28 27.3 308592011					
308591001 Zone 02 1 27.28 27.3 308591002 Zone 02 1 27.28 27.3 308591003 Zone 02 1 27.28 27.3 308591004 Zone 02 1 27.28 27.3 308591005 Zone 02 1 27.28 27.3 308591006 Zone 02 1 27.28 27.3 308591007 Zone 02 1 27.28 27.3 308592001 Zone 02 1 27.28 27.3 308592002 Zone 02 1 27.28 27.3 308592003 Zone 02 1 27.28 27.3 308592004 Zone 02 1 27.28 27.3 308592005 Zone 02 1 27.28 27.3 308592006 Zone 02 1 27.28 27.3 308592007 Zone 02 1 27.28 27.3 308592009 Zone 02 1 27.28 27.3 308592010 Zone 02 1 27.28 27.3 308592011					
308591002 Zone 02 1 27.28 27.3 308591003 Zone 02 1 27.28 27.3 308591004 Zone 02 1 27.28 27.3 308591005 Zone 02 1 27.28 27.3 308591006 Zone 02 1 27.28 27.3 308591007 Zone 02 1 27.28 27.3 308592001 Zone 02 1 27.28 27.3 308592002 Zone 02 1 27.28 27.3 308592003 Zone 02 1 27.28 27.3 308592004 Zone 02 1 27.28 27.3 308592005 Zone 02 1 27.28 27.3 308592006 Zone 02 1 27.28 27.3 308592007 Zone 02 1 27.28 27.3 308592009 Zone 02 1 27.28 27.3 308592010 Zone 02 1 27.28 27.3 308592011 Zone 02 1 27.28 27.3 308592011					
308591003 Zone 02 1 27.28 27.2 308591004 Zone 02 1 27.28 27.2 308591005 Zone 02 1 27.28 27.2 308591006 Zone 02 1 27.28 27.2 308591007 Zone 02 1 27.28 27.2 308592001 Zone 02 1 27.28 27.2 308592002 Zone 02 1 27.28 27.2 308592003 Zone 02 1 27.28 27.3 308592004 Zone 02 1 27.28 27.3 308592005 Zone 02 1 27.28 27.3 308592006 Zone 02 1 27.28 27.3 308592007 Zone 02 1 27.28 27.3 308592008 Zone 02 1 27.28 27.3 308592010 Zone 02 1 27.28 27.3 308592011 Zone 02 1 27.28 27.3 308592011 Zone 02 1 27.28 27.3 308592011					
308591004 Zone 02 1 27.28 27.3 308591005 Zone 02 1 27.28 27.3 308591006 Zone 02 1 27.28 27.3 308591007 Zone 02 1 27.28 27.3 308592001 Zone 02 1 27.28 27.3 308592002 Zone 02 1 27.28 27.3 308592003 Zone 02 1 27.28 27.3 308592004 Zone 02 1 27.28 27.3 308592005 Zone 02 1 27.28 27.3 308592006 Zone 02 1 27.28 27.3 308592007 Zone 02 1 27.28 27.3 308592008 Zone 02 1 27.28 27.3 308592010 Zone 02 1 27.28 27.3 308592011 Zone 02 1 27.28 27.3 308592011 Zone 02 1 27.28 27.3					
308591005 Zone 02 1 27.28 27.3 308591006 Zone 02 1 27.28 27.3 308591007 Zone 02 1 27.28 27.3 308592001 Zone 02 1 27.28 27.3 308592002 Zone 02 1 27.28 27.3 308592003 Zone 02 1 27.28 27.3 308592004 Zone 02 1 27.28 27.3 308592005 Zone 02 1 27.28 27.3 308592006 Zone 02 1 27.28 27.3 308592007 Zone 02 1 27.28 27.3 308592008 Zone 02 1 27.28 27.3 308592010 Zone 02 1 27.28 27.3 308592011 Zone 02 1 27.28 27.3 308592011 Zone 02 1 27.28 27.3 308592011 Zone 02 1 27.28 27.3					27.28
308591006 Zone 02 1 27.28 27.3 308591007 Zone 02 1 27.28 27.3 308592001 Zone 02 1 27.28 27.3 308592002 Zone 02 1 27.28 27.3 308592003 Zone 02 1 27.28 27.3 308592004 Zone 02 1 27.28 27.3 308592005 Zone 02 1 27.28 27.3 308592006 Zone 02 1 27.28 27.3 308592007 Zone 02 1 27.28 27.3 308592008 Zone 02 1 27.28 27.3 308592010 Zone 02 1 27.28 27.3 308592011 Zone 02 1 27.28 27.3					27.28
308591007 Zone 02 1 27.28 27.2 308592001 Zone 02 1 27.28 27.2 308592002 Zone 02 1 27.28 27.2 308592003 Zone 02 1 27.28 27.2 308592004 Zone 02 1 27.28 27.2 308592005 Zone 02 1 27.28 27.2 308592006 Zone 02 1 27.28 27.2 308592007 Zone 02 1 27.28 27.2 308592008 Zone 02 1 27.28 27.2 308592010 Zone 02 1 27.28 27.2 308592010 Zone 02 1 27.28 27.2 308592011 Zone 02 1 27.28 27.2 308592011 Zone 02 1 27.28 27.2					27.28
308592001 Zone 02 1 27.28 27.3 308592002 Zone 02 1 27.28 27.3 308592003 Zone 02 1 27.28 27.3 308592004 Zone 02 1 27.28 27.3 308592005 Zone 02 1 27.28 27.3 308592006 Zone 02 1 27.28 27.3 308592007 Zone 02 1 27.28 27.3 308592008 Zone 02 1 27.28 27.3 308592010 Zone 02 1 27.28 27.3 308592011 Zone 02 1 27.28 27.3 308592011 Zone 02 1 27.28 27.3 308592011 Zone 02 1 27.28 27.3					27.28
308592002 Zone 02 1 27.28 27.3 308592003 Zone 02 1 27.28 27.3 308592004 Zone 02 1 27.28 27.3 308592005 Zone 02 1 27.28 27.3 308592006 Zone 02 1 27.28 27.3 308592007 Zone 02 1 27.28 27.3 308592008 Zone 02 1 27.28 27.3 308592010 Zone 02 1 27.28 27.3 308592011 Zone 02 1 27.28 27.3 308592011 Zone 02 1 27.28 27.3 308592011 Zone 02 1 27.28 27.3					27.28
308592003 Zone 02 1 27.28 27.2 308592004 Zone 02 1 27.28 27.2 308592005 Zone 02 1 27.28 27.2 308592006 Zone 02 1 27.28 27.2 308592007 Zone 02 1 27.28 27.2 308592008 Zone 02 1 27.28 27.2 308592009 Zone 02 1 27.28 27.2 308592010 Zone 02 1 27.28 27.2 308592011 Zone 02 1 27.28 27.2 308592011 Zone 02 1 27.28 27.2					27.28
308592004 Zone 02 1 27.28 27.2 308592005 Zone 02 1 27.28 27.2 308592006 Zone 02 1 27.28 27.2 308592007 Zone 02 1 27.28 27.2 308592008 Zone 02 1 27.28 27.2 308592009 Zone 02 1 27.28 27.2 308592010 Zone 02 1 27.28 27.2 308592011 Zone 02 1 27.28 27.2 308592011 Zone 02 1 27.28 27.2					27.28
308592005 Zone 02 1 27.28 27.3 308592006 Zone 02 1 27.28 27.3 308592007 Zone 02 1 27.28 27.3 308592008 Zone 02 1 27.28 27.3 308592009 Zone 02 1 27.28 27.3 308592010 Zone 02 1 27.28 27.3 308592011 Zone 02 1 27.28 27.3 308592011 Zone 02 1 27.28 27.3					27.28
308592006 Zone 02 1 27.28 27.2 308592007 Zone 02 1 27.28 27.2 308592008 Zone 02 1 27.28 27.2 308592009 Zone 02 1 27.28 27.2 308592010 Zone 02 1 27.28 27.2 308592011 Zone 02 1 27.28 27.2 308592011 Zone 02 1 27.28 27.2					27.28
308592007 Zone 02 1 27.28 27.2 308592008 Zone 02 1 27.28 27.2 308592009 Zone 02 1 27.28 27.2 308592010 Zone 02 1 27.28 27.2 308592011 Zone 02 1 27.28 27.2 308592011 Zone 02 1 27.28 27.2					27.28
308592008 Zone 02 1 27.28 27.2 308592009 Zone 02 1 27.28 27.2 308592010 Zone 02 1 27.28 27.2 308592011 Zone 02 1 27.28 27.2 308592011 Zone 02 1 27.28 27.2					27.28
308592009 Zone 02 1 27.28 27.2 308592010 Zone 02 1 27.28 27.2 308592011 Zone 02 1 27.28 27.2 308592011 Zone 02 1 27.28 27.2					27.28
308592010 Zone 02 1 27.28 27.2 308592011 Zone 02 1 27.28 27.2					27.28
308592011 Zone 02 1 27.28 27.2					27.28
		Zone 02		1 27.28	27.28
000000000					27.28
308592012 Zone 02 1 27.28 27.3	308592012	Zone 02		1 27.28	27.28
308592013 Zone 02 1 27.28 27.2	308592013	Zone 02		1 27.28	27.28
308592014 Zone 02 1 27.28 27.2	308592014	Zone 02		1 27.28	27.28
308592015 Zone 02 1 27.28 27.2	308592015	Zone 02		1 27.28	27.28
308592016 Zone 02 1 27.28 27.2	308592016	Zone 02		1 27.28	27.28
308592017 Zone 02 1 27.28 27.2	308592017	Zone 02		1 27.28	27.28
308592018 Zone 02 1 27.28 27.2	308592018	Zone 02		1 27.28	27.28
308592019 Zone 02 1 27.28 27.2	308592019	Zone 02		1 27.28	27.28
308600001 Zone 02 1 27.28 27.2	308600001	Zone 02		1 27.28	27.28
308600002 Zone 02 1 27.28 27.2	308600002	Zone 02		1 27.28	27.28
	308600003	Zone 02			27.28
	308600004	Zone 02			27.28
308601001 Zone 02 1 27.28 27.2	308601001	Zone 02		1 27.28	27.28

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
308601002	Zone 02		1 27.28	27.28
308601003	Zone 02		1 27.28	27.28
308601004	Zone 02		1 27.28	27.28
308601005	Zone 02		1 27.28	27.28
308601006	Zone 02		1 27.28	27.28
308601007	Zone 02		1 27.28	27.28
308601008	Zone 02		1 27.28	27.28
308601009	Zone 02		1 27.28	27.28
308601010	Zone 02		1 27.28	27.28
308601011	Zone 02		1 27.28	27.28
308601012	Zone 02		1 27.28	27.28
308601013	Zone 02		1 27.28	27.28
308601014	Zone 02		1 27.28	27.28
308601015	Zone 02		1 27.28	27.28
308601016	Zone 02		1 27.28	27.28
308601017	Zone 02		1 27.28	27.28
308601018	Zone 02		1 27.28	27.28
308601019	Zone 02		1 27.28	27.28
308601020	Zone 02		1 27.28	27.28
308601021	Zone 02		1 27.28	27.28
312280001	Zone 02		1 27.28	27.28
312280002	Zone 02		1 27.28	27.28
312280003	Zone 02		1 27.28	27.28
312280004	Zone 02		1 27.28	27.28
312280005	Zone 02		1 27.28	27.28
312280006	Zone 02		1 27.28	27.28
312280007	Zone 02		1 27.28	27.28
312280008	Zone 02		1 27.28	27.28
312280009	Zone 02		1 27.28	27.28
312280010	Zone 02		1 27.28	27.28
312280011	Zone 02		1 27.28	27.28
312280012	Zone 02		1 27.28	27.28
312280013	Zone 02		1 27.28	27.28
312280014	Zone 02		1 27.28	27.28
312280015	Zone 02		1 27.28	27.28
312280016	Zone 02		1 27.28	27.28
312280017	Zone 02		1 27.28	27.28
312280018	Zone 02		1 27.28	27.28
312280019	Zone 02		1 27.28	27.28
312280020	Zone 02		1 27.28	27.28
312280021	Zone 02		1 27.28	27.28
312281001	Zone 02		1 27.28	27.28
312281002	Zone 02		1 27.28	27.28
312281002	Zone 02		1 27.28	27.28
312281003	Zone 02		1 27.28	27.28
312281005	Zone 02		1 27.28	27.28
312281005	Zone 02		1 27.28	27.28
312281007	Zone 02		1 27.28	27.28
312201007	20116-02		21.20	21.20

APN	I MD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
312281008	Zone 02	LIND Assigned ED0 3	1 27.28	27.28
312281009	Zone 02		1 27.28	27.28
312281010	Zone 02		1 27.28	27.28
312281011	Zone 02		1 27.28	27.28
312281012	Zone 02		1 27.28	27.28
312281013	Zone 02		1 27.28	27.28
312281014	Zone 02		1 27.28	27.28
312281015	Zone 02		1 27.28	27.28
312281016	Zone 02		1 27.28	27.28
312281017	Zone 02		1 27.28	27.28
312281018	Zone 02		1 27.28	27.28
312281019	Zone 02		1 27.28	27.28
312281020	Zone 02		1 27.28	27.28
312281021	Zone 02		1 27.28	27.28
312281022	Zone 02		1 27.28	27.28
312281023	Zone 02		1 27.28	27.28
312281024	Zone 02		1 27.28	27.28
312281025	Zone 02		1 27.28	27.28
312290002	Zone 02		1 27.28	27.28
312290002	Zone 02		1 27.28	27.28
312290003	Zone 02 Zone 02		1 27.28	27.28
312290004	Zone 02		1 27.28	27.28
312290005	Zone 02		1 27.28	27.28
312290007	Zone 02 Zone 02		1 27.28	27.28
312290007	Zone 02		1 27.28	27.28
312290008	Zone 02 Zone 02		1 27.28	27.28
312290009	Zone 02 Zone 02		1 27.28	27.28
312290010	Zone 02 Zone 02		1 27.28	27.28
312290011	Zone 02 Zone 02		1 27.28	27.28
312290012	Zone 02 Zone 02		1 27.28	27.28
312290013	Zone 02 Zone 02		1 27.28	27.28
312290014	Zone 02 Zone 02		1 27.28	27.28
312290015	Zone 02 Zone 02		1 27.28	27.28
312290017	Zone 02 Zone 02		1 27.28	27.28
				27.28
312290018	Zone 02		1 27.28	
312290019	Zone 02 Zone 02		1 27.28	27.28
312290020			1 27.28	27.28
312290021	Zone 02		1 27.28	27.28
312290022	Zone 02		1 27.28	27.28
312290023	Zone 02		1 27.28	27.28
312290024	Zone 02		1 27.28	27.28
312290025	Zone 02		1 27.28	27.28
312290026	Zone 02		1 27.28	27.28
312290027	Zone 02		1 27.28	27.28
312290028	Zone 02		1 27.28	27.28
312290029	Zone 02		1 27.28	27.28
312290030	Zone 02		1 27.28	27.28
312290031	Zone 02		1 27.28	27.28

APN	I MD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
312290032	Zone 02	LIND Assigned ED0 3	1 27.28	27.28
312290032	Zone 02		1 27.28	27.28
312290034	Zone 02		1 27.28	27.28
312290035	Zone 02		1 27.28	27.28
312290036	Zone 02		1 27.28	27.28
312290037	Zone 02		1 27.28	27.28
312290037	Zone 02		1 27.28	27.28
312290039	Zone 02		1 27.28	27.28
312290039	Zone 02		1 27.28	27.28
312291001	Zone 02		1 27.28	27.28
312291001	Zone 02 Zone 02		1 27.28	27.28
312291002	Zone 02 Zone 02		1 27.28	27.28
312291003	Zone 02 Zone 02		1 27.28	27.28
312291004	Zone 02		1 27.28	27.28
312291005	Zone 02		1 27.28	27.28
312291007	Zone 02 Zone 02		1 27.28	27.28
312291007	Zone 02 Zone 02		1 27.28	27.28
312291009	Zone 02 Zone 02		1 27.28	27.28
312291010	Zone 02 Zone 02		1 27.28	27.28
312291010	Zone 02 Zone 02		1 27.28	27.28
312292001	Zone 02 Zone 02		1 27.28	27.28
312292002	Zone 02 Zone 02		1 27.28	27.28
312292003	Zone 02 Zone 02		1 27.28	27.28
312292004	Zone 02 Zone 02		1 27.28	27.28
312292005	Zone 02 Zone 02		1 27.28	27.28
312292000	Zone 02 Zone 02		1 27.28	27.28
312292007	Zone 02 Zone 02		1 27.28	27.28
312292009	Zone 02 Zone 02		1 27.28	27.28
	Zone 02 Zone 02			
312292011 312292012	Zone 02 Zone 02		1 27.28 1 27.28	27.28 27.28
312292012	Zone 02 Zone 02		1 27.28	27.28
312292013	Zone 02 Zone 02		1 27.28	27.28
312292014	Zone 02 Zone 02		1 27.28	27.28
312292016	Zone 02 Zone 02		1 27.28	27.28
				27.28
312292017	Zone 02 Zone 02		1 27.28	
312300001 312300002	Zone 02 Zone 02		1 27.28	27.28
312300002			1 27.28	27.28
	Zone 02		1 27.28	27.28
312300004	Zone 02		1 27.28	27.28
312300005	Zone 02		1 27.28	27.28
312300006	Zone 02		1 27.28	27.28
312300007	Zone 02		1 27.28	27.28
312300008	Zone 02		1 27.28	27.28
312300009	Zone 02		1 27.28	27.28
312300010	Zone 02		1 27.28	27.28
312300011	Zone 02		1 27.28	27.28
312300012	Zone 02		1 27.28	27.28
312300013	Zone 02		1 27.28	27.28

APN	LMD 2014-01 Zone I	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
312300014	Zone 02		1 27.28	27.28
312300015	Zone 02		1 27.28	27.28
312300016	Zone 02		1 27.28	27.28
312300017	Zone 02		1 27.28	27.28
312300018	Zone 02		1 27.28	27.28
312300019	Zone 02		1 27.28	27.28
312300020	Zone 02		1 27.28	27.28
312300021	Zone 02		1 27.28	27.28
312300022	Zone 02		1 27.28	27.28
312300023	Zone 02		1 27.28	27.28
312300024	Zone 02		1 27.28	27.28
312300025	Zone 02		1 27.28	27.28
312300026	Zone 02		1 27.28	27.28
312300027	Zone 02		1 27.28	27.28
312300028	Zone 02		1 27.28	27.28
312300029	Zone 02		1 27.28	27.28
312300030	Zone 02		1 27.28	27.28
312300031	Zone 02		1 27.28	27.28
312300032	Zone 02		1 27.28	27.28
312300033	Zone 02		1 27.28	27.28
312301001	Zone 02		1 27.28	27.28
312301002	Zone 02		1 27.28	27.28
312301003	Zone 02		1 27.28	27.28
312301004	Zone 02		1 27.28	27.28
312301005	Zone 02		1 27.28	27.28
312301006	Zone 02		1 27.28	27.28
312301007	Zone 02		1 27.28	27.28
312301008	Zone 02		1 27.28	27.28
312301009	Zone 02		1 27.28	27.28
312301010	Zone 02		1 27.28	27.28
312301011	Zone 02		1 27.28	27.28
312301012	Zone 02		1 27.28	27.28
312301013	Zone 02		1 27.28	27.28
312301014	Zone 02		1 27.28	27.28
312301015	Zone 02		1 27.28	27.28
312301016	Zone 02		1 27.28	27.28
312301017	Zone 02		1 27.28	27.28
312301018	Zone 02		1 27.28	27.28
312301019	Zone 02		1 27.28	27.28
312301020	Zone 02		1 27.28	27.28
312301021	Zone 02		1 27.28	27.28
312301022	Zone 02		1 27.28	27.28
312301023	Zone 02		1 27.28	27.28
312301024	Zone 02		1 27.28	27.28
312301025	Zone 02		1 27.28	27.28
312301026	Zone 02		1 27.28	27.28
312301027	Zone 02		1 27.28	27.28
312301028	Zone 02		1 27.28	27.28
512001020			21.20	21.20

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
312301029	Zone 02		1 27.28	27.28
312301030	Zone 02		1 27.28	27.28
312301031	Zone 02		1 27.28	27.28
312301032	Zone 02		1 27.28	27.28
312301033	Zone 02		1 27.28	27.28
312301034	Zone 02		1 27.28	27.28
312301035	Zone 02		1 27.28	27.28
312301036	Zone 02		1 27.28	27.28
312301037	Zone 02		1 27.28	27.28
312301038	Zone 02		1 27.28	27.28
312301039	Zone 02		1 27.28	27.28
312310001	Zone 02		1 27.28	27.28
312310002	Zone 02		1 27.28	27.28
312310003	Zone 02		1 27.28	27.28
312310004	Zone 02		1 27.28	27.28
312310005	Zone 02		1 27.28	27.28
312310006	Zone 02		1 27.28	27.28
312310007	Zone 02		1 27.28	27.28
312310008	Zone 02		1 27.28	27.28
312310009	Zone 02		1 27.28	27.28
312311001	Zone 02		1 27.28	27.28
312311002	Zone 02		1 27.28	27.28
312311003	Zone 02		1 27.28	27.28
312311004	Zone 02		1 27.28	27.28
312311005	Zone 02		1 27.28	27.28
312311006	Zone 02		1 27.28	27.28
312311007	Zone 02		1 27.28	27.28
312311008	Zone 02		1 27.28	27.28
312311009	Zone 02		1 27.28	27.28
312311010	Zone 02		1 27.28	27.28
312311011	Zone 02		1 27.28	27.28
312311012	Zone 02		1 27.28	27.28
312311013	Zone 02		1 27.28	27.28
312311014	Zone 02		1 27.28	27.28
312312001	Zone 02		1 27.28	27.28
312312002	Zone 02		1 27.28	27.28
312312003	Zone 02		1 27.28	27.28
312312004	Zone 02		1 27.28	27.28
312312005	Zone 02		1 27.28	27.28
312312006	Zone 02		1 27.28	27.28
312312007	Zone 02		1 27.28	27.28
312312007	Zone 02		1 27.28	27.28
312312009	Zone 02		1 27.28	27.28
312312009	Zone 02		1 27.28	27.28
312312010	Zone 02		1 27.28	27.28
312312011	Zone 02		1 27.28	27.28
312312012	Zone 02		1 27.28	27.28
312313001	Zone 02		1 27.28	27.28
312313002	20116-02		21.20	21.20

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
312313003	Zone 02		1 27.28	27.28
312313004	Zone 02		1 27.28	27.28
312313005	Zone 02		1 27.28	27.28
312313006	Zone 02		1 27.28	27.28
312313007	Zone 02		1 27.28	27.28
312313008	Zone 02		1 27.28	27.28
312313009	Zone 02		1 27.28	27.28
312313010	Zone 02		1 27.28	27.28
312313011	Zone 02		1 27.28	27.28
312313012	Zone 02		1 27.28	27.28
312313013	Zone 02		1 27.28	27.28
312313014	Zone 02		1 27.28	27.28
312313015	Zone 02		1 27.28	27.28
312313016	Zone 02		1 27.28	27.28
312313017	Zone 02		1 27.28	27.28
312313018	Zone 02		1 27.28	27.28
312313019	Zone 02		1 27.28	27.28
312313020	Zone 02		1 27.28	27.28
312313021	Zone 02		1 27.28	27.28
312313022	Zone 02		1 27.28	27.28
312313023	Zone 02		1 27.28	27.28
312313024	Zone 02		1 27.28	27.28
312313025	Zone 02		1 27.28	27.28
312313026	Zone 02		1 27.28	27.28
312313027	Zone 02		1 27.28	27.28
312313028	Zone 02		1 27.28	27.28
312313029	Zone 02		1 27.28	27.28
312313030	Zone 02		1 27.28	27.28
312313031	Zone 02		1 27.28	27.28
312313032	Zone 02		1 27.28	27.28
312313033	Zone 02		1 27.28	27.28
312313034	Zone 02		1 27.28	27.28
312313035	Zone 02		1 27.28	27.28
312313036	Zone 02		1 27.28	27.28
312313037	Zone 02		1 27.28	27.28
312313038	Zone 02		1 27.28	27.28
312313039	Zone 02		1 27.28	27.28
312313040	Zone 02		1 27.28	27.28
312320001	Zone 02		1 27.28	27.28
312320002	Zone 02		1 27.28	27.28
312320002	Zone 02		1 27.28	27.28
312320003	Zone 02		1 27.28	27.28
312320004	Zone 02		1 27.28	27.28
312320005	Zone 02		1 27.28	27.28
312320007	Zone 02		1 27.28	27.28
312320007	Zone 02		1 27.28	27.28
312320008	Zone 02		1 27.28	27.28
312320009	Zone 02		1 27.28	27.28
312320010	20116-02		21.20	21.20

APN	I MD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
312320011	Zone 02	LIND Assigned EDG 3	1 27.28	27.28
312321001	Zone 02		1 27.28	27.28
312321002	Zone 02		1 27.28	27.28
312321003	Zone 02		1 27.28	27.28
312321003	Zone 02		1 27.28	27.28
312321004	Zone 02		1 27.28	27.28
312322001	Zone 02		1 27.28	27.28
312322001	Zone 02		1 27.28	27.28
312322002	Zone 02		1 27.28	27.28
312322003	Zone 02		1 27.28	27.28
312322004	Zone 02		1 27.28	27.28
312322005	Zone 02		1 27.28	27.28
312322007	Zone 02		1 27.28	27.28
312322007	Zone 02		1 27.28	27.28
312322009	Zone 02		1 27.28	27.28
312322009	Zone 02		1 27.28	27.28
312322010	Zone 02		1 27.28	27.28
312322011	Zone 02		1 27.28	27.28
312322012	Zone 02		1 27.28	27.28
312322014	Zone 02		1 27.28	27.28
312322014	Zone 02		1 27.28	27.28
312322016	Zone 02		1 27.28	27.28
312322017	Zone 02		1 27.28	27.28
312322017	Zone 02 Zone 02		1 27.28	27.28
312322019	Zone 02		1 27.28	27.28
312322019	Zone 02 Zone 02		1 27.28	27.28
312322020	Zone 02 Zone 02		1 27.28	27.28
312322021	Zone 02 Zone 02		1 27.28	27.28
	Zone 02 Zone 02			
312322023 312322024	Zone 02 Zone 02		1 27.28 1 27.28	27.28 27.28
312322025			1 27.28	27.28
312322025	Zone 02		1 27.28	27.28
312322027	Zone 02 Zone 02		1 27.28	27.28
312322027	Zone 02 Zone 02		1 27.28	27.28
				27.28
312322029	Zone 02		1 27.28	
312322030	Zone 02 Zone 02		1 27.28	27.28
312322031			1 27.28	27.28
312322032	Zone 02		1 27.28	27.28
312322033	Zone 02		1 27.28	27.28
312322034	Zone 02		1 27.28	27.28
312322035	Zone 02		1 27.28	27.28
312322036	Zone 02		1 27.28	27.28
312322037	Zone 02		1 27.28	27.28
312322038	Zone 02		1 27.28	27.28
312322039	Zone 02		1 27.28	27.28
312322040	Zone 02		1 27.28	27.28
312322041	Zone 02		1 27.28	27.28
312322042	Zone 02		1 27.28	27.28

APN LMD 2014-01 Zone LMD Assigned EBU's FY 17-18 Max Assessment FY 17-18 Assessment 312322043 Zone 02 1 27.28 312322044 Zone 02 1 27.28 312322045 Zone 02 1 27.28 312322046 Zone 02 1 27.28 312323001 Zone 02 1 27.28 312323002 Zone 02 1 27.28 312323003 Zone 02 1 27.28 312323004 Zone 02 1 27.28 312323005 Zone 02 1 27.28 312323007 Zone 02 1 27.28 312323007 Zone 02 1 27.28 312323007 Zone 02 1 27.28	27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28
312322044 Zone 02 1 27.28 312322045 Zone 02 1 27.28 312322046 Zone 02 1 27.28 312322047 Zone 02 1 27.28 312323001 Zone 02 1 27.28 312323002 Zone 02 1 27.28 312323003 Zone 02 1 27.28 312323004 Zone 02 1 27.28 312323005 Zone 02 1 27.28 312323006 Zone 02 1 27.28	27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28
312322045 Zone 02 1 27.28 312322046 Zone 02 1 27.28 312322047 Zone 02 1 27.28 312323001 Zone 02 1 27.28 312323002 Zone 02 1 27.28 312323003 Zone 02 1 27.28 312323004 Zone 02 1 27.28 312323005 Zone 02 1 27.28 312323006 Zone 02 1 27.28	27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28
312322046 Zone 02 1 27.28 312322047 Zone 02 1 27.28 312323001 Zone 02 1 27.28 312323002 Zone 02 1 27.28 312323003 Zone 02 1 27.28 312323004 Zone 02 1 27.28 312323005 Zone 02 1 27.28 312323006 Zone 02 1 27.28	27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28
312322047 Zone 02 1 27.28 312323001 Zone 02 1 27.28 312323002 Zone 02 1 27.28 312323003 Zone 02 1 27.28 312323004 Zone 02 1 27.28 312323005 Zone 02 1 27.28 312323006 Zone 02 1 27.28	27.28 27.28 27.28 27.28 27.28 27.28 27.28 27.28
312323001 Zone 02 1 27.28 312323002 Zone 02 1 27.28 312323003 Zone 02 1 27.28 312323004 Zone 02 1 27.28 312323005 Zone 02 1 27.28 312323006 Zone 02 1 27.28 312323006 Zone 02 1 27.28	27.28 27.28 27.28 27.28 27.28 27.28 27.28
312323002 Zone 02 1 27.28 312323003 Zone 02 1 27.28 312323004 Zone 02 1 27.28 312323005 Zone 02 1 27.28 312323006 Zone 02 1 27.28 312323006 Zone 02 1 27.28	27.28 27.28 27.28 27.28 27.28 27.28
312323003 Zone 02 1 27.28 312323004 Zone 02 1 27.28 312323005 Zone 02 1 27.28 312323006 Zone 02 1 27.28 312323006 Zone 02 1 27.28	27.28 27.28 27.28 27.28 27.28
312323004 Zone 02 1 27.28 312323005 Zone 02 1 27.28 312323006 Zone 02 1 27.28	27.28 27.28 27.28 27.28
312323005 Zone 02 1 27.28 312323006 Zone 02 1 27.28	27.28 27.28 27.28
312323006 Zone 02 1 27.28	27.28 27.28
	27.28
512525007 Z0He 02 I Z1.20	
312324001 Zone 02 1 27.28	21.20
312324001 Zone 02 1 27.26 312324002 Zone 02 1 27.28	27.28
312324002 Zone 02 1 27.26 312324003 Zone 02 1 27.28	27.28
	27.28
	27.28
312330003 Zone 02 1 27.28	27.28
312330004 Zone 02 1 27.28	27.28
312330005 Zone 02 1 27.28	27.28
312330006 Zone 02 1 27.28	27.28
312330007 Zone 02 1 27.28	27.28
312330008 Zone 02 1 27.28	27.28
312330009 Zone 02 1 27.28	27.28
312330010 Zone 02 1 27.28	27.28
312331001 Zone 02 1 27.28	27.28
312331002 Zone 02 1 27.28	27.28
312331003 Zone 02 1 27.28	27.28
312331004 Zone 02 1 27.28	27.28
312331005 Zone 02 1 27.28	27.28
312331006 Zone 02 1 27.28	27.28
312331007 Zone 02 1 27.28	27.28
312331008 Zone 02 1 27.28	27.28
312331009 Zone 02 1 27.28	27.28
312331010 Zone 02 1 27.28	27.28
312332001 Zone 02 1 27.28	27.28
312332002 Zone 02 1 27.28	27.28
312332003 Zone 02 1 27.28	27.28
312332004 Zone 02 1 27.28	27.28
312332005 Zone 02 1 27.28	27.28
312332006 Zone 02 1 27.28	27.28
312332007 Zone 02 1 27.28	27.28
312332008 Zone 02 1 27.28	27.28
312332009 Zone 02 1 27.28	27.28
312332010 Zone 02 1 27.28	27.28
312333001 Zone 02 1 27.28	27.28
312333002 Zone 02 1 27.28	27.28
312333003 Zone 02 1 27.28	27.28

APN L	MD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
	Zone 02	EIIID Assigned EDG 5	1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02	,	1 27.28	27.28
	Zone 02 Zone 02		1 27.28	27.28
	Zone 02 Zone 02		1 27.28	27.28
	Zone 02 Zone 02		1 27.28	27.28
	Zone 02 Zone 02		1 27.28	27.28
	Zone 02 Zone 02		1 27.28	27.28
	Zone 02 Zone 02		1 27.28	27.28
	Zone 02 Zone 02		1 27.28	27.28
	Zone 02 Zone 02	,	1 27.28	27.28
	Zone 02 Zone 02	,	1 27.28	27.28
	Zone 02 Zone 02		1 27.28	27.28
			1 27.28	
	Zone 02	,		27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		27.28	27.28
	Zone 02		27.28	27.28
	Zone 02		27.28	27.28
	Zone 02		27.28	27.28
	Zone 02		27.28	27.28
	Zone 02	•	27.28	27.28
	Zone 02		27.28	27.28
	Zone 02	•	27.28	27.28
	Zone 02	•	1 27.28	27.28
	Zone 02	•	27.28	27.28
	Zone 02	•	1 27.28	27.28
	Zone 02	·	1 27.28	27.28
	Zone 02	•	1 27.28	27.28
	Zone 02	•	1 27.28	27.28
312340002	Zone 02	1	1 27.28	27.28
	Zone 02	•	1 27.28	27.28
312340004	Zone 02	•	1 27.28	27.28
312340005	Zone 02	•	1 27.28	27.28
312340006	Zone 02	•	1 27.28	27.28
312340007	Zone 02	•	1 27.28	27.28
312340008	Zone 02	•	1 27.28	27.28
312340009	Zone 02	•	1 27.28	27.28
312340010	Zone 02	•	1 27.28	27.28
312340011	Zone 02	•	1 27.28	27.28
312340013	Zone 02		1 27.28	27.28
312340014	Zone 02		1 27.28	27.28
312340015	Zone 02		1 27.28	27.28
312340016	Zone 02		27.28	27.28
312340017	Zone 02	•	1 27.28	27.28

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
312340018	Zone 02	LIND Assigned ED0 3	1 27.28	27.28
312340019	Zone 02		1 27.28	27.28
312340020	Zone 02		1 27.28	27.28
312340021	Zone 02		1 27.28	27.28
312340022	Zone 02		1 27.28	27.28
312340023	Zone 02		1 27.28	27.28
312340024	Zone 02		1 27.28	27.28
312340025	Zone 02		1 27.28	27.28
312340026	Zone 02		1 27.28	27.28
312340027	Zone 02		1 27.28	27.28
312340027	Zone 02		1 27.28	27.28
312340029	Zone 02		1 27.28	27.28
312340030	Zone 02		1 27.28	27.28
312340031	Zone 02		1 27.28	27.28
312340032	Zone 02		1 27.28	27.28
312340032	Zone 02		1 27.28	27.28
312340034	Zone 02		1 27.28	27.28
312340035	Zone 02		1 27.28	27.28
312340036	Zone 02		1 27.28	27.28
312340037	Zone 02		1 27.28	27.28
312340037	Zone 02		1 27.28	27.28
312340039	Zone 02		1 27.28	27.28
312340039	Zone 02		1 27.28	27.28
312340040	Zone 02		1 27.28	27.28
312340041	Zone 02		1 27.28	27.28
312340042	Zone 02		1 27.28	27.28
312340043	Zone 02		1 27.28	27.28
312340044	Zone 02		1 27.28	27.28
312340045	Zone 02		1 27.28	27.28
312340047	Zone 02		1 27.28	27.28
312340047	Zone 02		1 27.28	27.28
312340048	Zone 02		1 27.28	27.28
312340049	Zone 02		1 27.28	27.28
312340051	Zone 02 Zone 02		1 27.28	27.28
312340051			1 27.28	27.28
312340052	Zone 02 Zone 02		1 27.28	27.28
312340054	Zone 02		1 27.28	27.28
312340055			1 27.28	
	Zone 02			27.28
312340056	Zone 02		1 27.28 1 27.28	27.28
312340057	Zone 02			27.28
312340058	Zone 02		1 27.28	27.28
312340059	Zone 02		1 27.28	27.28
312340060	Zone 02		1 27.28	27.28
312340061	Zone 02		1 27.28	27.28
312340062	Zone 02		1 27.28	27.28
312340063	Zone 02		1 27.28	27.28
312340064	Zone 02		1 27.28	27.28
312340065	Zone 02		1 27.28	27.28

APN	I MD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
312340066	Zone 02	LIND Assigned ED0 3	1 27.28	27.28
312340067	Zone 02		1 27.28	27.28
312340068	Zone 02		1 27.28	27.28
312340069	Zone 02		1 27.28	27.28
312340070	Zone 02		1 27.28	27.28
312340070	Zone 02		1 27.28	27.28
312340071	Zone 02		1 27.28	27.28
312340072	Zone 02		1 27.28	27.28
312341001	Zone 02		1 27.28	27.28
312341001	Zone 02		1 27.28	27.28
312341003	Zone 02 Zone 02		1 27.28	27.28
312341004	Zone 02		1 27.28	27.28
312341005	Zone 02 Zone 02		1 27.28	27.28
312341005	Zone 02		1 27.28	27.28
312341007	Zone 02		1 27.28	27.28
312341007	Zone 02 Zone 02		1 27.28	27.28
312341009	Zone 02		1 27.28	27.28
312341010	Zone 02 Zone 02		1 27.28	27.28
312341011	Zone 02 Zone 02		1 27.28	27.28
312341011	Zone 02 Zone 02		1 27.28	27.28
312341012	Zone 02 Zone 02		1 27.28	27.28
312342001	Zone 02 Zone 02		1 27.28	27.28
312342002	Zone 02 Zone 02		1 27.28	27.28
312342004	Zone 02 Zone 02		1 27.28	27.28
312342004	Zone 02 Zone 02		1 27.28	27.28
312342005	Zone 02 Zone 02		1 27.28	27.28
312342007	Zone 02 Zone 02		1 27.28	27.28
312342007	Zone 02 Zone 02		1 27.28	27.28
312342009	Zone 02 Zone 02		1 27.28	27.28
312342009	Zone 02 Zone 02		1 27.28	27.28
312342010	Zone 02 Zone 02		1 27.28	27.28
312342012	Zone 02 Zone 02		1 27.28	27.28
312350001	Zone 02 Zone 02		1 27.28	27.28
	Zone 02 Zone 02		1 27.28	27.28
312350002				27.28
312350003	Zone 02 Zone 02		1 27.28	
312350004	Zone 02 Zone 02		1 27.28	27.28
312350005			1 27.28	27.28
312350006	Zone 02		1 27.28	27.28
312350007	Zone 02		1 27.28	27.28
312350008	Zone 02		1 27.28	27.28
312350009	Zone 02		1 27.28	27.28
312350010	Zone 02		1 27.28	27.28
312350011	Zone 02		1 27.28	27.28
312350012	Zone 02		1 27.28	27.28
312350013	Zone 02		1 27.28	27.28
312350014	Zone 02		1 27.28	27.28
312350015	Zone 02		1 27.28	27.28
312350016	Zone 02		1 27.28	27.28

APN	I MD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
312350017	Zone 02	LIND Assigned ED0 3	1 27.28	27.28
312350017	Zone 02		1 27.28	27.28
312350019	Zone 02		1 27.28	27.28
312350020	Zone 02		1 27.28	27.28
312350020	Zone 02		1 27.28	27.28
312350021	Zone 02		1 27.28	27.28
312350022	Zone 02		1 27.28	27.28
312350023	Zone 02		1 27.28	27.28
312350024	Zone 02		1 27.28	27.28
312350025	Zone 02		1 27.28	27.28
312350027	Zone 02		1 27.28	27.28
312350027	Zone 02		1 27.28	27.28
312350029	Zone 02		1 27.28	27.28
312350029	Zone 02		1 27.28	27.28
312350030	Zone 02		1 27.28	27.28
312350031	Zone 02		1 27.28	27.28
312350032	Zone 02		1 27.28	27.28
312350033	Zone 02		1 27.28	27.28
312350034	Zone 02		1 27.28	27.28
312350035	Zone 02		1 27.28	27.28
312350037	Zone 02		1 27.28	27.28
312350037	Zone 02		1 27.28	27.28
312350039	Zone 02		1 27.28	27.28
312350039	Zone 02		1 27.28	27.28
312350040	Zone 02		1 27.28	27.28
312351001	Zone 02		1 27.28	27.28
312351001	Zone 02		1 27.28	27.28
312351002	Zone 02		1 27.28	27.28
312351003	Zone 02		1 27.28	27.28
312351004	Zone 02		1 27.28	27.28
312351005	Zone 02		1 27.28	27.28
312351000	Zone 02		1 27.28	27.28
312351007	Zone 02		1 27.28	27.28
312351009	Zone 02		1 27.28	27.28
312351009	Zone 02		1 27.28	27.28
312351010	Zone 02		1 27.28	27.28
312351011	Zone 02		1 27.28	27.28
312351012	Zone 02		1 27.28	27.28
312351013	Zone 02		1 27.28	27.28
312351014	Zone 02		1 27.28	27.28
312351017	Zone 02		1 27.28	27.28
312351017	Zone 02		1 27.28	27.28
312351019	Zone 02		1 27.28	27.28
312351019	Zone 02		1 27.28	27.28
312351020	Zone 02		1 27.28	27.28
312351021	Zone 02		1 27.28	27.28
312351022	Zone 02		1 27.28	27.28
312351024	Zone 02		1 27.28	27.28

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
312351025	Zone 02	EIIID Assigned EDO 3	1 27.28	27.28
312351026	Zone 02		1 27.28	27.28
312351027	Zone 02		1 27.28	27.28
312351028	Zone 02		1 27.28	27.28
312351033	Zone 02		1 27.28	27.28
312351034	Zone 02		1 27.28	27.28
312351035	Zone 02		1 27.28	27.28
312351036	Zone 02		1 27.28	27.28
312351037	Zone 02		1 27.28	27.28
312351037	Zone 02		1 27.28	27.28
312351039	Zone 02		1 27.28	27.28
312351039	Zone 02		1 27.28	27.28
312351041	Zone 02		1 27.28	27.28
312351042	Zone 02		1 27.28	27.28
312351044	Zone 02		1 27.28	27.28
312351045	Zone 02		1 27.28	27.28
312351046	Zone 02		1 27.28	27.28
312351052	Zone 02		1 27.28	27.28
312351052	Zone 02		1 27.28	27.28
312351054	Zone 02		1 27.28	27.28
316071001	Zone 02		1 27.28	27.28
316071002	Zone 02		1 27.28	27.28
316071003	Zone 02		1 27.28	27.28
316071004	Zone 02		1 27.28	27.28
316071005	Zone 02		1 27.28	27.28
316071006	Zone 02		1 27.28	27.28
316071007	Zone 02		1 27.28	27.28
316071008	Zone 02		1 27.28	27.28
316071009	Zone 02		1 27.28	27.28
316071010	Zone 02		1 27.28	27.28
316071011	Zone 02		1 27.28	27.28
316071012	Zone 02		1 27.28	27.28
316071013	Zone 02		1 27.28	27.28
316071014	Zone 02		1 27.28	27.28
316071015	Zone 02		1 27.28	27.28
316071016	Zone 02		1 27.28	27.28
316071017	Zone 02		1 27.28	27.28
316071018	Zone 02		1 27.28	27.28
316071019	Zone 02		1 27.28	27.28
316071020	Zone 02		1 27.28	27.28
316071021	Zone 02		1 27.28	27.28
316072001	Zone 02		1 27.28	27.28
316072002	Zone 02		1 27.28	27.28
316072003	Zone 02		1 27.28	27.28
316072004	Zone 02		1 27.28	27.28
316072005	Zone 02		1 27.28	27.28
316072006	Zone 02		1 27.28	27.28
316072007	Zone 02		1 27.28	27.28

APN	LMD 2014-01 Zone I	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
316072008	Zone 02		1 27.28	27.28
316072009	Zone 02		1 27.28	27.28
316072010	Zone 02		1 27.28	27.28
316073001	Zone 02		1 27.28	27.28
316073002	Zone 02		1 27.28	27.28
316073003	Zone 02		1 27.28	27.28
316073004	Zone 02		1 27.28	27.28
316073005	Zone 02		1 27.28	27.28
316073006	Zone 02		1 27.28	27.28
316073007	Zone 02		1 27.28	27.28
316073008	Zone 02		1 27.28	27.28
316073009	Zone 02		1 27.28	27.28
316073010	Zone 02		1 27.28	27.28
316073011	Zone 02		1 27.28	27.28
316073012	Zone 02		1 27.28	27.28
316073013	Zone 02		1 27.28	27.28
316073014	Zone 02		1 27.28	27.28
316073015	Zone 02		1 27.28	27.28
316073016	Zone 02		1 27.28	27.28
316073017	Zone 02		1 27.28	27.28
316073018	Zone 02		1 27.28	27.28
316073019	Zone 02		1 27.28	27.28
316073020	Zone 02		1 27.28	27.28
316073021	Zone 02		1 27.28	27.28
316073022	Zone 02		1 27.28	27.28
316073023	Zone 02		1 27.28	27.28
316073024	Zone 02		1 27.28	27.28
316073025	Zone 02		1 27.28	27.28
316110020	Zone 02		1 27.28	27.28
316110021	Zone 02		1 27.28	27.28
316220001	Zone 02		1 27.28	27.28
316220002	Zone 02		1 27.28	27.28
316220003	Zone 02		1 27.28	27.28
316220004	Zone 02		1 27.28	27.28
316220005	Zone 02		1 27.28	27.28
316220006	Zone 02		1 27.28	27.28
316220007	Zone 02		1 27.28	27.28
316220008	Zone 02		1 27.28	27.28
316220009	Zone 02		1 27.28	27.28
316220010	Zone 02		1 27.28	27.28
316220011	Zone 02		1 27.28	27.28
316220012	Zone 02		1 27.28	27.28
316220013	Zone 02		1 27.28	27.28
316221001	Zone 02		1 27.28	27.28
316221001	Zone 02		1 27.28	27.28
316221003	Zone 02		1 27.28	27.28
316221004	Zone 02		1 27.28	27.28
316221004	Zone 02		1 27.28	27.28
010221000	ZUIIG UZ		21.20	21.20

APN	I MD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
316221006	Zone 02	LIND Assigned EDO 3	1 27.28	27.28
316221007	Zone 02		1 27.28	27.28
316221008	Zone 02		1 27.28	27.28
316221009	Zone 02		1 27.28	27.28
316221010	Zone 02		1 27.28	27.28
316221011	Zone 02		1 27.28	27.28
316222001	Zone 02		1 27.28	27.28
316222001	Zone 02		1 27.28	27.28
316222002	Zone 02		1 27.28	27.28
316222004	Zone 02		1 27.28	27.28
316222004	Zone 02		1 27.28	27.28
316222006	Zone 02		1 27.28	27.28
316222007	Zone 02		1 27.28	27.28
316222007	Zone 02		1 27.28	27.28
316222009	Zone 02		1 27.28	27.28
316220014	Zone 02		1 27.28	27.28
316220014	Zone 02		1 27.28	27.28
316220016	Zone 02		1 27.28	27.28
316220017	Zone 02		1 27.28	27.28
316220017	Zone 02		1 27.28	27.28
316220019	Zone 02		1 27.28	27.28
316220019	Zone 02		1 27.28	27.28
316220021	Zone 02		1 27.28	27.28
316221012	Zone 02 Zone 02		1 27.28	27.28
316221013	Zone 02		1 27.28	27.28
316221013	Zone 02 Zone 02		1 27.28	27.28
316221015	Zone 02 Zone 02		1 27.28	27.28
316221016	Zone 02 Zone 02		1 27.28	27.28
316221017	Zone 02 Zone 02		1 27.28	27.28
316221017	Zone 02 Zone 02		1 27.28	27.28
316221019	Zone 02 Zone 02		1 27.28	27.28
316221020	Zone 02 Zone 02		1 27.28	27.28
316221021	Zone 02 Zone 02		1 27.28	27.28
316221021	Zone 02 Zone 02		1 27.28	27.28
316221023				27.28
	Zone 02		1 27.28	
471201008	Zone 02		0	0.00
471201011	Zone 02		4 27.00	0.00
487410037	Zone 02		1 27.28	27.28
478280041	Zone 02		1 27.28	27.28
478280042	Zone 02		1 27.28	27.28
474730002	Zone 02		1 27.28	27.28
475070047	Zone 02		1 27.28	27.28
475070048	Zone 02		1 27.28	27.28
475070049	Zone 02		1 27.28	27.28
475070050	Zone 02		1 27.28	27.28
475070051	Zone 02		1 27.28	27.28
475070052	Zone 02		1 27.28	27.28
475070053	Zone 02		1 27.28	27.28

APN	I MD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
475070054	Zone 02	LIND Assigned ED0 3	1 27.28	27.28
475070055	Zone 02		1 27.28	27.28
474712001	Zone 02)	0.00
474712001	Zone 02		0	0.00
474712002	Zone 02))	0.00
474712003	Zone 02		0	0.00
474712005	Zone 02		0	0.00
474712005	Zone 02		0	0.00
474712007	Zone 02		0	0.00
474713001	Zone 02		0	0.00
474713001	Zone 02		0	0.00
474713002	Zone 02		0	0.00
474720001	Zone 02		,)	0.00
474720001	Zone 02		0	0.00
474720002	Zone 02		0	0.00
474720003	Zone 02 Zone 02		3 N	0.00
475070040	Zone 02 Zone 02		1 27.28	27.28
475070040	Zone 02 Zone 02		1 27.28	27.28
475070041	Zone 02 Zone 02		1 27.28	27.28
475070042	Zone 02		1 27.28	27.28
475070043	Zone 02 Zone 02		1 27.28	27.28
475070044	Zone 02 Zone 02		1 27.28	27.28
475070045	Zone 02 Zone 02		1 27.28	27.28
474722001	Zone 02 Zone 02	,	7 .20	0.00
474722001	Zone 02 Zone 02		<i>3</i> 0	0.00
474722002	Zone 02 Zone 02			0.00
474722003	Zone 02 Zone 02		0	0.00
474722004	Zone 02 Zone 02))	0.00
474722005	Zone 02 Zone 02			0.00
474722007	Zone 02 Zone 02))	0.00
474721001	Zone 02 Zone 02		<i>3</i> O	0.00
474721001	Zone 02 Zone 02		<i>3</i>	0.00
474721002	Zone 02 Zone 02		-	0.00
	Zone 02 Zone 02)	0.00
474721004)	
474721005 474723001	Zone 02		0	0.00
	Zone 02		0	0.00
474723002	Zone 02		0	0.00
474711001	Zone 02		0	0.00
474711002	Zone 02		0	0.00
474711003	Zone 02		0	0.00
474711004	Zone 02		0	0.00
474711005	Zone 02		0	0.00
474711006	Zone 02		0	0.00
474711007	Zone 02		0	0.00
474711008	Zone 02		0	0.00
474711009	Zone 02		0	0.00
474711010	Zone 02		07.00	0.00
474130017	Zone 02		1 27.28	27.28

APN	I MD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
474130019	Zone 02	LIND Assigned ED0 3	1 27.28	27.28
474141010	Zone 02		1 27.28	27.28
474141013	Zone 02		1 27.28	27.28
474141014	Zone 02		1 27.28	27.28
474141015	Zone 02		1 27.28	27.28
474141016	Zone 02		1 27.28	27.28
474141017	Zone 02		1 27.28	27.28
474141018	Zone 02		1 27.28	27.28
474142001	Zone 02		1 27.28	27.28
474142002	Zone 02		1 27.28	27.28
474142002	Zone 02		1 27.28	27.28
474142005	Zone 02		1 27.28	27.28
474142008	Zone 02		1 27.28	27.28
474142009	Zone 02 Zone 02		1 27.28	27.28
474142010	Zone 02		1 27.28	27.28
474142011	Zone 02		1 27.28	27.28
474142012	Zone 02		1 27.28	27.28
474151011	Zone 02		1 27.28	27.28
474151011	Zone 02		1 27.28	27.28
474151016	Zone 02		1 27.28	27.28
474151018	Zone 02 Zone 02		1 27.28	27.28
474151018	Zone 02 Zone 02		1 27.28	27.28
	Zone 02 Zone 02		1 27.28	27.28
474151033 474152001	Zone 02 Zone 02		1 27.28	27.28
474152001	Zone 02 Zone 02		1 27.28	27.28
474152002	Zone 02 Zone 02		1 27.28	27.28
474152005	Zone 02 Zone 02		1 27.28	27.28
474152008	Zone 02 Zone 02		1 27.28	27.28
474162001	Zone 02 Zone 02		1 27.28 1 27.28	27.28
474162002 474162003	Zone 02 Zone 02		1 27.28	27.28 27.28
474162006	Zone 02 Zone 02		1 27.28	27.28
474162006	Zone 02 Zone 02		1 27.28	27.28
	Zone 02 Zone 02		1 27.28	27.28
474162008 474163002				
	Zone 02		1 27.28	27.28
474163003	Zone 02		1 27.28	27.28
474163004	Zone 02		1 27.28	27.28
474163009	Zone 02		1 27.28	27.28
474163010	Zone 02		1 27.28	27.28
475070038	Zone 02		1 27.28	27.28
475070039	Zone 02		1 27.28	27.28
474732004	Zone 02		1 27.28	27.28
474733001	Zone 02		1 27.28	27.28
474733002	Zone 02		1 27.28	27.28
478351027	Zone 02		1 27.28	27.28
478351028	Zone 02		1 27.28	27.28
478351029	Zone 02		1 27.28	27.28
478351030	Zone 02		1 27.28	27.28

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
478351031	Zone 02		1 27.28	27.28
478351032	Zone 02		1 27.28	27.28
478352001	Zone 02		1 27.28	27.28
478352002	Zone 02		1 27.28	27.28
478352003	Zone 02		1 27.28	27.28
478352004	Zone 02		1 27.28	27.28
478352005	Zone 02		1 27.28	27.28
478352006	Zone 02		1 27.28	27.28
478352007	Zone 02		1 27.28	27.28
478352008	Zone 02		1 27.28	27.28
478291011	Zone 02		1 27.28	27.28
478291012	Zone 02		1 27.28	27.28
478291013	Zone 02		1 27.28	27.28
478291014	Zone 02		1 27.28	27.28
478291015	Zone 02		1 27.28	27.28
478291016	Zone 02		1 27.28	27.28
478291017	Zone 02		1 27.28	27.28
478291018	Zone 02		1 27.28	27.28
478291019	Zone 02		1 27.28	27.28
478291020	Zone 02		1 27.28	27.28
478290019	Zone 02		1 27.28	27.28
478290020	Zone 02		1 27.28	27.28
478290021	Zone 02		1 27.28	27.28
478290022	Zone 02		1 27.28	27.28
478290023	Zone 02		1 27.28	27.28
478290024	Zone 02		1 27.28	27.28
478291001	Zone 02		1 27.28	27.28
478291002	Zone 02		1 27.28	27.28
478291003	Zone 02		1 27.28	27.28
478291004	Zone 02		1 27.28	27.28
478370001	Zone 02		1 27.28	27.28
478370002	Zone 02		1 27.28	27.28
478370003	Zone 02		1 27.28	27.28
478370004	Zone 02		1 27.28	27.28
478370005	Zone 02		1 27.28	27.28
478370006	Zone 02		1 27.28	27.28
478370007	Zone 02		1 27.28	27.28
478370008	Zone 02		1 27.28	27.28
478370009	Zone 02		1 27.28	27.28
478370010	Zone 02		1 27.28	27.28
478370011	Zone 02		1 27.28	27.28
478370012	Zone 02		1 27.28	27.28
478370013	Zone 02		1 27.28	27.28
478371001	Zone 02		1 27.28	27.28
478371002	Zone 02		1 27.28	27.28
478371003	Zone 02		1 27.28	27.28
478371004	Zone 02		1 27.28	27.28
478371005	Zone 02		1 27.28	27.28

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
478371006	Zone 02		1 27.28	27.28
478371007	Zone 02		1 27.28	27.28
478371008	Zone 02		1 27.28	27.28
478371009	Zone 02		1 27.28	27.28
478371010	Zone 02		1 27.28	27.28
478371011	Zone 02		1 27.28	27.28
478371012	Zone 02		1 27.28	27.28
478371013	Zone 02		1 27.28	27.28
478371014	Zone 02		1 27.28	27.28
478371015	Zone 02		1 27.28	27.28
478371016	Zone 02		1 27.28	27.28
478371017	Zone 02		1 27.28	27.28
478371018	Zone 02		1 27.28	27.28
478371019	Zone 02		1 27.28	27.28
478371020	Zone 02		1 27.28	27.28
478380001	Zone 02		1 27.28	27.28
478380002	Zone 02		1 27.28	27.28
478380003	Zone 02		1 27.28	27.28
478380004	Zone 02		1 27.28	27.28
478380005	Zone 02		1 27.28	27.28
478380006	Zone 02		1 27.28	27.28
478381001	Zone 02		1 27.28	27.28
478381002	Zone 02		1 27.28	27.28
478381003	Zone 02		1 27.28	27.28
478381004	Zone 02		1 27.28	27.28
478381005	Zone 02		1 27.28	27.28
478381006	Zone 02		1 27.28	27.28
478381007	Zone 02		1 27.28	27.28
478381008	Zone 02		1 27.28	27.28
478381009	Zone 02		1 27.28	27.28
478381010	Zone 02		1 27.28	27.28
478381011	Zone 02		1 27.28	27.28
478381012	Zone 02		1 27.28	27.28
478381013	Zone 02		1 27.28	27.28
478381014	Zone 02		1 27.28	27.28
478381015	Zone 02		1 27.28	27.28
478381016	Zone 02		1 27.28	27.28
478381017	Zone 02		1 27.28	27.28
478381018	Zone 02		1 27.28	27.28
478381019	Zone 02		1 27.28	27.28
478381020	Zone 02		1 27.28	27.28
478381021	Zone 02		1 27.28	27.28
478381022	Zone 02		1 27.28	27.28
478381023	Zone 02		1 27.28	27.28
478381024	Zone 02		1 27.28	27.28
478381025	Zone 02		1 27.28	27.28
478381026	Zone 02		1 27.28	27.28
478382001	Zone 02		1 27.28	27.28
0002001			21.20	21.20

APN	I MD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
478382002	Zone 02	LIND Assigned EDO 3	1 27.28	27.28
478382003	Zone 02		1 27.28	27.28
478382004	Zone 02		1 27.28	27.28
478390001	Zone 02		1 27.28	27.28
478390002	Zone 02		1 27.28	27.28
478390002	Zone 02		1 27.28	27.28
478390003	Zone 02		1 27.28	27.28
478390005	Zone 02		1 27.28	27.28
478390006	Zone 02		1 27.28	27.28
478391001	Zone 02		1 27.28	27.28
478391001	Zone 02		1 27.28	27.28
478391002	Zone 02		1 27.28	27.28
478391003	Zone 02		1 27.28	27.28
478391004	Zone 02		1 27.28	27.28
478391006	Zone 02		1 27.28	27.28
478391007	Zone 02		1 27.28	27.28
478391007	Zone 02		1 27.28	27.28
478391009	Zone 02		1 27.28	27.28
478391010	Zone 02		1 27.28	27.28
478391011	Zone 02 Zone 02		1 27.28	27.28
478391012	Zone 02 Zone 02		1 27.28	27.28
478392001	Zone 02 Zone 02		1 27.28	27.28
478392001	Zone 02 Zone 02		1 27.28	27.28
478392002	Zone 02 Zone 02		1 27.28	27.28
478392003	Zone 02 Zone 02		1 27.28	27.28
478392004	Zone 02 Zone 02		1 27.28	27.28
478392005	Zone 02 Zone 02		1 27.28	27.28
478392007	Zone 02 Zone 02		1 27.28	27.28
478392007	Zone 02 Zone 02		1 27.28	27.28
478393001	Zone 02 Zone 02		1 27.28	27.28
478393001	Zone 02 Zone 02		1 27.28	27.28
478393002	Zone 02 Zone 02		1 27.28	27.28
478393003	Zone 02 Zone 02		1 27.28	27.28
	Zone 02 Zone 02		1 27.28	27.28
478351014 478351015				27.28
478351016	Zone 02		1 27.28	
	Zone 02		1 27.28	27.28
478351017	Zone 02 Zone 02		1 27.28	27.28
478351018			1 27.28	27.28
478351019	Zone 02		1 27.28 1 27.28	27.28
478351020	Zone 02			27.28
478351021	Zone 02		1 27.28	27.28
478351022	Zone 02		1 27.28	27.28
478351023	Zone 02		1 27.28	27.28
478351024	Zone 02		1 27.28	27.28
478351025	Zone 02		1 27.28	27.28
478360001	Zone 02		1 27.28	27.28
478360002	Zone 02		1 27.28	27.28
478360003	Zone 02		1 27.28	27.28

APN	LMD 2014-01 Zone I	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
478360004	Zone 02		1 27.28	27.28
478360005	Zone 02		1 27.28	27.28
478360006	Zone 02		1 27.28	27.28
478360007	Zone 02		1 27.28	27.28
478360008	Zone 02		1 27.28	27.28
478360009	Zone 02		1 27.28	27.28
478360010	Zone 02		1 27.28	27.28
478360011	Zone 02		1 27.28	27.28
478360012	Zone 02		1 27.28	27.28
478360013	Zone 02		1 27.28	27.28
478360014	Zone 02		1 27.28	27.28
478360015	Zone 02		1 27.28	27.28
478360016	Zone 02		1 27.28	27.28
478360017	Zone 02		1 27.28	27.28
478360018	Zone 02		1 27.28	27.28
478360019	Zone 02		1 27.28	27.28
478360020	Zone 02		1 27.28	27.28
478360021	Zone 02		1 27.28	27.28
478360022	Zone 02		1 27.28	27.28
478360023	Zone 02		1 27.28	27.28
478360024	Zone 02		1 27.28	27.28
478360025	Zone 02		1 27.28	27.28
478360026	Zone 02		1 27.28	27.28
478360027	Zone 02		1 27.28	27.28
478360028	Zone 02		1 27.28	27.28
478360029	Zone 02		1 27.28	27.28
478360030	Zone 02		1 27.28	27.28
478360031	Zone 02		1 27.28	27.28
478360032	Zone 02		1 27.28	27.28
478360033	Zone 02		1 27.28	27.28
478360034	Zone 02		1 27.28	27.28
478361002	Zone 02		1 27.28	27.28
478361003	Zone 02		1 27.28	27.28
478361004	Zone 02		1 27.28	27.28
478340001	Zone 02		1 27.28	27.28
478340002	Zone 02		1 27.28	27.28
478340003	Zone 02		1 27.28	27.28
478340004	Zone 02		1 27.28	27.28
478340005	Zone 02		1 27.28	27.28
478340006	Zone 02		1 27.28	27.28
478340007	Zone 02		1 27.28	27.28
478340008	Zone 02		1 27.28	27.28
478340009	Zone 02		1 27.28	27.28
478340010	Zone 02		1 27.28	27.28
478340011	Zone 02		1 27.28	27.28
478341001	Zone 02		1 27.28	27.28
478341002	Zone 02		1 27.28	27.28
478341003	Zone 02		1 27.28	27.28
			3.120	=: .=0

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
478341004	Zone 02		1 27.28	27.28
478341005	Zone 02		1 27.28	27.28
478341006	Zone 02		1 27.28	27.28
478341007	Zone 02		1 27.28	27.28
478341008	Zone 02		1 27.28	27.28
478342001	Zone 02		1 27.28	27.28
478342002	Zone 02		1 27.28	27.28
478342003	Zone 02		1 27.28	27.28
478342004	Zone 02		1 27.28	27.28
478342005	Zone 02		1 27.28	27.28
478342006	Zone 02		1 27.28	27.28
478342007	Zone 02		1 27.28	27.28
478342008	Zone 02		1 27.28	27.28
478342009	Zone 02		1 27.28	27.28
478342010	Zone 02		1 27.28	27.28
478342011	Zone 02		1 27.28	27.28
478342012	Zone 02		1 27.28	27.28
478342013	Zone 02		1 27.28	27.28
478342014	Zone 02		1 27.28	27.28
478342015	Zone 02		1 27.28	27.28
478342016	Zone 02		1 27.28	27.28
478342017	Zone 02		1 27.28	27.28
478342018	Zone 02		1 27.28	27.28
478342019	Zone 02		1 27.28	27.28
478342020	Zone 02		1 27.28	27.28
478342021	Zone 02		1 27.28	27.28
478342022	Zone 02		1 27.28	27.28
478350001	Zone 02		1 27.28	27.28
478350002	Zone 02		1 27.28	27.28
478350003	Zone 02		1 27.28	27.28
478350004	Zone 02		1 27.28	27.28
478393005	Zone 02		1 27.28	27.28
478393006	Zone 02		1 27.28	27.28
478393007	Zone 02		1 27.28	27.28
478393008	Zone 02		1 27.28	27.28
478393009	Zone 02		1 27.28	27.28
478393010	Zone 02		1 27.28	27.28
478393011	Zone 02		1 27.28	27.28
478393012	Zone 02		1 27.28	27.28
478280023	Zone 02		1 27.28	27.28
478280024	Zone 02		1 27.28	27.28
478280025	Zone 02		1 27.28	27.28
478280026	Zone 02		1 27.28	27.28
478280027	Zone 02		1 27.28	27.28
478280028	Zone 02		1 27.28	27.28
478280029	Zone 02		1 27.28	27.28
478280030	Zone 02		1 27.28	27.28
478280031	Zone 02		1 27.28	27.28

APN	I MD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
478280032	Zone 02	LIND Assigned ED0 3	1 27.28	27.28
478280033	Zone 02		1 27.28	27.28
478280034	Zone 02		1 27.28	27.28
478280035	Zone 02		1 27.28	27.28
478280036	Zone 02		1 27.28	27.28
478320001	Zone 02		1 27.28	27.28
478320001	Zone 02		1 27.28	27.28
478320002	Zone 02		1 27.28	27.28
478320003	Zone 02		1 27.28	27.28
478320005	Zone 02		1 27.28	27.28
478320005	Zone 02		1 27.28	27.28
478320007	Zone 02		1 27.28	27.28
478320007	Zone 02		1 27.28	27.28
478320009	Zone 02		1 27.28	27.28
478320009	Zone 02		1 27.28	27.28
478320010	Zone 02		1 27.28	27.28
478320011	Zone 02		1 27.28	27.28
478320012	Zone 02		1 27.28	27.28
478320013	Zone 02		1 27.28	27.28
478320014	Zone 02		1 27.28	27.28
478320015	Zone 02 Zone 02		1 27.28	27.28
478320017	Zone 02 Zone 02		1 27.28	27.28
478320017	Zone 02 Zone 02		1 27.28	27.28
478320019	Zone 02 Zone 02		1 27.28	27.28
478320019	Zone 02 Zone 02		1 27.28	27.28
478320020	Zone 02 Zone 02		1 27.28	27.28
478320021	Zone 02 Zone 02		1 27.28	27.28
478320022	Zone 02 Zone 02		1 27.28	27.28
	Zone 02 Zone 02			
478320024	Zone 02 Zone 02		1 27.28 1 27.28	27.28 27.28
478320025 478321001	Zone 02 Zone 02		1 27.28	27.28
478321001	Zone 02 Zone 02		1 27.28	27.28
478321002	Zone 02 Zone 02		1 27.28	27.28
	Zone 02 Zone 02		1 27.28	27.28
478321004				
478321005	Zone 02		1 27.28	27.28
478321006	Zone 02		1 27.28	27.28
478321007	Zone 02 Zone 02		1 27.28	27.28
478322001			1 27.28	27.28
478322002	Zone 02		1 27.28 1 27.28	27.28
478322003	Zone 02			27.28
478322004	Zone 02		1 27.28	27.28
478322005	Zone 02		1 27.28	27.28
478322006	Zone 02		1 27.28	27.28
478322007	Zone 02		1 27.28	27.28
478322008	Zone 02		1 27.28	27.28
478322009	Zone 02		1 27.28	27.28
478322010	Zone 02		1 27.28	27.28
478322011	Zone 02		1 27.28	27.28

APN L	MD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
	Zone 02	LIND Assigned LDC 3	1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02	,	1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02 Zone 02		1 27.28	27.28
	Zone 02 Zone 02		1 27.28	27.28
	Zone 02 Zone 02	,	1 27.28	27.28
	Zone 02 Zone 02	,	1 27.28	27.28
	Zone 02 Zone 02		1 27.28	27.28
			1 27.28	
	Zone 02	,		27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		27.28	27.28
	Zone 02		27.28	27.28
	Zone 02		27.28	27.28
	Zone 02		27.28	27.28
	Zone 02	•	1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02	•	1 27.28	27.28
	Zone 02	•	1 27.28	27.28
	Zone 02	•	1 27.28	27.28
	Zone 02	•	1 27.28	27.28
	Zone 02	·	1 27.28	27.28
	Zone 02	•	1 27.28	27.28
	Zone 02	•	1 27.28	27.28
478330005 Z	Zone 02	1	1 27.28	27.28
	Zone 02	•	1 27.28	27.28
	Zone 02	•	1 27.28	27.28
478330008 Z	Zone 02	•	1 27.28	27.28
478330009 Z	Zone 02	•	1 27.28	27.28
478330010 Z	Zone 02	•	1 27.28	27.28
478330011 Z	Zone 02	•	1 27.28	27.28
478330012 Z	Zone 02	•	1 27.28	27.28
478330013 Z	Zone 02	•	1 27.28	27.28
478330014 Z	Zone 02	•	1 27.28	27.28
478330015 Z	Zone 02		1 27.28	27.28
478330016 Z	Zone 02		1 27.28	27.28
478330017 Z	Zone 02		1 27.28	27.28
478330018 Z	Zone 02		1 27.28	27.28
478330019 Z	Zone 02	•	1 27.28	27.28

APN	I MD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
478330020	Zone 02	LIND Assigned ED0 3	1 27.28	27.28
478330020	Zone 02		1 27.28	27.28
478330021	Zone 02		1 27.28	27.28
478330023	Zone 02		1 27.28	27.28
478330024	Zone 02		1 27.28	27.28
478331001	Zone 02		1 27.28	27.28
478331001	Zone 02		1 27.28	27.28
478331002	Zone 02		1 27.28	27.28
478331004	Zone 02		1 27.28	27.28
478331005	Zone 02		1 27.28	27.28
478331005	Zone 02 Zone 02		1 27.28	27.28
478331007	Zone 02 Zone 02		1 27.28	27.28
478331007	Zone 02 Zone 02		1 27.28	27.28
478331009	Zone 02		1 27.28	27.28
478331010	Zone 02 Zone 02		1 27.28	27.28
478331011	Zone 02 Zone 02		1 27.28	27.28
478331011	Zone 02 Zone 02		1 27.28	27.28
478331012	Zone 02 Zone 02		1 27.28	27.28
478331013	Zone 02 Zone 02		1 27.28	27.28
478331015	Zone 02 Zone 02		1 27.28	27.28
478331015	Zone 02 Zone 02			
			1 27.28	27.28
478331017	Zone 02		1 27.28	27.28
478330001	Zone 02		1 27.28	27.28
479690001	Zone 02		1 27.28	27.28
479391023	Zone 02		1 27.28	27.28
479391024	Zone 02		1 27.28	27.28
479391025	Zone 02		1 27.28	27.28
479391026	Zone 02		1 27.28	27.28
479391027	Zone 02		1 27.28	27.28
479391028	Zone 02		1 27.28	27.28
479391029	Zone 02		1 27.28	27.28
479391030	Zone 02		1 27.28	27.28
479391031	Zone 02		1 27.28	27.28
479391033	Zone 02		1 27.28	27.28
479391043	Zone 02		1 27.28	27.28
479391044	Zone 02		1 27.28	27.28
479391047	Zone 02		1 27.28	27.28
479391066	Zone 02		1 27.28	27.28
487310007	Zone 02		1 27.28	27.28
487310008	Zone 02		1 27.28	27.28
487310009	Zone 02		1 27.28	27.28
487310010	Zone 02		1 27.28	27.28
487310011	Zone 02		1 27.28	27.28
487310012	Zone 02		1 27.28	27.28
487310013	Zone 02		1 27.28	27.28
487310014	Zone 02		1 27.28	27.28
487310015	Zone 02		1 27.28	27.28
487310016	Zone 02		1 27.28	27.28

APN LMD 2014-01 Zone LMD	Assigned EBU's FY 17-18 Max Assessment	FY 17-18 Assessment
487310017 Zone 02	1 27.28	27.28
487310018 Zone 02	1 27.28	27.28
487310019 Zone 02	1 27.28	27.28
487310020 Zone 02	1 27.28	27.28
487310021 Zone 02	1 27.28	27.28
488110005 Zone 02	1 27.28	27.28
488110006 Zone 02	1 27.28	27.28
488110007 Zone 02	1 27.28	27.28
488110008 Zone 02	1 27.28	27.28
479391055 Zone 02	1 27.28	27.28
479391068 Zone 02	1 27.28	27.28
479391060 Zone 02 479391061 Zone 02	1 27.28	27.28
479391063 Zone 02	1 27.28	27.28
479391065 Zone 02 479391067 Zone 02	1 27.28	27.28
488110009 Zone 02	1 27.28	27.28
	1 27.28	
488110010 Zone 02		27.28
488110011 Zone 02	1 27.28	27.28
488110012 Zone 02	1 27.28	27.28
488110013 Zone 02	1 27.28	27.28
488110014 Zone 02	1 27.28	27.28
488110015 Zone 02	1 27.28	27.28
488110016 Zone 02	1 27.28	27.28
488110017 Zone 02	1 27.28	27.28
488110018 Zone 02	1 27.28	27.28
488110019 Zone 02	1 27.28	27.28
488380005 Zone 02	1 27.28	27.28
488380001 Zone 02	1 27.28	27.28
488380002 Zone 02	1 27.28	27.28
488380003 Zone 02	1 27.28	27.28
488380004 Zone 02	1 27.28	27.28
488380006 Zone 02	1 27.28	27.28
488380007 Zone 02	1 27.28	27.28
488380008 Zone 02	1 27.28	27.28
488380009 Zone 02	1 27.28	27.28
488380010 Zone 02	1 27.28	27.28
488380011 Zone 02	1 27.28	27.28
488380013 Zone 02	1 27.28	27.28
488380014 Zone 02	1 27.28	27.28
488380015 Zone 02	1 27.28	27.28
488380016 Zone 02	1 27.28	27.28
488380017 Zone 02	1 27.28	27.28
488380018 Zone 02	1 27.28	27.28
488380019 Zone 02	1 27.28	27.28
488380020 Zone 02	1 27.28	27.28
488380021 Zone 02	1 27.28	27.28
488380022 Zone 02	1 27.28	27.28
488380023 Zone 02	1 27.28	27.28
488380024 Zone 02	1 27.28	27.28

APN	I MD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
488380025	Zone 02		1 27.28	27.28
488380026	Zone 02		1 27.28	27.28
488380027	Zone 02		1 27.28	27.28
488380028	Zone 02		1 27.28	27.28
488380029	Zone 02		1 27.28	27.28
488380030	Zone 02		1 27.28	27.28
488380031	Zone 02		1 27.28	27.28
488380032	Zone 02		1 27.28	27.28
488380033	Zone 02		1 27.28	27.28
488380034	Zone 02		1 27.28	27.28
488380035	Zone 02		1 27.28	27.28
488380036	Zone 02		1 27.28	27.28
488380038	Zone 02		1 27.28	27.28
488380039	Zone 02		1 27.28	27.28
488380040	Zone 02		1 27.28	27.28
488110059	Zone 02 Zone 02		1 27.28	27.28
488110060	Zone 02 Zone 02		1 27.28	27.28
488110061	Zone 02 Zone 02		1 27.28	27.28
	Zone 02 Zone 02		1 27.28	27.28
488110062				
488110063	Zone 02		1 27.28	27.28
488110064	Zone 02		1 27.28	27.28
488110065	Zone 02		1 27.28	27.28
488110066	Zone 02		1 27.28	27.28
488110067	Zone 02		1 27.28	27.28
488110068	Zone 02		1 27.28	27.28
488110069	Zone 02		1 27.28	27.28
488110070	Zone 02		1 27.28	27.28
488110071	Zone 02		1 27.28	27.28
488110072	Zone 02		1 27.28	27.28
488110073	Zone 02		1 27.28	27.28
487310001	Zone 02		1 27.28	27.28
487310002	Zone 02		1 27.28	27.28
487310003	Zone 02		1 27.28	27.28
487310004	Zone 02		1 27.28	27.28
487310005	Zone 02		1 27.28	27.28
487310006	Zone 02		1 27.28	27.28
488110074	Zone 02		1 27.28	27.28
488110075	Zone 02		1 27.28	27.28
488110076	Zone 02		1 27.28	27.28
488110077	Zone 02		1 27.28	27.28
488110078	Zone 02		1 27.28	27.28
488110079	Zone 02		1 27.28	27.28
488110080	Zone 02		1 27.28	27.28
488110081	Zone 02		1 27.28	27.28
488380037	Zone 02		1 27.28	27.28
488380041	Zone 02		1 27.28	27.28
488110089	Zone 02		1 27.28	27.28
488110090	Zone 02		1 27.28	27.28

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
488110091	Zone 02		1 27.28	27.28
488110092	Zone 02		1 27.28	27.28
488110093	Zone 02		1 27.28	27.28
488110094	Zone 02		1 27.28	27.28
488121015	Zone 02		1 27.28	27.28
488121016	Zone 02		1 27.28	27.28
488121017	Zone 02		1 27.28	27.28
488121018	Zone 02		1 27.28	27.28
488121019	Zone 02		1 27.28	27.28
488121020	Zone 02		1 27.28	27.28
488121021	Zone 02		1 27.28	27.28
488121022	Zone 02		1 27.28	27.28
488121023	Zone 02		1 27.28	27.28
488122001	Zone 02		1 27.28	27.28
488122002	Zone 02		1 27.28	27.28
488122003	Zone 02		1 27.28	27.28
488122004	Zone 02		1 27.28	27.28
488122005	Zone 02		1 27.28	27.28
488122006	Zone 02		1 27.28	27.28
488122007	Zone 02		1 27.28	27.28
488122008	Zone 02		1 27.28	27.28
488122009	Zone 02		1 27.28	27.28
488122010	Zone 02		1 27.28	27.28
488122011	Zone 02		1 27.28	27.28
488122012	Zone 02		1 27.28	27.28
488122013	Zone 02		1 27.28	27.28
488122014	Zone 02		1 27.28	27.28
487210006	Zone 02		1 27.28	27.28
487210014	Zone 02		1 27.28	27.28
488122015	Zone 02		1 27.28	27.28
488122016	Zone 02		1 27.28	27.28
488122017	Zone 02		1 27.28	27.28
488122018	Zone 02		1 27.28	27.28
488122019	Zone 02		1 27.28	27.28
488122020	Zone 02		1 27.28	27.28
488122021	Zone 02		1 27.28	27.28
488122022	Zone 02		1 27.28	27.28
488122023	Zone 02		1 27.28	27.28
488122024	Zone 02		1 27.28	27.28
488122025	Zone 02		1 27.28	27.28
488122026	Zone 02		1 27.28	27.28
488122027	Zone 02		1 27.28	27.28
488122028	Zone 02		1 27.28	27.28
488122029	Zone 02		1 27.28	27.28
488122030	Zone 02		1 27.28	27.28
488122031	Zone 02		1 27.28	27.28
488122032	Zone 02		1 27.28	27.28
488122033	Zone 02		1 27.28	27.28

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
488122034	Zone 02		1 27.28	27.28
488122035	Zone 02		1 27.28	27.28
488122036	Zone 02		1 27.28	27.28
488130001	Zone 02		1 27.28	27.28
488130002	Zone 02		1 27.28	27.28
488130003	Zone 02		1 27.28	27.28
488130004	Zone 02		1 27.28	27.28
488131001	Zone 02		1 27.28	27.28
488131002	Zone 02		1 27.28	27.28
488131003	Zone 02		1 27.28	27.28
488131004	Zone 02		1 27.28	27.28
488131005	Zone 02		1 27.28	27.28
488131006	Zone 02		1 27.28	27.28
488131007	Zone 02		1 27.28	27.28
488131008	Zone 02		1 27.28	27.28
488131009	Zone 02		1 27.28	27.28
488131010	Zone 02		1 27.28	27.28
488131011	Zone 02		1 27.28	27.28
488131012	Zone 02		1 27.28	27.28
488131013	Zone 02		1 27.28	27.28
488131014	Zone 02		1 27.28	27.28
488131015	Zone 02		1 27.28	27.28
488131016	Zone 02		1 27.28	27.28
488131017	Zone 02		1 27.28	27.28
488131018	Zone 02		1 27.28	27.28
488131019	Zone 02		1 27.28	27.28
488131020	Zone 02		1 27.28	27.28
488131021	Zone 02		1 27.28	27.28
488132001	Zone 02		1 27.28	27.28
488132002	Zone 02		1 27.28	27.28
488132003	Zone 02		1 27.28	27.28
488132004	Zone 02		1 27.28	27.28
488132005	Zone 02		1 27.28	27.28
488132006	Zone 02		1 27.28	27.28
488132007	Zone 02		1 27.28	27.28
488132008	Zone 02		1 27.28	27.28
488132009	Zone 02		1 27.28	27.28
488132010	Zone 02		1 27.28	27.28
488132011	Zone 02		1 27.28	27.28
488132012	Zone 02		1 27.28	27.28
488132013	Zone 02		1 27.28	27.28
488132014	Zone 02		1 27.28	27.28
488132015	Zone 02 Zone 02		1 27.28	27.28
488132016	Zone 02 Zone 02		1 27.28	27.28
488132017	Zone 02 Zone 02		1 27.28	27.28
488132018	Zone 02 Zone 02		1 27.28	27.28
	Zone 02 Zone 02			
488132019			1 27.28	27.28
488132020	Zone 02		1 27.28	27.28

APN	LMD 2014-01 Zone L	MD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
488132021	Zone 02		1 27.28	27.28
488132022	Zone 02		1 27.28	27.28
488132023	Zone 02		1 27.28	27.28
488132024	Zone 02		1 27.28	27.28
488132025	Zone 02		1 27.28	27.28
488132026	Zone 02		1 27.28	27.28
488132027	Zone 02		1 27.28	27.28
488132028	Zone 02		1 27.28	27.28
488132029	Zone 02		1 27.28	27.28
488132030	Zone 02		1 27.28	27.28
488132031	Zone 02		1 27.28	27.28
488132032	Zone 02		1 27.28	27.28
488132033	Zone 02		1 27.28	27.28
488132034	Zone 02		1 27.28	27.28
488132035	Zone 02		1 27.28	27.28
488132036	Zone 02		1 27.28	27.28
488132037	Zone 02		1 27.28	27.28
488132038	Zone 02		1 27.28	27.28
488132039	Zone 02		1 27.28	27.28
488132040	Zone 02		1 27.28	27.28
488132041	Zone 02		1 27.28	27.28
488133001	Zone 02		1 27.28	27.28
488133002	Zone 02		1 27.28	27.28
488133003	Zone 02		1 27.28	27.28
488133004	Zone 02		1 27.28	27.28
488133005	Zone 02		1 27.28	27.28
488133006	Zone 02		1 27.28	27.28
488133007	Zone 02		1 27.28	27.28
488133008	Zone 02		1 27.28	27.28
488133009	Zone 02		1 27.28	27.28
488133010	Zone 02		1 27.28	27.28
488133011	Zone 02		1 27.28	27.28
488133012	Zone 02		1 27.28	27.28
488133013	Zone 02		1 27.28	27.28
488133014	Zone 02		1 27.28	27.28
488133015	Zone 02		1 27.28	27.28
488133016	Zone 02		1 27.28	27.28
488133017	Zone 02		1 27.28	27.28
488133018	Zone 02		1 27.28	27.28
488133019	Zone 02		1 27.28	27.28
488133020	Zone 02		1 27.28	27.28
488133021	Zone 02		1 27.28	27.28
488133022	Zone 02		1 27.28	27.28
488133023	Zone 02		1 27.28	27.28
488133024	Zone 02		1 27.28	27.28
488133025	Zone 02		1 27.28	27.28
488133026	Zone 02		1 27.28	27.28
488133027	Zone 02		1 27.28	27.28
130100021	20110 02		21.20	21.20

	MD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		27.28	27.28
	Zone 02		27.28	27.28
	Zone 02		27.28	27.28
	Zone 02		27.28	27.28
	Zone 02		27.28	27.28
	Zone 02		27.28	27.28
	Zone 02	1	27.28	27.28
	Zone 02	1	27.28	27.28
	Zone 02	1	1 27.28	27.28
	Zone 02	1	27.28	27.28
	Zone 02	1	1 27.28	27.28
	Zone 02	1	1 27.28	27.28
	Zone 02	1	1 27.28	27.28
	Zone 02	1	1 27.28	27.28
487222009 Z	Zone 02	1	1 27.28	27.28
	Zone 02	1	1 27.28	27.28
	Zone 02	1	1 27.28	27.28
487223001 Z	Zone 02	1	1 27.28	27.28
487223002 Z	Zone 02	1	1 27.28	27.28
487223003 Z	Zone 02	1	1 27.28	27.28
487223004 Z	Zone 02	1	1 27.28	27.28
487220002 Z	Zone 02	1	1 27.28	27.28
487220003 Z	Zone 02	1	1 27.28	27.28
487220004 Z	Zone 02	1	1 27.28	27.28
487220005 Z	Zone 02	1	1 27.28	27.28
487220006 Z	Zone 02	1	1 27.28	27.28
487223005 Z	Zone 02	1	1 27.28	27.28
487230035 Z	Zone 02	1	27.28	27.28
487230036 Z	Zone 02	1	27.28	27.28

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
487230037	Zone 02		1 27.28	27.28
487230038	Zone 02		1 27.28	27.28
487241004	Zone 02		1 27.28	27.28
487241005	Zone 02		1 27.28	27.28
487241007	Zone 02		1 27.28	27.28
487241009	Zone 02		1 27.28	27.28
487241010	Zone 02		1 27.28	27.28
487241011	Zone 02		1 27.28	27.28
487241012	Zone 02		1 27.28	27.28
487241013	Zone 02		1 27.28	27.28
487241014	Zone 02		1 27.28	27.28
487241015	Zone 02		1 27.28	27.28
487241016	Zone 02		1 27.28	27.28
487241017	Zone 02		1 27.28	27.28
487230001	Zone 02		1 27.28	27.28
487230002	Zone 02		1 27.28	27.28
487230003	Zone 02		1 27.28	27.28
487230004	Zone 02		1 27.28	27.28
487230005	Zone 02		1 27.28	27.28
487230006	Zone 02		1 27.28	27.28
487230007	Zone 02		1 27.28	27.28
487230008	Zone 02		1 27.28	27.28
487230009	Zone 02		1 27.28	27.28
487230010	Zone 02		1 27.28	27.28
487230011	Zone 02		1 27.28	27.28
487230011	Zone 02		1 27.28	27.28
487230012	Zone 02		1 27.28	27.28
487230014	Zone 02		1 27.28	27.28
487242001	Zone 02		1 27.28	27.28
487242006	Zone 02		1 27.28	27.28
487240001	Zone 02		1 27.28	27.28
487240002	Zone 02		1 27.28	27.28
487240003	Zone 02		1 27.28	27.28
487240004	Zone 02		1 27.28	27.28
487241001	Zone 02		1 27.28	27.28
487241002	Zone 02		1 27.28	27.28
487241003	Zone 02		1 27.28	27.28
487241006	Zone 02		1 27.28	27.28
487241008	Zone 02		1 27.28	27.28
487243001	Zone 02		1 27.28	27.28
487243002	Zone 02		1 27.28	27.28
487243003	Zone 02		1 27.28	27.28
487243004	Zone 02		1 27.28	27.28
487243005	Zone 02		1 27.28	27.28
487243006	Zone 02		1 27.28	27.28
487243007	Zone 02		1 27.28	27.28
487243007	Zone 02		1 27.28	27.28
487243009	Zone 02		1 27.28	27.28
701243003	ZUIIC UZ		21.20	21.20

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
487243010	Zone 02		1 27.28	27.28
487231007	Zone 02		1 27.28	27.28
487231008	Zone 02		1 27.28	27.28
487231009	Zone 02		1 27.28	27.28
487231010	Zone 02		1 27.28	27.28
487231011	Zone 02		1 27.28	27.28
487231012	Zone 02		1 27.28	27.28
487231013	Zone 02		1 27.28	27.28
487231014	Zone 02		1 27.28	27.28
487231015	Zone 02		1 27.28	27.28
487231016	Zone 02		1 27.28	27.28
487231017	Zone 02		1 27.28	27.28
487232001	Zone 02		1 27.28	27.28
487232002	Zone 02		1 27.28	27.28
487232003	Zone 02		1 27.28	27.28
487232004	Zone 02		1 27.28	27.28
487232005	Zone 02		1 27.28	27.28
487232006	Zone 02		1 27.28	27.28
487232007	Zone 02		1 27.28	27.28
487232008	Zone 02		1 27.28	27.28
487232009	Zone 02		1 27.28	27.28
487220001	Zone 02		1 27.28	27.28
487330008	Zone 02		1 27.28	27.28
487330009	Zone 02		1 27.28	27.28
487330010	Zone 02		1 27.28	27.28
487330011	Zone 02		1 27.28	27.28
487331001	Zone 02		1 27.28	27.28
487331002	Zone 02		1 27.28	27.28
487331003	Zone 02		1 27.28	27.28
487331004	Zone 02		1 27.28	27.28
487331005	Zone 02		1 27.28	27.28
487331006	Zone 02		1 27.28	27.28
487331007	Zone 02		1 27.28	27.28
487331008	Zone 02		1 27.28	27.28
487332001	Zone 02		1 27.28	27.28
487332002	Zone 02		1 27.28	27.28
487332003	Zone 02		1 27.28	27.28
487332004	Zone 02		1 27.28	27.28
487332005	Zone 02		1 27.28	27.28
487332006	Zone 02		1 27.28	27.28
487332007	Zone 02		1 27.28	27.28
487332007	Zone 02		1 27.28	27.28
487332009	Zone 02		1 27.28	27.28
487332009	Zone 02		1 27.28	27.28
487332010	Zone 02		1 27.28	27.28
487332011	Zone 02		1 27.28	27.28
487332012	Zone 02		1 27.28	27.28
487332014	Zone 02		1 27.28	27.28
707332014	20116-02		21.20	21.20

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
487332015	Zone 02		1 27.28	27.28
487332016	Zone 02		1 27.28	27.28
487332017	Zone 02		1 27.28	27.28
487333001	Zone 02		1 27.28	27.28
487333002	Zone 02		1 27.28	27.28
487333003	Zone 02		1 27.28	27.28
487333004	Zone 02		1 27.28	27.28
487333005	Zone 02		1 27.28	27.28
487333006	Zone 02		1 27.28	27.28
487333007	Zone 02		1 27.28	27.28
487333008	Zone 02		1 27.28	27.28
487333009	Zone 02		1 27.28	27.28
487333010	Zone 02		1 27.28	27.28
487333011	Zone 02		1 27.28	27.28
487333012	Zone 02		1 27.28	27.28
487321020	Zone 02		1 27.28	27.28
487321021	Zone 02		1 27.28	27.28
487321022	Zone 02		1 27.28	27.28
487321023	Zone 02		1 27.28	27.28
487321024	Zone 02		1 27.28	27.28
487321025	Zone 02		1 27.28	27.28
487321026	Zone 02		1 27.28	27.28
487321027	Zone 02		1 27.28	27.28
487321028	Zone 02		1 27.28	27.28
487321029	Zone 02		1 27.28	27.28
487321030	Zone 02		1 27.28	27.28
487321031	Zone 02		1 27.28	27.28
487321032	Zone 02		1 27.28	27.28
487330001	Zone 02		1 27.28	27.28
487330002	Zone 02		1 27.28	27.28
487330003	Zone 02		1 27.28	27.28
487330004	Zone 02		1 27.28	27.28
487330005	Zone 02		1 27.28	27.28
487330006	Zone 02		1 27.28	27.28
487330007	Zone 02		1 27.28	27.28
487340001	Zone 02		1 27.28	27.28
487340002	Zone 02		1 27.28	27.28
487340003	Zone 02		1 27.28	27.28
487340004	Zone 02		1 27.28	27.28
487340005	Zone 02		1 27.28	27.28
487340006	Zone 02		1 27.28	27.28
487340007	Zone 02		1 27.28	27.28
487340008	Zone 02		1 27.28	27.28
487340009	Zone 02		1 27.28	27.28
487340010	Zone 02		1 27.28	27.28
487340011	Zone 02		1 27.28	27.28
487340012	Zone 02		1 27.28	27.28
487340013	Zone 02		1 27.28	27.28
.37010010			21.20	21.20

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
487340014	Zone 02		1 27.28	27.28
487340016	Zone 02		1 27.28	27.28
487341001	Zone 02		1 27.28	27.28
487341005	Zone 02		1 27.28	27.28
487341012	Zone 02		1 27.28	27.28
487341013	Zone 02		1 27.28	27.28
487341014	Zone 02		1 27.28	27.28
487341015	Zone 02		1 27.28	27.28
487341016	Zone 02		1 27.28	27.28
487341017	Zone 02		1 27.28	27.28
487341018	Zone 02		1 27.28	27.28
487341019	Zone 02		1 27.28	27.28
487341020	Zone 02		1 27.28	27.28
487341021	Zone 02		1 27.28	27.28
487341022	Zone 02		1 27.28	27.28
487341023	Zone 02		1 27.28	27.28
487342001	Zone 02		1 27.28	27.28
487342003	Zone 02		1 27.28	27.28
487342005	Zone 02		1 27.28	27.28
487343001	Zone 02		1 27.28	27.28
487343002	Zone 02		1 27.28	27.28
487343003	Zone 02		1 27.28	27.28
487343004	Zone 02		1 27.28	27.28
487343005	Zone 02		1 27.28	27.28
487343006	Zone 02		1 27.28	27.28
487343007	Zone 02		1 27.28	27.28
487343008	Zone 02		1 27.28	27.28
487343009	Zone 02		1 27.28	27.28
487343010	Zone 02		1 27.28	27.28
487343011	Zone 02		1 27.28	27.28
487320001	Zone 02		1 27.28	27.28
487320002	Zone 02		1 27.28	27.28
487320003	Zone 02		1 27.28	27.28
487320004	Zone 02		1 27.28	27.28
487320005	Zone 02		1 27.28	27.28
487320006	Zone 02		1 27.28	27.28
487320007	Zone 02		1 27.28	27.28
487320008	Zone 02		1 27.28	27.28
487320009	Zone 02		1 27.28	27.28
487320010	Zone 02		1 27.28	27.28
487320010	Zone 02		1 27.28	27.28
487320011	Zone 02		1 27.28	27.28
487320012	Zone 02		1 27.28	27.28
487320013	Zone 02 Zone 02		77.20	0.00
487321001	Zone 02 Zone 02		1 27.28	27.28
487321001	Zone 02 Zone 02		1 27.28	27.28
	Zone 02 Zone 02			
487321003			1 27.28	27.28
487321004	Zone 02		1 27.28	27.28

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
487321005	Zone 02		1 27.28	27.28
487321006	Zone 02		1 27.28	27.28
487321007	Zone 02		1 27.28	27.28
487321008	Zone 02		1 27.28	27.28
487321009	Zone 02		1 27.28	27.28
487321010	Zone 02		1 27.28	27.28
487321011	Zone 02		1 27.28	27.28
487321012	Zone 02		1 27.28	27.28
487321013	Zone 02		1 27.28	27.28
487321014	Zone 02		1 27.28	27.28
487321015	Zone 02		1 27.28	27.28
487321016	Zone 02		1 27.28	27.28
487321017	Zone 02		1 27.28	27.28
487321018	Zone 02		1 27.28	27.28
487321019	Zone 02		1 27.28	27.28
487340015	Zone 02		1 27.28	27.28
487340017	Zone 02		1 27.28	27.28
487340018	Zone 02		1 27.28	27.28
487340020	Zone 02		1 27.28	27.28
487341002	Zone 02		1 27.28	27.28
487341003	Zone 02		1 27.28	27.28
487341004	Zone 02		1 27.28	27.28
487200001	Zone 02		1 27.28	27.28
487200001	Zone 02		1 27.28	27.28
487200003	Zone 02		1 27.28	27.28
487200004	Zone 02		1 27.28	27.28
487200005	Zone 02		1 27.28	27.28
487200006	Zone 02		1 27.28	27.28
487200007	Zone 02		1 27.28	27.28
487200008	Zone 02		1 27.28	27.28
487200009	Zone 02		1 27.28	27.28
487200010	Zone 02		1 27.28	27.28
487200011	Zone 02		1 27.28	27.28
487440018	Zone 02		1 27.28	27.28
487440019	Zone 02		1 27.28	27.28
487441001	Zone 02		1 27.28	27.28
487441002	Zone 02		1 27.28	27.28
487441003	Zone 02		1 27.28	27.28
487441004	Zone 02		1 27.28	27.28
487441005	Zone 02		1 27.28	27.28
487441006	Zone 02		1 27.28	27.28
487441007	Zone 02 Zone 02		1 27.28	27.28
487441008	Zone 02 Zone 02		1 27.28	27.28
487441009	Zone 02 Zone 02		1 27.28	27.28
487441010	Zone 02 Zone 02		1 27.28	27.28
487442001	Zone 02 Zone 02		1 27.28	27.28
487442001	Zone 02 Zone 02			
			1 27.28	27.28
487442003	Zone 02		1 27.28	27.28

	MD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
	Zone 02	LIND Assigned LDC 3	1 27.28	27.28
	Zone 02		27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		27.28	27.28
	Zone 02	,	1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02	,	27.28	27.28
	Zone 02	,	27.28	27.28
	Zone 02		27.28	27.28
			27.28	
	Zone 02	,		27.28
	Zone 02		27.28	27.28
	Zone 02		27.28	27.28
	Zone 02		27.28	27.28
	Zone 02		27.28	27.28
	Zone 02		27.28	27.28
	Zone 02		27.28	27.28
	Zone 02		27.28	27.28
	Zone 02		27.28	27.28
	Zone 02	•	27.28	27.28
	Zone 02		27.28	27.28
	Zone 02	•	27.28	27.28
	Zone 02	•	27.28	27.28
	Zone 02	•	27.28	27.28
	Zone 02	•	27.28	27.28
	Zone 02	·	27.28	27.28
	Zone 02	•	27.28	27.28
	Zone 02	•	27.28	27.28
487200014 Z	Zone 02	1	27.28	27.28
	Zone 02	•	27.28	27.28
487201002 Z	Zone 02	•	27.28	27.28
487201003 Z	Zone 02	•	1 27.28	27.28
487201004 Z	Zone 02	•	1 27.28	27.28
487201005 Z	Zone 02	•	1 27.28	27.28
487201006 Z	Zone 02	•	27.28	27.28
487201007 Z	Zone 02	•	27.28	27.28
487201008 Z	Zone 02	•	27.28	27.28
487202001 Z	Zone 02	•	27.28	27.28
487202002 Z	Zone 02		27.28	27.28
487202003 Z	Zone 02		27.28	27.28
487342002 Z	Zone 02		27.28	27.28
487202004 Z	Zone 02		27.28	27.28
487202005 Z	Zone 02		27.28	27.28

APN L	MD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02	,	1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02	,	1 27.28	27.28
	Zone 02	,	1 27.28	27.28
	Zone 02	,	1 27.28	27.28
	Zone 02	,	1 27.28	27.28
		,		
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		1 27.28	27.28
	Zone 02		27.28	27.28
	Zone 02		27.28	27.28
	Zone 02		27.28	27.28
	Zone 02		27.28	27.28
	Zone 02		27.28	27.28
	Zone 02	•	27.28	27.28
	Zone 02	•	27.28	27.28
	Zone 02	•	27.28	27.28
	Zone 02	•	1 27.28	27.28
	Zone 02	•	27.28	27.28
	Zone 02	•	1 27.28	27.28
	Zone 02	•	1 27.28	27.28
	Zone 02	•	1 27.28	27.28
	Zone 02	•	1 27.28	27.28
487203012 Z	Zone 02	•	1 27.28	27.28
	Zone 02	•	1 27.28	27.28
487204002 Z	Zone 02	•	1 27.28	27.28
487204003 Z	Zone 02	•	1 27.28	27.28
487204004 Z	Zone 02	•	1 27.28	27.28
487204005 Z	Zone 02	•	1 27.28	27.28
487204006 Z	Zone 02	•	1 27.28	27.28
487204007 Z	Zone 02	•	1 27.28	27.28
487204008 Z	Zone 02	•	1 27.28	27.28
487204009 Z	Zone 02		1 27.28	27.28
487204010 Z	Zone 02		1 27.28	27.28
487204011 Z	Zone 02		1 27.28	27.28
487204012 Z	Zone 02		1 27.28	27.28
487204013 Z	Zone 02		27.28	27.28
487204014 Z	Zone 02	•	1 27.28	27.28

APN	LMD 2014-01 Zone L	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
487210002	Zone 02		1 27.28	27.28
487210007	Zone 02		1 27.28	27.28
487210008	Zone 02		1 27.28	27.28
487210009	Zone 02		1 27.28	27.28
487210010	Zone 02		1 27.28	27.28
487210011	Zone 02		1 27.28	27.28
487210012	Zone 02		1 27.28	27.28
487210013	Zone 02		1 27.28	27.28
487210003	Zone 02		1 27.28	27.28
487211001	Zone 02		1 27.28	27.28
487211002	Zone 02		1 27.28	27.28
487211003	Zone 02		1 27.28	27.28
487211004	Zone 02		1 27.28	27.28
487211005	Zone 02		1 27.28	27.28
487211006	Zone 02		1 27.28	27.28
487211007	Zone 02		1 27.28	27.28
487211008	Zone 02		1 27.28	27.28
487211009	Zone 02		1 27.28	27.28
487211010	Zone 02		1 27.28	27.28
487211011	Zone 02		1 27.28	27.28
487211012	Zone 02		1 27.28	27.28
487212001	Zone 02		1 27.28	27.28
487212002	Zone 02		1 27.28	27.28
487212003	Zone 02		1 27.28	27.28
487212004	Zone 02		1 27.28	27.28
487212005	Zone 02		1 27.28	27.28
487212006	Zone 02		1 27.28	27.28
487212007	Zone 02		1 27.28	27.28
487212008	Zone 02		1 27.28	27.28
487212009	Zone 02		1 27.28	27.28
487212010	Zone 02		1 27.28	27.28
487212011	Zone 02		1 27.28	27.28
487212012	Zone 02		1 27.28	27.28
487212013	Zone 02		1 27.28	27.28
487212014	Zone 02		1 27.28	27.28
487213001	Zone 02		1 27.28	27.28
487213003	Zone 02		1 27.28	27.28
487213004	Zone 02		1 27.28	27.28
487213005	Zone 02		1 27.28	27.28
487213006	Zone 02		1 27.28	27.28
487213007	Zone 02		1 27.28	27.28
487213008	Zone 02		1 27.28	27.28
487213009	Zone 02		1 27.28	27.28
487214001	Zone 02		1 27.28	27.28
487214001	Zone 02 Zone 02		1 27.28	27.28
487214002	Zone 02 Zone 02		1 27.28	27.28
487214004	Zone 02 Zone 02		1 27.28	27.28
487214004	Zone 02 Zone 02		1 27.28	27.28
707214000	20116 02		21.20	21.20

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
487214006	Zone 02		1 27.28	27.28
487214007	Zone 02		1 27.28	27.28
487214008	Zone 02		1 27.28	27.28
487214009	Zone 02		1 27.28	27.28
487214010	Zone 02		1 27.28	27.28
487214011	Zone 02		1 27.28	27.28
487214012	Zone 02		1 27.28	27.28
487213002	Zone 02		1 27.28	27.28
487215001	Zone 02		1 27.28	27.28
487215002	Zone 02		1 27.28	27.28
487215003	Zone 02		1 27.28	27.28
487215004	Zone 02		1 27.28	27.28
487215005	Zone 02		1 27.28	27.28
487215006	Zone 02		1 27.28	27.28
487215007	Zone 02		1 27.28	27.28
487215008	Zone 02		1 27.28	27.28
487215009	Zone 02		1 27.28	27.28
487215010	Zone 02		1 27.28	27.28
487215011	Zone 02		1 27.28	27.28
487215012	Zone 02		1 27.28	27.28
487215013	Zone 02		1 27.28	27.28
487215014	Zone 02		1 27.28	27.28
487190001	Zone 02		1 27.28	27.28
487190002	Zone 02		1 27.28	27.28
487190003	Zone 02		1 27.28	27.28
487190004	Zone 02		1 27.28	27.28
487190005	Zone 02		1 27.28	27.28
487190006	Zone 02		1 27.28	27.28
487190007	Zone 02		1 27.28	27.28
487190008	Zone 02		1 27.28	27.28
487190009	Zone 02		1 27.28	27.28
487190010	Zone 02		1 27.28	27.28
487190011	Zone 02		1 27.28	27.28
487190012	Zone 02		1 27.28	27.28
487190013	Zone 02		1 27.28	27.28
487190014	Zone 02		1 27.28	27.28
487191001	Zone 02		1 27.28	27.28
487191002	Zone 02		1 27.28	27.28
487191003	Zone 02		1 27.28	27.28
487191004	Zone 02		1 27.28	27.28
487191005	Zone 02		1 27.28	27.28
487191006	Zone 02		1 27.28	27.28
487191007	Zone 02		1 27.28	27.28
487440001	Zone 02		1 27.28	27.28
487440002	Zone 02		1 27.28	27.28
487440003	Zone 02		1 27.28	27.28
487440004	Zone 02		1 27.28	27.28
487440005	Zone 02		1 27.28	27.28
.30000			21120	2.1.20

APN	I MD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
487440006	Zone 02	LIND Assigned ED0 3	1 27.28	27.28
487440007	Zone 02		1 27.28	27.28
487440008	Zone 02		1 27.28	27.28
487440009	Zone 02		1 27.28	27.28
487440010	Zone 02		1 27.28	27.28
487440011	Zone 02		1 27.28	27.28
487440012	Zone 02		1 27.28	27.28
487440013	Zone 02		1 27.28	27.28
487440014	Zone 02		1 27.28	27.28
487440015	Zone 02		1 27.28	27.28
487440016	Zone 02		1 27.28	27.28
487440017	Zone 02		1 27.28	27.28
487443006	Zone 02		1 27.28	27.28
487443007	Zone 02		1 27.28	27.28
487443008	Zone 02		1 27.28	27.28
487443009	Zone 02		1 27.28	27.28
487443010	Zone 02		1 27.28	27.28
487443011	Zone 02		1 27.28	27.28
487443012	Zone 02 Zone 02		1 27.28	27.28
487443013	Zone 02 Zone 02		1 27.28	27.28
487443014	Zone 02 Zone 02		1 27.28	27.28
487443015	Zone 02		1 27.28	27.28
487443016	Zone 02		1 27.28	27.28
487450001	Zone 02		1 27.28	27.28
487450002	Zone 02		1 27.28	27.28
487450003	Zone 02		1 27.28	27.28
487450004	Zone 02		1 27.28	27.28
487450005	Zone 02		1 27.28	27.28
487450006	Zone 02		1 27.28	27.28
487450007	Zone 02 Zone 02		1 27.28	27.28 27.28
487450008			1 27.28	27.28
487450009	Zone 02		1 27.28	
487450010	Zone 02		1 27.28	27.28
487450011	Zone 02		1 27.28	27.28
487450012	Zone 02		1 27.28	27.28
487450013	Zone 02		1 27.28	27.28
487450014	Zone 02		1 27.28	27.28
487450015	Zone 02		1 27.28	27.28
487450016	Zone 02		1 27.28	27.28
487450017	Zone 02		1 27.28	27.28
487450018	Zone 02		1 27.28	27.28
487450019	Zone 02		1 27.28	27.28
487450020	Zone 02		1 27.28	27.28
487450021	Zone 02		1 27.28	27.28
487450022	Zone 02		1 27.28	27.28
487450023	Zone 02		1 27.28	27.28
487450024	Zone 02		1 27.28	27.28
487450025	Zone 02		1 27.28	27.28

APN	LMD 2014-01 Zone I	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
487450026	Zone 02		1 27.28	27.28
487450027	Zone 02		1 27.28	27.28
487450028	Zone 02		1 27.28	27.28
487450029	Zone 02		1 27.28	27.28
487450030	Zone 02		1 27.28	27.28
487450031	Zone 02		1 27.28	27.28
487450032	Zone 02		1 27.28	27.28
487450033	Zone 02		1 27.28	27.28
487450034	Zone 02		1 27.28	27.28
487450035	Zone 02		1 27.28	27.28
487450036	Zone 02		1 27.28	27.28
487450037	Zone 02		1 27.28	27.28
487450038	Zone 02		1 27.28	27.28
487450039	Zone 02		1 27.28	27.28
487450041	Zone 02		1 27.28	27.28
487450042	Zone 02		1 27.28	27.28
487450043	Zone 02		1 27.28	27.28
487450044	Zone 02		1 27.28	27.28
487450040	Zone 02		1 27.28	27.28
487451001	Zone 02		1 27.28	27.28
487451002	Zone 02		1 27.28	27.28
487451003	Zone 02		1 27.28	27.28
487451004	Zone 02		1 27.28	27.28
487451005	Zone 02		1 27.28	27.28
487451006	Zone 02		1 27.28	27.28
487451007	Zone 02		1 27.28	27.28
487451008	Zone 02		1 27.28	27.28
487451009	Zone 02		1 27.28	27.28
487451010	Zone 02		1 27.28	27.28
487451011	Zone 02		1 27.28	27.28
487451012	Zone 02		1 27.28	27.28
487451013	Zone 02		1 27.28	27.28
487451014	Zone 02		1 27.28	27.28
487451015	Zone 02		1 27.28	27.28
487451016	Zone 02		1 27.28	27.28
487191008	Zone 02		1 27.28	27.28
487191009	Zone 02		1 27.28	27.28
487191010	Zone 02		1 27.28	27.28
487191011	Zone 02		1 27.28	27.28
487191012	Zone 02		1 27.28	27.28
487191013	Zone 02		1 27.28	27.28
487191014	Zone 02		1 27.28	27.28
487191015	Zone 02		1 27.28	27.28
487191016	Zone 02		1 27.28	27.28
487191017	Zone 02		1 27.28	27.28
487191018	Zone 02		1 27.28	27.28
487191019	Zone 02		1 27.28	27.28
487191020	Zone 02		1 27.28	27.28
407 101020	20116-02		21.20	21.20

APN LMD 2014-01 Zone LMD A		FY 17-18 Assessment
487191021 Zone 02	Assigned EBU's FY 17-18 Max Assessment 1 27.28	27.28
487192001 Zone 02	1 27.28	27.28
487192002 Zone 02	1 27.28	27.28
487192003 Zone 02	1 27.28	27.28
487192004 Zone 02	1 27.28	27.28
487192005 Zone 02	1 27.28	27.28
487192006 Zone 02	1 27.28	27.28
487192007 Zone 02	1 27.28	27.28
487192008 Zone 02	1 27.28	27.28
487192009 Zone 02	1 27.28	27.28
487192009 Zone 02 487192010 Zone 02	1 27.28	27.28
487192010 Zone 02 487192011 Zone 02	1 27.28	27.28
487192011 Zone 02 487192012 Zone 02	1 27.28	27.28
487192012 Zone 02 487192013 Zone 02	1 27.26	27.28
487192013 Zone 02 487192014 Zone 02	1 27.28	27.28
	1 27.28	
487193001 Zone 02		27.28
487193002 Zone 02	1 27.28	27.28
487193003 Zone 02	1 27.28	27.28
487193004 Zone 02	1 27.28	27.28
487193005 Zone 02	1 27.28	27.28
487193006 Zone 02	1 27.28	27.28
487193007 Zone 02	1 27.28	27.28
487193008 Zone 02	1 27.28	27.28
487193009 Zone 02	1 27.28	27.28
487193010 Zone 02	1 27.28	27.28
487193011 Zone 02	1 27.28	27.28
487193012 Zone 02	1 27.28	27.28
487193013 Zone 02	1 27.28	27.28
487193014 Zone 02	1 27.28	27.28
487193015 Zone 02	1 27.28	27.28
487193016 Zone 02	1 27.28	27.28
487193017 Zone 02	1 27.28	27.28
487193018 Zone 02	1 27.28	27.28
487193019 Zone 02	1 27.28	27.28
487193020 Zone 02	1 27.28	27.28
487193021 Zone 02	1 27.28	27.28
487193022 Zone 02	1 27.28	27.28
487193023 Zone 02	1 27.28	27.28
487193024 Zone 02	1 27.28	27.28
487193025 Zone 02	1 27.28	27.28
487193026 Zone 02	1 27.28	27.28
487193027 Zone 02	1 27.28	27.28
487193028 Zone 02	1 27.28	27.28
487341006 Zone 02	1 27.28	27.28
487341007 Zone 02	1 27.28	27.28
487341008 Zone 02	1 27.28	27.28
487341009 Zone 02	1 27.28	27.28
487341010 Zone 02	1 27.28	27.28

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
487341011	Zone 02		1 27.28	27.28
487260002	Zone 02	(0	0.00
487260003	Zone 02		0	0.00
487260004	Zone 02		0	0.00
487260005	Zone 02		0	0.00
488190006	Zone 02		1 27.28	27.28
488190016	Zone 02		1 27.28	27.28
488190015	Zone 02		1 27.28	27.28
488190014	Zone 02		1 27.28	27.28
488190013	Zone 02		1 27.28	27.28
488190012	Zone 02		1 27.28	27.28
488190011	Zone 02		1 27.28	27.28
488190017	Zone 02		1 27.28	27.28
488190018	Zone 02		1 27.28	27.28
488190019	Zone 02		1 27.28	27.28
488190020	Zone 02		1 27.28	27.28
488190021	Zone 02		1 27.28	27.28
488190022	Zone 02		1 27.28	27.28
488200003	Zone 02		1 27.28	27.28
488200004	Zone 02		1 27.28	27.28
487410011	Zone 02		1 27.28	27.28
487410012	Zone 02		1 27.28	27.28
487410013	Zone 02		1 27.28	27.28
487410014	Zone 02		1 27.28	27.28
487410015	Zone 02		1 27.28	27.28
487410016	Zone 02		1 27.28	27.28
487410017	Zone 02		1 27.28	27.28
487410018	Zone 02		1 27.28	27.28
487410019	Zone 02		1 27.28	27.28
487410020	Zone 02		1 27.28	27.28
487410021	Zone 02		1 27.28	27.28
487410022	Zone 02		1 27.28	27.28
487410023	Zone 02		1 27.28	27.28
487410024	Zone 02		1 27.28	27.28
487410025	Zone 02		1 27.28	27.28
487410026	Zone 02		1 27.28	27.28
487410027	Zone 02		1 27.28	27.28
487410028	Zone 02		1 27.28	27.28
487410029	Zone 02		1 27.28	27.28
487410030	Zone 02		1 27.28	27.28
487410031	Zone 02		1 27.28	27.28
487410031	Zone 02		1 27.28	27.28
487410032	Zone 02		1 27.28	27.28
487410034	Zone 02		1 27.28	27.28
487410034	Zone 02		1 27.28	27.28
487410036	Zone 02		1 27.28	27.28
487412001	Zone 02		1 27.28	27.28
487412001	Zone 02 Zone 02		1 27.28	27.28
407412002	ZUNE UZ		21.20	21.20

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
487412003	Zone 02		1 27.28	27.28
487412004	Zone 02		1 27.28	27.28
487412005	Zone 02		1 27.28	27.28
487412006	Zone 02		1 27.28	27.28
487412007	Zone 02		1 27.28	27.28
487412008	Zone 02		1 27.28	27.28
487412009	Zone 02		1 27.28	27.28
487412010	Zone 02		1 27.28	27.28
487412011	Zone 02		1 27.28	27.28
487412012	Zone 02		1 27.28	27.28
487412013	Zone 02		1 27.28	27.28
487412014	Zone 02		1 27.28	27.28
487412015	Zone 02		1 27.28	27.28
487412016	Zone 02		1 27.28	27.28
487413001	Zone 02		1 27.28	27.28
487413002	Zone 02		1 27.28	27.28
487413003	Zone 02		1 27.28	27.28
487413004	Zone 02		1 27.28	27.28
487413005	Zone 02		1 27.28	27.28
487413006	Zone 02		1 27.28	27.28
487413007	Zone 02		1 27.28	27.28
487413008	Zone 02		1 27.28	27.28
487480001	Zone 02		1 27.28	27.28
487480002	Zone 02		1 27.28	27.28
487480003	Zone 02		1 27.28	27.28
487480004	Zone 02		1 27.28	27.28
487480005	Zone 02		1 27.28	27.28
487480006	Zone 02		1 27.28	27.28
487480007	Zone 02		1 27.28	27.28
487480008	Zone 02		1 27.28	27.28
487480009	Zone 02		1 27.28	27.28
487480010	Zone 02		1 27.28	27.28
487480011	Zone 02		1 27.28	27.28
487480012	Zone 02		1 27.28	27.28
487480013	Zone 02		1 27.28	27.28
487480014	Zone 02		1 27.28	27.28
487480015	Zone 02		1 27.28	27.28
487481001	Zone 02		1 27.28	27.28
487481002	Zone 02		1 27.28	27.28
487481003	Zone 02		1 27.28	27.28
487481004	Zone 02		1 27.28	27.28
487481005	Zone 02		1 27.28	27.28
487481006	Zone 02		1 27.28	27.28
487481007	Zone 02		1 27.28	27.28
487481008	Zone 02		1 27.28	27.28
487481009	Zone 02		1 27.28	27.28
487481010	Zone 02		1 27.28	27.28
487481011	Zone 02		1 27.28	27.28
487481011	Zone 02		1 27.28	27.28

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
487481012	Zone 02		1 27.28	27.28
487481013	Zone 02		1 27.28	27.28
487481014	Zone 02		1 27.28	27.28
487481015	Zone 02		1 27.28	27.28
487481016	Zone 02		1 27.28	27.28
487481017	Zone 02		1 27.28	27.28
487481018	Zone 02		1 27.28	27.28
487481019	Zone 02		1 27.28	27.28
487481020	Zone 02		1 27.28	27.28
487481021	Zone 02		1 27.28	27.28
487481022	Zone 02		1 27.28	27.28
487481023	Zone 02		1 27.28	27.28
487481024	Zone 02		1 27.28	27.28
487481025	Zone 02		1 27.28	27.28
487481026	Zone 02		1 27.28	27.28
487481027	Zone 02		1 27.28	27.28
487481028	Zone 02		1 27.28	27.28
487481029	Zone 02		1 27.28	27.28
487481030	Zone 02		1 27.28	27.28
487481031	Zone 02		1 27.28	27.28
487481032	Zone 02		1 27.28	27.28
487481033	Zone 02		1 27.28	27.28
487481034	Zone 02		1 27.28	27.28
487481035	Zone 02		1 27.28	27.28
487481036	Zone 02		1 27.28	27.28
487481037	Zone 02		1 27.28	27.28
487481038	Zone 02		1 27.28	27.28
487481039	Zone 02		1 27.28	27.28
487481040	Zone 02		1 27.28	27.28
487481041	Zone 02		1 27.28	27.28
487481042	Zone 02		1 27.28	27.28
487481043	Zone 02		1 27.28	27.28
487481044	Zone 02		1 27.28	27.28
487481045	Zone 02		1 27.28	27.28
487481046	Zone 02		1 27.28	27.28
487481047	Zone 02		1 27.28	27.28
487481048	Zone 02		1 27.28	27.28
487481049	Zone 02		1 27.28	27.28
487481050	Zone 02		1 27.28	27.28
487481051	Zone 02		1 27.28	27.28
487482001	Zone 02		1 27.28	27.28
487482002	Zone 02		1 27.28	27.28
487482003	Zone 02		1 27.28	27.28
487482004	Zone 02		1 27.28	27.28
487482004	Zone 02		1 27.28	27.28
487482006	Zone 02		1 27.28	27.28
487482007	Zone 02		1 27.28	27.28
487482007	Zone 02		1 27.28	27.28
707402000	20116-02		21.20	21.20

487482009 Zone 02 1 27.28 27.28 487482011 Zone 02 1 27.28 27.28 487483001 Zone 02 1 27.28 27.28 487483001 Zone 02 1 27.28 27.28 487483002 Zone 02 1 27.28 27.28 487483003 Zone 02 1 27.28 27.28 487510001 Zone 02 1 27.28 27.28 487510003 Zone 02 1 27.28 27.28 487510003 Zone 02 1 27.28 27.28 487510005 Zone 02 1 27.28 27.28 487510006 Zone 02 1 27.28 27.28 487510007 Zone 02 1 27.28 27.28 487510008 Zone 02 1 27.28 27.28 487510009 Zone 02 1 27.28 27.28 487510000 Zone 02 1 27.28 27.28	APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
487482010 Zone 02 1 27.28 27.28 487482011 Zone 02 1 27.28 27.28 487483001 Zone 02 1 27.28 27.28 487483003 Zone 02 1 27.28 27.28 487510001 Zone 02 1 27.28 27.28 487510001 Zone 02 1 27.28 27.28 487510003 Zone 02 1 27.28 27.28 487510004 Zone 02 1 27.28 27.28 487510005 Zone 02 1 27.28 27.28 487510006 Zone 02 1 27.28 27.28 487510007 Zone 02 1 27.28 27.28 487510007 Zone 02 1 27.28 27.28 487510007 Zone 02 1 27.28 27.28 487510010 Zone 02 1 27.28 27.28 487510011 Zone 02 1 27.28 27.28			LIND Assigned EDG 5		
487482011 Zone 02 1 27.28 27.28 487483001 Zone 02 1 27.28 27.28 487483002 Zone 02 1 27.28 27.28 487510001 Zone 02 1 27.28 27.28 487510002 Zone 02 1 27.28 27.28 487510003 Zone 02 1 27.28 27.28 487510004 Zone 02 1 27.28 27.28 487510005 Zone 02 1 27.28 27.28 487510006 Zone 02 1 27.28 27.28 487510007 Zone 02 1 27.28 27.28 487510008 Zone 02 1 27.28 27.28 487510009 Zone 02 1 27.28 27.28 48751001 Zone 02 1 27.28 27.28 48751001 Zone 02 1 27.28 27.28 487511001 Zone 02 1 27.28 27.28 <t< td=""><td></td><td></td><td></td><td></td><td></td></t<>					
487483001 Zone 02 1 27.28 27.28 487483002 Zone 02 1 27.28 27.28 487483003 Zone 02 1 27.28 27.28 487510001 Zone 02 1 27.28 27.28 487510003 Zone 02 1 27.28 27.28 487510004 Zone 02 1 27.28 27.28 487510005 Zone 02 1 27.28 27.28 487510006 Zone 02 1 27.28 27.28 487510007 Zone 02 1 27.28 27.28 487510008 Zone 02 1 27.28 27.28 487510009 Zone 02 1 27.28 27.28 487510010 Zone 02 1 27.28 27.28 487510011 Zone 02 1 27.28 27.28 487511001 Zone 02 1 27.28 27.28 487511001 Zone 02 1 27.28 27.28					
487483002 Zone 02 1 27.28 27.28 487483003 Zone 02 1 27.28 27.28 487510001 Zone 02 1 27.28 27.28 487510003 Zone 02 1 27.28 27.28 487510004 Zone 02 1 27.28 27.28 487510005 Zone 02 1 27.28 27.28 487510006 Zone 02 1 27.28 27.28 487510007 Zone 02 1 27.28 27.28 487510008 Zone 02 1 27.28 27.28 487510009 Zone 02 1 27.28 27.28 487510001 Zone 02 1 27.28 27.28 487510010 Zone 02 1 27.28 27.28 487510011 Zone 02 1 27.28 27.28 487511001 Zone 02 1 27.28 27.28 487511001 Zone 02 1 27.28 27.28					
AB7483003 Zone 02					
AB7510001					
487510002 Zone 02 1 27.28 27.28 487510003 Zone 02 1 27.28 27.28 487510005 Zone 02 1 27.28 27.28 487510006 Zone 02 1 27.28 27.28 487510007 Zone 02 1 27.28 27.28 487510008 Zone 02 1 27.28 27.28 487510009 Zone 02 1 27.28 27.28 487510010 Zone 02 1 27.28 27.28 487510011 Zone 02 1 27.28 27.28 487510012 Zone 02 1 27.28 27.28 487511001 Zone 02 1 27.28 27.28 487511002 Zone 02 1 27.28 27.28 487511003 Zone 02 1 27.28 27.28 487511004 Zone 02 1 27.28 27.28 487511005 Zone 02 1 27.28 27.28					
487510003 Zone 02 1 27.28 27.28 487510004 Zone 02 1 27.28 27.28 487510005 Zone 02 1 27.28 27.28 487510007 Zone 02 1 27.28 27.28 487510008 Zone 02 1 27.28 27.28 487510009 Zone 02 1 27.28 27.28 487510010 Zone 02 1 27.28 27.28 487510011 Zone 02 1 27.28 27.28 487510011 Zone 02 1 27.28 27.28 487511001 Zone 02 1 27.28 27.28 487511001 Zone 02 1 27.28 27.28 487511001 Zone 02 1 27.28 27.28 487511003 Zone 02 1 27.28 27.28 487511004 Zone 02 1 27.28 27.28 487511005 Zone 02 1 27.28 27.28					
487510004 Zone 02 1 27.28 27.28 487510006 Zone 02 1 27.28 27.28 487510007 Zone 02 1 27.28 27.28 487510008 Zone 02 1 27.28 27.28 487510009 Zone 02 1 27.28 27.28 487510010 Zone 02 1 27.28 27.28 487510011 Zone 02 1 27.28 27.28 487510012 Zone 02 1 27.28 27.28 487511001 Zone 02 1 27.28 27.28 487511002 Zone 02 1 27.28 27.28 487511003 Zone 02 1 27.28 27.28 487511003 Zone 02 1 27.28 27.28 487511005 Zone 02 1 27.28 27.28 487511006 Zone 02 1 27.28 27.28 487511007 Zone 02 1 27.28 27.28					
487510005 Zone 02 1 27.28 27.28 487510006 Zone 02 1 27.28 27.28 487510007 Zone 02 1 27.28 27.28 487510008 Zone 02 1 27.28 27.28 487510009 Zone 02 1 27.28 27.28 487510011 Zone 02 1 27.28 27.28 487510012 Zone 02 1 27.28 27.28 487511001 Zone 02 1 27.28 27.28 487511001 Zone 02 1 27.28 27.28 487511002 Zone 02 1 27.28 27.28 487511003 Zone 02 1 27.28 27.28 487511004 Zone 02 1 27.28 27.28 487511005 Zone 02 1 27.28 27.28 487511006 Zone 02 1 27.28 27.28 487511007 Zone 02 1 27.28 27.28					
487510006 Zone 02 1 27.28 27.28 487510007 Zone 02 1 27.28 27.28 487510008 Zone 02 1 27.28 27.28 487510010 Zone 02 1 27.28 27.28 487510011 Zone 02 1 27.28 27.28 487510012 Zone 02 1 27.28 27.28 487511001 Zone 02 1 27.28 27.28 487511002 Zone 02 1 27.28 27.28 487511003 Zone 02 1 27.28 27.28 487511004 Zone 02 1 27.28 27.28 487511005 Zone 02 1 27.28 27.28 487511006 Zone 02 1 27.28 27.28 487511007 Zone 02 1 27.28 27.28 487511008 Zone 02 1 27.28 27.28 487511010 Zone 02 1 27.28 27.28					
487510007 Zone 02 1 27.28 27.28 487510008 Zone 02 1 27.28 27.28 487510010 Zone 02 1 27.28 27.28 487510011 Zone 02 1 27.28 27.28 487510011 Zone 02 1 27.28 27.28 487511001 Zone 02 1 27.28 27.28 487511003 Zone 02 1 27.28 27.28 487511004 Zone 02 1 27.28 27.28 487511005 Zone 02 1 27.28 27.28 487511004 Zone 02 1 27.28 27.28 487511005 Zone 02 1 27.28 27.28 487511006 Zone 02 1 27.28 27.28 487511007 Zone 02 1 27.28 27.28 487511009 Zone 02 1 27.28 27.28 487511010 Zone 02 1 27.28 27.28 487511010 Zone 02 1 27.28 27.28 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
487510008 Zone 02 1 27.28 27.28 487510010 Zone 02 1 27.28 27.28 487510011 Zone 02 1 27.28 27.28 487510011 Zone 02 1 27.28 27.28 487511001 Zone 02 1 27.28 27.28 487511001 Zone 02 1 27.28 27.28 487511002 Zone 02 1 27.28 27.28 487511003 Zone 02 1 27.28 27.28 487511004 Zone 02 1 27.28 27.28 487511005 Zone 02 1 27.28 27.28 487511006 Zone 02 1 27.28 27.28 487511007 Zone 02 1 27.28 27.28 487511008 Zone 02 1 27.28 27.28 487511010 Zone 02 1 27.28 27.28 487511011 Zone 02 1 27.28 27.28					
487510009 Zone 02 1 27.28 27.28 487510010 Zone 02 1 27.28 27.28 487510011 Zone 02 1 27.28 27.28 487510012 Zone 02 1 27.28 27.28 487511001 Zone 02 1 27.28 27.28 487511002 Zone 02 1 27.28 27.28 487511003 Zone 02 1 27.28 27.28 487511004 Zone 02 1 27.28 27.28 487511005 Zone 02 1 27.28 27.28 487511006 Zone 02 1 27.28 27.28 487511007 Zone 02 1 27.28 27.28 487511008 Zone 02 1 27.28 27.28 487511010 Zone 02 1 27.28 27.28 487511011 Zone 02 1 27.28 27.28 487511011 Zone 02 1 27.28 27.28					
487510010 Zone 02 1 27.28 27.28 487510011 Zone 02 1 27.28 27.28 487510012 Zone 02 1 27.28 27.28 487511001 Zone 02 1 27.28 27.28 487511002 Zone 02 1 27.28 27.28 487511003 Zone 02 1 27.28 27.28 487511004 Zone 02 1 27.28 27.28 487511005 Zone 02 1 27.28 27.28 487511006 Zone 02 1 27.28 27.28 487511007 Zone 02 1 27.28 27.28 487511008 Zone 02 1 27.28 27.28 487511010 Zone 02 1 27.28 27.28 487511010 Zone 02 1 27.28 27.28 487511011 Zone 02 1 27.28 27.28 487511013 Zone 02 1 27.28 27.28 487512001 Zone 02 1 27.28 27.28 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
487510011 Zone 02 1 27.28 27.28 487510012 Zone 02 1 27.28 27.28 487511001 Zone 02 1 27.28 27.28 487511002 Zone 02 1 27.28 27.28 487511003 Zone 02 1 27.28 27.28 487511004 Zone 02 1 27.28 27.28 487511005 Zone 02 1 27.28 27.28 487511006 Zone 02 1 27.28 27.28 487511007 Zone 02 1 27.28 27.28 487511008 Zone 02 1 27.28 27.28 487511009 Zone 02 1 27.28 27.28 487511010 Zone 02 1 27.28 27.28 487511011 Zone 02 1 27.28 27.28 487511012 Zone 02 1 27.28 27.28 487511013 Zone 02 1 27.28 27.28 487512001 Zone 02 1 27.28 27.28 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
487510012 Zone 02 1 27.28 27.28 487511001 Zone 02 1 27.28 27.28 487511002 Zone 02 1 27.28 27.28 487511003 Zone 02 1 27.28 27.28 487511004 Zone 02 1 27.28 27.28 487511005 Zone 02 1 27.28 27.28 487511007 Zone 02 1 27.28 27.28 487511008 Zone 02 1 27.28 27.28 487511009 Zone 02 1 27.28 27.28 487511010 Zone 02 1 27.28 27.28 487511011 Zone 02 1 27.28 27.28 487511012 Zone 02 1 27.28 27.28 487511013 Zone 02 1 27.28 27.28 487512001 Zone 02 1 27.28 27.28 487512001 Zone 02 1 27.28 27.28 487512003 Zone 02 1 27.28 27.28 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
487511001 Zone 02 1 27.28 27.28 487511002 Zone 02 1 27.28 27.28 487511003 Zone 02 1 27.28 27.28 487511004 Zone 02 1 27.28 27.28 487511005 Zone 02 1 27.28 27.28 487511006 Zone 02 1 27.28 27.28 487511007 Zone 02 1 27.28 27.28 487511008 Zone 02 1 27.28 27.28 487511009 Zone 02 1 27.28 27.28 487511010 Zone 02 1 27.28 27.28 487511011 Zone 02 1 27.28 27.28 487511012 Zone 02 1 27.28 27.28 487511013 Zone 02 1 27.28 27.28 487512001 Zone 02 1 27.28 27.28 487512001 Zone 02 1 27.28 27.28 487512003 Zone 02 1 27.28 27.28 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
487511002 Zone 02 1 27.28 27.28 487511003 Zone 02 1 27.28 27.28 487511004 Zone 02 1 27.28 27.28 487511005 Zone 02 1 27.28 27.28 487511006 Zone 02 1 27.28 27.28 487511007 Zone 02 1 27.28 27.28 487511008 Zone 02 1 27.28 27.28 487511009 Zone 02 1 27.28 27.28 487511010 Zone 02 1 27.28 27.28 487511011 Zone 02 1 27.28 27.28 487511012 Zone 02 1 27.28 27.28 487511013 Zone 02 1 27.28 27.28 487512001 Zone 02 1 27.28 27.28 487512001 Zone 02 1 27.28 27.28 487512002 Zone 02 1 27.28 27.28 487512003 Zone 02 1 27.28 27.28 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
487511003 Zone 02 1 27.28 27.28 487511004 Zone 02 1 27.28 27.28 487511005 Zone 02 1 27.28 27.28 487511006 Zone 02 1 27.28 27.28 487511007 Zone 02 1 27.28 27.28 487511008 Zone 02 1 27.28 27.28 487511010 Zone 02 1 27.28 27.28 487511011 Zone 02 1 27.28 27.28 487511011 Zone 02 1 27.28 27.28 487511012 Zone 02 1 27.28 27.28 487511013 Zone 02 1 27.28 27.28 487511014 Zone 02 1 27.28 27.28 487512001 Zone 02 1 27.28 27.28 487512003 Zone 02 1 27.28 27.28 487512004 Zone 02 1 27.28 27.28 487512005 Zone 02 1 27.28 27.28 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
487511004 Zone 02 1 27.28 27.28 487511005 Zone 02 1 27.28 27.28 487511006 Zone 02 1 27.28 27.28 487511007 Zone 02 1 27.28 27.28 487511008 Zone 02 1 27.28 27.28 487511009 Zone 02 1 27.28 27.28 487511010 Zone 02 1 27.28 27.28 487511011 Zone 02 1 27.28 27.28 487511012 Zone 02 1 27.28 27.28 487511013 Zone 02 1 27.28 27.28 487511014 Zone 02 1 27.28 27.28 487512001 Zone 02 1 27.28 27.28 487512002 Zone 02 1 27.28 27.28 487512003 Zone 02 1 27.28 27.28 487512004 Zone 02 1 27.28 27.28 487512005 Zone 02 1 27.28 27.28 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
487511005 Zone 02 1 27.28 27.28 487511006 Zone 02 1 27.28 27.28 487511007 Zone 02 1 27.28 27.28 487511008 Zone 02 1 27.28 27.28 487511009 Zone 02 1 27.28 27.28 487511010 Zone 02 1 27.28 27.28 487511011 Zone 02 1 27.28 27.28 487511012 Zone 02 1 27.28 27.28 487511013 Zone 02 1 27.28 27.28 487512014 Zone 02 1 27.28 27.28 487512001 Zone 02 1 27.28 27.28 487512002 Zone 02 1 27.28 27.28 487512003 Zone 02 1 27.28 27.28 487512004 Zone 02 1 27.28 27.28 487512005 Zone 02 1 27.28 27.28 487512006 Zone 02 1 27.28 27.28 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
487511006 Zone 02 1 27.28 27.28 487511007 Zone 02 1 27.28 27.28 487511008 Zone 02 1 27.28 27.28 487511019 Zone 02 1 27.28 27.28 487511010 Zone 02 1 27.28 27.28 487511011 Zone 02 1 27.28 27.28 487511013 Zone 02 1 27.28 27.28 487511201 Zone 02 1 27.28 27.28 487512001 Zone 02 1 27.28 27.28 487512001 Zone 02 1 27.28 27.28 487512002 Zone 02 1 27.28 27.28 487512003 Zone 02 1 27.28 27.28 487512004 Zone 02 1 27.28 27.28 487512005 Zone 02 1 27.28 27.28 487512006 Zone 02 1 27.28 27.28 487512007 Zone 02 1 27.28 27.28 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
487511007 Zone 02 1 27.28 27.28 487511008 Zone 02 1 27.28 27.28 487511009 Zone 02 1 27.28 27.28 487511010 Zone 02 1 27.28 27.28 487511011 Zone 02 1 27.28 27.28 487511012 Zone 02 1 27.28 27.28 487511013 Zone 02 1 27.28 27.28 487511014 Zone 02 1 27.28 27.28 487512001 Zone 02 1 27.28 27.28 487512002 Zone 02 1 27.28 27.28 487512003 Zone 02 1 27.28 27.28 487512004 Zone 02 1 27.28 27.28 487512005 Zone 02 1 27.28 27.28 487512006 Zone 02 1 27.28 27.28 487512007 Zone 02 1 27.28 27.28 487512000 Zone 02 1 27.28 27.28 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
487511008 Zone 02 1 27.28 27.28 487511009 Zone 02 1 27.28 27.28 487511010 Zone 02 1 27.28 27.28 487511011 Zone 02 1 27.28 27.28 487511012 Zone 02 1 27.28 27.28 487511013 Zone 02 1 27.28 27.28 487511014 Zone 02 1 27.28 27.28 487512001 Zone 02 1 27.28 27.28 487512002 Zone 02 1 27.28 27.28 487512003 Zone 02 1 27.28 27.28 487512004 Zone 02 1 27.28 27.28 487512005 Zone 02 1 27.28 27.28 487512006 Zone 02 1 27.28 27.28 487512007 Zone 02 1 27.28 27.28 487512008 Zone 02 1 27.28 27.28 487513001 Zone 02 1 27.28 27.28 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
487511009 Zone 02 1 27.28 27.28 487511010 Zone 02 1 27.28 27.28 487511011 Zone 02 1 27.28 27.28 487511012 Zone 02 1 27.28 27.28 487511013 Zone 02 1 27.28 27.28 487512001 Zone 02 1 27.28 27.28 487512002 Zone 02 1 27.28 27.28 487512003 Zone 02 1 27.28 27.28 487512003 Zone 02 1 27.28 27.28 487512004 Zone 02 1 27.28 27.28 487512005 Zone 02 1 27.28 27.28 487512006 Zone 02 1 27.28 27.28 487512007 Zone 02 1 27.28 27.28 487512010 Zone 02 1 27.28 27.28 487513001 Zone 02 1 27.28 27.28 487513002 Zone 02 1 27.28 27.28 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
487511010 Zone 02 1 27.28 27.28 487511011 Zone 02 1 27.28 27.28 487511012 Zone 02 1 27.28 27.28 487511013 Zone 02 1 27.28 27.28 487512001 Zone 02 1 27.28 27.28 487512002 Zone 02 1 27.28 27.28 487512003 Zone 02 1 27.28 27.28 487512004 Zone 02 1 27.28 27.28 487512005 Zone 02 1 27.28 27.28 487512006 Zone 02 1 27.28 27.28 487512007 Zone 02 1 27.28 27.28 487512009 Zone 02 1 27.28 27.28 487512010 Zone 02 1 27.28 27.28 487513001 Zone 02 1 27.28 27.28 487513002 Zone 02 1 27.28 27.28 487513003 Zone 02 1 27.28 27.28 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
487511011 Zone 02 1 27.28 27.28 487511012 Zone 02 1 27.28 27.28 487511013 Zone 02 1 27.28 27.28 487511014 Zone 02 1 27.28 27.28 487512001 Zone 02 1 27.28 27.28 487512002 Zone 02 1 27.28 27.28 487512003 Zone 02 1 27.28 27.28 487512004 Zone 02 1 27.28 27.28 487512005 Zone 02 1 27.28 27.28 487512006 Zone 02 1 27.28 27.28 487512007 Zone 02 1 27.28 27.28 487512008 Zone 02 1 27.28 27.28 487512009 Zone 02 1 27.28 27.28 487513001 Zone 02 1 27.28 27.28 487513002 Zone 02 1 27.28 27.28 487513003 Zone 02 1 27.28 27.28 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
487511012 Zone 02 1 27.28 27.28 487511013 Zone 02 1 27.28 27.28 487511014 Zone 02 1 27.28 27.28 487512001 Zone 02 1 27.28 27.28 487512002 Zone 02 1 27.28 27.28 487512003 Zone 02 1 27.28 27.28 487512004 Zone 02 1 27.28 27.28 487512005 Zone 02 1 27.28 27.28 487512006 Zone 02 1 27.28 27.28 487512007 Zone 02 1 27.28 27.28 487512008 Zone 02 1 27.28 27.28 487512009 Zone 02 1 27.28 27.28 487512010 Zone 02 1 27.28 27.28 487513001 Zone 02 1 27.28 27.28 487513002 Zone 02 1 27.28 27.28 487513003 Zone 02 1 27.28 27.28 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
487511013 Zone 02 1 27.28 27.28 487511014 Zone 02 1 27.28 27.28 487512001 Zone 02 1 27.28 27.28 487512002 Zone 02 1 27.28 27.28 487512003 Zone 02 1 27.28 27.28 487512004 Zone 02 1 27.28 27.28 487512005 Zone 02 1 27.28 27.28 487512006 Zone 02 1 27.28 27.28 487512007 Zone 02 1 27.28 27.28 487512008 Zone 02 1 27.28 27.28 487512010 Zone 02 1 27.28 27.28 487513001 Zone 02 1 27.28 27.28 487513002 Zone 02 1 27.28 27.28 487513003 Zone 02 1 27.28 27.28 487513004 Zone 02 1 27.28 27.28					
487511014 Zone 02 1 27.28 27.28 487512001 Zone 02 1 27.28 27.28 487512002 Zone 02 1 27.28 27.28 487512003 Zone 02 1 27.28 27.28 487512004 Zone 02 1 27.28 27.28 487512005 Zone 02 1 27.28 27.28 487512006 Zone 02 1 27.28 27.28 487512007 Zone 02 1 27.28 27.28 487512008 Zone 02 1 27.28 27.28 487512010 Zone 02 1 27.28 27.28 487513001 Zone 02 1 27.28 27.28 487513002 Zone 02 1 27.28 27.28 487513003 Zone 02 1 27.28 27.28 487513004 Zone 02 1 27.28 27.28 487513004 Zone 02 1 27.28 27.28					
487512001 Zone 02 1 27.28 27.28 487512002 Zone 02 1 27.28 27.28 487512003 Zone 02 1 27.28 27.28 487512004 Zone 02 1 27.28 27.28 487512005 Zone 02 1 27.28 27.28 487512006 Zone 02 1 27.28 27.28 487512007 Zone 02 1 27.28 27.28 487512008 Zone 02 1 27.28 27.28 487512009 Zone 02 1 27.28 27.28 487512010 Zone 02 1 27.28 27.28 487513001 Zone 02 1 27.28 27.28 487513002 Zone 02 1 27.28 27.28 487513003 Zone 02 1 27.28 27.28 487513004 Zone 02 1 27.28 27.28 487513004 Zone 02 1 27.28 27.28					
487512002 Zone 02 1 27.28 27.28 487512003 Zone 02 1 27.28 27.28 487512004 Zone 02 1 27.28 27.28 487512005 Zone 02 1 27.28 27.28 487512006 Zone 02 1 27.28 27.28 487512007 Zone 02 1 27.28 27.28 487512008 Zone 02 1 27.28 27.28 487512009 Zone 02 1 27.28 27.28 487512010 Zone 02 1 27.28 27.28 487513001 Zone 02 1 27.28 27.28 487513002 Zone 02 1 27.28 27.28 487513003 Zone 02 1 27.28 27.28 487513004 Zone 02 1 27.28 27.28 487513004 Zone 02 1 27.28 27.28					
487512003 Zone 02 1 27.28 27.28 487512004 Zone 02 1 27.28 27.28 487512005 Zone 02 1 27.28 27.28 487512006 Zone 02 1 27.28 27.28 487512007 Zone 02 1 27.28 27.28 487512008 Zone 02 1 27.28 27.28 487512010 Zone 02 1 27.28 27.28 487513001 Zone 02 1 27.28 27.28 487513002 Zone 02 1 27.28 27.28 487513003 Zone 02 1 27.28 27.28 487513004 Zone 02 1 27.28 27.28 487513004 Zone 02 1 27.28 27.28					
487512004 Zone 02 1 27.28 27.28 487512005 Zone 02 1 27.28 27.28 487512006 Zone 02 1 27.28 27.28 487512007 Zone 02 1 27.28 27.28 487512008 Zone 02 1 27.28 27.28 487512010 Zone 02 1 27.28 27.28 487513001 Zone 02 1 27.28 27.28 487513002 Zone 02 1 27.28 27.28 487513003 Zone 02 1 27.28 27.28 487513004 Zone 02 1 27.28 27.28 487513004 Zone 02 1 27.28 27.28	487512002	Zone 02		1 27.28	27.28
487512005 Zone 02 1 27.28 27.28 487512006 Zone 02 1 27.28 27.28 487512007 Zone 02 1 27.28 27.28 487512008 Zone 02 1 27.28 27.28 487512009 Zone 02 1 27.28 27.28 487512010 Zone 02 1 27.28 27.28 487513001 Zone 02 1 27.28 27.28 487513002 Zone 02 1 27.28 27.28 487513003 Zone 02 1 27.28 27.28 487513004 Zone 02 1 27.28 27.28					
487512006 Zone 02 1 27.28 27.28 487512007 Zone 02 1 27.28 27.28 487512008 Zone 02 1 27.28 27.28 487512009 Zone 02 1 27.28 27.28 487512010 Zone 02 1 27.28 27.28 487513001 Zone 02 1 27.28 27.28 487513002 Zone 02 1 27.28 27.28 487513003 Zone 02 1 27.28 27.28 487513004 Zone 02 1 27.28 27.28		Zone 02		1 27.28	27.28
487512007 Zone 02 1 27.28 27.28 487512008 Zone 02 1 27.28 27.28 487512009 Zone 02 1 27.28 27.28 487512010 Zone 02 1 27.28 27.28 487513001 Zone 02 1 27.28 27.28 487513002 Zone 02 1 27.28 27.28 487513003 Zone 02 1 27.28 27.28 487513004 Zone 02 1 27.28 27.28	487512005	Zone 02		1 27.28	27.28
487512008 Zone 02 1 27.28 27.28 487512009 Zone 02 1 27.28 27.28 487512010 Zone 02 1 27.28 27.28 487513001 Zone 02 1 27.28 27.28 487513002 Zone 02 1 27.28 27.28 487513003 Zone 02 1 27.28 27.28 487513004 Zone 02 1 27.28 27.28 27.28 27.28 27.28	487512006	Zone 02		1 27.28	27.28
487512009 Zone 02 1 27.28 27.28 487512010 Zone 02 1 27.28 27.28 487513001 Zone 02 1 27.28 27.28 487513002 Zone 02 1 27.28 27.28 487513003 Zone 02 1 27.28 27.28 487513004 Zone 02 1 27.28 27.28 27.28 27.28 27.28	487512007	Zone 02		1 27.28	27.28
487512010 Zone 02 1 27.28 27.28 487513001 Zone 02 1 27.28 27.28 487513002 Zone 02 1 27.28 27.28 487513003 Zone 02 1 27.28 27.28 487513004 Zone 02 1 27.28 27.28 27.28 27.28 27.28	487512008	Zone 02		1 27.28	27.28
487513001 Zone 02 1 27.28 27.28 487513002 Zone 02 1 27.28 27.28 487513003 Zone 02 1 27.28 27.28 487513004 Zone 02 1 27.28 27.28 27.28 27.28 27.28	487512009	Zone 02		1 27.28	27.28
487513002 Zone 02 1 27.28 27.28 487513003 Zone 02 1 27.28 27.28 487513004 Zone 02 1 27.28 27.28 27.28 27.28 27.28	487512010	Zone 02		1 27.28	27.28
487513003 Zone 02 1 27.28 27.28 487513004 Zone 02 1 27.28 27.28	487513001	Zone 02		1 27.28	27.28
487513004 Zone 02 1 27.28 27.28	487513002	Zone 02		1 27.28	27.28
	487513003	Zone 02		1 27.28	27.28
	487513004	Zone 02		1 27.28	27.28
487513005 Zone 02 1 27.28 27.28	487513005	Zone 02		1 27.28	27.28
487513006 Zone 02 1 27.28 27.28	487513006	Zone 02		1 27.28	27.28

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
487513007	Zone 02		1 27.28	27.28
487513008	Zone 02		1 27.28	27.28
487513009	Zone 02		1 27.28	27.28
487513010	Zone 02		1 27.28	27.28
487513011	Zone 02		1 27.28	27.28
487513012	Zone 02		1 27.28	27.28
487513013	Zone 02		1 27.28	27.28
487513014	Zone 02		1 27.28	27.28
487513015	Zone 02		1 27.28	27.28
487513016	Zone 02		1 27.28	27.28
487513017	Zone 02		1 27.28	27.28
487513018	Zone 02		1 27.28	27.28
487513019	Zone 02		1 27.28	27.28
487513020	Zone 02		1 27.28	27.28
487513021	Zone 02		1 27.28	27.28
487513022	Zone 02		1 27.28	27.28
487513023	Zone 02		1 27.28	27.28
487513024	Zone 02		1 27.28	27.28
487513025	Zone 02		1 27.28	27.28
487513026	Zone 02		1 27.28	27.28
487530001	Zone 02		1 27.28	27.28
487530002	Zone 02		1 27.28	27.28
487530003	Zone 02		1 27.28	27.28
487530004	Zone 02		1 27.28	27.28
487530005	Zone 02		1 27.28	27.28
487530006	Zone 02		1 27.28	27.28
487530007	Zone 02		1 27.28	27.28
487530008	Zone 02		1 27.28	27.28
487530009	Zone 02		1 27.28	27.28
487530010	Zone 02		1 27.28	27.28
487530011	Zone 02		1 27.28	27.28
487530012	Zone 02		1 27.28	27.28
487530013	Zone 02		1 27.28	27.28
487530014	Zone 02		1 27.28	27.28
487530015	Zone 02		1 27.28	27.28
487530016	Zone 02		1 27.28	27.28
487530017	Zone 02		1 27.28	27.28
487530018	Zone 02		1 27.28	27.28
487530019	Zone 02		1 27.28	27.28
487530020	Zone 02		1 27.28	27.28
487530021	Zone 02		1 27.28	27.28
487530022	Zone 02		1 27.28	27.28
487531001	Zone 02		1 27.28	27.28
487531002	Zone 02		1 27.28	27.28
487531003	Zone 02		1 27.28	27.28
487531004	Zone 02		1 27.28	27.28
487531005	Zone 02		1 27.28	27.28
487531006	Zone 02		1 27.28	27.28
.3,00,000			27.20	21.20

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
487531007	Zone 02		1 27.28	27.28
487531008	Zone 02		1 27.28	27.28
487531009	Zone 02		1 27.28	27.28
487531010	Zone 02		1 27.28	27.28
487531011	Zone 02		1 27.28	27.28
487531012	Zone 02		1 27.28	27.28
487531013	Zone 02		1 27.28	27.28
487531014	Zone 02		1 27.28	27.28
487531015	Zone 02		1 27.28	27.28
487531016	Zone 02		1 27.28	27.28
487531017	Zone 02		1 27.28	27.28
487531018	Zone 02		1 27.28	27.28
487531019	Zone 02		1 27.28	27.28
487532001	Zone 02		1 27.28	27.28
487532002	Zone 02		1 27.28	27.28
487532003	Zone 02		1 27.28	27.28
487532004	Zone 02		1 27.28	27.28
487532005	Zone 02		1 27.28	27.28
487532006	Zone 02		1 27.28	27.28
487532007	Zone 02		1 27.28	27.28
487532008	Zone 02		1 27.28	27.28
487532009	Zone 02		1 27.28	27.28
487532010	Zone 02		1 27.28	27.28
487532011	Zone 02		1 27.28	27.28
487532012	Zone 02		1 27.28	27.28
487532013	Zone 02		1 27.28	27.28
487532014	Zone 02		1 27.28	27.28
487532015	Zone 02		1 27.28	27.28
487532016	Zone 02		1 27.28	27.28
487532017	Zone 02		1 27.28	27.28
487532018	Zone 02		1 27.28	27.28
487532019	Zone 02		1 27.28	27.28
487532020	Zone 02		1 27.28	27.28
487532021	Zone 02		1 27.28	27.28
487532022	Zone 02		1 27.28	27.28
487532023	Zone 02		1 27.28	27.28
487532024	Zone 02		1 27.28	27.28
487201009	Zone 02		1 27.28	27.28
487514001	Zone 02		1 27.28	27.28
487514002	Zone 02		1 27.28	27.28
487514003	Zone 02		1 27.28	27.28
487514004	Zone 02		1 27.28	27.28
487230015	Zone 02		1 27.28	27.28
487230015	Zone 02		1 27.28	27.28
487230017	Zone 02		1 27.28	27.28
487230017	Zone 02		1 27.28	27.28
487230019	Zone 02		1 27.28	27.28
487230019	Zone 02		1 27.28	27.28
401230020	20116 02		21.20	21.20

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
487230021	Zone 02		1 27.28	27.28
487230022	Zone 02		1 27.28	27.28
487230023	Zone 02		1 27.28	27.28
487230024	Zone 02		1 27.28	27.28
487230025	Zone 02		1 27.28	27.28
487230026	Zone 02		1 27.28	27.28
487230027	Zone 02		1 27.28	27.28
487230028	Zone 02		1 27.28	27.28
487230029	Zone 02		1 27.28	27.28
487230030	Zone 02		1 27.28	27.28
487230031	Zone 02		1 27.28	27.28
487230032	Zone 02		1 27.28	27.28
487230033	Zone 02		1 27.28	27.28
487230034	Zone 02		1 27.28	27.28
487242002	Zone 02		1 27.28	27.28
487242003	Zone 02		1 27.28	27.28
487242004	Zone 02		1 27.28	27.28
487242005	Zone 02		1 27.28	27.28
487231001	Zone 02		1 27.28	27.28
487231002	Zone 02		1 27.28	27.28
487231003	Zone 02		1 27.28	27.28
487231004	Zone 02		1 27.28	27.28
487231005	Zone 02		1 27.28	27.28
487231006	Zone 02		1 27.28	27.28
486480001	Zone 02		1 27.28	27.28
486480002	Zone 02		1 27.28	27.28
486480003	Zone 02		1 27.28	27.28
486480004	Zone 02		1 27.28	27.28
486480005	Zone 02		1 27.28	27.28
486480006	Zone 02		1 27.28	27.28
486480023	Zone 02		1 27.28	27.28
486480024	Zone 02		1 27.28	27.28
486481002	Zone 02		1 27.28	27.28
486481003	Zone 02		1 27.28	27.28
486481004	Zone 02		1 27.28	27.28
486481005	Zone 02		1 27.28	27.28
486481006	Zone 02		1 27.28	27.28
486482001	Zone 02		1 27.28	27.28
486482002	Zone 02		1 27.28	27.28
486482003	Zone 02		1 27.28	27.28
486482004	Zone 02		1 27.28	27.28
486482005	Zone 02		1 27.28	27.28
486482006	Zone 02		1 27.28	27.28
486482007	Zone 02		1 27.28	27.28
486482008	Zone 02		1 27.28	27.28
486482009	Zone 02		1 27.28	27.28
486480027	Zone 02		1 27.28	27.28
486480028	Zone 02		1 27.28	27.28
130-100020	20110 02		21.20	21.20

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
486480029	Zone 02		1 27.28	27.28
486480030	Zone 02		1 27.28	27.28
486480031	Zone 02		1 27.28	27.28
486480032	Zone 02		1 27.28	27.28
486480033	Zone 02		1 27.28	27.28
486480034	Zone 02		1 27.28	27.28
486480035	Zone 02		1 27.28	27.28
486480036	Zone 02		1 27.28	27.28
486480037	Zone 02		1 27.28	27.28
486480038	Zone 02		1 27.28	27.28
486480039	Zone 02		1 27.28	27.28
486480040	Zone 02		1 27.28	27.28
486480041	Zone 02		1 27.28	27.28
486480042	Zone 02		1 27.28	27.28
486480043	Zone 02		1 27.28	27.28
486480044	Zone 02		1 27.28	27.28
486480045	Zone 02		1 27.28	27.28
486480046	Zone 02		1 27.28	27.28
486482010	Zone 02		1 27.28	27.28
486482011	Zone 02		1 27.28	27.28
486482012	Zone 02		1 27.28	27.28
486470001	Zone 02		1 27.28	27.28
486470002	Zone 02		1 27.28	27.28
486470003	Zone 02		1 27.28	27.28
486470004	Zone 02		1 27.28	27.28
486470005	Zone 02		1 27.28	27.28
486470006	Zone 02		1 27.28	27.28
486470007	Zone 02		1 27.28	27.28
486470008	Zone 02		1 27.28	27.28
486470009	Zone 02		1 27.28	27.28
486470010	Zone 02		1 27.28	27.28
486470011	Zone 02		1 27.28	27.28
486470012	Zone 02		1 27.28	27.28
486470013	Zone 02		1 27.28	27.28
486470014	Zone 02		1 27.28	27.28
486470015	Zone 02		1 27.28	27.28
486470016	Zone 02		1 27.28	27.28
486470017	Zone 02		1 27.28	27.28
486470018	Zone 02		1 27.28	27.28
486470019	Zone 02		1 27.28	27.28
486470020	Zone 02		1 27.28	27.28
486470021	Zone 02		1 27.28	27.28
486470022	Zone 02		1 27.28	27.28
486470023	Zone 02		1 27.28	27.28
486470024	Zone 02		1 27.28	27.28
486470025	Zone 02		1 27.28	27.28
486470026	Zone 02		1 27.28	27.28
486470027	Zone 02		1 27.28	27.28
400470027	20116 02		21.20	21.20

APN	LMD 2014-01 Zone I	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
486470028	Zone 02		1 27.28	27.28
486470029	Zone 02		1 27.28	27.28
486470030	Zone 02		1 27.28	27.28
486470031	Zone 02		1 27.28	27.28
486470032	Zone 02		1 27.28	27.28
486470033	Zone 02		1 27.28	27.28
486470034	Zone 02		1 27.28	27.28
486470035	Zone 02		1 27.28	27.28
486470036	Zone 02		1 27.28	27.28
486470037	Zone 02		1 27.28	27.28
486470038	Zone 02		1 27.28	27.28
486470039	Zone 02		1 27.28	27.28
486470040	Zone 02		1 27.28	27.28
486470041	Zone 02		1 27.28	27.28
486471001	Zone 02		1 27.28	27.28
486471002	Zone 02		1 27.28	27.28
486471003	Zone 02		1 27.28	27.28
486471004	Zone 02		1 27.28	27.28
486471005	Zone 02		1 27.28	27.28
486471006	Zone 02		1 27.28	27.28
486471007	Zone 02		1 27.28	27.28
486471008	Zone 02		1 27.28	27.28
486471009	Zone 02		1 27.28	27.28
486471010	Zone 02		1 27.28	27.28
486471011	Zone 02		1 27.28	27.28
486471012	Zone 02		1 27.28	27.28
486471013	Zone 02		1 27.28	27.28
486471014	Zone 02		1 27.28	27.28
486471015	Zone 02		1 27.28	27.28
486471016	Zone 02		1 27.28	27.28
486471017	Zone 02		1 27.28	27.28
486471018	Zone 02		1 27.28	27.28
486471019	Zone 02		1 27.28	27.28
486471020	Zone 02		1 27.28	27.28
486471021	Zone 02		1 27.28	27.28
486471022	Zone 02		1 27.28	27.28
486471023	Zone 02		1 27.28	27.28
486471024	Zone 02		1 27.28	27.28
486471025	Zone 02		1 27.28	27.28
486471026	Zone 02		1 27.28	27.28
486471027	Zone 02		1 27.28	27.28
486471028	Zone 02		1 27.28	27.28
486471029	Zone 02		1 27.28	27.28
486471030	Zone 02		1 27.28	27.28
486471031	Zone 02		1 27.28	27.28
486471032	Zone 02		1 27.28	27.28
486471033	Zone 02		1 27.28	27.28
486471034	Zone 02		1 27.28	27.28
.55 11 155 1			21.20	21.20

APN	LMD 2014-01 Zone I	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
486471035	Zone 02		1 27.28	27.28
486471036	Zone 02		1 27.28	27.28
486480007	Zone 02		1 27.28	27.28
486480008	Zone 02		1 27.28	27.28
486480009	Zone 02		1 27.28	27.28
486480010	Zone 02		1 27.28	27.28
486480011	Zone 02		1 27.28	27.28
486480012	Zone 02		1 27.28	27.28
486480013	Zone 02		1 27.28	27.28
486480014	Zone 02		1 27.28	27.28
486480015	Zone 02		1 27.28	27.28
486480016	Zone 02		1 27.28	27.28
486480017	Zone 02		1 27.28	27.28
486480018	Zone 02		1 27.28	27.28
486480019	Zone 02		1 27.28	27.28
486480020	Zone 02		1 27.28	27.28
486480021	Zone 02		1 27.28	27.28
486480022	Zone 02		1 27.28	27.28
486480025	Zone 02		1 27.28	27.28
486480026	Zone 02		1 27.28	27.28
486481001	Zone 02		1 27.28	27.28
487310022	Zone 02		1 27.28	27.28
487310023	Zone 02		1 27.28	27.28
487310024	Zone 02		1 27.28	27.28
487310025	Zone 02		1 27.28	27.28
487310026	Zone 02		1 27.28	27.28
487310027	Zone 02		1 27.28	27.28
487310028	Zone 02		1 27.28	27.28
487310029	Zone 02		1 27.28	27.28
487310030	Zone 02		1 27.28	27.28
487310031	Zone 02		1 27.28	27.28
487310032	Zone 02		1 27.28	27.28
487310033	Zone 02		1 27.28	27.28
488120001	Zone 02		1 27.28	27.28
488120002	Zone 02		1 27.28	27.28
488120003	Zone 02		1 27.28	27.28
488120004	Zone 02		1 27.28	27.28
488120005	Zone 02		1 27.28	27.28
488120006	Zone 02		1 27.28	27.28
488120007	Zone 02		1 27.28	27.28
488120008	Zone 02		1 27.28	27.28
488120009	Zone 02		1 27.28	27.28
488120010	Zone 02		1 27.28	27.28
488120011	Zone 02		1 27.28	27.28
488120012	Zone 02		1 27.28	27.28
488120013	Zone 02		1 27.28	27.28
488120015	Zone 02		1 27.28	27.28
488120016	Zone 02		1 27.28	27.28
.50120010			27.20	21.20

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
488120017	Zone 02		1 27.28	27.28
488120018	Zone 02		1 27.28	27.28
488120019	Zone 02		1 27.28	27.28
488120020	Zone 02		1 27.28	27.28
488120021	Zone 02		1 27.28	27.28
488120022	Zone 02		1 27.28	27.28
488120023	Zone 02		1 27.28	27.28
488120024	Zone 02		1 27.28	27.28
488120025	Zone 02		1 27.28	27.28
488120026	Zone 02		1 27.28	27.28
488120027	Zone 02		1 27.28	27.28
488120028	Zone 02		1 27.28	27.28
488120029	Zone 02		1 27.28	27.28
488120030	Zone 02		1 27.28	27.28
488120031	Zone 02		1 27.28	27.28
488120032	Zone 02		1 27.28	27.28
488120033	Zone 02		1 27.28	27.28
488120034	Zone 02		1 27.28	27.28
488120035	Zone 02		1 27.28	27.28
488120036	Zone 02		1 27.28	27.28
488121001	Zone 02		1 27.28	27.28
488121002	Zone 02		1 27.28	27.28
488121003	Zone 02		1 27.28	27.28
488121005	Zone 02		1 27.28	27.28
488121006	Zone 02		1 27.28	27.28
488121007	Zone 02		1 27.28	27.28
488121008	Zone 02		1 27.28	27.28
488121009	Zone 02		1 27.28	27.28
488121010	Zone 02		1 27.28	27.28
488121011	Zone 02		1 27.28	27.28
488121012	Zone 02		1 27.28	27.28
488121013	Zone 02		1 27.28	27.28
488121014	Zone 02		1 27.28	27.28
488140005	Zone 02		1 27.28	27.28
488140006	Zone 02		1 27.28	27.28
488140007	Zone 02		1 27.28	27.28
488140008	Zone 02		1 27.28	27.28
488140009	Zone 02		1 27.28	27.28
488140010	Zone 02		1 27.28	27.28
488140011	Zone 02		1 27.28	27.28
488140012	Zone 02		1 27.28	27.28
488140013	Zone 02		1 27.28	27.28
488140014	Zone 02 Zone 02		1 27.28	27.28
488140015	Zone 02 Zone 02		1 27.28	27.28
488140016	Zone 02 Zone 02		1 27.28	27.28
488140017	Zone 02 Zone 02		1 27.28	27.28
488140018	Zone 02 Zone 02		1 27.28	27.28
488140019	Zone 02		1 27.28	27.28

APN	I MD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
488140020	Zone 02		1 27.28	27.28
488140021	Zone 02		1 27.28	27.28
488140022	Zone 02		1 27.28	27.28
488140023	Zone 02		1 27.28	27.28
488140024	Zone 02		1 27.28	27.28
488140025	Zone 02		1 27.28	27.28
488140026	Zone 02		1 27.28	27.28
488140027	Zone 02		1 27.28	27.28
488140028	Zone 02		1 27.28	27.28
488140029	Zone 02		1 27.28	27.28
488140030	Zone 02		1 27.28	27.28
488140031	Zone 02		1 27.28	27.28
488140032	Zone 02		1 27.28	27.28
488140033	Zone 02		1 27.28	27.28
488140034	Zone 02		1 27.28	27.28
488140035	Zone 02 Zone 02		1 27.28	27.28
488140036	Zone 02 Zone 02		1 27.28	27.28
488140037	Zone 02 Zone 02		1 27.28	27.28
	Zone 02 Zone 02		1 27.28	27.28
488140038				
488140039	Zone 02		1 27.28	27.28
488140040	Zone 02		1 27.28	27.28
488140041	Zone 02		1 27.28	27.28
488140042	Zone 02		1 27.28	27.28
488140043	Zone 02		1 27.28	27.28
488140044	Zone 02		1 27.28	27.28
488110001	Zone 02		1 27.28	27.28
488110002	Zone 02		1 27.28	27.28
488110003	Zone 02		1 27.28	27.28
488110004	Zone 02		1 27.28	27.28
487210001	Zone 02		1 27.28	27.28
487210004	Zone 02		1 27.28	27.28
487210005	Zone 02		1 27.28	27.28
260510001	Zone 02		1 27.28	27.28
260510002	Zone 02		1 27.28	27.28
260510003	Zone 02		1 27.28	27.28
260510004	Zone 02		1 27.28	27.28
260510005	Zone 02		1 27.28	27.28
260510006	Zone 02		1 27.28	27.28
487560001	Zone 02		1 27.28	27.28
487560002	Zone 02		1 27.28	27.28
487560003	Zone 02		1 27.28	27.28
487560004	Zone 02		1 27.28	27.28
487560005	Zone 02		1 27.28	27.28
487560006	Zone 02		1 27.28	27.28
487560007	Zone 02		1 27.28	27.28
487560008	Zone 02		1 27.28	27.28
487560009	Zone 02		1 27.28	27.28
487560010	Zone 02		1 27.28	27.28

APN	LMD 2014-01 Zone L	_MD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
487560011	Zone 02		1 27.28	27.28
487560012	Zone 02		1 27.28	27.28
487560013	Zone 02		1 27.28	27.28
487560014	Zone 02		1 27.28	27.28
487560015	Zone 02		1 27.28	27.28
487560016	Zone 02		1 27.28	27.28
487560017	Zone 02		1 27.28	27.28
487560018	Zone 02		1 27.28	27.28
487560019	Zone 02		1 27.28	27.28
487560020	Zone 02		1 27.28	27.28
487560021	Zone 02		1 27.28	27.28
487560022	Zone 02		1 27.28	27.28
487560023	Zone 02		1 27.28	27.28
487560024	Zone 02		1 27.28	27.28
487560025	Zone 02		1 27.28	27.28
487560026	Zone 02		1 27.28	27.28
487560027	Zone 02		1 27.28	27.28
487560028	Zone 02		1 27.28	27.28
487560029	Zone 02		1 27.28	27.28
487560030	Zone 02		1 27.28	27.28
487560031	Zone 02		1 27.28	27.28
487560032	Zone 02		1 27.28	27.28
487560033	Zone 02		1 27.28	27.28
487560034	Zone 02		1 27.28	27.28
487561001	Zone 02		1 27.28	27.28
487561002	Zone 02		1 27.28	27.28
487561003	Zone 02		1 27.28	27.28
487561004	Zone 02		1 27.28	27.28
487242007	Zone 02		1 27.28	27.28
487242008	Zone 02		1 27.28	27.28
487242009	Zone 02		1 27.28	27.28
487242010	Zone 02		1 27.28	27.28
487242011	Zone 02		1 27.28	27.28
487243011	Zone 02		1 27.28	27.28
487243012	Zone 02		1 27.28	27.28
487243013	Zone 02		1 27.28	27.28
487243014	Zone 02		1 27.28	27.28
487243015	Zone 02		1 27.28	27.28
487243016	Zone 02		1 27.28	27.28
487243017	Zone 02		1 27.28	27.28
487243018	Zone 02		1 27.28	27.28
487243019	Zone 02		1 27.28	27.28
487243020	Zone 02		1 27.28	27.28
487243021	Zone 02		1 27.28	27.28
487243022	Zone 02		1 27.28	27.28
487243023	Zone 02		1 27.28	27.28
487243024	Zone 02		1 27.28	27.28
487243025	Zone 02		1 27.28	27.28
.372 10020			21.20	21.20

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
487243026	Zone 02		1 27.28	27.28
487243027	Zone 02		1 27.28	27.28
487561005	Zone 02		1 27.28	27.28
487561006	Zone 02		1 27.28	27.28
487561007	Zone 02		1 27.28	27.28
487561008	Zone 02		1 27.28	27.28
487561009	Zone 02		1 27.28	27.28
487561010	Zone 02		1 27.28	27.28
487561011	Zone 02		1 27.28	27.28
487561012	Zone 02		1 27.28	27.28
487561013	Zone 02		1 27.28	27.28
487561014	Zone 02		1 27.28	27.28
487561015	Zone 02		1 27.28	27.28
487561016	Zone 02		1 27.28	27.28
487561017	Zone 02		1 27.28	27.28
487561018	Zone 02		1 27.28	27.28
487561019	Zone 02		1 27.28	27.28
487561020	Zone 02		1 27.28	27.28
487561021	Zone 02		1 27.28	27.28
487561022	Zone 02		1 27.28	27.28
487561023	Zone 02		1 27.28	27.28
487561024	Zone 02		1 27.28	27.28
487561025	Zone 02		1 27.28	27.28
487561026	Zone 02		1 27.28	27.28
487561027	Zone 02 Zone 02		1 27.28	27.28
487561028	Zone 02		1 27.28	27.28
487561029	Zone 02 Zone 02		1 27.28	27.28
487561030	Zone 02 Zone 02		1 27.28	27.28
487561031	Zone 02 Zone 02		1 27.28	27.28
487561031	Zone 02 Zone 02		1 27.28	27.28
487561033	Zone 02 Zone 02		1 27.28	27.28
487561034	Zone 02 Zone 02		1 27.28	27.28
487561035	Zone 02		1 27.28	27.28
487561036	Zone 02 Zone 02		1 27.28	27.28
487561037			1 27.28	27.28
487561038	Zone 02 Zone 02		1 27.28	27.28
487561039	Zone 02 Zone 02		1 27.28	27.28
487561040	Zone 02 Zone 02		1 27.28	
487561041				27.28
	Zone 02		1 27.28 1 27.28	27.28
487561042	Zone 02			27.28
487561043	Zone 02		1 27.28	27.28
487561044	Zone 02		1 27.28	27.28
487550001	Zone 02		1 27.28	27.28
487550002	Zone 02		1 27.28	27.28
487550003	Zone 02		1 27.28	27.28
487550004	Zone 02		1 27.28	27.28
487551001	Zone 02		1 27.28	27.28
487551002	Zone 02		1 27.28	27.28

APN	LMD 2014-01 Zone L	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
487551003	Zone 02		1 27.28	27.28
487551004	Zone 02		1 27.28	27.28
487551005	Zone 02		1 27.28	27.28
487551006	Zone 02		1 27.28	27.28
487551007	Zone 02		1 27.28	27.28
487551008	Zone 02		1 27.28	27.28
308620001	Zone 02		1 27.28	27.28
308620002	Zone 02		1 27.28	27.28
308620003	Zone 02		1 27.28	27.28
308620004	Zone 02		1 27.28	27.28
308620005	Zone 02		1 27.28	27.28
308620006	Zone 02		1 27.28	27.28
308620007	Zone 02		1 27.28	27.28
308620008	Zone 02		1 27.28	27.28
308620009	Zone 02		1 27.28	27.28
308620010	Zone 02		1 27.28	27.28
308620011	Zone 02		1 27.28	27.28
308620012	Zone 02		1 27.28	27.28
308620013	Zone 02		1 27.28	27.28
308620014	Zone 02		1 27.28	27.28
308620015	Zone 02		1 27.28	27.28
308620016	Zone 02		1 27.28	27.28
308620017	Zone 02		1 27.28	27.28
308620018	Zone 02		1 27.28	27.28
308620019	Zone 02		1 27.28	27.28
308620020	Zone 02		1 27.28	27.28
308620021	Zone 02		1 27.28	27.28
308620022	Zone 02		1 27.28	27.28
308620023	Zone 02		1 27.28	27.28
308620024	Zone 02		1 27.28	27.28
308620025	Zone 02		1 27.28	27.28
308620026	Zone 02		1 27.28	27.28
308620027	Zone 02		1 27.28	27.28
308620028	Zone 02		1 27.28	27.28
308620029	Zone 02		1 27.28	27.28
308620030	Zone 02		1 27.28	27.28
308620031	Zone 02		1 27.28	27.28
308620032	Zone 02		1 27.28	27.28
308620033	Zone 02		1 27.28	27.28
308620034	Zone 02		1 27.28	27.28
308620035	Zone 02		1 27.28	27.28
308620036	Zone 02		1 27.28	27.28
308620037	Zone 02		1 27.28	27.28
308620038	Zone 02		1 27.28	27.28
308620039	Zone 02		1 27.28	27.28
308620040	Zone 02		1 27.28	27.28
308620045	Zone 02		1 27.28	27.28
308621002	Zone 02		1 27.28	27.28
3000Z 100Z	20110 02		. 21.20	21.20

APN	LMD 2014-01 Zone L	.MD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
308621003	Zone 02		1 27.28	27.28
308621004	Zone 02		1 27.28	27.28
308621005	Zone 02		1 27.28	27.28
308621006	Zone 02		1 27.28	27.28
308621007	Zone 02		1 27.28	27.28
308621008	Zone 02		1 27.28	27.28
308621009	Zone 02		1 27.28	27.28
475182048	Zone 02		0	0.00
475182049	Zone 02		0	0.00
475182050	Zone 02		0	0.00
475182051	Zone 02		0	0.00
475182052	Zone 02		0	0.00
475182053	Zone 02		0	0.00
482304037	Zone 02		0	0.00
482304038	Zone 02		0	0.00
482304039	Zone 02		0	0.00
482304040	Zone 02		0	0.00
482304041	Zone 02		0	0.00
482304042	Zone 02		0	0.00
482304043	Zone 02		0	0.00
482304044	Zone 02		0	0.00
482304045	Zone 02		0	0.00
487570013	Zone 02		1 27.28	27.28
487570014	Zone 02		1 27.28	27.28
487570015	Zone 02		1 27.28	27.28
487570016	Zone 02		1 27.28	27.28
487570017	Zone 02		1 27.28	27.28
487570018	Zone 02		1 27.28	27.28
487570019	Zone 02		1 27.28	27.28
487571001	Zone 02		1 27.28	27.28
487572009	Zone 02		1 27.28	27.28
487572010	Zone 02		1 27.28	27.28
487572011	Zone 02		1 27.28	27.28
487572012	Zone 02		1 27.28	27.28
487572013	Zone 02		1 27.28	27.28
487572014	Zone 02		1 27.28	27.28
487572015	Zone 02		1 27.28	27.28
487572016	Zone 02		1 27.28	27.28
487572017	Zone 02		1 27.28	27.28
487572018	Zone 02		1 27.28	27.28
487572019	Zone 02		1 27.28	27.28
487572020	Zone 02		1 27.28	27.28
487572021	Zone 02		1 27.28	27.28
487572022	Zone 02		1 27.28	27.28
487572023	Zone 02		1 27.28	27.28
487572024	Zone 02		1 27.28	27.28
487572025	Zone 02		1 27.28	27.28
487572026	Zone 02		1 27.28	27.28
.51012020			27.20	21.20

487572027 Zone 02 1 27.28 27.28 487572032 Zone 02 1 27.28 27.28 487572030 Zone 02 1 27.28 27.28 487572031 Zone 02 1 27.28 27.28 487572031 Zone 02 1 27.28 27.28 487572032 Zone 02 1 27.28 27.28 487572033 Zone 02 1 27.28 27.28 487572033 Zone 02 1 27.28 27.28 487572033 Zone 02 1 27.28 27.28 487572035 Zone 02 1 27.28 27.28 487572036 Zone 02 1 27.28 27.28 487572037 Zone 02 1 27.28 27.28 487572038 Zone 02 1 27.28 27.28 487572038 Zone 02 1 27.28 27.28 487572038 Zone 02 1 27.28 27.28 487572039 Zone 02 1 27.28 27.28 487572039 Zone 02 1 27.28 27.28 487572030 Zone 02 1 27.28 27.28 487572041 Zone 02 1 27.28 27.28 487572042 Zone 02 1 27.28 27.28 487572042 Zone 02 1 27.28 27.28 487572043 Zone 02 1 27.28 27.28 487573001 Zone 02 1 27.28 27.28 487573001 Zone 02 1 27.28 27.28 487573002 Zone 02 1 27.28 27.28 487573003 Zone 02 1 27.28 27.28 487573004 Zone 02 1 27.28 27.28 487573005 Zone 02 1 27.28 27.28 487573007 Zone 02 1 27.28 27.28 487573007 Zone 02 1 27.28 27.28 487573008 Zone 03 1 27.28 27.28 487572006 Zone 03 1 27.28 27.28 487572007 Zone 02 1 27.28 27.28 487572006 Zone 03 1 27.28 27.28 487572007 Zone 02 1 27.28 27.28 487572006 Zone 03 1 6.00 6.00 488050007 Zone 03 1 6.00 6.00 488050007 Zone 03 1 6.00 6.00 488050000 Zone 03 1 6.00 6.00	APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
A87572029	487572027	Zone 02		1 27.28	27.28
A87572030	487572028	Zone 02		1 27.28	27.28
487572031	487572029	Zone 02		1 27.28	27.28
A87572032	487572030	Zone 02		1 27.28	27.28
A87572033 Zone 02	487572031	Zone 02		1 27.28	27.28
A87572034 Zone 02	487572032	Zone 02		1 27.28	27.28
A87572035 Zone 02	487572033	Zone 02		1 27.28	27.28
ABTS72036 Zone 02	487572034	Zone 02		1 27.28	27.28
487572037 Zone 02 1 27.28 27.28 487572038 Zone 02 1 27.28 27.28 487572040 Zone 02 1 27.28 27.28 487572041 Zone 02 1 27.28 27.28 487572042 Zone 02 1 27.28 27.28 487572043 Zone 02 1 27.28 27.28 487572044 Zone 02 1 27.28 27.28 487573001 Zone 02 1 27.28 27.28 487573002 Zone 02 1 27.28 27.28 487573003 Zone 02 1 27.28 27.28 487574001 Zone 02 1 27.28 27.28 487574001 Zone 02 1 27.28 27.28 487571003 Zone 02 1 27.28 27.28 487571004 Zone 02 1 27.28 27.28 487571005 Zone 02 1 27.28 27.28	487572035	Zone 02		1 27.28	27.28
487572038 Zone 02 1 27.28 27.28 487572039 Zone 02 1 27.28 27.28 487572040 Zone 02 1 27.28 27.28 487572041 Zone 02 1 27.28 27.28 487572043 Zone 02 1 27.28 27.28 487572044 Zone 02 1 27.28 27.28 487572043 Zone 02 1 27.28 27.28 487573001 Zone 02 1 27.28 27.28 487573001 Zone 02 1 27.28 27.28 487573002 Zone 02 1 27.28 27.28 487573003 Zone 02 1 27.28 27.28 487574001 Zone 02 1 27.28 27.28 487571002 Zone 02 1 27.28 27.28 487571003 Zone 02 1 27.28 27.28 487571004 Zone 02 1 27.28 27.28	487572036	Zone 02		1 27.28	27.28
487572039 Zone 02 1 27.28 27.28 487572041 Zone 02 1 27.28 27.28 487572042 Zone 02 1 27.28 27.28 487572043 Zone 02 1 27.28 27.28 487572044 Zone 02 1 27.28 27.28 487573001 Zone 02 1 27.28 27.28 487573002 Zone 02 1 27.28 27.28 487573003 Zone 02 1 27.28 27.28 487574001 Zone 02 1 27.28 27.28 487574002 Zone 02 1 27.28 27.28 487574002 Zone 02 1 27.28 27.28 487571002 Zone 02 1 27.28 27.28 487571003 Zone 02 1 27.28 27.28 487571004 Zone 02 1 27.28 27.28 487572004 Zone 02 1 27.28 27.28	487572037	Zone 02		1 27.28	27.28
487572040 Zone 02 1 27.28 27.28 487572041 Zone 02 1 27.28 27.28 487572042 Zone 02 1 27.28 27.28 487572043 Zone 02 1 27.28 27.28 487572044 Zone 02 1 27.28 27.28 487573001 Zone 02 1 27.28 27.28 487573002 Zone 02 1 27.28 27.28 487573003 Zone 02 1 27.28 27.28 487574001 Zone 02 1 27.28 27.28 487574002 Zone 02 1 27.28 27.28 487571003 Zone 02 1 27.28 27.28 487571004 Zone 02 1 27.28 27.28 487571005 Zone 02 1 27.28 27.28 487572001 Zone 02 1 27.28 27.28 487572001 Zone 02 1 27.28 27.28	487572038	Zone 02		1 27.28	27.28
487572041 Zone 02 1 27.28 27.28 487572043 Zone 02 1 27.28 27.28 487572044 Zone 02 1 27.28 27.28 487573004 Zone 02 1 27.28 27.28 487573002 Zone 02 1 27.28 27.28 487573003 Zone 02 1 27.28 27.28 487574001 Zone 02 1 27.28 27.28 487574002 Zone 02 1 27.28 27.28 487571002 Zone 02 1 27.28 27.28 487571003 Zone 02 1 27.28 27.28 487571004 Zone 02 1 27.28 27.28 487571005 Zone 02 1 27.28 27.28 487572001 Zone 02 1 27.28 27.28 487572001 Zone 02 1 27.28 27.28 487572003 Zone 02 1 27.28 27.28	487572039	Zone 02		1 27.28	27.28
487572042 Zone 02 1 27.28 27.28 487572043 Zone 02 1 27.28 27.28 487572044 Zone 02 1 27.28 27.28 487573001 Zone 02 1 27.28 27.28 487573003 Zone 02 1 27.28 27.28 487574001 Zone 02 1 27.28 27.28 487574001 Zone 02 1 27.28 27.28 487574001 Zone 02 1 27.28 27.28 487571002 Zone 02 1 27.28 27.28 487571003 Zone 02 1 27.28 27.28 487571004 Zone 02 1 27.28 27.28 487571005 Zone 02 1 27.28 27.28 487572001 Zone 02 1 27.28 27.28 487572001 Zone 02 1 27.28 27.28 487572002 Zone 02 1 27.28 27.28	487572040	Zone 02		1 27.28	27.28
487572043 Zone 02 1 27.28 27.28 487572044 Zone 02 1 27.28 27.28 487573001 Zone 02 1 27.28 27.28 487573002 Zone 02 1 27.28 27.28 487574001 Zone 02 1 27.28 27.28 487574001 Zone 02 1 27.28 27.28 487574002 Zone 02 1 27.28 27.28 487571002 Zone 02 1 27.28 27.28 487571003 Zone 02 1 27.28 27.28 487571004 Zone 02 1 27.28 27.28 487571005 Zone 02 1 27.28 27.28 487572004 Zone 02 1 27.28 27.28 487572005 Zone 02 1 27.28 27.28 487572002 Zone 02 1 27.28 27.28 487572003 Zone 02 1 27.28 27.28	487572041	Zone 02		1 27.28	27.28
487572044 Zone 02 1 27.28 27.28 487573001 Zone 02 1 27.28 27.28 487573002 Zone 02 1 27.28 27.28 487573003 Zone 02 1 27.28 27.28 487574001 Zone 02 1 27.28 27.28 487571002 Zone 02 1 27.28 27.28 487571002 Zone 02 1 27.28 27.28 487571003 Zone 02 1 27.28 27.28 487571004 Zone 02 1 27.28 27.28 487571005 Zone 02 1 27.28 27.28 487572001 Zone 02 1 27.28 27.28 487572002 Zone 02 1 27.28 27.28 487572004 Zone 02 1 27.28 27.28 487572005 Zone 02 1 27.28 27.28 487572006 Zone 02 1 27.28 27.28	487572042	Zone 02		1 27.28	27.28
487573001 Zone 02 1 27.28 27.28 487573002 Zone 02 1 27.28 27.28 487573003 Zone 02 1 27.28 27.28 487574001 Zone 02 1 27.28 27.28 487574002 Zone 02 1 27.28 27.28 487571003 Zone 02 1 27.28 27.28 487571004 Zone 02 1 27.28 27.28 487571005 Zone 02 1 27.28 27.28 487572001 Zone 02 1 27.28 27.28 487572002 Zone 02 1 27.28 27.28 487572003 Zone 02 1 27.28 27.28 487572004 Zone 02 1 27.28 27.28 487572005 Zone 02 1 27.28 27.28 487572006 Zone 02 1 27.28 27.28 487572007 Zone 02 1 27.28 27.28 487572008 Zone 03 1 6.00 6.00 4	487572043	Zone 02		1 27.28	27.28
487573002 Zone 02 1 27.28 27.28 487573003 Zone 02 1 27.28 27.28 487574001 Zone 02 1 27.28 27.28 487574002 Zone 02 1 27.28 27.28 487571002 Zone 02 1 27.28 27.28 487571004 Zone 02 1 27.28 27.28 487571005 Zone 02 1 27.28 27.28 487571005 Zone 02 1 27.28 27.28 487572001 Zone 02 1 27.28 27.28 487572002 Zone 02 1 27.28 27.28 487572003 Zone 02 1 27.28 27.28 487572004 Zone 02 1 27.28 27.28 487572005 Zone 02 1 27.28 27.28 487572006 Zone 02 1 27.28 27.28 487572007 Zone 03 1 27.28 27.28 488051003 Zone 03 1 6.00 6.00 4	487572044	Zone 02		1 27.28	27.28
487573002 Zone 02 1 27.28 27.28 487573003 Zone 02 1 27.28 27.28 487574001 Zone 02 1 27.28 27.28 487574002 Zone 02 1 27.28 27.28 487571002 Zone 02 1 27.28 27.28 487571004 Zone 02 1 27.28 27.28 487571005 Zone 02 1 27.28 27.28 487571005 Zone 02 1 27.28 27.28 487572001 Zone 02 1 27.28 27.28 487572002 Zone 02 1 27.28 27.28 487572003 Zone 02 1 27.28 27.28 487572004 Zone 02 1 27.28 27.28 487572005 Zone 02 1 27.28 27.28 487572006 Zone 02 1 27.28 27.28 487572007 Zone 03 1 27.28 27.28 488051003 Zone 03 1 6.00 6.00 4	487573001	Zone 02		1 27.28	27.28
487573003 Zone 02 1 27.28 27.28 487574001 Zone 02 1 27.28 27.28 487574002 Zone 02 1 27.28 27.28 487571002 Zone 02 1 27.28 27.28 487571003 Zone 02 1 27.28 27.28 487571004 Zone 02 1 27.28 27.28 487571005 Zone 02 1 27.28 27.28 487572001 Zone 02 1 27.28 27.28 487572002 Zone 02 1 27.28 27.28 487572003 Zone 02 1 27.28 27.28 487572004 Zone 02 1 27.28 27.28 487572005 Zone 02 1 27.28 27.28 487572006 Zone 02 1 27.28 27.28 487572007 Zone 03 1 27.28 27.28 488051003 Zone 03 1 6.00 6.00 <t< td=""><td>487573002</td><td></td><td></td><td></td><td></td></t<>	487573002				
487574001 Zone 02 1 27.28 27.28 487574002 Zone 02 1 27.28 27.28 487571003 Zone 02 1 27.28 27.28 487571004 Zone 02 1 27.28 27.28 487571005 Zone 02 1 27.28 27.28 487572001 Zone 02 1 27.28 27.28 487572002 Zone 02 1 27.28 27.28 487572003 Zone 02 1 27.28 27.28 487572004 Zone 02 1 27.28 27.28 487572005 Zone 02 1 27.28 27.28 487572006 Zone 02 1 27.28 27.28 487572007 Zone 02 1 27.28 27.28 487572008 Zone 02 1 27.28 27.28 488051012 Zone 03 1 6.00 6.00 488050001 Zone 03 1 6.00 6.00 488050004 Zone 03 1 6.00 6.00 48805	487573003	Zone 02			
487574002 Zone 02 1 27.28 27.28 487571002 Zone 02 1 27.28 27.28 487571003 Zone 02 1 27.28 27.28 487571004 Zone 02 1 27.28 27.28 487571005 Zone 02 1 27.28 27.28 487572001 Zone 02 1 27.28 27.28 487572002 Zone 02 1 27.28 27.28 487572003 Zone 02 1 27.28 27.28 487572004 Zone 02 1 27.28 27.28 487572005 Zone 02 1 27.28 27.28 487572006 Zone 02 1 27.28 27.28 487572007 Zone 02 1 27.28 27.28 487572008 Zone 02 1 27.28 27.28 488051003 Zone 03 1 6.00 6.00 488051012 Zone 03 1 6.00 6.00 488050001 Zone 03 1 6.00 6.00 48805	487574001	Zone 02		1 27.28	
487571002 Zone 02 1 27.28 27.28 487571003 Zone 02 1 27.28 27.28 487571004 Zone 02 1 27.28 27.28 487571005 Zone 02 1 27.28 27.28 487572001 Zone 02 1 27.28 27.28 487572002 Zone 02 1 27.28 27.28 487572003 Zone 02 1 27.28 27.28 487572004 Zone 02 1 27.28 27.28 487572005 Zone 02 1 27.28 27.28 487572006 Zone 02 1 27.28 27.28 487572007 Zone 02 1 27.28 27.28 487572008 Zone 02 1 27.28 27.28 487572009 Zone 03 1 6.00 6.00 488051003 Zone 03 1 6.00 6.00 488051001 Zone 03 1 6.00 6.00					
487571003 Zone 02 1 27.28 27.28 487571004 Zone 02 1 27.28 27.28 487571005 Zone 02 1 27.28 27.28 487572001 Zone 02 1 27.28 27.28 487572002 Zone 02 1 27.28 27.28 487572003 Zone 02 1 27.28 27.28 487572004 Zone 02 1 27.28 27.28 487572005 Zone 02 1 27.28 27.28 487572006 Zone 02 1 27.28 27.28 487572007 Zone 02 1 27.28 27.28 487572008 Zone 02 1 27.28 27.28 488051003 Zone 03 1 6.00 6.00 488051012 Zone 03 1 6.00 6.00 488050002 Zone 03 1 6.00 6.00 488050003 Zone 03 1 6.00 6.00					
487571004 Zone 02 1 27.28 27.28 487571005 Zone 02 1 27.28 27.28 487572001 Zone 02 1 27.28 27.28 487572002 Zone 02 1 27.28 27.28 487572003 Zone 02 1 27.28 27.28 487572004 Zone 02 1 27.28 27.28 487572005 Zone 02 1 27.28 27.28 487572006 Zone 02 1 27.28 27.28 487572007 Zone 02 1 27.28 27.28 487572008 Zone 02 1 27.28 27.28 487572008 Zone 03 1 6.00 6.00 488051003 Zone 03 1 6.00 6.00 488051012 Zone 03 1 6.00 6.00 488050001 Zone 03 1 6.00 6.00 488050003 Zone 03 1 6.00 6.00					
487571005 Zone 02 1 27.28 27.28 487572001 Zone 02 1 27.28 27.28 487572002 Zone 02 1 27.28 27.28 487572003 Zone 02 1 27.28 27.28 487572004 Zone 02 1 27.28 27.28 487572005 Zone 02 1 27.28 27.28 487572006 Zone 02 1 27.28 27.28 487572007 Zone 02 1 27.28 27.28 487572008 Zone 02 1 27.28 27.28 488051003 Zone 03 1 6.00 6.00 488051012 Zone 03 1 6.00 6.00 488050001 Zone 03 1 6.00 6.00 488050002 Zone 03 1 6.00 6.00 488050003 Zone 03 1 6.00 6.00 488050004 Zone 03 1 6.00 6.00					
487572001 Zone 02 1 27.28 27.28 487572002 Zone 02 1 27.28 27.28 487572003 Zone 02 1 27.28 27.28 487572004 Zone 02 1 27.28 27.28 487572005 Zone 02 1 27.28 27.28 487572006 Zone 02 1 27.28 27.28 487572007 Zone 02 1 27.28 27.28 487572008 Zone 02 1 27.28 27.28 488051003 Zone 03 1 6.00 6.00 488051012 Zone 03 1 6.00 6.00 488050001 Zone 03 1 6.00 6.00 488050002 Zone 03 1 6.00 6.00 488050005 Zone 03 1 6.00 6.00 488050006 Zone 03 1 6.00 6.00 488050007 Zone 03 1 6.00 6.00 488050008 Zone 03 1 6.00 6.00 488050009					
487572002 Zone 02 1 27.28 27.28 487572003 Zone 02 1 27.28 27.28 487572004 Zone 02 1 27.28 27.28 487572005 Zone 02 1 27.28 27.28 487572006 Zone 02 1 27.28 27.28 487572007 Zone 02 1 27.28 27.28 487572008 Zone 02 1 27.28 27.28 488051003 Zone 03 1 6.00 6.00 488051012 Zone 03 1 6.00 6.00 488050001 Zone 03 1 6.00 6.00 488050002 Zone 03 1 6.00 6.00 488050003 Zone 03 1 6.00 6.00 488050005 Zone 03 1 6.00 6.00 488050006 Zone 03 1 6.00 6.00 488050007 Zone 03 1 6.00 6.00 488050008 Zone 03 1 6.00 6.00 488050009					
487572003 Zone 02 1 27.28 27.28 487572004 Zone 02 1 27.28 27.28 487572005 Zone 02 1 27.28 27.28 487572006 Zone 02 1 27.28 27.28 487572007 Zone 02 1 27.28 27.28 487572008 Zone 02 1 27.28 27.28 488051003 Zone 03 1 6.00 6.00 488051012 Zone 03 1 6.00 6.00 488050001 Zone 03 1 6.00 6.00 488050002 Zone 03 1 6.00 6.00 488050003 Zone 03 1 6.00 6.00 488050004 Zone 03 1 6.00 6.00 488050005 Zone 03 1 6.00 6.00 488050006 Zone 03 1 6.00 6.00 488050007 Zone 03 1 6.00 6.00 488050008 Zone 03 1 6.00 6.00 488050009					
487572004 Zone 02 1 27.28 27.28 487572005 Zone 02 1 27.28 27.28 487572006 Zone 02 1 27.28 27.28 487572007 Zone 02 1 27.28 27.28 487572008 Zone 02 1 27.28 27.28 488051003 Zone 03 1 6.00 6.00 488051012 Zone 03 1 6.00 6.00 488050001 Zone 03 1 6.00 6.00 488050002 Zone 03 1 6.00 6.00 488050003 Zone 03 1 6.00 6.00 488050004 Zone 03 1 6.00 6.00 488050005 Zone 03 1 6.00 6.00 488050006 Zone 03 1 6.00 6.00 488050007 Zone 03 1 6.00 6.00 488050008 Zone 03 1 6.00 6.00 488050009 Zone 03 1 6.00 6.00 488050000					
487572005 Zone 02 1 27.28 27.28 487572006 Zone 02 1 27.28 27.28 487572007 Zone 02 1 27.28 27.28 487572008 Zone 02 1 27.28 27.28 488051003 Zone 03 1 6.00 6.00 488051012 Zone 03 1 6.00 6.00 488050001 Zone 03 1 6.00 6.00 488050002 Zone 03 1 6.00 6.00 488050003 Zone 03 1 6.00 6.00 488050004 Zone 03 1 6.00 6.00 488050005 Zone 03 1 6.00 6.00 488050006 Zone 03 1 6.00 6.00 488050008 Zone 03 1 6.00 6.00 488050009 Zone 03 1 6.00 6.00 488050010 Zone 03 1 6.00 6.00 488050010 Zone 03 1 6.00 6.00	487572004			1 27.28	27.28
487572006 Zone 02 1 27.28 27.28 487572007 Zone 02 1 27.28 27.28 487572008 Zone 02 1 27.28 27.28 488051003 Zone 03 1 6.00 6.00 488050112 Zone 03 1 6.00 6.00 488050001 Zone 03 1 6.00 6.00 488050002 Zone 03 1 6.00 6.00 488050003 Zone 03 1 6.00 6.00 488050004 Zone 03 1 6.00 6.00 488050005 Zone 03 1 6.00 6.00 488050006 Zone 03 1 6.00 6.00 488050007 Zone 03 1 6.00 6.00 488050008 Zone 03 1 6.00 6.00 488050009 Zone 03 1 6.00 6.00 488050010 Zone 03 1 6.00 6.00	487572005			1 27.28	27.28
487572007 Zone 02 1 27.28 27.28 487572008 Zone 02 1 27.28 27.28 488051003 Zone 03 1 6.00 6.00 488051012 Zone 03 1 6.00 6.00 488050001 Zone 03 1 6.00 6.00 488050002 Zone 03 1 6.00 6.00 488050003 Zone 03 1 6.00 6.00 488050004 Zone 03 1 6.00 6.00 488050005 Zone 03 1 6.00 6.00 488050006 Zone 03 1 6.00 6.00 488050007 Zone 03 1 6.00 6.00 488050008 Zone 03 1 6.00 6.00 488050009 Zone 03 1 6.00 6.00 488050010 Zone 03 1 6.00 6.00 488050010 Zone 03 1 6.00 6.00	487572006			1 27.28	
487572008 Zone 02 1 27.28 27.28 488051003 Zone 03 1 6.00 6.00 488051012 Zone 03 1 6.00 6.00 488050001 Zone 03 1 6.00 6.00 488050002 Zone 03 1 6.00 6.00 488050003 Zone 03 1 6.00 6.00 488050004 Zone 03 1 6.00 6.00 488050005 Zone 03 1 6.00 6.00 488050006 Zone 03 1 6.00 6.00 488050008 Zone 03 1 6.00 6.00 488050009 Zone 03 1 6.00 6.00 488050010 Zone 03 1 6.00 6.00 488050010 Zone 03 1 6.00 6.00				1 27.28	
488051003 Zone 03 1 6.00 6.00 488051012 Zone 03 1 6.00 6.00 488050001 Zone 03 1 6.00 6.00 488050002 Zone 03 1 6.00 6.00 488050003 Zone 03 1 6.00 6.00 488050004 Zone 03 1 6.00 6.00 488050005 Zone 03 1 6.00 6.00 488050006 Zone 03 1 6.00 6.00 488050007 Zone 03 1 6.00 6.00 488050008 Zone 03 1 6.00 6.00 488050009 Zone 03 1 6.00 6.00 488050010 Zone 03 1 6.00 6.00	487572008	Zone 02		1 27.28	
488051012 Zone 03 1 6.00 6.00 488050001 Zone 03 1 6.00 6.00 488050002 Zone 03 1 6.00 6.00 488050003 Zone 03 1 6.00 6.00 488050004 Zone 03 1 6.00 6.00 488050005 Zone 03 1 6.00 6.00 488050006 Zone 03 1 6.00 6.00 488050007 Zone 03 1 6.00 6.00 488050008 Zone 03 1 6.00 6.00 488050009 Zone 03 1 6.00 6.00 488050010 Zone 03 1 6.00 6.00	488051003				6.00
488050001 Zone 03 1 6.00 6.00 488050002 Zone 03 1 6.00 6.00 488050003 Zone 03 1 6.00 6.00 488050004 Zone 03 1 6.00 6.00 488050005 Zone 03 1 6.00 6.00 488050006 Zone 03 1 6.00 6.00 488050007 Zone 03 1 6.00 6.00 488050008 Zone 03 1 6.00 6.00 488050009 Zone 03 1 6.00 6.00 488050010 Zone 03 1 6.00 6.00					
488050002 Zone 03 1 6.00 6.00 488050003 Zone 03 1 6.00 6.00 488050004 Zone 03 1 6.00 6.00 488050005 Zone 03 1 6.00 6.00 488050006 Zone 03 1 6.00 6.00 488050007 Zone 03 1 6.00 6.00 488050008 Zone 03 1 6.00 6.00 488050009 Zone 03 1 6.00 6.00 488050010 Zone 03 1 6.00 6.00	488050001	Zone 03		1 6.00	
488050003 Zone 03 1 6.00 6.00 488050004 Zone 03 1 6.00 6.00 488050005 Zone 03 1 6.00 6.00 488050006 Zone 03 1 6.00 6.00 488050007 Zone 03 1 6.00 6.00 488050008 Zone 03 1 6.00 6.00 488050009 Zone 03 1 6.00 6.00 488050010 Zone 03 1 6.00 6.00	488050002	Zone 03		1 6.00	
488050004 Zone 03 1 6.00 6.00 488050005 Zone 03 1 6.00 6.00 488050006 Zone 03 1 6.00 6.00 488050007 Zone 03 1 6.00 6.00 488050008 Zone 03 1 6.00 6.00 488050009 Zone 03 1 6.00 6.00 488050010 Zone 03 1 6.00 6.00	488050003	Zone 03		1 6.00	
488050005 Zone 03 1 6.00 6.00 488050006 Zone 03 1 6.00 6.00 488050007 Zone 03 1 6.00 6.00 488050008 Zone 03 1 6.00 6.00 488050009 Zone 03 1 6.00 6.00 488050010 Zone 03 1 6.00 6.00				1 6.00	
488050006 Zone 03 1 6.00 6.00 488050007 Zone 03 1 6.00 6.00 488050008 Zone 03 1 6.00 6.00 488050009 Zone 03 1 6.00 6.00 488050010 Zone 03 1 6.00 6.00					
488050007 Zone 03 1 6.00 6.00 488050008 Zone 03 1 6.00 6.00 488050009 Zone 03 1 6.00 6.00 488050010 Zone 03 1 6.00 6.00					
488050008 Zone 03 1 6.00 6.00 488050009 Zone 03 1 6.00 6.00 488050010 Zone 03 1 6.00 6.00					
488050009 Zone 03 1 6.00 6.00 488050010 Zone 03 1 6.00 6.00					
488050010 Zone 03 1 6.00 6.00					

APN	LMD 2014-01 Zone LI	MD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessment
488050012	Zone 03		1 6.00	6.00
488050013	Zone 03		1 6.00	6.00
488050014	Zone 03		1 6.00	6.00
488050015	Zone 03		1 6.00	6.00
488051001	Zone 03		1 6.00	6.00
488051002	Zone 03		1 6.00	6.00
488051004	Zone 03		1 6.00	6.00
488051005	Zone 03		1 6.00	6.00
488051006	Zone 03		1 6.00	6.00
488051007	Zone 03		1 6.00	6.00
488051008	Zone 03		1 6.00	6.00
488051009	Zone 03		1 6.00	6.00
488051010	Zone 03		1 6.00	6.00
488051011	Zone 03		1 6.00	6.00
488070001	Zone 03		1 6.00	6.00
488070002	Zone 03		1 6.00	6.00
488070003	Zone 03		1 6.00	6.00
488070004	Zone 03		1 6.00	6.00
488070005	Zone 03		1 6.00	6.00
488070006	Zone 03		1 6.00	6.00
488070007	Zone 03		1 6.00	6.00
488071001	Zone 03		1 6.00	6.00
488071002	Zone 03		1 6.00	6.00
488071003	Zone 03		1 6.00	6.00
488071004	Zone 03		1 6.00	6.00
488071005	Zone 03		1 6.00	6.00
488071006	Zone 03		1 6.00	6.00
488060001	Zone 03		1 6.00	6.00
488060002	Zone 03		1 6.00	6.00
488060003	Zone 03		1 6.00	6.00
488060004	Zone 03		1 6.00	6.00
488060005	Zone 03		1 6.00	6.00
488060006	Zone 03		1 6.00	6.00
488060007	Zone 03		1 6.00	6.00
488060008	Zone 03		1 6.00	6.00
488060009	Zone 03		1 6.00	6.00
488060010	Zone 03		1 6.00	6.00
488060011	Zone 03		1 6.00	6.00
488060012	Zone 03		1 6.00	6.00
488060013	Zone 03		1 6.00	6.00
488061001	Zone 03		1 6.00	6.00
488061002	Zone 03		1 6.00	6.00
488061003	Zone 03		1 6.00	6.00
488061004	Zone 03		1 6.00	6.00
488061005	Zone 03		1 6.00	6.00
488061006	Zone 03		1 6.00	6.00
488061009	Zone 03		1 6.00	6.00
488061010	Zone 03		1 6.00	6.00
130001010	23110 00		0.00	0.00

APN	LMD 2014-01 Zone	LMD Assigned EBU's	FY 17-18 Max Assessment	FY 17-18 Assessme
488061011	Zone 03	•	1 6.00	6.0
488061012	Zone 03	•	1 6.00	6.0
488061007	Zone 03	•	1 6.00	6.0
488061008	Zone 03	•	1 6.00	6.0
Total:				\$ 948,880.3
Parcel Count:				40,03